

PERSONAL IDENTIFIABLE INFORMATION Data Model  
Release 14.7.4.0.0  
Oracle FLEXCUBE Investor Servicing  
[March] [2024]



PERSONAL IDENTIFIABLE INFORMATION Data Model  
[March] [2024]

Oracle Financial services Software Limited  
Oracle Park  
Off western Express Highway  
Goregaon(East)  
Mumbai,Maharashtra 400 063  
India

Worldwide Inquiries:  
Phone: +91 22 6718 3000  
Fax:+91 22 6718 3001  
[www.oracle.com/financialservices/](http://www.oracle.com/financialservices/)

Copyright © [2007], [2024], Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are commercial computer software pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

# Table Of Contents

---

|                                             |          |
|---------------------------------------------|----------|
| <b>1. INTRODUCTION</b>                      | <b>1</b> |
| <b>2. PERSONAL IDENTIFIABLE INFORMATION</b> | <b>2</b> |
| 2.1. CONSENTMAINTTBL                        | 2        |
| 2.2. DATAMASKJOBTBL                         | 2        |
| 2.3. DATAMASKJOBTBLHISTORY                  | 3        |
| 2.4. DATAMASKRUNDTLTBL                      | 3        |
| 2.5. DATAMASKTBLCOL                         | 3        |
| 2.6. REDACTLOGTBL                           | 4        |
| 2.7. REDACTMAINTDETTBL                      | 4        |

## 1. INTRODUCTION

This document contains the data dictionary information of PERSONAL IDENTIFIABLE INFORMATION module. For each table that belongs to the module, FCIS\_PII, it provides the following information

- Table Description
- Constraints
- Column details that contain column name, data type and descriptions.

## 2. PERSONAL IDENTIFIABLE INFORMATION

### 2.1. CONSENTMAINTTBL

#### Description -

Consent Maintenance details

#### Constraints -

|                    |                                    |
|--------------------|------------------------------------|
| <b>Primary Key</b> | ENTITYTYPE,ENTITYID,CONSENTPURPOSE |
|--------------------|------------------------------------|

#### Column Descriptions -

| COLUMN           | DATA TYPE     | DESCRIPTION                              |
|------------------|---------------|------------------------------------------|
| ENTITYTYPE       | VARCHAR2(1)   | Entity Type for whom consent is captured |
| ENTITYID         | VARCHAR2(12)  | Entity Id for whom consent is capture    |
| CONSENTDATE      | DATE          | Date on which consent request received   |
| VALIDFROMDATE    | DATE          | date from which consent is valid         |
| VALIDTILLDATE    | DATE          | Date Till when Consent is valid          |
| CONSENTPURPOSE   | VARCHAR2(100) | Consent Purpose                          |
| CONSENTDETAILS   | VARCHAR2(225) | Consent Details                          |
| SELECTION        | VARCHAR2(1)   | Consent Status Active/Withdrawn          |
| WITHDRAWALDATE   | DATE          | Date from which consent is not valid     |
| MOD_NO           | NUMBER        | Modification Numner                      |
| MAKER_ID         | VARCHAR2(15)  | User who created the record              |
| MAKER_DT_STAMP   | DATE          | Date on which record captured            |
| CHECKER_ID       | VARCHAR2(15)  | user who Authorized the record           |
| CHECKER_DT_STAMP | DATE          | date on which record authorized          |
| AUTH_STAT        | VARCHAR2(1)   | Authorization status of the record       |
| ONCE_AUTH        | CHAR(1)       | Is the record once authorized            |
| RECORD_STAT      | CHAR(1)       | record status Open/Closed                |

### 2.2. DATAMASKJOBTL

#### Description -

Anonymization Job details

#### Constraints -

#### Column Descriptions -

| COLUMN     | DATA TYPE     | DESCRIPTION               |
|------------|---------------|---------------------------|
| TABlename  | VARCHAR2(225) | Specify the Table name    |
| COLUMNNAME | VARCHAR2(255) | Specify the Coloumn name  |
| TBLROWID   | VARCHAR2(75)  | Specify the Table row Id  |
| STATUS     | VARCHAR2(2)   | Specify the Status        |
| KEYSTRING  | VARCHAR2(75)  | Specify the Keysting      |
| JOBID      | VARCHAR2(75)  | Specify the Job ID        |
| STARTTIME  | TIMESTAMP(6)  | Specify the Start Time    |
| ENDTIME    | TIMESTAMP(6)  | Specify the End Time      |
| ERRORCODE  | VARCHAR2(75)  | Specify the Error Code    |
| ERRMSG     | VARCHAR2(500) | Specify the Error Message |

## 2.3. DATAMASKJOBTLHISTORY

### Description -

Anonymization Job details History

### Constraints -

### Column Descriptions -

| COLUMN     | DATA TYPE     | DESCRIPTION               |
|------------|---------------|---------------------------|
| TABLERNAME | VARCHAR2(225) | Specify the Table name    |
| COLUMNNAME | VARCHAR2(255) | Specify the Coloumn name  |
| TBLROWID   | VARCHAR2(75)  | Specify the Table row Id  |
| STATUS     | VARCHAR2(2)   | Specify the Status        |
| KEYSTRING  | VARCHAR2(75)  | Specify the Keysting      |
| JOBID      | VARCHAR2(75)  | Specify the Job ID        |
| STARTTIME  | TIMESTAMP(6)  | Specify the Start Time    |
| ENDTIME    | TIMESTAMP(6)  | Specify the End Time      |
| ERRORCODE  | VARCHAR2(75)  | Specify the Error Code    |
| ERRMSG     | VARCHAR2(500) | Specify the Error Message |

## 2.4. DATAMASKRUNDTLTBL

### Description -

Anonymization Process run details

### Constraints -

### Column Descriptions -

| COLUMN    | DATA TYPE     | DESCRIPTION                                        |
|-----------|---------------|----------------------------------------------------|
| KEYSTRING | VARCHAR2(75)  | Anonymization Process Keysting                     |
| USERID    | VARCHAR2(255) | user who initiated Anonymization Process           |
| MODULEID  | VARCHAR2(255) | Module from which Anonymization Process initiated  |
| APPDATE   | DATE          | App. Date on which Anonymization Process initiated |
| STARTTIME | TIMESTAMP(6)  | start Date time of Anonymization Process           |
| ENDTIME   | TIMESTAMP(6)  | end Date time of Anonymization Process             |
| STATUS1   | VARCHAR2(255) | Status of Anonymization Process                    |
| STATUS2   | VARCHAR2(255) | Status of Anonymization Process                    |

## 2.5. DATAMASKTBLCOL

### Description -

Anonymization Table Column Details

### Constraints -

### Column Descriptions -

| COLUMN     | DATA TYPE     | DESCRIPTION              |
|------------|---------------|--------------------------|
| TABLERNAME | VARCHAR2(225) | Specify the Table name   |
| COLUMNNAME | VARCHAR2(255) | Specify the Coloumn name |
| DATATYPE   | VARCHAR2(255) | Specify the Data Type    |

|                 |               |                              |
|-----------------|---------------|------------------------------|
| ENABLED         | VARCHAR2(1)   | Specify the Enabled          |
| WHERECLAUSE     | VARCHAR2(255) | Specify the Where Clause     |
| STATUS          | VARCHAR2(255) | Specify the Status           |
| KEYSTRING       | VARCHAR2(50)  | Specify the Keystring        |
| USER_ID         | VARCHAR2(12)  | Specify the User ID          |
| APPLICATIONDATE | DATE          | Specify the Application date |
| SYSTEMDATE      | DATE          | Specify the System date      |
| MODULEID        | VARCHAR2(30)  | Specify the Module id        |

## 2.6. REDACTLOGTBL

### Description -

Pseudonymization Policy creation Log details

### Constraints -

|                    |                                               |
|--------------------|-----------------------------------------------|
| <b>Primary Key</b> | KEYSTRING, TABLE_NAME, COLUMN_NAME, OPERATION |
|--------------------|-----------------------------------------------|

### Column Descriptions -

| COLUMN          | DATA TYPE     | DESCRIPTION                                                  |
|-----------------|---------------|--------------------------------------------------------------|
| KEYSTRING       | VARCHAR2(50)  | Pseudonymization Redact policy run Key String                |
| USER_ID         | VARCHAR2(12)  | user who initiated Pseudonymization Redact policy run        |
| APPLICATIONDATE | DATE          | App date for Pseudonymization Redact policy run              |
| SYSTEMDATE      | DATE          | DB date for Pseudonymization Redact policy run               |
| MODULEID        | VARCHAR2(30)  | Module from which Pseudonymization Redact policy run started |
| TABLE_NAME      | VARCHAR2(100) | Table name to be Pseudonymization                            |
| COLUMN_NAME     | VARCHAR2(100) | Column name to be Pseudonymization                           |
| POLICYNAME      | VARCHAR2(30)  | Pseudonymization Redact policy Name                          |
| OPERATION       | VARCHAR2(100) | Pseudonymization Redact policy run operation                 |
| ERRORCODE       | VARCHAR2(20)  | Pseudonymization Redact policy run error code                |
| ERRMESSAGE      | VARCHAR2(255) | Pseudonymization Redact policy run error msg.                |

## 2.7. REDACTMAINTDETTBL

### Description -

Pseudonymization Table column Details

### Constraints -

|                    |                                               |
|--------------------|-----------------------------------------------|
| <b>Primary Key</b> | COLUMNTYPE, TABLE_NAME, COLUMN_NAME, ACTIVITY |
|--------------------|-----------------------------------------------|

### Column Descriptions -

| COLUMN            | DATA TYPE      | DESCRIPTION                    |
|-------------------|----------------|--------------------------------|
| COLUMNTYPE        | VARCHAR2(200)  | Specify the Column type        |
| TABLE_NAME        | VARCHAR2(100)  | Specify the Table Name         |
| COLUMN_NAME       | VARCHAR2(100)  | Specify the Column Name        |
| APPLICABLE        | VARCHAR2(1)    | Specify the Applicable         |
| DATATYPE          | VARCHAR2(50)   | Specify the Data type          |
| POLICYNAME        | VARCHAR2(30)   | Specify the Policy name        |
| MASKINGCONDITION  | VARCHAR2(4000) | Specify the Masking condition  |
| FUNCTIONPARAMETER | VARCHAR2(4000) | Specify the Function parameter |
| RUNSTATUS         | VARCHAR2(1)    | Specify the Run Status         |

|          |             |                      |
|----------|-------------|----------------------|
| ACTIVITY | VARCHAR2(1) | Specify the Activity |
|----------|-------------|----------------------|

<End of document>