Resources to be created Oracle FLEXCUBE Investor Servicing Release 14.7.4.0.0 [March] [2024]





# **Table of Contents**

l.	RES	OURCES TO BE CREATED ON APPLICATION SERVER	1-
		INTRODUCTION	
	1.2	RESOURCE TYPES	1-
	1.3	RESOURCE PRE-REQUISITES FOR PLUG-INS	1-
	1.3.1	Oracle FLEXCUBE IS	1-
	1.4	GATEWAY	1-3
	1.5	SCHEDULER	1_1



# 1. Resources to be created on Application Server

# 1.1 Introduction

This chapter explains list of resources to be created for FCIS application.

### 1.2 Resource Types

Configure the application server for Oracle FLEXCUBE Application. Ensure that the following resources are available before deployment:

- Data source
- JMS resources
- Debug paths for host and branch

# 1.3 Resource Pre-requisites for Plug-ins

Resource prerequisites for different plug-ins are explained below. In case you wish to include a plug-in, ensure that the corresponding resources are created.

### 1.3.1 Oracle FLEXCUBE IS

FCIS needs below resources before deployment. Create the following queues and connection factories in the application server.

#### **JMS Connection Factories**

QCF Label	QCF
Notify Destination QCF	NotifyDestQCF
Deferred QCF	DefferedDestQCF
Notify QCF	NOTIFY_MDB_QCF
Incoming QCF	EmsQcf
BIP QCF	BIPQCF
GI Upload QCF	GI_UPLOAD_QCF
<internally referred=""></internally>	ELMDBQCF
<internally referred=""></internally>	EL_NOTIFY_QCF



#### Queues

Create the following queues:

QUEUE Label	QUEUE
Notify Destination Queue Name	NOTIFY_DEST_QUEUE
Deferred Queue Name	DEFFERED_DEST_QUEUE
Notify Queue Name	NOTIFY_QUEUE
Dead Letter Queue name	NOTIFY_QUEUE_DLQ
Incoming BackupQueue name	EMS_QUEUE_BACK
Incoming Dead Letter Queue name	EMS_QUEUE_DLQ
Incoming Queue Name	EMS_INQUEUE
Outgoing Queue Name	EMS_OUTQUEUE
SFMS Incoming Queue	SFMS_INQUEUE
RTGS Incoming Queue	RTGS_INQUEUE
BIP Queue Name	INTERNAL_BIPREPORT_QUEUE
BIP Dead Letter Queue Name	INTERNAL_BIP_QUEUE_DLQ
BIPadvice Queue Name	INTERNAL_BIPADVREPORT_QUEUE
BIPadvice Dead Letter Queue Name	INTERNAL_BIP_ADVICE_QUEUE_DLQ
GI Upload Queue Name	INTERNAL_GI_UPLOAD_QUEUE
GI Upload Dead Letter Queue Name	INTERNAL_GI_UPLOAD_DLQ
<internally referred=""></internally>	ELMDB_REQ_Q
<internally referred=""></internally>	ELMDB_RES_Q
<internally referred=""></internally>	ELMDB_DLQ
<internally referred=""></internally>	EL_NOTIFY_REQ_Q
<internally referred=""></internally>	EL_NOTIFY_RES_Q
<internally referred=""></internally>	EL_NOTIFY_DLQ

#### Data source

Datasource Name	Datasource Label	Туре	Default Value
INIT_DATASOURCE	Data Source	NON-XA	jdbc/fcjdevDS
SCHEDULER_DS	Scheduler Datasource	XA	jdbc/fcjSchedulerDS



### Note the following:

- You need to create XA data source for Oracle FCIS with the JNDI name '\_XA' for Scheduler.
   For example, if the Oracle FCIS HOST Non XA data source JNDI name is 'jdbc/fcjdevIS',
   then you need to create another data source for FCIS with the JNDI name 'jdbc/fcjdevIS\_XA'.
- In addition to above mentioned data sources, for each LOB schema, data source configuration need to be created.



## 1.4 **Gateway**

If scheduler is included in the property file, create the following queues and connection factories in the application server.

#### **Connection Factories**

Create the following connection factories:

QCF Label	QCF
MDB QCF	MDBQCF

#### All these must be XA enabled.

#### Queues

Create the following queues:

QUEUE Label	QUEUE	
MDB Request Queue	MDB_QUEUE	
MDB Response Queue	MDB_QUEUE_RESPONSE	
MDB DL Queue	MDB_QUEUE_DLQ	

#### **DataSource**

Datasource Name	Datasource Label	Туре	Default Value
FCUBS MSG SCHEMA CON	DataSource	XA for MDB	FLEXTEST.WORLD
POOLNAME		and	
-		NON-XA for	
		others	

In addition to above mentioned data sources, for each LOB schema, data source configuration need to be created.

## 1.5 Scheduler

If scheduler is included in the property file, create the following queues and connection factories in the application server.

#### **Connection Factories**

Create the following connection factories:

QCF Label	QCF
Notify Destination QCF	NotifyDestQCF
Deferred QCF	DefferedDestQCF
Notify QCF	NOTIFY_MDB_QCF
Incoming QCF	EmsQcf
BIP QCF	BIPQCF
GI Upload QCF	GI_UPLOAD_QCF



#### All these must be XA enabled.

#### Queues

Create the following queues:

QUEUE Label	QUEUE	
Notify Destination Queue Name	NOTIFY_DEST_QUEUE	
Deferred Queue Name	DEFFERED_DEST_QUEUE	
Notify Queue Name	NOTIFY_QUEUE	
Dead Letter Queue name	NOTIFY_QUEUE_DLQ	
Incoming BackupQueue name	EMS_QUEUE_BACK	
Incoming Dead Letter Queue name	EMS_QUEUE_DLQ	
Incoming Queue Name	EMS_INQUEUE	
Outgoing Queue Name	EMS_OUTQUEUE	
SFMS Incoming Queue	SFMS_INQUEUE	
RTGS Incoming Queue	RTGS_INQUEUE	
BIP Queue Name	INTERNAL_BIPREPORT_QUEUE	
BIP Dead Letter Queue Name	INTERNAL_BIP_QUEUE_DLQ	
BIPadvice Queue Name	INTERNAL_BIPADVREPORT_QUEUE	
BIPadvice Dead Letter Queue Name	INTERNAL_BIP_ADVICE_QUEUE_DLQ	
GI Upload Queue Name	INTERNAL_GI_UPLOAD_QUEUE	
GI Upload Dead Letter Queue Name	INTERNAL_GI_UPLOAD_DLQ	

### **Topic Connection Factory**

NotifyDestTCF

#### **Topic**

NOTIFY\_DEST\_TOPIC

Datasource Name	Datasource Label	Туре	Default Value
INIT_DATASOURCE	Data Source	NON-XA	jdbc/fcjdevDS
SCHEDULER_DS	Scheduler Datasource	XA	jdbc/fcjSchedulerDS

You need to create XA data source for Oracle FCIS with the JNDI name \_XA for scheduler. For example, if the Oracle FCIS HOST Non XA data source JNDI name is 'jdbc/fcjdevDS', then you need to create another data source for FCIS with the JNDI name 'jdbc/fcjdevDS\_XA'.

To configure scheduler and EMS with MQ series, follow the steps given below.

- Create queues in MQ Series
- Create binding file
- Copy the MQ series JAR files to Oracle WebLogic domain library folder

### **Security Provider Libraries**

If you wish to include signing process for SFMS messages, you need to set the following library.



File Name	Download Location	Instructions
bcprov- jdk(Latest Qualified Version).jar	http://www.bouncycastle.org/latest_releases.html	Copy the file 'bcprov- jdk(Latest Qualified Version).jar' to the directory '{WL_JAVA_HOME}/jre/lib/ext'
		Here, 'WL_JAVA_HOME' is the Java root directory from which WebLogic server is running.
		Restart Oracle WebLogic server.

For details on latest version of the software qualified with Oracle FLEXCUBE, refer to the release certificate.





Resources to be created [March] [2024] Version 14.7.4.0.0

Oracle Financial Services Software Limited Oracle Park Off Western Express Highway Goregaon (East) Mumbai, Maharashtra 400 063 India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax:+91 22 6718 3001
www.oracle.com/financialservices/

Copyright © [2007], [2024], Oracle and/or its affiliates.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

