

Oracle Banking Credit Facilities Process Management  
ANNEXURE-5

Release 14.7.3.0.0  
Part No. F95945-01  
March 2024



Oracle Banking Credit Facilities Process Management - Annexure - 5

Oracle Financial Services Software Limited  
Oracle Park  
Off Western Express Highway  
Goregaon (East)  
Mumbai, Maharashtra 400 063  
India  
Worldwide Inquiries:  
Phone: +91 22 6718 3000  
Fax: +91 22 6718 3001  
[www.oracle.com/financialservices/](http://www.oracle.com/financialservices/)

Copyright © 2019, 2024 Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

**U.S. GOVERNMENT END USERS:** Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are commercial computer software pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited. The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

# Table of Contents

- 1. PREFACE .....2
- 1.1 INTRODUCTION .....2
- 1.2 AUDIENCE.....2
- 1.3 DOCUMENTATION ACCESSIBILITY .....2
- 1.4 RELATED DOCUMENTS .....2
- 2. NEW -D PARAMETER IN THIS PATCHSET: .....3

---

# 1. Preface

## 1.1 Introduction

This guide would help you to set up environment variables for Plato, SMS, Common Core, Middle Office and OBCFPM.

## 1.2 Audience

This document is intended for webLogic admin or ops-web team who are responsible for installing the OFSS banking products.

## 1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle accessibility program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

## 1.4 Related Documents

- LDAP setup guide
- Oracle Banking Credit Facilities Process Management Pre Installation Guide
- Oracle Banking Credit Facilities Process Management Conductor Process Installation Guide
- Oracle Banking Credit Facilities Process Management Services Installation Guide
- Oracle Banking Credit Facilities Process Management User Interface Installation Guide
- Common Core Services Installation Guide
- Plato Infrastructure Services Installation Guide
- Security Management System Services Installation Guide
- SSL Setup Guide

---

## 2. -D Parameter

```
export USER_MEM_ARGS="-Xms512m -Xmx3500m"  
export JAVA_HOME=/usr/java/jdk-11.0.14
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dplato.services.config.port=7111 -  
Dplato.services.config.uri=https://IP-ADDRESS:7111 -  
Dconductor.properties=/scratch/app/config.properties -Dplato.conductor.prefer.ip=true -  
Dplato.jndi.resources.prefix=false -  
Dplato.service.logging.path=/scratch/work_area/application/logs -Dplato.service.env=DEV" export  
JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.eureka.protocol=https"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.prefer.ip.address.enabled=false" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.nonsecure.port.enabled=false" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.secure.port.enabled=true"  
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-document-  
services.server.port=dummyTemp" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-comments-  
services.server.port=dummyTemp" export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-transport-  
service.server.port=7121" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.config-  
service.server.port=7121" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.sequencegeneratorservice.server.port=7023" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-service-deprecation-  
svc.server.port=7021" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.processcode-  
services.server.port=7023" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.kyccheck-  
services.server.port=7023" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-priority-  
services.server.port=7023" export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obpy-businessprocess-  
services.server.port=7522" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obpy-party-adapter-  
services.server.port=7522" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obpy-party-corporate-view-  
services.server.port=7522" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obpy-party-handoff-  
services.server.port=7522" export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obpy-party-kyc-  
services.server.port=7522" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obpy-party-maintenance-  
service.server.port=7522" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obpy-party-publisher-  
services.server.port=7522" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obpy-party-  
services.server.port=7522" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obpy-stage-  
services.server.port=7522" export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.feed.upload.directory=DIR"  
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.plato.feed.fss.filestore.protocol=tempVal" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.plato.feed.fss.filestore.host=tempVal" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.plato.feed.fss.filestore.port=tempVal" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.plato.feed.fss.filestore.contextRoot=tempVal" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.plato.feed.fss.filestream.protocol=tempVal" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.plato.feed.fss.filestream.host=tempVal" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.plato.feed.fss.filestream.port=tempVal" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.plato.feed.fss.filestream.contextRoot=tempVal" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.plato.feed.fss.auth.bearerToken=tempVal" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.plato.feed.fss.par.upload.description=tempVal" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.plato.feed.fss.par.storageDirective=tempVal" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.plato.feed.fss.stripe.service.tag=tempVal" export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-transport-  
service.jndi=tempVal" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-transport-  
service.schemas=tempVal" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-transport-  
service.transport.filePath=tempVal" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.pswd.validation.flag=tempVal" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.min.pswd.length=8" export  
JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.max.pswd.length=11"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.min.pswd.age=1" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.max.pswd.age=90" export
JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.upper.char.flag=N" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.upper.char.count=2"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.lower.char.flag=Y" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.lower.char.count=2" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.special.char.flag=N" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.special.char.count=1"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.numeric.char.flag=Y"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.numeric.char.count=1"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-feed-
ref.jndi=tempVal" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-feed-
ref.server.port=7121" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-feed-
ref.username=tempVal" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-feed-
ref.password=tempVal" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-feed-
ref.jdbcUrl=tempVal" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-feed-
ref.schemas=tempVal" export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.opds.batch.partitionCount=tempVal" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.opds.batch.autoAddPartitions=tempVal" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.opds.batch.consumerGroupName=tempVal" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.opds.batch.destinationTopic=tempVal" export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.flyway.platobatch.schemas=tempVal" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.flyway.platobatch.db.jndi=tempVal" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.flyway.platobatch.locations=db/migration/platobatch" export
JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.flyway.platobatch.ignoreMissingMigrations=true" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.flyway.platobatch.outOfOrder=true" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.flyway.platobatch.placeholderReplacement=false" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.platobatchflyway.enabled=true" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.flyway.platobatch.baselineOnMigrate=true" export
JAVA_OPTIONS;

JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.documentmanagement-
services.server.port=7023" export JAVA_OPTIONS;

JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway-task=migrate" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.enabled=true" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.plato.alerts.email.password=null" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.plato.alerts.email.userId=null" export JAVA_OPTIONS;
#JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.locations=db/migration/domain/plato,db/migration/domain/cmc,db/migration/dom
ain/sms,db/migration/domain/moc,db/migration/domain/obcfpm" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.locations=db/migration/domain/plato,db/migration/domain/sms,db/migration/dom
ain/moc,db/migration/domain/obcfpm,db/migration/domain/cmc,db/migration/domain/obpy" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.schemas=PLATO" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dplato-config.flyway.domain.schemas=PLATO" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.baselineOnMigrate=true" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.ignoreMissingMigrations=true" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.outOfOrder=true" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.db.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.db.username=PLATO" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.db.password=PLATO" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.db.driver-class-
name=oracle.jdbc.driver.OracleDriver" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.obcfpm-document-
services.server.port=9989" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.obcfpm-document-
services.jndi=jdbc/CFPMDOC" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm-document-
services.domain.db.schemas=CFPM_DOCUMENT" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.screenclass.db.jndi=jdbc/CMNCORE" export JAVA_OPTIONS;
```



```
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.txncontroller.db.jndi=jdbc/CMNCORE" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.platoui.db.jndi=jdbc/PLATO_UI_CONFIG" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.facilities.db.jndi=jdbc/CMNCORE" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.plato.db.jndi=jdbc/PLATO"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.sms.db.jndi=jdbc/sms"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.terms-conditions-
services.server.port=9131" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.credit-writeup-
services.server.port=9123" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.writeup-category-
maintenance-services.server.port=9091" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.facility-category-
services.server.port=9167" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.facility-template-
maintenance-services.server.port=9171" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.creditWriteup.domain.db.schemas=CFPM_WRITEUP"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.termsConditions.domain.db.schemas=CFPM_TERMSCON
DITIONS" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.eventhub.kafka.brokers=10.40.152.59:909" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.eventhub.zk.nodes=10.40.152.59:909" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.checklistmanagement-
services.jndi=jdbc/CMNCORE" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.cmc-checklist-
services.jndi=jdbc/CMNCORE" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.plato-alerts-management-
services.jndi=jdbc/PLATOALERTS" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.plato-batch-
server.branchCode=temp_Val" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.plato-batch-
server.userId=temp_Val" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.plato-feed-
services.userId=temp_Val" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.plato-feed-
services.jndi=jdbc/PLATOFEEED" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.api-
gateway.jndi=jdbc/PLATO_SECURITY" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.plato-batch-
server.jndi=jdbc/PLATOBATCH" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.cmc.jndi=jdbc/CMNCORE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.cmncore.jndi=jdbc/CMNCORE" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.cmncore.db.jndi=jdbc/CMNCORE" export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-  
config.jndi=jdbc/PLATO" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.sms.jndi=jdbc/sms" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-ui-  
config.jndi=jdbc/PLATO_UI_CONFIG" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.eureka.host=IP-  
ADDRESS" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.eureka.port=7114" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholderReplacement=true" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.zipkin.host=IP-ADDRESS"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.zipkin.port=7101" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.flyway-task=migrate"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.flyway.enabled=true"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-discovery-  
service.server.port=7120" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-orch-  
service.server.port=7101" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-feed-  
services.feed.upload.directory=DIR" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-feed-  
services.server.port=7121" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-  
config.username=PLATO" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-  
config.password=PLATO" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-  
config.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.driver.className=oracle.jdbc.driver.OracleDriver" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-  
config.schemas=PLATO" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.flyway.plato.schema=PLATO" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.sms.username=SMS"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.sms.password=SMS"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.sms.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.sms.schemas=SMS"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.flyway.sms.schema=SMS"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.collateralpool-  
services.server.port=9103" export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.collateralpool.username=CFPM_COLLATERALPOOL"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.collateralpool.password=CFPM_COLLATERALPOOL"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.collateralpool.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.collateralpool.schemas=CFPM_COLLATERALPOOL"
export JAVA_OPTIONS;
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.platoui.username=PLATOUI" export JAVA_OPTIONS;
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.platoui.password=PLATOUI"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.platoui.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.platoui.schemas=PLATOUI"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.exception-
services.server.port=9099"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.fcubs.externalSource=EXTSYS"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.fcubs.externaluserId=OB CFPM1"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.elcm.limitsValidLinesURL=http://IP-
ADDRESS:7009/FCUBS-ELCMWeb/EIValidLimitService"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.elcm.earmarkURL=http://IP-ADDRESS:7009/FCUBS-
ELCMWeb/ELFacilityBlockService"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.elcm.facilityURL=http://IP-ADDRESS:7009/FCUBS-
ELCMWeb/ELFacilityService"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.exception.username=CFPM_EXCEPTION"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.exception.password=CFPM_EXCEPTION"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.exception.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
```

```
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.exception.schemas=CFPM_EXCEPTION"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.facility-
services.server.port=9081"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.facility.username=CFPM_FACILITY"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.facility.password=CFPM_FACILITY"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.facility.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.facility.schemas=CFPM_FACILITY"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.facility-party-
summary-services.server.port=9095"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.facilityPartySummary.username=CFPM_FACILITY"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.facilityPartySummary.password=CFPM_FACILITY"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.facilityPartySummary.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.facilityPartySummary.schemas=CFPM_FACILITY"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.handOff-
services.server.port=9085"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.elcm.collateralHandOffUrl=http://IP-
ADDRESS:7009/FCUBS-ELCMWeb/ELCollateralService?WSDL"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.fcubs.customerHandOffUrl=http://IP-
ADDRESS:7023/FCUBSCustomerService/FCUBSCustomerService?WSDL"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.elcm.collateralPoolUrl=http://IP-ADDRESS:7430/FCUBS-
ELCMWeb/ELPoolService"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.elcm.liabilityHandOffUrl=http://IP-ADDRESS:7009/FCUBS-
ELCMWeb/ELLiabilityService?WSDL"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.elcm.facilityHandOffUrl=http://IP-ADDRESS:7009/FCUBS-
ELCMWeb/ELFacilityService?wsdl"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.elcm.cvntHandOffParentUrl=http://IP-
ADDRESS:7009/FCUBS-ELCMWeb"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.elcm.cvntHandOffUrl=http://IP-ADDRESS:7009/FCUBS-
ELCMWeb/ELCollateralService?wsdl"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.cvntLinkageGetEndpoint=https://COVENANT-
SERVICES/covenant-services/web/v1/linkage/final/{linkageEntityId}/{linkageType}"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.cvntInstMainGetEndpoint=https://COVENANT-
SERVICES/covenant-services/web/v1/instance/final/{instanceId}"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.handOff.elcmProductVersion=14.4"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.handOff.fcubsProductVersion=14.4"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.handOff.username=CFPM_COLLATERAL"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.handOff.password=CFPM_COLLATERAL"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.handOff.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.handOff.schemas=CFPM_COLLATERAL"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.liability-
services.server.port=9111"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.liability.username=CFPM_LIABILITY"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.liability.password=CFPM_LIABILITY"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.liability.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.liability.schemas=CFPM_LIABILITY"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.businessprocess-  
services.server.port=9107"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.obcfpm.businessprocess.username=CFPM_MAINTENANCE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.obcfpm.businessprocess.password=CFPM_MAINTENANCE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.obcfpm.businessprocess.jdbcUrl=jdbc:oracle:thin:@//DB-  
IPADDRESS:1522/PDB1910"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.obcfpm.businessprocess.schemas=CFPM_MAINTENANCE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.scoring-  
services.server.port=9091"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.obcfpm.scoring.username=CFPM_CREDITSCORING"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.obcfpm.scoring.password=CFPM_CREDITSCORING"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.obcfpm.scoring.jdbcUrl=jdbc:oracle:thin:@//DB-  
IPADDRESS:1522/PDB1910"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.obcfpm.scoring.schemas=CFPM_CREDITSCORING"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.stage-  
services.server.port=9087"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.obcfpm.stage.username=CFPM_STAGE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.obcfpm.stage.password=CFPM_STAGE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.obcfpm.stage.jdbcUrl=jdbc:oracle:thin:@//DB-  
IPADDRESS:1522/PDB1910"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.obcfpm.stage.schemas=CFPM_STAGE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.obcfpm.bidding.server.port=9037"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.obcfpm.bidding.domain.db.password=CFPM_BIDDING"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.obcfpm.bidding.domain.db.username=CFPM_BIDDING"
```

```
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.bidding.domain.db.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.bidding.domain.db.schemas=CFPM_BIDDING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.pricing.server.port=9045"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.pricing.domain.db.password=CFPM_PRICING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.pricing.domain.db.username=CFPM_PRICING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.pricing.domain.db.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.pricing.domain.db.schemas=CFPM_PRICING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.settlement.server.port=9041"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.settlement.domain.db.password=CFPM_SETTLEMENT"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.settlement.domain.db.username=CFPM_SETTLEMENT"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.settlement.domain.db.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.settlement.domain.db.schemas=CFPM_SETTLEMENT"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialdocumenttemplate.port=9135"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialdocumenttemplate.domain.db.password=CFPM_S
CORING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialdocumenttemplate.domain.db.username=CFPM_S
CORING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialdocumenttemplate.domain.db.jdbcUrl=jdbc:oracle:t
hin:@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialdocumenttemplate.domain.db.schemas=CFPM_S
CORING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.platoui.db.password=CFPM_PLATOUI"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialcodedefinition.port=9139"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialcodedefinition.domain.db.password=CFPM_SCOR
ING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialcodedefinition.domain.db.username=CFPM_SCO
RING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialcodedefinition.domain.db.jdbcUrl=jdbc:oracle:thin:
@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialcodedefinition.domain.db.schemas=CFPM_SCORI
NG"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialcategory.port=9143"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialcategory.domain.db.password=CFPM_SCORING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialcategory.domain.db.username=CFPM_SCORING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialcategory.domain.db.jdbcUrl=jdbc:oracle:thin:@//D
B-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialcategory.domain.db.schemas=CFPM_SCORING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.questionnairedefinition.server.port=9151"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.questionnairedefinition.domain.db.password=CFPM_SCO
RING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.questionnairedefinition.domain.db.username=CFPM_SCO
RING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.questionnairedefinition.domain.db.jdbcUrl=jdbc:oracle:thin:
@//DB-IPADDRESS:1522/PDB1910"
```



```
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.questionnairedefinition.domain.db.schemas=CFPM_SCORING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.questionnaireprocesslinkage.server.port=9147"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.questionnaireprocesslinkage.domain.db.password=CFPM_SCORING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.questionnaireprocesslinkage.domain.db.username=CFPM_SCORING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.questionnaireprocesslinkage.domain.db.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.questionnaireprocesslinkage.domain.db.schemas=CFPM_SCORING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.policy.server.port=9049"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.policy.domain.db.password=CFPM_POLICY"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.policy.domain.db.username=CFPM_POLICY"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.policy.domain.db.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.policy.domain.db.schemas=CFPM_POLICY"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.collateralprojection.server.port=9053"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.collateralprojection.domain.db.password=CFPM_COLLATERAL"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.collateralprojection.domain.db.username=CFPM_COLLATERAL"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.collateralprojection.domain.db.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.collateralprojection.domain.db.schemas=CFPM_COLLATE
RAL"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.application.port=9115"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.application.domain.db.password=CFPM_APPLICATIONS"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.application.domain.db.username=CFPM_APPLICATIONS"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.application.domain.db.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.application.domain.db.schemas=CFPM_APPLICATIONS"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.policymaintenance.port=9057"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.policymaintenance.domain.db.password=CFPM_MAINTEN
ANCE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.policymaintenance.domain.db.username=CFPM_MAINTEN
NANCE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.policymaintenance.domain.db.jdbcUrl=jdbc:oracle:thin:@//
DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.policymaintenance.domain.db.schemas=CFPM_MAINTEN
ANCE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.collateral.server.port=9001"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.collateral.domain.db.password=CFPM_COLLATERAL"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.collateral.domain.db.username=CFPM_COLLATERAL"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.collateral.domain.db.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.collateral.domain.db.schemas=CFPM_COLLATERAL"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.externalcheck.server.port=9005"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.externalcheck.domain.db.password=CFPM_EXTERNALC
HECK"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.externalcheck.domain.db.username=CFPM_EXTERNALC
HECK"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.externalcheck.domain.db.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.externalcheck.domain.db.schemas=CFPM_EXTERNALCH
ECK"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.risk.server.port=9009"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.risk.domain.db.password=CFPM_RISKEVALUATION"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.risk.domain.db.username=CFPM_RISKEVALUATION"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.risk.domain.db.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.risk.domain.db.schemas=CFPM_RISKEVALUATION"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.fieldinvestigation.server.port=9013"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.fieldinvestigation.domain.db.password=CFPM_RISKEVAL
UATION"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.fieldinvestigation.domain.db.username=CFPM_RISKEVAL
UATION"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.fieldinvestigation.domain.db.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.fieldinvestigation.domain.db.schemas=CFPM_RISKEVALU
ATION"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.maintenance.port=9163"
```

```

export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.maintenance.domain.db.password=CFPM_MAINTENANC
E"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.maintenance.domain.db.username=CFPM_MAINTENANC
E"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.maintenance.domain.db.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.maintenance.domain.db.schemas=CFPM_MAINTENANCE
"

export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.valuation.server.port=9017"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.valuation.domain.db.password=CFPM_VALUATION"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.valuation.domain.db.username=CFPM_VALUATION"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.valuation.domain.db.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.valuation.domain.db.schemas=CFPM_VALUATION"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.documentsafekeeping.server.port=9025"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.documentsafekeeping.domain.db.password=CFPM_SAFE
KEEPING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.documentsafekeeping.domain.db.username=CFPM_SAFE
KEEPING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.documentsafekeeping.domain.db.jdbcUrl=jdbc:oracle:thin:
@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.documentsafekeeping.domain.db.schemas=CFPM_SAFEK
EEPING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.legal.port=9021"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.legal.domain.db.password=CFPM_LEGAL"

```

```

export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.legal.domain.db.username=CFPM_LEGAL"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.legal.domain.db.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.legal.domain.db.schemas=CFPM_LEGAL"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.registration.server.port=9029"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.registration.domain.db.password=CFPM_REGISTRATION"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.registration.domain.db.username=CFPM_REGISTRATION
"

export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.registration.domain.db.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.registration.domain.db.schemas=CFPM_REGISTRATION"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.collateralsummary.server.port=9033"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.collateralsummary.domain.db.password=CFPM_COLLATE
RAL"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.collateralsummary.domain.db.username=CFPM_COLLATE
RAL"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.collateralsummary.domain.db.jdbcUrl=jdbc:oracle:thin:@//D
B-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.collateralsummary.domain.db.schemas=CFPM_COLLATE
RAL"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.analysis-
services.server.port=7501"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.eureka.client.serviceUrl.defaultZone=https://IP-
ADDRESS:7114/plato-discovery-service/eureka"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.analysis-
services.locations=db/migration/domain"

```

```
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.db.driver-class-
name=oracle.jdbc.driver.OracleDriver"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.analysis-
services.password=CFPM_ANALYSIS"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.analysis-
services.username=CFPM_ANALYSIS"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.analysis-
services.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.analysis-
services.schemas=CFPM_ANALYSIS"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.analysis-
services.ignoreMissingMigrations=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.analysis-
services.outOfOrder=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.smsflyway.enabled=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.sms.locations=db/migration/sms"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.sms.driver-class-
name=oracle.jdbc.driver.OracleDriver"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.sms.ignoreMissingMigrations=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.sms.outOfOrder=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.sms.baselineOnMigrate=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.platouifyway.enabled=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.platoui.locations=db/migration/platoui"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.platoui.driver-class-
name=oracle.jdbc.driver.OracleDriver"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.platoui.ignoreMissingMigrations=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.platoui.outOfOrder=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.platoui.baselineOnMigrate="
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.platoflyway.enabled=true"
```

```
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.plato.locations=db/migration/plato"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato.db.driver-class-
name=oracle.jdbc.driver.OracleDriver"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.plato.ignoreMissingMigrations=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato.outOfOrder=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.plato.baselineOnMigrate=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenantmaster-
services.server.port=7521"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenantmaster-
services.locations=db/migration/domain"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenantmaster-
services.password=CFPM_COVENANT"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenantmaster-
services.username=CFPM_COVENANT"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenantmaster-
services.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenantmaster-
services.schemas=CFPM_COVENANT"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenantmaster-
services.ignoreMissingMigrations=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenantmaster-
services.outOfOrder=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenant-
services.server.port=7521"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenant-
services.locations=db/migration/domain"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenant-
services.password=CFPM_COVENANT"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenant-
services.username=CFPM_COVENANT"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenant-
services.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenant-
services.schemas=CFPM_COVENANT"
```

```
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenant-
services.ignoreMissingMigrations=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenant-
services.outOfOrder=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dashboard-
services.server.port=7521"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dashboard-
services.locations=db/migration/domain"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dashboard-
services.password=CFPM_DASHBOARD"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dashboard-
services.username=CFPM_DASHBOARD"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dashboard-
services.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dashboard-
services.schemas=CFPM_DASHBOARD"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dashboard-
services.ignoreMissingMigrations=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dashboard-
services.outOfOrder=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.monitoringinformation-
maintenance-services.server.port=7521"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.monitoringinformation-
maintenance-services.locations=db/migration/domain"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.monitoringinformation-
maintenance-services.password=CFPM_COVENANT"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.monitoringinformation-
maintenance-services.username=CFPM_COVENANT"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.monitoringinformation-
maintenance-services.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.monitoringinformation-
maintenance-services.schemas=CFPM_COVENANT"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.monitoringinformation-
maintenance-services.ignoreMissingMigrations="
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.monitoringinformation-
maintenance-services.outOfOrder=true"
export JAVA_OPTIONS;
```



```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-tracking-
services.server.port=7521"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-tracking-
services.locations=db/migration/domain"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-tracking-
services.password=CFPM_POLICYEXCEPTION"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-tracking-
services.username=CFPM_POLICYEXCEPTION"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-tracking-
services.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-tracking-
services.schemas=CFPM_POLICYEXCEPTION"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-tracking-
services.ignoreMissingMigrations=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-tracking-
services.outOfOrder=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-publisher-
services.server.port=9119"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-corebanking-adapter-
service.server.port=7101"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.rabbitmq.password=admin"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.rabbitmq.userid=admin"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.rabbitmq.port=5601"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.rabbitmq.host=whf00asq"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.cmncore.username=CMNCORE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.cmncore.password=CMNCORE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.cmncore.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.cmncore.schemas=CMNCORE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.flyway.domain.schema=CMNCORE"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-currency-  
services.server.port=7053"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-account-  
services.server.port=7041"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-advice-  
services.server.port=7093"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-base-  
services.server.port=7045"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-branch-  
services.server.port=7049"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-businessoverrides-  
services.server.port=7115"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-customer-  
services.server.port=7057"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-datasegment-  
services.server.port=7017"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-external-chart-  
account-services.server.port=7101"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-external-system-  
services.server.port=7061"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-external-virtual-  
account-services.server.port=7101"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-facilities-  
services.server.port=7081"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-report-  
services.server.port=7013"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.weblogic.userid=weblogic"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.weblogic.password=weblogic123"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.runReportTemplate="  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.emailTemplate=temp"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-resource-segment-  
orchestrator-service.server.port=7101"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-screenclass-  
services.server.port=7021"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-settlements-  
services.server.port=7065"
```

```
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-transactioncontroller-
services.server.port=7025"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-charges-calculation-
services.server.port=7020"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-txn-code-
services.server.port=7069"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.moc.cmc-earmark-
services.server.port=7097"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.ELCM_HTTP_URL="
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.earmark-services="
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.elcmProduct="
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.moc.cmc-comments-
services.server.port=7033"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.moc.cmc-document-
services.server.port=7037"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dmsServiceUrl=url"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.dmsServiceUsrname=name"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dmsServicePwd=pwd"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-applicationcategory-
services.server.port=7005"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-
checklistmanagement-services.server.port=7009"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-checklist-
services.server.port=7029"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-
mailnotification.server.port=7073"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-
config.url=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.sms.url=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.cmncore.db.password=CFPM_CMNCORE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.cmncore.db.username=CFPM_CMNCORE"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.cmncore.db.url=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.cmncore.db.schemas=CMNCORE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-
kyccheck.server.port=7085"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.server.port=7121"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-api-
gateway.server.port=7112"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.api-
gateway.username=PLATOSEC"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.api-
gateway.password=PLATOSEC"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.api-
gateway.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.api-
gateway.schemas=PLATOSEC"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.customer-
service.server.port=7057"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.customer-
service.username=CFPM_CMNCORE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.customer-
service.password=CFPM_CMNCORE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.customer-
service.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.customer-
service.schemas=CFPM_CMNCORE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-ui-config-
services.server.port=7121"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-ui-
config.username=PLATOUI"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-ui-
config.password=PLATOUI"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-ui-
config.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-ui-
config.schemas=PLATOUI"
```

```
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.apigateway.host=IP-ADDRESS"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.apigateway.port=7112"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.sms-core-services.server.port=7101"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.biPublisher.host="
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.biPublisher.port="
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dms.port="
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dms.host="
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.eureka.port=7114"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dapigateway.url=https://IP-ADDRESS:7112"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dplato.service.logging.path=/scratch/work_area/application/logs"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dplato.services.config.port=7111"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dplato.services.config.uri=https://IP-ADDRESS:7111"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dplato.service.logging.path=/scratch/work_area/application/logs"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dplato.service.env=DEV"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-mailnotification.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-batch-services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-services.emailPassword=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-services.emailServerHost=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-services.emailServerPort=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-services.pollerInitialDelay=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-services.pollingEmail=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-services.pollingFrequency=tempval"
```

```
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-
services.pollingPath=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-
services.postingPath=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-
services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-annotator-
services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-dashboard-
widget-services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-model-mngmnt-
services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-online-
processing-services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-tag-maint-
services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-text-extraction-
services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-txn-log-
services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-util-
services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.plato.eventhub.broker.hosts=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.plato.eventhub.zookeeper.hosts=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-batch-
server.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-batch-
server.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-batch-
server.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-batch-
server.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.platoui.db.password=tempval"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-orchestrator.hostname=PLATO-O"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-discovery-service.server.port=7120"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-feed-services.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-feed-services.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-feed-services.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-batch-server.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-feed-services.schemas=PLATO_FEED"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-alerts-management-services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-alerts-management-services.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-alerts-management-services.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-alerts-management-services.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-alerts-management-services.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.USER.STORE=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.LDAP.CORS.allowed.origin=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.LDAP.credential.SALT=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.JWT.EXPIRY.seconds=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.LDAP.url=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.LDAP.userId=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.LDAP.server.base=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.LDAP.server.credential=tempval"
```

```
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.LDAP.usersearch.base=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.LDAP.user.prefix=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.LDAP.provider=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.TOKEN.autoregenerate=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.SSO.enabled=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.TOKEN.regeneration.enabled=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-
config.sessionIdleTimeout=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-
config.sessionIdleWarningTime=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-
config.environment=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-feed-
services.feed.upload.directory=DIR"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-feed-
services.server.port=7121"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dplato.service.logging.path=/scratch/work_area/application/logs"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway-task=migrate"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dspringbootflyway.enabled=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.enabled=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.baselineOnMigrate=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.kafka.host=whf00aqa.in.oracle.com"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.kafka.port=9092"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.zookeeper.host=whf00aqa.in.oracle.com"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.zookeeper.port=2181"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.FCUBS_GW_HTTP_URL.HOST=tempval"
export JAVA_OPTIONS;
```



```
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.FCUBS_GW_HTTP_URL.PORT=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.rpm.hostuser=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.FCUBS.version=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.FCUBS_GW_HTTP_URL.HOST=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.FCUBS_GW_HTTP_URL.PORT=v"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.plato.service.logging.path=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.plato.service.env=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.kafka.binder.brokers.host=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.kafka.binder.brokers.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.kafka.binder.zkNodes.host=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.kafka.binder.zkNodes.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.plato.orchestrator.host=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.plato.orchestrator.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.plato.transport.protocol=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.driver.className=oracle.jdbc.driver.OracleDriver"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.zipkin.host=whf00dkx"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.zipkin.port=9902"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.apigateway.host=IP-
ADDRESS"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-orch-
service.server.port=7101"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.plato-ui-
config.flywayTask=migrate"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.customer-  
service.server.port=7057"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.customer-  
service.username=CMNCORE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.customer-  
service.password=CMNCORE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.customer-  
service.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.customer-  
service.schemas=CMNCORE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeHolders.midofccmc.username=CMNCORE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeHolders.midofccmc.password=CMNCORE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeHolders.midofccmc.jdbcUrl=CMNCORE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeHolders.midofccmc.schemas=CMNCORE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeHolders.cmncore.db.password=CMNCORE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeHolders.cmncore.db.username=CMNCORE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeHolders.cmncore.db.url=jdbc:oracle:thin:@//DB-  
IPADDRESS:1522/PDB1910"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeHolders.cmncore.db.schemas=CMNCORE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.cmc-corebanking-adapter-  
service.server.port=7101"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.cmc-currency-  
services.server.port=7053"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.cmc-account-  
services.server.port=7041"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.cmc-advice-  
services.server.port=7093"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.server.port=8080"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.cmc-base-  
services.server.port=7045"
```

```
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-branch-
services.server.port=7049"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-businessoverrides-
services.server.port=7115"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-customer-
services.server.port=7057"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-datasegment-
services.server.port=7017"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-external-chart-
account-services.server.port=7101"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-external-system-
services.server.port=7061"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-external-virtual-
account-services.server.port=7101"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-facilities-
services.server.port=7101"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-report-
services.server.port=7013"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-resource-segment-
orchestrator-service.server.port=7101"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-screenclass-
services.server.port=7021"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-settlements-
services.server.port=7065"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-transactioncontroller-
services.server.port=7025"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-txn-code-
services.server.port=7069"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.rabbitmq.password=abcdef"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.rabbitmq.userid=abcdef"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.rabbitmq.port=1111"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.rabbitmq.host=1.1.1.1"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.cmncore.username=CMNCORE"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.cmncore.password=CMNCORE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.cmncore.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.cmncore.schemas=CMNCORE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.weblogic.userid=weblogic.userid"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.weblogic.password=weblogic.password"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.biPublisher.host=biPublisher.host"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.biPublisher.port=biPublisher.port"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.runReportTemplate=runReportTemplate"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.emailTemplate=emailTemplate"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.dms.host=dms.host"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.dms.port=dms.port"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.moc.cmc-earmark-
services.server.port=tempVal"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.moc.cmc-comments-
services.server.port=tempVal"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.moc.cmc-document-
services.server.port=tempVal"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.cmc-
mailnotification.server.port=tempVal"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.cmc-applicationcategory-
services.server.port=tempVal"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.cmc-
checklistmanagement-services.server.port=tempVal"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.cmc-checklist-
services.server.port=tempVal"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.cmc-
kyccheck.server.port=tempVal"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.ELCM_HTTP_URL=jdbc:oracle:thin:@whf00pfh.in.oracle.com:152
2/INFRAITR"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.earmark-
services=earmark-services"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.elcmProduct=elcmProduct"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.platoui.username=PLATOUI"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.platoui.password=PLATOUI"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.platoui.jdbcUrl=jdbc:oracle:thin:@//DB-
IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.platoui.schemas=PLATOUI"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.dmsServiceUrl=dmsServiceUrl"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.dmsServicePwd=dmsServicePwd"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.dmsServiceUsrname=dmsServiceUsrname"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-bcn-
branchcommon-services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-bcn-
branchcommon-services.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-bcn-
branchcommon-services.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-bcn-
branchcommon-services.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-bcn-
branchcommon-services.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-cas-cash-
services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-cas-cash-
services.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-cas-cash-
services.password=tempval"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-cas-cash-
services.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-cas-cash-
services.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-cmn-
transaction-services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-cmn-
transaction-services.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-cmn-
transaction-services.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-cmn-
transaction-services.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-cmn-
transaction-services.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-cus-customer-
services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-cus-customer-
services.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-cus-customer-
services.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-cus-customer-
services.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-cus-customer-
services.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-pay-payment-
services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-pay-payment-
services.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-pay-payment-
services.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-pay-payment-
services.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-pay-payment-
services.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-tds-term-
deposit-services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-srv-tds-term-
deposit-services.username=tempval"
```

```
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-tds-term-
deposit-services.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-tds-term-
deposit-services.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-tds-term-
deposit-services.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-adp-adapter-
services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-adp-adapter-
services.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-adp-adapter-
services.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-adp-adapter-
services.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-adp-adapter-
services.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-prj-projection-
services.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-prj-projection-
services.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-prj-projection-
services.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-prj-projection-
services.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-prj-projection-
services.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obremoloanapplication.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-rpm-lo-
loanapplications.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-rpm-lo-
loanapplications.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-rpm-lo-
loanapplications.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-rpm-lo-
loanapplications.schemas=tempval"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.savaccount.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-sav-account-
service.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-sav-account-
service.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-sav-account-
service.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-sav-account-
service.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.processdriver.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-process-
driver-services.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-process-
driver-services.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-process-
driver-services.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-process-
driver-services.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.obremohostservices.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-cmn-
hostservices.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-cmn-
hostservices.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-cmn-
hostservices.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-cmn-
hostservices.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.commonscorecard.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-cmn-
scorecardservices.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-cmn-
scorecardservices.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-cmn-
scorecardservices.jdbcUrl=tempval"
```



```
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-cmn-
scorecardservices.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.rpmmaintenance.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-maintenance-
services.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-maintenance-
services.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-maintenance-
services.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-maintenance-
services.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.commonapplicant.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-cmn-
applicantsservices.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-cmn-
applicantsservices.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-cmn-
applicantsservices.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-cmn-
applicantsservices.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.rpmbusinessproduct.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-
businessproduct-services.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-
businessproduct-services.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-
businessproduct-services.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-
businessproduct-services.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeHolders.rpmbusinessprocess.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeHolders.obremo-rpm-
businessprocess-services.username=tempval"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-rpm-  
businessprocess-services.password=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-rpm-  
businessprocess-services.jdbcUrl=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-rpm-  
businessprocess-services.schemas=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.businessproductdetails.server.port=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-rpm-  
businessproductdetails-services.username=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-rpm-  
businessproductdetails-services.password=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-rpm-  
businessproductdetails-services.jdbcUrl=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-rpm-  
businessproductdetails-services.schemas=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.partyadapter.server.port=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.party.server.port=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.partykyc.server.port=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.partystage.server.port=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.partybusinessprocess.server.port=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.partyhandoff.server.port=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.partypublisher.server.port=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.partymaintenance.server.port=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.party.username=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.party.password=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.party.jdbcUrl=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.party.schemas=tempval"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.party.schemas=tempval"
```

```
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.ubsserver.host=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.ubsserver.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.ubsHandoffUser=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.ubsCustomerHandoffwsdlEndpoint=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-cmn-ml-
processing.jdbcUrl=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-cmn-ml-
processing.password=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-cmn-ml-
processing.schemas=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-cmn-ml-
processing.server.port=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-cmn-ml-
processing.username=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-cus-customer-
services.businessprocess.server.url=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-cus-customer-
services.conductor.server.url=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obremo-srv-cus-customer-
services.orchestrator.url=tempval"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.party-credit-
services.server.port=7101"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.party-
credit.username=CFPM_PARTYCREDIT"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.party-
credit.password=CFPM_PARTYCREDIT"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.party-
credit.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.party-
credit.schemas=CFPM_PARTYCREDIT"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.party-
services.password=CFPM_PARTY"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.party-
services.username=CFPM_PARTY"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.party-  
services.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.party-  
services.schemas=CFPM_PARTY"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dapigateway.url=https://IP-ADDRESS:7112"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.party-  
services.server.port=9061 -Dflyway.domain.placeholders.user.mapping.required=N"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm-project-  
services.schemas=CFPM_PROJECT"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm-project-  
services.ignoreMissingMigrations=true"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm-project-  
services.outOfOrder=true"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm-project-  
services.server.port=7521"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm-project-  
services.locations=db/migration/domain"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.cmncore.db.jndi=jdbc/CMNCORE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.flyway.plato.schema=jdbc/PLATO"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.flyway.sms.schema=jdbc/sms"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.flyway.domain.schema=jdbc/CMNCORE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-obrh-  
services.server.port=7101"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.obrh.db.jndi=jdbc/CMNCORE"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-api-  
gateway.multipart.max-file-size=10MB"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-api-  
gateway.multipart.max-request-size=10MB"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-charges-calculation-  
services.server.port=9090"  
export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.obcfpm.collateralcategory.server.port=9882"  
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.vam.schemas=CFPM_FACILITY"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.terms-
maintenance-services.server.port=7783"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.product-default-
services.server.port=7763"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.benchmark-
services.server.port=7553"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.benchmark.domain.db.schemas=CFPM_SCORING"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.plato.alerts.cmc.userId=tempVal"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.plato.alerts.cmc.branchCode=tempVal"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.plato.alerts.cmc.appld=tempVal"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.ELCM.ExternalSource=EXTSYS"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-obrh-
services.kafka.server.path=/scratch"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-obrh-
services.zookeeper.server.path=/scratch"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.platoorch.domain.jndi=jdbc/PLATO-O"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.report-
service.server.port=3404"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.report-
service.username=CMNCORE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.report-
service.password=CMNCORE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.platoorch.domain.schemas=CONDUCTOR"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.report-
service.jdbcUrl=jdbc:oracle:thin:@//DB-IPADDRESS:1522/PDB1910"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.report-
service.schemas=CMNCORE"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.cmccemailnotification.SECRET_KEY=H@%$h46dje7l*87h767yjghtg
222645"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.cmccemailnotification.server.port=9871"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.cmccemailcore.SECRET_KEY=H@%$h46dje7l*87h767yjghtg22264
5"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.cmccemailcore.server.port=9872"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.cmccemailcorelistener.server.port=9873"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.cmccemailcorelistener.username=PRABHU1"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.cmccemailcorelistener.branchcode=004"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.cmccemailcorelistener.SECRET_KEY=H@%$h46dje7l*87h767yjght
g222645"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.appetite.db.jndi=jdbc/APPETITE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.maintenance.db.jndi=jdbc/CAMMAINTENANCE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.maintenance.schemas=CFPM_MAINTENANCE"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-opennlp-
services.server.port=8888"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.appetite.server.port=9874"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-
config.db.jndi=jdbc/PLATO"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-maintenance-
services.server.port=3939"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-pipeline-
services.server.port=2939"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-docview-
services.server.port=2440"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.appetite.schemas=CFPM_APPETITE"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-rule.hostname=temp"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-rule-
service.server.port=9999"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.platorule.domain.jndi=jdbc/PLATO"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.platorule.domain.schemas=PLATO"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-ml-indb-
services.server.port=2441"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-obrh-
services.kafka.enabled=false"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-sla-
services.server.port=tempval"
export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-obrh-
services.kafka.enabled=false" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-sla-
services.server.port=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcbs.server.port=temp"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.plato.services.rule.uri=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-obcbs-
services.schemas=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.orch.cmc.brn=temp"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.orch.cmc.user=temp"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.orch.enableDynamicAllocation=false" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.orch.enableSLA=false"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.report-
service.hostname=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.report-
service.domain.jndi=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.report-service.template-
metadata-directory=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.report-service.output-
directory=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.report-service.fop-config-
file=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc.schemas=temp"
export JAVA_OPTIONS;
```

```

JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.partycorporativeview.server.port=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obpy-businessprocess-
services.schemas=temp" export JAVA_OPTIONS;

JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.services.entityservices.port=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.opds.server.port=9999"
export JAVA_OPTIONS;

JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.cmc-opds-
services.schemas=tempVal" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.INTEGRATION.ENABLED=false" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.cmc-deprecation-
service.server.port=8080" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.alerts.email.smtp.host=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.alerts.email.smtp.out.port=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.alerts.email.auth=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.alerts.email.socketfactory.port=temp" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.feed.email.password=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.feed.email.userId=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.feed.sms.userId=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.feed.sms.branchCode=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.feed.sms.appId=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.feed.sms.multiEntityAdmin=temp" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.feed.email.smtp.host=localhost" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.feed.email.smtp.out.port=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.feed.email.auth=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.feed.email.socketfactory.port=temp" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.apigateway.protocol=https"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.orch.usingRuleEngine=false" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.samlSSOEnabled=false" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.partycorporativeview.server.port=tempVal" export
JAVA_OPTIONS;

```



```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obpy-businessprocess-  
services.schemas=tempVal" export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.kafka.ssl.truststore.location=tempval" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.kafka.ssl.truststore.password=tempval" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.kafka.binder.jaas.options.username=tempval" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.kafka.binder.jaas.options.password=tempval" export  
JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.kafka.binder.configuration.sasl.mechanism=tempval" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.kafka.binder.configuration.security.protocol=tempval" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.kafka.binder.jaas.loginModule=tempval" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-mis-  
services.server.port=temp" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-mis-  
services.jndi=tempval" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-mis-  
services.schemas=tempval" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-resourceclass-  
services.server.port=temp" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-resourceclass-  
services.jndi=temp" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-resourceclass-  
services.schemas=temp" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dmulti.entity.enabled=true" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-additional-attributes-  
services.server.port=temp" export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-publisher-  
services.flyway.enabled.false=false" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-publisher-  
services.platoflyway.enabled.false=false" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-publisher-  
services.spring.Flyway.Enabled.false=false" export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-additional-attributes-  
services.server.port=9975" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.alerts.email.attachment.encryption.required=false" export  
JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.alerts.email.attachment.encryption.passKey=temp" export  
JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.alerts.email.attachment.watermark.required=false" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.alerts.email.attachment.watermark.image.loc=temp" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-alerts-management-
services.kafka.ssl.truststore.location=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-alerts-management-
services.kafka.ssl.truststore.password=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-alerts-management-
services.kafka.binder.jaas.options.username=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-alerts-management-
services.kafka.binder.jaas.options.password=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-alerts-management-
services.kafka.binder.configuration.sasl.mechanism=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-alerts-management-
services.kafka.binder.configuration.security.protocol=temp" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-alerts-management-
services.kafka.binder.jaas.loginModule=temp" export JAVA_OPTIONS;

JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato.flyway.enabled=true"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-api-
gateway.pswd.validation.flag=false" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-api-
gateway.min.pswd.length=1" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-api-
gateway.max.pswd.length=20" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-api-
gateway.min.pswd.age=1" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-api-
gateway.max.pswd.age=10000" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-api-
gateway.upper.char.flag=false" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-api-
gateway.upper.char.count=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-api-
gateway.lower.char.flag=false" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-api-
gateway.lower.char.count=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-api-
gateway.special.char.flag=false" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-api-
gateway.special.char.count=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-api-
gateway.numeric.char.flag=false" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-api-
gateway.numeric.char.count=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.user.disableInactiveUsers=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.user.closeDisabledUsers=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.user.disableInactiveUsers=0" export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.user.disableInactiveUsers.days=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.user.closeDisabledUsers.days=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.user.sameDayLoginRequired=0" export JAVA_OPTIONS;

JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.flyway.platoui.placeholders.apigateway.protocol=https" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.flyway.platoui.placeholders.apigateway.port=7112" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.flyway.platoui.placeholders.apigateway.host=IP-ADDRESS" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obrh.keystore.password.encoded=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obrh.usekeystore=0"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obrh.keystore.path=0"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obrh.keystore.password=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obrh.keystore.alias=0"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obrh.keystore.aliaspassword=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-
services.server.port=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-text-extraction-
services.server.port=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-pipeline-
services.server.port=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-docview-
services.server.port=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-dashboard-
widget-services.server.port=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-maintenance-
services.server.port=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-document-
services.server.port=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-comments-
services.server.port=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.kafka.ssl.truststore.location=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.kafka.ssl.truststore.password=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.kafka.broker.username=0"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.kafka.broker.password=0"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.kafka.binder.configuration.sasl.mechanism=0" export
JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.kafka.binder.configuration.security.protocol=0" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.kafka.binder.jaas.loginModule=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.kafka.binder.brokers.host=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.kafka.binder.brokers.port=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.kafka.binder.zkNodes.host=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.kafka.binder.zkNodes.port=0" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.kafka.binder.configuration.security.protocol=0" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.cmc-obrh-
services.audit.retention.days=1000" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.cmc-obrh-
services.audit.retention.archival=100" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obrh.import.override=false" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.plato-
orchestrator.protocol=http" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.orchestrator.enableSubWfDynamicAllocation=false" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.plato.conductor.logging.level=DEBUG" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.external.sso.validation.url=url" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.external.sso.key=key"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.sso.service.provider=provider" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.headers=headers" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.batch.appld=appld" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obrh.alerts.enabled=false"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.cmc-obrh-
services.oic.oauth.scope=scope" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.cmc-obrh-
services.oic.secretStore.url=url" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.cmc-obrh-
services.oic.idcs.url=url" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obrh.import.override=false" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.cmc-obrh-kafka-
consumer.server.port=port" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.kafka.ssl.truststore.location=loc" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.kafka.ssl.truststore.password=password" export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.kafka.broker.username=username" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.kafka.broker.password=password" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.kafka.binder.configuration.sasl.mechanism=mechanism" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.kafka.binder.configuration.security.protocol=protocol" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.kafka.binder.jaas.loginModule=loginModule" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.plato.eventhub.broker.hosts=hosts" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.plato.eventhub.zookeeper.hosts=hosts" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.kafka.binder.configuration.security.protocol=protocol" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.plato.eventhub.broker.hosts=hosts" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.plato.eventhub.zookeeper.hosts=hosts" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.plato.eventhub.dsrBinder.broker.hosts=hosts" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.plato.eventhub.dsrBinder.zookeeper.hosts=hosts" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obedx.core.service.server.port=port" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obedx.workflow.service.server.port=port" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obedx.notification.service.server.port=port" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obedx.inquiry.service.server.port=port" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obedx.schemas=schemas"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obedx.db.jndi=jndi" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.kafka.brokers=brokers"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.kafka.zknodes=zknodes"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.kafka.security.protocol=protocol" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.kafka.truststore.location=location" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.kafka.truststore.password=password" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obpy-party-batch-
services.server.port=port" export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -  
Dflyway.domain.placeholders.actuator.endpoint=prometheus,health" export JAVA_OPTIONS;  
JAVA_OPTIONS="{JAVA_OPTIONS} -Dactuator.endpoint=prometheus,health" export  
JAVA_OPTIONS;
```