# Oracle® Banking Microservices Architecture

Oracle Banking Security Management System User Guide





Oracle Banking Microservices Architecture Oracle Banking Security Management System User Guide, Release 14.7.3.0.0

F99135-01

Copyright © 2023, 2024, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

## Contents

	se	
Audier	nce	
Documentation Accessibility		
Diversi	ity and Inclusion	
Relate	d Resources	
Conve	ntions	
Screer	nshot Disclaimer	
Acrony	ms and Abbreviations	
Basic /	Actions	
Symbo	ols and Icons	
Role		
1.1 (	Create Role	1
1.2	View Role	1-
User		
2.1 (	Create User	2-
2.2	View User	2
2.3	Clear User	2
2.4 l	Unlock User	2
Error	Codes and Messages	



## **Preface**

- Purpose
- Audience
- Documentation Accessibility
- Diversity and Inclusion
- Related Resources
- Conventions
- Screenshot Disclaimer
- · Acronyms and Abbreviations
- Basic Actions
- Symbols and Icons

## Purpose

This guide provides an overview to the module and takes through the various steps involved setting up and using the security features that Oracle offers.

#### **Audience**

This guide is intended for Oracle Implementers, SMS Administrator for the Bank, SMS Administrator for the Branch, and an Oracle user.

## **Documentation Accessibility**

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

#### **Access to Oracle Support**

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <a href="http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info">http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs</a> if you are hearing impaired.

## **Diversity and Inclusion**

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our

initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

#### Related Resources

For more information on any related features, refer to the following documents:

- Oracle Banking Getting Started User Guide
- Oracle Banking Common Core User Guide

#### Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

### Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

## Acronyms and Abbreviations

The list of the acronyms and abbreviations that are used in this guide are as follows:

Table 1 Acronyms and Abbreviations

Abbreviation	Description
SMS	Security Management System

#### **Basic Actions**

Table 2 List of Basic Actions

Action	Description
Approve	Used to approve the initiated report. This button is displayed, once the user click <b>Authorize</b> .



Table 2 (Cont.) List of Basic Actions

Action	Description	
Audit	Used to view the maker details, checker details, and report status.	
Authorize	Used to authorize the report created.  A maker of the screen is not allowed to authorize the report. Only a checker can authorize a report, created by a maker.	
Close	Used to close a record. This action is available only when a record is created.	
Confirm	Used to confirm the performed action.	
Cancel	Used to cancel the performed action.	
Compare	Used to view the comparison through the field values of old record and the current record.  This button is displayed in the widget, once the user click <b>Authorize</b> .	
Collapse All	Used to hide the details in the sections. This button is displayed, once the user click <b>Compare</b> .	
Expand All	Used to expand and view all the details in the sections. This button is displayed, once the user click <b>Compare</b> .	
New	Used to add a new record. When the user click <b>New</b> , the system displays a new record enabling to specify the required data.	
	Note:  The fields which are marked with asterisk are mandatory.	
ок	Used to confirm the details in the screen.	
Save	Used to save the details entered or selected in the screen.	
View	Used to view the report details in a particular modification stage. This button is displayed in the widget, once the user click <b>Authorize</b> .	
View Difference only	Used to view a comparison through the field element values of old record and the current record, which has undergone changes.  This button is displayed, once the user click <b>Compare</b> .	
Unlock	Used to update the details of an existing record. System displays an existing record in editable mode.	

# Symbols and Icons

The following symbols and icons are used in the screens.



Table 3 Symbols and Icons - Common

Symbol/Icon	Function
	Minimize
<b>-</b> -	
7 6	
-	Maximize
L 1	
	Close
X	
	Perform Search
$\circ$	
~	
	Open a list
_	
•	
	Add a new record
<u></u>	
-	
	Navigate to the first record
1/	
1	
	Navigate to the last record
NI.	The same same same same same same same sam
<b>&gt;</b> I	
	No. desta to the services around
	Navigate to the previous record
•	

Table 3 (Cont.) Symbols and Icons - Common

Symbol/Icon	Function
•	Navigate to the next record
88	Grid view
=	List view
G	Refresh
+	Click this icon to add a new row.
	Click this icon to delete an existing row.
₽	Click to view the created record.
6	Click to modify the fields.
:	Click to unlock, delete, authorize or view the created record.



Table 4 Symbols and Icons - Audit Details

Symbol/Icon	Function
0	A user
	Date and time
A	Unauthorized or Closed status
$\otimes$	Authorized or Open status

Table 5 Symbols and Icons - Widget

Symbol/Icon	Function
6	Open status
	Unauthorized status
<del>C</del>	Closed status
	Authorized status



1

## Role

This topic describes about the maintenance of role and the respective access rights.

The users who works in the same department at the same level of hierarchy need to have similar user profiles. In such cases, the user can define a Role Profile that includes access rights to the functional activities that are common to a group of users. A user can be linked to a Role Profile by giving the user access rights to all the functional activities in the Role Profile.

The roles defined is effective only after the dual authorization.

- Create Role
  - This topic provides the systematic instructions to create role.
- View Role
   This topic provides the systematic instructions to view the list of configured roles.

#### 1.1 Create Role

This topic provides the systematic instructions to create role.


Specify **User ID** and **Password**, and login **Home** screen.

The Create Role screen allows the user to create roles and assign their activities.

- On Home screen, click Security Management. Under Security Management, click Role.
- 2. Under Role, click Create Role.

The Create Role screen displays.

Figure 1-1 Create Role



3. Specify the fields on the **Create Role** screen.





The fields which are marked with asterisk are mandatory.

For more information on fields, refer to the field description table below.


Table 1-1 Create Role - Field Description

Field	Description
Role Code	Specify the code of the role.
Description	Specify the description about the role.

4. Click **Add** button to add a functional activity code.

The **Functional Description** popup displays.

Figure 1-2 Function Description



- **5.** Specify the functional activity code or functional activity description in the respective fields.
- 6. Click **Search** to filter the required functional activity list.
- Select the required functional activity code to which the role profile must have access. For more information on functional activity, refer to Functional Activity



User can select only 50 functional activity codes at a time using **Select All (>>)** option.

- 8. Perform the following actions on functional activity code screen:
  - a. Click **Add** button to add a functional activity for the role creation.
  - b. Click **Cancel** button to discard the changes.

- Click **Delete** button to delete the functional activity code to which the role profile access is not required.
- 10. Click **Save** to save the details.

The user can view the configured roles in the View Role.

#### 1.2 View Role

This topic provides the systematic instructions to view the list of configured roles.


Specify **User ID** and **Password**, and login **Home** screen.

The user can configure the role using the Create Role screen.

- On Home screen, click Security Management. Under Security Management, click Role.
- Under Role, click View Role.

The View Role screen displays.

Figure 1-3 View Role



For more information on fields, refer to the field description table.

Table 1-2 View Role - Field Description

Field	Description
Role Code	Displays the code of the role.
Description	Displays additional details about the role.
Authorization Status	Displays the authorization status of the configured role. The available options are: Authorized Rejected Unauthorized



Table 1-2 (Cont.) View Role - Field Description

Field	Description
Record Status	Displays the record status of the configured role. The available options are:
Modification Number	Displays the number of modification performed on the record.



2

## User

This topic describes about the maintenance of the user and their access.

Controlled access to the system is a basic parameter that determines the robustness of the security in banking software. Only authorized users can access the system with the help of a unique User Login ID and password. The user profile of a user contains the details of the user in four sections - User details, Status, Other details and User role branches.

#### Create User

This topic provides the systematic instructions to create the user and assign their activities based on their entity login.

View User

This topic provides the systematic instructions to view the list of configured users.

Clear User

This topic provides the systematic instructions to clear the user.

Unlock User

This topic provides the systematic instructions to unlock the user.

#### 2.1 Create User

This topic provides the systematic instructions to create the user and assign their activities based on their entity login.

Specify **User ID** and **Password**, and login **Home** screen.

The **Create User** screen allows the user to create the user and assign their activities based on their entity login.

- On Home screen, click Security Management. Under Security Management, click User.
- 2. Under User, click Create User.

The Create User screen displays.




Figure 2-1 Create User - Single Entity



Create User 1: × User Details Q Q Status Select an option Q May 18, 2021 **iii** ⅲ Other Details Q Q User Role Branches + 🗇 Page 1 (0 of 0 items)  $|\langle \quad \leftarrow \boxed{1} \quad \rangle$ User Applications No data to display. Page 1 (0 of 0 items) |< 4 1 → >| Customer Access Groups + 🗇 Customer Access Group Customer Access Description No data to display. Page 1 (0 of 0 items) |< 4 1 → >|

Figure 2-2 Create User - Multi Entity

3. Specify the fields on **Create User** screen.

Note:

The fields which are marked with asterisk are mandatory.

For more information on fields, refer to the field description table below.

Table 2-1 Create User - Field Description

Field	Description	
User Details	Specify the user details.	
Username	Specify the user name.	



Cancel

Table 2-1 (Cont.) Create User - Field Description

Field	Description
Login ID	Single Entity - Specify login ID with which a user logs into the system. This login ID is unique across all branches. The minimum length of login ID must be six and the maximum number can be 12 characters.  Multi Entity - Search and select the required login ID from the LOV.
Home Branch	Click the <b>Search</b> icon and select required home branch.
Status	Specify the status.
User Status	Select the user status from the drop-down list.
Status Changed On	Displays the last modified status.
Is Supervisor	Select the toggle to indicate whether the user is a supervisor or not. By default, this option is disabled.
Manager ID	Click the <b>Search</b> icon and select the required manager ID.
Start Date	Select the start date from when the user is valid.
End Date	Select the end date till when the user is valid.
Other Details	Specify the other details.
Access to PII	Select the toggle to enable the user to access the Personal Identifiable Information of the entity.
	By default, this option is disabled.
Staff Customer	Select the toggle to enable the staff customer restriction.
Restriction Required	By default, this option is disabled.
Customer ID	Click the <b>Search</b> icon and select required customer ID.
Email ID	Specify the user Email ID at the time of the creation. All system generated password is communicated to the user through this mail ID.
Telephone Number	Specify the user contact number.
Home Phone Number	Specify the user home contact number.
Mobile Number	Specify the user mobile number.
Fax	Specify the fax details of the user.
Language Code	Click the <b>Search</b> icon and select the required language code.
User Role Branches	Specify the user role branches details.
	Note:  A minimum of one user role and branch must be mapped.
Branch Code	Click the <b>Search</b> icon and select the required branch code.
Role Code	Click the <b>Search</b> icon and select the required role code.
Role Description	Displays the description about the role, based on the selected role code.
User Applications	Specify the user application details.
Application Name	Click the <b>Search</b> icon and select the required application.
Application Description	Displays the description about the application based on the selected application.



Table 2-1 (Cont.) Create User - Field Description

Field	Description	
<b>Customer Access Groups</b>	Specify the customer access group details.	
<b>Customer Access Group</b>	Search and select the required customer access group from the list.	
Customer Access Description	Displays the additional information about the customer access based on the selected group.	

- 4. Click + to add a row and provide the required details in the columns.
- Click Select All Applications button to select all the applications for which the user needs the access.
- 6. Click **Save** to save the details.

The user can view the configured users in the View User.



User modification is not allowed while the user is logged in. However, the administrator can clear off the user and perform modifications. For more information, refer to the Clear User topic.

#### 2.2 View User

This topic provides the systematic instructions to view the list of configured users.


Specify **User ID** and **Password**, and login **Home** screen.

The user can configure the user using the Create User screen.

- On Home screen, click Security Management. Under Security Management, click User.
- 2. Under User, click View User.

The View User screen displays.

Figure 2-3 View User





For more information on fields, refer to the field description table.

Table 2-2 View User - Field Description

Field	Description
User Login ID	Displays the user login ID details.
User Name	Displays the user who has created the record.
Home Branch	Displays the details of the home branch associated with the user.
Authorization Status	Displays the authorization status of the configured user. The available options are:
Record Status	Displays the record status of the configured user. The available options are:  Open Closed
Modification Number	Displays the number of modification performed on the record.

## 2.3 Clear User

This topic provides the systematic instructions to clear the user.

Specify **User ID** and **Password**, and login **Home** screen.

The Clear User screen allows the user to clear off the current users.

- 1. On Home screen, click Security Management. Under Security Management, click User.
- 2. Under User, click Clear User.

The **Clear User** screen displays.

Figure 2-4 Clear User



The user can search for the user based on the **User Login ID** and **Branch Code** parameters.

**3.** Specify the fields on the **Clear User** screen.





The fields which are marked with asterisk are mandatory.

For more information on fields, refer to the field description table below.

**Table 2-3 Clear User - Field Description** 

Field	Description	
User Login ID	Specify the user login ID.	
Branch Code	Specify the branch code.	

4. Click **Query**, once the parameters are specified.

The system displays the following details of the users who have logged into the system.

- Branch Code
- User Login ID
- User Name
- 5. Click **Reset** to reset the query parameters.
- Select the check box against the relevant user record and click Save to force log out of the selected user.

## 2.4 Unlock User

This topic provides the systematic instructions to unlock the user.

Specify **User ID** and **Password**, and login **Home** screen.

The **Unlock User** screen allows the user to unlock the users.

- On Home screen, click Security Management. Under Security Management, click User.
- 2. Under User, click Unlock User.

The Unlock User screen displays.

Figure 2-5 Unlock User



- 3. Select the **User Login ID** from the drop-down list.
- 4. Click **Unlock** to unlock the selected users.
- Click Clear to clear the details.



A

# Error Codes and Messages

This topic contains the error codes and messages.

Table A-1 Error Codes and Messages

GCS-COM-003  GCS-COM-004  Please Send Proper ModNo.  Please Send Proper ModNo.  Please Send makerld in the request.  Request is Null. Please Resend with Proper Values.  GCS-COM-006  Unable to parse JSON.  GCS-COM-007  Request Successfully Processed.  GCS-COM-008  Modifications should be consecutive.  GCS-COM-009  Resource ID cannot be blank or null.  GCS-COM-010  Successfully cancelled \$1.  GCS-COM-011  \$1 failed to update.  GCS-DEL-001  Record deleted successfully.  GCS-DEL-002  Record(s) deleted successfully  Modifications didn't match valid unauthorized modifications that can be deleted for this record.  GCS-DEL-004  Send all unauthorized modifications to be deleted for record that is not		
GCS-AUTH-02  Walid modifications for approval were not sent. Failed to match.  GCS-AUTH-03  Maker cannot authorize.  GCS-AUTH-04  No Valid unauthorized modifications found for approval.  GCS-CLOS-002  Record Successfully Closed.  GCS-CLOS-01  Record Already Closed.  GCS-CLOS-02  Record Successfully Closed.  GCS-CLOS-03  Unauthorized record cannot be closed, it can be deleted before first authorization.  GCS-COM-001  Record does not exist.  GCS-COM-002  Invalid version sent, operation can be performed only on latest version.  GCS-COM-003  Please Send Proper ModNo.  GCS-COM-004  Please send makerld in the request.  GCS-COM-005  Request is Null. Please Resend with Proper Values.  GCS-COM-006  Unable to parse JSON.  GCS-COM-007  Request Successfully Processed.  GCS-COM-008  Modifications should be consecutive.  GCS-COM-009  Resource ID cannot be blank or null.  GCS-COM-010  Successfully cancelled \$1.  GCS-DEL-001  Record deleted successfully.  GCS-DEL-002  Record(s) deleted successfully  GCS-DEL-003  Modifications didn't match valid unauthorized modifications that can be deleted for record that is not deleted for this record.	Error Code	Messages
GCS-AUTH-03  GCS-AUTH-04  Record Successfully Closed.  GCS-CLOS-01  Record Already Closed.  GCS-CLOS-02  Record Successfully Closed.  GCS-CLOS-03  GCS-CLOS-03  Unauthorized record cannot be closed, it can be deleted before first authorization.  GCS-COM-001  Record does not exist.  GCS-COM-002  Invalid version sent, operation can be performed only on latest version can be deleted before can be deleted deleted before can be deleted deleted successfully.  GCS-COM-000  Record does not exist.  GCS-COM-001  Successfully cancelled \$1.  GCS-COM-003  Record deleted successfully.  GCS-DEL-004  Record deleted successfully.  GCS-DEL-005  Modifications didn't match valid unauthorized modifications that can be deleted for this record.	GCS-AUTH-01	Record Successfully Authorized.
GCS-AUTH-04  GCS-CLOS-002  Record Successfully Closed.  GCS-CLOS-01  Record Already Closed.  GCS-CLOS-02  Record Successfully Closed.  GCS-CLOS-03  Unauthorized record cannot be closed, it can be deleted before first authorization.  GCS-COM-001  Record does not exist.  GCS-COM-002  Invalid version sent, operation can be performed only on latest version GCS-COM-003  Please Send Proper ModNo.  GCS-COM-004  Please send makerld in the request.  GCS-COM-005  Request is Null. Please Resend with Proper Values.  GCS-COM-006  Unable to parse JSON.  GCS-COM-007  Request Successfully Processed.  GCS-COM-008  Modifications should be consecutive.  GCS-COM-009  Resource ID cannot be blank or null.  GCS-COM-010  Successfully cancelled \$1.  GCS-COM-011  \$1 failed to update.  GCS-DEL-001  Record deleted successfully  GCS-DEL-002  Record(s) deleted successfully  GCS-DEL-003  Modifications to be deleted for record that is not deleted for this record.  GCS-DEL-004	GCS-AUTH-02	Valid modifications for approval were not sent. Failed to match.
GCS-CLOS-002 Record Successfully Closed. GCS-CLOS-01 Record Already Closed. GCS-CLOS-02 Record Successfully Closed. GCS-CLOS-03 Unauthorized record cannot be closed, it can be deleted before first authorization. GCS-COM-001 Record does not exist. GCS-COM-002 Invalid version sent, operation can be performed only on latest versio GCS-COM-003 Please Send Proper ModNo. GCS-COM-004 Please send makerId in the request. GCS-COM-005 Request is Null. Please Resend with Proper Values. GCS-COM-006 Unable to parse JSON. GCS-COM-007 Request Successfully Processed. GCS-COM-008 Modifications should be consecutive. GCS-COM-009 Resource ID cannot be blank or null. GCS-COM-011 \$1 failed to update. GCS-COM-011 Record deleted successfully. GCS-DEL-001 Record(s) deleted successfully GCS-DEL-002 Record(s) deleted successfully GCS-DEL-003 Modifications didn't match valid unauthorized modifications that can be deleted for this record. GCS-DEL-004 Send all unauthorized modifications to be deleted for record that is not	GCS-AUTH-03	Maker cannot authorize.
GCS-CLOS-01 Record Already Closed. GCS-CLOS-02 Record Successfully Closed. GCS-CLOS-03 Unauthorized record cannot be closed, it can be deleted before first authorization. GCS-COM-001 Record does not exist. GCS-COM-002 Invalid version sent, operation can be performed only on latest version GCS-COM-003 Please Send Proper ModNo. GCS-COM-004 Please send makerId in the request. GCS-COM-005 Request is Null. Please Resend with Proper Values. GCS-COM-006 Unable to parse JSON. GCS-COM-007 Request Successfully Processed. GCS-COM-008 Modifications should be consecutive. GCS-COM-009 Resource ID cannot be blank or null. GCS-COM-010 Successfully cancelled \$1. GCS-COM-011 \$1 failed to update. GCS-DEL-001 Record deleted successfully. GCS-DEL-002 Record(s) deleted successfully GCS-DEL-003 Modifications didn't match valid unauthorized modifications that can be deleted for this record. GCS-DEL-004 Send all unauthorized modifications to be deleted for record that is not	GCS-AUTH-04	No Valid unauthorized modifications found for approval.
GCS-CLOS-02  Record Successfully Closed.  GCS-CLOS-03  Unauthorized record cannot be closed, it can be deleted before first authorization.  GCS-COM-001  Record does not exist.  GCS-COM-002  Invalid version sent, operation can be performed only on latest version gCS-COM-003  Please Send Proper ModNo.  GCS-COM-004  Please send makerId in the request.  GCS-COM-005  Request is Null. Please Resend with Proper Values.  GCS-COM-006  Unable to parse JSON.  GCS-COM-007  Request Successfully Processed.  GCS-COM-008  Modifications should be consecutive.  GCS-COM-009  Resource ID cannot be blank or null.  GCS-COM-010  Successfully cancelled \$1.  GCS-COM-011  \$1 failed to update.  GCS-DEL-001  Record deleted successfully.  GCS-DEL-002  Record(s) deleted successfully  GCS-DEL-003  Modifications didn't match valid unauthorized modifications that can be deleted for this record.  GCS-DEL-004  Send all unauthorized modifications to be deleted for record that is not deleted for this record.	GCS-CLOS-002	Record Successfully Closed.
GCS-CLOS-03  Unauthorized record cannot be closed, it can be deleted before first authorization.  GCS-COM-001  Record does not exist.  GCS-COM-002  Invalid version sent, operation can be performed only on latest version gCS-COM-003  Please Send Proper ModNo.  GCS-COM-004  Please send makerId in the request.  GCS-COM-005  Request is Null. Please Resend with Proper Values.  GCS-COM-006  Unable to parse JSON.  GCS-COM-007  Request Successfully Processed.  GCS-COM-008  Modifications should be consecutive.  GCS-COM-009  Resource ID cannot be blank or null.  GCS-COM-010  Successfully cancelled \$1.  GCS-COM-011  \$1 failed to update.  GCS-DEL-001  Record deleted successfully  GCS-DEL-002  Record(s) deleted successfully  Modifications didn't match valid unauthorized modifications that can be deleted for this record.  GCS-DEL-004  Send all unauthorized modifications to be deleted for record that is not	GCS-CLOS-01	Record Already Closed.
authorization.  GCS-COM-001 Record does not exist.  GCS-COM-002 Invalid version sent, operation can be performed only on latest version gCS-COM-003 Please Send Proper ModNo.  GCS-COM-004 Please send makerId in the request.  GCS-COM-005 Request is Null. Please Resend with Proper Values.  GCS-COM-006 Unable to parse JSON.  GCS-COM-007 Request Successfully Processed.  GCS-COM-008 Modifications should be consecutive.  GCS-COM-009 Resource ID cannot be blank or null.  GCS-COM-010 Successfully cancelled \$1.  GCS-COM-011 \$1 failed to update.  GCS-DEL-001 Record deleted successfully.  GCS-DEL-002 Record(s) deleted successfully  GCS-DEL-003 Modifications didn't match valid unauthorized modifications that can be deleted for this record.  GCS-DEL-004 Send all unauthorized modifications to be deleted for record that is not	GCS-CLOS-02	Record Successfully Closed.
GCS-COM-002 Invalid version sent, operation can be performed only on latest version GCS-COM-003 Please Send Proper ModNo.  GCS-COM-004 Please send makerId in the request.  GCS-COM-005 Request is Null. Please Resend with Proper Values.  GCS-COM-006 Unable to parse JSON.  GCS-COM-007 Request Successfully Processed.  GCS-COM-008 Modifications should be consecutive.  GCS-COM-009 Resource ID cannot be blank or null.  GCS-COM-010 Successfully cancelled \$1.  GCS-COM-011 \$1 failed to update.  GCS-DEL-001 Record deleted successfully.  GCS-DEL-002 Record(s) deleted successfully  GCS-DEL-003 Modifications didn't match valid unauthorized modifications that can be deleted for this record.  GCS-DEL-004 Send all unauthorized modifications to be deleted for record that is not	GCS-CLOS-03	
GCS-COM-003  GCS-COM-004  Please send makerld in the request.  GCS-COM-005  Request is Null. Please Resend with Proper Values.  GCS-COM-006  Unable to parse JSON.  GCS-COM-007  Request Successfully Processed.  GCS-COM-008  Modifications should be consecutive.  GCS-COM-009  Resource ID cannot be blank or null.  GCS-COM-010  Successfully cancelled \$1.  GCS-COM-011  \$1 failed to update.  GCS-DEL-001  Record deleted successfully.  GCS-DEL-002  Record(s) deleted successfully  Modifications didn't match valid unauthorized modifications that can be deleted for this record.  GCS-DEL-004  Send all unauthorized modifications to be deleted for record that is not	GCS-COM-001	Record does not exist.
GCS-COM-004 Please send makerId in the request. GCS-COM-005 Request is Null. Please Resend with Proper Values. GCS-COM-006 Unable to parse JSON. GCS-COM-007 Request Successfully Processed. GCS-COM-008 Modifications should be consecutive. GCS-COM-009 Resource ID cannot be blank or null. GCS-COM-010 Successfully cancelled \$1. GCS-COM-011 \$1 failed to update. GCS-DEL-001 Record deleted successfully. GCS-DEL-002 Record(s) deleted successfully GCS-DEL-003 Modifications didn't match valid unauthorized modifications that can be deleted for this record. GCS-DEL-004 Send all unauthorized modifications to be deleted for record that is not	GCS-COM-002	Invalid version sent, operation can be performed only on latest version.
GCS-COM-005 Request is Null. Please Resend with Proper Values.  GCS-COM-006 Unable to parse JSON.  GCS-COM-007 Request Successfully Processed.  GCS-COM-008 Modifications should be consecutive.  GCS-COM-009 Resource ID cannot be blank or null.  GCS-COM-010 Successfully cancelled \$1.  GCS-COM-011 \$1 failed to update.  GCS-DEL-001 Record deleted successfully.  GCS-DEL-002 Record(s) deleted successfully  GCS-DEL-003 Modifications didn't match valid unauthorized modifications that can be deleted for this record.  GCS-DEL-004 Send all unauthorized modifications to be deleted for record that is not	GCS-COM-003	Please Send Proper ModNo.
GCS-COM-006  GCS-COM-007  Request Successfully Processed.  GCS-COM-008  Modifications should be consecutive.  GCS-COM-009  Resource ID cannot be blank or null.  GCS-COM-010  Successfully cancelled \$1.  GCS-COM-011  \$1 failed to update.  GCS-DEL-001  Record deleted successfully.  GCS-DEL-002  Record(s) deleted successfully  GCS-DEL-003  Modifications didn't match valid unauthorized modifications that can be deleted for this record.  GCS-DEL-004  Send all unauthorized modifications to be deleted for record that is not	GCS-COM-004	Please send makerld in the request.
GCS-COM-007  Request Successfully Processed.  GCS-COM-008  Modifications should be consecutive.  GCS-COM-009  Resource ID cannot be blank or null.  GCS-COM-010  Successfully cancelled \$1.  GCS-COM-011  \$1 failed to update.  GCS-DEL-001  Record deleted successfully.  GCS-DEL-002  Record(s) deleted successfully  GCS-DEL-003  Modifications didn't match valid unauthorized modifications that can be deleted for this record.  GCS-DEL-004  Send all unauthorized modifications to be deleted for record that is not	GCS-COM-005	Request is Null. Please Resend with Proper Values.
GCS-COM-008 Modifications should be consecutive.  GCS-COM-009 Resource ID cannot be blank or null.  GCS-COM-010 Successfully cancelled \$1.  GCS-COM-011 \$1 failed to update.  GCS-DEL-001 Record deleted successfully.  GCS-DEL-002 Record(s) deleted successfully  GCS-DEL-003 Modifications didn't match valid unauthorized modifications that can be deleted for this record.  GCS-DEL-004 Send all unauthorized modifications to be deleted for record that is not	GCS-COM-006	Unable to parse JSON.
GCS-COM-009  Resource ID cannot be blank or null.  GCS-COM-010  Successfully cancelled \$1.  GCS-COM-011  \$1 failed to update.  GCS-DEL-001  Record deleted successfully.  GCS-DEL-002  Record(s) deleted successfully  GCS-DEL-003  Modifications didn't match valid unauthorized modifications that can be deleted for this record.  GCS-DEL-004  Send all unauthorized modifications to be deleted for record that is not	GCS-COM-007	Request Successfully Processed.
GCS-COM-010  GCS-COM-011  \$1 failed to update.  GCS-DEL-001  Record deleted successfully.  GCS-DEL-002  Record(s) deleted successfully  GCS-DEL-003  Modifications didn't match valid unauthorized modifications that can be deleted for this record.  GCS-DEL-004  Send all unauthorized modifications to be deleted for record that is not	GCS-COM-008	Modifications should be consecutive.
GCS-COM-011 \$1 failed to update.  GCS-DEL-001 Record deleted successfully.  GCS-DEL-002 Record(s) deleted successfully  GCS-DEL-003 Modifications didn't match valid unauthorized modifications that can be deleted for this record.  GCS-DEL-004 Send all unauthorized modifications to be deleted for record that is not	GCS-COM-009	Resource ID cannot be blank or null.
GCS-DEL-001 Record deleted successfully.  GCS-DEL-002 Record(s) deleted successfully  GCS-DEL-003 Modifications didn't match valid unauthorized modifications that can be deleted for this record.  GCS-DEL-004 Send all unauthorized modifications to be deleted for record that is not	GCS-COM-010	Successfully cancelled \$1.
GCS-DEL-002 Record(s) deleted successfully  GCS-DEL-003 Modifications didn't match valid unauthorized modifications that can be deleted for this record.  GCS-DEL-004 Send all unauthorized modifications to be deleted for record that is not	GCS-COM-011	\$1 failed to update.
GCS-DEL-003 Modifications didn't match valid unauthorized modifications that can be deleted for this record.  GCS-DEL-004 Send all unauthorized modifications to be deleted for record that is not send all unauthorized modifications to be deleted for record that is not send all unauthorized modifications to be deleted for record that is not send all unauthorized modifications to be deleted for record that is not send all unauthorized modifications to be deleted for record that is not send all unauthorized modifications to be deleted for record that is not send all unauthorized modifications to be deleted for record that is not send all unauthorized modifications to be deleted for record that is not send all unauthorized modifications to be deleted for record that is not send all unauthorized modifications to be deleted for record that is not send all unauthorized modifications to be deleted for record that is not send all unauthorized modifications to be deleted for record that is not send all unauthorized modifications to be deleted for record that is not send all unauthorized modifications to be deleted for record that is not send all unauthorized modifications to be deleted for record that is not send all unauthorized modifications to be deleted for record that is not send all unauthorized modifications are send all unauthorized modifications	GCS-DEL-001	Record deleted successfully.
deleted for this record.  GCS-DEL-004 Send all unauthorized modifications to be deleted for record that is not	GCS-DEL-002	Record(s) deleted successfully
	GCS-DEL-003	Modifications didn't match valid unauthorized modifications that can be deleted for this record.
authorized even once.	GCS-DEL-004	Send all unauthorized modifications to be deleted for record that is not authorized even once.
GCS-DEL-005  Only Maker of first version of record can delete modifications of record that is not once authorized.	GCS-DEL-005	Only Maker of first version of record can delete modifications of record that is not once authorized.
GCS-DEL-006 No valid unauthorised modifications found for deleting.	GCS-DEL-006	No valid unauthorised modifications found for deleting.
GCS-DEL-007 Failed to delete. Only maker of the modification(s) can delete.	GCS-DEL-007	Failed to delete. Only maker of the modification(s) can delete.
GCS-MOD-001 Closed Record cannot be modified.	GCS-MOD-001	Closed Record cannot be modified.
GCS-MOD-002 Record Successfully Modified.	GCS-MOD-002	Record Successfully Modified.
GCS-MOD-003 Record marked for close, cannot modify.	GCS-MOD-003	Record marked for close, cannot modify.
GCS-MOD-004 Only maker of the record can modify before once auth	GCS-MOD-004	Only maker of the record can modify before once auth
GCS-MOD-005 Not amendable field, cannot modify.	GCS-MOD-005	Not amendable field, cannot modify.
GCS-MOD-006 Natural Key cannot be modified.	GCS-MOD-006	Natural Key cannot be modified.



Table A-1 (Cont.) Error Codes and Messages

l	
Error Code	Messages
GCS-MOD-007	Only the maker can modify the pending records.
GCS-REOP-003	Successfully Reopened.
GCS-REOP-01	Unauthorized Record cannot be Reopened.
GCS-REOP-02	Failed to Reopen the Record, cannot reopen Open records.
GCS-REOP-03	Successfully Reopened.
I .	Unauthorized record cannot be reopened, record should be closed and authorized.
GCS-SAV-001	Record already exists.
GCS-SAV-002	Record Saved Successfully.
GCS-SAV-003	The record is saved and validated successfully.
GCS-VAL-001	The record is successfully validated.
GCS-REJ-001	A rejected record cannot be closed. Please delete this modification.
GCS-REJ-002	A rejected record cannot be reopened. Please delete this modification.
	Invalid modifications sent for reject. Highest modification must also be included.
GCS-REJ-004	Record Rejected successfully
GCS-REJ-005	Maker cannot reject the record.
GCS-REJ-006	Checker remarks are mandatory while rejecting.
GCS-REJ-007	No valid modifications found for reject.
I	Invalid modifications sent for reject. Consecutive modifications must be included.
SMS-COM-001	End Date cannot be less than Start Date.
	Start Date Cannot be less than Application Date and Application date is \$1.
SMS-COM-003	Cannot create/modify own User record.
SMS-COM-004	Cannot authorize own User record.
SMS-COM-005	Start date cannot be modified.
SMS-COM-008	Invalid RoleCode.
SMS-COM-009	Invalid Role Description.
SMS-COM-010	Invalid User LoginId.
SMS-COM-011	Invalid User Name.
SMS-COM-012	Invalid Home Branch.
SMS-LOV-001	Invalid Home Branch.
SMS-LOV-002	At least one role and branch mapping is mandatory.
SMS-LOV-003	User Login ID should not contain Special Characters or Spaces.
SMS-LOV-004	Invalid Manager Id.
SMS-LOV-005	Not a Valid Email Id format.
SMS-LOV-006	Invalid Branch Code.
SMS-LOV-007	Invalid Application Id.
SMS-LOV-008	Invalid Role Code.
	Duplicate records present under User Role Branches for Branch code \$1 and Role code \$2.
ST-SAVE-027	Request Successfully Processed.



B

# **Functional Activity**

This topic describes about the functional activity for Security Management System services.

SMS manages the user access by associating various functional activities to a role. Based on the business use cases, the granular level activities / operations are defined at Functional activity.

SMS related functional activities must be mapped to a Role for Menu, Dashboard, User maintenance, and Role maintenance related access. It is as follows:

Table B-1 Functional Activity

Functional Activity	Description
SMS_FA_LOAN_DASHBOARD_PREFERENCE	Functional activity for reading User Dashboard preference.
SMS_FA_LOAN_DASHBOARD_PREFERENCE_ PUT	Functional activity for updating User Dashboard preference.
SMS_FA_LOAN_DASHBOARD_VIEW	Functional activity for reading User Dashboard tiles.
SMS_FA_MENU_DASHBOARD_VIEW	Functional activity for constructing menu.
SMS_FA_ROLE_AMEND	Functional activity for modifying a role record.
SMS_FA_ROLE_AUTHORIZE	Functional activity for authorizing a role record including Authority query and View changes.
SMS_FA_ROLE_CLOSE	Functional activity for closing a role record.
SMS_FA_ROLE_REOPEN	Functional activity for reopening a role record.
SMS_FA_ROLE_VIEW	Functional activity for viewing a role record including role LOV validation.
SMS_FA_ROLE_DELETE	Functional activity for deleting a role record.
SMS_FA_ROLE_NEW	Functional activity for creating a role record.
SMS_FA_USER_AMEND	Functional activity for modifying a user record.
SMS_FA_USER_AUTHORIZE	Functional activity for authorizing a user record including Authority query and View changes.
SMS_FA_USER_CLOSE	Functional activity for closing a user record.
SMS_FA_USER_DELETE	Functional activity for deleting a user record.
SMS_FA_USER_NEW	Functional activity for creating a user record.
SMS_FA_USER_REOPEN	Functional activity for reopening a user record.
SMS_FA_USER_VIEW	Functional activity for viewing a user record including user LOV validation.
SMS_FA_USER_GET_HIERARCHY	Functional activity for getting the user hierarchy.
SMS_FA_USER_GET_PEER_REPORTEES	Functional activity for getting the peer reporters.
SMS_FA_USER_GET_LOGIN_STATUS	Functional activity for getting the login status.
SMS_FA_USER_AUDIT_TRAIL_GET	Functional activity for getting the audit trail.
SMS_FA_USER_GET_USR_FUN_ACT	Functional activity for getting the user functional activities.



Table B-1 (Cont.) Functional Activity

Functional Activity	Description
SMS_FA_USER_LOGIN	Functional activity for logging in the user.
SMS_FA_USER_CLEAR	Functional Activity for Clear User.
SMS_FA_USER_VIEW_NEW	Functional activity to validate existing User.
SMS_FA_USER_SERVICE_AMEND	Functional Activity for user amendment using service API.
SMS_FA_USER_SERVICE _NEW	Activity for user creation using service API.
SMS_FA_GET_ALL_FUNC_ACTIVITIES	Functional activity for getting all the functional activities.
SMS_FA_USER_GET_REPORTEES	Functional activity for getting the reportees.
SMS_FA_GET_ALL_FUNC_ACTIVITIES_SUB	Functional activity for getting all the functional activities for subordinates.
SMS_FA_USER_GET_FILTERED_USERS	Functional activity for getting all filtered users.
SMS_FA_USER_MAINT_BATCH	Functional activity for maintaining the user batch.
SMS_FA_USER_CUST_ACCESS_GROUP	Functional activity for maintaining the user customer access group.
SMS_FA_APPLICATION_V IEW	Functional activity for viewing all the applications.



# Index

С	U
Clear User, 2-6 Create Role, 1-1 Create User, 2-1	Unlock User, 2-7 User, 2-1
R	V
Role, 1-1	View Role, 1-3 View User, 2-5