

Oracle Banking Extensibility Workbench
Installation Guide
Release 14.7.5.0.0
October 2024





Oracle Banking Extensibility Workbench
Installation Guide
October 2024
Version 14.7.5.0.0

Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000 Fax: +91 22 6718 3001 <https://www.oracle.com/industries/financial-services/index.html>

Copyright © 2024, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of thirdparty content, products, or services.



Contents

- 1.Preface.....4
 - 1.1 Introduction.....4
 - 1.2 Audience.....4
 - 1.3 Document Accessibility.....4
 - 1.4 RelatedDocumens4
- 2.OBX Setup5
 - 2.1 Prerequisites.....5
 - 2.2 Steps to Install OBX.....5
 - 2.3 Setting up OBX for first time use7

1.Preface

1.1 Introduction

This guide would help you to install the Oracle Banking Extensibility Workbench – OBX on designated environment. It is assumed that all the prior setup is already done related with Base product/ Kernel. In this document it is also assumed that installation will be done on Windows 10 operating system with minimum 8GB Ram and available/free space of 5GB.

1.2 Audience

This document is intended for the teams and developers who are responsible for creating extensions like services and web components for products which are developed using Oracle Banking Microservices Architecture.

1.3 Document Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

1.4 Related Documents

For more information, refer to the following documents:

- Oracle Banking Extensibility Workbench User Manual
- Oracle Banking Extensibility Workbench Release Notes

2. OBX Setup

2.1 Prerequisites

1. Machine and Operating System

- Windows 10 64-bit: Pro, Enterprise, or Education (Build 15063 or later)
- 8/16GB RAM
- 100GB of free space


2. List of Software

- Machine must have Java 11 installed.
- Cmdr | Console Emulator (Latest Version) (Recommended for Running sh files on windows)
- Visual Studio Code or Any preferred IDE
- Postman for Windows
- Chrome Browser/ Firefox
- SQL developer


2.2 Steps to Install OBX

This guide outlines the steps to install and configure the OBX development environment on your Windows machine.

- Remove any previously installed NodeJS or Gradle on the machine and restart the machine.
- Create a folder named **OBX** in your C drive.
- Create one more folder inside **OBX** with the name **OBX_Workbench**. Extract **OBX-14.7.5.0.0.zip** folder on your local directory in **C:\OBX\ OBX_Workbench** folder.



- Set the Environment Variable for Gradle, Node by modifying the Path of System Variables.
- Point the path to extracted folder of OBX.



- Run the following command to delete any existing configuration settings of npm:
`npm config delete prefix.`
- Copy the node module path which was set above as an environment variable value. Run the following command to set a custom directory path where globally installed npm packages:
`npm config set prefix "your node module path".`
E.g.: `npm config set prefix "C:\Obx\OBX-14.7.0.0.0-Copy2onlyNode\OBX-14.7.0.0.0\node-v20.13.1-win-x64"`
- Save all the settings and open cmd or command prompt.
- Create a directory **extension_home** in **OBX** folder like **C:\OBX\extension_home**.
- Through cmd or command prompt navigate to **extension_home** folder
- Verify the Installation by using the command **obx -h**.

```
C:\Windows\System32\cmd.e  X  +  v

C:\Obx\extension_home>obx -h
obx <command>

Commands:
obx batch                Creates new OBMA based batch service
obx build-cca            Generates extended-components war
obx create-jar           Creates the jar from the given war
obx event [options]      Creates publisher and/or subscriber event service
obx release              Displays release note
obx service-update       Update existing service to latest
obx service <command> [options] Creates new domain service
obx startup [options]    Executes UI component
obx start-cs             Starts the component server from extension home
obx task [options]       Creates a reference task service
obx ui-update            Update existing UI to latest
obx ui [options]         Creates UI component
obx validation [options] Creates a validation service
obx xdl-gen [options]    Opens OBX UI for generating XDL file

Options:
-h, --help      Show help [boolean]
-v, --version   Show version information [boolean]

Examples:
obx service new -c

Copyright © 2024-2025 , Oracle and/or its affiliates. All rights reserved.

C:\Obx\extension_home>
```

2.3 Setting up OBX for first time use

It is assumed that before setting up OBX for generating the first artifact, all the installation process is completed till extension_home folder creation and you are able to see the help menu like below:

```
C:\Windows\System32\cmd.e  X  +  v

C:\Obx\extension_home>obx -h
obx <command>

Commands:
obx batch                Creates new OBMA based batch service
obx build-cca            Generates extended-components war
obx create-jar           Creates the jar from the given war
obx event [options]      Creates publisher and/or subscriber event service
obx release              Displays release note
obx service-update       Update existing service to latest
obx service <command> [options] Creates new domain service
obx startup [options]    Executes UI component
obx start-cs             Starts the component server from extension home
obx task [options]       Creates a reference task service
obx ui-update            Update existing UI to latest
obx ui [options]         Creates UI component
obx validation [options] Creates a validation service
obx xdl-gen [options]    Opens OBX UI for generating XDL file

Options:
-h, --help      Show help [boolean]
-v, --version   Show version information [boolean]

Examples:
obx service new -c

Copyright © 2024-2025 , Oracle and/or its affiliates. All rights reserved.

C:\Obx\extension_home>
```

Once that is done, we will proceed to next step which is setting up libraries and components from base product. Please follow the below process to setup libraries and components:

- Create a folder **lib** inside **extension_home** directory.
- Again, using 7zip or other similar tool, open any service war like **cmc-datasegment-services.5.1.0.war**, navigate inside **WEB-INF\lib** folder and copy all the jars and put it inside the **lib** folder of **extension_home**.
- Create a folder **runtime** inside **extension_home** directory.
- From the **gradle** folder which comes inside the **obx.zip**, navigate inside the **lib** folder and copy **extra_jars** which are compile time dependencies for services, and paste it inside **runtime** folder.
- To run the artifacts locally you need to have a set up for component-server. Create the **component-server** folder inside **extension_home** directory.
- Download the required version of app-shell war and extract it.
- Copy the **common** and **js** folders from extracted app-shell to **extension_home** folder. Navigate inside the **js** folder and copy the **components** folders and place it in the **component-server** folder.
- After all the above process **extension_home** folder looks like below.

