

Oracle® Banking Digital Experience

Data Protection Guide



Release 25.1.0.0.0

G38588-01

July 2025

ORACLE®

Copyright © 2015, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Purpose	v
Audience	v
Documentation Accessibility	v
Critical Patches	v
Diversity and Inclusion	vi
Conventions	vi
Related Resources	vi
Screenshot Disclaimer	vi
Acronyms and Abbreviations	vi

1 Objective and Scope

2 Personally Identifiable Information (PII)

3 Flow of PII Data

4 Administration of PII Data

4.1	Extracting PII data	4-1
4.1.1	Data stored in OBDX	4-1
4.1.2	Data stored outside OBDX	4-3
4.2	Deleting or Purging PII data	4-3
4.2.1	Using User Interface	4-4
4.2.2	Using purge procedures	4-4
4.2.3	Manual truncation of data from backend	4-5
4.3	Masking of PII data	4-8

5 Access Control for Audit Information

6 User exporting the PII data

7 Third Party Consents

8 Device ID Consents

Index

Preface

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Critical Patches](#)
- [Diversity and Inclusion](#)
- [Conventions](#)
- [Related Resources](#)
- [Screenshot Disclaimer](#)
- [Acronyms and Abbreviations](#)

Purpose

This guide is designed to help acquaint you with the Oracle Banking application. This guide provides answers to specific features and procedures that the user need to be aware of the module to function successfully.

Audience

This document is intended for the following audience:

- Customers
- Partners

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and](#)

Bulletins. All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Related Resources

For more information on any related features, refer to the following documents:

- [Oracle Banking Digital Experience Installation Manuals](#)
- [Oracle Banking Digital Experience Licensing Manuals](#)

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes; actual screens that appear in the application may vary based on selected browser, theme, and mobile devices.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Table 1 Acronyms and Abbreviations

Abbreviation	Description
OBDX	Oracle Banking Digital Experience

1

Objective and Scope

2

Personally Identifiable Information (PII)

This topic provides information on **Personally Identifiable Information (PII)**. Personally identifiable information (PII) is any data that could potentially identify a specific individual. Any information that can be used to distinguish one person from another and can be used to de-anonymizing anonymous data can be considered PII.

OBDX needs to acquire, use or store some PII data of the customers of the Bank in order to perform its desired services. This section declares the PII data captured by OBDX so that the Bank is aware of the same and adopts necessary operational procedures and checks in order to protect PII data in the best interest of its customers.

For more information on fields, refer to the field description table.

Table 2-1 PII Data Captured

Fields	OBDX 22.2
Bank account information	Yes
Beneficiaries	Yes
Biometric records	No
Birthplace	No
Bonus	No
Country, state, or city of residence	Yes
Credit card numbers	No
Criminal record	No
Date of birth	Yes
Digital identity	No
Disability leave	No
Driver's license number	Yes
Education history	No
Email address	Yes
Emergency contacts	No
Employee ID	Yes
Ethnicity	No
Financial information and accounts	Yes
Fingerprints	No
Full name	Yes
Gender	Yes
Genetic information	No
Health information (including conditions, treatment, and payment)	No
Healthcare providers and plans	No


Table 2-1 (Cont.) PII Data Captured

Fields	OBDX 22.2
Personal/office telephone numbers	Yes
IP address	No
Job title	Yes
Login name	Yes
MAC address	Yes
Marital status	Yes
Military rank	No
Mother's maiden name	No
National identification number	Yes
Passport number	Yes
Performance evaluation	No
Personal phone number	Yes
Photographic images	Yes
PIN numbers	Yes
Political affiliations	No
Property title information	No
Religion	No
Salary	Yes
Screen name	No
Sexual life	No
Social security number	Yes
Taxpayer information	Yes
Union membership	No
Vehicle registration number	Yes
Work telephone	Yes
Citizenship Number	No
Geo-Location	No
Product has Customer defined fields	No
Mobile Subscriber Identifier (IMSI)	No
Surname	Yes
First name	Yes

3

Flow of PII Data

This topic provides information on **Flow of PII Data**. This section depicts the flow **Personally Identifiable Information (PII)** within the OBDX system in the form of a data flow diagram.



The Bank Administrator is Bank's employee who is performing administrative functions using OBDX. As part of these, he will be dealing with PII data. An example is that the Administrator creates Retail and Corporate users in OBDX and while creating users he/she enters user information such as first name, last name, email address, mobile number, correspondence address etc.

Retail / Corporate Customer is Bank's customer who is accessing the online banking features. As part of this he/she will be able to see his/her accounts, balances, beneficiaries, transactions, profile details etc. Note that OBDX also supports onboarding of new users. The system captures some user information such as first name, last name, email address, mobile number, correspondence address and financial information such as income profile.

DBA / Bank IT Staff is Bank's employee who is not a user of OBDX but has access to the database that stores OBDX bank end data or the server environments on which OBDX is deployed.

Web server typically contains static web content such as styling information (CSS), Javascript resources, images, static HTMLs etc. Web server passes the REST service calls to Application server.

Application (App) Server is the server on which OBDX services are deployed. This server performs required processing on the service calls. It does use the database for retrieval or storage of data. It can also connect to external user credential store (such as OUD or Open LDAP). It can also connect to core product processor to enquiring CIF or Account related data or for posting any transactions initiated by the Retail or Corporate customer.

Database is the persistence store for OBDX. It can contain primary configuration data, user data and transactional data.

ODU / LDAP represents the external user credentials store. OBDX does not maintain user credentials locally but depends on external specialized software to do that. An example can be Oracle Unified Directory (ODU) or Open LDAP.

Product Processor is the core banking solution which actually processes actual banking transactions. OBDX connects to the product processor to fetch data such as CIFs or Accounts or transactions. It also connects to the product processor to post new transaction initiated by Retail or Corporate customer.

4

Administration of PII Data

This topic provides information on **Administration of PII Data**. This section provides information about doing administrative tasks on PII data. This includes retrieval, modification, deletion or purging of such data.

- [Extracting PII data](#)
This topic provides information on **Extracting PII data**. OBDX stores some PII data in its database and it also accesses data stored or owned by external systems such as OUD / LDAP or product processor.
- [Deleting or Purging PII data](#)
This topic provides information on **Deleting or Purging PII data**. There are two ways in which PII data can be deleted or purged from the system.
- [Masking of PII data](#)
OBDX framework provides a facility to mask user sensitive information before showing on the screen.

4.1 Extracting PII data

This topic provides information on **Extracting PII data**. OBDX stores some PII data in its database and it also accesses data stored or owned by external systems such as OUD / LDAP or product processor.

- [Data stored in OBDX](#)
This topic provides information on **Data stored in OBDX**. This section provides information about the tables that store PII data. This information is useful for the Bank to extract PII information.
- [Data stored outside OBDX](#)
This topic provides information on **Data stored outside OBDX**. OBDX can store user information in external systems such as OUD or LDAP. OBDX provides screens for fetching this data. Please refer to the [User Management](#) topic of **User Manual Oracle Banking Digital Experience Core** of OBDX for more details.

4.1.1 Data stored in OBDX

This topic provides information on **Data stored in OBDX**. This section provides information about the tables that store PII data. This information is useful for the Bank to extract PII information.

This table describes PII data stored



Note:

The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 4-1 PII Data

PII Data	Table
Bank account information	DIGX_AC_ACCOUNT_NICKNAME
	DIGX_AM_ACCOUNT_ACCESS
	DIGX_AM_ACCOUNT_EXCEPTION
Beneficiaries	DIGX_PY_PAYEE_V3
	DIGX_PY_INTERNAL_PAYEE_V3
	DIGX_PY_DEMANDDRAFT_PAYEE_V3
	DIGX_PY_INTNATNL_PAYEE_BNKDTLS_V3
	DIGX_PY_PEERTOPEER_PAYEE_V3
	DIGX_PY_INTERNATIONAL_PAYEE_V3
	DIGX_PY_GLOBAL_PAYEE_V3
	DIGX_PY_DOMESTIC_PAYEE_V3
Country, state, or city of residence	DIGX_OR_APPLICANT, DIGX_OR_APPLICANT_ADDRESS
	DIGX_UM_USERPROFILE
Date of birth	DIGX_OR_APPLICANT
	DIGX_UM_USERPROFILE
Driver's license number	DIGX_OR_APLT_IDNT
Email address	DIGX_OR_APPLICANT_CONTACT
	DIGX_OR_EMAIL_VERIFICATION
	(used only for email verification, data is purged once email is verified)
	DIGX_UM_USERPROFILE
Email ID	DIGX_AP_TRANSACTION
Employee ID	DIGX_OR_APLT_EMPT
Financial information and accounts	Only financial information(Income, Asset, expense, Liability)
	DIGX_OR_APLT_FIN_INCM
	DIGX_OR_APLT_FIN_AST
	DIGX_OR_APLT_FIN_EXP
	DIGX_OR_APLT_FIN_LIB
Full name	DIGX_OR_APPLICANT
	DIGX_UM_USERPROFILE
	DIGX_AP_TRANSACTION
Gender	DIGX_OR_APPLICANT
Personal/office telephone numbers	DIGX_OR_APPLICANT_CONTACT
	DIGX_UM_USERPROFILE
	DIGX_AP_TRANSACTION
Job title	DIGX_OR_APLT_EMPT
	DIGX_UM_USERPROFILE
Login name	DIGX_UM_USERAPPDATA
	DIGX_UM_USERPARTY_RELATION
	USERS
	GROUPMEMBERS

Table 4-1 (Cont.) PII Data

PII Data	Table
	DIGX_UM_USERPROFILE
	DIGX_AM_ACCOUNT_ACCESS
MAC Address	DIGX_AUDIT_LOGGING
Marital status	DIGX_OR_APPLICANT
National identification number	DIGX_OR_APLT_IDNT
Passport number	DIGX_OR_APLT_IDNT
Personal phone number	DIGX_OR_APPLICANT_CONTACT
PIN numbers	DIGX_OR_APPLICANT_ADDRESS
Salary	DIGX_OR_APLT_FIN_INCM, DIGX_OR_APLT_EMPTY
Social security number	DIGX_OR_APLT_IDNT
Taxpayer information	DIGX_OR_APLT_IDNT
Vehicle registration number	DIGX_OR_APLT_IDNT
Work telephone	DIGX_OR_APPLICANT_CONTACT
Surname	DIGX_OR_APPLICANT
	DIGX_UM_USERPROFILE
	DIGX_AP_TRANSACTION
First name	DIGX_OR_APPLICANT
	DIGX_UM_USERPROFILE
	DIGX_AP_TRANSACTION

Please note that OBDX provides user interface to access most of this data. The data will be accessible to you only if you have required roles and policies mapped to your OBDX login. For example, an Administrator user can see retail user's profile only if he is entitled by a policy to access this information.

4.1.2 Data stored outside OBDX

This topic provides information on **Data stored outside OBDX**. OBDX can store user information in external systems such as OUD or LDAP. OBDX provides screens for fetching this data. Please refer to the [User Management](#) topic of **User Manual Oracle Banking Digital Experience Core** of OBDX for more details.

Also note that the data can be accessed directly from the external system i.e. OUD, Open LDAP or the Product Processor. These details are outside the scope of this document. Please refer to the manual of corresponding software for more details.

4.2 Deleting or Purging PII data

This topic provides information on **Deleting or Purging PII data**. There are two ways in which PII data can be deleted or purged from the system.

- [Using User Interface](#)
This topic provides information on **Using User Interface**. The information created in (or owned by) OBDX can be deleted from its user interface. For example, a retail user can delete the beneficiaries he/she has maintained. Please refer to the **Manage Payee** topic of **User Manual Oracle Banking Digital Experience Retail Payments** for more details.

- [Using purge procedures](#)
This topic provides information on **Using purge procedures**. OBDX provides some out of the box purge procedure that can be used to purge the data. Otherwise the DBA / IT staff can prepare similar procedures to purge required data.
- [Manual truncation of data from backend](#)
This topic provides information on **Manual truncation of data from backend**. In scenarios where OBDX does not have user interface to remove customer data and scheduled purge option is not useful, then data needs to be purged using SQL scripts.

4.2.1 Using User Interface

This topic provides information on **Using User Interface**. The information created in (or owned by) OBDX can be deleted from its user interface. For example, a retail user can delete the beneficiaries he/she has maintained. Please refer to the **Manage Payee** topic of **User Manual Oracle Banking Digital Experience Retail Payments** for more details.

Note that user's data such as CIF or account number is not owned by OBDX and hence it cannot be deleted from OBDX. However information such as account access granted to a particular user can be modified or deleted by the bank administrator. Please refer to the **Party Account Access** and **User Account Access** topics of the **User Manual Oracle Banking Digital Experience Core** for more details.

4.2.2 Using purge procedures

This topic provides information on **Using purge procedures**. OBDX provides some out of the box purge procedure that can be used to purge the data. Otherwise the DBA / IT staff can prepare similar procedures to purge required data.

However note that it is not recommended to purge or delete any data stored in OBDX tables without doing detailed impact analysis. Please also note that the purge jobs are useful typically for purging old data. They may not be useful for purging data of a specific customer.

Procedure name -

`DIGX_USER_PII_DATA_PURGE.sql`

Procedure input parameter –

User Id (unique identifier of user) which is to be purged.

Description -

`DIGX_USER_PII_DATA_PURGE` will permanently purge the user and all the PII data associated with the user from all the database tables of OBDX.

It must be noted that once user is purged then associated PII data and user cannot be retrieved under any circumstances.

Associated table -

This table holds data of table names and field names of tables containing User Id. Procedure fetches data from table `DIGX_UM_USERS_ASSOCIATIONS` and deletes all the PII data related to the provided User Id

Steps to run -

Run the procedure with providing User Id as input parameter.

4.2.3 Manual truncation of data from backend

This topic provides information on **Manual truncation of data from backend**. In scenarios where OBDX does not have user interface to remove customer data and scheduled purge option is not useful, then data needs to be purged using SQL scripts.

Below section provides some queries that can be used for such a purging. This option must be used with utmost care and proper impact analysis must be done before using these scripts.

**Note:**

The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 4-2 PII Data

PII Data	Table	Script
For modules other than Origination: Personal information of user including Country, state, or city of residence, Date of birth, Email address, Employee ID, Full name, Gender, Personal/office telephone numbers, Login name, Work telephone, First Name, Surname	USERS GROUPMEMBERS DIGX_UM_USERPROFILE DIGX_UM_USERAPPPDATA DIGX_UM_USERPARTY_RELATION DIGX_UM_REGISTRATION	<pre>delete from digx_um_userparty_relation where user_id = '<USER IDENTIFIER>'; delete from digx_um_userappdata where id = '<USER IDENTIFIER>'; delete from DIGX_UM_USERPROFILE where U_NAME = '<USER IDENTIFIER>'; delete from GROUPMEMBERS where G_MEMBER = '<USER IDENTIFIER>'; delete from USERS where U_NAME = '<USER IDENTIFIER>';</pre>

Table 4-2 (Cont.) PII Data

PII Data	Table	Script
Bank Account Information	DIGX_AC_ACCOUNT_NICKNAME DIGX_AM_ACCOUNT_ACCESS DIGX_AM_ACCOUNT_EXCEPTION	<pre> delete from DIGX_AC_ACCOUNT_NICKNAME where USER_ID = <USER IDENTIFIER>; delete from DIGX_AM_ACCOUNT_EXCEPTION where ACCOUNT_ACCESS_ID in (select ACCOUNT_ACCESS_ID from DIGX_AM_ACCOUNT_ACCESS where ACCESS_LEVEL = 'USER' and USERID = <USER IDENTIFIER>); delete from DIGX_AM_ACCOUNT_ACCESS where ACCESS_LEVEL = 'USER' and USERID = <USER IDENTIFIER>; </pre>

Table 4-2 (Cont.) PII Data

PII Data	Table	Script
Beneficiaries	DIGX_PY_PAYEEGROUP DIGX_PY_PAYEE DIGX_PY_DOMESTIC_UK_PAYEE DIGX_PY_INTERNAL_PAYEE DIGX_PY_DEMANDDRAFT_PAYEE DIGX_PY_INTNATNL_PAYEE_BNK DTLS DIGX_PY_DOMESTIC_INDIA_PAY EE DIGX_PY_PEERTOPEER_PAYEE DIGX_PY_INTERNATIONAL_PAYE E DIGX_PY_DOMESTIC_SEPA_PAYE E	<pre> delete from DIGX_PY_INTNATNL_PAYEE_BNK DTLS_V3 where PAYEE_ID in (select PAYEE_ID from DIGX_PY_PAYEE_V3 where CREATED_BY = <USER IDENTIFIER>); delete from DIGX_PY_INTERNATIONAL_PAYEE V3 where PAYEE_ID in (select PAYEE_ID from DIGX_PY_PAYEE_V3 where CREATED_BY = <USER IDENTIFIER>); delete from DIGX_PY_DEMANDDRAFT_PAYEE_ V3 where PAYEE_ID in (select PAYEE_ID from DIGX_PY_PAYEE_V3 where CREATED_BY = <USER IDENTIFIER>); delete from DIGX_PY_DOMESTIC_PAYEE_V3 where PAYEE_ID in (select PAYEE_ID from DIGX_PY_PAYEE_V3 where CREATED_BY = <USER IDENTIFIER>); delete from DIGX_PY_INTERNAL_PAYEE_V3 where PAYEE_ID in (select PAYEE_ID from DIGX_PY_PAYEE_V3 where CREATED_BY = <USER IDENTIFIER>); delete from DIGX_PY_PEERTOPEER_PAYEE_V 3 where PAYEE_ID in (select PAYEE_ID from DIGX_PY_PAYEE_V3 where CREATED_BY = <USER IDENTIFIER>); delete from DIGX_PY_PAYEE_PARTY_MAP_V3 where PAYEE_ID in (select PAYEE_ID from DIGX_PY_PAYEE_V3 where CREATED_BY = <USER IDENTIFIER>); </pre>

Table 4-2 (Cont.) PII Data

PII Data	Table	Script
		<pre>delete from DIGX_PY_PAYEE_V3 where CREATED_BY = <USER IDENTIFIER>;</pre>
Party/User Information in Originations	DIGX_OR_APPLICANT DIGX_OR_APPLICANT_ADDRESS delete from DIGX_OR_APLT_FIN_EXP where APPLICANT_ID = '<APPLICANT IDENTIFIER>'; DIGX_OR_APLT_IDNT DIGX_OR_APPLICANT_CONTACT DIGX_OR_EMAIL_VERIFICATION DIGX_OR_APLT_EMPT DIGX_OR_APLT_FIN_INCM DIGX_OR_APLT_FIN_AST DIGX_OR_APLT_FIN_EXP DIGX_OR_APLT_FIN_LIB	<pre>delete from DIGX_OR_APLT_FIN_INCM where APPLICANT_ID = '<APPLICANT IDENTIFIER>'; delete from DIGX_OR_APLT_FIN_AST where APPLICANT_ID = '<APPLICANT IDENTIFIER>'; delete from DIGX_OR_APLT_FIN_LIB where APPLICANT_ID = '<APPLICANT IDENTIFIER>'; delete from DIGX_OR_APLT_EMPT where APPLICANT_ID = '<APPLICANT IDENTIFIER>'; delete from DIGX_OR_APLT_IDNT where APPLICANT_ID = '<APPLICANT IDENTIFIER>'; delete from DIGX_OR_APPLICANT_CONT ACT where APPLICANT_ID = '<APPLICANT IDENTIFIER>'; delete from DIGX_OR_EMAIL_VERIFICA TION where SUBMISSION_ID = '<SUBMISSION IDENTIFIER>'; delete from DIGX_OR_APPLICANT_ADDR ESS where APPLICANT_ID = '<APPLICANT IDENTIFIER>'; delete from DIGX_OR_APPLICANT where PARTY_ID = '<PARTY IDENTIFIER>';</pre>

4.3 Masking of PII data

OBDX framework provides a facility to mask user sensitive information before showing on the screen.

Masking is a process in which only some portion of the data is displayed to the user while remaining portion of the data is either skipped or is replaced with hash characters such as '*'. Main purpose of masking is to avoid a possibility of 'over the shoulder' stealing of sensitive information. However it is also used so that the clear text sensitive information is not logged in system logs.

A typical example of masking is the account numbers. When OBDX API is invoked that contains Account number in the response, the API will always give masked value. So complete clear text account number is never displayed on the screen.

OBDX provides masking for following fields out of the box.

For more information on fields, refer to the field description table.

Table 4-3 Table 1

Sr. No.	Field Name
1	Party Identifier
2	Account Number (Includes current account, saving account, deposit, loan account)
3	Mobile/phone number
4	E-mail ID
5	Social Security Number
6	Submission Identifier
7	Application Identifier

OBDX framework also provides a provision in which any field other than the ones mentioned in the above table can also be masked as per the requirement. This can be achieved by following steps:

1. Create a complex datatype in OBDX.
This datatype must extend `com.ofss.digx.datatype.complex.MaskedIndirectedObject`
2. Define a 'masking qualifier' and a 'masking attribute'
3. Configure this masking qualifier and masking attribute in `DIGX_FW_CONFIG_ALL_B`. An example of the configurations for account number mask is given below

```
INSERT INTO digx_fw_config_all_b
(PROP_ID, CATEGORY_ID, PROP_VALUE, FACTORY_SHIPPED_FLAG, PROP_COMMENTS,
SUMMARY_TEXT,
CREATED_BY, CREATION_DATE, LAST_UPDATED_BY, LAST_UPDATED_DATE,
OBJECT_STATUS,
OBJECT_VERSION_NUMBER)
VALUES ('*.account_id', 'Masking', 'AccountNumberMasking<', 'Y', null,
null,
'ofssuser', sysdate, 'ofssuser', sysdate, 'A', 1);
```

```
INSERT INTO digx_fw_config_all_b
(PROP_ID, CATEGORY_ID, PROP_VALUE, FACTORY_SHIPPED_FLAG, PROP_COMMENTS,
SUMMARY_TEXT,
CREATED_BY, CREATION_DATE, LAST_UPDATED_BY, LAST_UPDATED_DATE,
OBJECT_STATUS,
OBJECT_VERSION_NUMBER)
VALUES ('AccountNumberMasking', 'MaskingPattern', 'xxxxxxxxxxxxNNNN', 'Y',
null, null,
'ofssuser', sysdate, 'ofssuser', sysdate, 'A', 1);
```

With above steps, the OBDX framework will make sure to mask the data of this data type during serialization phase in the REST tier.

The masking pattern can contain following characters

1. N – Original character in the data will be retained
2. H – Original character in the data will be skipped
3. * (Or any other placeholder character) – Original character in the data will be replaced with this character

5

Access Control for Audit Information

This topic provides information on **Access Control for Audit Information**.

OBDX provides mechanism for maintaining audit trail of transactions / activities done by its users in the system.

This audit trail is expected to be used for customer support, dispute handling. It can also be used for generating some management reports related to feature usage statistics etc.

From a data protection perspective it is worth noting that the audit trail contains.

PII data in the form of transactional data as well as usage trends or statistics. Hence it is necessary for the Bank to put in place appropriate access control mechanisms so that only authorized Bank employees get access to this data. OBDX provides comprehensive access control mechanism that the Bank can leverage to achieve this.

This access control can be achieved using the role based transaction mapping. This section focuses specifically from data protection aspect. You are requested to go through the user manual for 'Role Transaction Mapping' before reading further in this section. As an example, we have considered a use case where the Bank wants to restrict access to 'Audit Log' feature so that only the permitted set of administration users will be able to access audit of the users. Please note that same process can be applied to other services that deal with PII data. For example, same process can be used for restricting access to user management functions.


Check the 'out of box' access granted

There are two ways to check the Audit Information


- Maintenance
- Utilization

Maintenance (Performed by system admin)

1. Log in using Authadmin credentials.
2. Go to tab **Role Transaction Mapping**.
3. Find application role named **"AuditAdmin"** or **"AuthAdmin"**.



- Click on **AuditAdmin** and click on edit symbol as shown.



- Assign module name "**Admin Maintenance**" and check "**Internet**".

Applications Places Google Chrome Tue 18:47

Role Transaction Mapping

Application Role Name: AuditAdmin

Description: AuditDisplayName

User Type: Administrator

Access Type: INTERNAL

Module Name: Admin Maintenance

Map Transactions to Touch Points:

- ☐ Mobile Application
- ☐ Mobile (Responsive)
- ☒ Internet
- ☐ Missed Call Banking
- ☐ SMS Banking
- ☐ Wearables
- ☐ Snapshot
- ☐ Siri/Chatbot

Next Back

Copyright © 2006, 2017, Oracle and/or its affiliates. All rights reserved. | Security Information | Terms and Conditions


6. Under Admin maintenance give access of Module name Audit log to it and click **Save**.

Applications Places Google Chrome Tue 18:47

Internet


Transactions	Perform	Approve	View
<input type="checkbox"/> Admin Maintenance	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> ATM/Branch Maintenance			
<input type="checkbox"/> Access Point Maintenance			
<input type="checkbox"/> Account Relationship Mapping			
<input type="checkbox"/> Alert Maintenance			
<input type="checkbox"/> Approvals- Workflow Configuration			
<input checked="" type="checkbox"/> Audit Log	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> Inquire Audit Log	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

7. Click **Submit**.




Utilization

1. Go to **User Management**.
2. Click **Create user**.



3. Select **Administrator**.



4. Fill necessary details.

The screenshot shows the 'User Management' page with the following form details:

Field	Value
User Type	Administrator
Organization	Oracle
Manager	ABC
Employee Number	121212
User Name	AuditAdminUser (Available)
Title	Mr
First Name	AuditAdminUser
Middle Name	
Last Name	AuditAdminUser
Date of Birth	04 Sep 2018

5. Select **AuditAdmin** or **Authadmin** as an application role.

Applications Places Google Chrome Tue 19:03

User Management - x

Not secure | mum00chx:3333/index.html?module=authadmin&page=users-create

Address Line 4

Country India

City mumbai

Zip Code 123

Roles

- ☐ AdminMaker
- ☐ AdminChecker
- ☐ AuthAdmin
- ☐ payment
- ☒ AuditAdmin

Select Touch Points

- ☐ Mobile Application
- ☐ Mobile (Responsive)
- ☒ Internet
- ☐ Missed Call Banking
- ☐ SMS Banking
- ☐ Wearables
- ☐ Snapshot
- ☐ Siri/Chatbot

Add Accessible Entity

Save Cancel Back

6. Click **Submit**.

Applications Places Google Chrome Tue 19:04

User Create - ZigBee - x

Not secure | mum00chx:3333/index.html?module=authadmin&page=confirm-screen

CONFIRMATION


Maintenance completed successfully.

Reference Number	0509AB91A9AB
Status	Completed


Ok

Copyright © 2006, 2017, Oracle and/or its affiliates. All rights reserved. | Security Information | Terms and Conditions

7. Log in using created user.



8. User can access audit log.



Applications Places Google Chrome

Dashboard [Jenkins] x Audit Log Maintenance x Summary of Servers x User Management x Audit Log Maintenance x

localhost:12777/index.html?module=auditadmin&page=audit-log

Wed 20:14

Welcome, AuditAdminUser1 AuditAdminUser1
Last login 06 Sep 05:44 AM

Audit Log Maintenance

Date and Time* Today Activity

Party ID User ID

Search Party Name

More search options

Search Clear

Date / Time	User ID / Name	Party ID / Name	User Type	Event	Action	Reference Number	Status
06 Sep 2018 03:45:41 AM	superadmin Administrator User			Login			Success
06 Sep 2018 04:02:52 AM	superadmin Administrator User			Login			Success

Page 1 of 1 (1-2 of 2 items) < 1 >

Cancel


6

User exporting the PII data


This topic describes the systematic instruction to **User exporting the PII data** option. This functionality will allow to download of user wise PII in CSV formats.

Administrator


1. Login as administrator.



2. Click on **User Management** and search for any user (Corporate User/ Administrator / Retail User), then clicked on the any "User Name" from the list of search users.




3. Click on the **Download Profile** link.




Business User


1. Login as Business User (Retail/Corporate/Admin).



2. Click on the **Profile**.



3. Click on the **Download Profile** link.



7

Third Party Consents

This topic provides information on **Third Party Consents**. This option enables the user to manage the access provided to third party application(s).

The user can define the fine-grained entitlements i.e. account level access along with a set of transactions for the third party. The user can disable the access for a specific third party application whenever required.



Note:

Only those third party applications for which the user has registered and given rights to access his/her accounts for inquiries and transactions, will appear on this page.

How to reach here:

Dashboard → Toggle Menu → Account Settings → My Preferences → Third Party Application
OR

Dashboard → My Profile → Profile → Third Party Application

Third Party Apps

**Note:**

The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 7-1 Third Party App

Field Name	Description
Third Party Application Name	The names of the third party applications are displayed. Select a third party application to define access to the application.
Application Access	The option to define whether access for the application is to be provided or not. If access is granted, then the user can revoke access and if it was revoked, then the user can grant access whenever required.
Current and Savings/ Term Deposits/ Loans and Finances	Select a product to define account and transaction level access to the third party.

1. Select the third party application for which you wish to define fine gain access.
2. The system will display the list of accounts under each of the account types along with the transactions
3. Click **Edit** to modify account and transaction access. The **Third Party Consents –Edit**
4. The screen with values in editable form appears. Perform any one of the following
 - Click **Cancel** to cancel the operation and to navigate back to the Dashboard.
 - Click **Back to Dashboard** to go to the Dashboard.

Third Party Apps - Edit

Third Party Consents

Profile

Primary Account Num...

Alerts/Notifications

Third Party Apps

Security and Login

Settings

MODEL Solutions **epay**

Application Access ☒ Granted

Current and Savings Term Deposits Loans and Finances

☒ xxxxxxxxxxxx0020 - Savings Account - Regular

☒ Map All Transactions

☒ CASA Inquiries

☒ CASA Interest Certificate ☒ Party CASA Interest Certificate

☒ CASA

☒ E-Statement Subscription ☒ Demand Deposit Electronic Statement Download ☒ List Demand Deposit Electronic Statement ☒ Request Demand Deposit Statement

☒ Payments

☒ Domestic Payment ☒ International Draft ☒ Bill Payment ☒ Domestic Draft

☒ International Payout ☒ External Transfer ☒ Internal Transfer ☒ PeerToPeer Transfer

☒ Instruction Cancellation ☒ Self Transfer

☒ All Inquiry Transactions

☒ Payments Inquiries ☒ CASA Inquiries

☐ xxxxxxxxxxxx0018 - Savings Account - Regular

Save **Back** **Cancel**

[Back To Dashboard](#)

Copyright © 2006, 2017, Oracle and/or its affiliates. All rights reserved. | Security Information | Terms and Conditions



Note:

The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 7-2 Third Party App

Field Name	Description
Third Party Application Name	The names of the third party applications are displayed. Select a third party application to define access to accounts and transactions.
Application Access	The option to define whether access for the application is to be provided or not.

Table 7-2 (Cont.) Third Party App

Field Name	Description
Current and Savings/ Term Deposits/ Loans and Finances	Select a product to define account level access to the third party.
Accounts	All the accounts of the user are displayed under the respective account type.
Transactions	Once you select an account, all the transactions through which the account can be accessed are displayed. Select any or all transactions to provide account access for the transactions to the third party application.

1. Click the **Application Access** button to enable / disable access for the third party application.
 - a. If you select **Enable**,
 - i. Click an account type.
The account check boxes are enabled and you can select/deselect any check box to edit access of these accounts to the third party application.
 - ii. Select an account check box.
The transactions for which the selected account can be accessed appear.
 - iii. Select/Deselect all or any of the transaction checkboxes to define the transactions through which the selected account can be accessed.
2. Perform any one of the following:
 - Click **Save** to save the change.
 - Click **Back** to go back to previous screen.
 - Click **Cancel** cancel the operation and navigate back to **Dashboard**.
3. The **Third Party Consents – Review** screen appears. Verify the details, Perform any one of the following:
 - Click **Confirm**.
 - Click **Back** to go back to previous screen.
 - Click **Cancel** cancel the operation and navigate back to **Dashboard**.
4. The success message of third party consent setup appears along with the transaction reference number.
5. Click **OK** to complete the transaction and to navigate back to the Dashboard.

8

Device ID Consents

This topic describes the systematic instruction to **Device ID Consents** option. OBDX framework provides a facility to enables the alternate login via Pin, pattern or touch ID.

1. On the login page, user will get the **Enable Alternate login** functionality. User needs to enable this for alternate login as pin, pattern or touch ID.



Username

rickgrimes

Password

.....

Enable Alternate Login



Login

[Forgot User Id](#)

| [Forgot Password](#)

Quick Snapshot



Scan To Pay



ATM & Branch




Claim Money




Tools &
Calculators

Hi,How Can I Help You?

2. Once user enables the functionality then, “Select Login Method” pop up will come from which user can select the alternate login method.




3. Once user will select the appropriate option, Notification of permission to store the device id message will display before setting up the alternate login method.



Unregister the Device ID

In the Settings page, user can disable the alternate login from all mobile devices.



Index

A

Access Control for Audit Information, [5-1](#)
Administration of PII Data, [4-1](#)

D

Data stored in OBDX, [4-1](#)
Data stored outside OBDX, [4-3](#)
Deleting or Purging PII data, [4-3](#)
Device ID Consents, [8-1](#)

E

Extracting PII data, [4-1](#)

F

Flow of PII Data, [3-1](#)

M

Manual truncation of data from backend, [4-5](#)
Masking of PII data, [4-8](#)

P

Personally Identifiable Information (PII), [2-1](#)

T

Third Party Consents, [7-1](#)

U

User exporting the PII data, [6-1](#)
Using purge procedures, [4-4](#)
Using User Interface, [4-4](#)