

Oracle® Banking Digital Experience

Reports Configuration Guide



Release 25.1.0.0.0

G38613-01

July 2025

ORACLE®

Copyright © 2015, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Purpose	iv
Audience	iv
Documentation Accessibility	iv
Critical Patches	iv
Diversity and Inclusion	iv
Conventions	v
Related Resources	v
Screenshot Disclaimer	v
Acronyms and Abbreviations	v

1 Adding a New Report

Index

Preface

Purpose

This guide is designed to help acquaint you with the Oracle Banking application. This guide provides answers to specific features and procedures that the user need to be aware of the module to function successfully.

Audience

This document is intended for the following audience:

- Customers
- Partners

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Related Resources

For more information on any related features, refer to the following documents:

- Oracle Banking Digital Experience Installation Manuals
- Oracle Banking Digital Experience Licensing Manuals

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes; actual screens that appear in the application may vary based on selected browser, theme, and mobile devices.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Table 1 Acronyms and Abbreviations


Abbreviation	Description
OBDX	Oracle Banking Digital Experience

1


Adding a New Report

This topic describes the systematic instruction to **Adding a New Report** option.


1. Create UI component with required criteria fields for that new report. This criteria fields will be available once the report is selected from drop down. Currently each report has 2 fields are common. (Report Name , Report Format)




The screenshot shows the top navigation bar with the user 'auditadmin'. Below it is the 'futura bank' logo and a 'Reports' section header. Under 'Reports', there are two tabs: 'ADHOC' (selected) and 'Schedule'. Below the tabs, there is a 'Report Name' label and a dropdown menu with the text 'Select Report Type'. At the bottom, there are three buttons: 'Generate Report' (blue), 'Cancel' (dark grey), and 'Clear' (blue text).




This screenshot shows the 'Reports' page with the 'ADHOC' tab selected. The 'Report Name' dropdown is set to 'Date wise User creation Report'. Below it, the 'Report Format' dropdown is set to 'Select Report Format'. There are also fields for 'Party ID', 'User Type' (set to 'Select'), and 'Duration' (with 'From' and 'To' date pickers). The same three buttons ('Generate Report', 'Cancel', 'Clear') are at the bottom. On the right side, there is a 'Tips' box with a lightbulb icon and text explaining that adhoc reports are internal or related to customers and that users need to select report name, frequency, duration, and format. The top navigation bar shows 'auditadmin', 'ATM/Branch', 'English', and 'UBS OBPM 14.4 HEL Branch'. A welcome message for 'Administrator User' is also visible.



2. Add Entry **ParamsComponent_admin.json** for new report. This will pick up your new report component once it is selected from drop down.



3. Add entry in DIGX_RP_DEFINITION table.



```

select *
      from DIGX_FW_CONFIG_ALL_B
where category_id = 'Report';

```

Add entry for adapter for IN-Internal Report'

Trunk OBNA

Worksheet: Query Builder

select *
from DIGH_FW_CONFIG_ALL_B
where category_id = 'Report';

Query Result: All Rows Fetched: 132 in 0.297 seconds

PROP_ID	CATEGORY_ID	PROP_VALUE	FACTORY_SHIPPED_FLAG	PROP_COMMENTS	
41	DATA_CLASS_A2	Report	com.ofss.dign.app.report.data.processor.APIConsumptionReportAdapter	N	adapter class for API Consumption report.
42	DATA_CLASS_A20	Report	com.ofss.dign.app.report.data.processor.UserListReportAdapter	N	xsl CSV for User List report
43	DATA_CLASS_A3	Report	com.ofss.dign.app.report.data.processor.WalletKYCAdapter	N	adapter class for wallets kyc report.
44	DATA_CLASS_A4	Report	com.ofss.dign.app.report.data.processor.WalletKYCAdapter	N	adapter class for wallets opened report.
45	DATA_CLASS_A4	Report	com.ofss.dign.app.report.data.processor.WalletTransactionActivityReportAdapter	N	adapter class for wallets txn activity report.
46	DATA_CLASS_A7	Report	com.ofss.dign.app.report.data.processor.ApprovalRulesReportAdapter	N	adapter class for list of approval rules report.
47	DATA_CLASS_A8	Report	com.ofss.dign.app.report.data.processor.PendingApprovalsReportAdapter	N	adapter class for pending approvals report.
48	DATA_CLASS_A9	Report	com.ofss.dign.app.report.data.processor.PartyFIMappingAdapter	N	adapter class for party file identifier mapping report.
49	DATA_CLASS_C1	Report	com.ofss.dign.app.report.data.processor.WorkflowReportAdapter	N	adapter class for workflow maintained for a party report.
50	DATA_CLASS_C10	Report	com.ofss.dign.app.report.data.processor.UserListReportAdapter	N	xsl CSV for User List report
51	DATA_CLASS_C11	Report	com.ofss.dign.app.report.data.processor.ApprovalRulesReportAdapter	N	adapter class for list of approval rules report.
52	DATA_CLASS_C2	Report	com.ofss.dign.app.report.data.processor.PendingApprovalsReportAdapter	N	adapter class for pending approvals report.
53	DATA_CLASS_C3	Report	com.ofss.dign.app.report.data.processor.PartyFIMappingAdapter	N	adapter class for party file identifier mapping report.
54	DATA_CLASS_C4	Report	com.ofss.dign.app.report.data.processor.PayeeReportAdapter	N	adapter class for Payee for a party report.
55	DATA_CLASS_C5	Report	com.ofss.dign.app.report.data.processor.PartyFIMappingReportAdapter	N	adapter class for party users mapped to a file identifier report.
56	DATA_CLASS_C6	Report	com.ofss.dign.app.report.data.processor.UserFIMappingReportAdapter	N	adapter class for file identifiers mapped to user report.
57	DATA_CLASS_C7	Report	com.ofss.dign.app.report.data.processor.UserGroupReportAdapter	N	adapter for user groups maintained for a party report.
58	DATA_CLASS_C8	Report	com.ofss.dign.app.report.data.processor.ApprovalRulesReportAdapter	N	adapter class for list of approval rules report.
59	DATA_CLASS_C9	Report	com.ofss.dign.app.report.data.processor.UserEntitlementReportAdapter	N	adapter for User Entitlement report.
60	DATA_CLASS_U1	Report	com.ofss.dign.app.report.data.processor.PendingApprovalsReportAdapter	N	adapter class for pending approvals report.
61	DATA_CLASS_U2	Report	com.ofss.dign.app.report.data.processor.PayeeReportAdapter	N	adapter class for Payee for a party report.
62	DATA_CLASS_U3	Report	com.ofss.dign.app.report.data.processor.DailyBalancePositionAdapter	N	adapter class for daily balance report.

Add entry for XSL created for Internal Report

Trunk OBNA

Trunk OBNA

Worksheet: Query Builder

```
select *
from DIGH_FW_CONFIG_ALL_B
where category_id = 'Report';
```


Query Result: A

SQL

All Rows Fetched: 132 in 0.297 seconds

PROP_ID	CATEGORY_ID	PROP_VALUE	FACTORY_SHIPPED_FLAG	PROP_COMMENTS	
91	FO_XSL_A20_CSV	Report	UserListReportCSV.xsl	N	FO xsl CSV for User List report
92	FO_XSL_A3_PDF	Report	APIConsumptionReport.xsl	N	FO xsl for payee for a resource child role
93	FO_XSL_A3_CSV	Report	WalletsKYCDetailsCSV.xsl	N	FO xsl for wallets kyc report.
94	FO_XSL_A3_PDF	Report	WalletsKYCDetails.xsl	N	FO xsl for wallets kyc report.
95	FO_XSL_A4_CSV	Report	WalletsOpenedCSV.xsl	N	FO xsl for wallets opened report.
96	FO_XSL_A4_PDF	Report	WalletsOpened.xsl	N	FO xsl for wallets opened report.
97	FO_XSL_A6_PDF	Report	WalletTransactionActivityReport.xsl	N	FO xsl for wallet txn activity report.
98	FO_XSL_A7_CSV	Report	ApprovalRulesReportCSV.xsl	N	FO xsl CSV for approval rules report
99	FO_XSL_A7_PDF	Report	ApprovalRulesReport.xsl	N	FO xsl for approval rules
100	FO_XSL_A8_PDF	Report	PendingApprovalsReport.xsl	N	FO xsl for pending approvals report
101	FO_XSL_A9_CSV	Report	PartyFIMappingReportCSV.xsl	N	FO xsl for File identifiers maintained for party
102	FO_XSL_A9_PDF	Report	PartyFIMappingReport.xsl	N	FO xsl for File identifiers maintained for party
103	FO_XSL_C10_CSV	Report	UserListReportCSV.xsl	N	FO xsl CSV for User List report
104	FO_XSL_C11_CSV	Report	ApprovalRulesReportCSV.xsl	N	FO xsl CSV for approval rules report
105	FO_XSL_C1_CSV	Report	WorkflowReportCSV.xsl	N	FO xsl for workflows maintained for party
106	FO_XSL_C1_PDF	Report	WorkflowReport.xsl	N	FO xsl for workflows maintained for party
107	FO_XSL_C2_CSV	Report	PendingApprovalsReportCSV.xsl	N	FO xsl for pending approvals report.
108	FO_XSL_C2_PDF	Report	PendingApprovalsReport.xsl	N	FO xsl for pending approvals report.
109	FO_XSL_C3_CSV	Report	PartyFIMappingReportCSV.xsl	N	FO xsl for File identifiers maintained for party
110	FO_XSL_C3_PDF	Report	PartyFIMappingReport.xsl	N	FO xsl for File identifiers maintained for party
111	FO_XSL_C4_CSV	Report	PayeeReportCSV.xsl	N	FO xsl for payee for a party report
112	FO_XSL_C4_PDF	Report	PayeeReport.xsl	N	FO xsl for payee for a party report

4. Add adapter with extension **AbstractReportDataGenerator** implements **IReportDataAdapter** and override **generateReport()** method.



5. Use this adapter to work on parameter and get the data for report and provide data to applyXSLFO method.

```

ReportResponseDomainDTO repResp = new ReportResponseDomainDTO();
repResp.setDto(adapter.listAPIConsumption(sessionContext, listRequestDTO));

repResp.setParamMap(reportReqDTO.getParamMap());

dataByte = super.applyXSLFO(repResp, reportReqDTO, ReportResponseDomainDTO.class,
    APIAuditListResponseDTO.class);
return dataByte;
}

```

Once all the steps are done, just map the report to your user and start using it.

Index

A

Adding a New Report, [1-1](#)