Oracle® Banking Digital Experience User Interface Reference Style Guide





Oracle Banking Digital Experience User Interface Reference Style Guide, Release 25.1.0.0.0

G38609-01

Copyright © 2015, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Purpose	
Audience	
Documentation Accessibility	
Critical Patches	
Diversity and Inclusion	
Conventions	
Related Resources	
Screenshot Disclaimer	
Acronyms and Abbreviations	
Typography for Desktop	
Typography for Mobile	
Typography for Mobile	
Typography for Mobile Interaction	
Typography for Desktop Typography for Mobile Interaction Component Calibration	
Typography for Mobile Interaction	



8	Password
9	Date
10	Slider - Single
11	Button
12	Button
13	Badge
14	Badge
15	Toggle Button
16	Toggle Button
17	List Item Layout
18	Anchor Navigation
19	Widgets for OBDX



20	Drawer Template - Single Stage
21	Templates
	Index

Preface

Purpose

This guide is designed to help acquaint you with the Oracle Banking application. This guide provides answers to specific features and procedures that the user need to be aware of the module to function successfully.

Audience

This document is intended for the following audience:

- Customers
- Partners

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at Critical Patches, Security Alerts and Bulletins. All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by Oracle Software Security Assurance.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.



Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Related Resources

For more information on any related features, refer to the following documents:

- Oracle Banking Digital Experience Installation Manuals
- Oracle Banking Digital Experience Licensing Manuals

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes; actual screens that appear in the application may vary based on selected browser, theme, and mobile devices.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Table 1 Acronyms and Abbreviations

Abbreviation	Description
OBDX	Oracle Banking Digital Experience



Typography for Desktop

This topic describes the systematic instruction to **Typography for Desktop** option.

Redwood Typography Link

JET Typography link

Figure 1-1 Typography for Desktop

This is a H1 Header

H1 - Subheader LG

Type: Oracle Sans Size: 28px Line Height: 36px Weight: 700 - Bold

This is a H2 Header MD

Type: Oracle Sans Size: 24px Line Height: 32px Weight: 700 - Bold

This is a H3 Header SM

Type: Oracle Sans Size: 20px Line Height: 28px Weight: 700 - Bold

This is a H4 Header H4 - Subheader XS

Type: Oracle Sans Size: 16px Line Height: 24px Weight: 700 - Bold

This is a H5 Header H5 - Subheader 2XS

Type: Oracle Sans Size: 14px Line Height: 20px Weight: 700 - Bold





Typography for Mobile

This topic describes the systematic instruction to **Typography for Mobile** option.

Redwood Typography Link

JET Typography link

Figure 2-1 Typography for Mobile

This is a H1 Header	H1 - Subheader SM Type: Oracle Sans Size: 20px Line Height: 28px Weight: 700 - Bold
This is a H2 Header	H2 - Body Bold LG Type: Oracle Sans Size: 18px Line Height: 24px Weight: 700 - Bold
This is a H3 Header	H3 - Body Semibold L0 Type: Oracle Sans Size: 16px Line Height: 24px Weight: 700 - Bold
This is a H4 Header	H4 - Subheader XS Type: Oracle Sans Size: 14px Line Height: 20px Weight: 700 - Bold
This is a H5 Header	H5 - subheading 2xs Type: Oracle Sans Size: 14px Line Height: 16px Weight: 600 - Semi Bol



Interaction


This topic describes the systematic instruction to **Interaction** option.

Figure 3-1 Interaction



Debit Card Menu

Following example shows how the card menu will appear






Component Calibration

Figure 4-1 Component Calibration

Relationship Cards








Input Fields

This topic describes the systematic instruction to **Input Fields** option.

Appearance, behaviours, & Interactions



Figure 5-1 Input Fields





Select Single

This topic describes the systematic instruction to **Select Single** option.

Allow user to select a value from a list of a values.

The component is used to:


Select a single value from a list of values of 3 or more.

Search and select a single value from a list of values.

https://jet.oraclecorp.com/jetCookbook.html?component=selectSingleCorepack&demo=states




Figure 6-1 Select Single



Label



Label





Number


This topic describes the systematic instruction to **Number** option.

Used to enter numeric values, count, measure, and represent numbers.

https://jet.oraclecorp.com/jetCookbook.html?component=inputNumberCorepack&demo=states



Figure 7-1 Number





State	
Enabled	Focus
Label	Label Hint
Required	Required
Error	Read Only Mixed
Label Hint	Label
S Error message	
Read Only	Disabled
Label Value	Label
User Assistance	
Without User Assistance	With User Assistance
Label	Label




Password

This topic describes the systematic instruction to **Password** option.


 $https://www.oracle.com/webfolder/technetwork/jet/jetCookbook.html?\\ component=passwordInput\&demo=overview$



Figure 8-1 Password










Date

This topic provides information on **Date**.

 $https://www.oracle.com/webfolder/technetwork/jet/jetCookbook.html?\\ component=date\&demo=states$



Figure 9-1 Date






Label

Label

▦






Slider - Single

This topic describes the systematic instruction to **Slider - Single** option.


 $https://www.oracle.com/webfolder/technetwork/jet/jetCookbook.html?\\ component=slider\&demo=states$



Figure 10-1 Slider - Single









Button

This topic provides information on **Button**.


Button communicate actions. They direct users to initiate or take actions and they work with a single tap, click , or keystroke.


Buttons are use throughout the UI, on pages and dialogs, and with other components such as toolbars, tables, lists, cards, input fields, and forms.

https://www.oracle.com/webfolder/technetwork/jet/jetCookbook.html?component=buttonsCorepack&demo=pushButton



Figure 11-1 Button







Button

This topic provides information on **Button**.


Button communicate actions. They direct users to initiate or take actions and they work with a single tap, click , or keystroke.


Buttons are use throughout the UI, on pages and dialogs, and with other components such as toolbars, tables, lists, cards, input fields, and forms.

https://www.oracle.com/webfolder/technetwork/jet/jetCookbook.html?component=buttonsCorepack&demo=pushButton



Figure 12-1 Button








Badge

This topic provides information on **Badge**.

Badges are brief textual or numerical labels that provide at-a- glance status info to bring attention to items in a particular state or condition. Typically one word, it can also be a number, which can be supplemented with a tooltip.

https://www.oracle.com/webfolder/technetwork/jet/jetCookbook.html?component=badge&demo=overview

Figure 13-1 Badge






Badge

This topic provides information on **Badge**.

Badges are brief textual or numerical labels that provide at-a- glance status info to bring attention to items in a particular state or condition. Typically one word, it can also be a number, which can be supplemented with a tooltip.

https://www.oracle.com/webfolder/technetwork/jet/jetCookbook.html?component=badge&demo=overview

Figure 14-1 Badge



Toggle Button

This topic describes the systematic instruction to **Toggle Button** option.

https://www.oracle.com/webfolder/technetwork/jet/jetCookbook.html?component=buttonsetone&demo=oneOverview

Figure 15-1 Toggle Button





Toggle Button

This topic describes the systematic instruction to **Toggle Button** option.

https://www.oracle.com/webfolder/technetwork/jet/jetCookbook.html?component=buttonsetone&demo=oneOverview

Figure 16-1 Toggle Button




List Item Layout

This topic describes the systematic instruction to List Item Layout option.

List item layout are flexible containers used to lay out single column content in a list view.

https://www.oracle.com/webfolder/technetwork/jet/jetCookbook.html?component=listItemLayoutCorepack&demo=overview

Figure 17-1 List Item Layout





Anchor Navigation

This topic describes the systematic instruction to **Anchor Navigation** option.

https://redwood-ux.us.oracle.com:8000/vb/webApps/spectra/vp/sp-comp-feature-demos/vertical-anchor-navigator?selectedSection=employmentInfo

Figure 18-1 Anchor Navigation





19

Widgets for OBDX


This topic describes the systematic instruction to **Widgets for OBDX** option.

Typography





Figure 19-1 Widgets for OBDX

Container Specs



Examples







Empty State

These are the maximum elements that can be added in the widgets empty state of OBDX. You can only hide any component and not add a compone (Specific to OBDX)





20

Drawer Template - Single Stage


This topic describes the systematic instruction to **Drawer Template - Single Stage** option.

https://redwood-ux.us.oracle.com:8000/vb/webApps/spectra/vp/sp-comp-feature-demos/create-edit-drawer-template




Figure 20-1 Drawer Template - Single Stage


XL: 1440+




LG: 1024 - 1439



MD: 600 - 1023



SM: 320 - 599





21

Templates

This topic describes the systematic instruction to **Templates** option.


Figure 21-1 Templates


















Index

A	••	
Anchor Navigation, 18-1	<u>N</u>	
	Number, 7-1	
В		
Badge, <i>13-1</i> , <i>14-1</i>	— Р	
Button, 11-1, 12-1	Password, 8-1	
С	S	
Component Calibration, 4-1	Select Single, 6-1 Slider - Single, 10-1	
D	5g.c, 25 2	
Date, <i>9-1</i>	— т	
Drawer Template - Single Stage, 20-1	Templates, 21-1	
	Toggle Button, 15-1, 16-1	
I	Typography for Desktop, 1-1	
Input Fields, 5-1	Typography for Mobile, 2-1	
Interaction, 3-1	\A/	
	W	
L	Widgets for OBDX, 19-1	
List Item Layout, 17-1		