Oracle Fusion Cloud Customer Experience

Extract Data Stores for Sales and Fusion Service

Oracle Fusion Cloud Customer Experience
Extract Data Stores for Sales and Fusion Service

F77867-09

Copyright © 2025, Oracle and/or its affiliates.

Author: Ankita Biswas

Contents

Get Help i

2 About This Guide 3
Audience and Scope 3
Related Guides 3

3 Common CRM 5
Business Object Transaction Data 5
Object Metadata 6
Web Activities 8

4 Compensation Plan Setup 11
Rate Dimension Tiers 11
Rate Dimensions Translations 12
Rate Dimensions 12
Rate Table Dimensions 14
Rate Table Translations 14
Rate Table Values 15
Rate Tables 16

5 Lead Management 19
Sales Lead Contacts 19
Sales Lead Products 40
Sales Lead Resources 61
Sales Lead Territories 83
Sales Leads 84

6 Marketing 111
Campaign Members 111
Campaigns 132
Opportunity Campaigns 154

7 Opportunity Management 155

Opportunities 155
Opportunity Competitors 178
Opportunity Contacts 201
Opportunity Leads 222
Opportunity Resources 223
Opportunity Stage Snapshots 245
Opportunity Time Based Snapshots 246
Revenue Snapshots 269
Revenue Territories 294
Revenues 295
Sales Method Translations 319
Sales Methods 320
Sales Stage Translations 321
Sales Stages 322
Snapshots 323

8 Service Management 325

Action Plan Action Owners 325
Action Plan Actions 326
Action Plan Templates 347
Action Plans 369
Actions 390
Cases 412
Categories 434
Category Flattened Hierarchies 455
Category Translations 456
Channel Translations 457
Channels Via 458
Channels 459
Chat Messages 481
Chats 482
Competencies 484
Conversation Message Recipients 485
Conversation Messages 506
Conversation References 528
Conversations 549

Entitlement Coverages 570
Inbound Messages 571
Interaction Aggregations 593
Interaction References 594
Interaction Wrap-up 595
Interactions 616
Milestone Configurations 638
Object Link Types 639
Object Links 640
Omnichannel Events 661
Queue Resource Teams 663
Queue Resources 664
Queues 665
Resource Skills 687
Service Request Aggregations 688
Service Request Audit 689
Service Request Contact Members 713
Service Request Lifecycle 734
Service Request Messages 736
Service Request Milestones 758
Service Request References 780
Service Request Resource Members 801
Service Requests 822
Skill Competencies 846
Skill Competency Values 847
Skills 848
Smart Text Enabled Objects 848
Smart Text Usages 849
Smart Texts 850
Survey Configuration Attributes 851
Survey Configurations 852
Survey Question Answer Translations 853
Survey Question Answers 854
Survey Question Translations 855
Survey Questions 855
Survey Requests 856
Survey Responses 877

Surveys 898
Tag References 900
Tag Values 900
Work Order Status Mappings 901
Work Order Type Mappings 902
Work Orders 903

9 Setup Credit Rules 929
Incentive Rule Usage Translations 929
Incentive Rules Flat Hierarchies 929
Incentive Rules Hierarchies 931
Incentive Rules Translation 932
Incentive Rules Usage 932
Incentive Rules 934

10 Territory Management 937
Territories 937
Territory Coverages 959
Territory Hierarchies Column Flatten 961
Territory Resources 963

11 Trading Community Hub 985
Link Members 985
Linked Parties 986
Links 987

12 Trading Community Model 989
Customer Account Site Use 989
Customer Account Sites 992
Customer Accounts 995
Geography Hierarchies 999
Geography Name References 1001
Locations 1002
Organization Contacts 1006
Organizations 1029
Original System References 1056

Parties 1059
Party Contact Points 1064
Party Site Uses 1069
Party Sites 1070
Party Usage Assignments 1094
Persons 1097

Get Help

There are a number of ways to learn more about your product and interact with Oracle and other users.

Get Help in the Applications

Some application pages have help icons to give you access to contextual help. If you don't see any help icons on your page, click your user image or name in the global header and select Show Help Icons. If the page has contextual help, help icons will appear.

Get Support

You can get support at *My Oracle Support*. For accessible support, visit *Oracle Accessibility Learning and Support*.

Get Training

Increase your knowledge of Oracle Cloud by taking courses at *Oracle University*.

Join Our Community

Use *Cloud Customer Connect* to get information from industry experts at Oracle and in the partner community. You can join forums to connect with other customers, post questions, suggest *ideas* for product enhancements, and watch events.

Learn About Accessibility

For information about Oracle's commitment to accessibility, visit the *Oracle Accessibility Program*. Videos included in this guide are provided as a media alternative for text-based topics also available in this guide.

Share Your Feedback

We welcome your feedback about Oracle Applications user assistance. If you need clarification, find an error, or just want to tell us what you found helpful, we'd like to hear from you.

You can email your feedback to *oracle_fusion_applications_help_ww_grp@oracle.com*.

Thanks for helping us improve our user assistance!

2 About This Guide

Audience and Scope

This guide contains information about Business Intelligence Cloud Connector (BICC) Data Stores for CX Sales and Fusion Service. It describes all the relevant view objects (VOs) and their attributes that can be used for extracting data out of your application instances. For example, you can use this information in internal data warehouse solutions and also to integrate with third-party systems and reporting purposes.

Related Guides

You can refer to the following related guides to understand how to use the information provided in this guide.

Title	Description
Creating a Business Intelligence Cloud Extract	Describes how to extract Oracle Applications Cloud data and load it into a data warehouse.
Subject Areas for Transactional Business Intelligence in CX Sales and Fusion Service	Provides descriptions, business questions, and security roles for the subject areas in Oracle CX Sales and Fusion Service.
Database Lineage Mapping Spreadsheet	Provides data lineage spreadsheets which contain all the Business Intelligence VOs available for extraction.

3 Common CRM

Business Object Transaction Data

The business transactions object holds information about various transactions in the system such as transaction type, the source of the transaction, and signal generated for the transaction.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.ZcaBiccExtractAM.BusinessObjectTxnDataExtractPVO

Primary Keys : ZcaObjHierarchyId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ActionCode	The record action code associated with the transaction.
BatchId	The unique identifier of a file import batch.
CreatedBy	The user who created the object metadata row.
CreationDate	The date and time when the object metadata row was created.
LastUpdateDate	The date and time when the object metadata row was last updated.
LastUpdateLogin	The session login associated with the user who last updated the object metadata row.
LastUpdatedBy	The user who last updated the object metadata row.
ObjectCode	The object code of the particular record.
ObjectPk1	The primary key 1 for the given import object record.
ObjectPk2	The primary key 2 for the given import object record.
ObjectPk3	The primary key 3 for the given import object record.
ObjectPk4	The primary key 4 for the given import object record.
ObjectPk5	The primary key 5 for the given import object record.
ObjectPuid	The public unique identifier of the current record.
ParentObjectCode	The parent object code of the particular record.
ParentObjectFk1	The foreign key 1 for the given import object row.
ParentObjectFk2	The foreign key 2 for the given import object row.

Name	Description
ParentObjectFk3	The foreign key 3 for the given import object row.
ParentObjectFk4	The foreign key 4 for the given import object row.
ParentObjectFk5	The foreign key 5 for the given import object row.
ParentObjectPuid	The parent PUID of the given import object row.
SourceOperation	This column holds the value of the source of the transaction operation. For example: Signals.
ZcaObjHierarchyId	The primary key of ZCA_IMPORT_OBJECT_DATA table.

Object Metadata

The object metadata view object stores information such as object type, object identifier or PUID, child objects, and attributes of object records such as Opportunities that are deleted.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.ZcaBiccExtractAM.ObjectMetadataExtractPVO

Primary Keys : ObjectId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the object metadata row.
CreationDate	The date and time when the object metadata row was created.
CustomFlag	Indicates if the object in this row is a custom object.
ExtensibleViewDefinition	Indicates if the VO for the object in this row is extensible. If VO isn't extensible, it stores null.
LabelResid	It specifies the label ResId for the object. It will be used to determine the display name for the object.
LangIndependentCode	It specifies the language independent Code of the corresponding object in bulk import, if it exists.
LastUpdateDate	The date and time when the object metadata row was last updated.
LastUpdateLogin	The session login associated with the user who last updated the object metadata row.
LastUpdatedBy	The user who last updated the object metadata row.
MdsLastUpdateTime	A timestamp to denote the time when MDS definition was read for this object to update its metadata in this table
ObjectDescription	The description for the object.

Name	Description
ObjectId	The primary key of the ZCA_OBJECTS table.
ObjectParentFkAttr1	Attribute in the current object VO, which corresponds to the Parent VO foreign key Attribute 1.
ObjectParentFkAttr2	Attribute in the current object VO, which corresponds to the Parent VO foreign key Attribute 2.
ObjectParentFkAttr3	Attribute in the current object VO, which corresponds to the Parent VO foreign key Attribute 3.
ObjectParentFkAttr4	Attribute in the current object VO, which corresponds to the Parent VO foreign key Attribute 4.
ObjectParentFkAttr5	The attribute in the current object VO, which corresponds to the Parent VO foreign key Attribute 5.
ObjectParentFkColumn1	This corresponds to the attribute in the current object VO, which corresponds to the Parent VO foreign key Column 1.
ObjectParentFkColumn2	This corresponds to the attribute in the current object VO, which corresponds to the Parent VO foreign key Column 2.
ObjectParentFkColumn3	This corresponds to the attribute in the current object VO, which corresponds to the Parent VO foreign key Column 3.
ObjectParentFkColumn4	This corresponds to the attribute in the current object VO, which corresponds to the Parent VO foreign key Column 4.
ObjectParentFkColumn5	This corresponds to the attribute in the current object VO, which corresponds to the Parent VO foreign key Column 5.
ObjectParentFkTable	The table which contains the parent VO foreign key.
ObjectParentLic	A comma separated list of LANG_INDEPENDENT_CODE values which is used to identify potential parent object of the current object. It's used for hierarchical display purpose.
ObjectPkAttr1	Object primary key Attribute 1 name. Can be read using getKeyAttributeDefs API.
ObjectPkAttr2	Object primary key Attribute 2 name. Can be read using getKeyAttributeDefs API.
ObjectPkAttr3	Object primary key Attribute 3 name. Can be read using getKeyAttributeDefs API.
ObjectPkAttr4	Object primary key Attribute 4 name. Can be read using getKeyAttributeDefs API.
ObjectPkAttr5	Object primary key Attribute 5 name. Can be read using getKeyAttributeDefs API.
ObjectPkColumn1	Column name for Primary key attribute Column 1.
ObjectPkColumn2	Column name for Primary key attribute Column 2.
ObjectPkColumn3	Column name for Primary key attribute Column 3.
ObjectPkColumn4	Column name for Primary key attribute Column 4.
ObjectPkColumn5	Column name for Primary key attribute Column 5.
ObjectPuidAttr	The public unique identifier attribute name. This can be read using the Get PUID field Extensibility Public API.
ObjectPuidColumn	The column Name for PUID attribute of the object.
ObjectQuery	The query that can be used to fetch the details related to object.
ObjectTable	The table on which the current VO is based on.

Name	Description
ObjectType	The object type which will be used for defining security predicates. The possible values are StandardObject, StandardChild, CustomChildOfStandard, CustomObject, CustomChildOfCustom, IntersectionObject.
ObjectVo	The VO used which is used to define the base REST Object.
PluralLabelResourceId	The plural label resource identifier of an object which is used to determine the plural display label of the object.
PrimaryEntityDefinition	The primary Entity Object Definition for the corresponding VO.
PrimaryVo	If OBJECT_VO refers to a Secondary VO, then this column would have the corresponding Primary VO name.
PrimaryVoCount	An integer number that indicates the number of primary view objects that a secondary object is based on.
RestAttachmentResourceUrl	The URL to the REST attachment resource associated with the object.
RestResourceCode	The resource code of the REST attachment resource associated with the object.
RestResourceRowIdentifier	The REST Resource RowIdentifier of the object.
SupportOptimizedImport	Indicates if the object supports optimized import.
UcmAccountNumber	The UCM folder where files are uploaded.

Web Activities

The web activity view object contains information such as activity reference, marketing activity url, marketing activity duration, contact, marketing activity first page view url, marketing activity date, marketing activity email web link, marketing activity asset name and so on.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.ZcaBiccExtractAM.WebActivityExtractPVO

Primary Keys : WebActivityId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ActivityReferenceId	The activity reference identifier for the web activity.
CampaignId	The campaign identifier associated with the web activity.
ContactId	The contact party identifier associated with the web activity.

Name	Description
CreatedBy	The user who created the web activity.
CreationDate	The date when the web activity was created.
ElqActivityDate	The date of the web activity.
ElqActivityId	The activity identifier for web activity from the marketing system.
ElqActivityType	The type for web activity.
ElqAssetId	The marketing asset identifier associated with the web activity.
ElqAssetName	The marketing asset name associated with the web activity.
ElqAssetType	The marketing asset type associated with the web activity.
ElqCampaignId	The marketing campaign identifier associated with the web activity.
ElqContactId	The marketing contact identifier of the contact associated with the web activity.
ElqDeploymentId	The marketing email deployment identifier associated with the web activity.
ElqDuration	The duration of web visit activity.
ElqEmailAddress	The email address of the contact or lead associated with the web activity.
ElqEmailClickedThruLink	The email click through link associated with the web activity.
ElqEmailRecipientId	The email recipient identifier of the web activity.
ElqEmailSendType	The marketing email send type associated with the web activity.
ElqEmailWebLink	The email web link associated with the web activity.
ElqExternalId	The external identifier for web activity from the marketing system.
ElqFirstPageViewUrl	The URL of the first page view activity of a web visit activity.
ElqNumberOfPages	The number of pages viewed during the web activity. This is for the web activities of type web visit.
ElqSubjectLine	The email subject line associated with the web activity.
ElqUrl	The URL of the page view activity.
ElqUrlDescription	The URL description of the web activity.
ElqWebVisitId	The web visit identifier associated with the page view activity.
LastUpdateDate	The date when the web activity was last updated.
LastUpdateLogin	The login of the user who last updated the web activity.
LastUpdatedBy	The user who late updated the web activity.
LeadId	The lead identifier associated with the web activity.
WebActivityId	The unique identifier of the web activity.
WebActivityNumber	The public unique identifier for web activity.

4 Compensation Plan Setup

Rate Dimension Tiers

Stores rate table dimension tier values.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.CompPlanSetupExtractAM.RateDimTierExtractPVO

Primary Keys : RateDimTierId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	Indicates the user who created the row.
CreationDate	Indicates the date and time of the creation of the row.
DimUnitCode	The unit of measure for the rate dimension.
Language	The language code for the stored values.
LastUpdateDate	Indicates the date and time of the last update of the row.
LastUpdateLogin	Indicates the session login associated to the user who last updated the row.
LastUpdatedBy	Indicates the user who last updated the row.
MaxExpId	Identifier of the maximum expression for expression based tiers.
MaximumAmount	Maximum amount for the tier.
MinExpId	Identifier of the minimum expression for expression based tiers.
MinimumAmount	Minimum amount for the tier.
ObjectVersionNumber	
OrgId	
RateDimTierId	Unique identifier of the rate dimension tier.
RateDimensionId	Unique identifier of the rate dimension.
StringValue	The string value stored for the tier for string based rate tables.
TierSequence	Tier sequence

Rate Dimensions Translations

The translations incentive rate table dimensions contain translated values for the incentive rate table dimensions extract.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.CompPlanSetupExtractAM.RateDimensionTLExtractPVO

Primary Keys : Language, RateDimensionId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	Indicates the user who created the row.
CreationDate	Indicates the date and time of the creation of the row.
Description	The description of the translation.
Language	
LastUpdateDate	Indicates the date and time of the last update of the row.
LastUpdateLogin	Indicates the session login associated to the user who last updated the row.
LastUpdatedBy	Indicates the user who last updated the row.
ObjectVersionNumber	
RateDimensionId	Unique identifier of the rate dimension.
RateDimensionName	The name of the rate dimension.
SourceLang	

Rate Dimensions

Data Store Key : CrmAnalyticsAM.CrmExtractAM.CompPlanSetupExtractAM.RateDimensionExtractPVO

Primary Keys : RateDimensionId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Attribute1	The segment of the user descriptive flexfield.
Attribute10	The segment of the user descriptive flexfield.
Attribute11	The segment of the user descriptive flexfield.
Attribute12	The segment of the user descriptive flexfield.
Attribute13	The segment of the user descriptive flexfield.
Attribute14	The segment of the user descriptive flexfield.
Attribute15	The segment of the user descriptive flexfield.
Attribute2	The segment of the user descriptive flexfield.
Attribute3	The segment of the user descriptive flexfield.
Attribute4	The segment of the user descriptive flexfield.
Attribute5	The segment of the user descriptive flexfield.
Attribute6	The segment of the user descriptive flexfield.
Attribute7	The segment of the user descriptive flexfield.
Attribute8	The segment of the user descriptive flexfield.
Attribute9	The segment of the user descriptive flexfield.
AttributeCategory	The structure definition of the user descriptive flexfield.
CreatedBy	Indicates the user who created the row.
CreationDate	Indicates the date and time of the creation of the row.
DimUnitCode	The unit of measure for the dimension.
Language	The language code for the stored values.
LastUpdateDate	Indicates the date and time of the last update of the row.
LastUpdateLogin	Indicates the session login associated to the user who last updated the row.
LastUpdatedBy	Indicates the user who last updated the row.
NumberTier	The tier number for the associated dimension values.
ObjectVersionNumber	
OrgId	
RateDimensionId	The unique identifier for the rate dimension.

Rate Table Dimensions

The association table that holds the rate table to dimension association information.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.CompPlanSetupExtractAM.RateTableDimExtractPVO

Primary Keys : RateTableDimId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	Indicates the user who created the row.
CreationDate	Indicates the date and time of the creation of the row.
LastUpdateDate	Indicates the date and time of the last update of the row.
LastUpdateLogin	Indicates the session login associated to the user who last updated the row.
LastUpdatedBy	Indicates the user who last updated the row.
ObjectVersionNumber	
OrgId	
RateDimSequence	Tier sequence
RateDimensionId	Unique identifier of the rate table dimension.
RateTableDimId	Unique identifier of the rate table to dimension association.
RateTableId	Unique identifier of the rate table.

Rate Table Translations

The translations incentive rate table contains translated values for the incentive rate table extract.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.CompPlanSetupExtractAM.RateTableTLExtractPVO

Primary Keys : Language, RateTableId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	Indicates the user who created the row.
CreationDate	Indicates the date and time of the creation of the row.
Description	The description of the translation.
DisplayName	Display name for the rate table.
Language	
LastUpdateDate	Indicates the date and time of the last update of the row.
LastUpdateLogin	Indicates the session login associated to the user who last updated the row.
LastUpdatedBy	Indicates the user who last updated the row.
ObjectVersionNumber	
RateTableId	Unique identifier for the rate table.
RateTableName	Rate table name.
SourceLang	

Rate Table Values

The table for storing the rate table values.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.CompPlanSetupExtractAM.RateTableValueExtractPVO

Primary Keys : RateTableValueId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CommissionValue	Commission value.
CreatedBy	Indicates the user who created the row.
CreationDate	Indicates the date and time of the creation of the row.

Name	Description
LastUpdateDate	Indicates the date and time of the last update of the row.
LastUpdateLogin	Indicates the session login associated to the user who last updated the row.
LastUpdatedBy	Indicates the user who last updated the row.
ObjectVersionNumber	
OrgId	
ParentRateTableValueId	Parent rate table value ID. Sales representative level value will refer to the parent rate table value ID. This is used for maintaining the sequence.
RateSequence	Rate sequence
RateTableId	Unique identifier of the rate table.
RateTableValueId	Unique identifier of the rate table value.
SrpFormRateTableId	Sales representative form rate table ID. To store the sales representative level value.

Rate Tables

The base table for the rate tables.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.CompPlanSetupExtractAM.RateTableExtractPVO

Primary Keys : RateTableId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Attribute1	The segment of the user descriptive flexfield.
Attribute10	The segment of the user descriptive flexfield.
Attribute11	The segment of the user descriptive flexfield.
Attribute12	The segment of the user descriptive flexfield.
Attribute13	The segment of the user descriptive flexfield.
Attribute14	The segment of the user descriptive flexfield.
Attribute15	The segment of the user descriptive flexfield.

Name	Description
Attribute2	The segment of the user descriptive flexfield.
Attribute3	The segment of the user descriptive flexfield.
Attribute4	The segment of the user descriptive flexfield.
Attribute5	The segment of the user descriptive flexfield.
Attribute6	The segment of the user descriptive flexfield.
Attribute7	The segment of the user descriptive flexfield.
Attribute8	The segment of the user descriptive flexfield.
Attribute9	The segment of the user descriptive flexfield.
AttributeCategory	The structure definition of the user descriptive flexfield.
CommissionUnitCode	Commission rate type
CreatedBy	Indicates the user who created the row.
CreationDate	Indicates the date and time of the creation of the row.
Language	The language code for the stored values.
LastUpdateDate	Indicates the date and time of the last update of the row.
LastUpdateLogin	Indicates the session login associated to the user who last updated the row.
LastUpdatedBy	Indicates the user who last updated the row.
NumberDim	The number of associated dimensions.
ObjectVersionNumber	
OrgId	
RateTableId	Unique identifier of the rate table.

5 Lead Management

Sales Lead Contacts

The sales lead contacts view object contains information about the relationship, extension currency code attributes, party role, party, and so on.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MklBiccExtractAM.LeadTcMemberExtractPVO

Primary Keys : MklLeadTcMemberId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the sales lead contact.
CreationDate	The date and time when the sales lead contact row was created.
ExtnAttributeChar001	A column reserved for custom extension attributes of type string.
ExtnAttributeChar002	
ExtnAttributeChar003	
ExtnAttributeChar004	
ExtnAttributeChar005	
ExtnAttributeChar006	
ExtnAttributeChar007	
ExtnAttributeChar008	
ExtnAttributeChar009	
ExtnAttributeChar010	
ExtnAttributeChar011	
ExtnAttributeChar012	
ExtnAttributeChar013	
ExtnAttributeChar014	
ExtnAttributeChar015	

Name	Description
ExtnAttributeChar016	
ExtnAttributeChar017	
ExtnAttributeChar018	
ExtnAttributeChar019	
ExtnAttributeChar020	
ExtnAttributeChar021	
ExtnAttributeChar022	
ExtnAttributeChar023	
ExtnAttributeChar024	
ExtnAttributeChar025	
ExtnAttributeChar026	
ExtnAttributeChar027	
ExtnAttributeChar028	
ExtnAttributeChar029	
ExtnAttributeChar030	
ExtnAttributeChar031	
ExtnAttributeChar032	
ExtnAttributeChar033	
ExtnAttributeChar034	
ExtnAttributeChar035	
ExtnAttributeChar036	
ExtnAttributeChar037	
ExtnAttributeChar038	
ExtnAttributeChar039	
ExtnAttributeChar040	
ExtnAttributeChar041	
ExtnAttributeChar042	
ExtnAttributeChar043	
ExtnAttributeChar044	
ExtnAttributeChar045	
ExtnAttributeChar046	

Name	Description
ExtnAttributeChar047	
ExtnAttributeChar048	
ExtnAttributeChar049	
ExtnAttributeChar050	
ExtnAttributeChar051	
ExtnAttributeChar052	
ExtnAttributeChar053	
ExtnAttributeChar054	
ExtnAttributeChar055	
ExtnAttributeChar056	
ExtnAttributeChar057	
ExtnAttributeChar058	
ExtnAttributeChar059	
ExtnAttributeChar060	
ExtnAttributeChar061	
ExtnAttributeChar062	
ExtnAttributeChar063	
ExtnAttributeChar064	
ExtnAttributeChar065	
ExtnAttributeChar066	
ExtnAttributeChar067	
ExtnAttributeChar068	
ExtnAttributeChar069	
ExtnAttributeChar070	
ExtnAttributeChar071	
ExtnAttributeChar072	
ExtnAttributeChar073	
ExtnAttributeChar074	
ExtnAttributeChar075	
ExtnAttributeChar076	
ExtnAttributeChar077	

Name	Description
ExtnAttributeChar078	
ExtnAttributeChar079	
ExtnAttributeChar080	
ExtnAttributeChar081	
ExtnAttributeChar082	
ExtnAttributeChar083	
ExtnAttributeChar084	
ExtnAttributeChar085	
ExtnAttributeChar086	
ExtnAttributeChar087	
ExtnAttributeChar088	
ExtnAttributeChar089	
ExtnAttributeChar090	
ExtnAttributeChar091	
ExtnAttributeChar092	
ExtnAttributeChar093	
ExtnAttributeChar094	
ExtnAttributeChar095	
ExtnAttributeChar096	
ExtnAttributeChar097	
ExtnAttributeChar098	
ExtnAttributeChar099	
ExtnAttributeChar100	
ExtnAttributeChar101	
ExtnAttributeChar102	
ExtnAttributeChar103	
ExtnAttributeChar104	
ExtnAttributeChar105	
ExtnAttributeChar106	
ExtnAttributeChar107	
ExtnAttributeChar108	

Name	Description
ExtnAttributeChar109	
ExtnAttributeChar110	
ExtnAttributeChar111	
ExtnAttributeChar112	
ExtnAttributeChar113	
ExtnAttributeChar114	
ExtnAttributeChar115	
ExtnAttributeChar116	
ExtnAttributeChar117	
ExtnAttributeChar118	
ExtnAttributeChar119	
ExtnAttributeChar120	
ExtnAttributeChar121	
ExtnAttributeChar122	
ExtnAttributeChar123	
ExtnAttributeChar124	
ExtnAttributeChar125	
ExtnAttributeChar126	
ExtnAttributeChar127	
ExtnAttributeChar128	
ExtnAttributeChar129	
ExtnAttributeChar130	
ExtnAttributeChar131	
ExtnAttributeChar132	
ExtnAttributeChar133	
ExtnAttributeChar134	
ExtnAttributeChar135	
ExtnAttributeChar136	
ExtnAttributeChar137	
ExtnAttributeChar138	
ExtnAttributeChar139	

Name	Description
ExtnAttributeChar140	
ExtnAttributeChar141	
ExtnAttributeChar142	
ExtnAttributeChar143	
ExtnAttributeChar144	
ExtnAttributeChar145	
ExtnAttributeChar146	
ExtnAttributeChar147	
ExtnAttributeChar148	
ExtnAttributeChar149	
ExtnAttributeChar150	
ExtnAttributeChar151	
ExtnAttributeChar152	
ExtnAttributeChar153	
ExtnAttributeChar154	
ExtnAttributeChar155	
ExtnAttributeChar156	
ExtnAttributeChar157	
ExtnAttributeChar158	
ExtnAttributeChar159	
ExtnAttributeChar160	
ExtnAttributeChar161	
ExtnAttributeChar162	
ExtnAttributeChar163	
ExtnAttributeChar164	
ExtnAttributeChar165	
ExtnAttributeChar166	
ExtnAttributeChar167	
ExtnAttributeChar168	
ExtnAttributeChar169	
ExtnAttributeChar170	

Name	Description
ExtnAttributeChar171	
ExtnAttributeChar172	
ExtnAttributeChar173	
ExtnAttributeChar174	
ExtnAttributeChar175	
ExtnAttributeChar176	
ExtnAttributeChar177	
ExtnAttributeChar178	
ExtnAttributeChar179	
ExtnAttributeChar180	
ExtnAttributeChar181	
ExtnAttributeChar182	
ExtnAttributeChar183	
ExtnAttributeChar184	
ExtnAttributeChar185	
ExtnAttributeChar186	
ExtnAttributeChar187	
ExtnAttributeChar188	
ExtnAttributeChar189	
ExtnAttributeChar190	
ExtnAttributeChar191	
ExtnAttributeChar192	
ExtnAttributeChar193	
ExtnAttributeChar194	
ExtnAttributeChar195	
ExtnAttributeChar196	
ExtnAttributeChar197	
ExtnAttributeChar198	
ExtnAttributeChar199	
ExtnAttributeChar200	
ExtnAttributeChar201	

Name	Description
ExtnAttributeChar202	
ExtnAttributeChar203	
ExtnAttributeChar204	
ExtnAttributeChar205	
ExtnAttributeChar206	
ExtnAttributeChar207	
ExtnAttributeChar208	
ExtnAttributeChar209	
ExtnAttributeChar210	
ExtnAttributeChar211	
ExtnAttributeChar212	
ExtnAttributeChar213	
ExtnAttributeChar214	
ExtnAttributeChar215	
ExtnAttributeChar216	
ExtnAttributeChar217	
ExtnAttributeChar218	
ExtnAttributeChar219	
ExtnAttributeChar220	
ExtnAttributeChar221	
ExtnAttributeChar222	
ExtnAttributeChar223	
ExtnAttributeChar224	
ExtnAttributeChar225	
ExtnAttributeChar226	
ExtnAttributeChar227	
ExtnAttributeChar228	
ExtnAttributeChar229	
ExtnAttributeChar230	
ExtnAttributeChar231	
ExtnAttributeChar232	

Name	Description
ExtnAttributeChar233	
ExtnAttributeChar234	
ExtnAttributeChar235	
ExtnAttributeChar236	
ExtnAttributeChar237	
ExtnAttributeChar238	
ExtnAttributeChar239	
ExtnAttributeChar240	
ExtnAttributeChar241	
ExtnAttributeChar242	
ExtnAttributeChar243	
ExtnAttributeChar244	
ExtnAttributeChar245	
ExtnAttributeChar246	
ExtnAttributeChar247	
ExtnAttributeChar248	
ExtnAttributeChar249	
ExtnAttributeChar250	
ExtnAttributeChar251	
ExtnAttributeChar252	
ExtnAttributeChar253	
ExtnAttributeChar254	
ExtnAttributeChar255	
ExtnAttributeChar256	
ExtnAttributeChar257	
ExtnAttributeChar258	
ExtnAttributeChar259	
ExtnAttributeChar260	
ExtnAttributeChar261	
ExtnAttributeChar262	
ExtnAttributeChar263	

Name	Description
ExtnAttributeChar264	
ExtnAttributeChar265	
ExtnAttributeChar266	
ExtnAttributeChar267	
ExtnAttributeChar268	
ExtnAttributeChar269	
ExtnAttributeChar270	
ExtnAttributeChar271	
ExtnAttributeChar272	
ExtnAttributeChar273	
ExtnAttributeChar274	
ExtnAttributeChar275	
ExtnAttributeChar276	
ExtnAttributeChar277	
ExtnAttributeChar278	
ExtnAttributeChar279	
ExtnAttributeChar280	
ExtnAttributeChar281	
ExtnAttributeChar282	
ExtnAttributeChar283	
ExtnAttributeChar284	
ExtnAttributeChar285	
ExtnAttributeChar286	
ExtnAttributeChar287	
ExtnAttributeChar288	
ExtnAttributeChar289	
ExtnAttributeChar290	
ExtnAttributeChar291	
ExtnAttributeChar292	
ExtnAttributeChar293	
ExtnAttributeChar294	

Name	Description
ExtnAttributeChar295	
ExtnAttributeChar296	
ExtnAttributeChar297	
ExtnAttributeChar298	
ExtnAttributeChar299	
ExtnAttributeChar300	
ExtnAttributeChar301	
ExtnAttributeChar302	
ExtnAttributeChar303	
ExtnAttributeChar304	
ExtnAttributeChar305	
ExtnAttributeChar306	
ExtnAttributeChar307	
ExtnAttributeChar308	
ExtnAttributeChar309	
ExtnAttributeChar310	
ExtnAttributeChar311	
ExtnAttributeChar312	
ExtnAttributeChar313	
ExtnAttributeChar314	
ExtnAttributeChar315	
ExtnAttributeChar316	
ExtnAttributeChar317	
ExtnAttributeChar318	
ExtnAttributeChar319	
ExtnAttributeChar320	
ExtnAttributeChar321	
ExtnAttributeChar322	
ExtnAttributeChar323	
ExtnAttributeChar324	
ExtnAttributeChar325	

Name	Description
ExtnAttributeChar326	
ExtnAttributeChar327	
ExtnAttributeChar328	
ExtnAttributeChar329	
ExtnAttributeChar330	
ExtnAttributeChar331	
ExtnAttributeChar332	
ExtnAttributeChar333	
ExtnAttributeChar334	
ExtnAttributeChar335	
ExtnAttributeChar336	
ExtnAttributeChar337	
ExtnAttributeChar338	
ExtnAttributeChar339	
ExtnAttributeChar340	
ExtnAttributeChar341	
ExtnAttributeChar342	
ExtnAttributeChar343	
ExtnAttributeChar344	
ExtnAttributeChar345	
ExtnAttributeChar346	
ExtnAttributeChar347	
ExtnAttributeChar348	
ExtnAttributeChar349	
ExtnAttributeChar350	
ExtnAttributeClob001	A column reserved for custom extension attributes of type CLOB.
ExtnAttributeClob002	
ExtnAttributeClob003	
ExtnAttributeClob004	
ExtnAttributeClob005	
ExtnAttributeClob006	

Name	Description
ExtnAttributeClob007	
ExtnAttributeClob008	
ExtnAttributeClob009	
ExtnAttributeClob010	
ExtnAttributeClob011	
ExtnAttributeClob012	
ExtnAttributeClob013	
ExtnAttributeClob014	
ExtnAttributeClob015	
ExtnAttributeClob016	
ExtnAttributeClob017	
ExtnAttributeClob018	
ExtnAttributeClob019	
ExtnAttributeClob020	
ExtnAttributeClob021	
ExtnAttributeClob022	
ExtnAttributeClob023	
ExtnAttributeClob024	
ExtnAttributeClob025	
ExtnAttributeNumber001	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber002	
ExtnAttributeNumber003	
ExtnAttributeNumber004	
ExtnAttributeNumber005	
ExtnAttributeNumber006	
ExtnAttributeNumber007	
ExtnAttributeNumber008	
ExtnAttributeNumber009	
ExtnAttributeNumber010	
ExtnAttributeNumber011	
ExtnAttributeNumber012	

Name	Description
ExtnAttributeNumber013	
ExtnAttributeNumber014	
ExtnAttributeNumber015	
ExtnAttributeNumber016	
ExtnAttributeNumber017	
ExtnAttributeNumber018	
ExtnAttributeNumber019	
ExtnAttributeNumber020	
ExtnAttributeNumber021	
ExtnAttributeNumber022	
ExtnAttributeNumber023	
ExtnAttributeNumber024	
ExtnAttributeNumber025	
ExtnAttributeNumber026	
ExtnAttributeNumber027	
ExtnAttributeNumber028	
ExtnAttributeNumber029	
ExtnAttributeNumber030	
ExtnAttributeNumber031	
ExtnAttributeNumber032	
ExtnAttributeNumber033	
ExtnAttributeNumber034	
ExtnAttributeNumber035	
ExtnAttributeNumber036	
ExtnAttributeNumber037	
ExtnAttributeNumber038	
ExtnAttributeNumber039	
ExtnAttributeNumber040	
ExtnAttributeNumber041	
ExtnAttributeNumber042	
ExtnAttributeNumber043	

Name	Description
ExtnAttributeNumber044	
ExtnAttributeNumber045	
ExtnAttributeNumber046	
ExtnAttributeNumber047	
ExtnAttributeNumber048	
ExtnAttributeNumber049	
ExtnAttributeNumber050	
ExtnAttributeNumber051	
ExtnAttributeNumber052	
ExtnAttributeNumber053	
ExtnAttributeNumber054	
ExtnAttributeNumber055	
ExtnAttributeNumber056	
ExtnAttributeNumber057	
ExtnAttributeNumber058	
ExtnAttributeNumber059	
ExtnAttributeNumber060	
ExtnAttributeNumber061	
ExtnAttributeNumber062	
ExtnAttributeNumber063	
ExtnAttributeNumber064	
ExtnAttributeNumber065	
ExtnAttributeNumber066	
ExtnAttributeNumber067	
ExtnAttributeNumber068	
ExtnAttributeNumber069	
ExtnAttributeNumber070	
ExtnAttributeNumber071	
ExtnAttributeNumber072	
ExtnAttributeNumber073	
ExtnAttributeNumber074	

Name	Description
ExtnAttributeNumber075	
ExtnAttributeNumber076	
ExtnAttributeNumber077	
ExtnAttributeNumber078	
ExtnAttributeNumber079	
ExtnAttributeNumber080	
ExtnAttributeNumber081	
ExtnAttributeNumber082	
ExtnAttributeNumber083	
ExtnAttributeNumber084	
ExtnAttributeNumber085	
ExtnAttributeNumber086	
ExtnAttributeNumber087	
ExtnAttributeNumber088	
ExtnAttributeNumber089	
ExtnAttributeNumber090	
ExtnAttributeNumber091	
ExtnAttributeNumber092	
ExtnAttributeNumber093	
ExtnAttributeNumber094	
ExtnAttributeNumber095	
ExtnAttributeNumber096	
ExtnAttributeNumber097	
ExtnAttributeNumber098	
ExtnAttributeNumber099	
ExtnAttributeNumber100	
ExtnAttributeNumber101	
ExtnAttributeNumber102	
ExtnAttributeNumber103	
ExtnAttributeNumber104	
ExtnAttributeNumber105	

Name	Description
ExtnAttributeNumber106	
ExtnAttributeNumber107	
ExtnAttributeNumber108	
ExtnAttributeNumber109	
ExtnAttributeNumber110	
ExtnAttributeNumber111	
ExtnAttributeNumber112	
ExtnAttributeNumber113	
ExtnAttributeNumber114	
ExtnAttributeNumber115	
ExtnAttributeNumber116	
ExtnAttributeNumber117	
ExtnAttributeNumber118	
ExtnAttributeNumber119	
ExtnAttributeNumber120	
ExtnAttributeNumber121	
ExtnAttributeNumber122	
ExtnAttributeNumber123	
ExtnAttributeNumber124	
ExtnAttributeNumber125	
ExtnAttributeNumber126	
ExtnAttributeNumber127	
ExtnAttributeNumber128	
ExtnAttributeNumber129	
ExtnAttributeNumber130	
ExtnAttributeNumber131	
ExtnAttributeNumber132	
ExtnAttributeNumber133	
ExtnAttributeNumber134	
ExtnAttributeNumber135	
ExtnAttributeNumber136	

Name	Description
ExtnAttributeNumber137	
ExtnAttributeNumber138	
ExtnAttributeNumber139	
ExtnAttributeNumber140	
ExtnAttributeNumber141	
ExtnAttributeNumber142	
ExtnAttributeNumber143	
ExtnAttributeNumber144	
ExtnAttributeNumber145	
ExtnAttributeNumber146	
ExtnAttributeNumber147	
ExtnAttributeNumber148	
ExtnAttributeNumber149	
ExtnAttributeNumber150	
ExtnAttributeNumber151	
ExtnAttributeNumber152	
ExtnAttributeNumber153	
ExtnAttributeNumber154	
ExtnAttributeNumber155	
ExtnAttributeNumber156	
ExtnAttributeNumber157	
ExtnAttributeNumber158	
ExtnAttributeNumber159	
ExtnAttributeNumber160	
ExtnAttributeNumber161	
ExtnAttributeNumber162	
ExtnAttributeNumber163	
ExtnAttributeNumber164	
ExtnAttributeNumber165	
ExtnAttributeNumber166	
ExtnAttributeNumber167	

Name	Description
ExtnAttributeNumber168	
ExtnAttributeNumber169	
ExtnAttributeNumber170	
ExtnAttributeNumber171	
ExtnAttributeNumber172	
ExtnAttributeNumber173	
ExtnAttributeNumber174	
ExtnAttributeNumber175	
ExtnAttributeNumber176	
ExtnAttributeNumber177	
ExtnAttributeNumber178	
ExtnAttributeNumber179	
ExtnAttributeNumber180	
ExtnAttributeNumber181	
ExtnAttributeNumber182	
ExtnAttributeNumber183	
ExtnAttributeNumber184	
ExtnAttributeNumber185	
ExtnAttributeNumber186	
ExtnAttributeNumber187	
ExtnAttributeNumber188	
ExtnAttributeNumber189	
ExtnAttributeNumber190	
ExtnAttributeNumber191	
ExtnAttributeNumber192	
ExtnAttributeNumber193	
ExtnAttributeNumber194	
ExtnAttributeNumber195	
ExtnAttributeNumber196	
ExtnAttributeNumber197	
ExtnAttributeNumber198	

Name	Description
ExtnAttributeNumber199	
ExtnAttributeNumber200	
ExtnAttributeTimestamp001	A column reserved for custom extension attributes of type time.
ExtnAttributeTimestamp002	
ExtnAttributeTimestamp003	
ExtnAttributeTimestamp004	
ExtnAttributeTimestamp005	
ExtnAttributeTimestamp006	
ExtnAttributeTimestamp007	
ExtnAttributeTimestamp008	
ExtnAttributeTimestamp009	
ExtnAttributeTimestamp010	
ExtnAttributeTimestamp011	
ExtnAttributeTimestamp012	
ExtnAttributeTimestamp013	
ExtnAttributeTimestamp014	
ExtnAttributeTimestamp015	
ExtnAttributeTimestamp016	
ExtnAttributeTimestamp017	
ExtnAttributeTimestamp018	
ExtnAttributeTimestamp019	
ExtnAttributeTimestamp020	
ExtnAttributeTimestamp021	
ExtnAttributeTimestamp022	
ExtnAttributeTimestamp023	
ExtnAttributeTimestamp024	
ExtnAttributeTimestamp025	
ExtnAttributeTimestamp026	
ExtnAttributeTimestamp027	
ExtnAttributeTimestamp028	
ExtnAttributeTimestamp029	

Name	Description
ExtnAttributeTimestamp030	
ExtnAttributeTimestamp031	
ExtnAttributeTimestamp032	
ExtnAttributeTimestamp033	
ExtnAttributeTimestamp034	
ExtnAttributeTimestamp035	
ExtnAttributeTimestamp036	
ExtnAttributeTimestamp037	
ExtnAttributeTimestamp038	
ExtnAttributeTimestamp039	
ExtnAttributeTimestamp040	
ExtnAttributeTimestamp041	
ExtnAttributeTimestamp042	
ExtnAttributeTimestamp043	
ExtnAttributeTimestamp044	
ExtnAttributeTimestamp045	
ExtnAttributeTimestamp046	
ExtnAttributeTimestamp047	
ExtnAttributeTimestamp048	
ExtnAttributeTimestamp049	
ExtnAttributeTimestamp050	
ExtnCorpCurrencyCodeAttr	The extensible corporate currency code attribute of sales lead contact row.
ExtnCurcyConvRateTypeAttr	The extensible currency conversion rate type attribute of sales lead contact row.
ExtnCurrencyCodeAttr	The extensible currency code attribute of sales lead contact row.
LastUpdateDate	The date and time when the sales lead contact row was last updated.
LastUpdateLogin	The session login associated to the user who last updated the sales lead contact row.
LastUpdatedBy	The user who last updated the sales lead contact row.
LeadId	The unique identifier of the sales lead for this sales lead contact.
MklLeadTcMemberId	The unique identifier of the sales lead contact. This is a primary key of the sales lead contact view object.
PartyId	The identifier of the party in the sales lead contact. This is a foreign key of the Party view object.

Name	Description
PartyRole	The role of the lead contact in the context of this lead. A list of accepted values is defined in the lookup type HZ_SLS_CNTCT_BUY_ROLE_CODE.
PartyUsageCode	The identifier of the party usage code in the sales lead contact. This is a foreign key of the Party Usage view object.
PrimaryByRoleFlag	Indicates whether this lead contact is the primary. The primary lead contact is also the lead owner.
RelationshipId	The unique relationship identifier for this lead contact. This represents the relation of this lead contact with the lead customer.
UserLastUpdateDate	The date and time of last update date of lead member row. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database.

Sales Lead Products

The sales lead product view object contains information such as conversion rate type, saliency score, quantity, and so on.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MklBiccExtractAM.LeadItemAssocExtractPVO

Primary Keys : ProdAssocId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Amount	The amount associated with the sales lead product.
AvgRevnueAmt	The average revenue amount associated with the sales lead product.
AvgTimeToClose	The average time to close for this sales lead product.
ConvCurrCode	The lead header currency conversion code on a transaction date.
ConvExchangeRate	The currency exchange rate used for converting the user entered currency on the lead line to the lead header currency.
ConvRateType	The currency conversion rate type that was used to derive the exchange rate for converting the user entered item level currency to lead header currency.
CreatedBy	The user who created the sales lead product row.
CreationDate	The date and time when the sales lead product row was created.
CurrencyCode	The currency code of sales lead product row.

Name	Description
EstimatedUnitPrice	An estimated unit price for the product
ExtnAttributeChar001	A column reserved for custom extension attributes for sales lead product of type string.
ExtnAttributeChar002	
ExtnAttributeChar003	
ExtnAttributeChar004	
ExtnAttributeChar005	
ExtnAttributeChar006	
ExtnAttributeChar007	
ExtnAttributeChar008	
ExtnAttributeChar009	
ExtnAttributeChar010	
ExtnAttributeChar011	
ExtnAttributeChar012	
ExtnAttributeChar013	
ExtnAttributeChar014	
ExtnAttributeChar015	
ExtnAttributeChar016	
ExtnAttributeChar017	
ExtnAttributeChar018	
ExtnAttributeChar019	
ExtnAttributeChar020	
ExtnAttributeChar021	
ExtnAttributeChar022	
ExtnAttributeChar023	
ExtnAttributeChar024	
ExtnAttributeChar025	
ExtnAttributeChar026	
ExtnAttributeChar027	
ExtnAttributeChar028	
ExtnAttributeChar029	
ExtnAttributeChar030	

Name	Description
ExtnAttributeChar031	
ExtnAttributeChar032	
ExtnAttributeChar033	
ExtnAttributeChar034	
ExtnAttributeChar035	
ExtnAttributeChar036	
ExtnAttributeChar037	
ExtnAttributeChar038	
ExtnAttributeChar039	
ExtnAttributeChar040	
ExtnAttributeChar041	
ExtnAttributeChar042	
ExtnAttributeChar043	
ExtnAttributeChar044	
ExtnAttributeChar045	
ExtnAttributeChar046	
ExtnAttributeChar047	
ExtnAttributeChar048	
ExtnAttributeChar049	
ExtnAttributeChar050	
ExtnAttributeChar051	
ExtnAttributeChar052	
ExtnAttributeChar053	
ExtnAttributeChar054	
ExtnAttributeChar055	
ExtnAttributeChar056	
ExtnAttributeChar057	
ExtnAttributeChar058	
ExtnAttributeChar059	
ExtnAttributeChar060	
ExtnAttributeChar061	

Name	Description
ExtnAttributeChar062	
ExtnAttributeChar063	
ExtnAttributeChar064	
ExtnAttributeChar065	
ExtnAttributeChar066	
ExtnAttributeChar067	
ExtnAttributeChar068	
ExtnAttributeChar069	
ExtnAttributeChar070	
ExtnAttributeChar071	
ExtnAttributeChar072	
ExtnAttributeChar073	
ExtnAttributeChar074	
ExtnAttributeChar075	
ExtnAttributeChar076	
ExtnAttributeChar077	
ExtnAttributeChar078	
ExtnAttributeChar079	
ExtnAttributeChar080	
ExtnAttributeChar081	
ExtnAttributeChar082	
ExtnAttributeChar083	
ExtnAttributeChar084	
ExtnAttributeChar085	
ExtnAttributeChar086	
ExtnAttributeChar087	
ExtnAttributeChar088	
ExtnAttributeChar089	
ExtnAttributeChar090	
ExtnAttributeChar091	
ExtnAttributeChar092	

Name	Description
ExtnAttributeChar093	
ExtnAttributeChar094	
ExtnAttributeChar095	
ExtnAttributeChar096	
ExtnAttributeChar097	
ExtnAttributeChar098	
ExtnAttributeChar099	
ExtnAttributeChar100	
ExtnAttributeChar101	
ExtnAttributeChar102	
ExtnAttributeChar103	
ExtnAttributeChar104	
ExtnAttributeChar105	
ExtnAttributeChar106	
ExtnAttributeChar107	
ExtnAttributeChar108	
ExtnAttributeChar109	
ExtnAttributeChar110	
ExtnAttributeChar111	
ExtnAttributeChar112	
ExtnAttributeChar113	
ExtnAttributeChar114	
ExtnAttributeChar115	
ExtnAttributeChar116	
ExtnAttributeChar117	
ExtnAttributeChar118	
ExtnAttributeChar119	
ExtnAttributeChar120	
ExtnAttributeChar121	
ExtnAttributeChar122	
ExtnAttributeChar123	

Name	Description
ExtnAttributeChar124	
ExtnAttributeChar125	
ExtnAttributeChar126	
ExtnAttributeChar127	
ExtnAttributeChar128	
ExtnAttributeChar129	
ExtnAttributeChar130	
ExtnAttributeChar131	
ExtnAttributeChar132	
ExtnAttributeChar133	
ExtnAttributeChar134	
ExtnAttributeChar135	
ExtnAttributeChar136	
ExtnAttributeChar137	
ExtnAttributeChar138	
ExtnAttributeChar139	
ExtnAttributeChar140	
ExtnAttributeChar141	
ExtnAttributeChar142	
ExtnAttributeChar143	
ExtnAttributeChar144	
ExtnAttributeChar145	
ExtnAttributeChar146	
ExtnAttributeChar147	
ExtnAttributeChar148	
ExtnAttributeChar149	
ExtnAttributeChar150	
ExtnAttributeChar151	
ExtnAttributeChar152	
ExtnAttributeChar153	
ExtnAttributeChar154	

Name	Description
ExtnAttributeChar155	
ExtnAttributeChar156	
ExtnAttributeChar157	
ExtnAttributeChar158	
ExtnAttributeChar159	
ExtnAttributeChar160	
ExtnAttributeChar161	
ExtnAttributeChar162	
ExtnAttributeChar163	
ExtnAttributeChar164	
ExtnAttributeChar165	
ExtnAttributeChar166	
ExtnAttributeChar167	
ExtnAttributeChar168	
ExtnAttributeChar169	
ExtnAttributeChar170	
ExtnAttributeChar171	
ExtnAttributeChar172	
ExtnAttributeChar173	
ExtnAttributeChar174	
ExtnAttributeChar175	
ExtnAttributeChar176	
ExtnAttributeChar177	
ExtnAttributeChar178	
ExtnAttributeChar179	
ExtnAttributeChar180	
ExtnAttributeChar181	
ExtnAttributeChar182	
ExtnAttributeChar183	
ExtnAttributeChar184	
ExtnAttributeChar185	

Name	Description
ExtnAttributeChar186	
ExtnAttributeChar187	
ExtnAttributeChar188	
ExtnAttributeChar189	
ExtnAttributeChar190	
ExtnAttributeChar191	
ExtnAttributeChar192	
ExtnAttributeChar193	
ExtnAttributeChar194	
ExtnAttributeChar195	
ExtnAttributeChar196	
ExtnAttributeChar197	
ExtnAttributeChar198	
ExtnAttributeChar199	
ExtnAttributeChar200	
ExtnAttributeChar201	
ExtnAttributeChar202	
ExtnAttributeChar203	
ExtnAttributeChar204	
ExtnAttributeChar205	
ExtnAttributeChar206	
ExtnAttributeChar207	
ExtnAttributeChar208	
ExtnAttributeChar209	
ExtnAttributeChar210	
ExtnAttributeChar211	
ExtnAttributeChar212	
ExtnAttributeChar213	
ExtnAttributeChar214	
ExtnAttributeChar215	
ExtnAttributeChar216	

Name	Description
ExtnAttributeChar217	
ExtnAttributeChar218	
ExtnAttributeChar219	
ExtnAttributeChar220	
ExtnAttributeChar221	
ExtnAttributeChar222	
ExtnAttributeChar223	
ExtnAttributeChar224	
ExtnAttributeChar225	
ExtnAttributeChar226	
ExtnAttributeChar227	
ExtnAttributeChar228	
ExtnAttributeChar229	
ExtnAttributeChar230	
ExtnAttributeChar231	
ExtnAttributeChar232	
ExtnAttributeChar233	
ExtnAttributeChar234	
ExtnAttributeChar235	
ExtnAttributeChar236	
ExtnAttributeChar237	
ExtnAttributeChar238	
ExtnAttributeChar239	
ExtnAttributeChar240	
ExtnAttributeChar241	
ExtnAttributeChar242	
ExtnAttributeChar243	
ExtnAttributeChar244	
ExtnAttributeChar245	
ExtnAttributeChar246	
ExtnAttributeChar247	

Name	Description
ExtnAttributeChar248	
ExtnAttributeChar249	
ExtnAttributeChar250	
ExtnAttributeChar251	
ExtnAttributeChar252	
ExtnAttributeChar253	
ExtnAttributeChar254	
ExtnAttributeChar255	
ExtnAttributeChar256	
ExtnAttributeChar257	
ExtnAttributeChar258	
ExtnAttributeChar259	
ExtnAttributeChar260	
ExtnAttributeChar261	
ExtnAttributeChar262	
ExtnAttributeChar263	
ExtnAttributeChar264	
ExtnAttributeChar265	
ExtnAttributeChar266	
ExtnAttributeChar267	
ExtnAttributeChar268	
ExtnAttributeChar269	
ExtnAttributeChar270	
ExtnAttributeChar271	
ExtnAttributeChar272	
ExtnAttributeChar273	
ExtnAttributeChar274	
ExtnAttributeChar275	
ExtnAttributeChar276	
ExtnAttributeChar277	
ExtnAttributeChar278	

Name	Description
ExtnAttributeChar279	
ExtnAttributeChar280	
ExtnAttributeChar281	
ExtnAttributeChar282	
ExtnAttributeChar283	
ExtnAttributeChar284	
ExtnAttributeChar285	
ExtnAttributeChar286	
ExtnAttributeChar287	
ExtnAttributeChar288	
ExtnAttributeChar289	
ExtnAttributeChar290	
ExtnAttributeChar291	
ExtnAttributeChar292	
ExtnAttributeChar293	
ExtnAttributeChar294	
ExtnAttributeChar295	
ExtnAttributeChar296	
ExtnAttributeChar297	
ExtnAttributeChar298	
ExtnAttributeChar299	
ExtnAttributeChar300	
ExtnAttributeChar301	
ExtnAttributeChar302	
ExtnAttributeChar303	
ExtnAttributeChar304	
ExtnAttributeChar305	
ExtnAttributeChar306	
ExtnAttributeChar307	
ExtnAttributeChar308	
ExtnAttributeChar309	

Name	Description
ExtnAttributeChar310	
ExtnAttributeChar311	
ExtnAttributeChar312	
ExtnAttributeChar313	
ExtnAttributeChar314	
ExtnAttributeChar315	
ExtnAttributeChar316	
ExtnAttributeChar317	
ExtnAttributeChar318	
ExtnAttributeChar319	
ExtnAttributeChar320	
ExtnAttributeChar321	
ExtnAttributeChar322	
ExtnAttributeChar323	
ExtnAttributeChar324	
ExtnAttributeChar325	
ExtnAttributeChar326	
ExtnAttributeChar327	
ExtnAttributeChar328	
ExtnAttributeChar329	
ExtnAttributeChar330	
ExtnAttributeChar331	
ExtnAttributeChar332	
ExtnAttributeChar333	
ExtnAttributeChar334	
ExtnAttributeChar335	
ExtnAttributeChar336	
ExtnAttributeChar337	
ExtnAttributeChar338	
ExtnAttributeChar339	
ExtnAttributeChar340	

Name	Description
ExtnAttributeChar341	
ExtnAttributeChar342	
ExtnAttributeChar343	
ExtnAttributeChar344	
ExtnAttributeChar345	
ExtnAttributeChar346	
ExtnAttributeChar347	
ExtnAttributeChar348	
ExtnAttributeChar349	
ExtnAttributeChar350	
ExtnAttributeClob001	A column reserved for custom extension attributes for sales lead product of type CLOB.
ExtnAttributeClob002	
ExtnAttributeClob003	
ExtnAttributeClob004	
ExtnAttributeClob005	
ExtnAttributeClob006	
ExtnAttributeClob007	
ExtnAttributeClob008	
ExtnAttributeClob009	
ExtnAttributeClob010	
ExtnAttributeClob011	
ExtnAttributeClob012	
ExtnAttributeClob013	
ExtnAttributeClob014	
ExtnAttributeClob015	
ExtnAttributeClob016	
ExtnAttributeClob017	
ExtnAttributeClob018	
ExtnAttributeClob019	
ExtnAttributeClob020	
ExtnAttributeClob021	

Name	Description
ExtnAttributeClob022	
ExtnAttributeClob023	
ExtnAttributeClob024	
ExtnAttributeClob025	
ExtnAttributeNumber001	A column reserved for custom extension attributes for sales lead product of type number.
ExtnAttributeNumber002	
ExtnAttributeNumber003	
ExtnAttributeNumber004	
ExtnAttributeNumber005	
ExtnAttributeNumber006	
ExtnAttributeNumber007	
ExtnAttributeNumber008	
ExtnAttributeNumber009	
ExtnAttributeNumber010	
ExtnAttributeNumber011	
ExtnAttributeNumber012	
ExtnAttributeNumber013	
ExtnAttributeNumber014	
ExtnAttributeNumber015	
ExtnAttributeNumber016	
ExtnAttributeNumber017	
ExtnAttributeNumber018	
ExtnAttributeNumber019	
ExtnAttributeNumber020	
ExtnAttributeNumber021	
ExtnAttributeNumber022	
ExtnAttributeNumber023	
ExtnAttributeNumber024	
ExtnAttributeNumber025	
ExtnAttributeNumber026	
ExtnAttributeNumber027	

Name	Description
ExtnAttributeNumber028	
ExtnAttributeNumber029	
ExtnAttributeNumber030	
ExtnAttributeNumber031	
ExtnAttributeNumber032	
ExtnAttributeNumber033	
ExtnAttributeNumber034	
ExtnAttributeNumber035	
ExtnAttributeNumber036	
ExtnAttributeNumber037	
ExtnAttributeNumber038	
ExtnAttributeNumber039	
ExtnAttributeNumber040	
ExtnAttributeNumber041	
ExtnAttributeNumber042	
ExtnAttributeNumber043	
ExtnAttributeNumber044	
ExtnAttributeNumber045	
ExtnAttributeNumber046	
ExtnAttributeNumber047	
ExtnAttributeNumber048	
ExtnAttributeNumber049	
ExtnAttributeNumber050	
ExtnAttributeNumber051	
ExtnAttributeNumber052	
ExtnAttributeNumber053	
ExtnAttributeNumber054	
ExtnAttributeNumber055	
ExtnAttributeNumber056	
ExtnAttributeNumber057	
ExtnAttributeNumber058	

Name	Description
ExtnAttributeNumber059	
ExtnAttributeNumber060	
ExtnAttributeNumber061	
ExtnAttributeNumber062	
ExtnAttributeNumber063	
ExtnAttributeNumber064	
ExtnAttributeNumber065	
ExtnAttributeNumber066	
ExtnAttributeNumber067	
ExtnAttributeNumber068	
ExtnAttributeNumber069	
ExtnAttributeNumber070	
ExtnAttributeNumber071	
ExtnAttributeNumber072	
ExtnAttributeNumber073	
ExtnAttributeNumber074	
ExtnAttributeNumber075	
ExtnAttributeNumber076	
ExtnAttributeNumber077	
ExtnAttributeNumber078	
ExtnAttributeNumber079	
ExtnAttributeNumber080	
ExtnAttributeNumber081	
ExtnAttributeNumber082	
ExtnAttributeNumber083	
ExtnAttributeNumber084	
ExtnAttributeNumber085	
ExtnAttributeNumber086	
ExtnAttributeNumber087	
ExtnAttributeNumber088	
ExtnAttributeNumber089	

Name	Description
ExtnAttributeNumber090	
ExtnAttributeNumber091	
ExtnAttributeNumber092	
ExtnAttributeNumber093	
ExtnAttributeNumber094	
ExtnAttributeNumber095	
ExtnAttributeNumber096	
ExtnAttributeNumber097	
ExtnAttributeNumber098	
ExtnAttributeNumber099	
ExtnAttributeNumber100	
ExtnAttributeNumber101	
ExtnAttributeNumber102	
ExtnAttributeNumber103	
ExtnAttributeNumber104	
ExtnAttributeNumber105	
ExtnAttributeNumber106	
ExtnAttributeNumber107	
ExtnAttributeNumber108	
ExtnAttributeNumber109	
ExtnAttributeNumber110	
ExtnAttributeNumber111	
ExtnAttributeNumber112	
ExtnAttributeNumber113	
ExtnAttributeNumber114	
ExtnAttributeNumber115	
ExtnAttributeNumber116	
ExtnAttributeNumber117	
ExtnAttributeNumber118	
ExtnAttributeNumber119	
ExtnAttributeNumber120	

Name	Description
ExtnAttributeNumber121	
ExtnAttributeNumber122	
ExtnAttributeNumber123	
ExtnAttributeNumber124	
ExtnAttributeNumber125	
ExtnAttributeNumber126	
ExtnAttributeNumber127	
ExtnAttributeNumber128	
ExtnAttributeNumber129	
ExtnAttributeNumber130	
ExtnAttributeNumber131	
ExtnAttributeNumber132	
ExtnAttributeNumber133	
ExtnAttributeNumber134	
ExtnAttributeNumber135	
ExtnAttributeNumber136	
ExtnAttributeNumber137	
ExtnAttributeNumber138	
ExtnAttributeNumber139	
ExtnAttributeNumber140	
ExtnAttributeNumber141	
ExtnAttributeNumber142	
ExtnAttributeNumber143	
ExtnAttributeNumber144	
ExtnAttributeNumber145	
ExtnAttributeNumber146	
ExtnAttributeNumber147	
ExtnAttributeNumber148	
ExtnAttributeNumber149	
ExtnAttributeNumber150	
ExtnAttributeNumber151	

Name	Description
ExtnAttributeNumber152	
ExtnAttributeNumber153	
ExtnAttributeNumber154	
ExtnAttributeNumber155	
ExtnAttributeNumber156	
ExtnAttributeNumber157	
ExtnAttributeNumber158	
ExtnAttributeNumber159	
ExtnAttributeNumber160	
ExtnAttributeNumber161	
ExtnAttributeNumber162	
ExtnAttributeNumber163	
ExtnAttributeNumber164	
ExtnAttributeNumber165	
ExtnAttributeNumber166	
ExtnAttributeNumber167	
ExtnAttributeNumber168	
ExtnAttributeNumber169	
ExtnAttributeNumber170	
ExtnAttributeNumber171	
ExtnAttributeNumber172	
ExtnAttributeNumber173	
ExtnAttributeNumber174	
ExtnAttributeNumber175	
ExtnAttributeNumber176	
ExtnAttributeNumber177	
ExtnAttributeNumber178	
ExtnAttributeNumber179	
ExtnAttributeNumber180	
ExtnAttributeNumber181	
ExtnAttributeNumber182	

Name	Description
ExtnAttributeNumber183	
ExtnAttributeNumber184	
ExtnAttributeNumber185	
ExtnAttributeNumber186	
ExtnAttributeNumber187	
ExtnAttributeNumber188	
ExtnAttributeNumber189	
ExtnAttributeNumber190	
ExtnAttributeNumber191	
ExtnAttributeNumber192	
ExtnAttributeNumber193	
ExtnAttributeNumber194	
ExtnAttributeNumber195	
ExtnAttributeNumber196	
ExtnAttributeNumber197	
ExtnAttributeNumber198	
ExtnAttributeNumber199	
ExtnAttributeNumber200	
ExtnAttributeTimestamp001	A column reserved for custom extension attributes for sales lead product of type time.
ExtnAttributeTimestamp002	
ExtnAttributeTimestamp003	
ExtnAttributeTimestamp004	
ExtnAttributeTimestamp005	
ExtnAttributeTimestamp006	
ExtnAttributeTimestamp007	
ExtnAttributeTimestamp008	
ExtnAttributeTimestamp009	
ExtnAttributeTimestamp010	
ExtnAttributeTimestamp011	
ExtnAttributeTimestamp012	
ExtnAttributeTimestamp013	

Name	Description
ExtnAttributeTimestamp014	
ExtnAttributeTimestamp015	
ExtnAttributeTimestamp016	
ExtnAttributeTimestamp017	
ExtnAttributeTimestamp018	
ExtnAttributeTimestamp019	
ExtnAttributeTimestamp020	
ExtnAttributeTimestamp021	
ExtnAttributeTimestamp022	
ExtnAttributeTimestamp023	
ExtnAttributeTimestamp024	
ExtnAttributeTimestamp025	
ExtnAttributeTimestamp026	
ExtnAttributeTimestamp027	
ExtnAttributeTimestamp028	
ExtnAttributeTimestamp029	
ExtnAttributeTimestamp030	
ExtnAttributeTimestamp031	
ExtnAttributeTimestamp032	
ExtnAttributeTimestamp033	
ExtnAttributeTimestamp034	
ExtnAttributeTimestamp035	
ExtnAttributeTimestamp036	
ExtnAttributeTimestamp037	
ExtnAttributeTimestamp038	
ExtnAttributeTimestamp039	
ExtnAttributeTimestamp040	
ExtnAttributeTimestamp041	
ExtnAttributeTimestamp042	
ExtnAttributeTimestamp043	
ExtnAttributeTimestamp044	

Name	Description
ExtnAttributeTimestamp045	
ExtnAttributeTimestamp046	
ExtnAttributeTimestamp047	
ExtnAttributeTimestamp048	
ExtnAttributeTimestamp049	
ExtnAttributeTimestamp050	
IlsScore	
InvOrgId	The identifier of the inventory organization in the sales lead product. This is a foreign key of the Item Organization Association view object.
InventoryItemId	The unique inventory item identifier associated with the lead product.
LastUpdateDate	The date and time when the sales lead product row was last updated.
LastUpdateLogin	The session login associated with the user who last updated the sales lead product row.
LastUpdatedBy	The user who last updated the sales lead product row.
LeadId	The identifier of the lead in the sales lead product. This is a foreign key of the Lead view object.
LikelihoodToOpptyLost	The likelihood of losing a deal when converting a lead to an opportunity.
LikelihoodToOpptyWon	The likelihood of winning a deal when converting a lead to an opportunity.
PrimaryFlag	Indicates whether this product is a primary product for this lead.
ProdAssocId	The unique identifier of the sales lead product. This is a primary key of the sales lead product view object.
ProdAssocNumber	This is a public surrogate key for the table MKL_LEAD_ITEMS_ASSOC and is defaulted with a unique number. It cannot be null.
ProductGroupId	The unique identifier of the product group.
Quantity	The product quantity identified for this product on the lead.
SaliencyScore	The score that denotes the importance of a lead.
UomCode	The unit of measure associated with this sales lead product line.
UserLastUpdateDate	The date and time of last update date of the sales lead product row. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database.

Sales Lead Resources

The sales lead resource view object contains information about the sales lead resource, extension currency code attributes, access level code, and so on.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MklBiccExtractAM.LeadResourceExtractPVO

Primary Keys : LeadResourceId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AccessLevelCode	The code indicating the access level of a team member. A list of accepted values is defined in the lookup type MKL_ACCESS_LEVEL.
CreatedBy	The user who created the sales lead resource row.
CreationDate	The date and time when the sales lead resource row was created.
ExtnAttributeChar001	A column reserved for custom extension attributes for sales lead resource of type string.
ExtnAttributeChar002	
ExtnAttributeChar003	
ExtnAttributeChar004	
ExtnAttributeChar005	
ExtnAttributeChar006	
ExtnAttributeChar007	
ExtnAttributeChar008	
ExtnAttributeChar009	
ExtnAttributeChar010	
ExtnAttributeChar011	
ExtnAttributeChar012	
ExtnAttributeChar013	
ExtnAttributeChar014	
ExtnAttributeChar015	
ExtnAttributeChar016	
ExtnAttributeChar017	
ExtnAttributeChar018	
ExtnAttributeChar019	
ExtnAttributeChar020	
ExtnAttributeChar021	

Name	Description
ExtnAttributeChar022	
ExtnAttributeChar023	
ExtnAttributeChar024	
ExtnAttributeChar025	
ExtnAttributeChar026	
ExtnAttributeChar027	
ExtnAttributeChar028	
ExtnAttributeChar029	
ExtnAttributeChar030	
ExtnAttributeChar031	
ExtnAttributeChar032	
ExtnAttributeChar033	
ExtnAttributeChar034	
ExtnAttributeChar035	
ExtnAttributeChar036	
ExtnAttributeChar037	
ExtnAttributeChar038	
ExtnAttributeChar039	
ExtnAttributeChar040	
ExtnAttributeChar041	
ExtnAttributeChar042	
ExtnAttributeChar043	
ExtnAttributeChar044	
ExtnAttributeChar045	
ExtnAttributeChar046	
ExtnAttributeChar047	
ExtnAttributeChar048	
ExtnAttributeChar049	
ExtnAttributeChar050	
ExtnAttributeChar051	
ExtnAttributeChar052	

Name	Description
ExtnAttributeChar053	
ExtnAttributeChar054	
ExtnAttributeChar055	
ExtnAttributeChar056	
ExtnAttributeChar057	
ExtnAttributeChar058	
ExtnAttributeChar059	
ExtnAttributeChar060	
ExtnAttributeChar061	
ExtnAttributeChar062	
ExtnAttributeChar063	
ExtnAttributeChar064	
ExtnAttributeChar065	
ExtnAttributeChar066	
ExtnAttributeChar067	
ExtnAttributeChar068	
ExtnAttributeChar069	
ExtnAttributeChar070	
ExtnAttributeChar071	
ExtnAttributeChar072	
ExtnAttributeChar073	
ExtnAttributeChar074	
ExtnAttributeChar075	
ExtnAttributeChar076	
ExtnAttributeChar077	
ExtnAttributeChar078	
ExtnAttributeChar079	
ExtnAttributeChar080	
ExtnAttributeChar081	
ExtnAttributeChar082	
ExtnAttributeChar083	

Name	Description
ExtnAttributeChar084	
ExtnAttributeChar085	
ExtnAttributeChar086	
ExtnAttributeChar087	
ExtnAttributeChar088	
ExtnAttributeChar089	
ExtnAttributeChar090	
ExtnAttributeChar091	
ExtnAttributeChar092	
ExtnAttributeChar093	
ExtnAttributeChar094	
ExtnAttributeChar095	
ExtnAttributeChar096	
ExtnAttributeChar097	
ExtnAttributeChar098	
ExtnAttributeChar099	
ExtnAttributeChar100	
ExtnAttributeChar101	
ExtnAttributeChar102	
ExtnAttributeChar103	
ExtnAttributeChar104	
ExtnAttributeChar105	
ExtnAttributeChar106	
ExtnAttributeChar107	
ExtnAttributeChar108	
ExtnAttributeChar109	
ExtnAttributeChar110	
ExtnAttributeChar111	
ExtnAttributeChar112	
ExtnAttributeChar113	
ExtnAttributeChar114	

Name	Description
ExtnAttributeChar115	
ExtnAttributeChar116	
ExtnAttributeChar117	
ExtnAttributeChar118	
ExtnAttributeChar119	
ExtnAttributeChar120	
ExtnAttributeChar121	
ExtnAttributeChar122	
ExtnAttributeChar123	
ExtnAttributeChar124	
ExtnAttributeChar125	
ExtnAttributeChar126	
ExtnAttributeChar127	
ExtnAttributeChar128	
ExtnAttributeChar129	
ExtnAttributeChar130	
ExtnAttributeChar131	
ExtnAttributeChar132	
ExtnAttributeChar133	
ExtnAttributeChar134	
ExtnAttributeChar135	
ExtnAttributeChar136	
ExtnAttributeChar137	
ExtnAttributeChar138	
ExtnAttributeChar139	
ExtnAttributeChar140	
ExtnAttributeChar141	
ExtnAttributeChar142	
ExtnAttributeChar143	
ExtnAttributeChar144	
ExtnAttributeChar145	

Name	Description
ExtnAttributeChar146	
ExtnAttributeChar147	
ExtnAttributeChar148	
ExtnAttributeChar149	
ExtnAttributeChar150	
ExtnAttributeChar151	
ExtnAttributeChar152	
ExtnAttributeChar153	
ExtnAttributeChar154	
ExtnAttributeChar155	
ExtnAttributeChar156	
ExtnAttributeChar157	
ExtnAttributeChar158	
ExtnAttributeChar159	
ExtnAttributeChar160	
ExtnAttributeChar161	
ExtnAttributeChar162	
ExtnAttributeChar163	
ExtnAttributeChar164	
ExtnAttributeChar165	
ExtnAttributeChar166	
ExtnAttributeChar167	
ExtnAttributeChar168	
ExtnAttributeChar169	
ExtnAttributeChar170	
ExtnAttributeChar171	
ExtnAttributeChar172	
ExtnAttributeChar173	
ExtnAttributeChar174	
ExtnAttributeChar175	
ExtnAttributeChar176	

Name	Description
ExtnAttributeChar177	
ExtnAttributeChar178	
ExtnAttributeChar179	
ExtnAttributeChar180	
ExtnAttributeChar181	
ExtnAttributeChar182	
ExtnAttributeChar183	
ExtnAttributeChar184	
ExtnAttributeChar185	
ExtnAttributeChar186	
ExtnAttributeChar187	
ExtnAttributeChar188	
ExtnAttributeChar189	
ExtnAttributeChar190	
ExtnAttributeChar191	
ExtnAttributeChar192	
ExtnAttributeChar193	
ExtnAttributeChar194	
ExtnAttributeChar195	
ExtnAttributeChar196	
ExtnAttributeChar197	
ExtnAttributeChar198	
ExtnAttributeChar199	
ExtnAttributeChar200	
ExtnAttributeChar201	
ExtnAttributeChar202	
ExtnAttributeChar203	
ExtnAttributeChar204	
ExtnAttributeChar205	
ExtnAttributeChar206	
ExtnAttributeChar207	

Name	Description
ExtnAttributeChar208	
ExtnAttributeChar209	
ExtnAttributeChar210	
ExtnAttributeChar211	
ExtnAttributeChar212	
ExtnAttributeChar213	
ExtnAttributeChar214	
ExtnAttributeChar215	
ExtnAttributeChar216	
ExtnAttributeChar217	
ExtnAttributeChar218	
ExtnAttributeChar219	
ExtnAttributeChar220	
ExtnAttributeChar221	
ExtnAttributeChar222	
ExtnAttributeChar223	
ExtnAttributeChar224	
ExtnAttributeChar225	
ExtnAttributeChar226	
ExtnAttributeChar227	
ExtnAttributeChar228	
ExtnAttributeChar229	
ExtnAttributeChar230	
ExtnAttributeChar231	
ExtnAttributeChar232	
ExtnAttributeChar233	
ExtnAttributeChar234	
ExtnAttributeChar235	
ExtnAttributeChar236	
ExtnAttributeChar237	
ExtnAttributeChar238	

Name	Description
ExtnAttributeChar239	
ExtnAttributeChar240	
ExtnAttributeChar241	
ExtnAttributeChar242	
ExtnAttributeChar243	
ExtnAttributeChar244	
ExtnAttributeChar245	
ExtnAttributeChar246	
ExtnAttributeChar247	
ExtnAttributeChar248	
ExtnAttributeChar249	
ExtnAttributeChar250	
ExtnAttributeChar251	
ExtnAttributeChar252	
ExtnAttributeChar253	
ExtnAttributeChar254	
ExtnAttributeChar255	
ExtnAttributeChar256	
ExtnAttributeChar257	
ExtnAttributeChar258	
ExtnAttributeChar259	
ExtnAttributeChar260	
ExtnAttributeChar261	
ExtnAttributeChar262	
ExtnAttributeChar263	
ExtnAttributeChar264	
ExtnAttributeChar265	
ExtnAttributeChar266	
ExtnAttributeChar267	
ExtnAttributeChar268	
ExtnAttributeChar269	

Name	Description
ExtnAttributeChar270	
ExtnAttributeChar271	
ExtnAttributeChar272	
ExtnAttributeChar273	
ExtnAttributeChar274	
ExtnAttributeChar275	
ExtnAttributeChar276	
ExtnAttributeChar277	
ExtnAttributeChar278	
ExtnAttributeChar279	
ExtnAttributeChar280	
ExtnAttributeChar281	
ExtnAttributeChar282	
ExtnAttributeChar283	
ExtnAttributeChar284	
ExtnAttributeChar285	
ExtnAttributeChar286	
ExtnAttributeChar287	
ExtnAttributeChar288	
ExtnAttributeChar289	
ExtnAttributeChar290	
ExtnAttributeChar291	
ExtnAttributeChar292	
ExtnAttributeChar293	
ExtnAttributeChar294	
ExtnAttributeChar295	
ExtnAttributeChar296	
ExtnAttributeChar297	
ExtnAttributeChar298	
ExtnAttributeChar299	
ExtnAttributeChar300	

Name	Description
ExtnAttributeChar301	
ExtnAttributeChar302	
ExtnAttributeChar303	
ExtnAttributeChar304	
ExtnAttributeChar305	
ExtnAttributeChar306	
ExtnAttributeChar307	
ExtnAttributeChar308	
ExtnAttributeChar309	
ExtnAttributeChar310	
ExtnAttributeChar311	
ExtnAttributeChar312	
ExtnAttributeChar313	
ExtnAttributeChar314	
ExtnAttributeChar315	
ExtnAttributeChar316	
ExtnAttributeChar317	
ExtnAttributeChar318	
ExtnAttributeChar319	
ExtnAttributeChar320	
ExtnAttributeChar321	
ExtnAttributeChar322	
ExtnAttributeChar323	
ExtnAttributeChar324	
ExtnAttributeChar325	
ExtnAttributeChar326	
ExtnAttributeChar327	
ExtnAttributeChar328	
ExtnAttributeChar329	
ExtnAttributeChar330	
ExtnAttributeChar331	

Name	Description
ExtnAttributeChar332	
ExtnAttributeChar333	
ExtnAttributeChar334	
ExtnAttributeChar335	
ExtnAttributeChar336	
ExtnAttributeChar337	
ExtnAttributeChar338	
ExtnAttributeChar339	
ExtnAttributeChar340	
ExtnAttributeChar341	
ExtnAttributeChar342	
ExtnAttributeChar343	
ExtnAttributeChar344	
ExtnAttributeChar345	
ExtnAttributeChar346	
ExtnAttributeChar347	
ExtnAttributeChar348	
ExtnAttributeChar349	
ExtnAttributeChar350	
ExtnAttributeClob001	A column reserved for custom extension attributes for sales lead resource of type CLOB.
ExtnAttributeClob002	
ExtnAttributeClob003	
ExtnAttributeClob004	
ExtnAttributeClob005	
ExtnAttributeClob006	
ExtnAttributeClob007	
ExtnAttributeClob008	
ExtnAttributeClob009	
ExtnAttributeClob010	
ExtnAttributeClob011	
ExtnAttributeClob012	

Name	Description
ExtnAttributeClob013	
ExtnAttributeClob014	
ExtnAttributeClob015	
ExtnAttributeClob016	
ExtnAttributeClob017	
ExtnAttributeClob018	
ExtnAttributeClob019	
ExtnAttributeClob020	
ExtnAttributeClob021	
ExtnAttributeClob022	
ExtnAttributeClob023	
ExtnAttributeClob024	
ExtnAttributeClob025	
ExtnAttributeNumber001	A column reserved for custom extension attributes for sales lead resource of type number.
ExtnAttributeNumber002	
ExtnAttributeNumber003	
ExtnAttributeNumber004	
ExtnAttributeNumber005	
ExtnAttributeNumber006	
ExtnAttributeNumber007	
ExtnAttributeNumber008	
ExtnAttributeNumber009	
ExtnAttributeNumber010	
ExtnAttributeNumber011	
ExtnAttributeNumber012	
ExtnAttributeNumber013	
ExtnAttributeNumber014	
ExtnAttributeNumber015	
ExtnAttributeNumber016	
ExtnAttributeNumber017	
ExtnAttributeNumber018	

Name	Description
ExtnAttributeNumber019	
ExtnAttributeNumber020	
ExtnAttributeNumber021	
ExtnAttributeNumber022	
ExtnAttributeNumber023	
ExtnAttributeNumber024	
ExtnAttributeNumber025	
ExtnAttributeNumber026	
ExtnAttributeNumber027	
ExtnAttributeNumber028	
ExtnAttributeNumber029	
ExtnAttributeNumber030	
ExtnAttributeNumber031	
ExtnAttributeNumber032	
ExtnAttributeNumber033	
ExtnAttributeNumber034	
ExtnAttributeNumber035	
ExtnAttributeNumber036	
ExtnAttributeNumber037	
ExtnAttributeNumber038	
ExtnAttributeNumber039	
ExtnAttributeNumber040	
ExtnAttributeNumber041	
ExtnAttributeNumber042	
ExtnAttributeNumber043	
ExtnAttributeNumber044	
ExtnAttributeNumber045	
ExtnAttributeNumber046	
ExtnAttributeNumber047	
ExtnAttributeNumber048	
ExtnAttributeNumber049	

Name	Description
ExtnAttributeNumber050	
ExtnAttributeNumber051	
ExtnAttributeNumber052	
ExtnAttributeNumber053	
ExtnAttributeNumber054	
ExtnAttributeNumber055	
ExtnAttributeNumber056	
ExtnAttributeNumber057	
ExtnAttributeNumber058	
ExtnAttributeNumber059	
ExtnAttributeNumber060	
ExtnAttributeNumber061	
ExtnAttributeNumber062	
ExtnAttributeNumber063	
ExtnAttributeNumber064	
ExtnAttributeNumber065	
ExtnAttributeNumber066	
ExtnAttributeNumber067	
ExtnAttributeNumber068	
ExtnAttributeNumber069	
ExtnAttributeNumber070	
ExtnAttributeNumber071	
ExtnAttributeNumber072	
ExtnAttributeNumber073	
ExtnAttributeNumber074	
ExtnAttributeNumber075	
ExtnAttributeNumber076	
ExtnAttributeNumber077	
ExtnAttributeNumber078	
ExtnAttributeNumber079	
ExtnAttributeNumber080	

Name	Description
ExtnAttributeNumber081	
ExtnAttributeNumber082	
ExtnAttributeNumber083	
ExtnAttributeNumber084	
ExtnAttributeNumber085	
ExtnAttributeNumber086	
ExtnAttributeNumber087	
ExtnAttributeNumber088	
ExtnAttributeNumber089	
ExtnAttributeNumber090	
ExtnAttributeNumber091	
ExtnAttributeNumber092	
ExtnAttributeNumber093	
ExtnAttributeNumber094	
ExtnAttributeNumber095	
ExtnAttributeNumber096	
ExtnAttributeNumber097	
ExtnAttributeNumber098	
ExtnAttributeNumber099	
ExtnAttributeNumber100	
ExtnAttributeNumber101	
ExtnAttributeNumber102	
ExtnAttributeNumber103	
ExtnAttributeNumber104	
ExtnAttributeNumber105	
ExtnAttributeNumber106	
ExtnAttributeNumber107	
ExtnAttributeNumber108	
ExtnAttributeNumber109	
ExtnAttributeNumber110	
ExtnAttributeNumber111	

Name	Description
ExtnAttributeNumber112	
ExtnAttributeNumber113	
ExtnAttributeNumber114	
ExtnAttributeNumber115	
ExtnAttributeNumber116	
ExtnAttributeNumber117	
ExtnAttributeNumber118	
ExtnAttributeNumber119	
ExtnAttributeNumber120	
ExtnAttributeNumber121	
ExtnAttributeNumber122	
ExtnAttributeNumber123	
ExtnAttributeNumber124	
ExtnAttributeNumber125	
ExtnAttributeNumber126	
ExtnAttributeNumber127	
ExtnAttributeNumber128	
ExtnAttributeNumber129	
ExtnAttributeNumber130	
ExtnAttributeNumber131	
ExtnAttributeNumber132	
ExtnAttributeNumber133	
ExtnAttributeNumber134	
ExtnAttributeNumber135	
ExtnAttributeNumber136	
ExtnAttributeNumber137	
ExtnAttributeNumber138	
ExtnAttributeNumber139	
ExtnAttributeNumber140	
ExtnAttributeNumber141	
ExtnAttributeNumber142	

Name	Description
ExtnAttributeNumber143	
ExtnAttributeNumber144	
ExtnAttributeNumber145	
ExtnAttributeNumber146	
ExtnAttributeNumber147	
ExtnAttributeNumber148	
ExtnAttributeNumber149	
ExtnAttributeNumber150	
ExtnAttributeNumber151	
ExtnAttributeNumber152	
ExtnAttributeNumber153	
ExtnAttributeNumber154	
ExtnAttributeNumber155	
ExtnAttributeNumber156	
ExtnAttributeNumber157	
ExtnAttributeNumber158	
ExtnAttributeNumber159	
ExtnAttributeNumber160	
ExtnAttributeNumber161	
ExtnAttributeNumber162	
ExtnAttributeNumber163	
ExtnAttributeNumber164	
ExtnAttributeNumber165	
ExtnAttributeNumber166	
ExtnAttributeNumber167	
ExtnAttributeNumber168	
ExtnAttributeNumber169	
ExtnAttributeNumber170	
ExtnAttributeNumber171	
ExtnAttributeNumber172	
ExtnAttributeNumber173	

Name	Description
ExtnAttributeNumber174	
ExtnAttributeNumber175	
ExtnAttributeNumber176	
ExtnAttributeNumber177	
ExtnAttributeNumber178	
ExtnAttributeNumber179	
ExtnAttributeNumber180	
ExtnAttributeNumber181	
ExtnAttributeNumber182	
ExtnAttributeNumber183	
ExtnAttributeNumber184	
ExtnAttributeNumber185	
ExtnAttributeNumber186	
ExtnAttributeNumber187	
ExtnAttributeNumber188	
ExtnAttributeNumber189	
ExtnAttributeNumber190	
ExtnAttributeNumber191	
ExtnAttributeNumber192	
ExtnAttributeNumber193	
ExtnAttributeNumber194	
ExtnAttributeNumber195	
ExtnAttributeNumber196	
ExtnAttributeNumber197	
ExtnAttributeNumber198	
ExtnAttributeNumber199	
ExtnAttributeNumber200	
ExtnAttributeTimestamp001	A column reserved for custom extension attributes of sales lead resource of type time.
ExtnAttributeTimestamp002	
ExtnAttributeTimestamp003	
ExtnAttributeTimestamp004	

Name	Description
ExtnAttributeTimestamp005	
ExtnAttributeTimestamp006	
ExtnAttributeTimestamp007	
ExtnAttributeTimestamp008	
ExtnAttributeTimestamp009	
ExtnAttributeTimestamp010	
ExtnAttributeTimestamp011	
ExtnAttributeTimestamp012	
ExtnAttributeTimestamp013	
ExtnAttributeTimestamp014	
ExtnAttributeTimestamp015	
ExtnAttributeTimestamp016	
ExtnAttributeTimestamp017	
ExtnAttributeTimestamp018	
ExtnAttributeTimestamp019	
ExtnAttributeTimestamp020	
ExtnAttributeTimestamp021	
ExtnAttributeTimestamp022	
ExtnAttributeTimestamp023	
ExtnAttributeTimestamp024	
ExtnAttributeTimestamp025	
ExtnAttributeTimestamp026	
ExtnAttributeTimestamp027	
ExtnAttributeTimestamp028	
ExtnAttributeTimestamp029	
ExtnAttributeTimestamp030	
ExtnAttributeTimestamp031	
ExtnAttributeTimestamp032	
ExtnAttributeTimestamp033	
ExtnAttributeTimestamp034	
ExtnAttributeTimestamp035	

Name	Description
ExtnAttributeTimestamp036	
ExtnAttributeTimestamp037	
ExtnAttributeTimestamp038	
ExtnAttributeTimestamp039	
ExtnAttributeTimestamp040	
ExtnAttributeTimestamp041	
ExtnAttributeTimestamp042	
ExtnAttributeTimestamp043	
ExtnAttributeTimestamp044	
ExtnAttributeTimestamp045	
ExtnAttributeTimestamp046	
ExtnAttributeTimestamp047	
ExtnAttributeTimestamp048	
ExtnAttributeTimestamp049	
ExtnAttributeTimestamp050	
ExtnCorpCurrencyCodeAttr	The extensible corporate currency code attribute of sales lead resource row.
ExtnCurcyConvRateTypeAttr	The extensible currency conversion rate type attribute of sales lead resource row.
ExtnCurrencyCodeAttr	The extensible currency code attribute of sales lead resource row.
FunctionalRole	Indicates the role played by this sales team resource to handle this sales lead. A list of accepted values is defined in the lookup type ZCA_RESOURCE_FUNCTION.
LastUpdateDate	The date and time when the sales lead resource row was last updated.
LastUpdateLogin	The session login associated to the user who last updated the sales lead resource row.
LastUpdatedBy	The user who last updated the sales lead resource row.
LeadEffectiveDate	The lead header creation date.
LeadId	The identifier of the lead in the sales lead resource. This is a foreign key of the Lead view object.
LeadResourceId	The unique identifier of the sales lead resource. This is a primary key of the sales lead resource view object.
LeadStatusCd	The current status of the lead. A list of accepted values is defined in the lookup type MKL_LEAD_STATUS.
PrimaryFlag	Indicates whether the record represents the primary resource for the lead. The primary resource for the lead is the same as the lead owner.
ResourceId	The identifier of the resource in the sales lead resource. This is a foreign key of the Party view object.

Name	Description
UserLastUpdateDate	The date and time of last update date of sales lead resource row. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database.

Sales Lead Territories

The lead territory associated view object contains information such as lead, territory version, and access level code.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MklBiccExtractAM.LeadTerritoryAssocExtractPVO

Primary Keys : LeadTerritoryId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AccessLevelCode	The attribute that determines the access type granted to the lead territory.
CreatedBy	The user who created the lead territory association row.
CreationDate	The date and time when the lead territory association row was created.
LastUpdateDate	The date and time when the lead territory association row was last updated.
LastUpdateLogin	The session login associated to the user who last updated the lead territory association row.
LastUpdatedBy	The user who last updated the lead territory association row.
LeadEffectiveDate	The effective date associated with the lead territory association row.
LeadId	The identifier of the lead in the lead territory association. This is a foreign key of the Lead view object.
LeadStatusCd	The lead status code associated with the lead territory association row.
LeadTerritoryId	The unique identifier of the territory for a sales lead. This is a primary key of the Lead Territory Association view object.
TerritoryId	The unique identifier of the territory for a sales lead.
TerritoryVersionId	The unique identifier of the territory version.
UserLastUpdateDate	The date and time at which the lead territory associated row was last updated. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database.

Sales Leads

The lead view object contains lead-related information such as contact middle name, sales channel, lead, province, deal size, and so on.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MklBiccExtractAM.LeadExtractPVO

Primary Keys : LeadId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AILeadScore	
AcceptedDateTime	The date and time when the sales lead is accepted by a resource assigned to it.
AddrElementAttribute1	The additional address element to support flexible address format.
AddrElementAttribute2	
AddrElementAttribute3	
AddrElementAttribute4	
AddrElementAttribute5	
Address1	The first line of the address associated with the primary contact of the lead.
Address2	The second line of the address associated with the primary contact of the lead.
Address3	The third line of the address associated with the primary contact of the lead.
Address4	The fourth line of the address associated with the primary contact of the lead.
AddressLinesPhonetic	The phonetic or kana representation of the Kanji address lines.
AddressStyle	A context value for the flexible address format descriptive flexfield .
ApprovalDateTime	The date and time when the sales lead is approved. This is only applicable to deal registrations.
ApproverId	The unique identifier of the approver. This is a foreign key to the Party Id of the resource who approved the lead registration.
AssetId	The unique identifier of the asset associated with the sales lead.
AssignmentStatusCode	The current assignment related status for the lead. For example, it indicates whether the lead is assigned or unassigned. A list of accepted values is defined in the lookup type MKL_LEAD_ASGNT_STATUS_CODE.

Name	Description
Aux1ClassCategory	The class category for auxiliary class code 1.
Aux2ClassCategory	The class category for auxiliary class code 2.
Aux3ClassCategory	The class category for auxiliary class code 3.
BuId	The unique identifier of the business unit which is associated with the business unit of the sales lead creator.
BudgetAmount	The budget amount associated with this sales lead.
BudgetCurrencyCode	The currency code associated with the budget amount associated with this sales lead.
BudgetStatus	The budget status associated with the budget amount of the sales lead. A list of accepted values is defined in the lookup type MKL_LEAD_BUDGET_STATUS_SETID.
BudgetStatusSetId	
Building	The specific building name or number at a given address.
CallLstId	The unique identifier of the call list in the lead. This is a foreign key of the Market Call List view object.
CampConId	The identifier of the campaign contact in the lead. This is a foreign key of the Campaign Member view object.
ChannelType	Indicates the channel through which this lead contacted the company. A list of accepted values is defined in the lookup type MKL_LEAD_CHANNEL_SETID.
ChannelTypeSetId	
City	The city where the primary contact of the lead is located.
ClaimedFlag	This option denotes whether the lead is claimed by a partner. A list of accepted values is defined in the lookup type MKL_LEAD_CLAIMED_FLAG.
ClassCodeAux1	The auxiliary dimension for the account.
ClassCodeAux2	
ClassCodeAux3	
ContactFirstName	The first name of the primary contact for a lead.
ContactLastName	The last name of the primary contact for a lead.
ContactMiddleName	The middle name of the primary contact for a lead.
ContactName	The name associated with the primary lead contact.
ContactTimezoneCd	The preferred time zone of the contact pursued on the lead. A list of accepted values is defined in the lookup type ORA_HZ_TIMEZONE_CODES.
ConvCurrCode	The currency code used to convert the lead currency. This is typically the corporate currency.
ConvExchangeRate	The exchange rate used to convert the lead currency to the corporate currency.
ConvRateType	The rate type used to convert the lead currency to the corporate currency.
ConvReason	The conversion reason for the lead row.
ConvertedContactId	The contact created from the simplified lead.

Name	Description
ConvertedCustomerId	The customer created from the simplified lead.
ConvertedDateTime	The date and time when the sales lead is converted to an opportunity.
ConvertedOptyId	The unique identifier of the converted opportunity.
Country	The country where the primary contact of the lead is located.
County	The county where the primary contact of the lead is located.
CreatedBy	The user who created the lead row.
CreationDate	The date and time when the lead row was created.
CurrencyCode	The currency code of the lead row.
CurrencyConversionDate	The date of currency exchange rate for the lead against the corporate currency.
CustPartyType	The party type of the account associated with the lead. A list of accepted values is defined in the lookup type ZCA_RECORD_TYPE.
CustomerExisting	This denotes if the customer is an existing customer.
CustomerId	The unique identifier of the customer in the lead. This is a foreign key of the Party view object.
CustomerName	The name of the lead customer.
CustomerNeed	The need the lead product serves for the customer.
DealSize	The total amount attributed to a lead.
DealType	Indicates the registration type of the sales lead. This is a deal specific attribute. A list of specific values is defined in the lookup type MKL_DEAL_TYPE_SETID.
DealTypeSetId	
DecisionMakerIdentified	Indicates if the decision maker at the customer site has been identified.
DescText	The description associated with this sales lead.
DuplicateCheckFlag	The value would be set to y when duplicates have been checked for this field.
EmailAddress	The email address for the primary sales lead contact on the lead.
EstimatedCloseDate	The estimated close date of the deal. This is a deal specific attribute.
ExpirationDate	The expiry date of the deal. This is a deal specific attribute.
ExtnAttributeChar001	A column reserved for custom extension attributes for lead of type string.
ExtnAttributeChar002	
ExtnAttributeChar003	
ExtnAttributeChar004	
ExtnAttributeChar005	
ExtnAttributeChar006	
ExtnAttributeChar007	

Name	Description
ExtnAttributeChar008	
ExtnAttributeChar009	
ExtnAttributeChar010	
ExtnAttributeChar011	
ExtnAttributeChar012	
ExtnAttributeChar013	
ExtnAttributeChar014	
ExtnAttributeChar015	
ExtnAttributeChar016	
ExtnAttributeChar017	
ExtnAttributeChar018	
ExtnAttributeChar019	
ExtnAttributeChar020	
ExtnAttributeChar021	
ExtnAttributeChar022	
ExtnAttributeChar023	
ExtnAttributeChar024	
ExtnAttributeChar025	
ExtnAttributeChar026	
ExtnAttributeChar027	
ExtnAttributeChar028	
ExtnAttributeChar029	
ExtnAttributeChar030	
ExtnAttributeChar031	
ExtnAttributeChar032	
ExtnAttributeChar033	
ExtnAttributeChar034	
ExtnAttributeChar035	
ExtnAttributeChar036	
ExtnAttributeChar037	
ExtnAttributeChar038	

Name	Description
ExtnAttributeChar039	
ExtnAttributeChar040	
ExtnAttributeChar041	
ExtnAttributeChar042	
ExtnAttributeChar043	
ExtnAttributeChar044	
ExtnAttributeChar045	
ExtnAttributeChar046	
ExtnAttributeChar047	
ExtnAttributeChar048	
ExtnAttributeChar049	
ExtnAttributeChar050	
ExtnAttributeChar051	
ExtnAttributeChar052	
ExtnAttributeChar053	
ExtnAttributeChar054	
ExtnAttributeChar055	
ExtnAttributeChar056	
ExtnAttributeChar057	
ExtnAttributeChar058	
ExtnAttributeChar059	
ExtnAttributeChar060	
ExtnAttributeChar061	
ExtnAttributeChar062	
ExtnAttributeChar063	
ExtnAttributeChar064	
ExtnAttributeChar065	
ExtnAttributeChar066	
ExtnAttributeChar067	
ExtnAttributeChar068	
ExtnAttributeChar069	

Name	Description
ExtnAttributeChar070	
ExtnAttributeChar071	
ExtnAttributeChar072	
ExtnAttributeChar073	
ExtnAttributeChar074	
ExtnAttributeChar075	
ExtnAttributeChar076	
ExtnAttributeChar077	
ExtnAttributeChar078	
ExtnAttributeChar079	
ExtnAttributeChar080	
ExtnAttributeChar081	
ExtnAttributeChar082	
ExtnAttributeChar083	
ExtnAttributeChar084	
ExtnAttributeChar085	
ExtnAttributeChar086	
ExtnAttributeChar087	
ExtnAttributeChar088	
ExtnAttributeChar089	
ExtnAttributeChar090	
ExtnAttributeChar091	
ExtnAttributeChar092	
ExtnAttributeChar093	
ExtnAttributeChar094	
ExtnAttributeChar095	
ExtnAttributeChar096	
ExtnAttributeChar097	
ExtnAttributeChar098	
ExtnAttributeChar099	
ExtnAttributeChar100	

Name	Description
ExtnAttributeChar101	
ExtnAttributeChar102	
ExtnAttributeChar103	
ExtnAttributeChar104	
ExtnAttributeChar105	
ExtnAttributeChar106	
ExtnAttributeChar107	
ExtnAttributeChar108	
ExtnAttributeChar109	
ExtnAttributeChar110	
ExtnAttributeChar111	
ExtnAttributeChar112	
ExtnAttributeChar113	
ExtnAttributeChar114	
ExtnAttributeChar115	
ExtnAttributeChar116	
ExtnAttributeChar117	
ExtnAttributeChar118	
ExtnAttributeChar119	
ExtnAttributeChar120	
ExtnAttributeChar121	
ExtnAttributeChar122	
ExtnAttributeChar123	
ExtnAttributeChar124	
ExtnAttributeChar125	
ExtnAttributeChar126	
ExtnAttributeChar127	
ExtnAttributeChar128	
ExtnAttributeChar129	
ExtnAttributeChar130	
ExtnAttributeChar131	

Name	Description
ExtnAttributeChar132	
ExtnAttributeChar133	
ExtnAttributeChar134	
ExtnAttributeChar135	
ExtnAttributeChar136	
ExtnAttributeChar137	
ExtnAttributeChar138	
ExtnAttributeChar139	
ExtnAttributeChar140	
ExtnAttributeChar141	
ExtnAttributeChar142	
ExtnAttributeChar143	
ExtnAttributeChar144	
ExtnAttributeChar145	
ExtnAttributeChar146	
ExtnAttributeChar147	
ExtnAttributeChar148	
ExtnAttributeChar149	
ExtnAttributeChar150	
ExtnAttributeChar151	
ExtnAttributeChar152	
ExtnAttributeChar153	
ExtnAttributeChar154	
ExtnAttributeChar155	
ExtnAttributeChar156	
ExtnAttributeChar157	
ExtnAttributeChar158	
ExtnAttributeChar159	
ExtnAttributeChar160	
ExtnAttributeChar161	
ExtnAttributeChar162	

Name	Description
ExtnAttributeChar163	
ExtnAttributeChar164	
ExtnAttributeChar165	
ExtnAttributeChar166	
ExtnAttributeChar167	
ExtnAttributeChar168	
ExtnAttributeChar169	
ExtnAttributeChar170	
ExtnAttributeChar171	
ExtnAttributeChar172	
ExtnAttributeChar173	
ExtnAttributeChar174	
ExtnAttributeChar175	
ExtnAttributeChar176	
ExtnAttributeChar177	
ExtnAttributeChar178	
ExtnAttributeChar179	
ExtnAttributeChar180	
ExtnAttributeChar181	
ExtnAttributeChar182	
ExtnAttributeChar183	
ExtnAttributeChar184	
ExtnAttributeChar185	
ExtnAttributeChar186	
ExtnAttributeChar187	
ExtnAttributeChar188	
ExtnAttributeChar189	
ExtnAttributeChar190	
ExtnAttributeChar191	
ExtnAttributeChar192	
ExtnAttributeChar193	

Name	Description
ExtnAttributeChar194	
ExtnAttributeChar195	
ExtnAttributeChar196	
ExtnAttributeChar197	
ExtnAttributeChar198	
ExtnAttributeChar199	
ExtnAttributeChar200	
ExtnAttributeChar201	
ExtnAttributeChar202	
ExtnAttributeChar203	
ExtnAttributeChar204	
ExtnAttributeChar205	
ExtnAttributeChar206	
ExtnAttributeChar207	
ExtnAttributeChar208	
ExtnAttributeChar209	
ExtnAttributeChar210	
ExtnAttributeChar211	
ExtnAttributeChar212	
ExtnAttributeChar213	
ExtnAttributeChar214	
ExtnAttributeChar215	
ExtnAttributeChar216	
ExtnAttributeChar217	
ExtnAttributeChar218	
ExtnAttributeChar219	
ExtnAttributeChar220	
ExtnAttributeChar221	
ExtnAttributeChar222	
ExtnAttributeChar223	
ExtnAttributeChar224	

Name	Description
ExtnAttributeChar225	
ExtnAttributeChar226	
ExtnAttributeChar227	
ExtnAttributeChar228	
ExtnAttributeChar229	
ExtnAttributeChar230	
ExtnAttributeChar231	
ExtnAttributeChar232	
ExtnAttributeChar233	
ExtnAttributeChar234	
ExtnAttributeChar235	
ExtnAttributeChar236	
ExtnAttributeChar237	
ExtnAttributeChar238	
ExtnAttributeChar239	
ExtnAttributeChar240	
ExtnAttributeChar241	
ExtnAttributeChar242	
ExtnAttributeChar243	
ExtnAttributeChar244	
ExtnAttributeChar245	
ExtnAttributeChar246	
ExtnAttributeChar247	
ExtnAttributeChar248	
ExtnAttributeChar249	
ExtnAttributeChar250	
ExtnAttributeChar251	
ExtnAttributeChar252	
ExtnAttributeChar253	
ExtnAttributeChar254	
ExtnAttributeChar255	

Name	Description
ExtnAttributeChar256	
ExtnAttributeChar257	
ExtnAttributeChar258	
ExtnAttributeChar259	
ExtnAttributeChar260	
ExtnAttributeChar261	
ExtnAttributeChar262	
ExtnAttributeChar263	
ExtnAttributeChar264	
ExtnAttributeChar265	
ExtnAttributeChar266	
ExtnAttributeChar267	
ExtnAttributeChar268	
ExtnAttributeChar269	
ExtnAttributeChar270	
ExtnAttributeChar271	
ExtnAttributeChar272	
ExtnAttributeChar273	
ExtnAttributeChar274	
ExtnAttributeChar275	
ExtnAttributeChar276	
ExtnAttributeChar277	
ExtnAttributeChar278	
ExtnAttributeChar279	
ExtnAttributeChar280	
ExtnAttributeChar281	
ExtnAttributeChar282	
ExtnAttributeChar283	
ExtnAttributeChar284	
ExtnAttributeChar285	
ExtnAttributeChar286	

Name	Description
ExtnAttributeChar287	
ExtnAttributeChar288	
ExtnAttributeChar289	
ExtnAttributeChar290	
ExtnAttributeChar291	
ExtnAttributeChar292	
ExtnAttributeChar293	
ExtnAttributeChar294	
ExtnAttributeChar295	
ExtnAttributeChar296	
ExtnAttributeChar297	
ExtnAttributeChar298	
ExtnAttributeChar299	
ExtnAttributeChar300	
ExtnAttributeChar301	
ExtnAttributeChar302	
ExtnAttributeChar303	
ExtnAttributeChar304	
ExtnAttributeChar305	
ExtnAttributeChar306	
ExtnAttributeChar307	
ExtnAttributeChar308	
ExtnAttributeChar309	
ExtnAttributeChar310	
ExtnAttributeChar311	
ExtnAttributeChar312	
ExtnAttributeChar313	
ExtnAttributeChar314	
ExtnAttributeChar315	
ExtnAttributeChar316	
ExtnAttributeChar317	

Name	Description
ExtnAttributeChar318	
ExtnAttributeChar319	
ExtnAttributeChar320	
ExtnAttributeChar321	
ExtnAttributeChar322	
ExtnAttributeChar323	
ExtnAttributeChar324	
ExtnAttributeChar325	
ExtnAttributeChar326	
ExtnAttributeChar327	
ExtnAttributeChar328	
ExtnAttributeChar329	
ExtnAttributeChar330	
ExtnAttributeChar331	
ExtnAttributeChar332	
ExtnAttributeChar333	
ExtnAttributeChar334	
ExtnAttributeChar335	
ExtnAttributeChar336	
ExtnAttributeChar337	
ExtnAttributeChar338	
ExtnAttributeChar339	
ExtnAttributeChar340	
ExtnAttributeChar341	
ExtnAttributeChar342	
ExtnAttributeChar343	
ExtnAttributeChar344	
ExtnAttributeChar345	
ExtnAttributeChar346	
ExtnAttributeChar347	
ExtnAttributeChar348	

Name	Description
ExtnAttributeChar349	
ExtnAttributeChar350	
ExtnAttributeClob001	A column reserved for custom extension attributes for lead of type CLOB.
ExtnAttributeClob002	
ExtnAttributeClob003	
ExtnAttributeClob004	
ExtnAttributeClob005	
ExtnAttributeClob006	
ExtnAttributeClob007	
ExtnAttributeClob008	
ExtnAttributeClob009	
ExtnAttributeClob010	
ExtnAttributeClob011	
ExtnAttributeClob012	
ExtnAttributeClob013	
ExtnAttributeClob014	
ExtnAttributeClob015	
ExtnAttributeClob016	
ExtnAttributeClob017	
ExtnAttributeClob018	
ExtnAttributeClob019	
ExtnAttributeClob020	
ExtnAttributeClob021	
ExtnAttributeClob022	
ExtnAttributeClob023	
ExtnAttributeClob024	
ExtnAttributeClob025	
ExtnAttributeNumber001	A column reserved for custom extension attributes for lead of type number.
ExtnAttributeNumber002	
ExtnAttributeNumber003	
ExtnAttributeNumber004	

Name	Description
ExtnAttributeNumber005	
ExtnAttributeNumber006	
ExtnAttributeNumber007	
ExtnAttributeNumber008	
ExtnAttributeNumber009	
ExtnAttributeNumber010	
ExtnAttributeNumber011	
ExtnAttributeNumber012	
ExtnAttributeNumber013	
ExtnAttributeNumber014	
ExtnAttributeNumber015	
ExtnAttributeNumber016	
ExtnAttributeNumber017	
ExtnAttributeNumber018	
ExtnAttributeNumber019	
ExtnAttributeNumber020	
ExtnAttributeNumber021	
ExtnAttributeNumber022	
ExtnAttributeNumber023	
ExtnAttributeNumber024	
ExtnAttributeNumber025	
ExtnAttributeNumber026	
ExtnAttributeNumber027	
ExtnAttributeNumber028	
ExtnAttributeNumber029	
ExtnAttributeNumber030	
ExtnAttributeNumber031	
ExtnAttributeNumber032	
ExtnAttributeNumber033	
ExtnAttributeNumber034	
ExtnAttributeNumber035	

Name	Description
ExtnAttributeNumber036	
ExtnAttributeNumber037	
ExtnAttributeNumber038	
ExtnAttributeNumber039	
ExtnAttributeNumber040	
ExtnAttributeNumber041	
ExtnAttributeNumber042	
ExtnAttributeNumber043	
ExtnAttributeNumber044	
ExtnAttributeNumber045	
ExtnAttributeNumber046	
ExtnAttributeNumber047	
ExtnAttributeNumber048	
ExtnAttributeNumber049	
ExtnAttributeNumber050	
ExtnAttributeNumber051	
ExtnAttributeNumber052	
ExtnAttributeNumber053	
ExtnAttributeNumber054	
ExtnAttributeNumber055	
ExtnAttributeNumber056	
ExtnAttributeNumber057	
ExtnAttributeNumber058	
ExtnAttributeNumber059	
ExtnAttributeNumber060	
ExtnAttributeNumber061	
ExtnAttributeNumber062	
ExtnAttributeNumber063	
ExtnAttributeNumber064	
ExtnAttributeNumber065	
ExtnAttributeNumber066	

Name	Description
ExtnAttributeNumber067	
ExtnAttributeNumber068	
ExtnAttributeNumber069	
ExtnAttributeNumber070	
ExtnAttributeNumber071	
ExtnAttributeNumber072	
ExtnAttributeNumber073	
ExtnAttributeNumber074	
ExtnAttributeNumber075	
ExtnAttributeNumber076	
ExtnAttributeNumber077	
ExtnAttributeNumber078	
ExtnAttributeNumber079	
ExtnAttributeNumber080	
ExtnAttributeNumber081	
ExtnAttributeNumber082	
ExtnAttributeNumber083	
ExtnAttributeNumber084	
ExtnAttributeNumber085	
ExtnAttributeNumber086	
ExtnAttributeNumber087	
ExtnAttributeNumber088	
ExtnAttributeNumber089	
ExtnAttributeNumber090	
ExtnAttributeNumber091	
ExtnAttributeNumber092	
ExtnAttributeNumber093	
ExtnAttributeNumber094	
ExtnAttributeNumber095	
ExtnAttributeNumber096	
ExtnAttributeNumber097	

Name	Description
ExtnAttributeNumber098	
ExtnAttributeNumber099	
ExtnAttributeNumber100	
ExtnAttributeNumber101	
ExtnAttributeNumber102	
ExtnAttributeNumber103	
ExtnAttributeNumber104	
ExtnAttributeNumber105	
ExtnAttributeNumber106	
ExtnAttributeNumber107	
ExtnAttributeNumber108	
ExtnAttributeNumber109	
ExtnAttributeNumber110	
ExtnAttributeNumber111	
ExtnAttributeNumber112	
ExtnAttributeNumber113	
ExtnAttributeNumber114	
ExtnAttributeNumber115	
ExtnAttributeNumber116	
ExtnAttributeNumber117	
ExtnAttributeNumber118	
ExtnAttributeNumber119	
ExtnAttributeNumber120	
ExtnAttributeNumber121	
ExtnAttributeNumber122	
ExtnAttributeNumber123	
ExtnAttributeNumber124	
ExtnAttributeNumber125	
ExtnAttributeNumber126	
ExtnAttributeNumber127	
ExtnAttributeNumber128	

Name	Description
ExtnAttributeNumber129	
ExtnAttributeNumber130	
ExtnAttributeNumber131	
ExtnAttributeNumber132	
ExtnAttributeNumber133	
ExtnAttributeNumber134	
ExtnAttributeNumber135	
ExtnAttributeNumber136	
ExtnAttributeNumber137	
ExtnAttributeNumber138	
ExtnAttributeNumber139	
ExtnAttributeNumber140	
ExtnAttributeNumber141	
ExtnAttributeNumber142	
ExtnAttributeNumber143	
ExtnAttributeNumber144	
ExtnAttributeNumber145	
ExtnAttributeNumber146	
ExtnAttributeNumber147	
ExtnAttributeNumber148	
ExtnAttributeNumber149	
ExtnAttributeNumber150	
ExtnAttributeNumber151	
ExtnAttributeNumber152	
ExtnAttributeNumber153	
ExtnAttributeNumber154	
ExtnAttributeNumber155	
ExtnAttributeNumber156	
ExtnAttributeNumber157	
ExtnAttributeNumber158	
ExtnAttributeNumber159	

Name	Description
ExtnAttributeNumber160	
ExtnAttributeNumber161	
ExtnAttributeNumber162	
ExtnAttributeNumber163	
ExtnAttributeNumber164	
ExtnAttributeNumber165	
ExtnAttributeNumber166	
ExtnAttributeNumber167	
ExtnAttributeNumber168	
ExtnAttributeNumber169	
ExtnAttributeNumber170	
ExtnAttributeNumber171	
ExtnAttributeNumber172	
ExtnAttributeNumber173	
ExtnAttributeNumber174	
ExtnAttributeNumber175	
ExtnAttributeNumber176	
ExtnAttributeNumber177	
ExtnAttributeNumber178	
ExtnAttributeNumber179	
ExtnAttributeNumber180	
ExtnAttributeNumber181	
ExtnAttributeNumber182	
ExtnAttributeNumber183	
ExtnAttributeNumber184	
ExtnAttributeNumber185	
ExtnAttributeNumber186	
ExtnAttributeNumber187	
ExtnAttributeNumber188	
ExtnAttributeNumber189	
ExtnAttributeNumber190	

Name	Description
ExtnAttributeNumber191	
ExtnAttributeNumber192	
ExtnAttributeNumber193	
ExtnAttributeNumber194	
ExtnAttributeNumber195	
ExtnAttributeNumber196	
ExtnAttributeNumber197	
ExtnAttributeNumber198	
ExtnAttributeNumber199	
ExtnAttributeNumber200	
ExtnAttributeTimestamp001	A column reserved for custom extension attributes for lead of type time.
ExtnAttributeTimestamp002	
ExtnAttributeTimestamp003	
ExtnAttributeTimestamp004	
ExtnAttributeTimestamp005	
ExtnAttributeTimestamp006	
ExtnAttributeTimestamp007	
ExtnAttributeTimestamp008	
ExtnAttributeTimestamp009	
ExtnAttributeTimestamp010	
ExtnAttributeTimestamp011	
ExtnAttributeTimestamp012	
ExtnAttributeTimestamp013	
ExtnAttributeTimestamp014	
ExtnAttributeTimestamp015	
ExtnAttributeTimestamp016	
ExtnAttributeTimestamp017	
ExtnAttributeTimestamp018	
ExtnAttributeTimestamp019	
ExtnAttributeTimestamp020	
ExtnAttributeTimestamp021	

Name	Description
ExtnAttributeTimestamp022	
ExtnAttributeTimestamp023	
ExtnAttributeTimestamp024	
ExtnAttributeTimestamp025	
ExtnAttributeTimestamp026	
ExtnAttributeTimestamp027	
ExtnAttributeTimestamp028	
ExtnAttributeTimestamp029	
ExtnAttributeTimestamp030	
ExtnAttributeTimestamp031	
ExtnAttributeTimestamp032	
ExtnAttributeTimestamp033	
ExtnAttributeTimestamp034	
ExtnAttributeTimestamp035	
ExtnAttributeTimestamp036	
ExtnAttributeTimestamp037	
ExtnAttributeTimestamp038	
ExtnAttributeTimestamp039	
ExtnAttributeTimestamp040	
ExtnAttributeTimestamp041	
ExtnAttributeTimestamp042	
ExtnAttributeTimestamp043	
ExtnAttributeTimestamp044	
ExtnAttributeTimestamp045	
ExtnAttributeTimestamp046	
ExtnAttributeTimestamp047	
ExtnAttributeTimestamp048	
ExtnAttributeTimestamp049	
ExtnAttributeTimestamp050	
FloorNumber	The specific floor number at a given address or in a building when the building number is provided.
FollowupStatusCode	The follow up status code of the lead.

Name	Description
FollowupTm	Indicates when the sales lead needs to be followed up.
GeographyId	The unique identifier of the lead customer geography.
IBAssetId	The unique identifier of the IB asset associated with the sales lead.
ImprtTskId	The unique identifier of the import task.
IndustryClassCategory	The class category for the industry class code.
IndustryClassCode	The auxiliary dimension for the account.
JobTitle	The job title of the primary contact for the sales lead.
LastAssgnmtDate	The date on which the lead was last reassigned.
LastOwnerAssignedTm	The date on which the last owner was assigned to the lead.
LastUpdateDate	The date and time when the lead row was last updated.
LastUpdateLogin	The session login associated to the user who last updated the lead row.
LastUpdatedBy	The user who last updated the lead row.
Latitude	The latitude information for the lead address. The latitude information for the location is used for spatial proximity and containment purposes.
LeadAcceptedFlag	Indicates if the lead has been accepted. A list of accepted values is defined in the lookup type MKL_LEAD_ACCEPTED_FLAG.
LeadCreatedBy	The replicated user who created the lead row.
LeadCreationDate	The replicated date and time when the lead row was created.
LeadDistributionMode	This denotes how the lead is going to be distributed to a partner.
LeadId	The unique identifier of the lead. This is a primary key of the Lead view object.
LeadLastUpdateDate	The replicated date and time when the lead row was last updated.
LeadLastUpdatedBy	The replicated user who last updated the lead row.
LeadName	The lead name used to identify the lead.
LeadNumber	The alternate unique identifier of the lead. This is an alternate primary key of the Lead entity object.
Longitude	The longitude information for the lead address. The longitude information for the location is used for spatial proximity and containment purposes.
MicrositeId	The foreign key to the web marketing microsite for tracking purposes.
NumTmsRejected	The number of times a lead has been rejected by different users.
ObjectUsage	This denotes whether the current row is representing a lead or a deal object.
OrganizationSize	The size of the organization. A list of accepted values is defined in the lookup type HZ_ORGANIZATION_SIZE.
OrganizationType	The name of the organization type in the lead.
OwnerId	The unique identifier of the owner in the lead. This is a foreign key of the Party view object.

Name	Description
PartnerId	The unique identifier for the primary partner associated with the lead.
PartnerProgramId	The unique identifier for the partner program in which the primary partner associated with this sales lead is enrolled. This is a deal specific attribute.
PartnerType	Indicates the type of the primary partner associated with this sales lead. This is a deal specific attribute.
PostalCode	The area code where the primary contact of the lead is located.
PostalPlus4Code	The four digit extension to the United States postal code.
PrimaryContactId	The unique identifier of the primary contact in the lead. This is a foreign key of the Party view object.
PrimaryContactNumber	The unique identifier of the primary contact associated with a lead.
PrimaryInvItemId	The unique identifier of the primary product associated with a lead.
PrimaryInvOrgId	The unique identifier of the organization to which the primary product associated with a lead belongs.
PrimaryPhoneAreaCode	The primary phone area code for the sales lead contact.
PrimaryPhoneCountryCode	The primary phone country code for the sales lead contact.
PrimaryPhoneNumber	The primary phone number for the sales lead contact.
PrimaryProdGroupId	The unique identifier of the primary product group associated with a lead.
Project	The customer project identified for this sales lead.
PropensityToBuy	The likelihood of buying a product specified in the lead.
Province	The province where the primary contact of the lead is located.
QualificationComments	The comments pertaining to a lead qualification.
QualificationScore	The qualification score of the lead .
QualifiedDate	The date and time when the sales lead is qualified.
QualifiedTm	The qualified time tracks the date when this lead got qualified.
QualityCode	The quality code of the lead.
Rank	The rank associated with this sales lead. A list of accepted values is defined in the lookup type MKL_LEAD_RANK_SETID.
RankSetId	
ReassignCommentText	A comment provided by a user while requesting the lead to be reassigned.
ReassignReasonCode	The predefined code used to indicate the reason for lead reassignment. A list of accepted values is defined in the lookup type MKL_LEAD_REASSIGN_REASON_SETID.
ReassignReasonCodeSetId	
RecommendationRationale	The rationale behind a recommendation when the user generates a recommendation.
RegistrationNumber	The registration number of the sales lead. This unique identifier is generated when the sales lead is approved. This is a deal specific attribute.

Name	Description
RegistrationStatus	The approval status of the sales lead. This is a deal specific attribute. A list of accepted values is defined in the lookup type MKL_DEAL_APPROVAL_STATUS.
RejectByTerritoryId	The territory of the partner resource who rejected the lead.
RejectByTerritoryVersionId	The territory version of the partner resource who rejected the lead.
RejectByUserId	The unique identifier of the sales representative who rejected this sales lead.
RejectCommentText	The comments provided by the sales representative who rejected this sales lead.
RejectReasonCode	The reason for rejection of this lead. A list of accepted values is defined in the lookup type MKL_REJECT_REASON_SETID .
RejectReasonCodeSetId	
RejectedTm	The date and time when the lead is rejected.
RelationshipId	The unique identifier of the relationship for the primary contact with it's parent organization.
RetireCommentText	The comments recorded when the sales lead is moved to Retired status.
RetireReasonCode	The predefined code used to indicate the reason for retiring a lead. A list of accepted values is defined in the lookup type MKL_RETIRE_REASON_CD.
RetireReasonCodeSetId	
RetiredTm	The date and time when the sales lead is moved to Retired status.
SalesAccountId	The unique identifier of the sales account to which the lead is associated.
SalesChannel	Indicates the sales channel responsible for following up on this sales lead. A list of accepted values is defined in the lookup type ZPM_SALES_CHANNEL.
Score	The score associated with this sales lead. This score is computed based on the scoring rules.
SourceCode	The marketing source code associated with this sales lead.
SourceCodeId	The unique identifier of the marketing source code associated with the lead.
State	The state where the primary contact of the lead is located.
StatusCode	The predefined code used to indicate the status of a lead. A list of accepted values is defined in the lookup type MKL_LEAD_STATUS.
StgExecId	The identifier of the stage execution in the lead. This is a foreign key of the Stage Execution view object.
TaskGuid	The unique identifier of the approval task pertaining to a partner registered lead.
TestFlag	
Timeframe	The time frame associated with this sales lead. A list of accepted values is defined in the lookup type MKL_LEAD_TIMELINE_SETID.
TimeframeSetId	
ToReassignFlag	Indicates leads that are either unassigned or have been selected for automatic reassignment. A list of accepted values is defined in the lookup type YES_NO.

Name	Description
ToRescoreFlag	Indicates if this lead needs to be re-scored. A list of accepted values is defined in the lookup type YES_NO.
UserLastUpdateDate	The date and time of last update date of lead row. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database.
VerifiedContact	The option used for lead qualification.
WorkPhoneAreaCode	The area code of the work phone associated with the sales lead contact.
WorkPhoneCountryCode	The country code of the work phone associated with the sales lead contact.
WorkPhoneNumber	The work phone number for the sales lead contact.

6 Marketing

Campaign Members

The campaign member view object contains member information such as active, contact, currency code, member status, campaign member, conversion rate type, source, system campaign member, lead and so on.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MktBiccExtractAM.CampaignMemberExtractPVO

Primary Keys : CampaignMemberId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Active	The status of the campaign member.
CampaignId	The unique identifier of the campaign header.
CampaignMemberId	The unique identifier of the marketing campaign member. This is primary key of the Marketing Campaign Member view object.
CampaignMemberNumber	The public unique identifier of the campaign member.
ContactId	The unique identifier of the party associated with the campaign member.
ConvCurrCode	The corporate currency code of marketing campaign member record.
ConvRateType	The currency conversion rate type associated with the member. A list of accepted values is defined in the lookup ZCA_COMMON_RATE_TYPE. Review and update the value for this attribute using the Setup and Maintenance work area, Manage Trading Community Common Lookups task.
CreatedBy	The user who created the member record.
CreatedByModule	The module through which the campaign member can be created.
CreationDate	The date and time of creating the marketing campaign member record.
CurrencyCode	The currency code of marketing campaign member record.
EmailAddress	The email address of the campaign member.
ExtnAttributeChar001	A column reserved for custom extension attributes for marketing campaign member.
ExtnAttributeChar002	
ExtnAttributeChar003	
ExtnAttributeChar004	

Name	Description
ExtnAttributeChar005	
ExtnAttributeChar006	
ExtnAttributeChar007	
ExtnAttributeChar008	
ExtnAttributeChar009	
ExtnAttributeChar010	
ExtnAttributeChar011	
ExtnAttributeChar012	
ExtnAttributeChar013	
ExtnAttributeChar014	
ExtnAttributeChar015	
ExtnAttributeChar016	
ExtnAttributeChar017	
ExtnAttributeChar018	
ExtnAttributeChar019	
ExtnAttributeChar020	
ExtnAttributeChar021	
ExtnAttributeChar022	
ExtnAttributeChar023	
ExtnAttributeChar024	
ExtnAttributeChar025	
ExtnAttributeChar026	
ExtnAttributeChar027	
ExtnAttributeChar028	
ExtnAttributeChar029	
ExtnAttributeChar030	
ExtnAttributeChar031	
ExtnAttributeChar032	
ExtnAttributeChar033	
ExtnAttributeChar034	
ExtnAttributeChar035	

Name	Description
ExtnAttributeChar036	
ExtnAttributeChar037	
ExtnAttributeChar038	
ExtnAttributeChar039	
ExtnAttributeChar040	
ExtnAttributeChar041	
ExtnAttributeChar042	
ExtnAttributeChar043	
ExtnAttributeChar044	
ExtnAttributeChar045	
ExtnAttributeChar046	
ExtnAttributeChar047	
ExtnAttributeChar048	
ExtnAttributeChar049	
ExtnAttributeChar050	
ExtnAttributeChar051	
ExtnAttributeChar052	
ExtnAttributeChar053	
ExtnAttributeChar054	
ExtnAttributeChar055	
ExtnAttributeChar056	
ExtnAttributeChar057	
ExtnAttributeChar058	
ExtnAttributeChar059	
ExtnAttributeChar060	
ExtnAttributeChar061	
ExtnAttributeChar062	
ExtnAttributeChar063	
ExtnAttributeChar064	
ExtnAttributeChar065	
ExtnAttributeChar066	

Name	Description
ExtnAttributeChar067	
ExtnAttributeChar068	
ExtnAttributeChar069	
ExtnAttributeChar070	
ExtnAttributeChar071	
ExtnAttributeChar072	
ExtnAttributeChar073	
ExtnAttributeChar074	
ExtnAttributeChar075	
ExtnAttributeChar076	
ExtnAttributeChar077	
ExtnAttributeChar078	
ExtnAttributeChar079	
ExtnAttributeChar080	
ExtnAttributeChar081	
ExtnAttributeChar082	
ExtnAttributeChar083	
ExtnAttributeChar084	
ExtnAttributeChar085	
ExtnAttributeChar086	
ExtnAttributeChar087	
ExtnAttributeChar088	
ExtnAttributeChar089	
ExtnAttributeChar090	
ExtnAttributeChar091	
ExtnAttributeChar092	
ExtnAttributeChar093	
ExtnAttributeChar094	
ExtnAttributeChar095	
ExtnAttributeChar096	
ExtnAttributeChar097	

Name	Description
ExtnAttributeChar098	
ExtnAttributeChar099	
ExtnAttributeChar100	
ExtnAttributeChar101	
ExtnAttributeChar102	
ExtnAttributeChar103	
ExtnAttributeChar104	
ExtnAttributeChar105	
ExtnAttributeChar106	
ExtnAttributeChar107	
ExtnAttributeChar108	
ExtnAttributeChar109	
ExtnAttributeChar110	
ExtnAttributeChar111	
ExtnAttributeChar112	
ExtnAttributeChar113	
ExtnAttributeChar114	
ExtnAttributeChar115	
ExtnAttributeChar116	
ExtnAttributeChar117	
ExtnAttributeChar118	
ExtnAttributeChar119	
ExtnAttributeChar120	
ExtnAttributeChar121	
ExtnAttributeChar122	
ExtnAttributeChar123	
ExtnAttributeChar124	
ExtnAttributeChar125	
ExtnAttributeChar126	
ExtnAttributeChar127	
ExtnAttributeChar128	

Name	Description
ExtnAttributeChar129	
ExtnAttributeChar130	
ExtnAttributeChar131	
ExtnAttributeChar132	
ExtnAttributeChar133	
ExtnAttributeChar134	
ExtnAttributeChar135	
ExtnAttributeChar136	
ExtnAttributeChar137	
ExtnAttributeChar138	
ExtnAttributeChar139	
ExtnAttributeChar140	
ExtnAttributeChar141	
ExtnAttributeChar142	
ExtnAttributeChar143	
ExtnAttributeChar144	
ExtnAttributeChar145	
ExtnAttributeChar146	
ExtnAttributeChar147	
ExtnAttributeChar148	
ExtnAttributeChar149	
ExtnAttributeChar150	
ExtnAttributeChar151	
ExtnAttributeChar152	
ExtnAttributeChar153	
ExtnAttributeChar154	
ExtnAttributeChar155	
ExtnAttributeChar156	
ExtnAttributeChar157	
ExtnAttributeChar158	
ExtnAttributeChar159	

Name	Description
ExtnAttributeChar160	
ExtnAttributeChar161	
ExtnAttributeChar162	
ExtnAttributeChar163	
ExtnAttributeChar164	
ExtnAttributeChar165	
ExtnAttributeChar166	
ExtnAttributeChar167	
ExtnAttributeChar168	
ExtnAttributeChar169	
ExtnAttributeChar170	
ExtnAttributeChar171	
ExtnAttributeChar172	
ExtnAttributeChar173	
ExtnAttributeChar174	
ExtnAttributeChar175	
ExtnAttributeChar176	
ExtnAttributeChar177	
ExtnAttributeChar178	
ExtnAttributeChar179	
ExtnAttributeChar180	
ExtnAttributeChar181	
ExtnAttributeChar182	
ExtnAttributeChar183	
ExtnAttributeChar184	
ExtnAttributeChar185	
ExtnAttributeChar186	
ExtnAttributeChar187	
ExtnAttributeChar188	
ExtnAttributeChar189	
ExtnAttributeChar190	

Name	Description
ExtnAttributeChar191	
ExtnAttributeChar192	
ExtnAttributeChar193	
ExtnAttributeChar194	
ExtnAttributeChar195	
ExtnAttributeChar196	
ExtnAttributeChar197	
ExtnAttributeChar198	
ExtnAttributeChar199	
ExtnAttributeChar200	
ExtnAttributeChar201	
ExtnAttributeChar202	
ExtnAttributeChar203	
ExtnAttributeChar204	
ExtnAttributeChar205	
ExtnAttributeChar206	
ExtnAttributeChar207	
ExtnAttributeChar208	
ExtnAttributeChar209	
ExtnAttributeChar210	
ExtnAttributeChar211	
ExtnAttributeChar212	
ExtnAttributeChar213	
ExtnAttributeChar214	
ExtnAttributeChar215	
ExtnAttributeChar216	
ExtnAttributeChar217	
ExtnAttributeChar218	
ExtnAttributeChar219	
ExtnAttributeChar220	
ExtnAttributeChar221	

Name	Description
ExtnAttributeChar222	
ExtnAttributeChar223	
ExtnAttributeChar224	
ExtnAttributeChar225	
ExtnAttributeChar226	
ExtnAttributeChar227	
ExtnAttributeChar228	
ExtnAttributeChar229	
ExtnAttributeChar230	
ExtnAttributeChar231	
ExtnAttributeChar232	
ExtnAttributeChar233	
ExtnAttributeChar234	
ExtnAttributeChar235	
ExtnAttributeChar236	
ExtnAttributeChar237	
ExtnAttributeChar238	
ExtnAttributeChar239	
ExtnAttributeChar240	
ExtnAttributeChar241	
ExtnAttributeChar242	
ExtnAttributeChar243	
ExtnAttributeChar244	
ExtnAttributeChar245	
ExtnAttributeChar246	
ExtnAttributeChar247	
ExtnAttributeChar248	
ExtnAttributeChar249	
ExtnAttributeChar250	
ExtnAttributeChar251	
ExtnAttributeChar252	

Name	Description
ExtnAttributeChar253	
ExtnAttributeChar254	
ExtnAttributeChar255	
ExtnAttributeChar256	
ExtnAttributeChar257	
ExtnAttributeChar258	
ExtnAttributeChar259	
ExtnAttributeChar260	
ExtnAttributeChar261	
ExtnAttributeChar262	
ExtnAttributeChar263	
ExtnAttributeChar264	
ExtnAttributeChar265	
ExtnAttributeChar266	
ExtnAttributeChar267	
ExtnAttributeChar268	
ExtnAttributeChar269	
ExtnAttributeChar270	
ExtnAttributeChar271	
ExtnAttributeChar272	
ExtnAttributeChar273	
ExtnAttributeChar274	
ExtnAttributeChar275	
ExtnAttributeChar276	
ExtnAttributeChar277	
ExtnAttributeChar278	
ExtnAttributeChar279	
ExtnAttributeChar280	
ExtnAttributeChar281	
ExtnAttributeChar282	
ExtnAttributeChar283	

Name	Description
ExtnAttributeChar284	
ExtnAttributeChar285	
ExtnAttributeChar286	
ExtnAttributeChar287	
ExtnAttributeChar288	
ExtnAttributeChar289	
ExtnAttributeChar290	
ExtnAttributeChar291	
ExtnAttributeChar292	
ExtnAttributeChar293	
ExtnAttributeChar294	
ExtnAttributeChar295	
ExtnAttributeChar296	
ExtnAttributeChar297	
ExtnAttributeChar298	
ExtnAttributeChar299	
ExtnAttributeChar300	
ExtnAttributeChar301	
ExtnAttributeChar302	
ExtnAttributeChar303	
ExtnAttributeChar304	
ExtnAttributeChar305	
ExtnAttributeChar306	
ExtnAttributeChar307	
ExtnAttributeChar308	
ExtnAttributeChar309	
ExtnAttributeChar310	
ExtnAttributeChar311	
ExtnAttributeChar312	
ExtnAttributeChar313	
ExtnAttributeChar314	

Name	Description
ExtnAttributeChar315	
ExtnAttributeChar316	
ExtnAttributeChar317	
ExtnAttributeChar318	
ExtnAttributeChar319	
ExtnAttributeChar320	
ExtnAttributeChar321	
ExtnAttributeChar322	
ExtnAttributeChar323	
ExtnAttributeChar324	
ExtnAttributeChar325	
ExtnAttributeChar326	
ExtnAttributeChar327	
ExtnAttributeChar328	
ExtnAttributeChar329	
ExtnAttributeChar330	
ExtnAttributeChar331	
ExtnAttributeChar332	
ExtnAttributeChar333	
ExtnAttributeChar334	
ExtnAttributeChar335	
ExtnAttributeChar336	
ExtnAttributeChar337	
ExtnAttributeChar338	
ExtnAttributeChar339	
ExtnAttributeChar340	
ExtnAttributeChar341	
ExtnAttributeChar342	
ExtnAttributeChar343	
ExtnAttributeChar344	
ExtnAttributeChar345	

Name	Description
ExtnAttributeChar346	
ExtnAttributeChar347	
ExtnAttributeChar348	
ExtnAttributeChar349	
ExtnAttributeChar350	
ExtnAttributeClob001	
ExtnAttributeClob002	
ExtnAttributeClob003	
ExtnAttributeClob004	
ExtnAttributeClob005	
ExtnAttributeClob006	
ExtnAttributeClob007	
ExtnAttributeClob008	
ExtnAttributeClob009	
ExtnAttributeClob010	
ExtnAttributeClob011	
ExtnAttributeClob012	
ExtnAttributeClob013	
ExtnAttributeClob014	
ExtnAttributeClob015	
ExtnAttributeClob016	
ExtnAttributeClob017	
ExtnAttributeClob018	
ExtnAttributeClob019	
ExtnAttributeClob020	
ExtnAttributeClob021	
ExtnAttributeClob022	
ExtnAttributeClob023	
ExtnAttributeClob024	
ExtnAttributeClob025	
ExtnAttributeNumber001	

Name	Description
ExtnAttributeNumber002	
ExtnAttributeNumber003	
ExtnAttributeNumber004	
ExtnAttributeNumber005	
ExtnAttributeNumber006	
ExtnAttributeNumber007	
ExtnAttributeNumber008	
ExtnAttributeNumber009	
ExtnAttributeNumber010	
ExtnAttributeNumber011	
ExtnAttributeNumber012	
ExtnAttributeNumber013	
ExtnAttributeNumber014	
ExtnAttributeNumber015	
ExtnAttributeNumber016	
ExtnAttributeNumber017	
ExtnAttributeNumber018	
ExtnAttributeNumber019	
ExtnAttributeNumber020	
ExtnAttributeNumber021	
ExtnAttributeNumber022	
ExtnAttributeNumber023	
ExtnAttributeNumber024	
ExtnAttributeNumber025	
ExtnAttributeNumber026	
ExtnAttributeNumber027	
ExtnAttributeNumber028	
ExtnAttributeNumber029	
ExtnAttributeNumber030	
ExtnAttributeNumber031	
ExtnAttributeNumber032	

Name	Description
ExtnAttributeNumber033	
ExtnAttributeNumber034	
ExtnAttributeNumber035	
ExtnAttributeNumber036	
ExtnAttributeNumber037	
ExtnAttributeNumber038	
ExtnAttributeNumber039	
ExtnAttributeNumber040	
ExtnAttributeNumber041	
ExtnAttributeNumber042	
ExtnAttributeNumber043	
ExtnAttributeNumber044	
ExtnAttributeNumber045	
ExtnAttributeNumber046	
ExtnAttributeNumber047	
ExtnAttributeNumber048	
ExtnAttributeNumber049	
ExtnAttributeNumber050	
ExtnAttributeNumber051	
ExtnAttributeNumber052	
ExtnAttributeNumber053	
ExtnAttributeNumber054	
ExtnAttributeNumber055	
ExtnAttributeNumber056	
ExtnAttributeNumber057	
ExtnAttributeNumber058	
ExtnAttributeNumber059	
ExtnAttributeNumber060	
ExtnAttributeNumber061	
ExtnAttributeNumber062	
ExtnAttributeNumber063	

Name	Description
ExtnAttributeNumber064	
ExtnAttributeNumber065	
ExtnAttributeNumber066	
ExtnAttributeNumber067	
ExtnAttributeNumber068	
ExtnAttributeNumber069	
ExtnAttributeNumber070	
ExtnAttributeNumber071	
ExtnAttributeNumber072	
ExtnAttributeNumber073	
ExtnAttributeNumber074	
ExtnAttributeNumber075	
ExtnAttributeNumber076	
ExtnAttributeNumber077	
ExtnAttributeNumber078	
ExtnAttributeNumber079	
ExtnAttributeNumber080	
ExtnAttributeNumber081	
ExtnAttributeNumber082	
ExtnAttributeNumber083	
ExtnAttributeNumber084	
ExtnAttributeNumber085	
ExtnAttributeNumber086	
ExtnAttributeNumber087	
ExtnAttributeNumber088	
ExtnAttributeNumber089	
ExtnAttributeNumber090	
ExtnAttributeNumber091	
ExtnAttributeNumber092	
ExtnAttributeNumber093	
ExtnAttributeNumber094	

Name	Description
ExtnAttributeNumber095	
ExtnAttributeNumber096	
ExtnAttributeNumber097	
ExtnAttributeNumber098	
ExtnAttributeNumber099	
ExtnAttributeNumber100	
ExtnAttributeNumber101	
ExtnAttributeNumber102	
ExtnAttributeNumber103	
ExtnAttributeNumber104	
ExtnAttributeNumber105	
ExtnAttributeNumber106	
ExtnAttributeNumber107	
ExtnAttributeNumber108	
ExtnAttributeNumber109	
ExtnAttributeNumber110	
ExtnAttributeNumber111	
ExtnAttributeNumber112	
ExtnAttributeNumber113	
ExtnAttributeNumber114	
ExtnAttributeNumber115	
ExtnAttributeNumber116	
ExtnAttributeNumber117	
ExtnAttributeNumber118	
ExtnAttributeNumber119	
ExtnAttributeNumber120	
ExtnAttributeNumber121	
ExtnAttributeNumber122	
ExtnAttributeNumber123	
ExtnAttributeNumber124	
ExtnAttributeNumber125	

Name	Description
ExtnAttributeNumber126	
ExtnAttributeNumber127	
ExtnAttributeNumber128	
ExtnAttributeNumber129	
ExtnAttributeNumber130	
ExtnAttributeNumber131	
ExtnAttributeNumber132	
ExtnAttributeNumber133	
ExtnAttributeNumber134	
ExtnAttributeNumber135	
ExtnAttributeNumber136	
ExtnAttributeNumber137	
ExtnAttributeNumber138	
ExtnAttributeNumber139	
ExtnAttributeNumber140	
ExtnAttributeNumber141	
ExtnAttributeNumber142	
ExtnAttributeNumber143	
ExtnAttributeNumber144	
ExtnAttributeNumber145	
ExtnAttributeNumber146	
ExtnAttributeNumber147	
ExtnAttributeNumber148	
ExtnAttributeNumber149	
ExtnAttributeNumber150	
ExtnAttributeNumber151	
ExtnAttributeNumber152	
ExtnAttributeNumber153	
ExtnAttributeNumber154	
ExtnAttributeNumber155	
ExtnAttributeNumber156	

Name	Description
ExtnAttributeNumber157	
ExtnAttributeNumber158	
ExtnAttributeNumber159	
ExtnAttributeNumber160	
ExtnAttributeNumber161	
ExtnAttributeNumber162	
ExtnAttributeNumber163	
ExtnAttributeNumber164	
ExtnAttributeNumber165	
ExtnAttributeNumber166	
ExtnAttributeNumber167	
ExtnAttributeNumber168	
ExtnAttributeNumber169	
ExtnAttributeNumber170	
ExtnAttributeNumber171	
ExtnAttributeNumber172	
ExtnAttributeNumber173	
ExtnAttributeNumber174	
ExtnAttributeNumber175	
ExtnAttributeNumber176	
ExtnAttributeNumber177	
ExtnAttributeNumber178	
ExtnAttributeNumber179	
ExtnAttributeNumber180	
ExtnAttributeNumber181	
ExtnAttributeNumber182	
ExtnAttributeNumber183	
ExtnAttributeNumber184	
ExtnAttributeNumber185	
ExtnAttributeNumber186	
ExtnAttributeNumber187	

Name	Description
ExtnAttributeNumber188	
ExtnAttributeNumber189	
ExtnAttributeNumber190	
ExtnAttributeNumber191	
ExtnAttributeNumber192	
ExtnAttributeNumber193	
ExtnAttributeNumber194	
ExtnAttributeNumber195	
ExtnAttributeNumber196	
ExtnAttributeNumber197	
ExtnAttributeNumber198	
ExtnAttributeNumber199	
ExtnAttributeNumber200	
ExtnAttributeTimestamp001	
ExtnAttributeTimestamp002	
ExtnAttributeTimestamp003	
ExtnAttributeTimestamp004	
ExtnAttributeTimestamp005	
ExtnAttributeTimestamp006	
ExtnAttributeTimestamp007	
ExtnAttributeTimestamp008	
ExtnAttributeTimestamp009	
ExtnAttributeTimestamp010	
ExtnAttributeTimestamp011	
ExtnAttributeTimestamp012	
ExtnAttributeTimestamp013	
ExtnAttributeTimestamp014	
ExtnAttributeTimestamp015	
ExtnAttributeTimestamp016	
ExtnAttributeTimestamp017	
ExtnAttributeTimestamp018	

Name	Description
ExtnAttributeTimestamp019	
ExtnAttributeTimestamp020	
ExtnAttributeTimestamp021	
ExtnAttributeTimestamp022	
ExtnAttributeTimestamp023	
ExtnAttributeTimestamp024	
ExtnAttributeTimestamp025	
ExtnAttributeTimestamp026	
ExtnAttributeTimestamp027	
ExtnAttributeTimestamp028	
ExtnAttributeTimestamp029	
ExtnAttributeTimestamp030	
ExtnAttributeTimestamp031	
ExtnAttributeTimestamp032	
ExtnAttributeTimestamp033	
ExtnAttributeTimestamp034	
ExtnAttributeTimestamp035	
ExtnAttributeTimestamp036	
ExtnAttributeTimestamp037	
ExtnAttributeTimestamp038	
ExtnAttributeTimestamp039	
ExtnAttributeTimestamp040	
ExtnAttributeTimestamp041	
ExtnAttributeTimestamp042	
ExtnAttributeTimestamp043	
ExtnAttributeTimestamp044	
ExtnAttributeTimestamp045	
ExtnAttributeTimestamp046	
ExtnAttributeTimestamp047	
ExtnAttributeTimestamp048	
ExtnAttributeTimestamp049	

Name	Description
ExtnAttributeTimestamp050	
LastUpdateDate	The date and time of last update of the marketing campaign member record.
LastUpdateLogin	The login of the user who last updated the record.
LastUpdatedBy	The user who last updated the marketing campaign member record.
LeadId	The unique identifier of the lead associated with the campaign member.
MemberResponseDate	The date when the response is received for the campaign member.
MemberStatus	The status of the campaign member. A list of accepted values is defined in the lookup type ORA_MKT_CAMPMEMBER_STATUS.
SourceSysCampMemberId	The unique identifier of the campaign member in the source system.
UserLastUpdateDate	The date and time of user last update date of marketing campaign member record. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database such as a different mobile database or the server.

Campaigns

The campaign view object contains information such as campaign type, region code, end date, conversion rate type and so on.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MktBiccExtractAM.CampaignExtractPVO

Primary Keys : CampaignId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Active	Indicates the status of the campaign whether active (y) or not (n).
ActualCost	The actual cost of the campaign.
BudgetedCost	The budgeted cost of the campaign.
CampaignCreatedBy	The replicated user creating the marketing campaign record.
CampaignCreationDate	The replicated date and time of creating the marketing campaign record.
CampaignId	The unique identifier of the marketing campaign. This is a primary key of the marketing campaign view object.

Name	Description
CampaignLastUpdateDate	The date of last updating the marketing campaign record.
CampaignLastUpdatedBy	The replicated user who last updated the marketing campaign record.
CampaignName	The name of the campaign.
CampaignNumber	The public unique identifier of the campaign.
CampaignType	The type of campaign, such as Direct Mail or Referral Program (40 chars). A list of accepted values is defined in the lookup type ORA_MKT_CAMPAIGN_TYPE.
ConvCurrCode	The corporate currency code of the campaign. A list of accepted values is defined in the lookup ZCA_COMMON_CORPORATE_CURRENCY. Review and update the profile option using the Setup and Maintenance work area, Manage Trading Community Common Lookups task.
ConvRateType	The currency conversion rate type associated with the campaign. A list of accepted values is defined in the lookup ZCA_COMMON_RATE_TYPE. Review and update the value for this attribute using the Setup and Maintenance work area, Manage Trading Community Common Lookups task.
CreatedBy	The user who created the campaign.
CreatedByModule	The user creating created the marketing campaign record. List of users is defined in the lookup type ORA_MKT_CAMP_CREATED_BY_MOD.
CreationDate	The date and time when the campaign record was created.
CurrencyCode	The currency code of marketing campaign record.
Description	The description of the campaign.
EndDate	The campaign end date. The responses received after this date are still counted.
ExtnAttributeChar001	A column reserved for custom extension attributes for marketing campaign.
ExtnAttributeChar002	
ExtnAttributeChar003	
ExtnAttributeChar004	
ExtnAttributeChar005	
ExtnAttributeChar006	
ExtnAttributeChar007	
ExtnAttributeChar008	
ExtnAttributeChar009	
ExtnAttributeChar010	
ExtnAttributeChar011	
ExtnAttributeChar012	
ExtnAttributeChar013	
ExtnAttributeChar014	
ExtnAttributeChar015	

Name	Description
ExtnAttributeChar016	
ExtnAttributeChar017	
ExtnAttributeChar018	
ExtnAttributeChar019	
ExtnAttributeChar020	
ExtnAttributeChar021	
ExtnAttributeChar022	
ExtnAttributeChar023	
ExtnAttributeChar024	
ExtnAttributeChar025	
ExtnAttributeChar026	
ExtnAttributeChar027	
ExtnAttributeChar028	
ExtnAttributeChar029	
ExtnAttributeChar030	
ExtnAttributeChar031	
ExtnAttributeChar032	
ExtnAttributeChar033	
ExtnAttributeChar034	
ExtnAttributeChar035	
ExtnAttributeChar036	
ExtnAttributeChar037	
ExtnAttributeChar038	
ExtnAttributeChar039	
ExtnAttributeChar040	
ExtnAttributeChar041	
ExtnAttributeChar042	
ExtnAttributeChar043	
ExtnAttributeChar044	
ExtnAttributeChar045	
ExtnAttributeChar046	

Name	Description
ExtnAttributeChar047	
ExtnAttributeChar048	
ExtnAttributeChar049	
ExtnAttributeChar050	
ExtnAttributeChar051	
ExtnAttributeChar052	
ExtnAttributeChar053	
ExtnAttributeChar054	
ExtnAttributeChar055	
ExtnAttributeChar056	
ExtnAttributeChar057	
ExtnAttributeChar058	
ExtnAttributeChar059	
ExtnAttributeChar060	
ExtnAttributeChar061	
ExtnAttributeChar062	
ExtnAttributeChar063	
ExtnAttributeChar064	
ExtnAttributeChar065	
ExtnAttributeChar066	
ExtnAttributeChar067	
ExtnAttributeChar068	
ExtnAttributeChar069	
ExtnAttributeChar070	
ExtnAttributeChar071	
ExtnAttributeChar072	
ExtnAttributeChar073	
ExtnAttributeChar074	
ExtnAttributeChar075	
ExtnAttributeChar076	
ExtnAttributeChar077	

Name	Description
ExtnAttributeChar078	
ExtnAttributeChar079	
ExtnAttributeChar080	
ExtnAttributeChar081	
ExtnAttributeChar082	
ExtnAttributeChar083	
ExtnAttributeChar084	
ExtnAttributeChar085	
ExtnAttributeChar086	
ExtnAttributeChar087	
ExtnAttributeChar088	
ExtnAttributeChar089	
ExtnAttributeChar090	
ExtnAttributeChar091	
ExtnAttributeChar092	
ExtnAttributeChar093	
ExtnAttributeChar094	
ExtnAttributeChar095	
ExtnAttributeChar096	
ExtnAttributeChar097	
ExtnAttributeChar098	
ExtnAttributeChar099	
ExtnAttributeChar100	
ExtnAttributeChar101	
ExtnAttributeChar102	
ExtnAttributeChar103	
ExtnAttributeChar104	
ExtnAttributeChar105	
ExtnAttributeChar106	
ExtnAttributeChar107	
ExtnAttributeChar108	

Name	Description
ExtnAttributeChar109	
ExtnAttributeChar110	
ExtnAttributeChar111	
ExtnAttributeChar112	
ExtnAttributeChar113	
ExtnAttributeChar114	
ExtnAttributeChar115	
ExtnAttributeChar116	
ExtnAttributeChar117	
ExtnAttributeChar118	
ExtnAttributeChar119	
ExtnAttributeChar120	
ExtnAttributeChar121	
ExtnAttributeChar122	
ExtnAttributeChar123	
ExtnAttributeChar124	
ExtnAttributeChar125	
ExtnAttributeChar126	
ExtnAttributeChar127	
ExtnAttributeChar128	
ExtnAttributeChar129	
ExtnAttributeChar130	
ExtnAttributeChar131	
ExtnAttributeChar132	
ExtnAttributeChar133	
ExtnAttributeChar134	
ExtnAttributeChar135	
ExtnAttributeChar136	
ExtnAttributeChar137	
ExtnAttributeChar138	
ExtnAttributeChar139	

Name	Description
ExtnAttributeChar140	
ExtnAttributeChar141	
ExtnAttributeChar142	
ExtnAttributeChar143	
ExtnAttributeChar144	
ExtnAttributeChar145	
ExtnAttributeChar146	
ExtnAttributeChar147	
ExtnAttributeChar148	
ExtnAttributeChar149	
ExtnAttributeChar150	
ExtnAttributeChar151	
ExtnAttributeChar152	
ExtnAttributeChar153	
ExtnAttributeChar154	
ExtnAttributeChar155	
ExtnAttributeChar156	
ExtnAttributeChar157	
ExtnAttributeChar158	
ExtnAttributeChar159	
ExtnAttributeChar160	
ExtnAttributeChar161	
ExtnAttributeChar162	
ExtnAttributeChar163	
ExtnAttributeChar164	
ExtnAttributeChar165	
ExtnAttributeChar166	
ExtnAttributeChar167	
ExtnAttributeChar168	
ExtnAttributeChar169	
ExtnAttributeChar170	

Name	Description
ExtnAttributeChar171	
ExtnAttributeChar172	
ExtnAttributeChar173	
ExtnAttributeChar174	
ExtnAttributeChar175	
ExtnAttributeChar176	
ExtnAttributeChar177	
ExtnAttributeChar178	
ExtnAttributeChar179	
ExtnAttributeChar180	
ExtnAttributeChar181	
ExtnAttributeChar182	
ExtnAttributeChar183	
ExtnAttributeChar184	
ExtnAttributeChar185	
ExtnAttributeChar186	
ExtnAttributeChar187	
ExtnAttributeChar188	
ExtnAttributeChar189	
ExtnAttributeChar190	
ExtnAttributeChar191	
ExtnAttributeChar192	
ExtnAttributeChar193	
ExtnAttributeChar194	
ExtnAttributeChar195	
ExtnAttributeChar196	
ExtnAttributeChar197	
ExtnAttributeChar198	
ExtnAttributeChar199	
ExtnAttributeChar200	
ExtnAttributeChar201	

Name	Description
ExtnAttributeChar202	
ExtnAttributeChar203	
ExtnAttributeChar204	
ExtnAttributeChar205	
ExtnAttributeChar206	
ExtnAttributeChar207	
ExtnAttributeChar208	
ExtnAttributeChar209	
ExtnAttributeChar210	
ExtnAttributeChar211	
ExtnAttributeChar212	
ExtnAttributeChar213	
ExtnAttributeChar214	
ExtnAttributeChar215	
ExtnAttributeChar216	
ExtnAttributeChar217	
ExtnAttributeChar218	
ExtnAttributeChar219	
ExtnAttributeChar220	
ExtnAttributeChar221	
ExtnAttributeChar222	
ExtnAttributeChar223	
ExtnAttributeChar224	
ExtnAttributeChar225	
ExtnAttributeChar226	
ExtnAttributeChar227	
ExtnAttributeChar228	
ExtnAttributeChar229	
ExtnAttributeChar230	
ExtnAttributeChar231	
ExtnAttributeChar232	

Name	Description
ExtnAttributeChar233	
ExtnAttributeChar234	
ExtnAttributeChar235	
ExtnAttributeChar236	
ExtnAttributeChar237	
ExtnAttributeChar238	
ExtnAttributeChar239	
ExtnAttributeChar240	
ExtnAttributeChar241	
ExtnAttributeChar242	
ExtnAttributeChar243	
ExtnAttributeChar244	
ExtnAttributeChar245	
ExtnAttributeChar246	
ExtnAttributeChar247	
ExtnAttributeChar248	
ExtnAttributeChar249	
ExtnAttributeChar250	
ExtnAttributeChar251	
ExtnAttributeChar252	
ExtnAttributeChar253	
ExtnAttributeChar254	
ExtnAttributeChar255	
ExtnAttributeChar256	
ExtnAttributeChar257	
ExtnAttributeChar258	
ExtnAttributeChar259	
ExtnAttributeChar260	
ExtnAttributeChar261	
ExtnAttributeChar262	
ExtnAttributeChar263	

Name	Description
ExtnAttributeChar264	
ExtnAttributeChar265	
ExtnAttributeChar266	
ExtnAttributeChar267	
ExtnAttributeChar268	
ExtnAttributeChar269	
ExtnAttributeChar270	
ExtnAttributeChar271	
ExtnAttributeChar272	
ExtnAttributeChar273	
ExtnAttributeChar274	
ExtnAttributeChar275	
ExtnAttributeChar276	
ExtnAttributeChar277	
ExtnAttributeChar278	
ExtnAttributeChar279	
ExtnAttributeChar280	
ExtnAttributeChar281	
ExtnAttributeChar282	
ExtnAttributeChar283	
ExtnAttributeChar284	
ExtnAttributeChar285	
ExtnAttributeChar286	
ExtnAttributeChar287	
ExtnAttributeChar288	
ExtnAttributeChar289	
ExtnAttributeChar290	
ExtnAttributeChar291	
ExtnAttributeChar292	
ExtnAttributeChar293	
ExtnAttributeChar294	

Name	Description
ExtnAttributeChar295	
ExtnAttributeChar296	
ExtnAttributeChar297	
ExtnAttributeChar298	
ExtnAttributeChar299	
ExtnAttributeChar300	
ExtnAttributeChar301	
ExtnAttributeChar302	
ExtnAttributeChar303	
ExtnAttributeChar304	
ExtnAttributeChar305	
ExtnAttributeChar306	
ExtnAttributeChar307	
ExtnAttributeChar308	
ExtnAttributeChar309	
ExtnAttributeChar310	
ExtnAttributeChar311	
ExtnAttributeChar312	
ExtnAttributeChar313	
ExtnAttributeChar314	
ExtnAttributeChar315	
ExtnAttributeChar316	
ExtnAttributeChar317	
ExtnAttributeChar318	
ExtnAttributeChar319	
ExtnAttributeChar320	
ExtnAttributeChar321	
ExtnAttributeChar322	
ExtnAttributeChar323	
ExtnAttributeChar324	
ExtnAttributeChar325	

Name	Description
ExtnAttributeChar326	
ExtnAttributeChar327	
ExtnAttributeChar328	
ExtnAttributeChar329	
ExtnAttributeChar330	
ExtnAttributeChar331	
ExtnAttributeChar332	
ExtnAttributeChar333	
ExtnAttributeChar334	
ExtnAttributeChar335	
ExtnAttributeChar336	
ExtnAttributeChar337	
ExtnAttributeChar338	
ExtnAttributeChar339	
ExtnAttributeChar340	
ExtnAttributeChar341	
ExtnAttributeChar342	
ExtnAttributeChar343	
ExtnAttributeChar344	
ExtnAttributeChar345	
ExtnAttributeChar346	
ExtnAttributeChar347	
ExtnAttributeChar348	
ExtnAttributeChar349	
ExtnAttributeChar350	
ExtnAttributeClob001	
ExtnAttributeClob002	
ExtnAttributeClob003	
ExtnAttributeClob004	
ExtnAttributeClob005	
ExtnAttributeClob006	

Name	Description
ExtnAttributeClob007	
ExtnAttributeClob008	
ExtnAttributeClob009	
ExtnAttributeClob010	
ExtnAttributeClob011	
ExtnAttributeClob012	
ExtnAttributeClob013	
ExtnAttributeClob014	
ExtnAttributeClob015	
ExtnAttributeClob016	
ExtnAttributeClob017	
ExtnAttributeClob018	
ExtnAttributeClob019	
ExtnAttributeClob020	
ExtnAttributeClob021	
ExtnAttributeClob022	
ExtnAttributeClob023	
ExtnAttributeClob024	
ExtnAttributeClob025	
ExtnAttributeNumber001	
ExtnAttributeNumber002	
ExtnAttributeNumber003	
ExtnAttributeNumber004	
ExtnAttributeNumber005	
ExtnAttributeNumber006	
ExtnAttributeNumber007	
ExtnAttributeNumber008	
ExtnAttributeNumber009	
ExtnAttributeNumber010	
ExtnAttributeNumber011	
ExtnAttributeNumber012	

Name	Description
ExtnAttributeNumber013	
ExtnAttributeNumber014	
ExtnAttributeNumber015	
ExtnAttributeNumber016	
ExtnAttributeNumber017	
ExtnAttributeNumber018	
ExtnAttributeNumber019	
ExtnAttributeNumber020	
ExtnAttributeNumber021	
ExtnAttributeNumber022	
ExtnAttributeNumber023	
ExtnAttributeNumber024	
ExtnAttributeNumber025	
ExtnAttributeNumber026	
ExtnAttributeNumber027	
ExtnAttributeNumber028	
ExtnAttributeNumber029	
ExtnAttributeNumber030	
ExtnAttributeNumber031	
ExtnAttributeNumber032	
ExtnAttributeNumber033	
ExtnAttributeNumber034	
ExtnAttributeNumber035	
ExtnAttributeNumber036	
ExtnAttributeNumber037	
ExtnAttributeNumber038	
ExtnAttributeNumber039	
ExtnAttributeNumber040	
ExtnAttributeNumber041	
ExtnAttributeNumber042	
ExtnAttributeNumber043	

Name	Description
ExtnAttributeNumber044	
ExtnAttributeNumber045	
ExtnAttributeNumber046	
ExtnAttributeNumber047	
ExtnAttributeNumber048	
ExtnAttributeNumber049	
ExtnAttributeNumber050	
ExtnAttributeNumber051	
ExtnAttributeNumber052	
ExtnAttributeNumber053	
ExtnAttributeNumber054	
ExtnAttributeNumber055	
ExtnAttributeNumber056	
ExtnAttributeNumber057	
ExtnAttributeNumber058	
ExtnAttributeNumber059	
ExtnAttributeNumber060	
ExtnAttributeNumber061	
ExtnAttributeNumber062	
ExtnAttributeNumber063	
ExtnAttributeNumber064	
ExtnAttributeNumber065	
ExtnAttributeNumber066	
ExtnAttributeNumber067	
ExtnAttributeNumber068	
ExtnAttributeNumber069	
ExtnAttributeNumber070	
ExtnAttributeNumber071	
ExtnAttributeNumber072	
ExtnAttributeNumber073	
ExtnAttributeNumber074	

Name	Description
ExtnAttributeNumber075	
ExtnAttributeNumber076	
ExtnAttributeNumber077	
ExtnAttributeNumber078	
ExtnAttributeNumber079	
ExtnAttributeNumber080	
ExtnAttributeNumber081	
ExtnAttributeNumber082	
ExtnAttributeNumber083	
ExtnAttributeNumber084	
ExtnAttributeNumber085	
ExtnAttributeNumber086	
ExtnAttributeNumber087	
ExtnAttributeNumber088	
ExtnAttributeNumber089	
ExtnAttributeNumber090	
ExtnAttributeNumber091	
ExtnAttributeNumber092	
ExtnAttributeNumber093	
ExtnAttributeNumber094	
ExtnAttributeNumber095	
ExtnAttributeNumber096	
ExtnAttributeNumber097	
ExtnAttributeNumber098	
ExtnAttributeNumber099	
ExtnAttributeNumber100	
ExtnAttributeNumber101	
ExtnAttributeNumber102	
ExtnAttributeNumber103	
ExtnAttributeNumber104	
ExtnAttributeNumber105	

Name	Description
ExtnAttributeNumber106	
ExtnAttributeNumber107	
ExtnAttributeNumber108	
ExtnAttributeNumber109	
ExtnAttributeNumber110	
ExtnAttributeNumber111	
ExtnAttributeNumber112	
ExtnAttributeNumber113	
ExtnAttributeNumber114	
ExtnAttributeNumber115	
ExtnAttributeNumber116	
ExtnAttributeNumber117	
ExtnAttributeNumber118	
ExtnAttributeNumber119	
ExtnAttributeNumber120	
ExtnAttributeNumber121	
ExtnAttributeNumber122	
ExtnAttributeNumber123	
ExtnAttributeNumber124	
ExtnAttributeNumber125	
ExtnAttributeNumber126	
ExtnAttributeNumber127	
ExtnAttributeNumber128	
ExtnAttributeNumber129	
ExtnAttributeNumber130	
ExtnAttributeNumber131	
ExtnAttributeNumber132	
ExtnAttributeNumber133	
ExtnAttributeNumber134	
ExtnAttributeNumber135	
ExtnAttributeNumber136	

Name	Description
ExtnAttributeNumber137	
ExtnAttributeNumber138	
ExtnAttributeNumber139	
ExtnAttributeNumber140	
ExtnAttributeNumber141	
ExtnAttributeNumber142	
ExtnAttributeNumber143	
ExtnAttributeNumber144	
ExtnAttributeNumber145	
ExtnAttributeNumber146	
ExtnAttributeNumber147	
ExtnAttributeNumber148	
ExtnAttributeNumber149	
ExtnAttributeNumber150	
ExtnAttributeNumber151	
ExtnAttributeNumber152	
ExtnAttributeNumber153	
ExtnAttributeNumber154	
ExtnAttributeNumber155	
ExtnAttributeNumber156	
ExtnAttributeNumber157	
ExtnAttributeNumber158	
ExtnAttributeNumber159	
ExtnAttributeNumber160	
ExtnAttributeNumber161	
ExtnAttributeNumber162	
ExtnAttributeNumber163	
ExtnAttributeNumber164	
ExtnAttributeNumber165	
ExtnAttributeNumber166	
ExtnAttributeNumber167	

Name	Description
ExtnAttributeNumber168	
ExtnAttributeNumber169	
ExtnAttributeNumber170	
ExtnAttributeNumber171	
ExtnAttributeNumber172	
ExtnAttributeNumber173	
ExtnAttributeNumber174	
ExtnAttributeNumber175	
ExtnAttributeNumber176	
ExtnAttributeNumber177	
ExtnAttributeNumber178	
ExtnAttributeNumber179	
ExtnAttributeNumber180	
ExtnAttributeNumber181	
ExtnAttributeNumber182	
ExtnAttributeNumber183	
ExtnAttributeNumber184	
ExtnAttributeNumber185	
ExtnAttributeNumber186	
ExtnAttributeNumber187	
ExtnAttributeNumber188	
ExtnAttributeNumber189	
ExtnAttributeNumber190	
ExtnAttributeNumber191	
ExtnAttributeNumber192	
ExtnAttributeNumber193	
ExtnAttributeNumber194	
ExtnAttributeNumber195	
ExtnAttributeNumber196	
ExtnAttributeNumber197	
ExtnAttributeNumber198	

Name	Description
ExtnAttributeNumber199	
ExtnAttributeNumber200	
ExtnAttributeTimestamp001	
ExtnAttributeTimestamp002	
ExtnAttributeTimestamp003	
ExtnAttributeTimestamp004	
ExtnAttributeTimestamp005	
ExtnAttributeTimestamp006	
ExtnAttributeTimestamp007	
ExtnAttributeTimestamp008	
ExtnAttributeTimestamp009	
ExtnAttributeTimestamp010	
ExtnAttributeTimestamp011	
ExtnAttributeTimestamp012	
ExtnAttributeTimestamp013	
ExtnAttributeTimestamp014	
ExtnAttributeTimestamp015	
ExtnAttributeTimestamp016	
ExtnAttributeTimestamp017	
ExtnAttributeTimestamp018	
ExtnAttributeTimestamp019	
ExtnAttributeTimestamp020	
ExtnAttributeTimestamp021	
ExtnAttributeTimestamp022	
ExtnAttributeTimestamp023	
ExtnAttributeTimestamp024	
ExtnAttributeTimestamp025	
ExtnAttributeTimestamp026	
ExtnAttributeTimestamp027	
ExtnAttributeTimestamp028	
ExtnAttributeTimestamp029	

Name	Description
ExtnAttributeTimestamp030	
ExtnAttributeTimestamp031	
ExtnAttributeTimestamp032	
ExtnAttributeTimestamp033	
ExtnAttributeTimestamp034	
ExtnAttributeTimestamp035	
ExtnAttributeTimestamp036	
ExtnAttributeTimestamp037	
ExtnAttributeTimestamp038	
ExtnAttributeTimestamp039	
ExtnAttributeTimestamp040	
ExtnAttributeTimestamp041	
ExtnAttributeTimestamp042	
ExtnAttributeTimestamp043	
ExtnAttributeTimestamp044	
ExtnAttributeTimestamp045	
ExtnAttributeTimestamp046	
ExtnAttributeTimestamp047	
ExtnAttributeTimestamp048	
ExtnAttributeTimestamp049	
ExtnAttributeTimestamp050	
LastUpdateDate	The date and time when the campaign record was last updated.
LastUpdateLogin	The session login associated to the user who last updated the marketing campaign record.
LastUpdatedBy	The user who last updated the marketing campaign record.
OwnerId	The resource who owns the campaign record.
ParentCampaignId	The unique identifier of the parent campaign.
ProductDesc	The product name on the campaign.
RegionCode	The region code associated with the campaign.
SourceSysCampaignId	The unique identifier of the source system associated with the campaign.
StartDate	The campaign start date.

Name	Description
Status	The status of the Campaign. A list of accepted values is defined in the lookup type ORA_MKT_CAMPAIGN_STATUS.
UserLastUpdateDate	The date and time of user last update date of marketing campaign record. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database (i.e. a different mobile database or the server).

Opportunity Campaigns

The opportunity campaign view object contains information about opportunity such as opportunity, revenue percentage, campaign and so on.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MktBiccExtractAM.OpportunityCampaignExtractPVO

Primary Keys : OptyCampaignId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CampaignId	The unique identifier of the campaign in the Opportunity Campaign. This is a foreign key of the campaigns view object.
CreatedBy	The user who created the opportunity campaign record.
CreationDate	The date and time when the opportunity campaign record was created.
LastUpdateDate	The date and time when the opportunity campaign record was last updated.
LastUpdateLogin	The session login associated to the user who last updated the opportunity campaign record.
LastUpdatedBy	The user who last updated the opportunity campaign record.
OptyCampaignId	The unique identifier of the opportunity campaign . This is a primary key of the Opportunity Campaign view object.
OptyId	The unique identifier of the opportunity in the Opportunity Campaign. This is a foreign key of the opportunity view object.
RevenuePercentage	The percentage value of the opportunity's revenue shared by one or more campaigns.
UserLastUpdateDate	The date and time of user last update date of opportunity campaign record. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database such as a different mobile database or the server.

7 Opportunity Management

Opportunities

The opportunities view object stores details about the opportunity such as customer, sales method and sales stage. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MooBiccExtractAM.OpportunityExtractPVO

Primary Keys : OptyId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AssetId	The unique identifier of the asset associated with the opportunities.
AssignmentImpactedDate	This attribute is used for incremental territory based assignment.
BatchTag	This attribute is used to tag opportunities for inclusion in a batch job, such as the batch assignment of opportunities.
BdgtAmt	The amount budgeted for this opportunity.
BdgtAmtCurcyCd	The currency code for the budgeted amount.
BdgtAvailableDt	The date when the budget will be available.
BdgtedFlg	Indicates if the opportunity target has been budgeted for procuring the solution proposed by this opportunity. A list of accepted values is defined in the lookup type YES_NO.
BuOrgId	The unique identifier of the business unit to which this opportunity belongs.
ChampionFlag	Indicates if the opportunity has an internal sponsor. If the value is true, then the opportunity has an internal sponsor. The default value is False.
ChannelTypeCd	The sales channel from which the opportunity originates. A list of accepted values is defined in the lookup type SALES_CHANNEL_TYPE.
Comments	The user-provided comments for the opportunity.
CorpCurrencyCode	The transaction currency for extensibility.
CreatedBy	The user who created the opportunity row.
CreationDate	The date and time when the opportunity row was created.

Name	Description
CurcyConvRateType	The currency conversion rate type for extensibility.
CurrStgId	The identifier of the current stage for the opportunities. This is a foreign key of the Sales Stage view object.
CurrencyCode	The currency code for extensibility. A list of accepted values is defined in the lookup ZCA_COMMON_CORPORATE_CURRENCY.
CustAccountId	The identifier of the customer account for the opportunities. This is a foreign key of the Customer Account view object.
CustPartyId	The identifier of the customer party for the opportunities. This is a foreign key of the Parties view object.
CustPartyType	The party type of the associated account. A list of accepted values is defined in the lookup type ZCA_RECORD_TYPE.
DealHorizonCode	The code indicating the estimated time, in days, required to close the deal. A list of valid values is defined in the lookup MOO_SETID_DEAL_HORIZON.
DealHorizonCodeSetId	The SetId of the deal horizon code for this opportunity.
DecisionLvlCode	The code indicating the job level of the person who takes the final decision for the opportunity. A list of valid values is defined in the lookup MOO_SETID_DECISION_LEVEL.
DecisionLvlCodeSetId	The SetId of the decision level code for this opportunity.
DescText	The description of the opportunity including the sales objective. The sales representative provides the description.
EffectiveDate	The date when the opportunity is expected to close.
ExtnAttributeChar001	A column reserved for custom extension attributes of type string for the opportunity.
ExtnAttributeChar002	
ExtnAttributeChar003	
ExtnAttributeChar004	
ExtnAttributeChar005	
ExtnAttributeChar006	
ExtnAttributeChar007	
ExtnAttributeChar008	
ExtnAttributeChar009	
ExtnAttributeChar010	
ExtnAttributeChar011	
ExtnAttributeChar012	
ExtnAttributeChar013	
ExtnAttributeChar014	
ExtnAttributeChar015	

Name	Description
ExtnAttributeChar016	
ExtnAttributeChar017	
ExtnAttributeChar018	
ExtnAttributeChar019	
ExtnAttributeChar020	
ExtnAttributeChar021	
ExtnAttributeChar022	
ExtnAttributeChar023	
ExtnAttributeChar024	
ExtnAttributeChar025	
ExtnAttributeChar026	
ExtnAttributeChar027	
ExtnAttributeChar028	
ExtnAttributeChar029	
ExtnAttributeChar030	
ExtnAttributeChar031	
ExtnAttributeChar032	
ExtnAttributeChar033	
ExtnAttributeChar034	
ExtnAttributeChar035	
ExtnAttributeChar036	
ExtnAttributeChar037	
ExtnAttributeChar038	
ExtnAttributeChar039	
ExtnAttributeChar040	
ExtnAttributeChar041	
ExtnAttributeChar042	
ExtnAttributeChar043	
ExtnAttributeChar044	
ExtnAttributeChar045	
ExtnAttributeChar046	

Name	Description
ExtnAttributeChar047	
ExtnAttributeChar048	
ExtnAttributeChar049	
ExtnAttributeChar050	
ExtnAttributeChar051	
ExtnAttributeChar052	
ExtnAttributeChar053	
ExtnAttributeChar054	
ExtnAttributeChar055	
ExtnAttributeChar056	
ExtnAttributeChar057	
ExtnAttributeChar058	
ExtnAttributeChar059	
ExtnAttributeChar060	
ExtnAttributeChar061	
ExtnAttributeChar062	
ExtnAttributeChar063	
ExtnAttributeChar064	
ExtnAttributeChar065	
ExtnAttributeChar066	
ExtnAttributeChar067	
ExtnAttributeChar068	
ExtnAttributeChar069	
ExtnAttributeChar070	
ExtnAttributeChar071	
ExtnAttributeChar072	
ExtnAttributeChar073	
ExtnAttributeChar074	
ExtnAttributeChar075	
ExtnAttributeChar076	
ExtnAttributeChar077	

Name	Description
ExtnAttributeChar078	
ExtnAttributeChar079	
ExtnAttributeChar080	
ExtnAttributeChar081	
ExtnAttributeChar082	
ExtnAttributeChar083	
ExtnAttributeChar084	
ExtnAttributeChar085	
ExtnAttributeChar086	
ExtnAttributeChar087	
ExtnAttributeChar088	
ExtnAttributeChar089	
ExtnAttributeChar090	
ExtnAttributeChar091	
ExtnAttributeChar092	
ExtnAttributeChar093	
ExtnAttributeChar094	
ExtnAttributeChar095	
ExtnAttributeChar096	
ExtnAttributeChar097	
ExtnAttributeChar098	
ExtnAttributeChar099	
ExtnAttributeChar100	
ExtnAttributeChar101	
ExtnAttributeChar102	
ExtnAttributeChar103	
ExtnAttributeChar104	
ExtnAttributeChar105	
ExtnAttributeChar106	
ExtnAttributeChar107	
ExtnAttributeChar108	

Name	Description
ExtnAttributeChar109	
ExtnAttributeChar110	
ExtnAttributeChar111	
ExtnAttributeChar112	
ExtnAttributeChar113	
ExtnAttributeChar114	
ExtnAttributeChar115	
ExtnAttributeChar116	
ExtnAttributeChar117	
ExtnAttributeChar118	
ExtnAttributeChar119	
ExtnAttributeChar120	
ExtnAttributeChar121	
ExtnAttributeChar122	
ExtnAttributeChar123	
ExtnAttributeChar124	
ExtnAttributeChar125	
ExtnAttributeChar126	
ExtnAttributeChar127	
ExtnAttributeChar128	
ExtnAttributeChar129	
ExtnAttributeChar130	
ExtnAttributeChar131	
ExtnAttributeChar132	
ExtnAttributeChar133	
ExtnAttributeChar134	
ExtnAttributeChar135	
ExtnAttributeChar136	
ExtnAttributeChar137	
ExtnAttributeChar138	
ExtnAttributeChar139	

Name	Description
ExtnAttributeChar140	
ExtnAttributeChar141	
ExtnAttributeChar142	
ExtnAttributeChar143	
ExtnAttributeChar144	
ExtnAttributeChar145	
ExtnAttributeChar146	
ExtnAttributeChar147	
ExtnAttributeChar148	
ExtnAttributeChar149	
ExtnAttributeChar150	
ExtnAttributeChar151	
ExtnAttributeChar152	
ExtnAttributeChar153	
ExtnAttributeChar154	
ExtnAttributeChar155	
ExtnAttributeChar156	
ExtnAttributeChar157	
ExtnAttributeChar158	
ExtnAttributeChar159	
ExtnAttributeChar160	
ExtnAttributeChar161	
ExtnAttributeChar162	
ExtnAttributeChar163	
ExtnAttributeChar164	
ExtnAttributeChar165	
ExtnAttributeChar166	
ExtnAttributeChar167	
ExtnAttributeChar168	
ExtnAttributeChar169	
ExtnAttributeChar170	

Name	Description
ExtnAttributeChar171	
ExtnAttributeChar172	
ExtnAttributeChar173	
ExtnAttributeChar174	
ExtnAttributeChar175	
ExtnAttributeChar176	
ExtnAttributeChar177	
ExtnAttributeChar178	
ExtnAttributeChar179	
ExtnAttributeChar180	
ExtnAttributeChar181	
ExtnAttributeChar182	
ExtnAttributeChar183	
ExtnAttributeChar184	
ExtnAttributeChar185	
ExtnAttributeChar186	
ExtnAttributeChar187	
ExtnAttributeChar188	
ExtnAttributeChar189	
ExtnAttributeChar190	
ExtnAttributeChar191	
ExtnAttributeChar192	
ExtnAttributeChar193	
ExtnAttributeChar194	
ExtnAttributeChar195	
ExtnAttributeChar196	
ExtnAttributeChar197	
ExtnAttributeChar198	
ExtnAttributeChar199	
ExtnAttributeChar200	
ExtnAttributeChar201	

Name	Description
ExtnAttributeChar202	
ExtnAttributeChar203	
ExtnAttributeChar204	
ExtnAttributeChar205	
ExtnAttributeChar206	
ExtnAttributeChar207	
ExtnAttributeChar208	
ExtnAttributeChar209	
ExtnAttributeChar210	
ExtnAttributeChar211	
ExtnAttributeChar212	
ExtnAttributeChar213	
ExtnAttributeChar214	
ExtnAttributeChar215	
ExtnAttributeChar216	
ExtnAttributeChar217	
ExtnAttributeChar218	
ExtnAttributeChar219	
ExtnAttributeChar220	
ExtnAttributeChar221	
ExtnAttributeChar222	
ExtnAttributeChar223	
ExtnAttributeChar224	
ExtnAttributeChar225	
ExtnAttributeChar226	
ExtnAttributeChar227	
ExtnAttributeChar228	
ExtnAttributeChar229	
ExtnAttributeChar230	
ExtnAttributeChar231	
ExtnAttributeChar232	

Name	Description
ExtnAttributeChar233	
ExtnAttributeChar234	
ExtnAttributeChar235	
ExtnAttributeChar236	
ExtnAttributeChar237	
ExtnAttributeChar238	
ExtnAttributeChar239	
ExtnAttributeChar240	
ExtnAttributeChar241	
ExtnAttributeChar242	
ExtnAttributeChar243	
ExtnAttributeChar244	
ExtnAttributeChar245	
ExtnAttributeChar246	
ExtnAttributeChar247	
ExtnAttributeChar248	
ExtnAttributeChar249	
ExtnAttributeChar250	
ExtnAttributeChar251	
ExtnAttributeChar252	
ExtnAttributeChar253	
ExtnAttributeChar254	
ExtnAttributeChar255	
ExtnAttributeChar256	
ExtnAttributeChar257	
ExtnAttributeChar258	
ExtnAttributeChar259	
ExtnAttributeChar260	
ExtnAttributeChar261	
ExtnAttributeChar262	
ExtnAttributeChar263	

Name	Description
ExtnAttributeChar264	
ExtnAttributeChar265	
ExtnAttributeChar266	
ExtnAttributeChar267	
ExtnAttributeChar268	
ExtnAttributeChar269	
ExtnAttributeChar270	
ExtnAttributeChar271	
ExtnAttributeChar272	
ExtnAttributeChar273	
ExtnAttributeChar274	
ExtnAttributeChar275	
ExtnAttributeChar276	
ExtnAttributeChar277	
ExtnAttributeChar278	
ExtnAttributeChar279	
ExtnAttributeChar280	
ExtnAttributeChar281	
ExtnAttributeChar282	
ExtnAttributeChar283	
ExtnAttributeChar284	
ExtnAttributeChar285	
ExtnAttributeChar286	
ExtnAttributeChar287	
ExtnAttributeChar288	
ExtnAttributeChar289	
ExtnAttributeChar290	
ExtnAttributeChar291	
ExtnAttributeChar292	
ExtnAttributeChar293	
ExtnAttributeChar294	

Name	Description
ExtnAttributeChar295	
ExtnAttributeChar296	
ExtnAttributeChar297	
ExtnAttributeChar298	
ExtnAttributeChar299	
ExtnAttributeChar300	
ExtnAttributeChar301	
ExtnAttributeChar302	
ExtnAttributeChar303	
ExtnAttributeChar304	
ExtnAttributeChar305	
ExtnAttributeChar306	
ExtnAttributeChar307	
ExtnAttributeChar308	
ExtnAttributeChar309	
ExtnAttributeChar310	
ExtnAttributeChar311	
ExtnAttributeChar312	
ExtnAttributeChar313	
ExtnAttributeChar314	
ExtnAttributeChar315	
ExtnAttributeChar316	
ExtnAttributeChar317	
ExtnAttributeChar318	
ExtnAttributeChar319	
ExtnAttributeChar320	
ExtnAttributeChar321	
ExtnAttributeChar322	
ExtnAttributeChar323	
ExtnAttributeChar324	
ExtnAttributeChar325	

Name	Description
ExtnAttributeChar326	
ExtnAttributeChar327	
ExtnAttributeChar328	
ExtnAttributeChar329	
ExtnAttributeChar330	
ExtnAttributeChar331	
ExtnAttributeChar332	
ExtnAttributeChar333	
ExtnAttributeChar334	
ExtnAttributeChar335	
ExtnAttributeChar336	
ExtnAttributeChar337	
ExtnAttributeChar338	
ExtnAttributeChar339	
ExtnAttributeChar340	
ExtnAttributeChar341	
ExtnAttributeChar342	
ExtnAttributeChar343	
ExtnAttributeChar344	
ExtnAttributeChar345	
ExtnAttributeChar346	
ExtnAttributeChar347	
ExtnAttributeChar348	
ExtnAttributeChar349	
ExtnAttributeChar350	
ExtnAttributeClob001	A column reserved for custom extension attributes of type CLOB for the opportunity.
ExtnAttributeClob002	
ExtnAttributeClob003	
ExtnAttributeClob004	
ExtnAttributeClob005	
ExtnAttributeClob006	

Name	Description
ExtnAttributeClob007	
ExtnAttributeClob008	
ExtnAttributeClob009	
ExtnAttributeClob010	
ExtnAttributeClob011	
ExtnAttributeClob012	
ExtnAttributeClob013	
ExtnAttributeClob014	
ExtnAttributeClob015	
ExtnAttributeClob016	
ExtnAttributeClob017	
ExtnAttributeClob018	
ExtnAttributeClob019	
ExtnAttributeClob020	
ExtnAttributeClob021	
ExtnAttributeClob022	
ExtnAttributeClob023	
ExtnAttributeClob024	
ExtnAttributeClob025	
ExtnAttributeNumber001	A column reserved for custom extension attributes of type number for the opportunity.
ExtnAttributeNumber002	
ExtnAttributeNumber003	
ExtnAttributeNumber004	
ExtnAttributeNumber005	
ExtnAttributeNumber006	
ExtnAttributeNumber007	
ExtnAttributeNumber008	
ExtnAttributeNumber009	
ExtnAttributeNumber010	
ExtnAttributeNumber011	
ExtnAttributeNumber012	

Name	Description
ExtnAttributeNumber013	
ExtnAttributeNumber014	
ExtnAttributeNumber015	
ExtnAttributeNumber016	
ExtnAttributeNumber017	
ExtnAttributeNumber018	
ExtnAttributeNumber019	
ExtnAttributeNumber020	
ExtnAttributeNumber021	
ExtnAttributeNumber022	
ExtnAttributeNumber023	
ExtnAttributeNumber024	
ExtnAttributeNumber025	
ExtnAttributeNumber026	
ExtnAttributeNumber027	
ExtnAttributeNumber028	
ExtnAttributeNumber029	
ExtnAttributeNumber030	
ExtnAttributeNumber031	
ExtnAttributeNumber032	
ExtnAttributeNumber033	
ExtnAttributeNumber034	
ExtnAttributeNumber035	
ExtnAttributeNumber036	
ExtnAttributeNumber037	
ExtnAttributeNumber038	
ExtnAttributeNumber039	
ExtnAttributeNumber040	
ExtnAttributeNumber041	
ExtnAttributeNumber042	
ExtnAttributeNumber043	

Name	Description
ExtnAttributeNumber044	
ExtnAttributeNumber045	
ExtnAttributeNumber046	
ExtnAttributeNumber047	
ExtnAttributeNumber048	
ExtnAttributeNumber049	
ExtnAttributeNumber050	
ExtnAttributeNumber051	
ExtnAttributeNumber052	
ExtnAttributeNumber053	
ExtnAttributeNumber054	
ExtnAttributeNumber055	
ExtnAttributeNumber056	
ExtnAttributeNumber057	
ExtnAttributeNumber058	
ExtnAttributeNumber059	
ExtnAttributeNumber060	
ExtnAttributeNumber061	
ExtnAttributeNumber062	
ExtnAttributeNumber063	
ExtnAttributeNumber064	
ExtnAttributeNumber065	
ExtnAttributeNumber066	
ExtnAttributeNumber067	
ExtnAttributeNumber068	
ExtnAttributeNumber069	
ExtnAttributeNumber070	
ExtnAttributeNumber071	
ExtnAttributeNumber072	
ExtnAttributeNumber073	
ExtnAttributeNumber074	

Name	Description
ExtnAttributeNumber075	
ExtnAttributeNumber076	
ExtnAttributeNumber077	
ExtnAttributeNumber078	
ExtnAttributeNumber079	
ExtnAttributeNumber080	
ExtnAttributeNumber081	
ExtnAttributeNumber082	
ExtnAttributeNumber083	
ExtnAttributeNumber084	
ExtnAttributeNumber085	
ExtnAttributeNumber086	
ExtnAttributeNumber087	
ExtnAttributeNumber088	
ExtnAttributeNumber089	
ExtnAttributeNumber090	
ExtnAttributeNumber091	
ExtnAttributeNumber092	
ExtnAttributeNumber093	
ExtnAttributeNumber094	
ExtnAttributeNumber095	
ExtnAttributeNumber096	
ExtnAttributeNumber097	
ExtnAttributeNumber098	
ExtnAttributeNumber099	
ExtnAttributeNumber100	
ExtnAttributeNumber101	
ExtnAttributeNumber102	
ExtnAttributeNumber103	
ExtnAttributeNumber104	
ExtnAttributeNumber105	

Name	Description
ExtnAttributeNumber106	
ExtnAttributeNumber107	
ExtnAttributeNumber108	
ExtnAttributeNumber109	
ExtnAttributeNumber110	
ExtnAttributeNumber111	
ExtnAttributeNumber112	
ExtnAttributeNumber113	
ExtnAttributeNumber114	
ExtnAttributeNumber115	
ExtnAttributeNumber116	
ExtnAttributeNumber117	
ExtnAttributeNumber118	
ExtnAttributeNumber119	
ExtnAttributeNumber120	
ExtnAttributeNumber121	
ExtnAttributeNumber122	
ExtnAttributeNumber123	
ExtnAttributeNumber124	
ExtnAttributeNumber125	
ExtnAttributeNumber126	
ExtnAttributeNumber127	
ExtnAttributeNumber128	
ExtnAttributeNumber129	
ExtnAttributeNumber130	
ExtnAttributeNumber131	
ExtnAttributeNumber132	
ExtnAttributeNumber133	
ExtnAttributeNumber134	
ExtnAttributeNumber135	
ExtnAttributeNumber136	

Name	Description
ExtnAttributeNumber137	
ExtnAttributeNumber138	
ExtnAttributeNumber139	
ExtnAttributeNumber140	
ExtnAttributeNumber141	
ExtnAttributeNumber142	
ExtnAttributeNumber143	
ExtnAttributeNumber144	
ExtnAttributeNumber145	
ExtnAttributeNumber146	
ExtnAttributeNumber147	
ExtnAttributeNumber148	
ExtnAttributeNumber149	
ExtnAttributeNumber150	
ExtnAttributeNumber151	
ExtnAttributeNumber152	
ExtnAttributeNumber153	
ExtnAttributeNumber154	
ExtnAttributeNumber155	
ExtnAttributeNumber156	
ExtnAttributeNumber157	
ExtnAttributeNumber158	
ExtnAttributeNumber159	
ExtnAttributeNumber160	
ExtnAttributeNumber161	
ExtnAttributeNumber162	
ExtnAttributeNumber163	
ExtnAttributeNumber164	
ExtnAttributeNumber165	
ExtnAttributeNumber166	
ExtnAttributeNumber167	

Name	Description
ExtnAttributeNumber168	
ExtnAttributeNumber169	
ExtnAttributeNumber170	
ExtnAttributeNumber171	
ExtnAttributeNumber172	
ExtnAttributeNumber173	
ExtnAttributeNumber174	
ExtnAttributeNumber175	
ExtnAttributeNumber176	
ExtnAttributeNumber177	
ExtnAttributeNumber178	
ExtnAttributeNumber179	
ExtnAttributeNumber180	
ExtnAttributeNumber181	
ExtnAttributeNumber182	
ExtnAttributeNumber183	
ExtnAttributeNumber184	
ExtnAttributeNumber185	
ExtnAttributeNumber186	
ExtnAttributeNumber187	
ExtnAttributeNumber188	
ExtnAttributeNumber189	
ExtnAttributeNumber190	
ExtnAttributeNumber191	
ExtnAttributeNumber192	
ExtnAttributeNumber193	
ExtnAttributeNumber194	
ExtnAttributeNumber195	
ExtnAttributeNumber196	
ExtnAttributeNumber197	
ExtnAttributeNumber198	

Name	Description
ExtnAttributeNumber199	
ExtnAttributeNumber200	
ExtnAttributeTimestamp001	A column reserved for custom extension attributes of type date for the opportunity.
ExtnAttributeTimestamp002	
ExtnAttributeTimestamp003	
ExtnAttributeTimestamp004	
ExtnAttributeTimestamp005	
ExtnAttributeTimestamp006	
ExtnAttributeTimestamp007	
ExtnAttributeTimestamp008	
ExtnAttributeTimestamp009	
ExtnAttributeTimestamp010	
ExtnAttributeTimestamp011	
ExtnAttributeTimestamp012	
ExtnAttributeTimestamp013	
ExtnAttributeTimestamp014	
ExtnAttributeTimestamp015	
ExtnAttributeTimestamp016	
ExtnAttributeTimestamp017	
ExtnAttributeTimestamp018	
ExtnAttributeTimestamp019	
ExtnAttributeTimestamp020	
ExtnAttributeTimestamp021	
ExtnAttributeTimestamp022	
ExtnAttributeTimestamp023	
ExtnAttributeTimestamp024	
ExtnAttributeTimestamp025	
ExtnAttributeTimestamp026	
ExtnAttributeTimestamp027	
ExtnAttributeTimestamp028	
ExtnAttributeTimestamp029	

Name	Description
ExtnAttributeTimestamp030	
ExtnAttributeTimestamp031	
ExtnAttributeTimestamp032	
ExtnAttributeTimestamp033	
ExtnAttributeTimestamp034	
ExtnAttributeTimestamp035	
ExtnAttributeTimestamp036	
ExtnAttributeTimestamp037	
ExtnAttributeTimestamp038	
ExtnAttributeTimestamp039	
ExtnAttributeTimestamp040	
ExtnAttributeTimestamp041	
ExtnAttributeTimestamp042	
ExtnAttributeTimestamp043	
ExtnAttributeTimestamp044	
ExtnAttributeTimestamp045	
ExtnAttributeTimestamp046	
ExtnAttributeTimestamp047	
ExtnAttributeTimestamp048	
ExtnAttributeTimestamp049	
ExtnAttributeTimestamp050	
GroupSpaceId	This column stores the GUID of the group space associated with this opportunity.
IBAssetId	The unique identifier of the installed base asset of the opportunity.
LastAssignedDate	The date on which the last assignment was performed on this opportunity.
LastUpdateDate	The date and time when the opportunity row was last updated.
LastUpdateLogin	The session login associated to the user who last updated the opportunity row.
LastUpdatedBy	The user who last updated the opportunity row.
LineOfBusinessCode	The line of business that owns this opportunity. A list of accepted values is defined in the lookup type MOT_LINE_OF_BUSINESS.
LockAssignmentFlag	The option to exclude this row from assignment evaluation. The value Y excludes this row from assignment evaluation. If previously assigned, this locks the assignment. The value N either assigns or re-assigns this row.

Name	Description
Name	The name of the opportunity.
OptyCreatedBy	The replicated user who created the opportunity row.
OptyCreationDate	The replicated date and time when the opportunity row was created.
OptyId	The unique identifier of the opportunity. This is a primary key of the Opportunities view object.
OptyLastUpdateDate	The replicated date and time when the opportunity row was last updated.
OptyLastUpdatedBy	The replicated user who last updated the opportunity row.
OptyNumber	The alternate unique identifier of the opportunity record. This is an alternate primary key of the Opportunities entity object.
OptyPartySiteId	The identifier of the opportunity party site in the opportunity. This is a foreign key of the Party Site view object.
OwnerResourceId	The identifier of the owner resource in the opportunity. This is a foreign key of the Parties view object.
ParOptyId	The identifier of the parent opportunity in the opportunity. This is a foreign key of the Opportunity view object.
PrCmptPartyId	The identifier of the primary competitor party in the opportunity. This is a foreign key of the Parties view object.
PrConPartyId	The identifier of the primary contact party in the opportunity. This is a foreign key of the Parties view object.
PrConRelationshipId	The RelationshipId of the primary contact associated to another party.
PrSrcNumber	The alternate key identifier of the primary marketing source or campaign that generated this opportunity.
PredWinProb	The AI predicted win probability percent.
PrimaryPartnerId	The unique identifier of the primary partner associated with the opportunity.
QuotedFlag	Indicates whether a quote has been created for this opportunity.
ReasonWonLostCd	The code indicating the reason for winning or losing an opportunity. This field refers to the lookup type MOO_SETID_WIN_LOSS_REASON.
ReasonWonLostCdSetId	The SetId of the win loss reason code for this opportunity.
Registered	The option to indicate if the opportunity was registered. The valid values are Expired, Yes, and No. A list of accepted values is defined in the lookup type ORA_MOO_DEAL_REGISTERED_FLAG.
RegistrationStatus	The registration status of the opportunity or deal created by a partner. A list of accepted values is defined in the lookup type OPTY_PARTNER_REGISTRATION_TYPE.
RegistrationType	The registration type used by the partner to create the opportunity or deal. A list of accepted values is defined in the lookup type PARTNER_REGISTRATION_INITIATOR.
RiskLvlCode	Indicates the risk level for this opportunity. This field refers to the lookup type MOO_SETID_RISK_LEVEL.
RiskLvlCodeSetId	The SetId of the risk level code for this opportunity.
SalesAccountId	The identifier of the sales account in the Opportunities object. This is a foreign key of the Sales Account view object.

Name	Description
SalesMethodId	The identifier of the sales method in the Opportunities object. This is a foreign key of the Sales Method view object.
StatusCategory	The status category of the opportunity status. The values can be OPEN, LOST, NO_SALE, or WON.
StatusCd	The code indicating that the status of the opportunity. A list of accepted values are defined in the lookup MOO_OPTY_STATUS
StatusCdSetId	The SetId of the status code for this opportunity.
StrategicValueCode	Indicates the level of the strategic value to work with the opportunity target. A list of accepted values is defined in the lookup type MOO_SETID_STRATEGIC_VALUE.
StrategicValueCodeSetId	The SetId of the strategic value code for this opportunity.
SumRevnId	The identifier of the summary revenue in the Opportunities object. This is a foreign key of the Revenue view object.
UserLastUpdateDate	The date and time when the opportunity was last updated.

Opportunity Competitors

The opportunity competitors view object provides details about the competitors associated with an opportunity. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MooBiccExtractAM.OpportunityCompetitorExtractPVO

Primary Keys : OptyCompetitorId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Attribute1	A segment for the opportunity competitor descriptive flexfield.
Attribute10	
Attribute11	
Attribute12	
Attribute13	
Attribute14	
Attribute15	

Name	Description
Attribute16	
Attribute17	
Attribute18	
Attribute19	
Attribute2	
Attribute20	
Attribute21	
Attribute22	
Attribute23	
Attribute24	
Attribute25	
Attribute26	
Attribute27	
Attribute28	
Attribute29	
Attribute3	
Attribute30	
Attribute4	
Attribute5	
Attribute6	
Attribute7	
Attribute8	
Attribute9	
AttributeCategory	The context name for the Opportunity Competitor descriptive flexfield.
AttributeDate1	A date segment for the Opportunity Competitor descriptive flexfield.
AttributeDate10	
AttributeDate11	
AttributeDate12	
AttributeDate2	
AttributeDate3	
AttributeDate4	

Name	Description
AttributeDate5	
AttributeDate6	
AttributeDate7	
AttributeDate8	
AttributeDate9	
AttributeNumber1	A number segment for the Opportunity Competitor descriptive flexfield.
AttributeNumber10	
AttributeNumber11	
AttributeNumber12	
AttributeNumber2	
AttributeNumber3	
AttributeNumber4	
AttributeNumber5	
AttributeNumber6	
AttributeNumber7	
AttributeNumber8	
AttributeNumber9	A column for opportunity competitor attributes of type Number.
CmptPartyId	The identifier of the competitor party in the opportunity competitor. This is a foreign key of the Parties view object.
Comments	The user-provided comments for the opportunity competitor row.
CreatedBy	The user who created the opportunity competitor row.
CreationDate	The date and time when the opportunity competitor row was created.
ExtnAttributeChar001	A column reserved for custom extension attributes of the opportunity competitor.
ExtnAttributeChar002	
ExtnAttributeChar003	
ExtnAttributeChar004	
ExtnAttributeChar005	
ExtnAttributeChar006	
ExtnAttributeChar007	
ExtnAttributeChar008	
ExtnAttributeChar009	

Name	Description
ExtnAttributeChar010	
ExtnAttributeChar011	
ExtnAttributeChar012	
ExtnAttributeChar013	
ExtnAttributeChar014	
ExtnAttributeChar015	
ExtnAttributeChar016	
ExtnAttributeChar017	
ExtnAttributeChar018	
ExtnAttributeChar019	
ExtnAttributeChar020	
ExtnAttributeChar021	
ExtnAttributeChar022	
ExtnAttributeChar023	
ExtnAttributeChar024	
ExtnAttributeChar025	
ExtnAttributeChar026	
ExtnAttributeChar027	
ExtnAttributeChar028	
ExtnAttributeChar029	
ExtnAttributeChar030	
ExtnAttributeChar031	
ExtnAttributeChar032	
ExtnAttributeChar033	
ExtnAttributeChar034	
ExtnAttributeChar035	
ExtnAttributeChar036	
ExtnAttributeChar037	
ExtnAttributeChar038	
ExtnAttributeChar039	
ExtnAttributeChar040	

Name	Description
ExtnAttributeChar041	
ExtnAttributeChar042	
ExtnAttributeChar043	
ExtnAttributeChar044	
ExtnAttributeChar045	
ExtnAttributeChar046	
ExtnAttributeChar047	
ExtnAttributeChar048	
ExtnAttributeChar049	
ExtnAttributeChar050	
ExtnAttributeChar051	
ExtnAttributeChar052	
ExtnAttributeChar053	
ExtnAttributeChar054	
ExtnAttributeChar055	
ExtnAttributeChar056	
ExtnAttributeChar057	
ExtnAttributeChar058	
ExtnAttributeChar059	
ExtnAttributeChar060	
ExtnAttributeChar061	
ExtnAttributeChar062	
ExtnAttributeChar063	
ExtnAttributeChar064	
ExtnAttributeChar065	
ExtnAttributeChar066	
ExtnAttributeChar067	
ExtnAttributeChar068	
ExtnAttributeChar069	
ExtnAttributeChar070	
ExtnAttributeChar071	

Name	Description
ExtnAttributeChar072	
ExtnAttributeChar073	
ExtnAttributeChar074	
ExtnAttributeChar075	
ExtnAttributeChar076	
ExtnAttributeChar077	
ExtnAttributeChar078	
ExtnAttributeChar079	
ExtnAttributeChar080	
ExtnAttributeChar081	
ExtnAttributeChar082	
ExtnAttributeChar083	
ExtnAttributeChar084	
ExtnAttributeChar085	
ExtnAttributeChar086	
ExtnAttributeChar087	
ExtnAttributeChar088	
ExtnAttributeChar089	
ExtnAttributeChar090	
ExtnAttributeChar091	
ExtnAttributeChar092	
ExtnAttributeChar093	
ExtnAttributeChar094	
ExtnAttributeChar095	
ExtnAttributeChar096	
ExtnAttributeChar097	
ExtnAttributeChar098	
ExtnAttributeChar099	
ExtnAttributeChar100	
ExtnAttributeChar101	
ExtnAttributeChar102	

Name	Description
ExtnAttributeChar103	
ExtnAttributeChar104	
ExtnAttributeChar105	
ExtnAttributeChar106	
ExtnAttributeChar107	
ExtnAttributeChar108	
ExtnAttributeChar109	
ExtnAttributeChar110	
ExtnAttributeChar111	
ExtnAttributeChar112	
ExtnAttributeChar113	
ExtnAttributeChar114	
ExtnAttributeChar115	
ExtnAttributeChar116	
ExtnAttributeChar117	
ExtnAttributeChar118	
ExtnAttributeChar119	
ExtnAttributeChar120	
ExtnAttributeChar121	
ExtnAttributeChar122	
ExtnAttributeChar123	
ExtnAttributeChar124	
ExtnAttributeChar125	
ExtnAttributeChar126	
ExtnAttributeChar127	
ExtnAttributeChar128	
ExtnAttributeChar129	
ExtnAttributeChar130	
ExtnAttributeChar131	
ExtnAttributeChar132	
ExtnAttributeChar133	

Name	Description
ExtnAttributeChar134	
ExtnAttributeChar135	
ExtnAttributeChar136	
ExtnAttributeChar137	
ExtnAttributeChar138	
ExtnAttributeChar139	
ExtnAttributeChar140	
ExtnAttributeChar141	
ExtnAttributeChar142	
ExtnAttributeChar143	
ExtnAttributeChar144	
ExtnAttributeChar145	
ExtnAttributeChar146	
ExtnAttributeChar147	
ExtnAttributeChar148	
ExtnAttributeChar149	
ExtnAttributeChar150	
ExtnAttributeChar151	
ExtnAttributeChar152	
ExtnAttributeChar153	
ExtnAttributeChar154	
ExtnAttributeChar155	
ExtnAttributeChar156	
ExtnAttributeChar157	
ExtnAttributeChar158	
ExtnAttributeChar159	
ExtnAttributeChar160	
ExtnAttributeChar161	
ExtnAttributeChar162	
ExtnAttributeChar163	
ExtnAttributeChar164	

Name	Description
ExtnAttributeChar165	
ExtnAttributeChar166	
ExtnAttributeChar167	
ExtnAttributeChar168	
ExtnAttributeChar169	
ExtnAttributeChar170	
ExtnAttributeChar171	
ExtnAttributeChar172	
ExtnAttributeChar173	
ExtnAttributeChar174	
ExtnAttributeChar175	
ExtnAttributeChar176	
ExtnAttributeChar177	
ExtnAttributeChar178	
ExtnAttributeChar179	
ExtnAttributeChar180	
ExtnAttributeChar181	
ExtnAttributeChar182	
ExtnAttributeChar183	
ExtnAttributeChar184	
ExtnAttributeChar185	
ExtnAttributeChar186	
ExtnAttributeChar187	
ExtnAttributeChar188	
ExtnAttributeChar189	
ExtnAttributeChar190	
ExtnAttributeChar191	
ExtnAttributeChar192	
ExtnAttributeChar193	
ExtnAttributeChar194	
ExtnAttributeChar195	

Name	Description
ExtnAttributeChar196	
ExtnAttributeChar197	
ExtnAttributeChar198	
ExtnAttributeChar199	
ExtnAttributeChar200	
ExtnAttributeChar201	
ExtnAttributeChar202	
ExtnAttributeChar203	
ExtnAttributeChar204	
ExtnAttributeChar205	
ExtnAttributeChar206	
ExtnAttributeChar207	
ExtnAttributeChar208	
ExtnAttributeChar209	
ExtnAttributeChar210	
ExtnAttributeChar211	
ExtnAttributeChar212	
ExtnAttributeChar213	
ExtnAttributeChar214	
ExtnAttributeChar215	
ExtnAttributeChar216	
ExtnAttributeChar217	
ExtnAttributeChar218	
ExtnAttributeChar219	
ExtnAttributeChar220	
ExtnAttributeChar221	
ExtnAttributeChar222	
ExtnAttributeChar223	
ExtnAttributeChar224	
ExtnAttributeChar225	
ExtnAttributeChar226	

Name	Description
ExtnAttributeChar227	
ExtnAttributeChar228	
ExtnAttributeChar229	
ExtnAttributeChar230	
ExtnAttributeChar231	
ExtnAttributeChar232	
ExtnAttributeChar233	
ExtnAttributeChar234	
ExtnAttributeChar235	
ExtnAttributeChar236	
ExtnAttributeChar237	
ExtnAttributeChar238	
ExtnAttributeChar239	
ExtnAttributeChar240	
ExtnAttributeChar241	
ExtnAttributeChar242	
ExtnAttributeChar243	
ExtnAttributeChar244	
ExtnAttributeChar245	
ExtnAttributeChar246	
ExtnAttributeChar247	
ExtnAttributeChar248	
ExtnAttributeChar249	
ExtnAttributeChar250	
ExtnAttributeChar251	
ExtnAttributeChar252	
ExtnAttributeChar253	
ExtnAttributeChar254	
ExtnAttributeChar255	
ExtnAttributeChar256	
ExtnAttributeChar257	

Name	Description
ExtnAttributeChar258	
ExtnAttributeChar259	
ExtnAttributeChar260	
ExtnAttributeChar261	
ExtnAttributeChar262	
ExtnAttributeChar263	
ExtnAttributeChar264	
ExtnAttributeChar265	
ExtnAttributeChar266	
ExtnAttributeChar267	
ExtnAttributeChar268	
ExtnAttributeChar269	
ExtnAttributeChar270	
ExtnAttributeChar271	
ExtnAttributeChar272	
ExtnAttributeChar273	
ExtnAttributeChar274	
ExtnAttributeChar275	
ExtnAttributeChar276	
ExtnAttributeChar277	
ExtnAttributeChar278	
ExtnAttributeChar279	
ExtnAttributeChar280	
ExtnAttributeChar281	
ExtnAttributeChar282	
ExtnAttributeChar283	
ExtnAttributeChar284	
ExtnAttributeChar285	
ExtnAttributeChar286	
ExtnAttributeChar287	
ExtnAttributeChar288	

Name	Description
ExtnAttributeChar289	
ExtnAttributeChar290	
ExtnAttributeChar291	
ExtnAttributeChar292	
ExtnAttributeChar293	
ExtnAttributeChar294	
ExtnAttributeChar295	
ExtnAttributeChar296	
ExtnAttributeChar297	
ExtnAttributeChar298	
ExtnAttributeChar299	
ExtnAttributeChar300	
ExtnAttributeChar301	
ExtnAttributeChar302	
ExtnAttributeChar303	
ExtnAttributeChar304	
ExtnAttributeChar305	
ExtnAttributeChar306	
ExtnAttributeChar307	
ExtnAttributeChar308	
ExtnAttributeChar309	
ExtnAttributeChar310	
ExtnAttributeChar311	
ExtnAttributeChar312	
ExtnAttributeChar313	
ExtnAttributeChar314	
ExtnAttributeChar315	
ExtnAttributeChar316	
ExtnAttributeChar317	
ExtnAttributeChar318	
ExtnAttributeChar319	

Name	Description
ExtnAttributeChar320	
ExtnAttributeChar321	
ExtnAttributeChar322	
ExtnAttributeChar323	
ExtnAttributeChar324	
ExtnAttributeChar325	
ExtnAttributeChar326	
ExtnAttributeChar327	
ExtnAttributeChar328	
ExtnAttributeChar329	
ExtnAttributeChar330	
ExtnAttributeChar331	
ExtnAttributeChar332	
ExtnAttributeChar333	
ExtnAttributeChar334	
ExtnAttributeChar335	
ExtnAttributeChar336	
ExtnAttributeChar337	
ExtnAttributeChar338	
ExtnAttributeChar339	
ExtnAttributeChar340	
ExtnAttributeChar341	
ExtnAttributeChar342	
ExtnAttributeChar343	
ExtnAttributeChar344	
ExtnAttributeChar345	
ExtnAttributeChar346	
ExtnAttributeChar347	
ExtnAttributeChar348	
ExtnAttributeChar349	
ExtnAttributeChar350	

Name	Description
ExtnAttributeClob001	A column for the custom attribute of type CLOB.
ExtnAttributeClob002	
ExtnAttributeClob003	
ExtnAttributeClob004	
ExtnAttributeClob005	
ExtnAttributeClob006	
ExtnAttributeClob007	
ExtnAttributeClob008	
ExtnAttributeClob009	
ExtnAttributeClob010	
ExtnAttributeClob011	
ExtnAttributeClob012	
ExtnAttributeClob013	
ExtnAttributeClob014	
ExtnAttributeClob015	
ExtnAttributeClob016	
ExtnAttributeClob017	
ExtnAttributeClob018	
ExtnAttributeClob019	
ExtnAttributeClob020	
ExtnAttributeClob021	
ExtnAttributeClob022	
ExtnAttributeClob023	
ExtnAttributeClob024	
ExtnAttributeClob025	
ExtnAttributeNumber001	A column for opportunity competitor custom extension attributes of type Number.
ExtnAttributeNumber002	
ExtnAttributeNumber003	
ExtnAttributeNumber004	
ExtnAttributeNumber005	
ExtnAttributeNumber006	

Name	Description
ExtnAttributeNumber007	
ExtnAttributeNumber008	
ExtnAttributeNumber009	
ExtnAttributeNumber010	
ExtnAttributeNumber011	
ExtnAttributeNumber012	
ExtnAttributeNumber013	
ExtnAttributeNumber014	
ExtnAttributeNumber015	
ExtnAttributeNumber016	
ExtnAttributeNumber017	
ExtnAttributeNumber018	
ExtnAttributeNumber019	
ExtnAttributeNumber020	
ExtnAttributeNumber021	
ExtnAttributeNumber022	
ExtnAttributeNumber023	
ExtnAttributeNumber024	
ExtnAttributeNumber025	
ExtnAttributeNumber026	
ExtnAttributeNumber027	
ExtnAttributeNumber028	
ExtnAttributeNumber029	
ExtnAttributeNumber030	
ExtnAttributeNumber031	
ExtnAttributeNumber032	
ExtnAttributeNumber033	
ExtnAttributeNumber034	
ExtnAttributeNumber035	
ExtnAttributeNumber036	
ExtnAttributeNumber037	

Name	Description
ExtnAttributeNumber038	
ExtnAttributeNumber039	
ExtnAttributeNumber040	
ExtnAttributeNumber041	
ExtnAttributeNumber042	
ExtnAttributeNumber043	
ExtnAttributeNumber044	
ExtnAttributeNumber045	
ExtnAttributeNumber046	
ExtnAttributeNumber047	
ExtnAttributeNumber048	
ExtnAttributeNumber049	
ExtnAttributeNumber050	
ExtnAttributeNumber051	
ExtnAttributeNumber052	
ExtnAttributeNumber053	
ExtnAttributeNumber054	
ExtnAttributeNumber055	
ExtnAttributeNumber056	
ExtnAttributeNumber057	
ExtnAttributeNumber058	
ExtnAttributeNumber059	
ExtnAttributeNumber060	
ExtnAttributeNumber061	
ExtnAttributeNumber062	
ExtnAttributeNumber063	
ExtnAttributeNumber064	
ExtnAttributeNumber065	
ExtnAttributeNumber066	
ExtnAttributeNumber067	
ExtnAttributeNumber068	

Name	Description
ExtnAttributeNumber069	
ExtnAttributeNumber070	
ExtnAttributeNumber071	
ExtnAttributeNumber072	
ExtnAttributeNumber073	
ExtnAttributeNumber074	
ExtnAttributeNumber075	
ExtnAttributeNumber076	
ExtnAttributeNumber077	
ExtnAttributeNumber078	
ExtnAttributeNumber079	
ExtnAttributeNumber080	
ExtnAttributeNumber081	
ExtnAttributeNumber082	
ExtnAttributeNumber083	
ExtnAttributeNumber084	
ExtnAttributeNumber085	
ExtnAttributeNumber086	
ExtnAttributeNumber087	
ExtnAttributeNumber088	
ExtnAttributeNumber089	
ExtnAttributeNumber090	
ExtnAttributeNumber091	
ExtnAttributeNumber092	
ExtnAttributeNumber093	
ExtnAttributeNumber094	
ExtnAttributeNumber095	
ExtnAttributeNumber096	
ExtnAttributeNumber097	
ExtnAttributeNumber098	
ExtnAttributeNumber099	

Name	Description
ExtnAttributeNumber100	
ExtnAttributeNumber101	
ExtnAttributeNumber102	
ExtnAttributeNumber103	
ExtnAttributeNumber104	
ExtnAttributeNumber105	
ExtnAttributeNumber106	
ExtnAttributeNumber107	
ExtnAttributeNumber108	
ExtnAttributeNumber109	
ExtnAttributeNumber110	
ExtnAttributeNumber111	
ExtnAttributeNumber112	
ExtnAttributeNumber113	
ExtnAttributeNumber114	
ExtnAttributeNumber115	
ExtnAttributeNumber116	
ExtnAttributeNumber117	
ExtnAttributeNumber118	
ExtnAttributeNumber119	
ExtnAttributeNumber120	
ExtnAttributeNumber121	
ExtnAttributeNumber122	
ExtnAttributeNumber123	
ExtnAttributeNumber124	
ExtnAttributeNumber125	
ExtnAttributeNumber126	
ExtnAttributeNumber127	
ExtnAttributeNumber128	
ExtnAttributeNumber129	
ExtnAttributeNumber130	

Name	Description
ExtnAttributeNumber131	
ExtnAttributeNumber132	
ExtnAttributeNumber133	
ExtnAttributeNumber134	
ExtnAttributeNumber135	
ExtnAttributeNumber136	
ExtnAttributeNumber137	
ExtnAttributeNumber138	
ExtnAttributeNumber139	
ExtnAttributeNumber140	
ExtnAttributeNumber141	
ExtnAttributeNumber142	
ExtnAttributeNumber143	
ExtnAttributeNumber144	
ExtnAttributeNumber145	
ExtnAttributeNumber146	
ExtnAttributeNumber147	
ExtnAttributeNumber148	
ExtnAttributeNumber149	
ExtnAttributeNumber150	
ExtnAttributeNumber151	
ExtnAttributeNumber152	
ExtnAttributeNumber153	
ExtnAttributeNumber154	
ExtnAttributeNumber155	
ExtnAttributeNumber156	
ExtnAttributeNumber157	
ExtnAttributeNumber158	
ExtnAttributeNumber159	
ExtnAttributeNumber160	
ExtnAttributeNumber161	

Name	Description
ExtnAttributeNumber162	
ExtnAttributeNumber163	
ExtnAttributeNumber164	
ExtnAttributeNumber165	
ExtnAttributeNumber166	
ExtnAttributeNumber167	
ExtnAttributeNumber168	
ExtnAttributeNumber169	
ExtnAttributeNumber170	
ExtnAttributeNumber171	
ExtnAttributeNumber172	
ExtnAttributeNumber173	
ExtnAttributeNumber174	
ExtnAttributeNumber175	
ExtnAttributeNumber176	
ExtnAttributeNumber177	
ExtnAttributeNumber178	
ExtnAttributeNumber179	
ExtnAttributeNumber180	
ExtnAttributeNumber181	
ExtnAttributeNumber182	
ExtnAttributeNumber183	
ExtnAttributeNumber184	
ExtnAttributeNumber185	
ExtnAttributeNumber186	
ExtnAttributeNumber187	
ExtnAttributeNumber188	
ExtnAttributeNumber189	
ExtnAttributeNumber190	
ExtnAttributeNumber191	
ExtnAttributeNumber192	

Name	Description
ExtnAttributeNumber193	
ExtnAttributeNumber194	
ExtnAttributeNumber195	
ExtnAttributeNumber196	
ExtnAttributeNumber197	
ExtnAttributeNumber198	
ExtnAttributeNumber199	
ExtnAttributeNumber200	
ExtnAttributeTimestamp001	A column for opportunity competitor custom extension attributes of type Time.
ExtnAttributeTimestamp002	
ExtnAttributeTimestamp003	
ExtnAttributeTimestamp004	
ExtnAttributeTimestamp005	
ExtnAttributeTimestamp006	
ExtnAttributeTimestamp007	
ExtnAttributeTimestamp008	
ExtnAttributeTimestamp009	
ExtnAttributeTimestamp010	
ExtnAttributeTimestamp011	
ExtnAttributeTimestamp012	
ExtnAttributeTimestamp013	
ExtnAttributeTimestamp014	
ExtnAttributeTimestamp015	
ExtnAttributeTimestamp016	
ExtnAttributeTimestamp017	
ExtnAttributeTimestamp018	
ExtnAttributeTimestamp019	
ExtnAttributeTimestamp020	
ExtnAttributeTimestamp021	
ExtnAttributeTimestamp022	
ExtnAttributeTimestamp023	

Name	Description
ExtnAttributeTimestamp024	
ExtnAttributeTimestamp025	
ExtnAttributeTimestamp026	
ExtnAttributeTimestamp027	
ExtnAttributeTimestamp028	
ExtnAttributeTimestamp029	
ExtnAttributeTimestamp030	
ExtnAttributeTimestamp031	
ExtnAttributeTimestamp032	
ExtnAttributeTimestamp033	
ExtnAttributeTimestamp034	
ExtnAttributeTimestamp035	
ExtnAttributeTimestamp036	
ExtnAttributeTimestamp037	
ExtnAttributeTimestamp038	
ExtnAttributeTimestamp039	
ExtnAttributeTimestamp040	
ExtnAttributeTimestamp041	
ExtnAttributeTimestamp042	
ExtnAttributeTimestamp043	
ExtnAttributeTimestamp044	
ExtnAttributeTimestamp045	
ExtnAttributeTimestamp046	
ExtnAttributeTimestamp047	
ExtnAttributeTimestamp048	
ExtnAttributeTimestamp049	
ExtnAttributeTimestamp050	
LastUpdateDate	The date and time when the opportunity competitor row was last updated.
LastUpdateLogin	The session login associated to the user who last updated the opportunity competitor row.
LastUpdatedBy	The user who last updated the opportunity competitor row.

Name	Description
OptyCompetitorId	The unique identifier of the opportunity competitor. This is a primary key of the Opportunity Competitor view object.
OptyId	The identifier of the opportunity in the opportunity competitor. This is a foreign key of the Opportunity view object.
ThreatLevelCode	The values are Low, Medium, and High. A list of accepted values is defined in the lookup type ZBS_SALES_COMPTTR_THRT_LVL.
UserLastUpdateDate	The date and time when the opportunity competitor was last updated.

Opportunity Contacts

The opportunity contacts view object contains the identifiers of the contacts associated to the opportunity, opportunity contact role code, affinity level code, influence level code, and so on.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MooBiccExtractAM.OpportunityContactExtractPVO

Primary Keys : OptyConId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AffinityLvlCd	The code indicating the affinity of the opportunity contact to the deploying organization. A list of accepted values is defined in the lookup type HZ_SLS_CNTCT_AFFINITY_CODE.
Comments	The textual comments about the contact on the current opportunity.
ContactedFlg	Indicates if the contact for this opportunity has been contacted. If the value is True, then the contact was contacted. The default value is False.
CreatedBy	The user who created the opportunity contact row.
CreationDate	The date and time when the opportunity contact row was created.
ExtnAttributeChar001	A column reserved for custom extension attributes for the opportunity contact.
ExtnAttributeChar002	
ExtnAttributeChar003	
ExtnAttributeChar004	
ExtnAttributeChar005	
ExtnAttributeChar006	

Name	Description
ExtnAttributeChar007	
ExtnAttributeChar008	
ExtnAttributeChar009	
ExtnAttributeChar010	
ExtnAttributeChar011	
ExtnAttributeChar012	
ExtnAttributeChar013	
ExtnAttributeChar014	
ExtnAttributeChar015	
ExtnAttributeChar016	
ExtnAttributeChar017	
ExtnAttributeChar018	
ExtnAttributeChar019	
ExtnAttributeChar020	
ExtnAttributeChar021	
ExtnAttributeChar022	
ExtnAttributeChar023	
ExtnAttributeChar024	
ExtnAttributeChar025	
ExtnAttributeChar026	
ExtnAttributeChar027	
ExtnAttributeChar028	
ExtnAttributeChar029	
ExtnAttributeChar030	
ExtnAttributeChar031	
ExtnAttributeChar032	
ExtnAttributeChar033	
ExtnAttributeChar034	
ExtnAttributeChar035	
ExtnAttributeChar036	
ExtnAttributeChar037	

Name	Description
ExtnAttributeChar038	
ExtnAttributeChar039	
ExtnAttributeChar040	
ExtnAttributeChar041	
ExtnAttributeChar042	
ExtnAttributeChar043	
ExtnAttributeChar044	
ExtnAttributeChar045	
ExtnAttributeChar046	
ExtnAttributeChar047	
ExtnAttributeChar048	
ExtnAttributeChar049	
ExtnAttributeChar050	
ExtnAttributeChar051	
ExtnAttributeChar052	
ExtnAttributeChar053	
ExtnAttributeChar054	
ExtnAttributeChar055	
ExtnAttributeChar056	
ExtnAttributeChar057	
ExtnAttributeChar058	
ExtnAttributeChar059	
ExtnAttributeChar060	
ExtnAttributeChar061	
ExtnAttributeChar062	
ExtnAttributeChar063	
ExtnAttributeChar064	
ExtnAttributeChar065	
ExtnAttributeChar066	
ExtnAttributeChar067	
ExtnAttributeChar068	

Name	Description
ExtnAttributeChar069	
ExtnAttributeChar070	
ExtnAttributeChar071	
ExtnAttributeChar072	
ExtnAttributeChar073	
ExtnAttributeChar074	
ExtnAttributeChar075	
ExtnAttributeChar076	
ExtnAttributeChar077	
ExtnAttributeChar078	
ExtnAttributeChar079	
ExtnAttributeChar080	
ExtnAttributeChar081	
ExtnAttributeChar082	
ExtnAttributeChar083	
ExtnAttributeChar084	
ExtnAttributeChar085	
ExtnAttributeChar086	
ExtnAttributeChar087	
ExtnAttributeChar088	
ExtnAttributeChar089	
ExtnAttributeChar090	
ExtnAttributeChar091	
ExtnAttributeChar092	
ExtnAttributeChar093	
ExtnAttributeChar094	
ExtnAttributeChar095	
ExtnAttributeChar096	
ExtnAttributeChar097	
ExtnAttributeChar098	
ExtnAttributeChar099	

Name	Description
ExtnAttributeChar100	
ExtnAttributeChar101	
ExtnAttributeChar102	
ExtnAttributeChar103	
ExtnAttributeChar104	
ExtnAttributeChar105	
ExtnAttributeChar106	
ExtnAttributeChar107	
ExtnAttributeChar108	
ExtnAttributeChar109	
ExtnAttributeChar110	
ExtnAttributeChar111	
ExtnAttributeChar112	
ExtnAttributeChar113	
ExtnAttributeChar114	
ExtnAttributeChar115	
ExtnAttributeChar116	
ExtnAttributeChar117	
ExtnAttributeChar118	
ExtnAttributeChar119	
ExtnAttributeChar120	
ExtnAttributeChar121	
ExtnAttributeChar122	
ExtnAttributeChar123	
ExtnAttributeChar124	
ExtnAttributeChar125	
ExtnAttributeChar126	
ExtnAttributeChar127	
ExtnAttributeChar128	
ExtnAttributeChar129	
ExtnAttributeChar130	

Name	Description
ExtnAttributeChar131	
ExtnAttributeChar132	
ExtnAttributeChar133	
ExtnAttributeChar134	
ExtnAttributeChar135	
ExtnAttributeChar136	
ExtnAttributeChar137	
ExtnAttributeChar138	
ExtnAttributeChar139	
ExtnAttributeChar140	
ExtnAttributeChar141	
ExtnAttributeChar142	
ExtnAttributeChar143	
ExtnAttributeChar144	
ExtnAttributeChar145	
ExtnAttributeChar146	
ExtnAttributeChar147	
ExtnAttributeChar148	
ExtnAttributeChar149	
ExtnAttributeChar150	
ExtnAttributeChar151	
ExtnAttributeChar152	
ExtnAttributeChar153	
ExtnAttributeChar154	
ExtnAttributeChar155	
ExtnAttributeChar156	
ExtnAttributeChar157	
ExtnAttributeChar158	
ExtnAttributeChar159	
ExtnAttributeChar160	
ExtnAttributeChar161	

Name	Description
ExtnAttributeChar162	
ExtnAttributeChar163	
ExtnAttributeChar164	
ExtnAttributeChar165	
ExtnAttributeChar166	
ExtnAttributeChar167	
ExtnAttributeChar168	
ExtnAttributeChar169	
ExtnAttributeChar170	
ExtnAttributeChar171	
ExtnAttributeChar172	
ExtnAttributeChar173	
ExtnAttributeChar174	
ExtnAttributeChar175	
ExtnAttributeChar176	
ExtnAttributeChar177	
ExtnAttributeChar178	
ExtnAttributeChar179	
ExtnAttributeChar180	
ExtnAttributeChar181	
ExtnAttributeChar182	
ExtnAttributeChar183	
ExtnAttributeChar184	
ExtnAttributeChar185	
ExtnAttributeChar186	
ExtnAttributeChar187	
ExtnAttributeChar188	
ExtnAttributeChar189	
ExtnAttributeChar190	
ExtnAttributeChar191	
ExtnAttributeChar192	

Name	Description
ExtnAttributeChar193	
ExtnAttributeChar194	
ExtnAttributeChar195	
ExtnAttributeChar196	
ExtnAttributeChar197	
ExtnAttributeChar198	
ExtnAttributeChar199	
ExtnAttributeChar200	
ExtnAttributeChar201	
ExtnAttributeChar202	
ExtnAttributeChar203	
ExtnAttributeChar204	
ExtnAttributeChar205	
ExtnAttributeChar206	
ExtnAttributeChar207	
ExtnAttributeChar208	
ExtnAttributeChar209	
ExtnAttributeChar210	
ExtnAttributeChar211	
ExtnAttributeChar212	
ExtnAttributeChar213	
ExtnAttributeChar214	
ExtnAttributeChar215	
ExtnAttributeChar216	
ExtnAttributeChar217	
ExtnAttributeChar218	
ExtnAttributeChar219	
ExtnAttributeChar220	
ExtnAttributeChar221	
ExtnAttributeChar222	
ExtnAttributeChar223	

Name	Description
ExtnAttributeChar224	
ExtnAttributeChar225	
ExtnAttributeChar226	
ExtnAttributeChar227	
ExtnAttributeChar228	
ExtnAttributeChar229	
ExtnAttributeChar230	
ExtnAttributeChar231	
ExtnAttributeChar232	
ExtnAttributeChar233	
ExtnAttributeChar234	
ExtnAttributeChar235	
ExtnAttributeChar236	
ExtnAttributeChar237	
ExtnAttributeChar238	
ExtnAttributeChar239	
ExtnAttributeChar240	
ExtnAttributeChar241	
ExtnAttributeChar242	
ExtnAttributeChar243	
ExtnAttributeChar244	
ExtnAttributeChar245	
ExtnAttributeChar246	
ExtnAttributeChar247	
ExtnAttributeChar248	
ExtnAttributeChar249	
ExtnAttributeChar250	
ExtnAttributeChar251	
ExtnAttributeChar252	
ExtnAttributeChar253	
ExtnAttributeChar254	

Name	Description
ExtnAttributeChar255	
ExtnAttributeChar256	
ExtnAttributeChar257	
ExtnAttributeChar258	
ExtnAttributeChar259	
ExtnAttributeChar260	
ExtnAttributeChar261	
ExtnAttributeChar262	
ExtnAttributeChar263	
ExtnAttributeChar264	
ExtnAttributeChar265	
ExtnAttributeChar266	
ExtnAttributeChar267	
ExtnAttributeChar268	
ExtnAttributeChar269	
ExtnAttributeChar270	
ExtnAttributeChar271	
ExtnAttributeChar272	
ExtnAttributeChar273	
ExtnAttributeChar274	
ExtnAttributeChar275	
ExtnAttributeChar276	
ExtnAttributeChar277	
ExtnAttributeChar278	
ExtnAttributeChar279	
ExtnAttributeChar280	
ExtnAttributeChar281	
ExtnAttributeChar282	
ExtnAttributeChar283	
ExtnAttributeChar284	
ExtnAttributeChar285	

Name	Description
ExtnAttributeChar286	
ExtnAttributeChar287	
ExtnAttributeChar288	
ExtnAttributeChar289	
ExtnAttributeChar290	
ExtnAttributeChar291	
ExtnAttributeChar292	
ExtnAttributeChar293	
ExtnAttributeChar294	
ExtnAttributeChar295	
ExtnAttributeChar296	
ExtnAttributeChar297	
ExtnAttributeChar298	
ExtnAttributeChar299	
ExtnAttributeChar300	
ExtnAttributeChar301	
ExtnAttributeChar302	
ExtnAttributeChar303	
ExtnAttributeChar304	
ExtnAttributeChar305	
ExtnAttributeChar306	
ExtnAttributeChar307	
ExtnAttributeChar308	
ExtnAttributeChar309	
ExtnAttributeChar310	
ExtnAttributeChar311	
ExtnAttributeChar312	
ExtnAttributeChar313	
ExtnAttributeChar314	
ExtnAttributeChar315	
ExtnAttributeChar316	

Name	Description
ExtnAttributeChar317	
ExtnAttributeChar318	
ExtnAttributeChar319	
ExtnAttributeChar320	
ExtnAttributeChar321	
ExtnAttributeChar322	
ExtnAttributeChar323	
ExtnAttributeChar324	
ExtnAttributeChar325	
ExtnAttributeChar326	
ExtnAttributeChar327	
ExtnAttributeChar328	
ExtnAttributeChar329	
ExtnAttributeChar330	
ExtnAttributeChar331	
ExtnAttributeChar332	
ExtnAttributeChar333	
ExtnAttributeChar334	
ExtnAttributeChar335	
ExtnAttributeChar336	
ExtnAttributeChar337	
ExtnAttributeChar338	
ExtnAttributeChar339	
ExtnAttributeChar340	
ExtnAttributeChar341	
ExtnAttributeChar342	
ExtnAttributeChar343	
ExtnAttributeChar344	
ExtnAttributeChar345	
ExtnAttributeChar346	
ExtnAttributeChar347	

Name	Description
ExtnAttributeChar348	
ExtnAttributeChar349	
ExtnAttributeChar350	
ExtnAttributeClob001	
ExtnAttributeClob002	
ExtnAttributeClob003	
ExtnAttributeClob004	
ExtnAttributeClob005	
ExtnAttributeClob006	
ExtnAttributeClob007	
ExtnAttributeClob008	
ExtnAttributeClob009	
ExtnAttributeClob010	
ExtnAttributeClob011	
ExtnAttributeClob012	
ExtnAttributeClob013	
ExtnAttributeClob014	
ExtnAttributeClob015	
ExtnAttributeClob016	
ExtnAttributeClob017	
ExtnAttributeClob018	
ExtnAttributeClob019	
ExtnAttributeClob020	
ExtnAttributeClob021	
ExtnAttributeClob022	
ExtnAttributeClob023	
ExtnAttributeClob024	
ExtnAttributeClob025	
ExtnAttributeNumber001	
ExtnAttributeNumber002	
ExtnAttributeNumber003	

Name	Description
ExtnAttributeNumber004	
ExtnAttributeNumber005	
ExtnAttributeNumber006	
ExtnAttributeNumber007	
ExtnAttributeNumber008	
ExtnAttributeNumber009	
ExtnAttributeNumber010	
ExtnAttributeNumber011	
ExtnAttributeNumber012	
ExtnAttributeNumber013	
ExtnAttributeNumber014	
ExtnAttributeNumber015	
ExtnAttributeNumber016	
ExtnAttributeNumber017	
ExtnAttributeNumber018	
ExtnAttributeNumber019	
ExtnAttributeNumber020	
ExtnAttributeNumber021	
ExtnAttributeNumber022	
ExtnAttributeNumber023	
ExtnAttributeNumber024	
ExtnAttributeNumber025	
ExtnAttributeNumber026	
ExtnAttributeNumber027	
ExtnAttributeNumber028	
ExtnAttributeNumber029	
ExtnAttributeNumber030	
ExtnAttributeNumber031	
ExtnAttributeNumber032	
ExtnAttributeNumber033	
ExtnAttributeNumber034	

Name	Description
ExtnAttributeNumber035	
ExtnAttributeNumber036	
ExtnAttributeNumber037	
ExtnAttributeNumber038	
ExtnAttributeNumber039	
ExtnAttributeNumber040	
ExtnAttributeNumber041	
ExtnAttributeNumber042	
ExtnAttributeNumber043	
ExtnAttributeNumber044	
ExtnAttributeNumber045	
ExtnAttributeNumber046	
ExtnAttributeNumber047	
ExtnAttributeNumber048	
ExtnAttributeNumber049	
ExtnAttributeNumber050	
ExtnAttributeNumber051	
ExtnAttributeNumber052	
ExtnAttributeNumber053	
ExtnAttributeNumber054	
ExtnAttributeNumber055	
ExtnAttributeNumber056	
ExtnAttributeNumber057	
ExtnAttributeNumber058	
ExtnAttributeNumber059	
ExtnAttributeNumber060	
ExtnAttributeNumber061	
ExtnAttributeNumber062	
ExtnAttributeNumber063	
ExtnAttributeNumber064	
ExtnAttributeNumber065	

Name	Description
ExtnAttributeNumber066	
ExtnAttributeNumber067	
ExtnAttributeNumber068	
ExtnAttributeNumber069	
ExtnAttributeNumber070	
ExtnAttributeNumber071	
ExtnAttributeNumber072	
ExtnAttributeNumber073	
ExtnAttributeNumber074	
ExtnAttributeNumber075	
ExtnAttributeNumber076	
ExtnAttributeNumber077	
ExtnAttributeNumber078	
ExtnAttributeNumber079	
ExtnAttributeNumber080	
ExtnAttributeNumber081	
ExtnAttributeNumber082	
ExtnAttributeNumber083	
ExtnAttributeNumber084	
ExtnAttributeNumber085	
ExtnAttributeNumber086	
ExtnAttributeNumber087	
ExtnAttributeNumber088	
ExtnAttributeNumber089	
ExtnAttributeNumber090	
ExtnAttributeNumber091	
ExtnAttributeNumber092	
ExtnAttributeNumber093	
ExtnAttributeNumber094	
ExtnAttributeNumber095	
ExtnAttributeNumber096	

Name	Description
ExtnAttributeNumber097	
ExtnAttributeNumber098	
ExtnAttributeNumber099	
ExtnAttributeNumber100	
ExtnAttributeNumber101	
ExtnAttributeNumber102	
ExtnAttributeNumber103	
ExtnAttributeNumber104	
ExtnAttributeNumber105	
ExtnAttributeNumber106	
ExtnAttributeNumber107	
ExtnAttributeNumber108	
ExtnAttributeNumber109	
ExtnAttributeNumber110	
ExtnAttributeNumber111	
ExtnAttributeNumber112	
ExtnAttributeNumber113	
ExtnAttributeNumber114	
ExtnAttributeNumber115	
ExtnAttributeNumber116	
ExtnAttributeNumber117	
ExtnAttributeNumber118	
ExtnAttributeNumber119	
ExtnAttributeNumber120	
ExtnAttributeNumber121	
ExtnAttributeNumber122	
ExtnAttributeNumber123	
ExtnAttributeNumber124	
ExtnAttributeNumber125	
ExtnAttributeNumber126	
ExtnAttributeNumber127	

Name	Description
ExtnAttributeNumber128	
ExtnAttributeNumber129	
ExtnAttributeNumber130	
ExtnAttributeNumber131	
ExtnAttributeNumber132	
ExtnAttributeNumber133	
ExtnAttributeNumber134	
ExtnAttributeNumber135	
ExtnAttributeNumber136	
ExtnAttributeNumber137	
ExtnAttributeNumber138	
ExtnAttributeNumber139	
ExtnAttributeNumber140	
ExtnAttributeNumber141	
ExtnAttributeNumber142	
ExtnAttributeNumber143	
ExtnAttributeNumber144	
ExtnAttributeNumber145	
ExtnAttributeNumber146	
ExtnAttributeNumber147	
ExtnAttributeNumber148	
ExtnAttributeNumber149	
ExtnAttributeNumber150	
ExtnAttributeNumber151	
ExtnAttributeNumber152	
ExtnAttributeNumber153	
ExtnAttributeNumber154	
ExtnAttributeNumber155	
ExtnAttributeNumber156	
ExtnAttributeNumber157	
ExtnAttributeNumber158	

Name	Description
ExtnAttributeNumber159	
ExtnAttributeNumber160	
ExtnAttributeNumber161	
ExtnAttributeNumber162	
ExtnAttributeNumber163	
ExtnAttributeNumber164	
ExtnAttributeNumber165	
ExtnAttributeNumber166	
ExtnAttributeNumber167	
ExtnAttributeNumber168	
ExtnAttributeNumber169	
ExtnAttributeNumber170	
ExtnAttributeNumber171	
ExtnAttributeNumber172	
ExtnAttributeNumber173	
ExtnAttributeNumber174	
ExtnAttributeNumber175	
ExtnAttributeNumber176	
ExtnAttributeNumber177	
ExtnAttributeNumber178	
ExtnAttributeNumber179	
ExtnAttributeNumber180	
ExtnAttributeNumber181	
ExtnAttributeNumber182	
ExtnAttributeNumber183	
ExtnAttributeNumber184	
ExtnAttributeNumber185	
ExtnAttributeNumber186	
ExtnAttributeNumber187	
ExtnAttributeNumber188	
ExtnAttributeNumber189	

Name	Description
ExtnAttributeNumber190	
ExtnAttributeNumber191	
ExtnAttributeNumber192	
ExtnAttributeNumber193	
ExtnAttributeNumber194	
ExtnAttributeNumber195	
ExtnAttributeNumber196	
ExtnAttributeNumber197	
ExtnAttributeNumber198	
ExtnAttributeNumber199	
ExtnAttributeNumber200	
ExtnAttributeTimestamp001	
ExtnAttributeTimestamp002	
ExtnAttributeTimestamp003	
ExtnAttributeTimestamp004	
ExtnAttributeTimestamp005	
ExtnAttributeTimestamp006	
ExtnAttributeTimestamp007	
ExtnAttributeTimestamp008	
ExtnAttributeTimestamp009	
ExtnAttributeTimestamp010	
ExtnAttributeTimestamp011	
ExtnAttributeTimestamp012	
ExtnAttributeTimestamp013	
ExtnAttributeTimestamp014	
ExtnAttributeTimestamp015	
ExtnAttributeTimestamp016	
ExtnAttributeTimestamp017	
ExtnAttributeTimestamp018	
ExtnAttributeTimestamp019	
ExtnAttributeTimestamp020	

Name	Description
ExtnAttributeTimestamp021	
ExtnAttributeTimestamp022	
ExtnAttributeTimestamp023	
ExtnAttributeTimestamp024	
ExtnAttributeTimestamp025	
ExtnAttributeTimestamp026	
ExtnAttributeTimestamp027	
ExtnAttributeTimestamp028	
ExtnAttributeTimestamp029	
ExtnAttributeTimestamp030	
ExtnAttributeTimestamp031	
ExtnAttributeTimestamp032	
ExtnAttributeTimestamp033	
ExtnAttributeTimestamp034	
ExtnAttributeTimestamp035	
ExtnAttributeTimestamp036	
ExtnAttributeTimestamp037	
ExtnAttributeTimestamp038	
ExtnAttributeTimestamp039	
ExtnAttributeTimestamp040	
ExtnAttributeTimestamp041	
ExtnAttributeTimestamp042	
ExtnAttributeTimestamp043	
ExtnAttributeTimestamp044	
ExtnAttributeTimestamp045	
ExtnAttributeTimestamp046	
ExtnAttributeTimestamp047	
ExtnAttributeTimestamp048	
ExtnAttributeTimestamp049	
ExtnAttributeTimestamp050	

Name	Description
InfluenceLvlCd	The code indicating the influence the opportunity contact has on the deploying organization. A list of accepted values is defined in the lookup type HZ_SLS_CNTCT_INFLUENCE_LVL_CD.
LastUpdateDate	The date and time when the opportunity contact row was last updated.
LastUpdateLogin	The session login associated to the user who last updated the row.
LastUpdatedBy	The user who last updated the opportunity contact row.
OptyConId	The unique identifier of the contact associated with the opportunity.
OptyId	The unique identifier of the opportunity. This is a foreign key to the Opportunities view object.
PerPartyId	The identifier of the party in the opportunity contact. This is a foreign key to the Parties view object.
RelationshipId	The identifier of the relationship for the opportunity contact.
RoleCd	The code identifying the roles played by a contact in the opportunity. A list of accepted values is defined in the lookup type HZ_SLS_CNTCT_BUY_ROLE_CODE.
UserLastUpdateDate	The date and time of last update date of opportunity contact row. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database.

Opportunity Leads

The opportunity leads view object is used to provide details about the leads that resulted in an opportunity.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MooBiccExtractAM.OpportunityLeadExtractPVO

Primary Keys : OptyLeadId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the opportunity lead row.
CreationDate	The date when the opportunity lead row was created.
DealEstimatedCloseDate	The date when the deal registration for the opportunity is estimated to be closed.
DealExpirationDate	The date when the lead registration will expire.
DealPartProgramId	The unique identifier of the partner program associated with the lead registration.
DealType	The deal or lead registration type for the opportunity.

Name	Description
LastUpdateDate	The date when the opportunity lead row was last updated.
LastUpdateLogin	The session login associated to the user who last updated the opportunity lead row.
LastUpdatedBy	The user who last updated the opportunity lead row.
LeadNumber	The alternate key identifier of the lead.
ObjectUsage	This denotes whether the current row is representing a lead or a deal object.
OptyId	The identifier of the opportunity in the opportunity lead. This is a foreign key of the Opportunity view object.
OptyLeadId	The unique identifier of the lead for the opportunity.
PartnerTypeCode	The code indicating the type of the partner for the lead registration.
PrDealPartOrgPartyId	The unique identifier for the partner on the lead registration.
PrDealPartResPartyId	The unique identifier for the primary partner resource on the lead registration.
RegistrationNumber	The unique registration number of the lead for the opportunity.
UserLastUpdateDate	The date and time when the opportunity lead was last updated.

Opportunity Resources

The Opportunity Resource view object includes information about opportunity resources such as Opportunity Id, Resource Id, Partner Organization Id, and other extension attributes.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MooBiccExtractAM.OpportunityResourceExtractPVO

Primary Keys : OptyResourceId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AccessLevelCode	The list of values indicating the access level provided to the manager or administrator of the organizations in the hierarchy.
AsgnManualterrBasedFlag	The option to indicate that the resource is added to the opportunity resource team by manually assigning a territory.
AsgnRuleBasedFlag	The option to indicate that the resource is added to the opportunity resource team by rule based assignment.

Name	Description
AsgnTerrBasedFlag	The option to indicate that the resource is added to the opportunity resource team by territory based assignment.
AsgnTerritoryVersionId	The identifier of the territory assignment version in the opportunity resource. This is a foreign key of the Territory View object.
CreatedBy	The user who created the opportunity resource row.
CreationDate	The date when the opportunity resource row was created.
DealExpirationDate	The date after which the access of the sales team member to the opportunity is revoked. This date will be set for the members of territories that are removed from a territory team because of re-alignment.
DealProtectedDate	The date on which deal protection started for the resource. This date will be set for the territory members that are removed from a territory team because of re-alignment.
ExtnAttributeChar001	A column reserved for opportunity resource custom extension attributes of type character.
ExtnAttributeChar002	
ExtnAttributeChar003	
ExtnAttributeChar004	
ExtnAttributeChar005	
ExtnAttributeChar006	
ExtnAttributeChar007	
ExtnAttributeChar008	
ExtnAttributeChar009	
ExtnAttributeChar010	
ExtnAttributeChar011	
ExtnAttributeChar012	
ExtnAttributeChar013	
ExtnAttributeChar014	
ExtnAttributeChar015	
ExtnAttributeChar016	
ExtnAttributeChar017	
ExtnAttributeChar018	
ExtnAttributeChar019	
ExtnAttributeChar020	
ExtnAttributeChar021	
ExtnAttributeChar022	
ExtnAttributeChar023	

Name	Description
ExtnAttributeChar024	
ExtnAttributeChar025	
ExtnAttributeChar026	
ExtnAttributeChar027	
ExtnAttributeChar028	
ExtnAttributeChar029	
ExtnAttributeChar030	
ExtnAttributeChar031	
ExtnAttributeChar032	
ExtnAttributeChar033	
ExtnAttributeChar034	
ExtnAttributeChar035	
ExtnAttributeChar036	
ExtnAttributeChar037	
ExtnAttributeChar038	
ExtnAttributeChar039	
ExtnAttributeChar040	
ExtnAttributeChar041	
ExtnAttributeChar042	
ExtnAttributeChar043	
ExtnAttributeChar044	
ExtnAttributeChar045	
ExtnAttributeChar046	
ExtnAttributeChar047	
ExtnAttributeChar048	
ExtnAttributeChar049	
ExtnAttributeChar050	
ExtnAttributeChar051	
ExtnAttributeChar052	
ExtnAttributeChar053	
ExtnAttributeChar054	

Name	Description
ExtnAttributeChar055	
ExtnAttributeChar056	
ExtnAttributeChar057	
ExtnAttributeChar058	
ExtnAttributeChar059	
ExtnAttributeChar060	
ExtnAttributeChar061	
ExtnAttributeChar062	
ExtnAttributeChar063	
ExtnAttributeChar064	
ExtnAttributeChar065	
ExtnAttributeChar066	
ExtnAttributeChar067	
ExtnAttributeChar068	
ExtnAttributeChar069	
ExtnAttributeChar070	
ExtnAttributeChar071	
ExtnAttributeChar072	
ExtnAttributeChar073	
ExtnAttributeChar074	
ExtnAttributeChar075	
ExtnAttributeChar076	
ExtnAttributeChar077	
ExtnAttributeChar078	
ExtnAttributeChar079	
ExtnAttributeChar080	
ExtnAttributeChar081	
ExtnAttributeChar082	
ExtnAttributeChar083	
ExtnAttributeChar084	
ExtnAttributeChar085	

Name	Description
ExtnAttributeChar086	
ExtnAttributeChar087	
ExtnAttributeChar088	
ExtnAttributeChar089	
ExtnAttributeChar090	
ExtnAttributeChar091	
ExtnAttributeChar092	
ExtnAttributeChar093	
ExtnAttributeChar094	
ExtnAttributeChar095	
ExtnAttributeChar096	
ExtnAttributeChar097	
ExtnAttributeChar098	
ExtnAttributeChar099	
ExtnAttributeChar100	
ExtnAttributeChar101	
ExtnAttributeChar102	
ExtnAttributeChar103	
ExtnAttributeChar104	
ExtnAttributeChar105	
ExtnAttributeChar106	
ExtnAttributeChar107	
ExtnAttributeChar108	
ExtnAttributeChar109	
ExtnAttributeChar110	
ExtnAttributeChar111	
ExtnAttributeChar112	
ExtnAttributeChar113	
ExtnAttributeChar114	
ExtnAttributeChar115	
ExtnAttributeChar116	

Name	Description
ExtnAttributeChar117	
ExtnAttributeChar118	
ExtnAttributeChar119	
ExtnAttributeChar120	
ExtnAttributeChar121	
ExtnAttributeChar122	
ExtnAttributeChar123	
ExtnAttributeChar124	
ExtnAttributeChar125	
ExtnAttributeChar126	
ExtnAttributeChar127	
ExtnAttributeChar128	
ExtnAttributeChar129	
ExtnAttributeChar130	
ExtnAttributeChar131	
ExtnAttributeChar132	
ExtnAttributeChar133	
ExtnAttributeChar134	
ExtnAttributeChar135	
ExtnAttributeChar136	
ExtnAttributeChar137	
ExtnAttributeChar138	
ExtnAttributeChar139	
ExtnAttributeChar140	
ExtnAttributeChar141	
ExtnAttributeChar142	
ExtnAttributeChar143	
ExtnAttributeChar144	
ExtnAttributeChar145	
ExtnAttributeChar146	
ExtnAttributeChar147	

Name	Description
ExtnAttributeChar148	
ExtnAttributeChar149	
ExtnAttributeChar150	
ExtnAttributeChar151	
ExtnAttributeChar152	
ExtnAttributeChar153	
ExtnAttributeChar154	
ExtnAttributeChar155	
ExtnAttributeChar156	
ExtnAttributeChar157	
ExtnAttributeChar158	
ExtnAttributeChar159	
ExtnAttributeChar160	
ExtnAttributeChar161	
ExtnAttributeChar162	
ExtnAttributeChar163	
ExtnAttributeChar164	
ExtnAttributeChar165	
ExtnAttributeChar166	
ExtnAttributeChar167	
ExtnAttributeChar168	
ExtnAttributeChar169	
ExtnAttributeChar170	
ExtnAttributeChar171	
ExtnAttributeChar172	
ExtnAttributeChar173	
ExtnAttributeChar174	
ExtnAttributeChar175	
ExtnAttributeChar176	
ExtnAttributeChar177	
ExtnAttributeChar178	

Name	Description
ExtnAttributeChar179	
ExtnAttributeChar180	
ExtnAttributeChar181	
ExtnAttributeChar182	
ExtnAttributeChar183	
ExtnAttributeChar184	
ExtnAttributeChar185	
ExtnAttributeChar186	
ExtnAttributeChar187	
ExtnAttributeChar188	
ExtnAttributeChar189	
ExtnAttributeChar190	
ExtnAttributeChar191	
ExtnAttributeChar192	
ExtnAttributeChar193	
ExtnAttributeChar194	
ExtnAttributeChar195	
ExtnAttributeChar196	
ExtnAttributeChar197	
ExtnAttributeChar198	
ExtnAttributeChar199	
ExtnAttributeChar200	
ExtnAttributeChar201	
ExtnAttributeChar202	
ExtnAttributeChar203	
ExtnAttributeChar204	
ExtnAttributeChar205	
ExtnAttributeChar206	
ExtnAttributeChar207	
ExtnAttributeChar208	
ExtnAttributeChar209	

Name	Description
ExtnAttributeChar210	
ExtnAttributeChar211	
ExtnAttributeChar212	
ExtnAttributeChar213	
ExtnAttributeChar214	
ExtnAttributeChar215	
ExtnAttributeChar216	
ExtnAttributeChar217	
ExtnAttributeChar218	
ExtnAttributeChar219	
ExtnAttributeChar220	
ExtnAttributeChar221	
ExtnAttributeChar222	
ExtnAttributeChar223	
ExtnAttributeChar224	
ExtnAttributeChar225	
ExtnAttributeChar226	
ExtnAttributeChar227	
ExtnAttributeChar228	
ExtnAttributeChar229	
ExtnAttributeChar230	
ExtnAttributeChar231	
ExtnAttributeChar232	
ExtnAttributeChar233	
ExtnAttributeChar234	
ExtnAttributeChar235	
ExtnAttributeChar236	
ExtnAttributeChar237	
ExtnAttributeChar238	
ExtnAttributeChar239	
ExtnAttributeChar240	

Name	Description
ExtnAttributeChar241	
ExtnAttributeChar242	
ExtnAttributeChar243	
ExtnAttributeChar244	
ExtnAttributeChar245	
ExtnAttributeChar246	
ExtnAttributeChar247	
ExtnAttributeChar248	
ExtnAttributeChar249	
ExtnAttributeChar250	
ExtnAttributeChar251	
ExtnAttributeChar252	
ExtnAttributeChar253	
ExtnAttributeChar254	
ExtnAttributeChar255	
ExtnAttributeChar256	
ExtnAttributeChar257	
ExtnAttributeChar258	
ExtnAttributeChar259	
ExtnAttributeChar260	
ExtnAttributeChar261	
ExtnAttributeChar262	
ExtnAttributeChar263	
ExtnAttributeChar264	
ExtnAttributeChar265	
ExtnAttributeChar266	
ExtnAttributeChar267	
ExtnAttributeChar268	
ExtnAttributeChar269	
ExtnAttributeChar270	
ExtnAttributeChar271	

Name	Description
ExtnAttributeChar272	
ExtnAttributeChar273	
ExtnAttributeChar274	
ExtnAttributeChar275	
ExtnAttributeChar276	
ExtnAttributeChar277	
ExtnAttributeChar278	
ExtnAttributeChar279	
ExtnAttributeChar280	
ExtnAttributeChar281	
ExtnAttributeChar282	
ExtnAttributeChar283	
ExtnAttributeChar284	
ExtnAttributeChar285	
ExtnAttributeChar286	
ExtnAttributeChar287	
ExtnAttributeChar288	
ExtnAttributeChar289	
ExtnAttributeChar290	
ExtnAttributeChar291	
ExtnAttributeChar292	
ExtnAttributeChar293	
ExtnAttributeChar294	
ExtnAttributeChar295	
ExtnAttributeChar296	
ExtnAttributeChar297	
ExtnAttributeChar298	
ExtnAttributeChar299	
ExtnAttributeChar300	
ExtnAttributeChar301	
ExtnAttributeChar302	

Name	Description
ExtnAttributeChar303	
ExtnAttributeChar304	
ExtnAttributeChar305	
ExtnAttributeChar306	
ExtnAttributeChar307	
ExtnAttributeChar308	
ExtnAttributeChar309	
ExtnAttributeChar310	
ExtnAttributeChar311	
ExtnAttributeChar312	
ExtnAttributeChar313	
ExtnAttributeChar314	
ExtnAttributeChar315	
ExtnAttributeChar316	
ExtnAttributeChar317	
ExtnAttributeChar318	
ExtnAttributeChar319	
ExtnAttributeChar320	
ExtnAttributeChar321	
ExtnAttributeChar322	
ExtnAttributeChar323	
ExtnAttributeChar324	
ExtnAttributeChar325	
ExtnAttributeChar326	
ExtnAttributeChar327	
ExtnAttributeChar328	
ExtnAttributeChar329	
ExtnAttributeChar330	
ExtnAttributeChar331	
ExtnAttributeChar332	
ExtnAttributeChar333	

Name	Description
ExtnAttributeChar334	
ExtnAttributeChar335	
ExtnAttributeChar336	
ExtnAttributeChar337	
ExtnAttributeChar338	
ExtnAttributeChar339	
ExtnAttributeChar340	
ExtnAttributeChar341	
ExtnAttributeChar342	
ExtnAttributeChar343	
ExtnAttributeChar344	
ExtnAttributeChar345	
ExtnAttributeChar346	
ExtnAttributeChar347	
ExtnAttributeChar348	
ExtnAttributeChar349	
ExtnAttributeChar350	
ExtnAttributeClob001	A column reserved for opportunity resource custom extension attributes of type CLOB.
ExtnAttributeClob002	
ExtnAttributeClob003	
ExtnAttributeClob004	
ExtnAttributeClob005	
ExtnAttributeClob006	
ExtnAttributeClob007	
ExtnAttributeClob008	
ExtnAttributeClob009	
ExtnAttributeClob010	
ExtnAttributeClob011	
ExtnAttributeClob012	
ExtnAttributeClob013	
ExtnAttributeClob014	

Name	Description
ExtnAttributeClob015	
ExtnAttributeClob016	
ExtnAttributeClob017	
ExtnAttributeClob018	
ExtnAttributeClob019	
ExtnAttributeClob020	
ExtnAttributeClob021	
ExtnAttributeClob022	
ExtnAttributeClob023	
ExtnAttributeClob024	
ExtnAttributeClob025	
ExtnAttributeNumber001	A column reserved for opportunity resource custom extension attributes of type number.
ExtnAttributeNumber002	
ExtnAttributeNumber003	
ExtnAttributeNumber004	
ExtnAttributeNumber005	
ExtnAttributeNumber006	
ExtnAttributeNumber007	
ExtnAttributeNumber008	
ExtnAttributeNumber009	
ExtnAttributeNumber010	
ExtnAttributeNumber011	
ExtnAttributeNumber012	
ExtnAttributeNumber013	
ExtnAttributeNumber014	
ExtnAttributeNumber015	
ExtnAttributeNumber016	
ExtnAttributeNumber017	
ExtnAttributeNumber018	
ExtnAttributeNumber019	
ExtnAttributeNumber020	

Name	Description
ExtnAttributeNumber021	
ExtnAttributeNumber022	
ExtnAttributeNumber023	
ExtnAttributeNumber024	
ExtnAttributeNumber025	
ExtnAttributeNumber026	
ExtnAttributeNumber027	
ExtnAttributeNumber028	
ExtnAttributeNumber029	
ExtnAttributeNumber030	
ExtnAttributeNumber031	
ExtnAttributeNumber032	
ExtnAttributeNumber033	
ExtnAttributeNumber034	
ExtnAttributeNumber035	
ExtnAttributeNumber036	
ExtnAttributeNumber037	
ExtnAttributeNumber038	
ExtnAttributeNumber039	
ExtnAttributeNumber040	
ExtnAttributeNumber041	
ExtnAttributeNumber042	
ExtnAttributeNumber043	
ExtnAttributeNumber044	
ExtnAttributeNumber045	
ExtnAttributeNumber046	
ExtnAttributeNumber047	
ExtnAttributeNumber048	
ExtnAttributeNumber049	
ExtnAttributeNumber050	
ExtnAttributeNumber051	

Name	Description
ExtnAttributeNumber052	
ExtnAttributeNumber053	
ExtnAttributeNumber054	
ExtnAttributeNumber055	
ExtnAttributeNumber056	
ExtnAttributeNumber057	
ExtnAttributeNumber058	
ExtnAttributeNumber059	
ExtnAttributeNumber060	
ExtnAttributeNumber061	
ExtnAttributeNumber062	
ExtnAttributeNumber063	
ExtnAttributeNumber064	
ExtnAttributeNumber065	
ExtnAttributeNumber066	
ExtnAttributeNumber067	
ExtnAttributeNumber068	
ExtnAttributeNumber069	
ExtnAttributeNumber070	
ExtnAttributeNumber071	
ExtnAttributeNumber072	
ExtnAttributeNumber073	
ExtnAttributeNumber074	
ExtnAttributeNumber075	
ExtnAttributeNumber076	
ExtnAttributeNumber077	
ExtnAttributeNumber078	
ExtnAttributeNumber079	
ExtnAttributeNumber080	
ExtnAttributeNumber081	
ExtnAttributeNumber082	

Name	Description
ExtnAttributeNumber083	
ExtnAttributeNumber084	
ExtnAttributeNumber085	
ExtnAttributeNumber086	
ExtnAttributeNumber087	
ExtnAttributeNumber088	
ExtnAttributeNumber089	
ExtnAttributeNumber090	
ExtnAttributeNumber091	
ExtnAttributeNumber092	
ExtnAttributeNumber093	
ExtnAttributeNumber094	
ExtnAttributeNumber095	
ExtnAttributeNumber096	
ExtnAttributeNumber097	
ExtnAttributeNumber098	
ExtnAttributeNumber099	
ExtnAttributeNumber100	
ExtnAttributeNumber101	
ExtnAttributeNumber102	
ExtnAttributeNumber103	
ExtnAttributeNumber104	
ExtnAttributeNumber105	
ExtnAttributeNumber106	
ExtnAttributeNumber107	
ExtnAttributeNumber108	
ExtnAttributeNumber109	
ExtnAttributeNumber110	
ExtnAttributeNumber111	
ExtnAttributeNumber112	
ExtnAttributeNumber113	

Name	Description
ExtnAttributeNumber114	
ExtnAttributeNumber115	
ExtnAttributeNumber116	
ExtnAttributeNumber117	
ExtnAttributeNumber118	
ExtnAttributeNumber119	
ExtnAttributeNumber120	
ExtnAttributeNumber121	
ExtnAttributeNumber122	
ExtnAttributeNumber123	
ExtnAttributeNumber124	
ExtnAttributeNumber125	
ExtnAttributeNumber126	
ExtnAttributeNumber127	
ExtnAttributeNumber128	
ExtnAttributeNumber129	
ExtnAttributeNumber130	
ExtnAttributeNumber131	
ExtnAttributeNumber132	
ExtnAttributeNumber133	
ExtnAttributeNumber134	
ExtnAttributeNumber135	
ExtnAttributeNumber136	
ExtnAttributeNumber137	
ExtnAttributeNumber138	
ExtnAttributeNumber139	
ExtnAttributeNumber140	
ExtnAttributeNumber141	
ExtnAttributeNumber142	
ExtnAttributeNumber143	
ExtnAttributeNumber144	

Name	Description
ExtnAttributeNumber145	
ExtnAttributeNumber146	
ExtnAttributeNumber147	
ExtnAttributeNumber148	
ExtnAttributeNumber149	
ExtnAttributeNumber150	
ExtnAttributeNumber151	
ExtnAttributeNumber152	
ExtnAttributeNumber153	
ExtnAttributeNumber154	
ExtnAttributeNumber155	
ExtnAttributeNumber156	
ExtnAttributeNumber157	
ExtnAttributeNumber158	
ExtnAttributeNumber159	
ExtnAttributeNumber160	
ExtnAttributeNumber161	
ExtnAttributeNumber162	
ExtnAttributeNumber163	
ExtnAttributeNumber164	
ExtnAttributeNumber165	
ExtnAttributeNumber166	
ExtnAttributeNumber167	
ExtnAttributeNumber168	
ExtnAttributeNumber169	
ExtnAttributeNumber170	
ExtnAttributeNumber171	
ExtnAttributeNumber172	
ExtnAttributeNumber173	
ExtnAttributeNumber174	
ExtnAttributeNumber175	

Name	Description
ExtnAttributeNumber176	
ExtnAttributeNumber177	
ExtnAttributeNumber178	
ExtnAttributeNumber179	
ExtnAttributeNumber180	
ExtnAttributeNumber181	
ExtnAttributeNumber182	
ExtnAttributeNumber183	
ExtnAttributeNumber184	
ExtnAttributeNumber185	
ExtnAttributeNumber186	
ExtnAttributeNumber187	
ExtnAttributeNumber188	
ExtnAttributeNumber189	
ExtnAttributeNumber190	
ExtnAttributeNumber191	
ExtnAttributeNumber192	
ExtnAttributeNumber193	
ExtnAttributeNumber194	
ExtnAttributeNumber195	
ExtnAttributeNumber196	
ExtnAttributeNumber197	
ExtnAttributeNumber198	
ExtnAttributeNumber199	
ExtnAttributeNumber200	
ExtnAttributeTimestamp001	A column reserved for opportunity resource custom extension attributes of type date.
ExtnAttributeTimestamp002	
ExtnAttributeTimestamp003	
ExtnAttributeTimestamp004	
ExtnAttributeTimestamp005	
ExtnAttributeTimestamp006	

Name	Description
ExtnAttributeTimestamp007	
ExtnAttributeTimestamp008	
ExtnAttributeTimestamp009	
ExtnAttributeTimestamp010	
ExtnAttributeTimestamp011	
ExtnAttributeTimestamp012	
ExtnAttributeTimestamp013	
ExtnAttributeTimestamp014	
ExtnAttributeTimestamp015	
ExtnAttributeTimestamp016	
ExtnAttributeTimestamp017	
ExtnAttributeTimestamp018	
ExtnAttributeTimestamp019	
ExtnAttributeTimestamp020	
ExtnAttributeTimestamp021	
ExtnAttributeTimestamp022	
ExtnAttributeTimestamp023	
ExtnAttributeTimestamp024	
ExtnAttributeTimestamp025	
ExtnAttributeTimestamp026	
ExtnAttributeTimestamp027	
ExtnAttributeTimestamp028	
ExtnAttributeTimestamp029	
ExtnAttributeTimestamp030	
ExtnAttributeTimestamp031	
ExtnAttributeTimestamp032	
ExtnAttributeTimestamp033	
ExtnAttributeTimestamp034	
ExtnAttributeTimestamp035	
ExtnAttributeTimestamp036	
ExtnAttributeTimestamp037	

Name	Description
ExtnAttributeTimestamp038	
ExtnAttributeTimestamp039	
ExtnAttributeTimestamp040	
ExtnAttributeTimestamp041	
ExtnAttributeTimestamp042	
ExtnAttributeTimestamp043	
ExtnAttributeTimestamp044	
ExtnAttributeTimestamp045	
ExtnAttributeTimestamp046	
ExtnAttributeTimestamp047	
ExtnAttributeTimestamp048	
ExtnAttributeTimestamp049	
ExtnAttributeTimestamp050	
LastUpdateDate	The date when the opportunity resource row was last updated.
LastUpdateLogin	The session login associated with the user who last updated the opportunity resource row.
LastUpdatedBy	The user who last updated the opportunity resource row.
LockAssignmentFlag	The option to prevent individual sales team members from being auto-assigned by the assignment manager.
MemberFunctionCode	The role of the user attached to the Opportunity such as Integrator, Executive Sponsor, Technical Account Manager, and so on.
OptyEffectiveDate	The estimated close date for this opportunity which is defaulted from the opportunity's closure date.
OptyId	The identifier of the opportunity in the opportunity resource. This is a foreign key of the Opportunity View object.
OptyResourceId	The unique identifier of the opportunity resource . This is a primary key of the Opportunity Resource view object.
OptyResourceNumber	The alternate key identifier of the opportunity resource.
OptyStatusCd	The code indicating the status of the opportunity. A list of valid values is defined in the lookup MOO_OPTY_STATUS.
PartnerOrgId	The unique identifier of the partner organization.
ResourceId	The unique identifier of the resource in the opportunity resource. This is a foreign key of the Parties view object.
UserLastUpdateDate	The date and time of last update of opportunity resource row. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database.

Opportunity Stage Snapshots

The opportunity stage snapshot is used to view historical snapshots of the opportunity captured when it moves from one sales stage to the next.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MooBiccExtractAM.OptyStgSnapshotExtractPVO

Primary Keys : OptyStgSnapshotId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ActiveFlag	Indicates whether the opportunity stage snapshot is active.
CreatedBy	The user who created the opportunity stage snapshot row.
CreationDate	The date and time when the opportunity stage snapshot row was created.
LastUpdateDate	The date and time when the opportunity stage snapshot row was last updated.
LastUpdateLogin	The session login associated to the user who last updated the opportunity stage snapshot row.
LastUpdatedBy	The user who last updated the opportunity stage snapshot row.
OptyId	The identifier of the opportunity in the opportunity stage snapshot. This is a foreign key of the Opportunity view object.
OptyStgSnapshotId	The unique identifier of the opportunity stage snapshot . This is a primary key of the Opportunity Stage Snapshot view object.
StgEnterDate	The date when the opportunity entered this sales stage.
StgExitDate	The date when the opportunity exited this sales stage.
StgId	The identifier of the stage in the opportunity stage snapshot. This is a foreign key of the Sales Stage view object.
UserLastUpdateDate	The date and time when the opportunity stage snapshot was last updated.

Opportunity Time Based Snapshots

The opportunity time based snapshot view object contains snapshot of opportunities details such as customer, sales method and sales stage. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MooBiccExtractAM.OpportunityTimeBasedSnapshotExtractPVO

Primary Keys : OptySnapshotId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AssetId	The Asset ID for the opportunity from the table ZCA_ASSETS.
AssignmentImpactedDate	This column is used for incremental territory based assignment.
AttributeCategory	The context name for the Opportunities descriptive flexfield.
BatchTag	This column will be used to tag opportunities for inclusion in a batch job such as batch assignment of opportunities.
BdgtAmt	The amount budgeted for this opportunity.
BdgtAmtCurcyCd	The budget amount currency code.
BdgtAvailableDt	The date when the budget will be available in the current quarter.
BdgtedFlg	Indicates if the opportunity target has been budgeted to buy the solution proposed by this opportunity.
BuOrgId	The business unit or internal organization to which this opportunity belongs.
ChampionFlag	Indicates if winning this opportunity is a strong internal champion.
ChannelTypeCd	The sales channel from which the opportunity originates. This field refers to the lookup type OPTY_CHANNEL_TYPE.
Comments	The comments about this opportunity.
CorpCurrencyCode	The corporate currency code for extensibility.
CreatedBy	The user who created the opportunity or imported it from an external system.
CreationDate	The date when the opportunity was created.
CurcyConvRateType	The currency conversion rate type for extensibility.
CurrStgId	The identifier of the current stage in the opportunities. This is a foreign key of the Sales Stage view object.

Name	Description
CurrencyCode	The currency code for extensibility.
CustAccountId	The identifier of the customer account in the opportunities. This is a foreign key of the Customer Account view object.
CustPartyId	The identifier of the customer party in the opportunities. This is a foreign key of the Parties view object.
DealHorizonCode	Indicates the time required to close the deal. This field refers to the lookup type MOO_SETID_DEAL_HORIZON.
DealHorizonCodeSetId	The Set ID of the Deal Horizon Code MOO_OPTY_SNAPSHOTS.DEAL_HORIZON_CODE for this opportunity snapshot
DecisionLvlCode	Indicates the decision level for the opportunity target. This field refers to the lookup type MOO_SETID_DECISION_LEVEL.
DecisionLvlCodeSetId	The Set ID of the Decision Level Code MOO_OPTY_SNAPSHOTS.DECISION_LVL_CODE for this opportunity snapshot.
DescText	A brief description of the opportunity.
EffectiveDate	The estimated close date for this opportunity.
EnableSocialFlag	The value Y indicates if you have requested OSN to create social networking data for this opportunity.
ExtnAttributeChar001	A column reserved for opportunities custom extension attributes of type character.
ExtnAttributeChar002	
ExtnAttributeChar003	
ExtnAttributeChar004	
ExtnAttributeChar005	
ExtnAttributeChar006	
ExtnAttributeChar007	
ExtnAttributeChar008	
ExtnAttributeChar009	
ExtnAttributeChar010	
ExtnAttributeChar011	
ExtnAttributeChar012	
ExtnAttributeChar013	
ExtnAttributeChar014	
ExtnAttributeChar015	
ExtnAttributeChar016	
ExtnAttributeChar017	
ExtnAttributeChar018	

Name	Description
ExtnAttributeChar019	
ExtnAttributeChar020	
ExtnAttributeChar021	
ExtnAttributeChar022	
ExtnAttributeChar023	
ExtnAttributeChar024	
ExtnAttributeChar025	
ExtnAttributeChar026	
ExtnAttributeChar027	
ExtnAttributeChar028	
ExtnAttributeChar029	
ExtnAttributeChar030	
ExtnAttributeChar031	
ExtnAttributeChar032	
ExtnAttributeChar033	
ExtnAttributeChar034	
ExtnAttributeChar035	
ExtnAttributeChar036	
ExtnAttributeChar037	
ExtnAttributeChar038	
ExtnAttributeChar039	
ExtnAttributeChar040	
ExtnAttributeChar041	
ExtnAttributeChar042	
ExtnAttributeChar043	
ExtnAttributeChar044	
ExtnAttributeChar045	
ExtnAttributeChar046	
ExtnAttributeChar047	
ExtnAttributeChar048	
ExtnAttributeChar049	

Name	Description
ExtnAttributeChar050	
ExtnAttributeChar051	
ExtnAttributeChar052	
ExtnAttributeChar053	
ExtnAttributeChar054	
ExtnAttributeChar055	
ExtnAttributeChar056	
ExtnAttributeChar057	
ExtnAttributeChar058	
ExtnAttributeChar059	
ExtnAttributeChar060	
ExtnAttributeChar061	
ExtnAttributeChar062	
ExtnAttributeChar063	
ExtnAttributeChar064	
ExtnAttributeChar065	
ExtnAttributeChar066	
ExtnAttributeChar067	
ExtnAttributeChar068	
ExtnAttributeChar069	
ExtnAttributeChar070	
ExtnAttributeChar071	
ExtnAttributeChar072	
ExtnAttributeChar073	
ExtnAttributeChar074	
ExtnAttributeChar075	
ExtnAttributeChar076	
ExtnAttributeChar077	
ExtnAttributeChar078	
ExtnAttributeChar079	
ExtnAttributeChar080	

Name	Description
ExtnAttributeChar081	
ExtnAttributeChar082	
ExtnAttributeChar083	
ExtnAttributeChar084	
ExtnAttributeChar085	
ExtnAttributeChar086	
ExtnAttributeChar087	
ExtnAttributeChar088	
ExtnAttributeChar089	
ExtnAttributeChar090	
ExtnAttributeChar091	
ExtnAttributeChar092	
ExtnAttributeChar093	
ExtnAttributeChar094	
ExtnAttributeChar095	
ExtnAttributeChar096	
ExtnAttributeChar097	
ExtnAttributeChar098	
ExtnAttributeChar099	
ExtnAttributeChar100	
ExtnAttributeChar101	
ExtnAttributeChar102	
ExtnAttributeChar103	
ExtnAttributeChar104	
ExtnAttributeChar105	
ExtnAttributeChar106	
ExtnAttributeChar107	
ExtnAttributeChar108	
ExtnAttributeChar109	
ExtnAttributeChar110	
ExtnAttributeChar111	

Name	Description
ExtnAttributeChar112	
ExtnAttributeChar113	
ExtnAttributeChar114	
ExtnAttributeChar115	
ExtnAttributeChar116	
ExtnAttributeChar117	
ExtnAttributeChar118	
ExtnAttributeChar119	
ExtnAttributeChar120	
ExtnAttributeChar121	
ExtnAttributeChar122	
ExtnAttributeChar123	
ExtnAttributeChar124	
ExtnAttributeChar125	
ExtnAttributeChar126	
ExtnAttributeChar127	
ExtnAttributeChar128	
ExtnAttributeChar129	
ExtnAttributeChar130	
ExtnAttributeChar131	
ExtnAttributeChar132	
ExtnAttributeChar133	
ExtnAttributeChar134	
ExtnAttributeChar135	
ExtnAttributeChar136	
ExtnAttributeChar137	
ExtnAttributeChar138	
ExtnAttributeChar139	
ExtnAttributeChar140	
ExtnAttributeChar141	
ExtnAttributeChar142	

Name	Description
ExtnAttributeChar143	
ExtnAttributeChar144	
ExtnAttributeChar145	
ExtnAttributeChar146	
ExtnAttributeChar147	
ExtnAttributeChar148	
ExtnAttributeChar149	
ExtnAttributeChar150	
ExtnAttributeChar151	
ExtnAttributeChar152	
ExtnAttributeChar153	
ExtnAttributeChar154	
ExtnAttributeChar155	
ExtnAttributeChar156	
ExtnAttributeChar157	
ExtnAttributeChar158	
ExtnAttributeChar159	
ExtnAttributeChar160	
ExtnAttributeChar161	
ExtnAttributeChar162	
ExtnAttributeChar163	
ExtnAttributeChar164	
ExtnAttributeChar165	
ExtnAttributeChar166	
ExtnAttributeChar167	
ExtnAttributeChar168	
ExtnAttributeChar169	
ExtnAttributeChar170	
ExtnAttributeChar171	
ExtnAttributeChar172	
ExtnAttributeChar173	

Name	Description
ExtnAttributeChar174	
ExtnAttributeChar175	
ExtnAttributeChar176	
ExtnAttributeChar177	
ExtnAttributeChar178	
ExtnAttributeChar179	
ExtnAttributeChar180	
ExtnAttributeChar181	
ExtnAttributeChar182	
ExtnAttributeChar183	
ExtnAttributeChar184	
ExtnAttributeChar185	
ExtnAttributeChar186	
ExtnAttributeChar187	
ExtnAttributeChar188	
ExtnAttributeChar189	
ExtnAttributeChar190	
ExtnAttributeChar191	
ExtnAttributeChar192	
ExtnAttributeChar193	
ExtnAttributeChar194	
ExtnAttributeChar195	
ExtnAttributeChar196	
ExtnAttributeChar197	
ExtnAttributeChar198	
ExtnAttributeChar199	
ExtnAttributeChar200	
ExtnAttributeChar201	
ExtnAttributeChar202	
ExtnAttributeChar203	
ExtnAttributeChar204	

Name	Description
ExtnAttributeChar205	
ExtnAttributeChar206	
ExtnAttributeChar207	
ExtnAttributeChar208	
ExtnAttributeChar209	
ExtnAttributeChar210	
ExtnAttributeChar211	
ExtnAttributeChar212	
ExtnAttributeChar213	
ExtnAttributeChar214	
ExtnAttributeChar215	
ExtnAttributeChar216	
ExtnAttributeChar217	
ExtnAttributeChar218	
ExtnAttributeChar219	
ExtnAttributeChar220	
ExtnAttributeChar221	
ExtnAttributeChar222	
ExtnAttributeChar223	
ExtnAttributeChar224	
ExtnAttributeChar225	
ExtnAttributeChar226	
ExtnAttributeChar227	
ExtnAttributeChar228	
ExtnAttributeChar229	
ExtnAttributeChar230	
ExtnAttributeChar231	
ExtnAttributeChar232	
ExtnAttributeChar233	
ExtnAttributeChar234	
ExtnAttributeChar235	

Name	Description
ExtnAttributeChar236	
ExtnAttributeChar237	
ExtnAttributeChar238	
ExtnAttributeChar239	
ExtnAttributeChar240	
ExtnAttributeChar241	
ExtnAttributeChar242	
ExtnAttributeChar243	
ExtnAttributeChar244	
ExtnAttributeChar245	
ExtnAttributeChar246	
ExtnAttributeChar247	
ExtnAttributeChar248	
ExtnAttributeChar249	
ExtnAttributeChar250	
ExtnAttributeChar251	
ExtnAttributeChar252	
ExtnAttributeChar253	
ExtnAttributeChar254	
ExtnAttributeChar255	
ExtnAttributeChar256	
ExtnAttributeChar257	
ExtnAttributeChar258	
ExtnAttributeChar259	
ExtnAttributeChar260	
ExtnAttributeChar261	
ExtnAttributeChar262	
ExtnAttributeChar263	
ExtnAttributeChar264	
ExtnAttributeChar265	
ExtnAttributeChar266	

Name	Description
ExtnAttributeChar267	
ExtnAttributeChar268	
ExtnAttributeChar269	
ExtnAttributeChar270	
ExtnAttributeChar271	
ExtnAttributeChar272	
ExtnAttributeChar273	
ExtnAttributeChar274	
ExtnAttributeChar275	
ExtnAttributeChar276	
ExtnAttributeChar277	
ExtnAttributeChar278	
ExtnAttributeChar279	
ExtnAttributeChar280	
ExtnAttributeChar281	
ExtnAttributeChar282	
ExtnAttributeChar283	
ExtnAttributeChar284	
ExtnAttributeChar285	
ExtnAttributeChar286	
ExtnAttributeChar287	
ExtnAttributeChar288	
ExtnAttributeChar289	
ExtnAttributeChar290	
ExtnAttributeChar291	
ExtnAttributeChar292	
ExtnAttributeChar293	
ExtnAttributeChar294	
ExtnAttributeChar295	
ExtnAttributeChar296	
ExtnAttributeChar297	

Name	Description
ExtnAttributeChar298	
ExtnAttributeChar299	
ExtnAttributeChar300	
ExtnAttributeChar301	
ExtnAttributeChar302	
ExtnAttributeChar303	
ExtnAttributeChar304	
ExtnAttributeChar305	
ExtnAttributeChar306	
ExtnAttributeChar307	
ExtnAttributeChar308	
ExtnAttributeChar309	
ExtnAttributeChar310	
ExtnAttributeChar311	
ExtnAttributeChar312	
ExtnAttributeChar313	
ExtnAttributeChar314	
ExtnAttributeChar315	
ExtnAttributeChar316	
ExtnAttributeChar317	
ExtnAttributeChar318	
ExtnAttributeChar319	
ExtnAttributeChar320	
ExtnAttributeChar321	
ExtnAttributeChar322	
ExtnAttributeChar323	
ExtnAttributeChar324	
ExtnAttributeChar325	
ExtnAttributeChar326	
ExtnAttributeChar327	
ExtnAttributeChar328	

Name	Description
ExtnAttributeChar329	
ExtnAttributeChar330	
ExtnAttributeChar331	
ExtnAttributeChar332	
ExtnAttributeChar333	
ExtnAttributeChar334	
ExtnAttributeChar335	
ExtnAttributeChar336	
ExtnAttributeChar337	
ExtnAttributeChar338	
ExtnAttributeChar339	
ExtnAttributeChar340	
ExtnAttributeChar341	
ExtnAttributeChar342	
ExtnAttributeChar343	
ExtnAttributeChar344	
ExtnAttributeChar345	
ExtnAttributeChar346	
ExtnAttributeChar347	
ExtnAttributeChar348	
ExtnAttributeChar349	
ExtnAttributeChar350	
ExtnAttributeClob001	A column reserved for opportunities custom extension attributes of type CLOB.
ExtnAttributeClob002	
ExtnAttributeClob003	
ExtnAttributeClob004	
ExtnAttributeClob005	
ExtnAttributeClob006	
ExtnAttributeClob007	
ExtnAttributeClob008	
ExtnAttributeClob009	

Name	Description
ExtnAttributeClob010	
ExtnAttributeClob011	
ExtnAttributeClob012	
ExtnAttributeClob013	
ExtnAttributeClob014	
ExtnAttributeClob015	
ExtnAttributeClob016	
ExtnAttributeClob017	
ExtnAttributeClob018	
ExtnAttributeClob019	
ExtnAttributeClob020	
ExtnAttributeClob021	
ExtnAttributeClob022	
ExtnAttributeClob023	
ExtnAttributeClob024	
ExtnAttributeClob025	
ExtnAttributeNumber001	A column reserved for opportunities custom extension attributes of type number.
ExtnAttributeNumber002	
ExtnAttributeNumber003	
ExtnAttributeNumber004	
ExtnAttributeNumber005	
ExtnAttributeNumber006	
ExtnAttributeNumber007	
ExtnAttributeNumber008	
ExtnAttributeNumber009	
ExtnAttributeNumber010	
ExtnAttributeNumber011	
ExtnAttributeNumber012	
ExtnAttributeNumber013	
ExtnAttributeNumber014	
ExtnAttributeNumber015	

Name	Description
ExtnAttributeNumber016	
ExtnAttributeNumber017	
ExtnAttributeNumber018	
ExtnAttributeNumber019	
ExtnAttributeNumber020	
ExtnAttributeNumber021	
ExtnAttributeNumber022	
ExtnAttributeNumber023	
ExtnAttributeNumber024	
ExtnAttributeNumber025	
ExtnAttributeNumber026	
ExtnAttributeNumber027	
ExtnAttributeNumber028	
ExtnAttributeNumber029	
ExtnAttributeNumber030	
ExtnAttributeNumber031	
ExtnAttributeNumber032	
ExtnAttributeNumber033	
ExtnAttributeNumber034	
ExtnAttributeNumber035	
ExtnAttributeNumber036	
ExtnAttributeNumber037	
ExtnAttributeNumber038	
ExtnAttributeNumber039	
ExtnAttributeNumber040	
ExtnAttributeNumber041	
ExtnAttributeNumber042	
ExtnAttributeNumber043	
ExtnAttributeNumber044	
ExtnAttributeNumber045	
ExtnAttributeNumber046	

Name	Description
ExtnAttributeNumber047	
ExtnAttributeNumber048	
ExtnAttributeNumber049	
ExtnAttributeNumber050	
ExtnAttributeNumber051	
ExtnAttributeNumber052	
ExtnAttributeNumber053	
ExtnAttributeNumber054	
ExtnAttributeNumber055	
ExtnAttributeNumber056	
ExtnAttributeNumber057	
ExtnAttributeNumber058	
ExtnAttributeNumber059	
ExtnAttributeNumber060	
ExtnAttributeNumber061	
ExtnAttributeNumber062	
ExtnAttributeNumber063	
ExtnAttributeNumber064	
ExtnAttributeNumber065	
ExtnAttributeNumber066	
ExtnAttributeNumber067	
ExtnAttributeNumber068	
ExtnAttributeNumber069	
ExtnAttributeNumber070	
ExtnAttributeNumber071	
ExtnAttributeNumber072	
ExtnAttributeNumber073	
ExtnAttributeNumber074	
ExtnAttributeNumber075	
ExtnAttributeNumber076	
ExtnAttributeNumber077	

Name	Description
ExtnAttributeNumber078	
ExtnAttributeNumber079	
ExtnAttributeNumber080	
ExtnAttributeNumber081	
ExtnAttributeNumber082	
ExtnAttributeNumber083	
ExtnAttributeNumber084	
ExtnAttributeNumber085	
ExtnAttributeNumber086	
ExtnAttributeNumber087	
ExtnAttributeNumber088	
ExtnAttributeNumber089	
ExtnAttributeNumber090	
ExtnAttributeNumber091	
ExtnAttributeNumber092	
ExtnAttributeNumber093	
ExtnAttributeNumber094	
ExtnAttributeNumber095	
ExtnAttributeNumber096	
ExtnAttributeNumber097	
ExtnAttributeNumber098	
ExtnAttributeNumber099	
ExtnAttributeNumber100	
ExtnAttributeNumber101	
ExtnAttributeNumber102	
ExtnAttributeNumber103	
ExtnAttributeNumber104	
ExtnAttributeNumber105	
ExtnAttributeNumber106	
ExtnAttributeNumber107	
ExtnAttributeNumber108	

Name	Description
ExtnAttributeNumber109	
ExtnAttributeNumber110	
ExtnAttributeNumber111	
ExtnAttributeNumber112	
ExtnAttributeNumber113	
ExtnAttributeNumber114	
ExtnAttributeNumber115	
ExtnAttributeNumber116	
ExtnAttributeNumber117	
ExtnAttributeNumber118	
ExtnAttributeNumber119	
ExtnAttributeNumber120	
ExtnAttributeNumber121	
ExtnAttributeNumber122	
ExtnAttributeNumber123	
ExtnAttributeNumber124	
ExtnAttributeNumber125	
ExtnAttributeNumber126	
ExtnAttributeNumber127	
ExtnAttributeNumber128	
ExtnAttributeNumber129	
ExtnAttributeNumber130	
ExtnAttributeNumber131	
ExtnAttributeNumber132	
ExtnAttributeNumber133	
ExtnAttributeNumber134	
ExtnAttributeNumber135	
ExtnAttributeNumber136	
ExtnAttributeNumber137	
ExtnAttributeNumber138	
ExtnAttributeNumber139	

Name	Description
ExtnAttributeNumber140	
ExtnAttributeNumber141	
ExtnAttributeNumber142	
ExtnAttributeNumber143	
ExtnAttributeNumber144	
ExtnAttributeNumber145	
ExtnAttributeNumber146	
ExtnAttributeNumber147	
ExtnAttributeNumber148	
ExtnAttributeNumber149	
ExtnAttributeNumber150	
ExtnAttributeNumber151	
ExtnAttributeNumber152	
ExtnAttributeNumber153	
ExtnAttributeNumber154	
ExtnAttributeNumber155	
ExtnAttributeNumber156	
ExtnAttributeNumber157	
ExtnAttributeNumber158	
ExtnAttributeNumber159	
ExtnAttributeNumber160	
ExtnAttributeNumber161	
ExtnAttributeNumber162	
ExtnAttributeNumber163	
ExtnAttributeNumber164	
ExtnAttributeNumber165	
ExtnAttributeNumber166	
ExtnAttributeNumber167	
ExtnAttributeNumber168	
ExtnAttributeNumber169	
ExtnAttributeNumber170	

Name	Description
ExtnAttributeNumber171	
ExtnAttributeNumber172	
ExtnAttributeNumber173	
ExtnAttributeNumber174	
ExtnAttributeNumber175	
ExtnAttributeNumber176	
ExtnAttributeNumber177	
ExtnAttributeNumber178	
ExtnAttributeNumber179	
ExtnAttributeNumber180	
ExtnAttributeNumber181	
ExtnAttributeNumber182	
ExtnAttributeNumber183	
ExtnAttributeNumber184	
ExtnAttributeNumber185	
ExtnAttributeNumber186	
ExtnAttributeNumber187	
ExtnAttributeNumber188	
ExtnAttributeNumber189	
ExtnAttributeNumber190	
ExtnAttributeNumber191	
ExtnAttributeNumber192	
ExtnAttributeNumber193	
ExtnAttributeNumber194	
ExtnAttributeNumber195	
ExtnAttributeNumber196	
ExtnAttributeNumber197	
ExtnAttributeNumber198	
ExtnAttributeNumber199	
ExtnAttributeNumber200	
ExtnAttributeTimestamp001	A column reserved for opportunities custom extension attributes of type time.

Name	Description
ExtnAttributeTimestamp002	
ExtnAttributeTimestamp003	
ExtnAttributeTimestamp004	
ExtnAttributeTimestamp005	
ExtnAttributeTimestamp006	
ExtnAttributeTimestamp007	
ExtnAttributeTimestamp008	
ExtnAttributeTimestamp009	
ExtnAttributeTimestamp010	
ExtnAttributeTimestamp011	
ExtnAttributeTimestamp012	
ExtnAttributeTimestamp013	
ExtnAttributeTimestamp014	
ExtnAttributeTimestamp015	
ExtnAttributeTimestamp016	
ExtnAttributeTimestamp017	
ExtnAttributeTimestamp018	
ExtnAttributeTimestamp019	
ExtnAttributeTimestamp020	
ExtnAttributeTimestamp021	
ExtnAttributeTimestamp022	
ExtnAttributeTimestamp023	
ExtnAttributeTimestamp024	
ExtnAttributeTimestamp025	
ExtnAttributeTimestamp026	
ExtnAttributeTimestamp027	
ExtnAttributeTimestamp028	
ExtnAttributeTimestamp029	
ExtnAttributeTimestamp030	
ExtnAttributeTimestamp031	
ExtnAttributeTimestamp032	

Name	Description
ExtnAttributeTimestamp033	
ExtnAttributeTimestamp034	
ExtnAttributeTimestamp035	
ExtnAttributeTimestamp036	
ExtnAttributeTimestamp037	
ExtnAttributeTimestamp038	
ExtnAttributeTimestamp039	
ExtnAttributeTimestamp040	
ExtnAttributeTimestamp041	
ExtnAttributeTimestamp042	
ExtnAttributeTimestamp043	
ExtnAttributeTimestamp044	
ExtnAttributeTimestamp045	
ExtnAttributeTimestamp046	
ExtnAttributeTimestamp047	
ExtnAttributeTimestamp048	
ExtnAttributeTimestamp049	
ExtnAttributeTimestamp050	
GroupSpaceId	This column is used to store the GUID of the group space associated with this opportunity.
LastAssignedDate	The date on which this last assignment was performed on this opportunity.
LastUpdateDate	The date when the opportunities row was last updated.
LastUpdateLogin	The session login associated to the user who last updated the opportunities row.
LastUpdatedBy	The user who last updated the opportunities row.
LineOfBusinessCode	The line of business that is responsible for the opportunity.
LockAssignmentFlag	The value Y notifies Assignment Manager that this row should be excluded from assignment evaluation. If previously assigned, this value locks the assignment. Set this value to N to notify the Assignment Manager that this row should either be assigned or re-assigned.
Name	The name of the opportunity.
OptyCreatedBy	The user who created the opportunities row.
OptyCreationDate	The date when the opportunity was created in a source system.
OptyId	The system generated identifier for this opportunity.
OptyLastUpdateDate	The date when the opportunities row was last updated.

Name	Description
OptyLastUpdatedBy	The user who last updated the opportunities row.
OptyNumber	The unique public identifier of the opportunity. This is a public surrogate key.
OptyPartySiteId	The identifier of the opportunity party site in the opportunities. This is a foreign key of the Party Site view object.
OptySnapshotId	The unique identifier of the opportunities . This is a primary key of the Opportunities view object.
OwnerResourceId	The identifier of the owner resource in the opportunities. This is a foreign key of the Parties view object.
ParOptyId	The identifier of the parent opportunity in the opportunities. This is a foreign key of the Opportunity view object.
PrCmptPartyId	The identifier of the primary competitor party in the opportunities. This is a foreign key of the Parties view object.
PrConPartyId	The identifier of the primary contact party in the opportunities. This is a foreign key of the Parties view object.
PrConRelationshipId	The RelationshipId of the primary contact associated to another party.
PrPartPartyId	The party ID of the primary partner.
PrSrcNumber	The primary source or campaign that generated this opportunity.
ReasonWonLostCd	The code indicating the reason for winning or losing an opportunity. This field refers to the lookup type MOO_SETID_WIN_LOSS_REASON.
ReasonWonLostCdSetId	The Set ID of the Win Loss Reason Code MOO_OPTY_SNAPSHOTS.REASON_WON_LOST_CD for this opportunity snapshot.
Registered	Indicates the deal registration status such as Expired, Yes, or No.
RegistrationStatus	Indicates the registration status of the opportunity.
RegistrationType	Indicates the registration type of the opportunity.
RiskLvlCode	Indicates the risk level for this opportunity. This field refers to the lookup type MOO_SETID_RISK_LEVEL.
RiskLvlCodeSetId	The Set ID of the Risk Level Code MOO_OPTY_SNAPSHOTS.RISK_LVL _CODE for this opportunity snapshot.
RuleBasedLastAsgnDate	The rule based last assigned date.
SalesAccountId	The Sales Account Id from the ZCA_SALES_ACCOUNTS table.
SalesMethodId	The identifier of the sales method in the opportunities. This is a foreign key of the Sales Method view object.
SnapshotDate	This date on which the snapshot of the opportunity is taken.
SnapshotId	This column is the foreign key to the MOO_SNAPSHOTS table. It refers to the snapshot ID to which this opportunity snapshot row belongs.
StatusCategory	The status category of the opportunity.
StatusCd	The status code such as Pending, Accepted, or Re-routed which can be different from the status of the current sales stage.

Name	Description
StatusCdSetId	The Set ID of the Status Code MOO_OPTY_SNAPSHOTS.STATUS_CD for this opportunity snapshot.
StrategicValueCode	Indicates the level of the strategic value to work with the opportunity target. This field refers to the lookup type MOO_SETID_STRATEGIC_VALUE. The options are Low, Medium, and High.
StrategicValueCodeSetId	The SetId of the Strategic Value Code for this opportunity snapshot.
SumRevnId	The identifier of the summary revenue in the opportunities. This is a foreign key of the Revenue view object.
UserLastUpdateDate	The date and time when the opportunities row was last updated. This value is different from LAST_UPDATE_DATE, if the opportunities row was updated in a different database.

Revenue Snapshots

The revenue time based snapshot view object contains the snapshots for the revenue lines which have information about products, amounts, price, quantity, discount percent, reason for winning or losing the revenue, percentage of split revenue, split type, owner deal start and expiry dates, sales channel code and so on.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MooBiccExtractAM.RevenueTimeBasedSnapshotExtractPVO

Primary Keys : RevnSnapshotId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ActualCloseDate	The date on the revenue snapshot row when the revenue line was closed.
AdditionalAmount1	An additional currency field on the revenue snapshot row.
AdditionalNum1	An additional numeric field on the revenue snapshot row.
AdditionalText1	An additional text 1 field on the revenue snapshot row.
AdditionalText2	An additional text 2 field on the revenue snapshot row.
AttributeCategory	
BaseRevnAmt	The amount of the base revenue on the revenue snapshot row.
BuOrgId	The unique identifier of the Business Unit that owns the opportunity on the revenue snapshot row.
CloseReasonCode	The code indicating the reason for winning or losing the revenue on the revenue snapshot row. A list of valid values is defined in the lookup type MOO_SETID_WIN_LOSS_REASON.

Name	Description
CloseReasonCodeSetId	The Set Id of the Close Reason Code MOO_REVN.CLOSE_REASON_CODE for the revenue snapshot row.
Comments	The user-provided comments on the revenue snapshot row.
CommitFlag	Indicates if this revenue snapshot line should be used for forecasting. A list of accepted values is defined in the lookup type YES_NO.
ConversionRate	The currency conversion rate stamped on the revenue snapshot row and used for converting the revenue amount to the opportunity summary currency. This rate is used if the currency of the revenue line is different from the opportunity currency.
ConversionRateType	The currency conversion rate type stamped on the revenue snapshot row and used for converting the revenue amount to the opportunity summary currency. This rate type is used if the currency of the revenue line is different from the opportunity currency. The rate type can be spot, user-defined, or corporate.
CostAmt	The cost amount for the opportunity on the revenue snapshot row.
CrRcptPartOrgPartyId	The unique identifier of the credit recipient partner organization party on the revenue snapshot row.
CreatedBy	The user who created the revenue snapshot row.
CreationDate	The date and time when the revenue snapshot row was created.
CrmConversionDate	The date stamped on the revenue snapshot row and used to obtain the currency conversion rate for the conversion of the revenue amount to the common CRM currency, if the currency of the revenue line is different from the common CRM currency.
CrmConversionRate	The rate stamped on the revenue snapshot row and used for the conversion of the revenue amount to the common CRM currency, if the currency of the revenue line is different from the common CRM currency.
CrmConversionRateType	The rate type stamped on the revenue snapshot row and used for the conversion of the revenue amount to the common CRM currency if the currency of the revenue line is different from the common CRM currency. The rate type can be spot, user-defined, or corporate.
CrmCurcyCode	The common CRM currency code on the revenue snapshot row.
CustAccountId	The unique identifier of the customer account that owns the opportunity on the revenue snapshot row. This is a foreign key to the Customer Accounts view object.
CustPartyId	The unique identifier of the sales account that owns the opportunity on the revenue snapshot row. This is a foreign key to the Parties view object.
Discount	The discount percent on the revenue snapshot row.
DownsideAmt	The minimum amount of revenue for the opportunity on the revenue snapshot row.
EffectiveDate	The estimated date when the revenue closes on the revenue snapshot row. The default value is the opportunity's close date.
ExpectAmt	The expected amount of revenue for the opportunity on the revenue snapshot row.
ExpectDlvryDate	The date on the revenue snapshot row when the product in the opportunity is expected to be delivered. This is used only for opportunities that include products.
ExtnAttributeChar001	A column reserved for custom extension attributes for the revenue snapshot.
ExtnAttributeChar002	
ExtnAttributeChar003	

Name	Description
ExtnAttributeChar004	
ExtnAttributeChar005	
ExtnAttributeChar006	
ExtnAttributeChar007	
ExtnAttributeChar008	
ExtnAttributeChar009	
ExtnAttributeChar010	
ExtnAttributeChar011	
ExtnAttributeChar012	
ExtnAttributeChar013	
ExtnAttributeChar014	
ExtnAttributeChar015	
ExtnAttributeChar016	
ExtnAttributeChar017	
ExtnAttributeChar018	
ExtnAttributeChar019	
ExtnAttributeChar020	
ExtnAttributeChar021	
ExtnAttributeChar022	
ExtnAttributeChar023	
ExtnAttributeChar024	
ExtnAttributeChar025	
ExtnAttributeChar026	
ExtnAttributeChar027	
ExtnAttributeChar028	
ExtnAttributeChar029	
ExtnAttributeChar030	
ExtnAttributeChar031	
ExtnAttributeChar032	
ExtnAttributeChar033	
ExtnAttributeChar034	

Name	Description
ExtnAttributeChar035	
ExtnAttributeChar036	
ExtnAttributeChar037	
ExtnAttributeChar038	
ExtnAttributeChar039	
ExtnAttributeChar040	
ExtnAttributeChar041	
ExtnAttributeChar042	
ExtnAttributeChar043	
ExtnAttributeChar044	
ExtnAttributeChar045	
ExtnAttributeChar046	
ExtnAttributeChar047	
ExtnAttributeChar048	
ExtnAttributeChar049	
ExtnAttributeChar050	
ExtnAttributeChar051	
ExtnAttributeChar052	
ExtnAttributeChar053	
ExtnAttributeChar054	
ExtnAttributeChar055	
ExtnAttributeChar056	
ExtnAttributeChar057	
ExtnAttributeChar058	
ExtnAttributeChar059	
ExtnAttributeChar060	
ExtnAttributeChar061	
ExtnAttributeChar062	
ExtnAttributeChar063	
ExtnAttributeChar064	
ExtnAttributeChar065	

Name	Description
ExtnAttributeChar066	
ExtnAttributeChar067	
ExtnAttributeChar068	
ExtnAttributeChar069	
ExtnAttributeChar070	
ExtnAttributeChar071	
ExtnAttributeChar072	
ExtnAttributeChar073	
ExtnAttributeChar074	
ExtnAttributeChar075	
ExtnAttributeChar076	
ExtnAttributeChar077	
ExtnAttributeChar078	
ExtnAttributeChar079	
ExtnAttributeChar080	
ExtnAttributeChar081	
ExtnAttributeChar082	
ExtnAttributeChar083	
ExtnAttributeChar084	
ExtnAttributeChar085	
ExtnAttributeChar086	
ExtnAttributeChar087	
ExtnAttributeChar088	
ExtnAttributeChar089	
ExtnAttributeChar090	
ExtnAttributeChar091	
ExtnAttributeChar092	
ExtnAttributeChar093	
ExtnAttributeChar094	
ExtnAttributeChar095	
ExtnAttributeChar096	

Name	Description
ExtnAttributeChar097	
ExtnAttributeChar098	
ExtnAttributeChar099	
ExtnAttributeChar100	
ExtnAttributeChar101	
ExtnAttributeChar102	
ExtnAttributeChar103	
ExtnAttributeChar104	
ExtnAttributeChar105	
ExtnAttributeChar106	
ExtnAttributeChar107	
ExtnAttributeChar108	
ExtnAttributeChar109	
ExtnAttributeChar110	
ExtnAttributeChar111	
ExtnAttributeChar112	
ExtnAttributeChar113	
ExtnAttributeChar114	
ExtnAttributeChar115	
ExtnAttributeChar116	
ExtnAttributeChar117	
ExtnAttributeChar118	
ExtnAttributeChar119	
ExtnAttributeChar120	
ExtnAttributeChar121	
ExtnAttributeChar122	
ExtnAttributeChar123	
ExtnAttributeChar124	
ExtnAttributeChar125	
ExtnAttributeChar126	
ExtnAttributeChar127	

Name	Description
ExtnAttributeChar128	
ExtnAttributeChar129	
ExtnAttributeChar130	
ExtnAttributeChar131	
ExtnAttributeChar132	
ExtnAttributeChar133	
ExtnAttributeChar134	
ExtnAttributeChar135	
ExtnAttributeChar136	
ExtnAttributeChar137	
ExtnAttributeChar138	
ExtnAttributeChar139	
ExtnAttributeChar140	
ExtnAttributeChar141	
ExtnAttributeChar142	
ExtnAttributeChar143	
ExtnAttributeChar144	
ExtnAttributeChar145	
ExtnAttributeChar146	
ExtnAttributeChar147	
ExtnAttributeChar148	
ExtnAttributeChar149	
ExtnAttributeChar150	
ExtnAttributeChar151	
ExtnAttributeChar152	
ExtnAttributeChar153	
ExtnAttributeChar154	
ExtnAttributeChar155	
ExtnAttributeChar156	
ExtnAttributeChar157	
ExtnAttributeChar158	

Name	Description
ExtnAttributeChar159	
ExtnAttributeChar160	
ExtnAttributeChar161	
ExtnAttributeChar162	
ExtnAttributeChar163	
ExtnAttributeChar164	
ExtnAttributeChar165	
ExtnAttributeChar166	
ExtnAttributeChar167	
ExtnAttributeChar168	
ExtnAttributeChar169	
ExtnAttributeChar170	
ExtnAttributeChar171	
ExtnAttributeChar172	
ExtnAttributeChar173	
ExtnAttributeChar174	
ExtnAttributeChar175	
ExtnAttributeChar176	
ExtnAttributeChar177	
ExtnAttributeChar178	
ExtnAttributeChar179	
ExtnAttributeChar180	
ExtnAttributeChar181	
ExtnAttributeChar182	
ExtnAttributeChar183	
ExtnAttributeChar184	
ExtnAttributeChar185	
ExtnAttributeChar186	
ExtnAttributeChar187	
ExtnAttributeChar188	
ExtnAttributeChar189	

Name	Description
ExtnAttributeChar190	
ExtnAttributeChar191	
ExtnAttributeChar192	
ExtnAttributeChar193	
ExtnAttributeChar194	
ExtnAttributeChar195	
ExtnAttributeChar196	
ExtnAttributeChar197	
ExtnAttributeChar198	
ExtnAttributeChar199	
ExtnAttributeChar200	
ExtnAttributeChar201	
ExtnAttributeChar202	
ExtnAttributeChar203	
ExtnAttributeChar204	
ExtnAttributeChar205	
ExtnAttributeChar206	
ExtnAttributeChar207	
ExtnAttributeChar208	
ExtnAttributeChar209	
ExtnAttributeChar210	
ExtnAttributeChar211	
ExtnAttributeChar212	
ExtnAttributeChar213	
ExtnAttributeChar214	
ExtnAttributeChar215	
ExtnAttributeChar216	
ExtnAttributeChar217	
ExtnAttributeChar218	
ExtnAttributeChar219	
ExtnAttributeChar220	

Name	Description
ExtnAttributeChar221	
ExtnAttributeChar222	
ExtnAttributeChar223	
ExtnAttributeChar224	
ExtnAttributeChar225	
ExtnAttributeChar226	
ExtnAttributeChar227	
ExtnAttributeChar228	
ExtnAttributeChar229	
ExtnAttributeChar230	
ExtnAttributeChar231	
ExtnAttributeChar232	
ExtnAttributeChar233	
ExtnAttributeChar234	
ExtnAttributeChar235	
ExtnAttributeChar236	
ExtnAttributeChar237	
ExtnAttributeChar238	
ExtnAttributeChar239	
ExtnAttributeChar240	
ExtnAttributeChar241	
ExtnAttributeChar242	
ExtnAttributeChar243	
ExtnAttributeChar244	
ExtnAttributeChar245	
ExtnAttributeChar246	
ExtnAttributeChar247	
ExtnAttributeChar248	
ExtnAttributeChar249	
ExtnAttributeChar250	
ExtnAttributeChar251	

Name	Description
ExtnAttributeChar252	
ExtnAttributeChar253	
ExtnAttributeChar254	
ExtnAttributeChar255	
ExtnAttributeChar256	
ExtnAttributeChar257	
ExtnAttributeChar258	
ExtnAttributeChar259	
ExtnAttributeChar260	
ExtnAttributeChar261	
ExtnAttributeChar262	
ExtnAttributeChar263	
ExtnAttributeChar264	
ExtnAttributeChar265	
ExtnAttributeChar266	
ExtnAttributeChar267	
ExtnAttributeChar268	
ExtnAttributeChar269	
ExtnAttributeChar270	
ExtnAttributeChar271	
ExtnAttributeChar272	
ExtnAttributeChar273	
ExtnAttributeChar274	
ExtnAttributeChar275	
ExtnAttributeChar276	
ExtnAttributeChar277	
ExtnAttributeChar278	
ExtnAttributeChar279	
ExtnAttributeChar280	
ExtnAttributeChar281	
ExtnAttributeChar282	

Name	Description
ExtnAttributeChar283	
ExtnAttributeChar284	
ExtnAttributeChar285	
ExtnAttributeChar286	
ExtnAttributeChar287	
ExtnAttributeChar288	
ExtnAttributeChar289	
ExtnAttributeChar290	
ExtnAttributeChar291	
ExtnAttributeChar292	
ExtnAttributeChar293	
ExtnAttributeChar294	
ExtnAttributeChar295	
ExtnAttributeChar296	
ExtnAttributeChar297	
ExtnAttributeChar298	
ExtnAttributeChar299	
ExtnAttributeChar300	
ExtnAttributeChar301	
ExtnAttributeChar302	
ExtnAttributeChar303	
ExtnAttributeChar304	
ExtnAttributeChar305	
ExtnAttributeChar306	
ExtnAttributeChar307	
ExtnAttributeChar308	
ExtnAttributeChar309	
ExtnAttributeChar310	
ExtnAttributeChar311	
ExtnAttributeChar312	
ExtnAttributeChar313	

Name	Description
ExtnAttributeChar314	
ExtnAttributeChar315	
ExtnAttributeChar316	
ExtnAttributeChar317	
ExtnAttributeChar318	
ExtnAttributeChar319	
ExtnAttributeChar320	
ExtnAttributeChar321	
ExtnAttributeChar322	
ExtnAttributeChar323	
ExtnAttributeChar324	
ExtnAttributeChar325	
ExtnAttributeChar326	
ExtnAttributeChar327	
ExtnAttributeChar328	
ExtnAttributeChar329	
ExtnAttributeChar330	
ExtnAttributeChar331	
ExtnAttributeChar332	
ExtnAttributeChar333	
ExtnAttributeChar334	
ExtnAttributeChar335	
ExtnAttributeChar336	
ExtnAttributeChar337	
ExtnAttributeChar338	
ExtnAttributeChar339	
ExtnAttributeChar340	
ExtnAttributeChar341	
ExtnAttributeChar342	
ExtnAttributeChar343	
ExtnAttributeChar344	

Name	Description
ExtnAttributeChar345	
ExtnAttributeChar346	
ExtnAttributeChar347	
ExtnAttributeChar348	
ExtnAttributeChar349	
ExtnAttributeChar350	
ExtnAttributeClob001	
ExtnAttributeClob002	
ExtnAttributeClob003	
ExtnAttributeClob004	
ExtnAttributeClob005	
ExtnAttributeClob006	
ExtnAttributeClob007	
ExtnAttributeClob008	
ExtnAttributeClob009	
ExtnAttributeClob010	
ExtnAttributeClob011	
ExtnAttributeClob012	
ExtnAttributeClob013	
ExtnAttributeClob014	
ExtnAttributeClob015	
ExtnAttributeClob016	
ExtnAttributeClob017	
ExtnAttributeClob018	
ExtnAttributeClob019	
ExtnAttributeClob020	
ExtnAttributeClob021	
ExtnAttributeClob022	
ExtnAttributeClob023	
ExtnAttributeClob024	
ExtnAttributeClob025	

Name	Description
ExtnAttributeNumber001	
ExtnAttributeNumber002	
ExtnAttributeNumber003	
ExtnAttributeNumber004	
ExtnAttributeNumber005	
ExtnAttributeNumber006	
ExtnAttributeNumber007	
ExtnAttributeNumber008	
ExtnAttributeNumber009	
ExtnAttributeNumber010	
ExtnAttributeNumber011	
ExtnAttributeNumber012	
ExtnAttributeNumber013	
ExtnAttributeNumber014	
ExtnAttributeNumber015	
ExtnAttributeNumber016	
ExtnAttributeNumber017	
ExtnAttributeNumber018	
ExtnAttributeNumber019	
ExtnAttributeNumber020	
ExtnAttributeNumber021	
ExtnAttributeNumber022	
ExtnAttributeNumber023	
ExtnAttributeNumber024	
ExtnAttributeNumber025	
ExtnAttributeNumber026	
ExtnAttributeNumber027	
ExtnAttributeNumber028	
ExtnAttributeNumber029	
ExtnAttributeNumber030	
ExtnAttributeNumber031	

Name	Description
ExtnAttributeNumber032	
ExtnAttributeNumber033	
ExtnAttributeNumber034	
ExtnAttributeNumber035	
ExtnAttributeNumber036	
ExtnAttributeNumber037	
ExtnAttributeNumber038	
ExtnAttributeNumber039	
ExtnAttributeNumber040	
ExtnAttributeNumber041	
ExtnAttributeNumber042	
ExtnAttributeNumber043	
ExtnAttributeNumber044	
ExtnAttributeNumber045	
ExtnAttributeNumber046	
ExtnAttributeNumber047	
ExtnAttributeNumber048	
ExtnAttributeNumber049	
ExtnAttributeNumber050	
ExtnAttributeNumber051	
ExtnAttributeNumber052	
ExtnAttributeNumber053	
ExtnAttributeNumber054	
ExtnAttributeNumber055	
ExtnAttributeNumber056	
ExtnAttributeNumber057	
ExtnAttributeNumber058	
ExtnAttributeNumber059	
ExtnAttributeNumber060	
ExtnAttributeNumber061	
ExtnAttributeNumber062	

Name	Description
ExtnAttributeNumber063	
ExtnAttributeNumber064	
ExtnAttributeNumber065	
ExtnAttributeNumber066	
ExtnAttributeNumber067	
ExtnAttributeNumber068	
ExtnAttributeNumber069	
ExtnAttributeNumber070	
ExtnAttributeNumber071	
ExtnAttributeNumber072	
ExtnAttributeNumber073	
ExtnAttributeNumber074	
ExtnAttributeNumber075	
ExtnAttributeNumber076	
ExtnAttributeNumber077	
ExtnAttributeNumber078	
ExtnAttributeNumber079	
ExtnAttributeNumber080	
ExtnAttributeNumber081	
ExtnAttributeNumber082	
ExtnAttributeNumber083	
ExtnAttributeNumber084	
ExtnAttributeNumber085	
ExtnAttributeNumber086	
ExtnAttributeNumber087	
ExtnAttributeNumber088	
ExtnAttributeNumber089	
ExtnAttributeNumber090	
ExtnAttributeNumber091	
ExtnAttributeNumber092	
ExtnAttributeNumber093	

Name	Description
ExtnAttributeNumber094	
ExtnAttributeNumber095	
ExtnAttributeNumber096	
ExtnAttributeNumber097	
ExtnAttributeNumber098	
ExtnAttributeNumber099	
ExtnAttributeNumber100	
ExtnAttributeNumber101	
ExtnAttributeNumber102	
ExtnAttributeNumber103	
ExtnAttributeNumber104	
ExtnAttributeNumber105	
ExtnAttributeNumber106	
ExtnAttributeNumber107	
ExtnAttributeNumber108	
ExtnAttributeNumber109	
ExtnAttributeNumber110	
ExtnAttributeNumber111	
ExtnAttributeNumber112	
ExtnAttributeNumber113	
ExtnAttributeNumber114	
ExtnAttributeNumber115	
ExtnAttributeNumber116	
ExtnAttributeNumber117	
ExtnAttributeNumber118	
ExtnAttributeNumber119	
ExtnAttributeNumber120	
ExtnAttributeNumber121	
ExtnAttributeNumber122	
ExtnAttributeNumber123	
ExtnAttributeNumber124	

Name	Description
ExtnAttributeNumber125	
ExtnAttributeNumber126	
ExtnAttributeNumber127	
ExtnAttributeNumber128	
ExtnAttributeNumber129	
ExtnAttributeNumber130	
ExtnAttributeNumber131	
ExtnAttributeNumber132	
ExtnAttributeNumber133	
ExtnAttributeNumber134	
ExtnAttributeNumber135	
ExtnAttributeNumber136	
ExtnAttributeNumber137	
ExtnAttributeNumber138	
ExtnAttributeNumber139	
ExtnAttributeNumber140	
ExtnAttributeNumber141	
ExtnAttributeNumber142	
ExtnAttributeNumber143	
ExtnAttributeNumber144	
ExtnAttributeNumber145	
ExtnAttributeNumber146	
ExtnAttributeNumber147	
ExtnAttributeNumber148	
ExtnAttributeNumber149	
ExtnAttributeNumber150	
ExtnAttributeNumber151	
ExtnAttributeNumber152	
ExtnAttributeNumber153	
ExtnAttributeNumber154	
ExtnAttributeNumber155	

Name	Description
ExtnAttributeNumber156	
ExtnAttributeNumber157	
ExtnAttributeNumber158	
ExtnAttributeNumber159	
ExtnAttributeNumber160	
ExtnAttributeNumber161	
ExtnAttributeNumber162	
ExtnAttributeNumber163	
ExtnAttributeNumber164	
ExtnAttributeNumber165	
ExtnAttributeNumber166	
ExtnAttributeNumber167	
ExtnAttributeNumber168	
ExtnAttributeNumber169	
ExtnAttributeNumber170	
ExtnAttributeNumber171	
ExtnAttributeNumber172	
ExtnAttributeNumber173	
ExtnAttributeNumber174	
ExtnAttributeNumber175	
ExtnAttributeNumber176	
ExtnAttributeNumber177	
ExtnAttributeNumber178	
ExtnAttributeNumber179	
ExtnAttributeNumber180	
ExtnAttributeNumber181	
ExtnAttributeNumber182	
ExtnAttributeNumber183	
ExtnAttributeNumber184	
ExtnAttributeNumber185	
ExtnAttributeNumber186	

Name	Description
ExtnAttributeNumber187	
ExtnAttributeNumber188	
ExtnAttributeNumber189	
ExtnAttributeNumber190	
ExtnAttributeNumber191	
ExtnAttributeNumber192	
ExtnAttributeNumber193	
ExtnAttributeNumber194	
ExtnAttributeNumber195	
ExtnAttributeNumber196	
ExtnAttributeNumber197	
ExtnAttributeNumber198	
ExtnAttributeNumber199	
ExtnAttributeNumber200	
ExtnAttributeTimestamp001	
ExtnAttributeTimestamp002	
ExtnAttributeTimestamp003	
ExtnAttributeTimestamp004	
ExtnAttributeTimestamp005	
ExtnAttributeTimestamp006	
ExtnAttributeTimestamp007	
ExtnAttributeTimestamp008	
ExtnAttributeTimestamp009	
ExtnAttributeTimestamp010	
ExtnAttributeTimestamp011	
ExtnAttributeTimestamp012	
ExtnAttributeTimestamp013	
ExtnAttributeTimestamp014	
ExtnAttributeTimestamp015	
ExtnAttributeTimestamp016	
ExtnAttributeTimestamp017	

Name	Description
ExtnAttributeTimestamp018	
ExtnAttributeTimestamp019	
ExtnAttributeTimestamp020	
ExtnAttributeTimestamp021	
ExtnAttributeTimestamp022	
ExtnAttributeTimestamp023	
ExtnAttributeTimestamp024	
ExtnAttributeTimestamp025	
ExtnAttributeTimestamp026	
ExtnAttributeTimestamp027	
ExtnAttributeTimestamp028	
ExtnAttributeTimestamp029	
ExtnAttributeTimestamp030	
ExtnAttributeTimestamp031	
ExtnAttributeTimestamp032	
ExtnAttributeTimestamp033	
ExtnAttributeTimestamp034	
ExtnAttributeTimestamp035	
ExtnAttributeTimestamp036	
ExtnAttributeTimestamp037	
ExtnAttributeTimestamp038	
ExtnAttributeTimestamp039	
ExtnAttributeTimestamp040	
ExtnAttributeTimestamp041	
ExtnAttributeTimestamp042	
ExtnAttributeTimestamp043	
ExtnAttributeTimestamp044	
ExtnAttributeTimestamp045	
ExtnAttributeTimestamp046	
ExtnAttributeTimestamp047	
ExtnAttributeTimestamp048	

Name	Description
ExtnAttributeTimestamp049	
ExtnAttributeTimestamp050	
ForecastOverrideCode	The code on the revenue snapshot row which indicates if the revenue forecast should be overridden. The valid values are ALWAYS, NEVER, and CRITERIA. A list of valid values is defined in the lookup type ZSF_FCST_INCLUDE_IN_FCST.
InventoryItemId	The unique identifier of the product in the inventory on the revenue snapshot row.
InventoryOrgId	The unique identifier of the organization in the inventory on the revenue snapshot row. This is a foreign key to the Item Organization Associations view object.
LastUpdateDate	The date and time when the revenue snapshot row was last updated.
LastUpdateLogin	The session login associated to the user who last updated the revenue snapshot row.
LastUpdatedBy	The user who last updated the revenue snapshot row.
MarginAmt	The margin amount for the opportunity on the revenue snapshot row.
NqSplitAllocTypeCode	The code indicating the non-quota allocation split type on the revenue snapshot row. The valid values are Ad hoc amount and Proportional to Revenue. A list of valid values is defined in the lookup type MOO_REVN_SPLIT_ALLOC_TYPE.
OptyId	The unique identifier of the opportunity on the revenue snapshot row.
OptyLeadId	The unique Identifier of the lead associated with opportunity on the revenue snapshot row.
OwnerDealExpirationDate	The date on the revenue snapshot row when the owner deal expires.
OwnerDealProtectedDate	The date on the revenue snapshot row when the owner deal starts.
OwnerInTerrFlag	Indicates that the owner of the revenue line from the revenue snapshot row is a member of any territories to which the revenue line belongs.
OwnerLockAsgnFlag	Indicates if the revenue owner assignment on the revenue snapshot row should be locked. If the value is Y, then the owner assignment for the revenue should be locked. The default value is N.
OwnerOrgTreeCode	
OwnerOrgTreeStructCode	
OwnerResourceId	The unique identifier of the revenue owner on the revenue snapshot row. This is a foreign key to the Parties view object.
OwnerResourceOrgId	
ParentRevnId	The unique identifier of the parent revenue for the opportunity on the revenue snapshot row.
PartEngagementTypeCode	The code on the revenue snapshot row indicating the type of partner engagement.
PrCmptPartyId	The identifier of the primary competitor party on the revenue snapshot row. This is a foreign key to the Parties view object.
PrCmptProductId	The identifier of the primary competitor product on the revenue snapshot row.
PrPartOrgPartyId	The unique identifier of the primary revenue partner organization party on the revenue snapshot row.
PrTerritoryUpdatedById	The identifier of the resource who last updated the primary forecast territory associated with the revenue snapshot row.

Name	Description
PrTerritoryVersionId	The unique identifier of the primary territory on the revenue snapshot row.
PrimaryFlag	Indicates if the current row is the primary revenue snapshot row.
ProdGroupId	The unique identifier of the product group on the revenue snapshot row. This is a foreign key to the Product Groups view object.
Qty	The quantity of the product for this opportunity on the revenue snapshot row.
RecmdEffectiveDate	The recommended effective date on the revenue snapshot row.
RecmdLastUpdateDate	The recommended date and time when the revenue snapshot row was last updated.
RecmdRevnAmt	The recommended revenue amount on the revenue snapshot row.
RecmdWinProb	The recommended win probability on the revenue snapshot row.
RecurAdditionalAmount1	An additional currency field for the recurrence on the revenue snapshot row.
RecurAdditionalNum1	An additional numeric field for the recurrence on the revenue snapshot row.
RecurDownsideAmt	The minimum revenue amount from the recurrence on the revenue snapshot row.
RecurEndDate	The date on the revenue snapshot row when the revenue recurrence ends.
RecurExpectAmount	The expected amount of revenue for the revenue recurrence on the revenue snapshot row.
RecurFrequencyCode	The code on the revenue snapshot row that indicates the frequency of recurrence. A list of valid values is defined in the lookup type MOO_RECURRING_FREQUENCY.
RecurNumPeriods	The number of times the revenue on the revenue snapshot row should recur.
RecurParentRevnId	The unique identifier for the parent revenue of the recurring revenue lines on the revenue snapshot row. This is a foreign key to the Revenues view object.
RecurQty	The quantity of the revenue recurrence on the revenue snapshot row.
RecurRevnAmt	The amount of revenue from the revenue recurrence on the revenue snapshot row.
RecurStartDate	The date on the revenue snapshot row when the recurrence starts.
RecurTypeCode	The code on the revenue snapshot row indicating if the line is a standard revenue line or a recurring revenue line. A list of valid values is defined in the lookup type MOO_REVN_RECUR_TYPE.
RecurUnitPrice	The unit price for each revenue recurrence on the revenue snapshot row.
RecurUpsideAmt	The maximum revenue amount from the recurrence on the revenue snapshot row.
RevnAmt	The amount of revenue that is earned from this opportunity on the revenue snapshot row.
RevnAmtCurcyCode	The currency code stamped on the revenue snapshot row and used to calculate the revenue for this opportunity. A list of valid values is defined in the lookup type ZCA_COMMON_CORPORATE_CURRENCY.
RevnCategoryCode	The code on the revenue snapshot row indicating the revenue category. A list of valid values is defined in the lookup type MOO_REVN_CATEGORY.
RevnCreationDate	The date and time on the revenue snapshot row when the revenue line was created.
RevnId	The unique identifier of the revenue line for the opportunity on the revenue snapshot row. This is a primary key of the Revenues view object.

Name	Description
RevnLastUpdateDate	The date and time on the revenue snapshot row when the revenue record was last updated.
RevnLineTypeCode	The code on the revenue snapshot row indicating the type of revenue line, such as Opportunity Summary Revenue, Standard Revenue, and so on. A list of valid values is defined in the lookup type MOO_REVN_LINE_TYPE.
RevnNumber	The user-editable unique identifier for the revenue on the revenue snapshot row. The default value is the revenue identifier and is required.
RevnSeqNum	The revenue sequence number on the revenue snapshot row.
RevnSnapshotId	The unique identifier of the revenue snapshot row. This is a primary key of the Revenue Snapshot view object.
SalesAccountId	The unique identifier of the opportunity sales account on the revenue snapshot row. This is a foreign key to the Sales Accounts view object.
SalesChannelCode	The code on the revenue snapshot row indicating the sales channel for the revenue. A list of valid values is defined in the lookup type ZPM_SALES_CHANNEL.
SalesCreditTypeCode	The code on the revenue snapshot row indicating the type of the sales credit, such as quota or non-quota. A list of valid values is defined in the lookup type MOO_SALES_CREDIT_TYPE.
SnapshotDate	The date when the snapshot revenue row was taken.
SnapshotId	This column is a foreign key to the MOO_SNAPSHOTS table that contains details about the snapshots.
SplitParentRevnId	The unique identifier of the split parent revenue on the revenue snapshot row. This is a foreign key to the Revenues view object.
SplitPercent	The percentage of split revenue on the revenue snapshot row.
SplitTypeCode	The code on the revenue snapshot row that indicates if the split is revenue or non-revenue. A list of valid values is defined in the lookup type MOO_REVN_SPLIT_TYPE.
StatusCategory	The revenue status category on the revenue snapshot row.
StatusCode	The unique code indicating the status of the revenue snapshot row. A list of valid values is defined in the lookup type OPTY_STATUS.
StatusCodeSetId	The Set Id of the Status Code MOO_REVN.STATUS_CODE for the revenue snapshot row.
TopParentRevnNumber	The revenue number of the revenue line on the revenue snapshot row to which the child revenue lines roll up to.
TypeCode	The code on the revenue snapshot row indicating the type of revenue earned from this opportunity. A list of valid values is defined in the lookup type MOO_SETID_REVENUE_TYPE.
TypeCodeSetId	The Set Id of the Revenue Type MOO_REVN.TYPE_CODE for the revenue snapshot row.
UnitPrice	The estimated unit price for the product on the revenue snapshot row.
UomCode	The unit of measure code for the product on the revenue snapshot row.
UpsideAmt	The maximum amount of revenue for the opportunity on the revenue snapshot row.
UserLastUpdateDate	The date and time of last update date of revenue snapshot row. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database.
WinProb	The estimated probability of winning the opportunity on the revenue snapshot row.

Revenue Territories

The revenue territories view object contains information about revenue territory, territory based assignment indicator, manual assignment indicator, summary revenue indicator, and so on.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MooBiccExtractAM.RevenueTerritoryExtractPVO

Primary Keys : RevnTerrId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AsgnTerrBasedFlag	Indicates if the territory is added to the territory team by territory based assignment.
CreatedBy	The user who created the revenue territory row.
CreationDate	The date and time when the revenue territory row was created.
LastUpdateDate	The date and time when the revenue territory row was last updated.
LastUpdateLogin	The session login associated to the user who last updated the revenue territory row.
LastUpdatedBy	The user who last updated the revenue territory row.
LockAssignmentFlag	Indicates if the territory is added to the territory team by manual territory assignment.
RevnId	The identifier of the revenue in the revenue territory. This is a foreign key to the Revenues view object.
RevnTerrId	The unique identifier of the revenue territory. This is a primary key of the Revenue Territories view object.
SumRevnFlag	Indicates if the revenue is a summary revenue or not of revenue territory row.
TerritoryId	The unique identifier of the territory.
TerritoryVersionId	The identifier of the territory version in the revenue territory. This is a foreign key to the Territories view object.
UserLastUpdateDate	The date and time of last update date of revenue territory row. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database.

Revenues

The revenues view object contains information about products, amounts, price, quantity, discount percent, reason for winning or losing the revenue, percentage of split revenue, split type, owner deal start and expiry dates, sales channel code and so on.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MooBiccExtractAM.RevenueExtractPVO

Primary Keys : RevnId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ActualCloseDate	The date when the revenue line was closed.
AdditionalAmount1	An additional currency field.
AdditionalNum1	An additional numeric field.
AdditionalText1	An additional text 1 field.
AdditionalText2	An additional text 2 field.
BaseRevnAmt	The amount of base revenue.
BuOrgId	The unique identifier of the Business Unit that owns the opportunity.
CloseReasonCode	The code indicating the reason for winning or losing the revenue. A list of valid values is defined in the lookup type MOO_SETID_WIN_LOSS_REASON.
CloseReasonCodeSetId	The Set Id of the Close Reason Code MOO_REVN.CLOSE_REASON_CODE for the revenue row.
Comments	The user-provided comments for the revenue line.
CommitFlag	Indicates if this revenue line should be used for forecasting. A list of accepted values is defined in the lookup type YES_NO.
ConversionRate	The currency conversion rate for converting the revenue amount to the opportunity summary currency. This rate is used if the currency of the revenue line is different from the opportunity currency.
ConversionRateType	The currency conversion rate type for converting the revenue amount to the opportunity summary currency. This rate type is used if the currency of the revenue line is different from the opportunity currency. The rate type can be spot, user-defined, or corporate.
CostAmt	The cost amount for the opportunity.
CrRcptPartOrgPartyId	The unique identifier of the credit recipient partner organization party.
CreatedBy	The user who created the revenue row.

Name	Description
CreationDate	The date and time when the revenue row was created.
CrmConversionDate	The date used to obtain the currency conversion rate for the conversion of the revenue amount to the common CRM currency, if the currency of the revenue line is different from the common CRM currency.
CrmConversionRate	The rate used for the conversion of the revenue amount to the common CRM currency, if the currency of the revenue line is different from the common CRM currency.
CrmConversionRateType	The rate type used for the conversion of the revenue amount to the common CRM currency if the currency of the revenue line is different from the common CRM currency. The rate type can be spot, user-defined, or corporate.
CrmCurcyCode	The common CRM currency code.
CustAccountId	The unique identifier of the customer account that owns the opportunity. This is a foreign key to the Customer Accounts view object.
CustPartyId	The unique identifier of the sales account that owns the opportunity. This is a foreign key to the Parties view object.
Discount	The discount percent.
DownsideAmt	The minimum amount of revenue for the opportunity.
EffectiveDate	The estimated date when the revenue closes. The default value is the opportunity's close date.
ExpectAmt	The expected amount of revenue for the opportunity based on win probability.
ExpectDlvryDate	The date when the product in the opportunity is expected to be delivered. This is used only for opportunities that include products.
ExtnAttributeChar001	A column reserved for custom extension attributes for revenue.
ExtnAttributeChar002	
ExtnAttributeChar003	
ExtnAttributeChar004	
ExtnAttributeChar005	
ExtnAttributeChar006	
ExtnAttributeChar007	
ExtnAttributeChar008	
ExtnAttributeChar009	
ExtnAttributeChar010	
ExtnAttributeChar011	
ExtnAttributeChar012	
ExtnAttributeChar013	
ExtnAttributeChar014	
ExtnAttributeChar015	

Name	Description
ExtnAttributeChar016	
ExtnAttributeChar017	
ExtnAttributeChar018	
ExtnAttributeChar019	
ExtnAttributeChar020	
ExtnAttributeChar021	
ExtnAttributeChar022	
ExtnAttributeChar023	
ExtnAttributeChar024	
ExtnAttributeChar025	
ExtnAttributeChar026	
ExtnAttributeChar027	
ExtnAttributeChar028	
ExtnAttributeChar029	
ExtnAttributeChar030	
ExtnAttributeChar031	
ExtnAttributeChar032	
ExtnAttributeChar033	
ExtnAttributeChar034	
ExtnAttributeChar035	
ExtnAttributeChar036	
ExtnAttributeChar037	
ExtnAttributeChar038	
ExtnAttributeChar039	
ExtnAttributeChar040	
ExtnAttributeChar041	
ExtnAttributeChar042	
ExtnAttributeChar043	
ExtnAttributeChar044	
ExtnAttributeChar045	
ExtnAttributeChar046	

Name	Description
ExtnAttributeChar047	
ExtnAttributeChar048	
ExtnAttributeChar049	
ExtnAttributeChar050	
ExtnAttributeChar051	
ExtnAttributeChar052	
ExtnAttributeChar053	
ExtnAttributeChar054	
ExtnAttributeChar055	
ExtnAttributeChar056	
ExtnAttributeChar057	
ExtnAttributeChar058	
ExtnAttributeChar059	
ExtnAttributeChar060	
ExtnAttributeChar061	
ExtnAttributeChar062	
ExtnAttributeChar063	
ExtnAttributeChar064	
ExtnAttributeChar065	
ExtnAttributeChar066	
ExtnAttributeChar067	
ExtnAttributeChar068	
ExtnAttributeChar069	
ExtnAttributeChar070	
ExtnAttributeChar071	
ExtnAttributeChar072	
ExtnAttributeChar073	
ExtnAttributeChar074	
ExtnAttributeChar075	
ExtnAttributeChar076	
ExtnAttributeChar077	

Name	Description
ExtnAttributeChar078	
ExtnAttributeChar079	
ExtnAttributeChar080	
ExtnAttributeChar081	
ExtnAttributeChar082	
ExtnAttributeChar083	
ExtnAttributeChar084	
ExtnAttributeChar085	
ExtnAttributeChar086	
ExtnAttributeChar087	
ExtnAttributeChar088	
ExtnAttributeChar089	
ExtnAttributeChar090	
ExtnAttributeChar091	
ExtnAttributeChar092	
ExtnAttributeChar093	
ExtnAttributeChar094	
ExtnAttributeChar095	
ExtnAttributeChar096	
ExtnAttributeChar097	
ExtnAttributeChar098	
ExtnAttributeChar099	
ExtnAttributeChar100	
ExtnAttributeChar101	
ExtnAttributeChar102	
ExtnAttributeChar103	
ExtnAttributeChar104	
ExtnAttributeChar105	
ExtnAttributeChar106	
ExtnAttributeChar107	
ExtnAttributeChar108	

Name	Description
ExtnAttributeChar109	
ExtnAttributeChar110	
ExtnAttributeChar111	
ExtnAttributeChar112	
ExtnAttributeChar113	
ExtnAttributeChar114	
ExtnAttributeChar115	
ExtnAttributeChar116	
ExtnAttributeChar117	
ExtnAttributeChar118	
ExtnAttributeChar119	
ExtnAttributeChar120	
ExtnAttributeChar121	
ExtnAttributeChar122	
ExtnAttributeChar123	
ExtnAttributeChar124	
ExtnAttributeChar125	
ExtnAttributeChar126	
ExtnAttributeChar127	
ExtnAttributeChar128	
ExtnAttributeChar129	
ExtnAttributeChar130	
ExtnAttributeChar131	
ExtnAttributeChar132	
ExtnAttributeChar133	
ExtnAttributeChar134	
ExtnAttributeChar135	
ExtnAttributeChar136	
ExtnAttributeChar137	
ExtnAttributeChar138	
ExtnAttributeChar139	

Name	Description
ExtnAttributeChar140	
ExtnAttributeChar141	
ExtnAttributeChar142	
ExtnAttributeChar143	
ExtnAttributeChar144	
ExtnAttributeChar145	
ExtnAttributeChar146	
ExtnAttributeChar147	
ExtnAttributeChar148	
ExtnAttributeChar149	
ExtnAttributeChar150	
ExtnAttributeChar151	
ExtnAttributeChar152	
ExtnAttributeChar153	
ExtnAttributeChar154	
ExtnAttributeChar155	
ExtnAttributeChar156	
ExtnAttributeChar157	
ExtnAttributeChar158	
ExtnAttributeChar159	
ExtnAttributeChar160	
ExtnAttributeChar161	
ExtnAttributeChar162	
ExtnAttributeChar163	
ExtnAttributeChar164	
ExtnAttributeChar165	
ExtnAttributeChar166	
ExtnAttributeChar167	
ExtnAttributeChar168	
ExtnAttributeChar169	
ExtnAttributeChar170	

Name	Description
ExtnAttributeChar171	
ExtnAttributeChar172	
ExtnAttributeChar173	
ExtnAttributeChar174	
ExtnAttributeChar175	
ExtnAttributeChar176	
ExtnAttributeChar177	
ExtnAttributeChar178	
ExtnAttributeChar179	
ExtnAttributeChar180	
ExtnAttributeChar181	
ExtnAttributeChar182	
ExtnAttributeChar183	
ExtnAttributeChar184	
ExtnAttributeChar185	
ExtnAttributeChar186	
ExtnAttributeChar187	
ExtnAttributeChar188	
ExtnAttributeChar189	
ExtnAttributeChar190	
ExtnAttributeChar191	
ExtnAttributeChar192	
ExtnAttributeChar193	
ExtnAttributeChar194	
ExtnAttributeChar195	
ExtnAttributeChar196	
ExtnAttributeChar197	
ExtnAttributeChar198	
ExtnAttributeChar199	
ExtnAttributeChar200	
ExtnAttributeChar201	

Name	Description
ExtnAttributeChar202	
ExtnAttributeChar203	
ExtnAttributeChar204	
ExtnAttributeChar205	
ExtnAttributeChar206	
ExtnAttributeChar207	
ExtnAttributeChar208	
ExtnAttributeChar209	
ExtnAttributeChar210	
ExtnAttributeChar211	
ExtnAttributeChar212	
ExtnAttributeChar213	
ExtnAttributeChar214	
ExtnAttributeChar215	
ExtnAttributeChar216	
ExtnAttributeChar217	
ExtnAttributeChar218	
ExtnAttributeChar219	
ExtnAttributeChar220	
ExtnAttributeChar221	
ExtnAttributeChar222	
ExtnAttributeChar223	
ExtnAttributeChar224	
ExtnAttributeChar225	
ExtnAttributeChar226	
ExtnAttributeChar227	
ExtnAttributeChar228	
ExtnAttributeChar229	
ExtnAttributeChar230	
ExtnAttributeChar231	
ExtnAttributeChar232	

Name	Description
ExtnAttributeChar233	
ExtnAttributeChar234	
ExtnAttributeChar235	
ExtnAttributeChar236	
ExtnAttributeChar237	
ExtnAttributeChar238	
ExtnAttributeChar239	
ExtnAttributeChar240	
ExtnAttributeChar241	
ExtnAttributeChar242	
ExtnAttributeChar243	
ExtnAttributeChar244	
ExtnAttributeChar245	
ExtnAttributeChar246	
ExtnAttributeChar247	
ExtnAttributeChar248	
ExtnAttributeChar249	
ExtnAttributeChar250	
ExtnAttributeChar251	
ExtnAttributeChar252	
ExtnAttributeChar253	
ExtnAttributeChar254	
ExtnAttributeChar255	
ExtnAttributeChar256	
ExtnAttributeChar257	
ExtnAttributeChar258	
ExtnAttributeChar259	
ExtnAttributeChar260	
ExtnAttributeChar261	
ExtnAttributeChar262	
ExtnAttributeChar263	

Name	Description
ExtnAttributeChar264	
ExtnAttributeChar265	
ExtnAttributeChar266	
ExtnAttributeChar267	
ExtnAttributeChar268	
ExtnAttributeChar269	
ExtnAttributeChar270	
ExtnAttributeChar271	
ExtnAttributeChar272	
ExtnAttributeChar273	
ExtnAttributeChar274	
ExtnAttributeChar275	
ExtnAttributeChar276	
ExtnAttributeChar277	
ExtnAttributeChar278	
ExtnAttributeChar279	
ExtnAttributeChar280	
ExtnAttributeChar281	
ExtnAttributeChar282	
ExtnAttributeChar283	
ExtnAttributeChar284	
ExtnAttributeChar285	
ExtnAttributeChar286	
ExtnAttributeChar287	
ExtnAttributeChar288	
ExtnAttributeChar289	
ExtnAttributeChar290	
ExtnAttributeChar291	
ExtnAttributeChar292	
ExtnAttributeChar293	
ExtnAttributeChar294	

Name	Description
ExtnAttributeChar295	
ExtnAttributeChar296	
ExtnAttributeChar297	
ExtnAttributeChar298	
ExtnAttributeChar299	
ExtnAttributeChar300	
ExtnAttributeChar301	
ExtnAttributeChar302	
ExtnAttributeChar303	
ExtnAttributeChar304	
ExtnAttributeChar305	
ExtnAttributeChar306	
ExtnAttributeChar307	
ExtnAttributeChar308	
ExtnAttributeChar309	
ExtnAttributeChar310	
ExtnAttributeChar311	
ExtnAttributeChar312	
ExtnAttributeChar313	
ExtnAttributeChar314	
ExtnAttributeChar315	
ExtnAttributeChar316	
ExtnAttributeChar317	
ExtnAttributeChar318	
ExtnAttributeChar319	
ExtnAttributeChar320	
ExtnAttributeChar321	
ExtnAttributeChar322	
ExtnAttributeChar323	
ExtnAttributeChar324	
ExtnAttributeChar325	

Name	Description
ExtnAttributeChar326	
ExtnAttributeChar327	
ExtnAttributeChar328	
ExtnAttributeChar329	
ExtnAttributeChar330	
ExtnAttributeChar331	
ExtnAttributeChar332	
ExtnAttributeChar333	
ExtnAttributeChar334	
ExtnAttributeChar335	
ExtnAttributeChar336	
ExtnAttributeChar337	
ExtnAttributeChar338	
ExtnAttributeChar339	
ExtnAttributeChar340	
ExtnAttributeChar341	
ExtnAttributeChar342	
ExtnAttributeChar343	
ExtnAttributeChar344	
ExtnAttributeChar345	
ExtnAttributeChar346	
ExtnAttributeChar347	
ExtnAttributeChar348	
ExtnAttributeChar349	
ExtnAttributeChar350	
ExtnAttributeClob001	
ExtnAttributeClob002	
ExtnAttributeClob003	
ExtnAttributeClob004	
ExtnAttributeClob005	
ExtnAttributeClob006	

Name	Description
ExtnAttributeClob007	
ExtnAttributeClob008	
ExtnAttributeClob009	
ExtnAttributeClob010	
ExtnAttributeClob011	
ExtnAttributeClob012	
ExtnAttributeClob013	
ExtnAttributeClob014	
ExtnAttributeClob015	
ExtnAttributeClob016	
ExtnAttributeClob017	
ExtnAttributeClob018	
ExtnAttributeClob019	
ExtnAttributeClob020	
ExtnAttributeClob021	
ExtnAttributeClob022	
ExtnAttributeClob023	
ExtnAttributeClob024	
ExtnAttributeClob025	
ExtnAttributeNumber001	
ExtnAttributeNumber002	
ExtnAttributeNumber003	
ExtnAttributeNumber004	
ExtnAttributeNumber005	
ExtnAttributeNumber006	
ExtnAttributeNumber007	
ExtnAttributeNumber008	
ExtnAttributeNumber009	
ExtnAttributeNumber010	
ExtnAttributeNumber011	
ExtnAttributeNumber012	

Name	Description
ExtnAttributeNumber013	
ExtnAttributeNumber014	
ExtnAttributeNumber015	
ExtnAttributeNumber016	
ExtnAttributeNumber017	
ExtnAttributeNumber018	
ExtnAttributeNumber019	
ExtnAttributeNumber020	
ExtnAttributeNumber021	
ExtnAttributeNumber022	
ExtnAttributeNumber023	
ExtnAttributeNumber024	
ExtnAttributeNumber025	
ExtnAttributeNumber026	
ExtnAttributeNumber027	
ExtnAttributeNumber028	
ExtnAttributeNumber029	
ExtnAttributeNumber030	
ExtnAttributeNumber031	
ExtnAttributeNumber032	
ExtnAttributeNumber033	
ExtnAttributeNumber034	
ExtnAttributeNumber035	
ExtnAttributeNumber036	
ExtnAttributeNumber037	
ExtnAttributeNumber038	
ExtnAttributeNumber039	
ExtnAttributeNumber040	
ExtnAttributeNumber041	
ExtnAttributeNumber042	
ExtnAttributeNumber043	

Name	Description
ExtnAttributeNumber044	
ExtnAttributeNumber045	
ExtnAttributeNumber046	
ExtnAttributeNumber047	
ExtnAttributeNumber048	
ExtnAttributeNumber049	
ExtnAttributeNumber050	
ExtnAttributeNumber051	
ExtnAttributeNumber052	
ExtnAttributeNumber053	
ExtnAttributeNumber054	
ExtnAttributeNumber055	
ExtnAttributeNumber056	
ExtnAttributeNumber057	
ExtnAttributeNumber058	
ExtnAttributeNumber059	
ExtnAttributeNumber060	
ExtnAttributeNumber061	
ExtnAttributeNumber062	
ExtnAttributeNumber063	
ExtnAttributeNumber064	
ExtnAttributeNumber065	
ExtnAttributeNumber066	
ExtnAttributeNumber067	
ExtnAttributeNumber068	
ExtnAttributeNumber069	
ExtnAttributeNumber070	
ExtnAttributeNumber071	
ExtnAttributeNumber072	
ExtnAttributeNumber073	
ExtnAttributeNumber074	

Name	Description
ExtnAttributeNumber075	
ExtnAttributeNumber076	
ExtnAttributeNumber077	
ExtnAttributeNumber078	
ExtnAttributeNumber079	
ExtnAttributeNumber080	
ExtnAttributeNumber081	
ExtnAttributeNumber082	
ExtnAttributeNumber083	
ExtnAttributeNumber084	
ExtnAttributeNumber085	
ExtnAttributeNumber086	
ExtnAttributeNumber087	
ExtnAttributeNumber088	
ExtnAttributeNumber089	
ExtnAttributeNumber090	
ExtnAttributeNumber091	
ExtnAttributeNumber092	
ExtnAttributeNumber093	
ExtnAttributeNumber094	
ExtnAttributeNumber095	
ExtnAttributeNumber096	
ExtnAttributeNumber097	
ExtnAttributeNumber098	
ExtnAttributeNumber099	
ExtnAttributeNumber100	
ExtnAttributeNumber101	
ExtnAttributeNumber102	
ExtnAttributeNumber103	
ExtnAttributeNumber104	
ExtnAttributeNumber105	

Name	Description
ExtnAttributeNumber106	
ExtnAttributeNumber107	
ExtnAttributeNumber108	
ExtnAttributeNumber109	
ExtnAttributeNumber110	
ExtnAttributeNumber111	
ExtnAttributeNumber112	
ExtnAttributeNumber113	
ExtnAttributeNumber114	
ExtnAttributeNumber115	
ExtnAttributeNumber116	
ExtnAttributeNumber117	
ExtnAttributeNumber118	
ExtnAttributeNumber119	
ExtnAttributeNumber120	
ExtnAttributeNumber121	
ExtnAttributeNumber122	
ExtnAttributeNumber123	
ExtnAttributeNumber124	
ExtnAttributeNumber125	
ExtnAttributeNumber126	
ExtnAttributeNumber127	
ExtnAttributeNumber128	
ExtnAttributeNumber129	
ExtnAttributeNumber130	
ExtnAttributeNumber131	
ExtnAttributeNumber132	
ExtnAttributeNumber133	
ExtnAttributeNumber134	
ExtnAttributeNumber135	
ExtnAttributeNumber136	

Name	Description
ExtnAttributeNumber137	
ExtnAttributeNumber138	
ExtnAttributeNumber139	
ExtnAttributeNumber140	
ExtnAttributeNumber141	
ExtnAttributeNumber142	
ExtnAttributeNumber143	
ExtnAttributeNumber144	
ExtnAttributeNumber145	
ExtnAttributeNumber146	
ExtnAttributeNumber147	
ExtnAttributeNumber148	
ExtnAttributeNumber149	
ExtnAttributeNumber150	
ExtnAttributeNumber151	
ExtnAttributeNumber152	
ExtnAttributeNumber153	
ExtnAttributeNumber154	
ExtnAttributeNumber155	
ExtnAttributeNumber156	
ExtnAttributeNumber157	
ExtnAttributeNumber158	
ExtnAttributeNumber159	
ExtnAttributeNumber160	
ExtnAttributeNumber161	
ExtnAttributeNumber162	
ExtnAttributeNumber163	
ExtnAttributeNumber164	
ExtnAttributeNumber165	
ExtnAttributeNumber166	
ExtnAttributeNumber167	

Name	Description
ExtnAttributeNumber168	
ExtnAttributeNumber169	
ExtnAttributeNumber170	
ExtnAttributeNumber171	
ExtnAttributeNumber172	
ExtnAttributeNumber173	
ExtnAttributeNumber174	
ExtnAttributeNumber175	
ExtnAttributeNumber176	
ExtnAttributeNumber177	
ExtnAttributeNumber178	
ExtnAttributeNumber179	
ExtnAttributeNumber180	
ExtnAttributeNumber181	
ExtnAttributeNumber182	
ExtnAttributeNumber183	
ExtnAttributeNumber184	
ExtnAttributeNumber185	
ExtnAttributeNumber186	
ExtnAttributeNumber187	
ExtnAttributeNumber188	
ExtnAttributeNumber189	
ExtnAttributeNumber190	
ExtnAttributeNumber191	
ExtnAttributeNumber192	
ExtnAttributeNumber193	
ExtnAttributeNumber194	
ExtnAttributeNumber195	
ExtnAttributeNumber196	
ExtnAttributeNumber197	
ExtnAttributeNumber198	

Name	Description
ExtnAttributeNumber199	
ExtnAttributeNumber200	
ExtnAttributeTimestamp001	
ExtnAttributeTimestamp002	
ExtnAttributeTimestamp003	
ExtnAttributeTimestamp004	
ExtnAttributeTimestamp005	
ExtnAttributeTimestamp006	
ExtnAttributeTimestamp007	
ExtnAttributeTimestamp008	
ExtnAttributeTimestamp009	
ExtnAttributeTimestamp010	
ExtnAttributeTimestamp011	
ExtnAttributeTimestamp012	
ExtnAttributeTimestamp013	
ExtnAttributeTimestamp014	
ExtnAttributeTimestamp015	
ExtnAttributeTimestamp016	
ExtnAttributeTimestamp017	
ExtnAttributeTimestamp018	
ExtnAttributeTimestamp019	
ExtnAttributeTimestamp020	
ExtnAttributeTimestamp021	
ExtnAttributeTimestamp022	
ExtnAttributeTimestamp023	
ExtnAttributeTimestamp024	
ExtnAttributeTimestamp025	
ExtnAttributeTimestamp026	
ExtnAttributeTimestamp027	
ExtnAttributeTimestamp028	
ExtnAttributeTimestamp029	

Name	Description
ExtnAttributeTimestamp030	
ExtnAttributeTimestamp031	
ExtnAttributeTimestamp032	
ExtnAttributeTimestamp033	
ExtnAttributeTimestamp034	
ExtnAttributeTimestamp035	
ExtnAttributeTimestamp036	
ExtnAttributeTimestamp037	
ExtnAttributeTimestamp038	
ExtnAttributeTimestamp039	
ExtnAttributeTimestamp040	
ExtnAttributeTimestamp041	
ExtnAttributeTimestamp042	
ExtnAttributeTimestamp043	
ExtnAttributeTimestamp044	
ExtnAttributeTimestamp045	
ExtnAttributeTimestamp046	
ExtnAttributeTimestamp047	
ExtnAttributeTimestamp048	
ExtnAttributeTimestamp049	
ExtnAttributeTimestamp050	
ForecastOverrideCode	The code that indicates if the revenue forecast should be overridden. The valid values are ALWAYS, NEVER, and CRITERIA. A list of valid values is defined in the lookup type ZSF_FCST_INCLUDE_IN_FCST.
InventoryItemId	The unique identifier of the product in the inventory.
InventoryOrgId	The unique identifier of the organization in the inventory. This is a foreign key to the Item Organization Associations view object.
LastUpdateDate	The date and time when the revenue row was last updated.
LastUpdateLogin	The login of the user who last updated the revenue row.
LastUpdatedBy	The user who last updated the revenue row.
MarginAmt	The margin amount for the opportunity.

Name	Description
NqSplitAllocTypeCode	The code indicating the non-quota allocation split type. The valid values are Ad-hoc amount and Proportional to Revenue. A list of valid values is defined in the lookup type MOO_REVN_SPLIT_ALLOC_TYPE.
OptyId	The unique identifier of the opportunity.
OptyLeadId	The unique Identifier of the lead associated with opportunity.
OwnerDealExpirationDate	The date when the owner deal expires.
OwnerDealProtectedDate	The date when the owner deal starts.
OwnerLockAsgnFlag	Indicates if the revenue owner assignment should be locked. If the value is Y, then the owner assignment for the revenue should be locked. The default value is N.
OwnerResourceId	The unique identifier of the revenue owner. This is a foreign key to the Parties view object.
ParentRevnId	The unique identifier of the parent revenue for the opportunity.
PartEngagementTypeCode	The code indicating the type of partner engagement.
PrCmptPartyId	The identifier of the primary competitor party. This is a foreign key to the Parties view object.
PrCmptProductId	The identifier of the primary competitor product.
PrPartOrgPartyId	The unique identifier of the primary revenue partner organization party.
PrTerritoryUpdatedById	The identifier of the resource who last updated the primary forecast territory associated with the revenue row.
PrTerritoryVersionId	The unique identifier of the primary territory.
PrimaryFlag	Indicates if the current row is the primary revenue row.
ProdGroupId	The unique identifier of the product group. This is a foreign key to the Product Groups view object.
Qty	The quantity of the product for this opportunity.
RecmdEffectiveDate	The recommended effective date of the revenue row.
RecmdLastUpdateDate	The recommended date and time when the revenue row was last updated.
RecmdRevnAmt	The recommended revenue amount of the revenue row.
RecmdWinProb	The recommended win probability of the revenue row.
RecurAdditionalAmount1	An additional currency field for the recurrence.
RecurAdditionalNum1	An additional numeric field for the recurrence.
RecurDownsideAmt	The minimum revenue amount from the recurrence.
RecurEndDate	The date when the revenue recurrence ends.
RecurExpectAmount	The expected amount of revenue for the revenue recurrence.
RecurFrequencyCode	The code that indicates the frequency of recurrence for the revenue. A list of valid values is defined in the lookup type MOO_RECURRING_FREQUENCY.
RecurNumPeriods	The number of times the revenue should recur.

Name	Description
RecurParentRevnId	The unique identifier for the parent revenue of the recurring revenue lines. This is a foreign key to the Revenues view object.
RecurQty	The quantity of the revenue recurrence.
RecurRevnAmt	The amount of revenue from the revenue recurrence.
RecurStartDate	The date when the recurrence starts.
RecurTypeCode	The code indicating if the line is a standard revenue line or a recurring revenue line. A list of valid values is defined in the lookup type MOO_REVN_RECUR_TYPE.
RecurUnitPrice	The unit price for each revenue recurrence.
RecurUpsideAmt	The maximum revenue amount from the recurrence.
RevenueCreationDate	
RevnAmt	The amount of revenue that is earned from this opportunity.
RevnAmtCurcyCode	The currency code used to calculate the revenue for this opportunity. A list of valid values is defined in the lookup type ZCA_COMMON_CORPORATE_CURRENCY.
RevnCategoryCode	The code indicating the revenue category. A list of valid values is defined in the lookup type MOO_REVN_CATEGORY.
RevnId	The unique identifier of the revenue line for the opportunity. This is a primary key of the Revenues view object.
RevnLastUpdateDate	The date and time when the revenue record was last updated.
RevnLineTypeCode	The code indicating the type of revenue line, such as Opportunity Summary Revenue, Standard Revenue, and so on. A list of valid values is defined in the lookup type MOO_REVN_LINE_TYPE.
RevnNumber	The user-editable unique identifier for the revenue. The default value is the revenue identifier and is required.
RevnSeqNum	The revenue sequence number.
SalesAccountId	The unique identifier of the opportunity sales account. This is a foreign key to the Sales Accounts view object.
SalesChannelCode	The code indicating the sales channel for the revenue. A list of valid values is defined in the lookup type ZPM_SALES_CHANNEL.
SalesCreditTypeCode	The code indicating the type of the sales credit, such as quota or non-quota. A list of valid values is defined in the lookup type MOO_SALES_CREDIT_TYPE.
SplitParentRevnId	The unique identifier of the split parent revenue. This is a foreign key to the Revenues view object.
SplitPercent	The percentage of split revenue.
SplitTypeCode	The code that indicates if the split is revenue or non-revenue. A list of valid values is defined in the lookup type MOO_REVN_SPLIT_TYPE.
StatusCategory	The revenue status category.
StatusCode	The unique code indicating the status of the revenue. A list of valid values is defined in the lookup type OPTY_STATUS.
StatusCodeSetId	The Set Id of the Status Code MOO_REVN.STATUS_CODE for the revenue row.

Name	Description
TopParentRevnNumber	The revenue number of the revenue line to which the child revenue lines roll up to.
TypeCode	The code indicating the type of revenue earned from this opportunity. A list of valid values is defined in the lookup type MOO_SETID_REVENUE_TYPE.
TypeCodeSetId	The Set Id of the Revenue Type MOO_REVN.TYPE_CODE for the revenue row.
UnitPrice	The estimated unit price for the product.
UomCode	The unit of measure code for the product.
UpsideAmt	The maximum amount of revenue for the opportunity.
UserLastUpdateDate	The date and time of last update date of revenue row. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database.
WinProb	The estimated probability of winning the opportunity.

Sales Method Translations

The Sales Method Translation view object contains information about the sales method name, sales method description, and language code of the translation.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MooBiccExtractAM.SalesMethodTranslationExtractPVO

Primary Keys : Language, SalesMethodId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the sales method translation row.
CreationDate	The date when the sales method translation row was created.
DescText	The description of the sales method attribute.
Language	The language to which the sales method is translated.
LastUpdateDate	The date when the sales method translation row was last updated.
LastUpdateLogin	The session login associated with the user who last updated the sales method translation row.
LastUpdatedBy	The user who last updated the sales method translation row.
Name	The name of the sales method attribute.

Name	Description
SalesMethodId	The unique identifier of the sales method in the sales method translation. This is a foreign key of the Sales Method view object.
SourceLang	Indicates the code of the language in which the contents of the translatable columns were originally created.
UserLastUpdateDate	The date and time when the sales method translation row was last updated. This value is different from the LAST_UPDATE_DATE, if the update originally happened in a different database.

Sales Methods

The Sales Method view object contains information about the sales method name, sales method translation, and language code of the translation.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MooBiccExtractAM.SalesMethodExtractPVO

Primary Keys : SalesMethodId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Attribute1	A segment for the Sales Method descriptive flexfield.
AttributeCategory	The context name for the Sales Method descriptive flexfield.
AttributeDate1	The date segment for the Sales Method descriptive flexfield.
AttributeNumber1	The descriptive flexfield of type Number for the Sales Method descriptive flexfield.
CreatedBy	The user who created the the sales method row.
CreationDate	The date when the sales method row was created.
LastUpdateDate	The date when the sales method row was last updated.
LastUpdateLogin	The session login associated to the user who last updated the sales method row.
LastUpdatedBy	The user who last updated the the sales method row.
OptyCloseWindow	The sales method opportunity close window.
SalesMethodId	The unique identifier of the Sales Method. This is a primary key of the Sales Method view object.
SalesMethodNumber	A GUID-based column that has been created to be an alternate key for data migration.
SalesMethodTLCreatedBy	The user who created the the sales method translation row.

Name	Description
SalesMethodTLCreationDate	The date on which the sales method translation row was created.
SalesMethodTLDescText	A translated description of the sales method.
SalesMethodTLLanguage	The code of the language into which the contents of the translatable columns are translated. This is a primary key of the Sales Method Translation entity object.
SalesMethodTLLastUpdateDate	The date on which the sales method translation row was last updated.
SalesMethodTLLastUpdateLogin	The session login associated with the user who last updated the sales method translation row.
SalesMethodTLLastUpdatedBy	The user who last updated the the sales method translation row.
SalesMethodTLName	The sales method translation name.
SalesMethodTLSalesMethodId	The unique identifier of the sales method translation. This is a foreign key of the Sales Method entity object.
SalesMethodTLSourceLang	The code of the language in which the contents of the sales method translatable columns were originally created.
SalesMethodTLUserLastUpdateDate	The date and time when the sales method translation row was last updated. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database.
SetId	The reference data that is shared across business units and other entities. This is also known as reference data sets. They are used to filter reference data in transactional UIs.
UserLastUpdateDate	The date and time when the sales method was last updated. This value is different from the LAST_UPDATE_DATE if the update originally happened in a different database.

Sales Stage Translations

The Sales Stage Translation view object contains information about the sales stage name, sales stage description, language code of the translation, and so on.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MooBiccExtractAM.SalesStageTranslationExtractPVO

Primary Keys : Language, StgId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the sales stage translation row.
CreationDate	The date when the sales stage translation row was created.

Name	Description
DescText	A brief description about the sales stage.
Language	The unique identifier of the sales stage translation. This is a primary key of the Sales Stage Translation view object.
LastUpdateDate	The date when the sales stage translation row was last updated.
LastUpdateLogin	The session login associated with the user who last updated the sales stage translation row.
LastUpdatedBy	The user who last updated the sales stage translation row.
Name	The unique name of the sales stage.
SourceLang	Indicates the code of the language in which the contents of the translatable columns were originally created.
StgId	The unique identifier of the stage in the sales stage translation. This is a foreign key of the Sales Stage view object.
UserLastUpdateDate	The date and time at which the sales stage translation row was last updated. This value is different from the LAST_UPDATE_DATE, if the update originally happened in a different database.

Sales Stages

The Sales Stage view object contains information about the sales stage name, sales stage translation, language code of the translation, and so on.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MooBiccExtractAM.SalesStageExtractPVO

Primary Keys : StgId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Attribute1	A segment for the sales stage descriptive flexfield.
AttributeCategory	The context name for the Sales Stage descriptive flexfield.
AttributeDate1	The date segment for the Sales Stage descriptive flexfield.
AttributeNumber1	The number segment for the Sales Stage descriptive flexfield.
AvgDaysAtStage	The average number of days at sales stage.
CreatedBy	The user who created the sales stage row.

Name	Description
CreationDate	The date when the sales stage row was created.
DeletedFlag	Indicates if the sales method can be deleted. Both the values NULL and N indicate a deleted record. Y indicates an active record.
LastUpdateDate	The date when the sales stage row was last updated.
LastUpdateLogin	The session login associated with the user who last updated the sales stage row.
LastUpdatedBy	The user who last updated the sales stage row.
MaxDaysInStage	The maximum number of days an opportunity can be in this sales stage before it is considered Stalled.
PhaseCd	This value is used to roll up different stages into phases. Phases simplify management and reporting of the sales cycle. A list of accepted values is defined in the lookup type MOO_STAGE_PHASE_CD.
QuotaFactor	The multiplier used in quota contribution.
RcmndWinProb	The recommended probability of a win.
SalesMethodId	The unique identifier of the sales method in the sales stage. This is a foreign key of the Sales Method view object.
SalesStageTrnsltnDescText	A brief description about the sales stage.
SalesStageTrnsltnLanguage	Indicates the code of the language into which the contents of the translatable columns are translated.
SalesStageTrnsltnName	The unique name of the sales stage.
SalesStageTrnsltnSourceLang	Indicates the code of the language in which the contents of the translatable columns were originally created.
SalesStageTrnsltnStgId	The system generated unique identifier for the sales stage.
StageNumber	An alternate unique identifier of the stage.
StageStatusCd	The code indicating the status of the sales stage. A list of accepted values is defined in the lookup type OPTY_STATUS.
StgId	The unique identifier of the sales stage. This is a primary key of the Sales Stage view object.
StgOrder	The order in which the sales stage will be displayed.
UserLastUpdateDate	The date and time at which the sales stage row was last updated. This value is different from the LAST_UPDATE_DATE, if the update originally happened in a different database.

Snapshots

The snapshots view object contains information such as snapshot date, quarter end indicator, year end indicator, period end indicator, purge date, and so on.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MooBiccExtractAM.SnapshotExtractPVO

Primary Keys : SnapshotId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the snapshot row.
CreationDate	The date and time when the snapshot row was created.
LastUpdateDate	The date and time when the snapshot row was last updated.
LastUpdateLogin	The session login associated to the user who last updated the snapshot row.
LastUpdatedBy	The user who last updated the snapshot row.
PeriodEndFlag	Indicates if the snapshot row is an end of period snapshot.
PurgeDate	The purge date of the snapshot row.
QuarterEndFlag	Indicates if the snapshot row is an end of quarter snapshot.
SnapshotDate	The snapshot date of the snapshot row.
SnapshotId	The unique identifier of the snapshot. This is a primary key of the Snapshot view object.
UserLastUpdateDate	The date and time of last update date of the snapshot row. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database.
YearEndFlag	Indicates if the snapshot row is an end of year snapshot.

8 Service Management

Action Plan Action Owners

The ActionPlanActionOwnerExtractPVO view object provides details about owners of the actions of an action plan. Depending on the source object associated with the action, the owner will either be a Service Request assignee or an Activity owner.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.ActionPlanActionOwnerExtractPVO

Primary Keys : BIActionPlanActionId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ActionObjectDeletedFlag	Flag indicating whether the source owner record has been soft deleted. It should be noted that only Service Requests are soft deleted.
ActionObjectEntityName	The entity type of the object on which the action is based.
ActionOwnerId	The unique identifier for the source owner, either the Service Request assignee or the Activity owner.
ActionOwnerUpdateDate	The date of last updating the source owner record.
ActionPlanActionId	The unique identifier of the action plan action. This is a foreign key to the Action Plan Action view object.
BIActionPlanActionId	The unique identifier of the record. This is the primary key for the view object.
BiDeletedFlag	Flag indicating whether the record has been logically deleted. When the record is logically deleted, it should be removed from any target table it was loaded to before it's physically deleted.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.

Action Plan Actions

The ActionPlanActionExtractPVO view object provides details for the actions for an action plan instance. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.ActionPlanActionExtractPVO

Primary Keys : ActionPlanActionId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ActionId	The unique identifier of the action. This is a foreign key to the Action view object.
ActionPlanActionId	The unique identifier of the record. This is the primary key for the view object.
ActionPlanActionNumber	The alternate public unique identifier of the record. This is the secondary key for the view object.
ActionPlanId	The unique identifier of the action plan. This is a foreign key to the Action Plan view object.
AttributeCategory	A descriptive flexfield used to categorize the content.
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.
CurrencyCode	The currency code associated with the record.
DeletedFlag	Indicates whether the record is logically deleted.
EndDate	The end date of the action in the action plan.
ExpectedCompletionDate	The expected completion date of the action in the action plan.
ExpectedStartDate	The expected start date of the action in the action plan.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
LeadTime	The estimated time it takes to complete the action.
LeadTimeUnit	The unit of measurement for lead time.
MandatoryFlag	Flag indicating whether the action for the action plan is mandatory or not.
ObjectId	The foreign key that references the table of the entity associated to the action.
ObjectReferenceNumber	The alternate public unique identifier for the record identified by ObjectId.
ObjectVersionNumber	The number of times the row has been updated.
OrderNumber	The order of display for the action within the action plan.
ProcessInstanceId	Indicates the process instance identifier of an external process.
ProcessStatus	Indicates the status of the external process.
SkipFlag	Flag indicating whether the action in the action plan can be skipped or not.
StartDate	The start date of the action in the action plan.
StatusCd	Lookup code that indicates the status of the action.
StatusDetails	Details for the status of the action.
TemplateId	The unique identifier of the action plan template. This is a foreign key to the Action Plan Template view object.

Action Plan Templates

The ActionPlanTemplateExtractPVO view object provides details of the action plan templates in the system. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.ActionPlanTemplateExtractPVO

Primary Keys : TemplateId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ActionPlanTypeCd	Lookup code that indicates the action plan type the template is associated with.
AttributeCategory	A descriptive flexfield used to categorize the content.
AutoStartFlag	Flag indicating if action plans created using the template are automatically started or not.
BUOrgId	The unique identifier of the service business unit.
CalendarId	The unique identifier of the coverage time calendar. This is a foreign key to OKC_COVERAGE_TIMES_B.
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.
CurrencyCode	The currency code associated with the record.
DeletedFlag	Indicates whether the record is logically deleted.
Description	Description of the action plan template.
EnabledFlag	Flag indicating whether the action plan template is enabled in the system or not.
EndDate	The end date of effectiveness of the action plan template.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
Name	Name of the action plan template.
ObjectEntityName	The entity name of the business object that the template can be used to create action plans for.
ObjectVersionNumber	The number of times the row has been updated.
StartDate	The starting date of effectiveness of the action plan template.
StripeCd	The lookup code that indicates the stripe code, such as CRM or HCM.
TemplateId	The unique identifier of the record. This is the primary key for the view object.
TemplateNumber	The alternate public unique identifier of the record. This is the secondary key for the view object.

Action Plans

The ActionPlanExtractPVO view object provides details for an action plan instance as created by an agent. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.ActionPlanExtractPVO

Primary Keys : ActionPlanId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ActionId	The unique identifier of the action. This is a foreign key to the Action view object.
ActionObjectId	The foreign key that references the table of the entity associated to the action.
ActionObjectReferenceNumber	The alternate public unique identifier for the record identified by ObjectId.
ActionPlanId	The unique identifier of the record. This is the primary key for the view object.
ActionPlanNumber	The alternate public unique identifier of the record. This is the secondary key for the view object.
ActionPlanTypeCd	Lookup code that indicates the type of action plan, such as Template based Action Plan, or PCS process based Action Plan.
ActionStatusCd	Lookup code that indicates the status of the action.
ActualCompletionDate	The actual completion date of the action plan.
AdditionalInformation	Indicates additional information about the action plan.
AttributeCategory	A descriptive flexfield used to categorize the content.
CalendarId	The unique identifier of the coverage time calendar. This is a foreign key to OKC_COVERAGE_TIMES_B.
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.
CurrencyCode	The currency code associated with the record.
DeletedFlag	Indicates whether the record is logically deleted.
ExpectedCompletionDate	The expected completion date of the action plan, which is updated as the action plan progresses.

Name	Description
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
InitialCompletionDate	The initial completion date of the action plan, which is estimated when the action plan is initialized.
LastRefreshedDate	Indicates the date and time when status of the plan was last refreshed.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
Name	The name of the action plan instance.
ObjectEntityName	Identifies the business object which is the parent for the action plan.
ObjectId	The unique identifier of the parent business object for the action plan.
ObjectVersionNumber	The number of times the row has been updated.
OrderNumber	The order of display for the action within the action plan.
ProcessInstanceId	Indicates the process instance identifier of an external process.
ProcessStatus	Indicates the status of the external process.
StartDate	The start date of the action plan.
StatusCd	Lookup code that indicates the status of action plan.
StatusDetails	Details of the status of the action plan.
TemplateId	The unique identifier of the action plan template. This is a foreign key to the Action Plan Template view object.

Actions

The ActionExtractPVO view object provides details for the actions that can be associated to an action plan template or action plan instance. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.ActionExtractPVO

Primary Keys : ActionId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ActionCategoryCd	Lookup code for the category of the action.
ActionId	The unique identifier of the record. This is the primary key for the view object.
ActionNumber	The alternate public unique identifier of the record. This is the secondary key for the view object.
AttributeCategory	A descriptive flexfield used to categorize the content.
BUOrgId	The unique identifier of the service business unit.
CorpCurrencyCode	The corporate currency code associated with the record.
CpAttachmentsFlag	Flag indicating whether attachments are copied from the parent context to the child object or not.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.
CurrencyCode	The currency code associated with the record.
DeletedFlag	Indicates whether the record is logically deleted.
Description	The detailed description of the action.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
LeadTime	The estimated time it takes to complete the action.
LeadTimeUnit	The unit of measurement for lead time.
Name	A descriptive name for the action.
ObjectEntityName	The entity name of the object on which the action is based.
ObjectEntitySubtype	Indicates the subtype of the object on which the action is based.
ObjectEntityType	The entity type of the object on which the action is based.

Name	Description
ObjectLinkTypeId	Unique identifier of the object link type to use when creating a business object from the action.
ObjectVersionNumber	The number of times the row has been updated.
OperationCd	Lookup code that indicates the operation to perform on the object entity of the action.
OriginalSystemReference	Indicates whether the original system reference if record was imported.
ParentEntityName	Indicates the entity name of the object on which the action is used.
ProcessMetadataId	Uniquely identifies the Process Cloud process to associate the action with.
StripeCd	The lookup code that indicates the stripe code, such as CRM or HCM.
UseDefaultVersionFlag	Flag Indicating whether the default version of the action should be used or not.
VisibilityCd	Lookup code used to indicate the visibility level of the action.

Cases

The CaseExtractPVO view object provides details about information across the life cycle of a case. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.CaseExtractPVO

Primary Keys : CaseId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AssigneeResourceId	The unique identifier of the assigned resource. This is a foreign key to the Party view object.
BuOrgId	The unique identifier of the service business unit.
CaseCategoryId	The unique identifier of the category. This is a foreign key to the Category view object.
CaseCreatedBy	This is a migrated who column, set to the user who created the row.
CaseCreationDate	This is a migrated who column, set to the case creation date.
CaseId	The unique identifier of the record. This is the primary key for the view object.
CaseLastUpdateDate	This is a migrated who column, set to the date and time of the last update of the case.

Name	Description
CaseLastUpdateLogin	This is a migrated who column, set to the session login associated to the user who last updated the case.
CaseLastUpdatedBy	This is a migrated who column, set to the user who last updated the case.
CaseNumber	The alternate public unique identifier of the record. This is the secondary key for the view object.
CaseTypeCd	The lookup code indicating the type of case.
ClosedDate	The date of closing the case
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreatedByPartyId	The unique identifier of the user creating this row. This is a foreign key to the Party view object.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.
CurrencyCode	The currency code associated with the record.
DeletedFlag	Indicates whether the record is logically deleted.
Description	Indicates the description or statement of the case.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
LastClosedDate	Indicates the last closed date for the case.
LastReopenDate	Indicates the last reopen date for the case.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
LastUpdatedByPartyId	The unique identifier of the user who last updated this row. This is a foreign key to the Party view object.
ObjectVersionNumber	The number of times the row has been updated.
OpenDate	Indicates the opening date of the case after the case is approved.
PrimaryContactPartyId	The unique identifier of the primary customer contact. This is foreign key to the Party view object.
PrimaryHouseholdPartyId	The unique identifier of the primary household. This is foreign key to the Party view object.
PriorityCd	The lookup code indicating the priority of the case.

Name	Description
QueueId	The unique identifier of the assigned queue. This is foreign key to the Queue view object.
ReportedByPartyId	The unique identifier of the user reporting the issue. This is a foreign key to the Party view object.
SensitivityCd	The lookup code indicating the sensitivity of the case.
SourceCd	The lookup code indicating how the row was entered into the system.
StatusCd	The lookup code indicating the issue status.
StatusTypeCd	The lookup code indicating the substatus of the issue.
StripeCd	The lookup code indicating the issue stripe, for example, CRM or HRHD.
Title	Indicates the title of the issue.

Categories

The category view object provides details about the categories that the SR belongs to. Categories can be hierarchical. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.CategoryExtractPVO

Primary Keys : CategoryId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
BuOrgId	The unique identifier of the business unit organization associated with the category extract.
CategoryCode	The public unique identifier of the category.
CategoryId	The unique identifier of the record. This is the primary key for the view object.
CategoryMLSCategoryId	The unique identifier of the translated category. This is a foreign key of the Translated Category view object.
CategoryMLSCategoryName	The translated name of the category defined by the user.
CategoryMLSLanguage	Indicates the code of the language into which the contents of the translatable attributes are translated. This is a foreign key of the Translated Category view object.
CategoryMLSSourceLang	Indicates the code of the language in which the contents of the translatable attributes were originally created.

Name	Description
CategoryShortName	The short name that's auto-generated from CATEGORY_NAME on creation. You can update it to make it unique.
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CssFlag	Indicates whether the category is visible in CSS portal.
CurcyConvRateType	The conversion rate type for the corporate currency.
CurrencyCode	The currency code associated with the record.
DeletedFlag	Indicates whether the category is logically deleted.
EnabledFlag	Indicates whether the category is enabled.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
OriginalSystemReference	Indicates whether the original system reference if record was imported.
ParentCategoryId	The parent category for the current category. This is the foreign key to SVC_CATEGORIES. This is set to null for root categories.
StripeCd	The lookup code that indicates the stripe code, such as CRM or HCM.

Category Flattened Hierarchies

The category hierarchy flattened view object provides details about the categories hierarchy in a flattened format.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.CategoryHierarchyFlattenExtractPVO

Primary Keys : Lvl0CatId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Categ	The unique identifier of the category in the in column flattened structure.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
Lev	The level of the category in column flatten structure.
Lvl0CatId	The unique identifier of the base level category in column flatten structure.
Lvl1CatId	The unique identifier of the first level category.
Lvl2CatId	The unique identifier of the second level category.
Lvl3CatId	The unique identifier of the third level category.
Lvl4CatId	The unique identifier of the fourth level category.
Lvl5CatId	The unique identifier of the fifth level category.
Lvl6CatId	The unique identifier of the sixth level category.
Lvl7CatId	The unique identifier of the seventh level category.
Lvl8CatId	The unique identifier of the eighth level category.
Lvl9CatId	The unique identifier of the ninth level category.
Path	The path from root to node. This is renamed and used because some selects fail when using path as column name.

Category Translations

The category translation view object provides details about the category content that's available in different languages.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.CategoryTranslationExtractPVO

Primary Keys : Language, CategoryId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CategoryId	The unique identifier of the category. This is a foreign key to the Categories view object.
CategoryName	The language dependent translatable category name.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
Language	Indicates the code of the language into which the contents of the translatable columns are translated.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
SourceLang	Indicates the code of the language in which the contents of the translatable columns were originally created.

Channel Translations

The channel translation view object provides details about the channel content that's available in different languages.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.ChannelTranslationExtractPVO

Primary Keys : Language, ChannelId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ChannelId	The unique identifier of the channel. This is a foreign Key to the Channels object.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
DisplayName	Stores the name that will be displayed for this channel instance.

Name	Description
Language	Indicates the code of the language into which the contents of the translatable columns are translated.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
SourceLang	Indicates the code of the language in which the contents of the translatable columns were originally created.

Channels Via

The channel via view object provides details about the channel instances used by service requests, SR messages, or other objects. Examples of channel instances are Facebook - Page, Facebook - Corporate Account, Twitter handle.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.ChannelViaExtractPVO

Primary Keys : ViaId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ChannelId	The unique identifier of the channel used as a foreign Key to the Channels object.
CollabResourceId	The unique identifier of the collaboration resource. This is a foreign key that references the Collaboration Resource view object. The COLLAB_NAME field in this table indicates the resource name as shown on the native collaboration channel.
ContactPointId	The unique identifier of the contact point. This is a foreign key that references Contact Points view object. The CONTACT_POINT_TYPE column in Contact Point view object indicates the type such as phone, email, and so on.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
DeletedFlag	Indicates whether this via record is logically deleted.
InboundObjectId	The unique identifier of the inbound object such as email, social, and so on.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.

Name	Description
LastUpdatedBy	The user who last updated the row.
ObjectId	The unique identifier of the object associated with the channel. This is a foreign key to the Service Request view object or the SR Messages view object depending on if this is a SR or a SR message.
ObjectTypeCd	Indicates whether the OBJECT_ID is for SR or for SR_Message.
ObjectVersionNumber	The number of times the row has been updated.
PartyId	The unique identifier of the party associated with the record. This is a foreign key to the Parties view object.
PartyViaEndPoint	The end point used to send the communication to the owner of the PARTY_ID. This column can be an email address, phone number, and so on. When PARTY_ID is null and this column isn't null, this end point belongs to a party.
PersonId	The unique person ID of the contact.
PostIdentifier	The unique identifier for the social media posting that can be used to respond via the same channel instance.
RoutingCd	Lookup code that indicates how the message was routed to the PARTY_VIA_END_POINT. For example, if the message is an email, whether the recipient is a TO, CC, or BCC recipient.
ViaId	The unique identifier of the record. This is the primary key for the view object.

Channels

The channel view object provides details about how a service request was received or how an SR message was received or sent, and whom it was sent to. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.ChannelExtractPVO

Primary Keys : ChannelId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AccessToken	The access token used for social channel configuration.
AccountId	The bundle identifier of social channel account.
AccountName	The account name to identify this channel instance.
ApiId	The API ID of the channel configuration.

Name	Description
ApiPassword	The API credentials of the channel configuration.
ApiVersion	The API version of this channel configuration.
AttributeCategory	The category of the attribute.
AuthToken	The authorization token used for social channel configuration.
AuthenticationUrl	The authentication URL used for this channel configuration.
AuthorizationUrl	The authorization URL used for this channel configuration.
BuOrgId	The unique identifier of the business unit to which the channel belongs to.
ChannelId	The unique identifier of the record. This is the primary key for the view object.
ChannelMLSChannelId	The identifier of the translated channel. This is a foreign key of the Translated Channel view object.
ChannelMLSDisplayName	The translated name of the channel defined by the user.
ChannelMLSLanguage	Indicates the code of the language into which the contents of the translatable attributes are translated. This is a foreign key of the Translated Channel view object.
ChannelMLSSourceLang	Indicates the code of the language in which the contents of the translatable columns were originally created.
ChannelShortName	Auto-generated from CHANNEL_NAME and CREATION_DATE to make this value unique for any other purpose.
ChannelTypeCd	The lookup code that indicates the channel type, such as EMAIL, PHONE, FACEBOOK, and TWITTER.
ChannelUsageCd	The usage of the email channel, such as Inbound, Outbound, or Both.
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.
CurrencyCode	The currency code used for the channel.
CustomerTypeCd	The customer type that the channel will be used to identify, such as Consumer, Business or Both.
DeletedFlag	Indicates whether this channel instance is logically deleted.
EnabledFlag	Indicates whether the channel instance is enabled.
EndPoint	The end point for this channel configuration.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.

Name	Description
IncludeSenderEmailFlag	Indicates whether to include the sender's email address as the from email address.
IncludeSenderNameFlag	Indicates whether to include the sender's name as the from name.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
MultipleMatchesActionCd	The lookup code that indicates the action that the application should take if multiple matches are found for the message sender.
NetworkTypeCd	Indicates the type of social network, such as Facebook, Twitter, LinkedIn. This will be blank for some channels such as WEB, PHONE, or EMAIL.
NoMatchActionCd	The lookup code that indicates what action the application should take if no matches are found for the message sender.
ObjectVersionNumber	The number of times the row has been updated.
OriginalSystemReference	Indicates whether the original system reference if record was imported.
Port	The port of this channel configuration.
PrivateP2pAllowedFlag	Indicates whether private Port to Port is allowed for the channel.
PurposeCd	The lookup code that indicates the purpose of the channel such as SALES, SUPPORT, and INQUIRY.
RefreshToken	The refresh token used for social channel configuration.
ReplyFrom	The email address from which the messages will be sent.
ReplyTo	The email address to which the messages will be replied.
SourceCd	The source interface for the channel creation.
StripeCd	The lookup code that indicates the stripe code, such as CRM, HCM, or PRM.
SupportAttachmentFlag	Indicates whether email channel can handle attachment.
TokenAccessUrl	The access token URL used for this channel configuration.
TokenReqUrl	The request token URL used for this channel configuration.

Chat Messages

The chat message view object provides details about chat messages.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.ChatMessageExtractPVO

Primary Keys : MessageId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ChatId	The unique identifier of the associated chat. This is a foreign key to the Chat view object.
ChatRoleCd	The role of the person that posted the message such as AGENT or END_USER.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
DeletedFlag	Indicates whether the record is logically deleted.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
MercuryWorkId	The Mercury work identifier, if available.
MessageContent	The content of the chat message, null for system messages.
MessageDate	The date when the message was sent, if the message was sent.
MessageId	The unique identifier of the record. This is the primary key for the view object.
MessageTypeCd	The type of message as received from the chat service.
ObjectVersionNumber	The number of times the row has been updated.
PostedByPartyId	The unique identifier of the person who posted the message. This person can be an internal resource or a customer contact. This is a foreign key to the Party view object.
RichTextFlag	Indicates if the message content is in rich text format.
VisibilityCd	Indicates the audience of the message such as ALL or NOT_END_USER.

Chats

The chat view object provides details about chats. It's referenced by the Chat Message view object.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.ChatExtractPVO

Primary Keys : ChatId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AccountPartyId	The unique identifier of the account associated with the contact. This is a foreign key to the Party view object.
AssigneeResourceId	The unique identifier of the assigned resource. This is a foreign key to the Party view object.
CategoryId	The unique identifier of the category. This is a foreign key to the Categories view object.
ChatDirectionCd	Indicates who initiated the chat. The values are Inbound for customer initiated and Outbound for agent initiated.
ChatId	The unique identifier of the record. This is the primary key for the view object.
ChatSource	The source of the chat, such as WCFS, RW UI, or Facebook.
ContactPartyId	The customer contact of this work request. This is a foreign key to the Party view object.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
DeletedFlag	Indicates whether the record is logically deleted.
Email	The email address as entered by the customer in the Request Chat form.
EndUserSessionId	The end user session identifier in the chat server.
FirstName	The first name as entered by the customer in the Request Chat form.
IncidentName	The number or name of the referenced Business Object for which the chat was created.
IncidentType	The incident type associated to the chat, as received in the request engagement message.
InventoryItemId	The inventory item that the chat is related to.
InventoryOrgId	The organization of the inventory item that the chat is related to.
LastName	The last name as entered by the customer in the Request Chat form.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
MercConvDoneFlag	Indicates if the Mercury Conversation is done. Value is null if there is no conversation.
MercuryConversationId	The alternate identifier that references conversation_alternate_id in table SVC_MC_CONVERSATION.
ObjectVersionNumber	The number of times the row has been updated.
OsvcChatId	The Oracle Service (Right Now) chat Id from the Right Now Server.
ProdGroupId	The product group for the product. This is a foreign key reference to the Product Group view object.
Question	The question as entered by the customer in the Request Chat form.

Name	Description
QueueId	The unique identifier of the assigned queue. This is foreign key to the Queue view object.
StatusCd	The lookup code that indicates the status code.
SubstatusCd	The lookup code that indicates the substatus code.
TierOneSessionId	The unique identifier of the end user's session in application context.

Competencies

The competency view object provides information about competencies, which are references to existing lists of values. For example, Product, Category, Language, Region, Severity. Some competencies can have one list of values, some can have a parent child combination of two lists of values. This means some competencies are codependent and others are independent.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.CompetencyExtractPVO

Primary Keys : CompetencyId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CanBeRelaxedFlag	Indicates whether the competency can be relaxed.
CanHaveProficiencyFlag	Indicates whether the competency can have a proficiency.
CompetencyId	The unique identifier of the record. This is the primary key for the view object.
CompetencyName	The name of the competency such as Product, Category, Language, Region, and Severity.
CompetencyNumber	The alternate public unique identifier of the record. This is the secondary key for the view object.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
DataAttribute	Indicates which attribute from the source contains the competency value that will be stored in the skill.
DataDisplayAttributes	Indicates which attributes from the source contain the competency details that will be displayed to the customer.
DataSource	The path to the entity object or the name of the standard lookup.
DeletedFlag	Indicates whether the record is logically deleted.

Name	Description
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
OriginalSystemReference	The alternative identifier in the original reference system, which may not be unique.
ParentCompetencyId	The unique identifier of the codependent competency record.
ParentFilter	The name of the filter to be used to display only some competency values based on the value selected in the parent competency
Priority	The order in which the competencies should be relaxed.
SeedDataSource	The source of seed data record. A value of BULK_SEED_DATA_SCRIPT indicates that the record was bulk loaded. Otherwise, specifies the name of the seed data file.
WorkObjectAttribute	The identifier of the work object field name.

Conversation Message Recipients

The McMessageRecipientExtractPVO view object provides details about the recipients of a message. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time, and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.McMessageRecipientExtractPVO

Primary Keys : RecipientId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
FreeFormAddress	The free form address of the conversation message recipient. E.g. the email address of the sender.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
MessageId	The unique identifier of the conversation message.
ObjectVersionNumber	The number of times the row has been updated.
PersonId	The unique identifier of the recipient. This is populated if the recipient is an internal person such as an employee and contingent worker.
RecipientAlternateId	The alternate identifier of the recipient such as the identifier of the recipient in an external system.
RecipientAlternateMessageId	The alternate identifier of the message in an external system.
RecipientId	The unique identifier of the record. This is the primary key for the view object.
RecipientNumber	The alternate public unique identifier of the record. This is the secondary key for the view object.
RecipientPartyId	The unique identifier of the party of the conversation message recipient.
RecipientPartyTypeCd	The party type code of the message recipient such as ORA_SVC_BUSINESS_CONTACT, ORA_SVC_RESOURCE.
RecipientTypeCd	The code indicating the type of the recipient in the conversation message, such as TO, CC, or BCC.

Conversation Messages

The McMessageExtractPVO view object provides details about the messages sent and received by the application. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time, and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.McMessageExtractPVO

Primary Keys : MessageId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AssignedToPartyId	The unique identifier of the resource party to whom the conversation message is assigned. This isn't used currently and reserved for future.
ChannelId	The unique identifier of the channel associated with the conversation message.
ChannelTypeCd	The code indicating the type of channel associated with the conversation message.
ConversationId	The unique identifier of the conversation to which the message is associated.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
InboundStatusCd	The status code of an inbound or internal collaboration message.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
MessageAlternateId	The alternate identifier of the message.
MessageContent	The content of the conversation message, such as the contents of an email.
MessageId	The unique identifier of the record. This is the primary key for the view object.
MessageNumber	The alternate public unique identifier of the record. This is the secondary key for the view object.
MessageSendDate	The date when an outbound message should be sent.
MessageStatusCd	The status code of a message, such as DRAFT or COMMITTED.
MessageTemplate	The name of the template associated with the conversation message.
MessageTitle	The title of the conversation message.
MessageTypeCd	The code indicating the type of the conversation message, such as INBOUND or OUTBOUND.
MsgTemplateObjectId	The unique identifier of the object associated with the message template.
MsgTemplateObjectTypeCd	The code indicating the object type of the message template, such as Service Request, or Opportunity.
ObjectVersionNumber	The number of times the row has been updated.
OriginalSystemReference	Indicates whether the original system reference if record was imported.
ParentMessageId	The unique identifier of the parent message of the current conversation message. When a user replies to a message the original message becomes the parent message of the reply.

Name	Description
ProcessingAppCd	The code indicating the application that will be processing the message such as Oracle Marketing Cloud or CX Sales. Typically, this is used for outbound messages.
ProcessingAppContentRefId	The reference ID of the message's content in the application processing the message. This is used when an application other than CX Sales processes the outbound message such as Oracle Marketing Cloud.
ProcessingAppMsgId	The processing application's message identifier. This is used when an application other than CX Sales processes the outbound message such as Oracle Marketing Cloud.
ProcessingStatusCd	The code indicating the processing status of the conversation message, such as WAITING, READY, ERROR, or SUCCESS.
ProcessingStatusDetail	The details of the conversation message processing status.
QueueId	The unique identifier of the queue that the conversation message is assigned to. This isn't used currently and reserved for future.
ReportedDate	The date when the conversation message was reported. Typically this date would be the same as the created date unless the message was imported.
SenderAlternateId	The alternate identifier of the message sender.
SenderFreeFormAddress	The free form address of the sender of the message. For example, the email address of the sender.
SenderPartyId	The unique identifier of the sender party.
SenderPartyTypeCd	The party type code of the message sender such as ORA_SVC_BUSINESS_CONTACT, ORA_SVC_RESOURCE.
SentDate	The date when the message was sent by the sender. This field isn't populated when a message is automatically created via channels like email, social, and so on.
SourceCd	The code indicating the source of the conversation message, such as ORA_SVC_AGENT_UI, API, or ORA_SVC_INBOUND_MSG.

Conversation References

The McConversationRefExtractPVO view object provides details about the business objects associated with a conversation, such as Service Requests or Sales Leads. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time, and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.McConversationRefExtractPVO

Primary Keys : ReferenceId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ConversationId	The unique identifier of the conversation with which the business object is associated.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectId	The unique identifier of the business object. This is a foreign key to the view object identified by the object type code.
ObjectTypeCd	The business object this record is associated with. The type determines the table that the identifier refers to.
ObjectVersionNumber	The number of times the row has been updated.
ReferenceId	The unique identifier of the record. This is the primary key for the view object.
ReferenceNumber	The alternate public unique identifier of the record. This is the secondary key for the view object.

Conversations

The McConversationExtractPVO view object provides details about the conversations between multiple people. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time, and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.McConversationExtractPVO

Primary Keys : ConversationId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
BUOrgId	The unique identifier of the service business unit.
ConversationAlternateId	The alternate unique identifier of the conversation.
ConversationId	The unique identifier of the record. This is the primary key for the view object.
ConversationNumber	The alternate public unique identifier of the record. This is the secondary key for the view object.
ConversationStatusCd	The code indicating the status of the conversation, such as OPEN or CLOSED.
ConversationTypeCd	The code indicating the type of the conversation, such as Customer or Collaboration.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
OriginalSystemReference	Indicates whether the original system reference if record was imported.
OriginatedConversationId	The unique identifier of the original conversation from which the current conversation was created.
PrimaryMessageId	The unique identifier of the primary message in the conversation.
StripeCd	The lookup code that indicates the stripe code, such as CRM or HCM.

Entitlement Coverages

The CoverageExtractPVO view object provides details about entitlement coverages.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.CoverageExtractPVO

Primary Keys : CoverageId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ContractCoverageId	The unique identifier of the coverage template. This is a foreign key to OKC_COVERAGE_HEADERS_B.
CoverageId	The unique identifier of the record. This is the primary key for the view object.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
EndDate	The date and time of expiry of the entitlement.
EntitlementRuleId	This is the internal identifier of the entitlement rule record in the coverage that was selected based on the matching conditions.
EntitlementSourceCd	The internal source code for the entitlement. For example, Global Default, Customer Default, or Contract.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
StartDate	The date and time of activating the entitlement.

Inbound Messages

This view object provides details about messages received at UMS, which aren't rejected by the installed filters. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.InboundMessageExtractPVO

Primary Keys : InboundMessageId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AcknowledgedDate	The date and time at which the customer has acknowledged the completion of message processing.

Name	Description
AttributeCategory	A descriptive flexfield used to categorize the content.
BatchId	The unique identifier of the batch that this message will be processed in. This is a foreign key to SVC_INBOUND_MSG_BATCH.
Body	The content of the message received.
ChannelId	The unique identifier of the channel. This is a foreign Key to the Channels object.
ConnectionTypeCd	Indicates the connection type that was used to read the inbound message.
ContentTypeCd	Lookup code that indicates the content type of the message.
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.
CurrencyCode	The currency code associated with the record.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
FusionRecipient	The email account which receives the message at UMS port of entry.
InboundMessageId	The unique identifier of the record. This is the primary key for the view object.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectId	The unique identifier of the business object. This is a foreign key to the view object identified by the object type code.
ObjectTypeCd	The business object this record is associated with. The type determines the table that the identifier refers to.
ObjectVersionNumber	The number of times the row has been updated.
PlainTextBody	The plain text content of the message received.
ReceivedChannelCd	Lookup code that indicates the channel on which the message is received.
ReceivedDateTime	Indicates the date and time when the email was received in the support mailbox.
RetryCount	The number of times a message has been retried for processing after failure.
Sender	The address of the sender of this message, primarily the initiator of message.

Name	Description
SenderPartyId	The unique identifier of the person who sent the message. This is a foreign key to the Parties view object.
SourceMessageId	The message ID in the source system.
StatusCd	Lookup code that indicates the current status of the inbound message.
StatusDetails	The details of the inbound email processing status.
StripeCd	The lookup code that indicates the stripe code, such as CRM or HCM.
Subject	The subject of the message received in case of email mode.

Interaction Aggregations

The interaction aggregation view object summarizes interaction metrics, such as number of interactions for this week, month, agent, channel and number of interactions not associated to a service request.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.InteractionAggExtractPVO

Primary Keys : InteractionsAggId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AgentId	The agent engaged in the interaction. This is a foreign key to the Party view object.
CalMonth	The unique identifier of the month.
CalWeek	The unique identifier of the week.
ChannelId	The unique identifier of the channel used as a foreign Key to the Channels object.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
Interactions	The number of interactions aggregated by week, month, agent and channel.
InteractionsAggId	The unique identifier of the record. This is the primary key for the view object.
InteractionsNoSr	The number of interactions not associated to a service request, aggregated by week, month, agent, and channel.
LastUpdateDate	The date and time when the row was last updated.

Name	Description
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
StripeCd	The lookup code that indicates the stripe code, such as CRM or HCM.

Interaction References

The interaction reference view object provides details about the relationship between an interaction and another object such as service request.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.InteractionRefExtractPVO

Primary Keys : ReferenceId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
DeletedFlag	Indicates whether the record is logically deleted.
InteractionId	The unique identifier of the interaction.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectId	The unique identifier of the object.
ObjectTypeCd	The object type of the reference object.
ObjectVersionNumber	The number of times the row has been updated.
ReferenceId	The unique identifier of the record. This is the primary key for the view object.

Interaction Wrap-up

The interaction wrap up view object summarizes interaction data, such as interaction starting time, interaction ending time, interaction notes, and so on. It references to the service request message used to summarize the feedback of the wrap up and others. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.InteractionWrapupExtractPVO

Primary Keys : SummaryId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AttributeCategory	A descriptive flexfield used to categorize the content.
CallNotes	Stores large notes content related to the call.
CommReasonCd	The reason for the occurrence of the interaction. A list of accepted values is defined in the lookup ORA_SVC_MCA_COMM_REASON_CD.
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.
CurrencyCode	The currency code associated with the record.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
InteractionId	The unique identifier of the interaction. Interaction is a parent resource of the wrap up.
InteractionNotes	The interaction notes.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.

Name	Description
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
ResolutionCd	Identifies the resolution code of the interaction. A list of accepted values is defined in the lookup ORA_SVC_MCA_RESOLUTION_CODE.
SrMessageId	The unique identifier of service request message.
SummaryId	The unique identifier for wrap up which is generated during creation.
TransferReason	The reason for transferring the interaction to another user. This is optional and provided only for a transferred interaction.
VerifiedFlag	Flag to indicate the verification of the associated contact.
WrapupEndTime	The date and time of ending the wrap up.
WrapupStartTime	The wrap up start date and time.

Interactions

The interaction view object provides details about all independent customer communications that are initiated each time a customer contacts the Contact Center or the Contact Center contacts the customer. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.InteractionExtractPVO

Primary Keys : InteractionId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AccountPartyId	The unique identifier of the account associated with the interaction.
AgentHttpSessionId	The HTTP session ID of the agent for the interaction. This is used to allow cleanup of interactions when the agent session no longer exists.
AttributeCategory	A descriptive flexfield used to categorize the content.
BuOrgId	The unique identifier of the business unit organization.
ChannelId	The unique identifier of the channel used as a foreign Key to the Channels object.

Name	Description
ContactPartyId	The ongoing contact of the interaction. This is foreign key to the Party view object.
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.
CurrencyCode	The currency code associated with the record.
DeletedFlag	Indicates whether the record is logically deleted.
Description	The description of the interaction.
DirectionCd	Indicates if the interaction is Inbound or Outbound.
EndTime	The end time of the interaction.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
InteractionId	The unique identifier of the record. This is the primary key for the view object.
InteractionNumber	The public unique identifier of interaction.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ManuallyLoggedFlag	Flag indicating whether the interaction is created manually by an agent as opposed to automatically by another product or not.
MarketingReferenceId	The unique identifier of a marketing reference to the interaction.
MediaItemId	The event ID generated during interaction routed through third party tools.
ObjectVersionNumber	The number of times the row has been updated.
OriginalSystemReference	The alternative identifier in the original reference system, which may not be unique.
OwnerResourceId	The unique identifier of the owner resource responsible for the interaction. This is a foreign key to the Parties view object.
ParentInteractionId	The interaction ID of the parent of this interaction.
Payload	The data associated with the record.
QueueId	The unique identifier of the queue associated with the interaction. This is a foreign key reference to the Queues view object.

Name	Description
SourceCd	The source provider of the interaction.
StartTime	The start time of the interaction.
StatusCd	The lookup code that indicates the status code.
StripeCd	The lookup code that indicates the stripe code, such as CRM or HCM.
SubstatusCd	The lookup code that indicates the substatus code.

Milestone Configurations

The MilestoneConfigExtractPVO view object provides details about milestone configurations along with start, stop and pause conditions. These conditions will be used to derive the SLA values for the service request.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.MilestoneConfigExtractPVO

Primary Keys : MilestoneConfigId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AllowAgentCompletionFlag	Indicates whether an agent can mark the milestone as complete.
AllowDueDateOverrideFlag	Indicates whether an agent can override the milestone due date.
BUOrgId	The unique identifier of the service business unit.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
DeletedFlag	Indicates whether the record is logically deleted.
DisabledFlag	Indicates whether the milestone configuration is disabled.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
MilestoneCode	The code defined in contracts object for each milestone.
MilestoneConfigId	The unique identifier of the record. This is the primary key for the view object.

Name	Description
MilestoneLabel	User defined display label for each milestone.
MilestoneType	Indicates the milestone type which determines, for example, whether the milestone can have multiple instances or can be reopened.
ObjectName	Indicates the object to which this milestone is associated.
ObjectVersionNumber	The number of times the row has been updated.
PauseCondition	The query expression for the pause condition.
PauseConditionLabel	The description for the rule expression which defines the pause status.
StartCondition	The query expression for the start condition.
StartConditionLabel	The description defining the start status rule expression.
StopCondition	The query expression for the stop condition.
StopConditionLabel	The description defining the stop status rule expression.
ThresholdCode	The threshold code defined in contracts object.
TzPreferenceCd	Indicates the object name from which time zone has to be picked.

Object Link Types

The object link types view object provides details about the types of relationships between objects such as Service Request collaboration.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.ObjectLinkTypeExtractPVO

Primary Keys : LinkTypeId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
EnabledFlag	Identifies whether the link type can be used to create object links with.
InwardCd	The lookup code that describes the inward direction of a link type. This field is auto generated from the value provided for short name.

Name	Description
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
LinkTypeId	The unique identifier of the record. This is the primary key for the view object.
LinkTypeNumber	The reference number of the object link type.
Name	A descriptive name for the link type.
ObjectVersionNumber	The number of times the row has been updated.
OutwardCd	The lookup code that describes the outward direction of a link type. This field is auto generated from the value provided for short name.
SeedDataSource	The source of seed data record. A value of BULK_SEED_DATA_SCRIPT indicates that the record was bulk loaded. Otherwise, specifies the name of the seed data file.
ShortName	The link type unique name. The outward and inward codes are auto generated based on the short name.

Object Links

The object links view object provides details about relationships between objects such as Service Request collaboration. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time, and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.ObjectLinkExtractPVO

Primary Keys : LinkId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AttributeCategory	A descriptive flexfield used to categorize the content.
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.

Name	Description
CurrencyCode	The currency code associated with the record.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
LinkId	The unique identifier of the record. This is the primary key for the view object.
LinkNumber	The object link reference number.
LinkTypeNumber	Identifies the type of link between the source and target objects.
ObjectVersionNumber	The number of times the row has been updated.
SourceObjectId	The unique identifier of the source object.
SourceObjectReference	The source object reference value.
SourceObjectTypeCd	The lookup code that indicates the type of the source object.
TargetObjectId	The unique identifier of the target object.
TargetObjectReference	The reference value of the target object.
TargetObjectTypeCd	Lookup code that indicates the type of the target object.

Omnichannel Events

This view object provides details about omnichannel events. Events are generated from work objects, which are channel requests that need to be routed to an Agent for assignment.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.OmniEventExtractPVO

Primary Keys : EventId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
BUOrgId	The unique identifier of the business unit organization.
ChannelId	The unique identifier of the channel. This is a foreign Key to the Channels object.
ChannelTypeCd	The lookup code that indicates the channel type, such as EMAIL, PHONE, FACEBOOK, and TWITTER.
ContactPartyId	The unique identifier of the customer contact. This is foreign key to the Party view object.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
DurationMs	The difference between end time and start time in milliseconds.
EndDate	The end date of this event.
EndTime	The end date and time of this event.
EndTimeHh24Mi	A numeric value representing the end time in hours and minutes.
EventId	The unique identifier of the record. This is the primary key for the view object.
EventNameCd	Identifies the lookup code indicating the name of the event.
InteractionId	The unique identifier of the interaction. This is a foreign key to the Interaction view object.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectId	The unique identifier of the business object. This is a foreign key to the view object identified by the object type code.
ObjectTypeCd	The business object this record is associated with. The type determines the table that the identifier refers to.
ObjectVersionNumber	The number of times the row has been updated.
Priority	The priority of the work object associated with this event.
QueueId	The unique identifier of the assigned queue. This is foreign key to the Queue view object.
ResourcePartyId	The unique identifier of the agent. This is a foreign key to the Party view object.
StartDate	The start date of this event.
StartTime	The start date and time of this event.
StartTimeHh24Mi	A numeric value representing the start time in hours and minutes.
StripeCd	The lookup code that indicates the stripe code, such as CRM or HCM.
SubmitDate	The date of submitting the underlying work object.
SubmitTime	The date and time of submitting the underlying work object.
Value	The value associated with the event. The meaning of the value is event specific.
WorkObjectId	The unique identifier of the work object associated with this event.

Queue Resource Teams

The QueueResourceTeamExtractPVO view object provides details about resources, either individually or as members of a resource team, that are assigned to queues. It expands on the information provided by the Queue Resource view object, identifying individual members of resource teams.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.QueueResourceTeamExtractPVO

Primary Keys : BIQueueResourceId

Initial Extract Date : BiCreationDate

Incremental Extract Date : BiLastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
BIQueueResourceId	The unique identifier of the record. This is the primary key for the view object.
BiCreationDate	The date and time when the row was created.
BiDeletedFlag	Flag indicating whether the record has been logically deleted. When the record is logically deleted, it should be removed from any target table it was loaded to before it's physically deleted.
BiLastUpdateDate	The date and time when the row was last updated.
CreatedBy	The user creating the queue resource row.
CreationDate	The date and time of creating the queue resource row.
DeletedFlag	Flag indicating whether the queue resource row is logically deleted or not.
EnabledFlag	Flag indicating whether the resource is enabled for the queue or not.
LastUpdateDate	The date and time of last updating the queue resource row.
LastUpdateLogin	The session login of the user who last updated the queue resource row.
LastUpdatedBy	The user who last updated the queue resource row.
ObjectId	The unique identifier of the resource. This is a foreign key to either the Party view object for an individual resource, or to JTF_RS_TEAMS for a resource team.
ObjectTypeCd	Identifies the type of resource, either an individual resource, or a resource team.
ObjectVersionNumber	The number of times the queue resource row has been updated.
QueueId	The unique identifier of the assigned queue. This is foreign key to the Queue view object.
QueueResourceId	The unique identifier of the queue resource. This is a foreign key to the Queue Resource view object.
QueueRsTeamMemberId	The unique identifier of the queue resource relationship flattened structure and alternate key for this table.

Name	Description
ResourceId	The unique identifier of the resource individual. This is a foreign key to either the Party view object for an individual resource, or to JTF_RS_TEAM_MEMBERS for a member of a resource team.
RsCreatedBy	The user creating the resource team member row.
RsCreationDate	The date and time of creating the resource team member row.
RsDeleteFlag	Flag indicating whether the resource team member row is logically deleted or not.
RsLastUpdateDate	The date and time of last updating the resource team member row.
RsLastUpdateLogin	The session login of the user updating the resource team member row.
RsLastUpdatedBy	The user who last updated the resource team member row.
RsResourceType	Identifies the type of resource team member, either an individual or a group.
RsTeamId	The unique identifier of the resource team. This is a foreign key to JTF_RS_TEAMS.
RsTeamMemberId	The unique identifier of the resource team member. This is a foreign key to JTF_RS_TEAM_MEMBERS.
RsTeamResourceId	The unique identifier of the resource team member resource. This is a foreign key to the Party view object if the resource is an individual, or HR_ALL_ORGANIZATION_UNITS_F if the resource is a group.
UniqueResourceFlag	Flag indicating whether the resource is assigned to a single queue, either individually or as the member of a team.

Queue Resources

The view QueueResourceExtractPVO object provides details about the resources who are members of a queue.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.QueueResourceExtractPVO

Primary Keys : QueueResourceId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
DeletedFlag	Indicates whether the record is logically deleted.
EnabledFlag	Flag indicating whether the resource is enabled for the queue or not.

Name	Description
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectId	The unique identifier of the resource. This is a foreign key to either the Party view object for an individual resource, or to JTF_RS_TEAMS for a resource team.
ObjectTypeCd	Identifies the type of resource, either an individual resource, or a resource team.
ObjectVersionNumber	The number of times the row has been updated.
Priority	Identifies the priority of an overflow queue.
QueueId	The unique identifier of the assigned queue. This is foreign key to the Queue view object.
QueueResourceId	The unique identifier of the record. This is the primary key for the view object.

Queues

The queue view object provides details about the queues that requests get assigned to based on routing algorithm. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.QueueExtractPVO

Primary Keys : QueueId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AlternateQueueId	The unique identifier of the alternative queue for skill-based assignment.
AttributeCategory	A descriptive flexfield used to categorize the content.
AutoRoutingFlag	Indicates whether this queue supports advanced automated routing or is manual.
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.

Name	Description
CurrencyCode	The currency code for the channel associated with the queue extract.
DeletedFlag	Indicates whether the queue is logically deleted.
EnabledFlag	Indicates whether the queue is enabled for assignment.
ExternalFlag	Indicates whether this queue supports external routing or only internal routing.
ExternalPartnerCd	Identifier of the external partner that handles agent assignment for this queue.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
OverflowCondNrtQLength	The number of overflow non-real-time items waiting in the queue. This is applicable if the Overflow policy code is ORA_SVC_OVERFLOW_QUEUE_LENGTH.
OverflowCondNrtTimeInQ	The number of overflow non-real-time items waiting in queue for more than the specified number of hours. This is applicable if the Overflow policy code is ORA_SVC_OVERFLOW_TIME_PERIOD.
OverflowCondRtQLength	The number overflow real-time items waiting in the queue.
OverflowCondRtTimeInQ	The number of overflow real-time items waiting in queue for more than the specified number of hours. This is applicable if the Overflow policy code is ORA_SVC_OVERFLOW_TIME_PERIOD
OverflowEnabledFlag	Indicates whether the Overflow feature is enabled on this queue.
OverflowPolicyCd	Indicates the Overflow policy used on this queue, such as ORA_SVC_OVERFLOW_POLICY_CD.
OwnerResourceId	The unique identifier of the owner resource who's responsible for the queue. This is a foreign key to the Parties view object.
QueueDesc	A description of the queue that includes queue type, SLA, and so on.
QueueId	The unique identifier of the record. This is the primary key for the view object.
QueueName	The name of the queue.
QueueNumber	The alternate public unique identifier of the queue.
SkillRoutingEnabledFlag	Indicates whether the queue is enabled for skill based assignment in routing.
StripeCd	The lookup code that indicates the stripe code, such as CRM or HCM.
TemplateId	The unique identifier of the competency template associated with the queue.
VaEnabledFlag	Indicates whether the queue is VA enabled.

Name	Description
VaPercentage	The percentage of requests that have to be routed to the virtual agent. This is used if the VA policy code is VA_PERCENTAGE.
VaPolicyCd	The VA policy used on this queue.
VaThreshold	The wait time in number of seconds, after which the requests are routed to the virtual agent.

Resource Skills

The resource skill view object provides information about each agent's skills. An agent can have one or more skills, each with its own proficiency level, provided the skill's competency allows proficiency.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.ResourceSkillExtractPVO

Primary Keys : ResourceSkillId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
DeletedFlag	Indicates whether the record is logically deleted.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
OriginalSystemReference	The alternative identifier in the original reference system, which may not be unique.
Proficiency	The level of expertise of the resource for the current skill.
ResourcePartyId	The unique identifier of the resource record.
ResourceSkillId	The unique identifier of the record. This is the primary key for the view object.
SkillId	The unique identifier of the skill record.

Service Request Aggregations

The service request aggregations view object provides summarized details for service requests.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SrAggregateExtractPVO

Primary Keys : SrAggId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AffectedPartyFlag	Indicates if there is an associated service request contact with a relationship type of affected.
ArticleLinkedFlag	Indicates if there is an associated service request reference of type article.
ArticleResolvedFlag	Indicates if there is an associated service request reference of type article that's resolved.
ClosedAgentId	The owner of the last interaction started before the service request was closed. Only interactions that have been end dated are considered.
ClosedChannelId	The channel of the last interaction started before the service request was closed. Only interactions that have been end dated are considered.
ClosedInteractions	The number of interactions started before the service request was closed. Only interactions that have been end dated are considered.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
InteractionUpdateDate	The date when the related service request interaction content was last updated.
LastStatusTypeCd	The status type code for the service request when this row was last updated.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
MilestoneUpdateDate	The date when the related service request milestone content was last updated.
ObjectVersionNumber	The number of times the row has been updated.
ReferenceUpdateDate	The date when the related service request reference content was last updated.
ResolvedAgentId	The owner of the last interaction started before the service request was resolved. Only interactions that have been end dated are considered.

Name	Description
ResolvedChannelId	The channel of the last interaction started before the service request was resolved. Only interactions that have been end dated are considered.
ResolvedInteractions	The number of interactions started before the service request was resolved. Only interactions that have been end dated are considered.
SrAggId	The unique identifier of the record. This is the primary key for the view object.
SrCompliantFlag	Indicates if the service request is fully compliant. All milestones must be compliant for the service request to be fully compliant. Canceled milestones are excluded from consideration.
SrId	The unique identifier of the associated service request.
SrMilestoneAssignmentFlag	Indicates if there is at least one milestone associated with the service request. This doesn't include canceled milestones.
SrUpdateDate	The date when the service request was last updated.
StripeCd	The lookup code that indicates the stripe code, such as CRM, HCM, or PRM.

Service Request Audit

The service request audit view object provides raw audit history for all service request attributes.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SrAuditExtractPVO

Primary Keys : LastUpdateDate, SrId, LastUpdatedBy

Initial Extract Date : CreationDate

Incremental Extract Date :

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AccountPartyId	The unique identifier of the party associated with the record. This is a foreign key to the Parties view object.
AffectedPartyAssignmentNumber	The unique assignment number of the affected party person for the service request.
AssetId	The unique identifier of the asset associated with the service request. This is a foreign key to the Assets view object.
AssigneeResourceId	The unique identifier of the resource to whom the service request is assigned to. This is a foreign key to the Parties view object.
AttributeCategory	A descriptive flexfield used to categorize the content.
AuditActionType	The type of audit, for example, INSERT, UPDATE and DELETE.

Name	Description
AuditChangeBitMap	Used to store a bit map of ones and zeroes for each column in the table to identify the columns that changed during the audit.
AuditImpersonator	Stores the original impersonator user.
BUOrgId	The business unit associated with the service request.
CaseId	The unique identifier of the case associated with the service request. This is a foreign key to the Cases view object.
CatalogId	The unique identifier of the service catalog associated with the service request. This is a foreign key to the Service Catalog view object.
CategoryId	The unique identifier of the category associated with the service request. This is a foreign key to the Category view object.
ChannelTypeCd	The lookup code that indicates the channel type, such as EMAIL, PHONE, FACEBOOK, and TWITTER.
ClosedDate	The date on which the service request was closed.
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreatedByPartyId	The party ID of the user who created this service request.
CreationDate	The date and time when the row was created.
CriticalFlag	Indicates whether the service request is critical.
CurcyConvRateType	The currency conversion rate type for the service request.
CurrencyCode	The currency code for the service request.
DeletedFlag	Indicates whether the service request can be logically deleted.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
FirstTransferDate	The date when the service request was first transferred.
IBAssetId	The unique identifier of the install base asset. This is an optional foreign key to the Assets view object.
InitQueueAssignDate	The date and time the SR was first assigned to a Queue. This value is auto-generated.
InitResourceAssignDate	The date and time the SR was first assigned to a Resource. This value is auto-generated.
InternalPriorityCd	The lookup code that indicates the internal priority of the service request, such as HIGH, NORMAL, or LOW.
InventoryItemId	The inventory item that the service request is logged against.
InventoryOrgId	The organization of the inventory item that the service request is logged against.

Name	Description
LanguageCd	The lookup code that indicates customer preferred language for this service request.
LastQueueAssignDate	The date and time the Queue assignment for the SR last changed. This value is auto-generated.
LastReopenDate	The date when the SR was last reopened.
LastResolvedDate	The date when the SR was last resolved.
LastResourceAssignDate	The date and time the Resource assignment for the SR last changed. This value is auto-generated.
LastTransferDate	The date and time when the service request was last transferred.
LastTransferredBy	The user who last transferred the service request.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
LastUpdatedByPartyId	The unique identifier of the user party who last updated this service request.
LoyMemberId	This is a foreign key reference to the Loyalty Member view object.
ObjectVersionNumber	The number of times the row has been updated.
OpenDate	The date when the SR was migrated. This defaults to CREATION_DATE if null, and to the SR creation date if the SR was migrated.
OriginalSystemReference	The alternative identifier in the original reference system, which may not be unique.
OwnerTypeCd	The lookup code that indicates the type of owner who's receiving service for this service request, such as CUSTOMER or PARTNER.
PartnerAccountPartyId	The unique identifier of the party associated with the record. This is a foreign key to the Parties view object.
PrimaryContactAssignmentNumber	The unique assignment number of the primary contact of the service request.
PrimaryContactPartyId	The ongoing primary customer contact of the service request. This is foreign key to the Party view object.
PrimaryContactPersonId	The ongoing primary customer contact of the service request. The foreign key that references the Person view object.
ProblemCd	The lookup code that indicates the identified problem of the service request, such as PRODUCT, USER, and DOCS.
ProblemDesc	The problem description, statement, or steps to reproduce issue for the service request.
ProdGroupId	The product group that the product associated with the SR belongs to. This is a foreign key reference to the Product Group view object.
PurchaseOrder	The purchase order associated with the service request.
QueueId	The queue ID the service request is assigned to. This is a foreign key reference to the Queues view object.
ReferenceObjectId	The unique identifier for the referenced object.
ReferenceObjectPuid	The alternate public unique identifier for the referenced object.

Name	Description
ReferenceObjectType	The type of referenced object such as Expense Report or Expense Item.
ReportedByPartyId	The person who reported this service request. This is a foreign key reference to the Parties view object.
ResolutionCd	The lookup code that indicates the resolution of service request, such as SATISFIED, NOT_SATISFIED, RETURNED_PRODUCT, NEW_PURCHASE, or UNKNOWN.
ResolveDescription	The solution description that includes information about how the service request was resolved.
ResolveOutcomeCd	The lookup code that indicates the outcome of a service request resolution, such as solution provided, unable to resolve, or customer abandoned.
ResolvedBy	Indicates the user who resolved the service request.
ServiceZoneId	The status of the milestone.
SeverityCd	Lookup code that indicates the severity of the service request reported by the customer, such as Severity 1, Severity 2, Severity 3, Severity 4.
SocialPrivateFlag	Indicates whether the service request was created from a private social post. The default value is false.
SourceCd	The lookup code that indicates how the SR was entered into the application, such as AGENT_UI, CUSTOMER_UI, or API.
SrCreatedBy	The user who migrated or created the SR. This defaults to CREATED_BY if null, or to the user name if the record was migrated.
SrId	The unique identifier of the record. This is the primary key for the view object.
SrLastUpdateDate	The last update date for migrated service requests. This defaults to LAST_UPDATE_DATE if null, or to the date and time of the last update for migrated service requests.
SrLastUpdateLogin	The session login of the user who last updated the service request. This defaults to LAST_UPDATE_LOGIN if null, or is set to the session login associated to the user who last updated the row when the service request is migrated.
SrLastUpdatedBy	The user who last updated the service request. This defaults to LAST_UPDATE_BY if null, or is set to the user who last updated the row when the service request is migrated.
SrNumber	The alternate public unique identifier of the service request.
StatusCd	The lookup code that indicates the status code of the service request, such as NEW, INPROGRESS, WAITING, RESOLVED, or CLOSED.
StatusTypeCd	The lookup code the indicates the status type of the status code, such as NEW, INPROGRESS, WAITING, RESOLVED, or CLOSED.
StripeCd	The lookup code that indicates the stripe code, such as CRM, HCM, or PRM.
TimezoneCode	The service request time zone optionally used for computing the milestone due date.
Title	A brief title of the service request.
TransferCount	The number of times the current service request has been transferred.
TransferNote	The notes or comments that provide more information about the transfer.
TransferReasonCd	The lookup code that indicates the transfer reason.
UniqueExternalSystemReference	The public unique identifier of the loyalty member.

Service Request Contact Members

The service request contact member view object provides details about customer contacts associated with a service request. For example, the contact for a corporate customer requesting support for software installation may be the organization's IT manager. Agents communicate service request resolutions or other information with contacts.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SrContactMemberExtractPVO

Primary Keys : MemberId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AccessLevelCd	The access level granted to the service request contact.
AttributeCategory	The category of the attribute.
ContactTypeCd	The service request contact type such as Customer or Partner.
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.
CurrencyCode	The currency code used for the channel.
DeletedFlag	Indicates whether the record is logically deleted.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
MemberId	The unique identifier of the record. This is the primary key for the view object.

Name	Description
ObjectVersionNumber	The number of times the row has been updated.
PartyId	The unique party identifier of the contact.
PersonId	The unique person ID of the contact.
RelationTypeCd	The relationship with the contact in context of the service request. For example, Alternate, Follower, Third_Party, and so on.
SrId	The unique identifier of the associated service request.

Service Request Lifecycle

The service request lifecycle view object provides audit history for a small number of attributes throughout the life of a service request. For example, Status Type, Assignee, and Queue.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SrLifecycleExtractPVO

Primary Keys : AuditSrId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AssigneeResourceId	Unique identifier of the assignee at current audited change.
AssigneeResourceSeqNo	The sequence order of changes, to related attributes including changes to null, of the audit records for a specific SR. Sequence of audit records start from 1, and so on.
AuditDurationMs	The audit duration time consumed in milliseconds between the Audit_end_date and Audit_start_date. This includes the combined time duration of audited columns excluding the audit_end_date.
AuditEndDate	The last date until when the combined values of audited columns are valid.
AuditHistoryCompleteFlag	Identifies SRs created after Auditing went live. The helps customers to filter SRs based on audit history. Y denotes SRs created after the auditing date with complete audit history data and N denotes SRs with incomplete audit history data.
AuditPurgeDate	Reserved for future use, when purging of audit data is implemented.
AuditSeqNo	The sequence order of the audit records for a specific SR. Sequence of audit records start from 1, and so on.
AuditSrId	The unique identifier of the record. This is the primary key for the view object.
AuditStartDate	The date from when the combined values of audited columns are valid.

Name	Description
CatProdHistoryCompleteFlag	Identifies service requests created after auditing of category and product went live. A value of Y denotes service requests with complete audit history of these attributes.
CategoryId	Unique identifier of the category at current audited change.
CategorySeqNo	The sequence order of changes, to related attributes including changes to null, of the audit records for a specific SR. Sequence of audit records start from 1, and so on.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
LatestAuditFlag	Description for the latest audit record for an SR. Y denotes the record holding the current values of all audited columns, N denotes value for all other records.
ObjectVersionNumber	The number of times the row has been updated.
OldAssigneeResourceId	Unique identifier of the assignee before the current audited change.
OldCategoryId	Unique identifier of the category before the current audited change.
OldProductId	Unique identifier of the product before the current audited change.
OldQueueId	Unique identifier of the queue before the current audited change.
OldSeverityCd	The severity before the current audited change.
OldStatusCd	The status before the current audited change.
OldStatusTypeCd	The status type before the current audited change.
ProductId	Unique identifier of the product at current audited change.
ProductSeqNo	The sequence order of changes, to related attributes including changes to null, of the audit records for a specific SR. Sequence of audit records start from 1, and so on.
QueueId	Unique identifier of the queue at current audited change.
QueueSeqNo	The sequence order of changes, to related attributes including changes to null, of the audit records for a specific SR. Sequence of audit records start from 1, and so on.
ReopenEventFlag	Identifies if the SR has been reopened in the current audited change with a Y if yes, Null if no.
ScheduleAssigneeSrId	The service request identifier, provided either of the schedule identifier is not null or the assignee resource identifier is not null, otherwise is set to null.
ScheduleHistoryCompleteFlag	Indicates if service requests were created after the auditing of schedule working hours went live. A value of Y denotes service requests with complete audit history of these attributes.
ScheduleId	Unique identifier of the schedule at current audited change.
ScheduleSeqNo	The sequence order of changes, to related attributes including changes to null, of the audit records for a specific SR. Sequence of audit records start from 1, and so on.
SeverityCd	The severity at current audited change.

Name	Description
SeveritySeqNo	The sequence order of changes, to related attributes including changes to null, of the audit records for a specific SR. Sequence of audit records start from 1, and so on.
SrId	Service request foreign key that references audit data.
StatusCd	The status at current audited change.
StatusSeqNo	The sequence order of changes, to related attributes including changes to null, of the audit records for a specific SR. Sequence of audit records start from 1, and so on.
StatusTypeCd	The status type at current audited change.
StatusTypeSeqNo	The sequence order of changes, to related attributes including changes to null, of the audit records for a specific SR. Sequence of audit records start from 1, and so on.
WorkDurationMs	The duration time in milliseconds between the audit end date and audit start date based on the associated work schedule. If the schedule identifier is null, the working duration time will match the audit duration time. If the audit end date is null, the working duration time will be null.

Service Request Messages

The service request message extract view object provides details about every communication update to the service request, both from the internal agent and from the customer. An example of a stored message could be, We have credited your account for the value of the call. You should see a credit in your next monthly bill.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SrMessageExtractPVO

Primary Keys : MessageId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AttributeCategory	The category of the attribute.
ChannelTypeCd	The channel type, such a email, phone, social, and so on.
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.
CurrencyCode	The currency code used for the channel.

Name	Description
DeletedFlag	Indicates whether the record is logically deleted.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
MessageContent	The content of the service request message.
MessageCreatedBy	The user who created the message in the original source system. This is applicable if the service request message was imported from another system.
MessageId	The unique identifier of the record. This is the primary key for the view object.
MessageLastUpdateDate	The date when the message was last updated in the original source system. This is applicable if the service request message was imported from another system.
MessageLastUpdateLogin	The login of the user who last updated the message in the original source system. This is applicable if the service request message was imported from another system.
MessageLastUpdatedBy	The user who last updated the message in the original source system. This is applicable if the service request message was imported from another system.
MessageNumber	The public unique identifier of the service request message.
MessageSubTypeCd	The service request message subtype.
MessageTypeCd	The message type. The accepted values are Response, Customer Entry, System Note, System Response, and Internal Note.
ObjectVersionNumber	The number of times the row has been updated.
OriginalSystemReference	The alternative identifier in the original reference system, which may not be unique.
OriginationDate	The date the message was created in the original source system. This is applicable if the service request message was imported from another system.
ParentMessageId	The unique identifier of the parent message.
PostedByPartyId	The unique identifier of the user who the posted the message. The user can be an internal resource or a customer contact.
PrivateInfoFlag	Indicates whether the message contains personally identifiable information.
ProcessingStatusCd	The processing status of the message. The accepted values are Ready, Processing, Error, and Success.
RichTextFlag	Indicates whether the message content is in rich text format. If the format is rich text, then the value is Y, else the value is N.
SentDate	The date and time when the message was sent.

Name	Description
SocialPrivateFlag	Indicates whether the service request was created from a private social post.
SourceCd	The source of the message.
SrId	The unique identifier of the service request to which the message is associated.
StatusCd	The status of the message. The accepted values are Draft, Committed, and Corrected.
Subject	The subject of the service request message.
TemplateName	The name of the template that's used for outbound communication of the message.
VisibilityCd	The privacy level of the message. The accepted values are Internal and External. Null value indicates that the message is External.

Service Request Milestones

The service request milestone view object provides details about the milestones set in the lifecycle of a service request, such as first response time of 24 hours for a customer with Gold coverage, and a resolution time of 3 days for service requests with severity level 2. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SrMilestoneExtractPVO

Primary Keys : SrMilestoneId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ActiveFlag	Indicates the current milestone status.
AgentCompletedFlag	Indicates whether an agent marked milestone as complete or not.
AttributeCategory	A descriptive flexfield used to categorize the content.
Comments	The customer or agent comments.
CompletionDate	The date when the milestone is to be completed.
ComplianceFlag	The compliance status of the milestone.
CorpCurrencyCode	The corporate currency code associated with the record.
CoverageId	The unique identifier for the coverage record.

Name	Description
CoverageSourceCd	Coverage Source
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.
CurrencyCode	The currency code associated with the record.
DelayTime	The time between the due date and the completion date.
DeletedFlag	Indicates whether the record is logically deleted.
DueDate	The due date of the milestone.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
HeaderFlag	Indicates whether the current milestone should be saved on the service request header.
JobDefinitionName	For Enterprise Service Scheduler, indicates the name of the job that created or last updated the row.
JobDefinitionPackage	For Enterprise Service Scheduler, indicates the package name of the job that created or last updated the row.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
MilestoneConfigId	The unique identifier of the milestone configuration record.
MilestoneStatusCd	The status of the milestone.
ObjectVersionNumber	The number of times the row has been updated.
OverriddenDueDate	The milestone overridden due date.
RequestId	For Enterprise Service Scheduler, indicates the request identifier of the job that created or last updated the row.
SrId	The unique identifier of the service request record.
SrMilestoneId	The unique identifier of the record. This is the primary key for the view object.
SubscriptionCoveragePuid	Subscription Coverage PUID
SubscriptionNumber	Subscription Number
TimeLeftOnceUnpaused	The time left, in minutes, to complete the milestone after it's restored from the paused state.
WarnedFlag	Indicates whether milestone passed the warning threshold.

Name	Description
WarningDate	The date and time when the milestone passed the warning threshold.

Service Request References

The SrReferenceExtractPVO view object provides details about the relationships between a Service Request and other objects, such as Note, Article, Defect, or another Service Request. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SrReferenceExtractPVO

Primary Keys : ReferenceId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ArticleId	The unique identifier of the referenced article.
ArticleLocale	The locale of the knowledge management article.
AttributeCategory	A descriptive flexfield used to categorize the content.
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreatedByPartyId	The unique identifier of the user creating this row. This is a foreign key to the Party view object.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.
CurrencyCode	The currency code associated with the record.
DeletedFlag	Indicates whether the record is logically deleted.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.

Name	Description
HelpfulFlag	Indicates whether the service request reference was helpful.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
LinkedFlag	Indicates whether the reference is linked with the service request.
ObjectId	Indicates whether the object is referenced to the service request.
ObjectTypeCd	The object type of the reference object.
ObjectVersionNumber	The number of times the row has been updated.
ReferenceId	The unique identifier of the record. This is the primary key for the view object.
RelationTypeCd	The relationship type between the service request and the referenced object.
ResolutionCd	Indicates whether the referenced object helps in resolving the service request.
SharedFlag	Indicates whether the service request reference is shared with the customer.
SrId	The unique identifier of the service request.
Subject	The title of the referenced object.

Service Request Resource Members

The SrResourceMemberExtractPVO view object provides details about employees or partners, such as service representatives, service managers, or product managers, who are associated with a service request. Multiple service request resources may be involved in resolving a service request. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SrResourceMemberExtractPVO

Primary Keys : MemberId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AttributeCategory	A descriptive flexfield used to categorize the content.
CorpCurrencyCode	The corporate currency code associated with the record.

Name	Description
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.
CurrencyCode	The currency code associated with the record.
DeletedFlag	Indicates whether the record is logically deleted.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
MemberId	The unique identifier of the record. This is the primary key for the view object.
ObjectId	The unique identifier of the business object. This is a foreign key to the view object identified by the object type code.
ObjectTypeCd	The business object this record is associated with. The type determines the table that the identifier refers to.
ObjectVersionNumber	The number of times the row has been updated.
SrId	The unique identifier of the service request.

Service Requests

The service request view object provides details about a service request and its header attributes. This view object also contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB. If you're both a B2B Service user and Help Desk user, then the SR object will have your CX Service SR as well as your Help Desk SR data. To extract data for either application, you must use the appropriate value for Stripe Code filter during the BICC data extraction process. To extract only CX Service SRs, set the stripe code value to ORA_SVC_CRM, and for only Help Desk SRs set it to ORA_SVC_HCM.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.ServiceRequestExtractPVO

Primary Keys : SrId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AccountPartyId	The unique identifier of the party associated with the record. This is a foreign key to the Parties view object.
AffectedPartyAssignmentNumber	The unique assignment number of the affected party person for the service request.
AssetId	The unique identifier of the asset associated with the service request. This is a foreign key to the Assets view object.
AssigneeResourceId	The unique identifier of the resource to whom the service request is assigned to. This is a foreign key to the Parties view object.
AttributeCategory	A descriptive flexfield used to categorize the content.
BUOrgId	The business unit associated with the service request.
CaseId	The unique identifier of the case associated with the service request. This is a foreign key to the Cases view object.
CatalogId	The unique identifier of the service catalog associated with the service request. This is a foreign key to the Service Catalog view object.
CategoryId	The unique identifier of the category associated with the service request. This is a foreign key to the Category view object.
ChannelTypeCd	The lookup code that indicates the channel type, such as EMAIL, PHONE, FACEBOOK, and TWITTER.
ClosedDate	The date on which the service request was closed.
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreatedByPartyId	The party ID of the user who created this service request.
CreationDate	The date and time when the row was created.
CriticalFlag	Indicates whether the service request is critical.
CurcyConvRateType	The currency conversion rate type for the service request.
CurrencyCode	The currency code for the service request.
DeletedFlag	Indicates whether the service request can be logically deleted.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
FirstTransferDate	The date when the service request was first transferred.

Name	Description
IBAssetId	The unique identifier of the install base asset. This is an optional foreign key to the Assets view object.
InitQueueAssignDate	The date and time the SR was first assigned to a Queue. This value is auto-generated.
InitResourceAssignDate	The date and time the SR was first assigned to a Resource. This value is auto-generated.
InternalPriorityCd	The lookup code that indicates the internal priority of the service request, such as HIGH, NORMAL, or LOW.
InventoryItemId	The inventory item that the service request is logged against.
InventoryOrgId	The organization of the inventory item that the service request is logged against.
LanguageCd	The lookup code that indicates customer preferred language for this service request.
LastQueueAssignDate	The date and time the Queue assignment for the SR last changed. This value is auto-generated.
LastReopenDate	The date when the SR was last reopened.
LastResolvedDate	The date when the SR was last resolved.
LastResourceAssignDate	The date and time the Resource assignment for the SR last changed. This value is auto-generated.
LastTransferDate	The date and time when the service request was last transferred.
LastTransferredBy	The user who last transferred the service request.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
LastUpdatedByPartyId	The unique identifier of the user party who last updated this service request.
LoyMemberId	This is a foreign key reference to the Loyalty Member view object.
ObjectVersionNumber	The number of times the row has been updated.
OpenDate	The date when the SR was migrated. This defaults to CREATION_DATE if null, and to the SR creation date if the SR was migrated.
OriginalSystemReference	The alternative identifier in the original reference system, which may not be unique.
OwnerTypeCd	The lookup code that indicates the type of owner who's receiving service for this service request, such as CUSTOMER or PARTNER.
PartnerAccountPartyId	The unique identifier of the party associated with the record. This is a foreign key to the Parties view object.
PrimaryContactAssignmentNumber	The unique assignment number of the primary contact of the service request.
PrimaryContactPartyId	The ongoing primary customer contact of the service request. This is foreign key to the Party view object.
PrimaryContactPersonId	The ongoing primary customer contact of the service request. The foreign key that references the Person view object.
ProblemCd	The lookup code that indicates the identified problem of the service request, such as PRODUCT, USER, and DOCS.

Name	Description
ProblemDesc	The problem description, statement, or steps to reproduce issue for the service request.
ProdGroupId	The product group that the product associated with the SR belongs to. This is a foreign key reference to the Product Group view object.
PurchaseOrder	The purchase order associated with the service request.
QueueId	The queue ID the service request is assigned to. This is a foreign key reference to the Queues view object.
ReferenceObjectId	The unique identifier for the referenced object.
ReferenceObjectPuid	The alternate public unique identifier for the referenced object.
ReferenceObjectType	The type of referenced object such as Expense Report or Expense Item.
ReportedByPartyId	The person who reported this service request. This is a foreign key reference to the Parties view object.
ResolutionCd	The lookup code that indicates the resolution of service request, such as SATISFIED, NOT_SATISFIED, RETURNED_PRODUCT, NEW_PURCHASE, or UNKNOWN.
ResolveDescription	The solution description that includes information about how the service request was resolved.
ResolveOutcomeCd	The lookup code that indicates the outcome of a service request resolution, such as solution provided, unable to resolve, or customer abandoned.
ResolvedBy	Indicates the user who resolved the service request.
ResolvedByPartyId	The unique identifier of the user who resolved the service request. This is a foreign key to the Party view object.
ServiceZoneId	The unique identifier of the service request region.
SeverityCd	Lookup code that indicates the severity of the service request reported by the customer, such as Severity 1, Severity 2, Severity 3, Severity 4.
SocialPrivateFlag	Indicates whether the service request was created from a private social post. The default value is false.
SourceCd	The lookup code that indicates how the SR was entered into the application, such as AGENT_UI, CUSTOMER_UI, or API.
SrCreatedBy	The user who migrated or created the SR. This defaults to CREATED_BY if null, or to the user name if the record was migrated.
SrId	The unique identifier of the record. This is the primary key for the view object.
SrLastUpdateDate	The last update date for migrated service requests. This defaults to LAST_UPDATE_DATE if null, or to the date and time of the last update for migrated service requests.
SrLastUpdateLogin	The session login of the user who last updated the service request. This defaults to LAST_UPDATE_LOGIN if null, or is set to the session login associated to the user who last updated the row when the service request is migrated.
SrLastUpdatedBy	The user who last updated the service request. This defaults to LAST_UPDATE_BY if null, or is set to the user who last updated the row when the service request is migrated.
SrNumber	The alternate public unique identifier of the service request.
StatusCd	The lookup code that indicates the status code of the service request, such as NEW, INPROGRESS, WAITING, RESOLVED, or CLOSED.

Name	Description
StatusTypeCd	The lookup code the indicates the status type of the status code, such as NEW, INPROGRESS, WAITING, RESOLVED, or CLOSED.
StripeCd	The lookup code that indicates the stripe code, such as CRM, HCM, or PRM.
TimezoneCode	The service request time zone optionally used for computing the milestone due date.
Title	A brief title of the service request.
TransferCount	The number of times the current service request has been transferred.
TransferNote	The notes or comments that provide more information about the transfer.
TransferReasonCd	The lookup code that indicates the transfer reason.
UniqueExternalSystemReference	The unique alternative identifier of the service request in the original reference system. You can this column to store the identifier of the service request in the external application you're integrating with.

Skill Competencies

The skill competency view object provides information about the competencies associated with a skill. A skill is an instance of a competency, or a combination of codependent competency instances. Independent competencies can't be mixed in the same skill.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SkillCompetencyExtractPVO

Primary Keys : SkillCompetencyId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CompetencyId	The unique identifier of the competency record.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
DeletedFlag	Indicates whether the record is logically deleted.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.

Name	Description
ObjectVersionNumber	The number of times the row has been updated.
OriginalSystemReference	The alternative identifier in the original reference system, which may not be unique.
SkillCompetencyId	The unique identifier of the record. This is the primary key for the view object.
SkillId	The unique identifier of the skill record.

Skill Competency Values

The skill competency value view object provides information about the values of a competency associated to a skill. A skill is an instance of a competency, or a combination of codependent competency instances. For example a skill can have a Language competency that has the values English and French.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SkillCompetencyValueExtractPVO

Primary Keys : SkillCompetencyValueId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CompetencyValue	The value of the corresponding competency.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
DeletedFlag	Indicates whether the record is logically deleted.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
OriginalSystemReference	The alternative identifier in the original reference system, which may not be unique.
SkillCompetencyId	The unique identifier of the skill competency record.
SkillCompetencyValueId	The unique identifier of the record. This is the primary key for the view object.

Skills

The skill view object provides information about competency instances, or combinations of codependent competency instances. Independent competencies can't be mixed in the same skill.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SkillExtractPVO

Primary Keys : SkillId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
DeletedFlag	Indicates whether the record is logically deleted.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
OriginalSystemReference	The alternative identifier in the original reference system, which may not be unique.
SkillId	The unique identifier of the record. This is the primary key for the view object.
SkillName	The name of the skill.
SkillNumber	The alternate public unique identifier of the record. This is the secondary key for the view object.

Smart Text Enabled Objects

The standard text object view object provides details about objects enabled for smart text use.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.StandardTextObjectExtractPVO

Primary Keys : ViewObjectCd

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CustomFlag	Indicates if this is a custom object.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
Name	The smart text object name.
ObjectId	The unique identifier of the record. This is the primary key for the view object.
ObjectPath	The full path to the referenced view object.
ObjectVersionNumber	The number of times the row has been updated.
StripeCodes	The stripe codes for which the smart text object can be applied.
ViewObjectCd	The view object name. This will be referenced in other smart text extract view objects, instead of the primary key.

Smart Text Usages

The standard text history view object provides details about usages of smart texts and the objects they're embedded in.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.StandardTextHistoryExtractPVO

Primary Keys : StdTxtHistId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the row.

Name	Description
CreationDate	The date and time when the row was created.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectReference	Identifies the object the smart text is embedded in. This is a reference to the alternate primary key, such as the service request number.
ObjectReferenceId	The object the smart text is embedded in. This is a reference to the primary key such as service request identifier.
ObjectUsed	The smart text object the smart text was embedded in. This is a reference to the ViewObjectCd of the Smart Text Objects view object.
StdTxtHistId	The unique identifier of the record. This is the primary key for the view object.
StdTxtId	The smart text content. This references the Smart Texts view object.
TxtLang	Indicates the code of the language into which the contents of translatable columns are translated.
Type	The type of smart text used.
UserPartyId	The unique identifier of the user who embedded the smart text in the object. This is a foreign key to the Party view object.

Smart Texts

The standard text view object provides details about smart texts that can be embedded in objects such as Service Request.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.StandardTextExtractPVO

Primary Keys : StdTxtId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
BUOrgId	The unique identifier of the service business unit.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.

Name	Description
Domain	The domain or category for the smart text.
EnabledFlag	Indicates if the smart text is enabled for use.
EndDate	The date till when the smart text can be used.
FolderId	The foreign key to the associated folder.
HtmlFlag	Indicates if the smart text contains plain or rich text.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
Object	The primary object that this smart text is used for. This is a reference to the ViewObjectCd of the Smart Text Objects view object.
ObjectVersionNumber	The number of times the row has been updated.
Scope	Indicates if the smart text is for global use or specific to a user. If the scope is user, then UserPartyId will identify the specific user.
StartDate	Indicates the starting date the smart text can be used.
StdTxtId	The unique identifier of the record. This is the primary key for the view object.
StdTxtNumber	The alternate public unique identifier of the record. This is the secondary key for the view object.
StdTxtUniqueNumber	The secondary alternate public unique identifier for the record. This is the tertiary key for the view object.
StdtxtName	A short descriptive name for the smart text.
StripeCd	The lookup code that indicates the stripe code, such as CRM, HCM, or PRM.
UserPartyId	The unique identifier of the user who can use this smart text. This is a foreign key to the Party view object.

Survey Configuration Attributes

The survey configuration attributes view object provides information about attributes to be configured for survey vendors.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SurveyConfigAttrExtractPVO

Primary Keys : ConfigAttrId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AttributeCd	This is the type of the survey configuration attribute. For example, SURVEY_LIST_API, or SURVEY_DETAIL_API.
AttributeValue	This is the value of the survey configuration attribute.
ConfigAttrId	The unique identifier of the record. This is the primary key for the view object.
ConfigId	This is the unique identifier of the survey configuration attribute.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.

Survey Configurations

The survey configuration extract view object provides details about survey vendors.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SurveyConfigExtractPVO

Primary Keys : ConfigId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ConfigId	The unique identifier of the record. This is the primary key for the view object.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
Description	The description of the survey configuration.

Name	Description
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
Name	The name of the survey configuration.
ObjectVersionNumber	The number of times the row has been updated.
SurveyConfigNumber	This number is an auto-generated unique number that's used for import and export of Survey Configurations.
VendorCd	This is the product-specific code for the survey. For example, SURVEY_MONKEY.

Survey Question Answer Translations

The survey question answer translation view object provides details about the survey answer content that's available in different languages.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SurveyQuesAnswerTranslationExtractPVO

Primary Keys : Language, AnswerId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AnswerId	The unique identifier of the survey answer. This is a foreign Key to the Survey Question Answer object.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
Language	Indicates the code of the language into which the contents of the translatable columns are translated.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
SourceLang	Indicates the code of the language in which the contents of the translatable columns were originally created.

Name	Description
Text	The language dependent translatable survey answer for the user.

Survey Question Answers

The survey question answer view object provides details about the answers to survey questions.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SurveyQuesAnswerExtractPVO

Primary Keys : AnswerId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AnswerId	The unique identifier of the record. This is the primary key for the view object.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
QuestionId	The identification number of the question of which this answer choice is a part of.
SurveyQuesAnswerMLSAnswerId	The unique identifier of the translated survey answer. This is a foreign key of the Translated Survey Question Answer view object.
SurveyQuesAnswerMLSLanguage	The language into which the translatable attribute contents are translated. This is a foreign key of the Translated Survey Question Answer view object.
SurveyQuesAnswerMLSSourceLang	Indicates the code of the language in which the contents of the translatable attributes were originally created.
SurveyQuesAnswerMLSText	The translated text of the survey answer defined by the user.
VendorAnswerId	The external product answer choice identification number.

Survey Question Translations

The survey question translation view object provides details about the survey question content that's available in different languages.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SurveyQuestionTranslationExtractPVO

Primary Keys : Language, QuestionId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
Language	Indicates the code of the language into which the contents of the translatable columns are translated.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
QuestionId	The unique identifier of the survey question. This is a foreign Key to the Survey Question object.
SourceLang	Indicates the code of the language in which the contents of the translatable columns were originally created.
Text	The language dependent translatable survey question.

Survey Questions

The survey question extract view object provides details about the survey questions.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SurveyQuestionExtractPVO

Primary Keys : QuestionId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
QuestionId	The unique identifier of the record. This is the primary key for the view object.
QuestionTypeCd	The question type of the survey question, such as Select One Choice, Text, and so on.
SurveyId	The identification number of the survey of which this question is a part of.
SurveyQuestionMLSLanguage	The language into which the translatable attribute contents are translated. This is a foreign key of the Translated Survey Question view object.
SurveyQuestionMLSQuestionId	The unique identifier of the translated survey question. This is a foreign key of the Translated Survey Question view object.
SurveyQuestionMLSSourceLang	Indicates the code of the language in which the contents of the translatable attributes were originally created.
SurveyQuestionMLSText	The translated text of the survey question defined by the user.
VendorQuestionId	The external product question identification number.

Survey Requests

The survey request extract view object provides details about survey requests. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SurveyRequestExtractPVO

Primary Keys : SurveyRequestId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AttributeCategory	A descriptive flexfield used to categorize the content.
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.
CurrencyCode	The currency code associated with the record.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectId	The identifier of the object for which the survey will be assigned. Example Service Request ID.
ObjectTypeCd	The type of the object for which the survey will be assigned. Example Service Request, Account.
ObjectVersionNumber	The number of times the row has been updated.
OwnerId	The person who owns the survey responses.
PartyId	The identifier of the contact who will receive the survey.
RespondedFlag	The indicator that indicates whether survey is answered.
ResponseDate	The date when survey was answered.
SurveyId	The key identifier of the survey.
SurveyRequestId	The unique identifier of the record. This is the primary key for the view object.
VendorRequestId	The key identifier of the survey request.

Survey Responses

The survey response extract view object provides details about survey responses. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SurveyResponseExtractPVO

Primary Keys : SurveyResponseId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AnswerId	The key identifier of the answer choice.
AttributeCategory	A descriptive flexfield used to categorize the content.
CorpCurrencyCode	The corporate currency code associated with the record.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The currency code associated with the record.
CurrencyCode	The conversion rate type for the corporate currency.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
QuestionId	The question identification number of the question for this response.
SurveyRequestId	The survey request identification number for this response.
SurveyResponseId	The unique identifier of the record. This is the primary key for the view object.
Text	The text response included in the survey.

Surveys

The survey extract view object provides details about surveys.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.SurveyExtractPVO

Primary Keys : SurveyId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ConfigId	The identification number of the survey.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
DecisionModelName	The name of the survey decision model which is used to determine when to send the survey.
DecisionModelService	The service of the survey decision model which is used to determine when to send the survey.
DecisionModelSpace	The space of the survey decision model which is used to determine when to send the survey.
DecisionModelSpaceName	The space name of the survey decision model which is used to determine when to send the survey.
DecisionModelVersion	The version number of the survey decision model which is used to determine when to send the survey.
Description	The description of the survey.
EndDate	The date the survey is no longer available to send.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
Name	The name of the survey.
ObjectTypeCd	The type of the object associate with the survey. Example
ObjectVersionNumber	The number of times the row has been updated.
StartDate	The start date of the survey.
StripeCd	The stripe code that's associated to the survey.
SurveyId	The unique identifier of the record. This is the primary key for the view object.
SurveyNumber	The survey number.
VendorSurveyId	This is the product-specific supplier identification number for the survey.
VendorSurveyName	This is the product-specific name for the survey. For example, SURVEY_MONKEY.
VendorSurveyUrl	This is the product-specific url for the survey.

Tag References

The TagReferenceExtractPVO view object provides details about tags associated with various objects, such as service requests.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.TagReferenceExtractPVO

Primary Keys : TagRefId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectId	The unique identifier of the business object. This is a foreign key to the view object identified by the object type code.
ObjectTypeCd	The business object this record is associated with. The type determines the table that the identifier refers to.
ObjectVersionNumber	The number of times the row has been updated.
TagRefId	The unique identifier of the record. This is the primary key for the view object.
TagValueId	The unique identifier of the value of this tag reference. This is a foreign key to the Tag Value view object.

Tag Values

The TagValueExtractPVO view object provides details about values of tags that can be associated with various objects..

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.TagValueExtractPVO

Primary Keys : TagValueId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AdministratorCreatedFlag	Flag indicating whether the tag was created by an Administrator or not.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
TagValue	Tag value which will be used for tagging objects such as service requests and social posts.
TagValueId	The unique identifier of the record. This is the primary key for the view object.

Work Order Status Mappings

The WoStatusMapExtractPVO view object provides details about work order statuses for each work order integration.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.WoStatusMapExtractPVO

Primary Keys : WoIntegrationCd, WoStatusCd

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.

Name	Description
ObjectVersionNumber	The number of times the row has been updated.
SeedDataSource	The source of seed data record. A value of BULK_SEED_DATA_SCRIPT indicates that the record was bulk loaded. Otherwise, specifies the name of the seed data file.
UseCancelProcessFlag	Indicates whether the status should initiate the cancel part process.
WoIntegrationCd	Identifies the integration the status is associated with.
WoStatusCatCd	Identifies the category of the status.
WoStatusCd	Identifies the status of integration application work order.
WoStatusLookupType	Identifies the lookup type of the integration application work order status.
WoStatusLookupTypeCd	Identifies the integration application work order status lookup type code. Required for elastic search.
WoStatusMapId	The unique identifier of the record. This is the primary key for the view object.

Work Order Type Mappings

The WoTypeMapExtractPVO view object provides details about work order types for each work order integration.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.WoTypeMapExtractPVO

Primary Keys : WoTypeId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AllowNonScheduledFlag	Identifies whether work orders of this type can be created with only a resolution due.
AllowRescheduleFlag	Identifies whether work orders of this type can be rescheduled for another date.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
DefaultDuration	The default duration in minutes it's expected to take to complete a work order of this type.
DeletedFlag	Indicates whether the record is logically deleted.
EnableReminderFlag	Identifies whether the reminder time can be included on work orders of this type.
FsTypeCd	The work order type code of the corresponding work order type code from the integrating application.

Name	Description
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
MultiDayFlag	Identifies whether work orders of this type will take multiple days to complete.
ObjectVersionNumber	The number of times the row has been updated.
SourceCd	Identifies the work order type owning application updated during the synchronization process. The work order type can only be updated by the owning application.
SuppInventoryFlag	Identifies whether inventory can be used on work orders of this type.
SuppLinksFlag	Identifies whether the linking of predecessor and successor activity relationships is allowed on work orders of this type.
SuppPreferredResourcesFlag	Identifies whether resource preferences can be defined on work orders of this type.
SuppRequiredInventoryFlag	Identifies whether required inventory can be used on work orders of this type. The assigned field technician is then notified.
WoIntegrationCd	Identifies the integration this type is associated with.
WoTypeCd	Identifies the work order type.
WoTypeId	The unique identifier of the record. This is the primary key for the view object.
WoTypeLookupType	Identifies the integration application work order type lookup type.
WoTypeLookupTypeCd	Identifies the integration application work order type lookup type code. Required for elastic search.

Work Orders

The WorkOrderExtractPVO view object provides details about orders received from customers to perform some work. For example, install cable or fix an air conditioner. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.ServiceExtractAM.SvcMgmtBiccExtractAM.WorkOrderExtractPVO

Primary Keys : WoId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AccountPartyId	The unique identifier of the account party associated with the customer work order.
ActualEndDate	The actual end date and time of the work completion at the customer location. This value is updated through integration after the completion of service.
ActualStartDate	The actual start date and time of the work at the customer location. This value is updated through integration after starting the service.
Address1	The first line of the customer address where the service is to be performed.
Address2	The second line of the customer address where the service is to be performed.
Address3	The third line of the customer address where the service is to be performed.
Address4	The fourth line of the customer address where the service is to be performed.
AddressId	The unique identifier of the customer address where the service is to be performed.
AssigneeResourceId	The unique identifier of the service resource assigned to the customer work order.
AttributeCategory	A descriptive flexfield used to categorize the content.
BUOrgId	The unique identifier of the service business unit associated with the customer work order.
BookedDate	The date and time of booking the Field Service Cloud activity.
CancelReason	The reason for work order cancel.
CaseNote	The additional information, if any, captured from the customer to be shared with the field service resource assigned to the customer work order.
City	The city where the service is to be performed.
ContactAltPhoneNumber	The alternate phone number of the customer for whom the service is to be performed.
ContactEmail	The email address of the customer for whom the service is to be performed.
ContactLanguageCode	The language spoken by the customer for whom the service is to be performed.
ContactName	The name of the customer for whom the service is to be performed.
ContactPartyId	The unique identifier of the customer for whom the service is to be performed.
ContactPartySiteId	The unique identifier of the contact party site of the work order where the service is to be performed.
ContactPhoneNumber	The primary phone number of the customer for whom the service is to be performed.
CorpCurrencyCode	The corporate currency code associated with the record.
Country	The country where the service is to be performed.
County	The county where the service is to be performed.
CreatedBy	The user who created the row.
CreatedByPartyId	The unique identifier of the user creating this row. This is a foreign key to the Party view object.
CreationDate	The date and time when the row was created.
CurcyConvRateType	The conversion rate type for the corporate currency.

Name	Description
CurrencyCode	The currency code associated with the record.
DeletedFlag	Indicates whether the record is logically deleted.
DeliveryWinEndDate	The estimated end date and time for the arrival of the field service resource at the customer location.
DeliveryWinStartDate	The estimated starting date and time for the arrival of the field service resource at the customer location.
Duration	The estimated time required to complete the work order based on the activity type mentioned in the work order type. Actual duration is updated after the work is completed.
EstimatedStartDate	Indicates the estimated date when the field service technician arrives at the service location. This value is updated from Oracle Field Service Cloud.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob003	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob004	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob005	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob006	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob007	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob008	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob009	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob010	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob011	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob012	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob013	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob014	A column reserved for the custom attribute of type CLOB.

Name	Description
ExtnAttributeClob015	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob016	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob017	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob018	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob019	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob020	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob021	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob022	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob023	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob024	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob025	A column reserved for the custom attribute of type CLOB.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Time Stamp.

Name	Description
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Time Stamp.
FieldServiceResourceId	The unique identifier of the field service resource assigned to the customer work order.
FsActivityId	The unique identifier of the corresponding activity in Oracle Field Service Cloud for the work order activity.
FsContactFlag	Indicates if the customer is from Oracle Field Service or B2B Service.
FsErrorDetail	The error message displayed by Oracle Integration Cloud during the integration event of the work order with Oracle Field Service Cloud activity.
FsNote	The information added to the work order after customer work order is integrated with Oracle Field Service Cloud activity.
FsResource	The name of the field service resource assigned to the customer work order.
FsResourceExternalId	The unique identifier of the external resource used for completing the work order.
FsSchedResource	The scheduled resource used for completing the customer work order.
FsSchedResourceExternalId	The external unique identifier of the scheduled resource used for completing the work order.
FsTechnicianLocatorUrl	The URL used to track the technician location.
IBAssetId	The unique identifier of the installed base asset attached to the work order.
InventoryItemId	The unique identifier of the product associated with the work order.
InventoryOrgId	The unique identifier of the product organization that's associated with the work order.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The session login of the user who last updated the row.
LastUpdateSourceCd	The source who last updated the work order.

Name	Description
LastUpdatedBy	The user who last updated the row.
ObjectVersionNumber	The number of times the row has been updated.
OpportunityId	The unique identifier of the opportunity.
OverridePartyId	The unique identifier of the user handling the override request.
OverrideReason	Identifies the reason for requesting an override on the scheduled time slot.
OverrideStatusCd	Identifies the status of an override request.
OwnerTypeCd	The code indicating the type of account that owns the work order. The valid owner types are customer and partner as defined in the list of accepted values defined in the lookup type ORA_SVC_OWNER_TYPE_CD.
PartnerAccountPartyId	The unique identifier of the partner account associated with the work order.
PostalCode	The postal code of the area where the service is to be performed.
PrimaryAssetId	The unique identifier of the primary asset associated with the work order.
ProdGroupId	Value that uniquely identifies the product group associated with the work order.
Province	The province where the service is to be performed.
ReminderTime	The time in minutes before the estimated arrival time when the Oracle Field Service Cloud sends a reminder to the customer.
RequestedByPartyId	The unique identifier of the resource requesting the creation of work order.
RequestedDate	The date when the customer requested the service to be scheduled.
RequestedDateEndTime	Indicates the date and end time requested for the work order.
RequestedDateStartTime	Indicates the date and start time requested for the work order.
RequestedTimeSlot	Indicates the time slot requested by the customer for the service to be scheduled.
RescheduleReason	Indicates the reason for rescheduling the work order.
ResolutionDueDate	The expected date and time for resolving the work order or the service request. This value is based on the service level agreement milestone of the customer, or is manually set.
ScheduledDate	The date of performing the scheduled service.
ScheduledDateEndTime	Indicates the scheduled date and end time for the work order.
ScheduledDateStartTime	Indicates the scheduled date and start time for the work order.
ScheduledTimeSlot	The time slot to perform the scheduled service.
SourceCd	Unique code used to create the work order. A list of accepted values such as Agent_UI, Customer_UI, API, and so on as defined in the lookup type ORA_SVC_SOURCE_CD.
SrId	The unique identifier of the service request associated with the work order.
State	The state where the service is to be performed.
StripeCd	The unique code indicating the application stripe of the work order.

Name	Description
TimezoneCode	The time zone where the service is to be performed.
Title	The label used to display the title of a work order.
TravelTime	The time required in minutes for the field service agent to travel from a previous activity location to the current activity location as calculated by the Oracle Field Service Cloud.
WoArea	The location to perform the service. Oracle Field Service Cloud defines and populates the location value through point-to-point integration.
WoId	The unique identifier of the record. This is the primary key for the view object.
WoIntegrationCd	The application association of the work order. For example, if the work order is associated to an activity in Oracle Field Service Cloud, this field will contain a code identifying it as a work order integrated with Oracle Field Service Cloud.
WoIntegrationMsgCd	Unique code indicating the integration message used to share information about the most recent integration event for the work order with end users. A list of accepted values are defined in the lookup type ORA_SVC_WO_INT_MSG_CD. You can review and update the value using the Setup and Maintenance work area, and the Manage Integration Messages.
WoIntegrationStatusCd	The code indicating the integration status of the most recent integration event for the work order. A list of accepted values is defined in the lookup type ORA_SVC_WO_INT_STATUS_CD.
WoNumber	Value that uniquely identifies the alternate unique identifier of the work order. This value is system-generated, and is configured in the work order profile options SVC_WO_NUMBER PREFIX and SVC_WO_NUMBER_FORMAT. The default configuration is WO00000000000.
WoParentId	The unique identifier of the parent work order.
WoRecordType	The type of the work order such as regular, multiday work order, or multiday work order segment.
WoStatusCd	Indicates the code of work order status. List of values such as Submitted, Scheduled, Started, Complete, Suspended, Canceled, and so on as defined in the lookup type ORA_SVC_WO_STATUS_CD. You can review and update the value using the Setup and Maintenance work area, and the Manage Work Order Statuses.
WoStatusMapId	The unique identification for the work order status selected on the work order.
WoTypeId	The unique identifier of the work order type. This value is required when creating a work order.

9 Setup Credit Rules

Incentive Rule Usage Translations

The Rule Usage view object contains information needed to translated the rule usage column names.

Data Store Key : CrmAnalyticsAM.CnExtractAM.SetupCreditRulesExtractAM.RuleUsageTranslationExtractPVO

Primary Keys : OrgId, Language, UsageId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the row.
CreationDate	The date and time of the creation of the row.
Description	Description of the attribute.
Language	Indicates the code of the language into which the contents of the translatable columns are translated.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
Name	Name of the attribute.
OrgId	Indicates the identifier of the business unit associated to the row.
SourceLang	
UsageId	Unique identifier of the usage.

Incentive Rules Flat Hierarchies

The rules hierarchy view object contains information regarding the incentive compensation rules hierarchy including credit rules, assignment rules, and classification rules.

Data Store Key : CrmAnalyticsAM.CnExtractAM.SetupCreditRulesExtractAM.RulesHierarchyCFExtractPVO

Primary Keys : RuleHierarchyCfId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
BaseRuleId	Unique identifier of the base rule.
BaseRuleUsageId	Unique identifier of the usage for the base rule.
CreatedBy	The user who created the row.
CreationDate	The date and time when the row was created.
Language	Indicates the code of the language into which the contents of the translatable columns are translated.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The login of the user who last updated the record.
LastUpdatedBy	The user who last updated the row.
Level01RuleId	Unique identifier of the level one rule.
Level02RuleId	Unique identifier of the level two rule.
Level03RuleId	Unique identifier of the level three rule.
Level04RuleId	Unique identifier of the level four rule.
Level05RuleId	Unique identifier of the level five rule.
Level06RuleId	Unique identifier of the level six rule.
Level07RuleId	Unique identifier of the level seven rule.
Level08RuleId	Unique identifier of the level eight rule.
Level09RuleId	Unique identifier of the level nine rule.
Level10RuleId	Unique identifier of the level ten rule.
Level11RuleId	Unique identifier of the level eleven rule.
Level12RuleId	Unique identifier of the level twelve rule.
Level13RuleId	Unique identifier of the level thirteen rule.
Level14RuleId	Unique identifier of the level fourteen rule.
Level15RuleId	Unique identifier of the level fifteen rule.
OrgId	Indicates the identifier of the business unit associated to the row.
RuleHierarchyCfId	The unique identifier.

Name	Description
TopRuleId	The identifier of the top level rule in the hierarchy.

Incentive Rules Hierarchies

The rules hierarchy view object contains information for the incentive rules hierarchies.

Data Store Key : CrmAnalyticsAM.CnExtractAM.SetupCreditRulesExtractAM.RulesHierarchyExtractPVO

Primary Keys : RelatedRuleId, RuleId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the row.
CreationDate	The date and time of the creation of the row.
EndDate	The end date of the row
ImmediateParentFlag	Indicates the rule is an immediate parent.
Language	Indicates the code of the language into which the contents of the translatable columns are translated.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
LevelFromParent	The hierarchy level from the root rule.
LevelFromRoot	The hierarchy level of the rule.
NumWinners	The number of winners for the rule.
OrgId	Indicates the identifier of the business unit associated to the row.
Rank	The rank of the rule.
RelatedRuleId	The related rule identifier.
RuleId	The unique identifier.
StartDate	The start date of the rule.
TopLevelRuleId	The identifier of the top level rule in the hierarchy.

Name	Description
UsageId	The identifier of the rules usage.

Incentive Rules Translation

The Rule Translation view object contains information needed to translate column names for the rules view object.

Data Store Key : CrmAnalyticsAM.CnExtractAM.SetupCreditRulesExtractAM.RuleTranslationExtractPVO

Primary Keys : Language, RuleId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the row.
CreationDate	The date and time of the creation of the row.
Description	Description of the rule.
Language	Indicates the code of the language into which the contents of the translatable columns are translated.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
Name	The name of the rule.
RuleId	Unique identifier of the rule.
SourceLang	

Incentive Rules Usage

The Rule Usage view object contains information on the usage and types of incentive rules.

Data Store Key : CrmAnalyticsAM.CnExtractAM.SetupCreditRulesExtractAM.RuleUsageExtractPVO

Primary Keys : OrgId, UsageId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Attribute1	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute10	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute11	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute12	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute13	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute14	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute15	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute2	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute3	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute4	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute5	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute6	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute7	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute8	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute9	Descriptive Flexfield: segment of the user descriptive flexfield.
AttributeCategory	Descriptive Flexfield: structure definition of the user descriptive flexfield.
CreatedBy	The user who created the row.
CreationDate	The date and time of the creation of the row.
EnabledFlag	Indicates whether the usage is active.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
OrgId	Indicates the identifier of the business unit associated to the row.
RuleUsageTranslationDescription	The translated description of the rule.
RuleUsageTranslationLanguage	Indicates the code of the language into which the contents of the translatable columns are translated.
RuleUsageTranslationName	Translated name of the rule.

Name	Description
RuleUsageTranslationOrgId	Unique identifier of the rule usage.
RuleUsageTranslationSourceLang	
RuleUsageTranslationUsageId	The identifier for the rule usage.
UsageId	The identifier for the rule usage.

Incentive Rules

The rules view object contains information regarding the incentive compensation rules including credit rules, assignment rules, and classification rules.

Data Store Key : CrmAnalyticsAM.CnExtractAM.SetupCreditRulesExtractAM.RuleExtractPVO

Primary Keys : RuleId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Attribute1	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute10	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute11	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute12	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute13	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute14	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute15	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute2	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute3	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute4	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute5	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute6	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute7	Descriptive Flexfield: segment of the user descriptive flexfield.

Name	Description
Attribute8	Descriptive Flexfield: segment of the user descriptive flexfield.
Attribute9	Descriptive Flexfield: segment of the user descriptive flexfield.
AttributeCategory	Descriptive Flexfield: structure definition of the user descriptive flexfield.
CreatedBy	The user that created the rule.
CreationDate	The date that the rule was created.
EnabledFlag	Indicates whether this rule and all its children are active or not.
EndDate	The end date of the rule.
Language	Indicates the code of the language.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	The login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
NumWinners	The number of winners.
OrgId	Indicates the identifier of the business unit associated to the row.
ParentRuleId	Points to the parent rule Foreign key to cn_rs_rules_all_b.rule_id
Rank	The rank of the rule.
RuleId	Unique Identifier
RuleNumber	The public unique identifier.
RuleTranslationDescription	The translated description of the rule.
RuleTranslationLangage	Indicates the code of the language into which the contents of the translatable columns are translated.
RuleTranslationName	Translated name of the rule.
RuleTranslationRuleId	The unique identifier.
RuleTranslationSourceLang	
StartDate	The start date of the rule.
UsageId	The identifier for the rule usage.

10 Territory Management

Territories

The sales territories view object stores details about the owner, parent territory, and so on. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MotBiccExtractAM.TerritoryExtractPVO

Primary Keys : TerritoryVersionId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CorpCurrencyCode	The corporate currency code for the territory extract.
CoverageModel	Indicates whether the dimensions of the territory are based on account attributes or partner attributes. A list of accepted values is defined in the lookup type MOT_TERR_COVERAGE_MODEL.
CreatedBy	The user who created the territory.
CreatedByUserGuid	The identifier of the person creating the territory.
CreatedFromTerrVersionId	The version of the territory from which this row was created. If it is a new territory, it will be blank. If it's not a new territory, it will either contain a currently active territory version or the territory version from the past from which it's being restored.
CreatedOnDate	The date when the territory was created.
CreationDate	The date and time when the territory row was created.
CurcyConvRateType	This column stores the conversion rate type for the currency.
CurrencyCode	The currency code for the territory.
Description	A brief description of the territory.
EffectiveEndDate	The date and time when the territory version becomes inactive.
EffectiveStartDate	The date and time when the territory version becomes active. If the StatusCode is DRAFT, then this value should be empty. If the StatusCode is FINALIZED, this value should be today's date.
EligibleForQuotaFlag	Indicates whether the territory is going to change during a territory realignment. If the value is True, then the territory is unlikely to change during a major realignment and therefore a quota can be entered for the proposed definition. The default value is Y.

Name	Description
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	
ExtnAttributeChar003	
ExtnAttributeChar004	
ExtnAttributeChar005	
ExtnAttributeChar006	
ExtnAttributeChar007	
ExtnAttributeChar008	
ExtnAttributeChar009	
ExtnAttributeChar010	
ExtnAttributeChar011	
ExtnAttributeChar012	
ExtnAttributeChar013	
ExtnAttributeChar014	
ExtnAttributeChar015	
ExtnAttributeChar016	
ExtnAttributeChar017	
ExtnAttributeChar018	
ExtnAttributeChar019	
ExtnAttributeChar020	
ExtnAttributeChar021	
ExtnAttributeChar022	
ExtnAttributeChar023	
ExtnAttributeChar024	
ExtnAttributeChar025	
ExtnAttributeChar026	
ExtnAttributeChar027	
ExtnAttributeChar028	
ExtnAttributeChar029	
ExtnAttributeChar030	
ExtnAttributeChar031	

Name	Description
ExtnAttributeChar032	
ExtnAttributeChar033	
ExtnAttributeChar034	
ExtnAttributeChar035	
ExtnAttributeChar036	
ExtnAttributeChar037	
ExtnAttributeChar038	
ExtnAttributeChar039	
ExtnAttributeChar040	
ExtnAttributeChar041	
ExtnAttributeChar042	
ExtnAttributeChar043	
ExtnAttributeChar044	
ExtnAttributeChar045	
ExtnAttributeChar046	
ExtnAttributeChar047	
ExtnAttributeChar048	
ExtnAttributeChar049	
ExtnAttributeChar050	
ExtnAttributeChar051	
ExtnAttributeChar052	
ExtnAttributeChar053	
ExtnAttributeChar054	
ExtnAttributeChar055	
ExtnAttributeChar056	
ExtnAttributeChar057	
ExtnAttributeChar058	
ExtnAttributeChar059	
ExtnAttributeChar060	
ExtnAttributeChar061	
ExtnAttributeChar062	

Name	Description
ExtnAttributeChar063	
ExtnAttributeChar064	
ExtnAttributeChar065	
ExtnAttributeChar066	
ExtnAttributeChar067	
ExtnAttributeChar068	
ExtnAttributeChar069	
ExtnAttributeChar070	
ExtnAttributeChar071	
ExtnAttributeChar072	
ExtnAttributeChar073	
ExtnAttributeChar074	
ExtnAttributeChar075	
ExtnAttributeChar076	
ExtnAttributeChar077	
ExtnAttributeChar078	
ExtnAttributeChar079	
ExtnAttributeChar080	
ExtnAttributeChar081	
ExtnAttributeChar082	
ExtnAttributeChar083	
ExtnAttributeChar084	
ExtnAttributeChar085	
ExtnAttributeChar086	
ExtnAttributeChar087	
ExtnAttributeChar088	
ExtnAttributeChar089	
ExtnAttributeChar090	
ExtnAttributeChar091	
ExtnAttributeChar092	
ExtnAttributeChar093	

Name	Description
ExtnAttributeChar094	
ExtnAttributeChar095	
ExtnAttributeChar096	
ExtnAttributeChar097	
ExtnAttributeChar098	
ExtnAttributeChar099	
ExtnAttributeChar100	
ExtnAttributeChar101	
ExtnAttributeChar102	
ExtnAttributeChar103	
ExtnAttributeChar104	
ExtnAttributeChar105	
ExtnAttributeChar106	
ExtnAttributeChar107	
ExtnAttributeChar108	
ExtnAttributeChar109	
ExtnAttributeChar110	
ExtnAttributeChar111	
ExtnAttributeChar112	
ExtnAttributeChar113	
ExtnAttributeChar114	
ExtnAttributeChar115	
ExtnAttributeChar116	
ExtnAttributeChar117	
ExtnAttributeChar118	
ExtnAttributeChar119	
ExtnAttributeChar120	
ExtnAttributeChar121	
ExtnAttributeChar122	
ExtnAttributeChar123	
ExtnAttributeChar124	

Name	Description
ExtnAttributeChar125	
ExtnAttributeChar126	
ExtnAttributeChar127	
ExtnAttributeChar128	
ExtnAttributeChar129	
ExtnAttributeChar130	
ExtnAttributeChar131	
ExtnAttributeChar132	
ExtnAttributeChar133	
ExtnAttributeChar134	
ExtnAttributeChar135	
ExtnAttributeChar136	
ExtnAttributeChar137	
ExtnAttributeChar138	
ExtnAttributeChar139	
ExtnAttributeChar140	
ExtnAttributeChar141	
ExtnAttributeChar142	
ExtnAttributeChar143	
ExtnAttributeChar144	
ExtnAttributeChar145	
ExtnAttributeChar146	
ExtnAttributeChar147	
ExtnAttributeChar148	
ExtnAttributeChar149	
ExtnAttributeChar150	
ExtnAttributeChar151	
ExtnAttributeChar152	
ExtnAttributeChar153	
ExtnAttributeChar154	
ExtnAttributeChar155	

Name	Description
ExtnAttributeChar156	
ExtnAttributeChar157	
ExtnAttributeChar158	
ExtnAttributeChar159	
ExtnAttributeChar160	
ExtnAttributeChar161	
ExtnAttributeChar162	
ExtnAttributeChar163	
ExtnAttributeChar164	
ExtnAttributeChar165	
ExtnAttributeChar166	
ExtnAttributeChar167	
ExtnAttributeChar168	
ExtnAttributeChar169	
ExtnAttributeChar170	
ExtnAttributeChar171	
ExtnAttributeChar172	
ExtnAttributeChar173	
ExtnAttributeChar174	
ExtnAttributeChar175	
ExtnAttributeChar176	
ExtnAttributeChar177	
ExtnAttributeChar178	
ExtnAttributeChar179	
ExtnAttributeChar180	
ExtnAttributeChar181	
ExtnAttributeChar182	
ExtnAttributeChar183	
ExtnAttributeChar184	
ExtnAttributeChar185	
ExtnAttributeChar186	

Name	Description
ExtnAttributeChar187	
ExtnAttributeChar188	
ExtnAttributeChar189	
ExtnAttributeChar190	
ExtnAttributeChar191	
ExtnAttributeChar192	
ExtnAttributeChar193	
ExtnAttributeChar194	
ExtnAttributeChar195	
ExtnAttributeChar196	
ExtnAttributeChar197	
ExtnAttributeChar198	
ExtnAttributeChar199	
ExtnAttributeChar200	
ExtnAttributeChar201	
ExtnAttributeChar202	
ExtnAttributeChar203	
ExtnAttributeChar204	
ExtnAttributeChar205	
ExtnAttributeChar206	
ExtnAttributeChar207	
ExtnAttributeChar208	
ExtnAttributeChar209	
ExtnAttributeChar210	
ExtnAttributeChar211	
ExtnAttributeChar212	
ExtnAttributeChar213	
ExtnAttributeChar214	
ExtnAttributeChar215	
ExtnAttributeChar216	
ExtnAttributeChar217	

Name	Description
ExtnAttributeChar218	
ExtnAttributeChar219	
ExtnAttributeChar220	
ExtnAttributeChar221	
ExtnAttributeChar222	
ExtnAttributeChar223	
ExtnAttributeChar224	
ExtnAttributeChar225	
ExtnAttributeChar226	
ExtnAttributeChar227	
ExtnAttributeChar228	
ExtnAttributeChar229	
ExtnAttributeChar230	
ExtnAttributeChar231	
ExtnAttributeChar232	
ExtnAttributeChar233	
ExtnAttributeChar234	
ExtnAttributeChar235	
ExtnAttributeChar236	
ExtnAttributeChar237	
ExtnAttributeChar238	
ExtnAttributeChar239	
ExtnAttributeChar240	
ExtnAttributeChar241	
ExtnAttributeChar242	
ExtnAttributeChar243	
ExtnAttributeChar244	
ExtnAttributeChar245	
ExtnAttributeChar246	
ExtnAttributeChar247	
ExtnAttributeChar248	

Name	Description
ExtnAttributeChar249	
ExtnAttributeChar250	
ExtnAttributeChar251	
ExtnAttributeChar252	
ExtnAttributeChar253	
ExtnAttributeChar254	
ExtnAttributeChar255	
ExtnAttributeChar256	
ExtnAttributeChar257	
ExtnAttributeChar258	
ExtnAttributeChar259	
ExtnAttributeChar260	
ExtnAttributeChar261	
ExtnAttributeChar262	
ExtnAttributeChar263	
ExtnAttributeChar264	
ExtnAttributeChar265	
ExtnAttributeChar266	
ExtnAttributeChar267	
ExtnAttributeChar268	
ExtnAttributeChar269	
ExtnAttributeChar270	
ExtnAttributeChar271	
ExtnAttributeChar272	
ExtnAttributeChar273	
ExtnAttributeChar274	
ExtnAttributeChar275	
ExtnAttributeChar276	
ExtnAttributeChar277	
ExtnAttributeChar278	
ExtnAttributeChar279	

Name	Description
ExtnAttributeChar280	
ExtnAttributeChar281	
ExtnAttributeChar282	
ExtnAttributeChar283	
ExtnAttributeChar284	
ExtnAttributeChar285	
ExtnAttributeChar286	
ExtnAttributeChar287	
ExtnAttributeChar288	
ExtnAttributeChar289	
ExtnAttributeChar290	
ExtnAttributeChar291	
ExtnAttributeChar292	
ExtnAttributeChar293	
ExtnAttributeChar294	
ExtnAttributeChar295	
ExtnAttributeChar296	
ExtnAttributeChar297	
ExtnAttributeChar298	
ExtnAttributeChar299	
ExtnAttributeChar300	
ExtnAttributeChar301	
ExtnAttributeChar302	
ExtnAttributeChar303	
ExtnAttributeChar304	
ExtnAttributeChar305	
ExtnAttributeChar306	
ExtnAttributeChar307	
ExtnAttributeChar308	
ExtnAttributeChar309	
ExtnAttributeChar310	

Name	Description
ExtnAttributeChar311	
ExtnAttributeChar312	
ExtnAttributeChar313	
ExtnAttributeChar314	
ExtnAttributeChar315	
ExtnAttributeChar316	
ExtnAttributeChar317	
ExtnAttributeChar318	
ExtnAttributeChar319	
ExtnAttributeChar320	
ExtnAttributeChar321	
ExtnAttributeChar322	
ExtnAttributeChar323	
ExtnAttributeChar324	
ExtnAttributeChar325	
ExtnAttributeChar326	
ExtnAttributeChar327	
ExtnAttributeChar328	
ExtnAttributeChar329	
ExtnAttributeChar330	
ExtnAttributeChar331	
ExtnAttributeChar332	
ExtnAttributeChar333	
ExtnAttributeChar334	
ExtnAttributeChar335	
ExtnAttributeChar336	
ExtnAttributeChar337	
ExtnAttributeChar338	
ExtnAttributeChar339	
ExtnAttributeChar340	
ExtnAttributeChar341	

Name	Description
ExtnAttributeChar342	
ExtnAttributeChar343	
ExtnAttributeChar344	
ExtnAttributeChar345	
ExtnAttributeChar346	
ExtnAttributeChar347	
ExtnAttributeChar348	
ExtnAttributeChar349	
ExtnAttributeChar350	
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	
ExtnAttributeClob003	
ExtnAttributeClob004	
ExtnAttributeClob005	
ExtnAttributeClob006	
ExtnAttributeClob007	
ExtnAttributeClob008	
ExtnAttributeClob009	
ExtnAttributeClob010	
ExtnAttributeClob011	
ExtnAttributeClob012	
ExtnAttributeClob013	
ExtnAttributeClob014	
ExtnAttributeClob015	
ExtnAttributeClob016	
ExtnAttributeClob017	
ExtnAttributeClob018	
ExtnAttributeClob019	
ExtnAttributeClob020	
ExtnAttributeClob021	
ExtnAttributeClob022	

Name	Description
ExtnAttributeClob023	
ExtnAttributeClob024	
ExtnAttributeClob025	
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	
ExtnAttributeNumber003	
ExtnAttributeNumber004	
ExtnAttributeNumber005	
ExtnAttributeNumber006	
ExtnAttributeNumber007	
ExtnAttributeNumber008	
ExtnAttributeNumber009	
ExtnAttributeNumber010	
ExtnAttributeNumber011	
ExtnAttributeNumber012	
ExtnAttributeNumber013	
ExtnAttributeNumber014	
ExtnAttributeNumber015	
ExtnAttributeNumber016	
ExtnAttributeNumber017	
ExtnAttributeNumber018	
ExtnAttributeNumber019	
ExtnAttributeNumber020	
ExtnAttributeNumber021	
ExtnAttributeNumber022	
ExtnAttributeNumber023	
ExtnAttributeNumber024	
ExtnAttributeNumber025	
ExtnAttributeNumber026	
ExtnAttributeNumber027	
ExtnAttributeNumber028	

Name	Description
ExtnAttributeNumber029	
ExtnAttributeNumber030	
ExtnAttributeNumber031	
ExtnAttributeNumber032	
ExtnAttributeNumber033	
ExtnAttributeNumber034	
ExtnAttributeNumber035	
ExtnAttributeNumber036	
ExtnAttributeNumber037	
ExtnAttributeNumber038	
ExtnAttributeNumber039	
ExtnAttributeNumber040	
ExtnAttributeNumber041	
ExtnAttributeNumber042	
ExtnAttributeNumber043	
ExtnAttributeNumber044	
ExtnAttributeNumber045	
ExtnAttributeNumber046	
ExtnAttributeNumber047	
ExtnAttributeNumber048	
ExtnAttributeNumber049	
ExtnAttributeNumber050	
ExtnAttributeNumber051	
ExtnAttributeNumber052	
ExtnAttributeNumber053	
ExtnAttributeNumber054	
ExtnAttributeNumber055	
ExtnAttributeNumber056	
ExtnAttributeNumber057	
ExtnAttributeNumber058	
ExtnAttributeNumber059	

Name	Description
ExtnAttributeNumber060	
ExtnAttributeNumber061	
ExtnAttributeNumber062	
ExtnAttributeNumber063	
ExtnAttributeNumber064	
ExtnAttributeNumber065	
ExtnAttributeNumber066	
ExtnAttributeNumber067	
ExtnAttributeNumber068	
ExtnAttributeNumber069	
ExtnAttributeNumber070	
ExtnAttributeNumber071	
ExtnAttributeNumber072	
ExtnAttributeNumber073	
ExtnAttributeNumber074	
ExtnAttributeNumber075	
ExtnAttributeNumber076	
ExtnAttributeNumber077	
ExtnAttributeNumber078	
ExtnAttributeNumber079	
ExtnAttributeNumber080	
ExtnAttributeNumber081	
ExtnAttributeNumber082	
ExtnAttributeNumber083	
ExtnAttributeNumber084	
ExtnAttributeNumber085	
ExtnAttributeNumber086	
ExtnAttributeNumber087	
ExtnAttributeNumber088	
ExtnAttributeNumber089	
ExtnAttributeNumber090	

Name	Description
ExtnAttributeNumber091	
ExtnAttributeNumber092	
ExtnAttributeNumber093	
ExtnAttributeNumber094	
ExtnAttributeNumber095	
ExtnAttributeNumber096	
ExtnAttributeNumber097	
ExtnAttributeNumber098	
ExtnAttributeNumber099	
ExtnAttributeNumber100	
ExtnAttributeNumber101	
ExtnAttributeNumber102	
ExtnAttributeNumber103	
ExtnAttributeNumber104	
ExtnAttributeNumber105	
ExtnAttributeNumber106	
ExtnAttributeNumber107	
ExtnAttributeNumber108	
ExtnAttributeNumber109	
ExtnAttributeNumber110	
ExtnAttributeNumber111	
ExtnAttributeNumber112	
ExtnAttributeNumber113	
ExtnAttributeNumber114	
ExtnAttributeNumber115	
ExtnAttributeNumber116	
ExtnAttributeNumber117	
ExtnAttributeNumber118	
ExtnAttributeNumber119	
ExtnAttributeNumber120	
ExtnAttributeNumber121	

Name	Description
ExtnAttributeNumber122	
ExtnAttributeNumber123	
ExtnAttributeNumber124	
ExtnAttributeNumber125	
ExtnAttributeNumber126	
ExtnAttributeNumber127	
ExtnAttributeNumber128	
ExtnAttributeNumber129	
ExtnAttributeNumber130	
ExtnAttributeNumber131	
ExtnAttributeNumber132	
ExtnAttributeNumber133	
ExtnAttributeNumber134	
ExtnAttributeNumber135	
ExtnAttributeNumber136	
ExtnAttributeNumber137	
ExtnAttributeNumber138	
ExtnAttributeNumber139	
ExtnAttributeNumber140	
ExtnAttributeNumber141	
ExtnAttributeNumber142	
ExtnAttributeNumber143	
ExtnAttributeNumber144	
ExtnAttributeNumber145	
ExtnAttributeNumber146	
ExtnAttributeNumber147	
ExtnAttributeNumber148	
ExtnAttributeNumber149	
ExtnAttributeNumber150	
ExtnAttributeNumber151	
ExtnAttributeNumber152	

Name	Description
ExtnAttributeNumber153	
ExtnAttributeNumber154	
ExtnAttributeNumber155	
ExtnAttributeNumber156	
ExtnAttributeNumber157	
ExtnAttributeNumber158	
ExtnAttributeNumber159	
ExtnAttributeNumber160	
ExtnAttributeNumber161	
ExtnAttributeNumber162	
ExtnAttributeNumber163	
ExtnAttributeNumber164	
ExtnAttributeNumber165	
ExtnAttributeNumber166	
ExtnAttributeNumber167	
ExtnAttributeNumber168	
ExtnAttributeNumber169	
ExtnAttributeNumber170	
ExtnAttributeNumber171	
ExtnAttributeNumber172	
ExtnAttributeNumber173	
ExtnAttributeNumber174	
ExtnAttributeNumber175	
ExtnAttributeNumber176	
ExtnAttributeNumber177	
ExtnAttributeNumber178	
ExtnAttributeNumber179	
ExtnAttributeNumber180	
ExtnAttributeNumber181	
ExtnAttributeNumber182	
ExtnAttributeNumber183	

Name	Description
ExtnAttributeNumber184	
ExtnAttributeNumber185	
ExtnAttributeNumber186	
ExtnAttributeNumber187	
ExtnAttributeNumber188	
ExtnAttributeNumber189	
ExtnAttributeNumber190	
ExtnAttributeNumber191	
ExtnAttributeNumber192	
ExtnAttributeNumber193	
ExtnAttributeNumber194	
ExtnAttributeNumber195	
ExtnAttributeNumber196	
ExtnAttributeNumber197	
ExtnAttributeNumber198	
ExtnAttributeNumber199	
ExtnAttributeNumber200	
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	
ExtnAttributeTimestamp003	
ExtnAttributeTimestamp004	
ExtnAttributeTimestamp005	
ExtnAttributeTimestamp006	
ExtnAttributeTimestamp007	
ExtnAttributeTimestamp008	
ExtnAttributeTimestamp009	
ExtnAttributeTimestamp010	
ExtnAttributeTimestamp011	
ExtnAttributeTimestamp012	
ExtnAttributeTimestamp013	
ExtnAttributeTimestamp014	

Name	Description
ExtnAttributeTimestamp015	
ExtnAttributeTimestamp016	
ExtnAttributeTimestamp017	
ExtnAttributeTimestamp018	
ExtnAttributeTimestamp019	
ExtnAttributeTimestamp020	
ExtnAttributeTimestamp021	
ExtnAttributeTimestamp022	
ExtnAttributeTimestamp023	
ExtnAttributeTimestamp024	
ExtnAttributeTimestamp025	
ExtnAttributeTimestamp026	
ExtnAttributeTimestamp027	
ExtnAttributeTimestamp028	
ExtnAttributeTimestamp029	
ExtnAttributeTimestamp030	
ExtnAttributeTimestamp031	
ExtnAttributeTimestamp032	
ExtnAttributeTimestamp033	
ExtnAttributeTimestamp034	
ExtnAttributeTimestamp035	
ExtnAttributeTimestamp036	
ExtnAttributeTimestamp037	
ExtnAttributeTimestamp038	
ExtnAttributeTimestamp039	
ExtnAttributeTimestamp040	
ExtnAttributeTimestamp041	
ExtnAttributeTimestamp042	
ExtnAttributeTimestamp043	
ExtnAttributeTimestamp044	
ExtnAttributeTimestamp045	

Name	Description
ExtnAttributeTimestamp046	
ExtnAttributeTimestamp047	
ExtnAttributeTimestamp048	
ExtnAttributeTimestamp049	
ExtnAttributeTimestamp050	
ForecastByParentFlag	Indicates whether the territory needs to be forecast based on the parent territory.
ForecastParticipationCode	The code for the forecast participation. The accepted values are: REVENUE, NONREVENUE, REVENUE_AND_NONREVENUE, and NON_FORECASTING. These values are defined in the lookup type MOT_TERR_FCAST_PARTICIPATION.
GroupingTerritoryFlag	Indicates whether the territory is a shell territory.
LastUpdateDate	The date and time when the territory row was last updated.
LastUpdateLogin	The session login associated with the user who last updated the territory row.
LastUpdatedBy	The user who last updated the territory row.
LatestVersionFlag	Indicates whether the territory is the latest active version. If the value is Y, then the territory version is the latest active version of the territory.
Name	The name of the territory.
OwnerOrgId	Unique identifier for the territory owner's organization.
OwnerResourceId	The identifier of the owner resource in the Territory. This is a foreign key to the Resource view object.
ParentTerritoryId	The unique identifier of the parent territory.
PartnerId	The unique identifier of the partner associated with the territory. This is a foreign key to the Partner Profile view object.
PartnerProgramId	The unique identifier of the partner program in which the partner is enrolled.
PriorActiveTerrVersionId	Original version ID of the territory.
QuotaRevReasonCode	Indicates if a quota needs to be updated when a modified territory is activated. A list of accepted values is defined in the lookup type MOT_QUOTA_REASON.
QuotaRevReasonDesc	The description of the reason for revising the quota.
ReviseQuotaFlag	Indicates whether a submitted quota needs to be revised.
SourceTerrId	The unique identifier of the territory from which the dimensions are inherited.
SourceTerrLastUpdateDate	The date and time when the source territory was last updated. This attribute is related to the inheritance of dimensions by recipient territories from source territories.
SourceTerrName	The name of the territory from which the selected dimensions are inherited.
SourceTerrVersionId	The unique identifier of the source territory version.
StageCode	This is an obsolete attribute. It specifies the different stages that a territory goes through from creation till activation.

Name	Description
StatusCode	The code indicating the status of the territory. The accepted values are DRAFT and FINALIZED.
TerrProposalId	The unique identifier of the territory proposal.
TerritoryFunctionCode	Business function associated with the territory. A list of accepted values is defined in the lookup type ORA_MOT_TERRITORY_FUNCTION.
TerritoryId	The unique identifier of the territory.
TerritoryLevel	The level of the territory in the territory hierarchy.
TerritoryNumber	The unique alternate identification number for the territory.
TerritorySignature	The document number that is used by different processes to compare the territory definition.
TerritoryVersionId	The unique identifier of the territory version. This is a primary key of the Territory view object.
TypeCode	The code indicating the type of the territory. For example, PRIME or OVERLAY. A list of accepted values is defined in the lookup type MOT_TERRITORY_TYPE.
UniqueTerritoryNumber	The unique identification number of the territory.
UpdatedByUserGuid	The person who last updated the territory object. This could be the territory or any of the territory child entities.
UpdatedOnDate	The date on which the territory object was last updated. This could be the territory or any of the territory child entities.
ValidateTerritoryFlag	Indicates whether optional validations are to be applied to the territory.

Territory Coverages

The territory coverages view object contains information about coverage type, coverage number, address fields of the address dimension, customer size, sales channel code, inventory item identifier, territory dimension code, territory version identifier, auxiliary codes and so on.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MotBiccExtractAM.TerritoryCoverageExtractPVO

Primary Keys : CoverageId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AccountId	The identifier for the customer for the customer inclusion or exclusion.
AccountTypeCode	The code for the account type in the territory coverage.

Name	Description
AccountTypeHighCode	The account type high code. This is deprecated.
AddressCity	The city of the address dimension in the territory coverage.
AddressCountry	The country of the address dimension in the territory coverage.
AddressCounty	The county of the address dimension in the territory coverage.
AddressElementAttribute1	The additional attribute 1 of the address dimension in the territory coverage.
AddressElementAttribute2	The additional attribute 2 of the address dimension in the territory coverage.
AddressElementAttribute3	The additional attribute 3 of the address dimension in the territory coverage.
AddressElementAttribute4	The additional attribute 4 of the address dimension in the territory coverage.
AddressElementAttribute5	The additional attribute 5 of the address dimension in the territory coverage.
AddressPostalCode	The postal code of the address dimension in the territory coverage.
AddressProvince	The province of the address dimension in the territory coverage.
AddressState	The state of the address dimension in the territory coverage.
Auxiliary1Code	The auxiliary 1 code in the territory coverage.
Auxiliary1HighCode	The auxiliary 1 high code in the territory coverage. This column is deprecated.
Auxiliary2Code	The auxiliary 2 code in the territory coverage.
Auxiliary2HighCode	The auxiliary 2 high code in the territory coverage. This column is deprecated.
Auxiliary3Code	The auxiliary 3 code in the territory coverage.
Auxiliary3HighCode	The auxiliary 3 high code in the territory coverage. This column is deprecated.
BusinessUnitHighId	The identifier for the business unit high code in the territory coverage. This column is deprecated.
BusinessUnitId	The identifier for the business unit in the territory coverage.
CoverageId	The unique identifier of the territory coverage rule. This is a primary key of the Territory Coverages view object.
CoverageNumber	The public unique identifier of the territory coverage rule.
CoverageTypeCode	The code for the territory coverage type. If the territory coverage model is sales account centric, the accepted values are: REGULAR for coverage based on sales account dimensionality or named accounts, INCLUSION for manually included account coverage and EXCLUSION for manually excluded account coverage. If the territory coverage model is partner centric, the accepted values are: PARTNER_REGULAR for coverage based on partner dimensionality, PARTNER_INCLUSION for manually included partner coverage and PARTNER_EXCLUSION for manually excluded partner coverage. In case of inheritance, if the coverage is for a recipient territory, then the accepted value is INHERITANCE_OVERRIDE which indicates that the coverage overrides some of the inherited dimensionality.
CreatedBy	The user who created the territory coverage row.
CreationDate	The date and time when the territory coverage row was created.
CustomerSizeCode	The code for the customer size in the territory coverage. A list of accepted values is defined in the lookup type HZ_ORGANIZATION_SIZE. The list of accepted values is: VERY_SMALL, SMALL, MEDIUM, LARGE and VERY_LARGE.

Name	Description
CustomerSizeHighCode	The high code for the customer size in the territory coverage. This column is deprecated.
GeographyHighId	The identifier for the higher geography in the range, in the territory coverage.
GeographyId	The identifier for the geography in the territory coverage.
IncludeHierarchyFlag	Indicates whether the dimension member is included along with its hierarchy or not. The default value is true.
IndustryCode	The code for the industry in the territory coverage.
IndustryHighCode	The higher code for the industry in the territory coverage. This column is deprecated.
InventoryItemHighId	The identifier for the higher inventory item in the territory coverage. This column is deprecated.
InventoryItemId	The identifier for the inventory item in the territory coverage.
InventoryOrgId	The identifier for the inventory organization in the territory coverage.
LastUpdateDate	The date and time when the territory coverage row was last updated.
LastUpdateLogin	The session login associated to the user who last updated the territory coverage row.
LastUpdatedBy	The user who last updated the territory coverage row.
OrganizationTypeCode	The code for the organization type in the territory coverage.
OrganizationTypeHighCode	The higher code for the organization type in the territory coverage. This column is deprecated.
PartnerId	The identifier of the partner inclusion or exclusion.
ProductGroupHighId	The higher identifier for the product group in the territory coverage. This column is deprecated.
ProductGroupId	The identifier for the product group in the territory coverage.
RuleId	The unique identifier of territory rule. This is a foreign key to the Territory Rules view object.
SalesChannelCode	The code for the sales channel in the territory coverage.
SalesChannelHighCode	The higher code for the sales channel in the territory coverage. This column is deprecated.
SubSalesChannelCode	The code for the sub sales channel in the territory coverage.
SubSalesChannelHighCode	The higher code for the sub sales channel in the territory coverage.
TerrDimensionCode	The code indicating the territory dimension, such as Acct, Aux 1, Aux 2, Aux 3, Geo, or Prod.
TerritoryVersionId	The unique identifier of territory version. This is a foreign key to the Territory Versions view object.

Territory Hierarchies Column Flatten

The territory hierarchies column flattened view object contains information about the unique identifier of territory at each level, hierarchy start date, hierarchy end date, and last refresh date.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MotBiccExtractAM.TerritoryHierarchyColumnFlattenExtractPVO

Primary Keys : TerrHierarchyCfDnId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
BaseTerrId	The unique identifier of territory at the base level.
BaseTerrVerId	The unique identifier of territory version at the base level.
CreatedBy	The user who created the territory hierarchy column flat row.
CreationDate	The date and time when the territory hierarchy column flat row was created.
CurrentFlag	
FixedHierarchyLevel	The fixed hierarchy level of the territory.
HierarchyEndDate	The end date of the territory hierarchy.
HierarchyStartDate	The start date of the territory hierarchy.
LastRefreshDate	The date on which the last batch process was run.
LastUpdateDate	The date and time when the territory hierarchy column flat row was last updated.
LastUpdateLogin	The session login associated with the user who last updated the territory hierarchy column flat row.
LastUpdatedBy	The user who last updated the territory hierarchy column flat row.
Level10TerrId	The unique identifier of the territory at level 11.
Level10TerrVerId	The unique identifier of the territory version at level 11.
Level11TerrId	The unique identifier of the territory at level 12.
Level11TerrVerId	The unique identifier of the territory version at level 12.
Level12TerrId	The unique identifier of the territory at level 13.
Level12TerrVerId	The unique identifier of the territory version at level 13.
Level13TerrId	The unique identifier of the territory at level 14.
Level13TerrVerId	The unique identifier of the territory version at level 14.
Level14TerrId	The unique identifier of the territory at level 15.
Level14TerrVerId	The unique identifier of the territory version at level 15.
Level15TerrId	The unique identifier of the territory at level 16.
Level15TerrVerId	The unique identifier of the territory version at level 16.
Level16TerrId	The unique identifier of the territory at level 17.

Name	Description
Level16TerrVerId	The unique identifier of the territory version at level 17.
Level1TerrId	The unique identifier of the territory at level 2.
Level1TerrVerId	The unique identifier of the territory version at level 2.
Level2TerrId	The unique identifier of the territory at level 3.
Level2TerrVerId	The unique identifier of the territory version at level 3.
Level3TerrId	The unique identifier of the territory at level 4.
Level3TerrVerId	The unique identifier of the territory version at level 4.
Level4TerrId	The unique identifier of the territory at level 5.
Level4TerrVerId	The unique identifier of the territory version at level 5.
Level5TerrId	The unique identifier of the territory at level 6.
Level5TerrVerId	The unique identifier of the territory version at level 6.
Level6TerrId	The unique identifier of the territory at level 7.
Level6TerrVerId	The unique identifier of the territory version at level 7.
Level7TerrId	The unique identifier of the territory at level 8.
Level7TerrVerId	The unique identifier of the territory version at level 8.
Level8TerrId	The unique identifier of the territory at level 9.
Level8TerrVerId	The identifier of territory version at level 9
Level9TerrId	The unique identifier of the territory at level 10.
Level9TerrVerId	The unique identifier of the territory version at level 10.
TerrHierarchyCfDnId	The unique identifier of the territory hierarchy column flat view. This is a primary key of the Territory Hierarchy Column Flat view object.
TopLevelTerrId	The unique identifier of the territory at the top level.
TopLevelTerrVerId	The unique identifier of the territory version at the top level.

Territory Resources

The territory resources view object stores information about a territory resource such as owner or sales people associated with a sales territory. This view object contains extensible columns that support 350 fields of type string, 200 fields of type number, 50 fields of type time and 25 fields of type CLOB.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.MotBiccExtractAM.TerritoryResourceExtractPVO

Primary Keys : TerrResourceId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AdminFlag	Indicates whether the resource is an administrator of the territory. A list of accepted values is defined in the lookup type YES_NO.
CreatedBy	The user who created the territory resource row.
CreationDate	The date and time when the territory resource row was created.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	
ExtnAttributeChar003	
ExtnAttributeChar004	
ExtnAttributeChar005	
ExtnAttributeChar006	
ExtnAttributeChar007	
ExtnAttributeChar008	
ExtnAttributeChar009	
ExtnAttributeChar010	
ExtnAttributeChar011	
ExtnAttributeChar012	
ExtnAttributeChar013	
ExtnAttributeChar014	
ExtnAttributeChar015	
ExtnAttributeChar016	
ExtnAttributeChar017	
ExtnAttributeChar018	
ExtnAttributeChar019	
ExtnAttributeChar020	
ExtnAttributeChar021	
ExtnAttributeChar022	

Name	Description
ExtnAttributeChar023	
ExtnAttributeChar024	
ExtnAttributeChar025	
ExtnAttributeChar026	
ExtnAttributeChar027	
ExtnAttributeChar028	
ExtnAttributeChar029	
ExtnAttributeChar030	
ExtnAttributeChar031	
ExtnAttributeChar032	
ExtnAttributeChar033	
ExtnAttributeChar034	
ExtnAttributeChar035	
ExtnAttributeChar036	
ExtnAttributeChar037	
ExtnAttributeChar038	
ExtnAttributeChar039	
ExtnAttributeChar040	
ExtnAttributeChar041	
ExtnAttributeChar042	
ExtnAttributeChar043	
ExtnAttributeChar044	
ExtnAttributeChar045	
ExtnAttributeChar046	
ExtnAttributeChar047	
ExtnAttributeChar048	
ExtnAttributeChar049	
ExtnAttributeChar050	
ExtnAttributeChar051	
ExtnAttributeChar052	
ExtnAttributeChar053	

Name	Description
ExtnAttributeChar054	
ExtnAttributeChar055	
ExtnAttributeChar056	
ExtnAttributeChar057	
ExtnAttributeChar058	
ExtnAttributeChar059	
ExtnAttributeChar060	
ExtnAttributeChar061	
ExtnAttributeChar062	
ExtnAttributeChar063	
ExtnAttributeChar064	
ExtnAttributeChar065	
ExtnAttributeChar066	
ExtnAttributeChar067	
ExtnAttributeChar068	
ExtnAttributeChar069	
ExtnAttributeChar070	
ExtnAttributeChar071	
ExtnAttributeChar072	
ExtnAttributeChar073	
ExtnAttributeChar074	
ExtnAttributeChar075	
ExtnAttributeChar076	
ExtnAttributeChar077	
ExtnAttributeChar078	
ExtnAttributeChar079	
ExtnAttributeChar080	
ExtnAttributeChar081	
ExtnAttributeChar082	
ExtnAttributeChar083	
ExtnAttributeChar084	

Name	Description
ExtnAttributeChar085	
ExtnAttributeChar086	
ExtnAttributeChar087	
ExtnAttributeChar088	
ExtnAttributeChar089	
ExtnAttributeChar090	
ExtnAttributeChar091	
ExtnAttributeChar092	
ExtnAttributeChar093	
ExtnAttributeChar094	
ExtnAttributeChar095	
ExtnAttributeChar096	
ExtnAttributeChar097	
ExtnAttributeChar098	
ExtnAttributeChar099	
ExtnAttributeChar100	
ExtnAttributeChar101	
ExtnAttributeChar102	
ExtnAttributeChar103	
ExtnAttributeChar104	
ExtnAttributeChar105	
ExtnAttributeChar106	
ExtnAttributeChar107	
ExtnAttributeChar108	
ExtnAttributeChar109	
ExtnAttributeChar110	
ExtnAttributeChar111	
ExtnAttributeChar112	
ExtnAttributeChar113	
ExtnAttributeChar114	
ExtnAttributeChar115	

Name	Description
ExtnAttributeChar116	
ExtnAttributeChar117	
ExtnAttributeChar118	
ExtnAttributeChar119	
ExtnAttributeChar120	
ExtnAttributeChar121	
ExtnAttributeChar122	
ExtnAttributeChar123	
ExtnAttributeChar124	
ExtnAttributeChar125	
ExtnAttributeChar126	
ExtnAttributeChar127	
ExtnAttributeChar128	
ExtnAttributeChar129	
ExtnAttributeChar130	
ExtnAttributeChar131	
ExtnAttributeChar132	
ExtnAttributeChar133	
ExtnAttributeChar134	
ExtnAttributeChar135	
ExtnAttributeChar136	
ExtnAttributeChar137	
ExtnAttributeChar138	
ExtnAttributeChar139	
ExtnAttributeChar140	
ExtnAttributeChar141	
ExtnAttributeChar142	
ExtnAttributeChar143	
ExtnAttributeChar144	
ExtnAttributeChar145	
ExtnAttributeChar146	

Name	Description
ExtnAttributeChar147	
ExtnAttributeChar148	
ExtnAttributeChar149	
ExtnAttributeChar150	
ExtnAttributeChar151	
ExtnAttributeChar152	
ExtnAttributeChar153	
ExtnAttributeChar154	
ExtnAttributeChar155	
ExtnAttributeChar156	
ExtnAttributeChar157	
ExtnAttributeChar158	
ExtnAttributeChar159	
ExtnAttributeChar160	
ExtnAttributeChar161	
ExtnAttributeChar162	
ExtnAttributeChar163	
ExtnAttributeChar164	
ExtnAttributeChar165	
ExtnAttributeChar166	
ExtnAttributeChar167	
ExtnAttributeChar168	
ExtnAttributeChar169	
ExtnAttributeChar170	
ExtnAttributeChar171	
ExtnAttributeChar172	
ExtnAttributeChar173	
ExtnAttributeChar174	
ExtnAttributeChar175	
ExtnAttributeChar176	
ExtnAttributeChar177	

Name	Description
ExtnAttributeChar178	
ExtnAttributeChar179	
ExtnAttributeChar180	
ExtnAttributeChar181	
ExtnAttributeChar182	
ExtnAttributeChar183	
ExtnAttributeChar184	
ExtnAttributeChar185	
ExtnAttributeChar186	
ExtnAttributeChar187	
ExtnAttributeChar188	
ExtnAttributeChar189	
ExtnAttributeChar190	
ExtnAttributeChar191	
ExtnAttributeChar192	
ExtnAttributeChar193	
ExtnAttributeChar194	
ExtnAttributeChar195	
ExtnAttributeChar196	
ExtnAttributeChar197	
ExtnAttributeChar198	
ExtnAttributeChar199	
ExtnAttributeChar200	
ExtnAttributeChar201	
ExtnAttributeChar202	
ExtnAttributeChar203	
ExtnAttributeChar204	
ExtnAttributeChar205	
ExtnAttributeChar206	
ExtnAttributeChar207	
ExtnAttributeChar208	

Name	Description
ExtnAttributeChar209	
ExtnAttributeChar210	
ExtnAttributeChar211	
ExtnAttributeChar212	
ExtnAttributeChar213	
ExtnAttributeChar214	
ExtnAttributeChar215	
ExtnAttributeChar216	
ExtnAttributeChar217	
ExtnAttributeChar218	
ExtnAttributeChar219	
ExtnAttributeChar220	
ExtnAttributeChar221	
ExtnAttributeChar222	
ExtnAttributeChar223	
ExtnAttributeChar224	
ExtnAttributeChar225	
ExtnAttributeChar226	
ExtnAttributeChar227	
ExtnAttributeChar228	
ExtnAttributeChar229	
ExtnAttributeChar230	
ExtnAttributeChar231	
ExtnAttributeChar232	
ExtnAttributeChar233	
ExtnAttributeChar234	
ExtnAttributeChar235	
ExtnAttributeChar236	
ExtnAttributeChar237	
ExtnAttributeChar238	
ExtnAttributeChar239	

Name	Description
ExtnAttributeChar240	
ExtnAttributeChar241	
ExtnAttributeChar242	
ExtnAttributeChar243	
ExtnAttributeChar244	
ExtnAttributeChar245	
ExtnAttributeChar246	
ExtnAttributeChar247	
ExtnAttributeChar248	
ExtnAttributeChar249	
ExtnAttributeChar250	
ExtnAttributeChar251	
ExtnAttributeChar252	
ExtnAttributeChar253	
ExtnAttributeChar254	
ExtnAttributeChar255	
ExtnAttributeChar256	
ExtnAttributeChar257	
ExtnAttributeChar258	
ExtnAttributeChar259	
ExtnAttributeChar260	
ExtnAttributeChar261	
ExtnAttributeChar262	
ExtnAttributeChar263	
ExtnAttributeChar264	
ExtnAttributeChar265	
ExtnAttributeChar266	
ExtnAttributeChar267	
ExtnAttributeChar268	
ExtnAttributeChar269	
ExtnAttributeChar270	

Name	Description
ExtnAttributeChar271	
ExtnAttributeChar272	
ExtnAttributeChar273	
ExtnAttributeChar274	
ExtnAttributeChar275	
ExtnAttributeChar276	
ExtnAttributeChar277	
ExtnAttributeChar278	
ExtnAttributeChar279	
ExtnAttributeChar280	
ExtnAttributeChar281	
ExtnAttributeChar282	
ExtnAttributeChar283	
ExtnAttributeChar284	
ExtnAttributeChar285	
ExtnAttributeChar286	
ExtnAttributeChar287	
ExtnAttributeChar288	
ExtnAttributeChar289	
ExtnAttributeChar290	
ExtnAttributeChar291	
ExtnAttributeChar292	
ExtnAttributeChar293	
ExtnAttributeChar294	
ExtnAttributeChar295	
ExtnAttributeChar296	
ExtnAttributeChar297	
ExtnAttributeChar298	
ExtnAttributeChar299	
ExtnAttributeChar300	
ExtnAttributeChar301	

Name	Description
ExtnAttributeChar302	
ExtnAttributeChar303	
ExtnAttributeChar304	
ExtnAttributeChar305	
ExtnAttributeChar306	
ExtnAttributeChar307	
ExtnAttributeChar308	
ExtnAttributeChar309	
ExtnAttributeChar310	
ExtnAttributeChar311	
ExtnAttributeChar312	
ExtnAttributeChar313	
ExtnAttributeChar314	
ExtnAttributeChar315	
ExtnAttributeChar316	
ExtnAttributeChar317	
ExtnAttributeChar318	
ExtnAttributeChar319	
ExtnAttributeChar320	
ExtnAttributeChar321	
ExtnAttributeChar322	
ExtnAttributeChar323	
ExtnAttributeChar324	
ExtnAttributeChar325	
ExtnAttributeChar326	
ExtnAttributeChar327	
ExtnAttributeChar328	
ExtnAttributeChar329	
ExtnAttributeChar330	
ExtnAttributeChar331	
ExtnAttributeChar332	

Name	Description
ExtnAttributeChar333	
ExtnAttributeChar334	
ExtnAttributeChar335	
ExtnAttributeChar336	
ExtnAttributeChar337	
ExtnAttributeChar338	
ExtnAttributeChar339	
ExtnAttributeChar340	
ExtnAttributeChar341	
ExtnAttributeChar342	
ExtnAttributeChar343	
ExtnAttributeChar344	
ExtnAttributeChar345	
ExtnAttributeChar346	
ExtnAttributeChar347	
ExtnAttributeChar348	
ExtnAttributeChar349	
ExtnAttributeChar350	
ExtnAttributeClob001	A column reserved for the custom attribute of type CLOB.
ExtnAttributeClob002	
ExtnAttributeClob003	
ExtnAttributeClob004	
ExtnAttributeClob005	
ExtnAttributeClob006	
ExtnAttributeClob007	
ExtnAttributeClob008	
ExtnAttributeClob009	
ExtnAttributeClob010	
ExtnAttributeClob011	
ExtnAttributeClob012	
ExtnAttributeClob013	

Name	Description
ExtnAttributeClob014	
ExtnAttributeClob015	
ExtnAttributeClob016	
ExtnAttributeClob017	
ExtnAttributeClob018	
ExtnAttributeClob019	
ExtnAttributeClob020	
ExtnAttributeClob021	
ExtnAttributeClob022	
ExtnAttributeClob023	
ExtnAttributeClob024	
ExtnAttributeClob025	
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	
ExtnAttributeNumber003	
ExtnAttributeNumber004	
ExtnAttributeNumber005	
ExtnAttributeNumber006	
ExtnAttributeNumber007	
ExtnAttributeNumber008	
ExtnAttributeNumber009	
ExtnAttributeNumber010	
ExtnAttributeNumber011	
ExtnAttributeNumber012	
ExtnAttributeNumber013	
ExtnAttributeNumber014	
ExtnAttributeNumber015	
ExtnAttributeNumber016	
ExtnAttributeNumber017	
ExtnAttributeNumber018	
ExtnAttributeNumber019	

Name	Description
ExtnAttributeNumber020	
ExtnAttributeNumber021	
ExtnAttributeNumber022	
ExtnAttributeNumber023	
ExtnAttributeNumber024	
ExtnAttributeNumber025	
ExtnAttributeNumber026	
ExtnAttributeNumber027	
ExtnAttributeNumber028	
ExtnAttributeNumber029	
ExtnAttributeNumber030	
ExtnAttributeNumber031	
ExtnAttributeNumber032	
ExtnAttributeNumber033	
ExtnAttributeNumber034	
ExtnAttributeNumber035	
ExtnAttributeNumber036	
ExtnAttributeNumber037	
ExtnAttributeNumber038	
ExtnAttributeNumber039	
ExtnAttributeNumber040	
ExtnAttributeNumber041	
ExtnAttributeNumber042	
ExtnAttributeNumber043	
ExtnAttributeNumber044	
ExtnAttributeNumber045	
ExtnAttributeNumber046	
ExtnAttributeNumber047	
ExtnAttributeNumber048	
ExtnAttributeNumber049	
ExtnAttributeNumber050	

Name	Description
ExtnAttributeNumber051	
ExtnAttributeNumber052	
ExtnAttributeNumber053	
ExtnAttributeNumber054	
ExtnAttributeNumber055	
ExtnAttributeNumber056	
ExtnAttributeNumber057	
ExtnAttributeNumber058	
ExtnAttributeNumber059	
ExtnAttributeNumber060	
ExtnAttributeNumber061	
ExtnAttributeNumber062	
ExtnAttributeNumber063	
ExtnAttributeNumber064	
ExtnAttributeNumber065	
ExtnAttributeNumber066	
ExtnAttributeNumber067	
ExtnAttributeNumber068	
ExtnAttributeNumber069	
ExtnAttributeNumber070	
ExtnAttributeNumber071	
ExtnAttributeNumber072	
ExtnAttributeNumber073	
ExtnAttributeNumber074	
ExtnAttributeNumber075	
ExtnAttributeNumber076	
ExtnAttributeNumber077	
ExtnAttributeNumber078	
ExtnAttributeNumber079	
ExtnAttributeNumber080	
ExtnAttributeNumber081	

Name	Description
ExtnAttributeNumber082	
ExtnAttributeNumber083	
ExtnAttributeNumber084	
ExtnAttributeNumber085	
ExtnAttributeNumber086	
ExtnAttributeNumber087	
ExtnAttributeNumber088	
ExtnAttributeNumber089	
ExtnAttributeNumber090	
ExtnAttributeNumber091	
ExtnAttributeNumber092	
ExtnAttributeNumber093	
ExtnAttributeNumber094	
ExtnAttributeNumber095	
ExtnAttributeNumber096	
ExtnAttributeNumber097	
ExtnAttributeNumber098	
ExtnAttributeNumber099	
ExtnAttributeNumber100	
ExtnAttributeNumber101	
ExtnAttributeNumber102	
ExtnAttributeNumber103	
ExtnAttributeNumber104	
ExtnAttributeNumber105	
ExtnAttributeNumber106	
ExtnAttributeNumber107	
ExtnAttributeNumber108	
ExtnAttributeNumber109	
ExtnAttributeNumber110	
ExtnAttributeNumber111	
ExtnAttributeNumber112	

Name	Description
ExtnAttributeNumber113	
ExtnAttributeNumber114	
ExtnAttributeNumber115	
ExtnAttributeNumber116	
ExtnAttributeNumber117	
ExtnAttributeNumber118	
ExtnAttributeNumber119	
ExtnAttributeNumber120	
ExtnAttributeNumber121	
ExtnAttributeNumber122	
ExtnAttributeNumber123	
ExtnAttributeNumber124	
ExtnAttributeNumber125	
ExtnAttributeNumber126	
ExtnAttributeNumber127	
ExtnAttributeNumber128	
ExtnAttributeNumber129	
ExtnAttributeNumber130	
ExtnAttributeNumber131	
ExtnAttributeNumber132	
ExtnAttributeNumber133	
ExtnAttributeNumber134	
ExtnAttributeNumber135	
ExtnAttributeNumber136	
ExtnAttributeNumber137	
ExtnAttributeNumber138	
ExtnAttributeNumber139	
ExtnAttributeNumber140	
ExtnAttributeNumber141	
ExtnAttributeNumber142	
ExtnAttributeNumber143	

Name	Description
ExtnAttributeNumber144	
ExtnAttributeNumber145	
ExtnAttributeNumber146	
ExtnAttributeNumber147	
ExtnAttributeNumber148	
ExtnAttributeNumber149	
ExtnAttributeNumber150	
ExtnAttributeNumber151	
ExtnAttributeNumber152	
ExtnAttributeNumber153	
ExtnAttributeNumber154	
ExtnAttributeNumber155	
ExtnAttributeNumber156	
ExtnAttributeNumber157	
ExtnAttributeNumber158	
ExtnAttributeNumber159	
ExtnAttributeNumber160	
ExtnAttributeNumber161	
ExtnAttributeNumber162	
ExtnAttributeNumber163	
ExtnAttributeNumber164	
ExtnAttributeNumber165	
ExtnAttributeNumber166	
ExtnAttributeNumber167	
ExtnAttributeNumber168	
ExtnAttributeNumber169	
ExtnAttributeNumber170	
ExtnAttributeNumber171	
ExtnAttributeNumber172	
ExtnAttributeNumber173	
ExtnAttributeNumber174	

Name	Description
ExtnAttributeNumber175	
ExtnAttributeNumber176	
ExtnAttributeNumber177	
ExtnAttributeNumber178	
ExtnAttributeNumber179	
ExtnAttributeNumber180	
ExtnAttributeNumber181	
ExtnAttributeNumber182	
ExtnAttributeNumber183	
ExtnAttributeNumber184	
ExtnAttributeNumber185	
ExtnAttributeNumber186	
ExtnAttributeNumber187	
ExtnAttributeNumber188	
ExtnAttributeNumber189	
ExtnAttributeNumber190	
ExtnAttributeNumber191	
ExtnAttributeNumber192	
ExtnAttributeNumber193	
ExtnAttributeNumber194	
ExtnAttributeNumber195	
ExtnAttributeNumber196	
ExtnAttributeNumber197	
ExtnAttributeNumber198	
ExtnAttributeNumber199	
ExtnAttributeNumber200	
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Time Stamp.
ExtnAttributeTimestamp002	
ExtnAttributeTimestamp003	
ExtnAttributeTimestamp004	
ExtnAttributeTimestamp005	

Name	Description
ExtnAttributeTimestamp006	
ExtnAttributeTimestamp007	
ExtnAttributeTimestamp008	
ExtnAttributeTimestamp009	
ExtnAttributeTimestamp010	
ExtnAttributeTimestamp011	
ExtnAttributeTimestamp012	
ExtnAttributeTimestamp013	
ExtnAttributeTimestamp014	
ExtnAttributeTimestamp015	
ExtnAttributeTimestamp016	
ExtnAttributeTimestamp017	
ExtnAttributeTimestamp018	
ExtnAttributeTimestamp019	
ExtnAttributeTimestamp020	
ExtnAttributeTimestamp021	
ExtnAttributeTimestamp022	
ExtnAttributeTimestamp023	
ExtnAttributeTimestamp024	
ExtnAttributeTimestamp025	
ExtnAttributeTimestamp026	
ExtnAttributeTimestamp027	
ExtnAttributeTimestamp028	
ExtnAttributeTimestamp029	
ExtnAttributeTimestamp030	
ExtnAttributeTimestamp031	
ExtnAttributeTimestamp032	
ExtnAttributeTimestamp033	
ExtnAttributeTimestamp034	
ExtnAttributeTimestamp035	
ExtnAttributeTimestamp036	

Name	Description
ExtnAttributeTimestamp037	
ExtnAttributeTimestamp038	
ExtnAttributeTimestamp039	
ExtnAttributeTimestamp040	
ExtnAttributeTimestamp041	
ExtnAttributeTimestamp042	
ExtnAttributeTimestamp043	
ExtnAttributeTimestamp044	
ExtnAttributeTimestamp045	
ExtnAttributeTimestamp046	
ExtnAttributeTimestamp047	
ExtnAttributeTimestamp048	
ExtnAttributeTimestamp049	
ExtnAttributeTimestamp050	
FunctionCode	The code for the function of the resource associated with the territory. A list of accepted values is defined in the lookup type MOT_TEAM_MEMBER_FUNCTION.
LastUpdateDate	The date and time when the territory resource row was last updated.
LastUpdateLogin	The session login associated with the user who last updated the territory resource row.
LastUpdatedBy	The user who last updated the territory resource row.
ManageForecastFlag	Indicates whether a territory resource has been given the responsibility to manage the territory forecast on behalf of the owner of the territory.
ResourceId	The unique identifier of the resource from the resource manager. This is a foreign key to the Resource view object.
ResourceOrgId	The unique identifier of the resource's organization.
TerrResourceId	The unique identifier of the territory resource . This is a primary key of the Territory Resource view object.
TerritoryVersionId	The unique identifier of the territory version. This is a foreign key to the Territory view object.

11 Trading Community Hub

Link Members

The link member view object stores information about the link members. It's an intersection object between link and member. Each record represents a relationship between a primary object and its linked members.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.ZchBiccExtractAM.LinkMemberExtractPVO

Primary Keys : LinkMemberId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the link member.
CreatedByProcessId	The process instance which created this link member.
CreatedByProcessType	The type of process which created this link member.
CreationDate	The date when the link member was created.
EffectiveEndDate	The date at the end of the date range within which the record is effective.
EffectiveStartDate	The date at the beginning of the date range within which the record is effective.
LastUpdateDate	The date when the link member was last updated.
LastUpdateLogin	The login of the user who last updated the link member.
LastUpdatedBy	The user who last updated the link member.
LastUpdatedByProcessId	The process instance which last updated this link set.
LastUpdatedByProcessType	The type of process which last updated this link set.
LinkId	The unique identifier for the link set.
LinkMemberId	The unique identifier for the link member.
LinkType	The type of the link.
MasterFlag	Indicates whether the record is a master record.
RecordId	The identifier for the linked record.
RestoreFlag	Indicates whether the link between the parties has been removed.

Name	Description
ReviewedFlag	The record in the link set have been reviewed by a data steward user.

Linked Parties

The linked party view object provides access to linked parties. It refers to the same organization or person which are used in different business processes based on separate records that represent the same entity.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.ZchBiccExtractAM.LinkedPartyExtractPVO

Primary Keys : LinkId, LinkMemberId

Initial Extract Date : LinkCreationDate

Incremental Extract Date : LinkLastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the link member.
CreationDate	The date when the link member was created.
LastUpdateDate	The date when the link member was last updated.
LastUpdatedBy	The user who last updated the link member.
LinkCreatedBy	The user who created the link set.
LinkCreationDate	The date when the link set was created.
LinkId	The unique identifier for the link set.
LinkLastUpdateDate	The date when the link set was last updated.
LinkLastUpdatedBy	The user who last updated the link set.
LinkMemberId	The unique identifier for the link member.
LinkNumber	The number of the link set.
LinkType	The type of the link.
MasterFlag	Indicates whether the party is a master party.
PartyId	The party identifier for the linked party.
PartyNumber	The party number for the linked party.
PartyType	The party type for the linked party.

Name	Description
RelatedPartyId	The party identifier for the related party.
RelatedPartyNumber	The party number for the related party.
RelatedPartyType	The party type for the related party.
RemovedFlag	Indicates whether the link between the parties has been removed.

Links

The link extract view object stores information about links between objects in the system.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.ZchBiccExtractAM.LinkExtractPVO

Primary Keys : LinkId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the link set.
CreatedByProcessId	The process instance which created this link set.
CreatedByProcessType	The type of process which created this link set.
CreationDate	The date when the link set was created.
Description	The description of the link set.
LastUpdateDate	The date when the link set was last updated.
LastUpdateLogin	The login of the user who last updated the link set.
LastUpdatedBy	The user who last updated the link set.
LastUpdatedByProcessId	The process instance which last updated this link set.
LastUpdatedByProcessType	The type of process which last updated this link set.
LinkId	The unique identifier for the link set.
LinkName	The display name of the link set.
LinkNumber	The number of the link set.
LinkStatus	The status of the link set.

Name	Description
LinkType	The type of the link set.
MasterId	
ObjName	The name of the object to which the linked members belong.
ResolutionRequestId	The resolution request identifier if the link set is created by resolution flow.
ReviewedFlag	The link set have been reviewed by a data steward user.

12 Trading Community Model

Customer Account Site Use

The customer account site use view object contains the business purposes assigned to customer account sites, for example Bill-To, Ship-To, and Statements. Each customer account site can have one or more purposes.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.HzBiccExtractAM.CustomerAcctSiteUseExtractPVO

Primary Keys : SiteUseId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Attribute1	A segment for the customer account site use descriptive flexfield.
Attribute10	A segment for the customer account site use descriptive flexfield.
Attribute11	A segment for the customer account site use descriptive flexfield.
Attribute12	A segment for the customer account site use descriptive flexfield.
Attribute13	A segment for the customer account site use descriptive flexfield.
Attribute14	A segment for the customer account site use descriptive flexfield.
Attribute15	A segment for the customer account site use descriptive flexfield.
Attribute16	A segment for the customer account site use descriptive flexfield.
Attribute17	A segment for the customer account site use descriptive flexfield.
Attribute18	A segment for the customer account site use descriptive flexfield.
Attribute19	A segment for the customer account site use descriptive flexfield.
Attribute2	A segment for the customer account site use descriptive flexfield.
Attribute20	A segment for the customer account site use descriptive flexfield.
Attribute21	A segment for the customer account site use descriptive flexfield.
Attribute22	A segment for the customer account site use descriptive flexfield.
Attribute23	A segment for the customer account site use descriptive flexfield.
Attribute24	A segment for the customer account site use descriptive flexfield.

Name	Description
Attribute25	A segment for the customer account site use descriptive flexfield.
Attribute26	A segment for the customer account site use descriptive flexfield.
Attribute27	A segment for the customer account site use descriptive flexfield.
Attribute28	A segment for the customer account site use descriptive flexfield.
Attribute29	A segment for the customer account site use descriptive flexfield.
Attribute3	A segment for the customer account site use descriptive flexfield.
Attribute30	A segment for the customer account site use descriptive flexfield.
Attribute4	A segment for the customer account site use descriptive flexfield.
Attribute5	A segment for the customer account site use descriptive flexfield.
Attribute6	A segment for the customer account site use descriptive flexfield.
Attribute7	A segment for the customer account site use descriptive flexfield.
Attribute8	A segment for the customer account site use descriptive flexfield.
Attribute9	A segment for the customer account site use descriptive flexfield.
AttributeCategory	The context name for the customer account site use descriptive flexfield.
AttributeDate1	A date segment for the customer account site use descriptive flexfield.
AttributeDate10	A date segment for the customer account site use descriptive flexfield.
AttributeDate11	A date segment for the customer account site use descriptive flexfield.
AttributeDate12	A date segment for the customer account site use descriptive flexfield.
AttributeDate2	A date segment for the customer account site use descriptive flexfield.
AttributeDate3	A date segment for the customer account site use descriptive flexfield.
AttributeDate4	A date segment for the customer account site use descriptive flexfield.
AttributeDate5	A date segment for the customer account site use descriptive flexfield.
AttributeDate6	A date segment for the customer account site use descriptive flexfield.
AttributeDate7	A date segment for the customer account site use descriptive flexfield.
AttributeDate8	A date segment for the customer account site use descriptive flexfield.
AttributeDate9	A date segment for the customer account site use descriptive flexfield.
AttributeNumber1	A number segment for the customer account site use descriptive flexfield.
AttributeNumber10	A number segment for the customer account site use descriptive flexfield.
AttributeNumber11	A number segment for the customer account site use descriptive flexfield.
AttributeNumber12	A number segment for the customer account site use descriptive flexfield.
AttributeNumber2	A number segment for the customer account site use descriptive flexfield.

Name	Description
AttributeNumber3	A number segment for the customer account site use descriptive flexfield.
AttributeNumber4	A number segment for the customer account site use descriptive flexfield.
AttributeNumber5	A number segment for the customer account site use descriptive flexfield.
AttributeNumber6	A number segment for the customer account site use descriptive flexfield.
AttributeNumber7	A number segment for the customer account site use descriptive flexfield.
AttributeNumber8	A number segment for the customer account site use descriptive flexfield.
AttributeNumber9	A number segment for the customer account site use descriptive flexfield.
BillToSiteUseId	The unique identifier of the bill-to site use.
CreatedBy	The user who created the record.
CreatedByModule	The module through which the record was created.
CreationDate	The date and time of creating the record.
CustAcctSiteId	The identifier for the customer account site. Foreign key to the HZ_CUST_ACCT_SITES_ALL table.
EndDate	The date from which this site use is no longer valid.
FinchrgReceivablesTrxId	Identifies receivables activity that are used for finance charges.
GsaIndicator	Indicates whether this is a US federal agency supported by the General Services Administration (GSA). Y for organizations served by the GSA, N for organizations that aren't served by the GSA.
LastAccrueChargeDate	The last date that accrued finance charges were computed for this site.
LastUnaccrueChargeDate	The last date that unaccrued finance charges were computed for this site.
LastUpdateDate	The date and time of last update of the record.
LastUpdateLogin	The login of the user who last updated the record.
LastUpdatedBy	The user who last updated the record.
Location	The site use identifier.
OrigSystemReference	The identifier for the record from the original system.
PaymentTermId	The payment term identifier.
PrimaryFlag	Indicates if this site is the primary site for this customer account. Y for the primary customer account site. N for other customer account sites.
SecondLastAccrueChargeDate	The next-to-last date that accrued finance charges were computed for this site.
SecondLastUnaccrueChrgDate	The next-to-last date that unaccrued finance charges were computed for this site.
SetId	Identifies a set of reference data shared across business units and other entities. Also known as Reference Data Sets, they're used to filter reference data in transactional UIs.
SicCode	The standard Industry Classification (SIC) code.
SiteUseCode	The business purpose assigned to customer site account, such as Bill-To, Market, and Statements.

Name	Description
SiteUseId	The site use identifier, primary key.
SortPriority	The sort priority information.
StartDate	Start date from which this site use is valid.
Status	The status of the record.
TaxClassification	Classifies Bill-To site to tax group codes. Foreign key to the AR_LOOKUPS table (AR_TAX_CLASSIFICATION) used in AR_VAT_TAX (TAX_CLASSIFICATION) indexes.
TaxCode	The tax code associated with this site.
TaxHeaderLevelFlag	Used by Oracle Sales Compensation.
TaxReference	The taxpayer identification number.
TaxRoundingRule	The tax rounding rule information.
TerritoryId	The territory identifier.

Customer Account Sites

The customer account site view object contains all customer account sites across all operating units. Customer account sites are customer account addresses with which the deploying company does business. One customer account can have multiple customer account sites, and customer account sites for one customer account can belong to multiple operating units.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.HzBiccExtractAM.CustomerAccountSiteExtractPVO

Primary Keys : CustAcctSiteId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Attribute1	A segment for the customer account site descriptive flexfield.
Attribute10	A segment for the customer account site descriptive flexfield.
Attribute11	A segment for the customer account site descriptive flexfield.
Attribute12	A segment for the customer account site descriptive flexfield.
Attribute13	A segment for the customer account site descriptive flexfield.

Name	Description
Attribute14	A segment for the customer account site descriptive flexfield.
Attribute15	A segment for the customer account site descriptive flexfield.
Attribute16	A segment for the customer account site descriptive flexfield.
Attribute17	A segment for the customer account site descriptive flexfield.
Attribute18	A segment for the customer account site descriptive flexfield.
Attribute19	A segment for the customer account site descriptive flexfield.
Attribute2	A segment for the customer account site descriptive flexfield.
Attribute20	A segment for the customer account site descriptive flexfield.
Attribute21	A segment for the customer account site descriptive flexfield.
Attribute22	A segment for the customer account site descriptive flexfield.
Attribute23	A segment for the customer account site descriptive flexfield.
Attribute24	A segment for the customer account site descriptive flexfield.
Attribute25	A segment for the customer account site descriptive flexfield.
Attribute26	A segment for the customer account site descriptive flexfield.
Attribute27	A segment for the customer account site descriptive flexfield.
Attribute28	A segment for the customer account site descriptive flexfield.
Attribute29	A segment for the customer account site descriptive flexfield.
Attribute3	A segment for the customer account site descriptive flexfield.
Attribute30	A segment for the customer account site descriptive flexfield.
Attribute4	A segment for the customer account site descriptive flexfield.
Attribute5	A segment for the customer account site descriptive flexfield.
Attribute6	A segment for the customer account site descriptive flexfield.
Attribute7	A segment for the customer account site descriptive flexfield.
Attribute8	A segment for the customer account site descriptive flexfield.
Attribute9	A segment for the customer account site descriptive flexfield.
AttributeCategory	The context name for the customer account site descriptive flexfield.
AttributeDate1	A date segment for the customer account site descriptive flexfield.
AttributeDate10	A date segment for the customer account site descriptive flexfield.
AttributeDate11	A date segment for the customer account site descriptive flexfield.
AttributeDate12	A date segment for the customer account site descriptive flexfield.
AttributeDate2	A date segment for the customer account site descriptive flexfield.

Name	Description
AttributeDate3	A date segment for the customer account site descriptive flexfield.
AttributeDate4	A date segment for the customer account site descriptive flexfield.
AttributeDate5	A date segment for the customer account site descriptive flexfield.
AttributeDate6	A date segment for the customer account site descriptive flexfield.
AttributeDate7	A date segment for the customer account site descriptive flexfield.
AttributeDate8	A date segment for the customer account site descriptive flexfield.
AttributeDate9	A date segment for the customer account site descriptive flexfield.
AttributeNumber1	A number segment for the customer account site descriptive flexfield.
AttributeNumber10	A number segment for the customer account site descriptive flexfield.
AttributeNumber11	A number segment for the customer account site descriptive flexfield.
AttributeNumber12	A number segment for the customer account site descriptive flexfield.
AttributeNumber2	A number segment for the customer account site descriptive flexfield.
AttributeNumber3	A number segment for the customer account site descriptive flexfield.
AttributeNumber4	A number segment for the customer account site descriptive flexfield.
AttributeNumber5	A number segment for the customer account site descriptive flexfield.
AttributeNumber6	A number segment for the customer account site descriptive flexfield.
AttributeNumber7	A number segment for the customer account site descriptive flexfield.
AttributeNumber8	A number segment for the customer account site descriptive flexfield.
AttributeNumber9	A number segment for the customer account site descriptive flexfield.
BillToFlag	Indicates whether this is a Bill-To site. Y for a Bill-To site, P for the primary Bill-To site, and N for a site that isn't a Bill-To site.
CreatedBy	The user who created the record.
CreatedByModule	The module through which the record was created.
CreationDate	The date and time of creating the record.
CustAccountId	Identifier for a customer account. Foreign key to the customer account view object.
CustAcctSiteId	The customer site identifier. This is a primary key.
CustomerCategoryCode	The user-definable category. The lookup type is ADDRESS_CATEGORY.
EceTpLocationCode	Stores the EDI location code. It should be unique for a customer. The column accepts free-form text.
EndDate	The date from which this site is no longer valid.
KeyAccountFlag	The key account for sales representatives.
Language	The operating language for account sites.

Name	Description
LastUpdateDate	The date and time of last update of the record.
LastUpdateLogin	The login of the user who last updated the record.
LastUpdatedBy	The user who last updated the record.
MarketFlag	Indicates whether this is a Marketing site. Y for a marketing site, P for the primary marketing site, and N for a site that's not a marketing site.
OrigSystemReference	The identifier for the record from the original system.
PartySiteId	The identifier for a party site. It's the foreign key to the party site view.
SetId	Identifies a set of reference data shared across business units and other entities. Also known as Reference Data Sets, they're used to filter reference data in transactional UIs.
ShipToFlag	Indicates if this is a Ship-To site. Y for a Ship-To site, P for the primary Ship-To site, and N for a site that isn't a Ship-To site.
StartDate	The start date from which this site is valid for use.
Status	The status of the record. Receivables lookup code for CODE_STATUS.
TpHeaderId	The trading partner header identifier.
TranslatedCustomerName	The customer name in the language used at the account site.

Customer Accounts

The customer account view object contains information about customer accounts, or business relationships that the deploying company establishes with a party of type Organization or Person. It provides business relationships and how transactions are conducted in the relationship. Since a party can have multiple customer accounts, this view might contain several records for a single party. For example, an individual person can establish a personal account, family account, and a professional account for a consulting practice.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.HzBiccExtractAM.CustomerAccountExtractPVO

Primary Keys : CustAccountId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AccountEstablishedDate	The date when the customer account was originally established through either an Oracle Application or a legacy system.

Name	Description
AccountName	The description chosen by external party. It can be entered internally on behalf of the customer.
AccountNumber	The account number.
AccountTerminationDate	The date when the customer account was originally terminated through either an Oracle Application or a legacy system.
ArrivalsetsIncludeLinesFlag	Indicates whether lines include arrival sets. Y for lines included on arrival sets, N for lines not automatically included in arrival sets.
Attribute1	A segment for the customer account descriptive flexfield.
Attribute10	A segment for the customer account descriptive flexfield.
Attribute11	A segment for the customer account descriptive flexfield.
Attribute12	A segment for the customer account descriptive flexfield.
Attribute13	A segment for the customer account descriptive flexfield.
Attribute14	A segment for the customer account descriptive flexfield.
Attribute15	A segment for the customer account descriptive flexfield.
Attribute16	A segment for the customer account descriptive flexfield.
Attribute17	A segment for the customer account descriptive flexfield.
Attribute18	A segment for the customer account descriptive flexfield.
Attribute19	A segment for the customer account descriptive flexfield.
Attribute2	A segment for the customer account descriptive flexfield.
Attribute20	A segment for the customer account descriptive flexfield.
Attribute21	A segment for the customer account descriptive flexfield.
Attribute22	A segment for the customer account descriptive flexfield.
Attribute23	A segment for the customer account descriptive flexfield.
Attribute24	A segment for the customer account descriptive flexfield.
Attribute25	A segment for the customer account descriptive flexfield.
Attribute26	A segment for the customer account descriptive flexfield.
Attribute27	A segment for the customer account descriptive flexfield.
Attribute28	A segment for the customer account descriptive flexfield.
Attribute29	A segment for the customer account descriptive flexfield.
Attribute3	A segment for the customer account descriptive flexfield.
Attribute30	A segment for the customer account descriptive flexfield.
Attribute4	A segment for the customer account descriptive flexfield.
Attribute5	A segment for the customer account descriptive flexfield.

Name	Description
Attribute6	A segment for the customer account descriptive flexfield.
Attribute7	A segment for the customer account descriptive flexfield.
Attribute8	A segment for the customer account descriptive flexfield.
Attribute9	A segment for the customer account descriptive flexfield.
AttributeCategory	The context name segment for the customer account descriptive flexfield.
AttributeDate1	A date segment for the customer account descriptive flexfield.
AttributeDate10	A date segment for the customer account descriptive flexfield.
AttributeDate11	A date segment for the customer account descriptive flexfield.
AttributeDate12	A date segment for the customer account descriptive flexfield.
AttributeDate2	A date segment for the customer account descriptive flexfield.
AttributeDate3	A date segment for the customer account descriptive flexfield.
AttributeDate4	A date segment for the customer account descriptive flexfield.
AttributeDate5	A date segment for the customer account descriptive flexfield.
AttributeDate6	A date segment for the customer account descriptive flexfield.
AttributeDate7	A date segment for the customer account descriptive flexfield.
AttributeDate8	A date segment for the customer account descriptive flexfield.
AttributeDate9	A date segment for the customer account descriptive flexfield.
AttributeNumber1	A number segment for the customer account descriptive flexfield.
AttributeNumber10	A number segment for the customer account descriptive flexfield.
AttributeNumber11	A number segment for the customer account descriptive flexfield.
AttributeNumber12	A number segment for the customer account descriptive flexfield.
AttributeNumber2	A number segment for the customer account descriptive flexfield.
AttributeNumber3	A number segment for the customer account descriptive flexfield.
AttributeNumber4	A number segment for the customer account descriptive flexfield.
AttributeNumber5	A number segment for the customer account descriptive flexfield.
AttributeNumber6	A number segment for the customer account descriptive flexfield.
AttributeNumber7	A number segment for the customer account descriptive flexfield.
AttributeNumber8	A number segment for the customer account descriptive flexfield.
AttributeNumber9	A number segment for the customer account descriptive flexfield.
AutopayFlag	Indicates autopay is enabled.
Comments	The comments for the record.

Name	Description
CoterminateDayMonth	Identifies the date when services ordered by the customer will end. Values for this column will take the form DD-MON.
CreatedBy	The user who created the record.
CreatedByModule	The module through which the record was created.
CreationDate	The date and time of creating the record.
CustAccountId	The unique identifier for the account created for a party. This is a primary key.
CustomerClassCode	The customer class identifier. For example, an account created for a reseller or educational customers would have a customer_class_code as reseller or education.
CustomerType	The receivables lookup code for the CUSTOMER_TYPE attribute. I for internal customers, R for revenue generating external customers.
DateTypePreference	The preference for ship or arrival dates.
DepositRefundMethod	The refund method.
HeldBillExpirationDate	The held bill expiration date.
HoldBillFlag	Indicates whether the bill receivable should be held or not. If the value is True, then the bill receivables should be held.
LastBatchId	The last active batch.
LastUpdateDate	The date and time of last update of the record.
LastUpdateLogin	The login of the user who last updated the record.
LastUpdatedBy	The user who last updated the record.
NpaNumber	Identifies an account with a Number Plan Area (NPA) used in telecommunications.
OrigSystemReference	The identifier for the record from the original system.
PartyId	The unique identifier of the contact party.
SellingPartyId	Identifier of the party entering a business relationship as a seller. A selling party can be an individual or an organization. The Selling Party represents the external facing organization with which the customer is doing business, and isn't necessarily a Legal Entity or Operating Unit.
SourceCode	The promotion that was used to make the party a customer.
Status	The status of the record. Lookup code for CODE_STATUS.
StatusUpdateDate	The last status update date.
TaxCode	The tax code for the customer.
TaxHeaderLevelFlag	Indicate whether item is tax header or a line item. Y for records that are headers for tax purposes, N for records that are lines.
TaxRoundingRule	The tax amount rounding rule.

Geography Hierarchies

The HZ_GEO_HIERARCHY_CF view object contains geography hierarchies in ten level of column-flattened structure.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.HzBiccExtractAM.GeoHierarchyCfExtractPVO

Primary Keys : HierarchyNodeId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
BaseGeoCode	Code of the lowest level geography.
BaseGeoId	Unique identifier of lowest level geography.
BaseGeoName	Name of lowest level geography.
BaseZoneName	Name of base zone in column flatten structure.
CreatedBy	The user who created the row.
CreationDate	The date and time of the creation of the row.
EffectiveEndDate	Indicates the date at the end of the date range within which the row is effective.
EffectiveStartDate	Indicates the date at the beginning of the date range within which the row is effective.
FixedHierLevel	Stores the number of level that the node is fixed. For a 10 level hierarchy, the top node has 9. The base has 0 as value for this attribute.
HierarchyNodeId	Unique hierarchy node identifier.
HierarchyType	The hierarchy type name.
LastUpdateDate	The date and time when the row was last updated.
LastUpdateLogin	Th login of the user who last updated the row.
LastUpdatedBy	The user who last updated the row.
LeafFlag	Indicates if the base geography is a leaf. Y if it's the lowest level, otherwise N.
Level01GeoCode	Code of geography in column flatten structure.
Level01GeoId	Unique identifier of geography in column flatten structure.
Level01GeoName	Name of geography in column flatten structure.
Level01ZoneName	Name of level_01 zone in column flatten structure.

Name	Description
Level02GeoCode	Code of geography in column flatten structure.
Level02GeoId	Unique identifier of geography in column flatten structure.
Level02GeoName	Name of geography in column flatten structure.
Level02ZoneName	Name of level_02 zone in column flatten structure.
Level03GeoCode	Code of geography in column flatten structure.
Level03GeoId	Unique identifier of geography in column flatten structure.
Level03GeoName	Name of geography in column flatten structure.
Level03ZoneName	Name of level_03 zone in column flatten structure.
Level04GeoCode	Code of geography in column flatten structure.
Level04GeoId	Unique identifier of geography in column flatten structure.
Level04GeoName	Name of geography in column flatten structure.
Level04ZoneName	Name of level_04 zone in column flatten structure.
Level05GeoCode	Code of geography in column flatten structure.
Level05GeoId	Unique identifier of geography in column flatten structure.
Level05GeoName	Name of geography in column flatten structure.
Level05ZoneName	Name of level_05 zone in column flatten structure.
Level06GeoCode	Code of geography in column flatten structure.
Level06GeoId	Unique identifier of geography in column flatten structure.
Level06GeoName	Name of geography in column flatten structure.
Level06ZoneName	Name of level_06 zone in column flatten structure.
Level07GeoCode	Code of geography in column flatten structure.
Level07GeoId	Unique identifier of geography in column flatten structure.
Level07GeoName	Name of geography in column flatten structure.
Level07ZoneName	Name of level_07 zone in column flatten structure.
Level08GeoCode	Code of geography in column flatten structure.
Level08GeoId	Unique identifier of geography in column flatten structure.
Level08GeoName	Name of geography in column flatten structure.
Level08ZoneName	Name of level_08 zone in column flatten structure.
Status	Indicates if this hierarchy is active. A if it's active and I if it's inactive.
TopGeoCode	Code of the highest level geography.
TopGeoId	Unique identifier of highest level geography.

Name	Description
TopGeoName	Name of highest level geography.
TopZoneName	Name of top zone in column flatten structure.

Geography Name References

The geography name references view object contains the mapping between location elements and Master Reference geography elements based on Geography Name Matching.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.HzBiccExtractAM.GeoNameReferenceExtractPVO

Primary Keys : GeoNameReferenceId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
CreatedBy	The user who created the record.
CreationDate	The date and time of creating the record.
GeoNameReferenceId	The unique name reference identifier.
GeographyId	The unique identifier for geography that's mapped to a location component for each geography type.
GeographyType	Indicates the geography type of the geography that's mapped to the location component.
LastUpdateDate	The date and time of last update of the record.
LastUpdateLogin	The login of the user who last updated the record.
LastUpdatedBy	The user who last updated the record.
LevelNumber	The level number for a location identifier in a hierarchy.
LocEffectiveEndDate	The effective end date of location.
LocEffectiveStartDate	The effective start date of location.
LocationId	The unique identifier for the location.
LocationTableName	The address table name. Example values: HZ_LOCATIONS, PER_ADDRESSES_F and MKL_LM_LEADS.
UserLastUpdateDate	The date and time when the geography name reference record was last updated. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database such as a different mobile database or the server.

Locations

The location view object contains information about a delivery or postal address such as building number, street address, postal code, and directions to a location. This view provides physical location information about parties (organizations and people) and customer accounts. Records in the location view provide delivery and postal information about a location through columns such as the LOCATION_DIRECTIONS, POST_OFFICE and TIME_ZONE columns, as well as latitude and longitude information. Data in this view is also used to determine the appropriate tax rates for sales tax and VAT calculations.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.HzBiccExtractAM.LocationExtractPVO

Primary Keys : LocationId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ActualContentSource	Additional content source type column for backward compatibility.
AddrElementAttribute1	The additional address element to support flexible address format.
AddrElementAttribute2	The additional address element to support flexible address format.
AddrElementAttribute3	The additional address element to support flexible address format.
AddrElementAttribute4	The additional address element to support flexible address format.
AddrElementAttribute5	The additional address element to support flexible address format.
Address1	The first line of the address.
Address2	The second line of the address.
Address3	The third line of the address.
Address4	The fourth line of the address.
AddressEffectiveDate	Date when the location is valid.
AddressExpirationDate	Date when the location is no longer valid
AddressLinesPhonetic	Phonetic or Kana representation of the Kanji address lines. It's used in Japan.
Attribute1	A segment for the location descriptive flexfield.
Attribute10	A segment for the location descriptive flexfield.
Attribute11	A segment for the location descriptive flexfield.

Name	Description
Attribute12	A segment for the location descriptive flexfield.
Attribute13	A segment for the location descriptive flexfield.
Attribute14	A segment for the location descriptive flexfield.
Attribute15	A segment for the location descriptive flexfield.
Attribute16	A segment for the location descriptive flexfield.
Attribute17	A segment for the location descriptive flexfield.
Attribute18	A segment for the location descriptive flexfield.
Attribute19	A segment for the location descriptive flexfield.
Attribute2	A segment for the location descriptive flexfield.
Attribute20	A segment for the location descriptive flexfield.
Attribute21	A segment for the location descriptive flexfield.
Attribute22	A segment for the location descriptive flexfield.
Attribute23	A segment for the location descriptive flexfield.
Attribute24	A segment for the location descriptive flexfield.
Attribute25	A segment for the location descriptive flexfield.
Attribute26	A segment for the location descriptive flexfield.
Attribute27	A segment for the location descriptive flexfield.
Attribute28	A segment for the location descriptive flexfield.
Attribute29	A segment for the location descriptive flexfield.
Attribute3	A segment for the location descriptive flexfield.
Attribute30	A segment for the location descriptive flexfield.
Attribute4	A segment for the location descriptive flexfield.
Attribute5	A segment for the location descriptive flexfield.
Attribute6	A segment for the location descriptive flexfield.
Attribute7	A segment for the location descriptive flexfield.
Attribute8	A segment for the location descriptive flexfield.
Attribute9	A segment for the location descriptive flexfield.
AttributeCategory	The context name for the location descriptive flexfield.
AttributeDate1	A date segment for the location descriptive flexfield.
AttributeDate10	A date segment for the location descriptive flexfield.
AttributeDate11	A date segment for the location descriptive flexfield.

Name	Description
AttributeDate12	A date segment for the location descriptive flexfield.
AttributeDate2	A date segment for the location descriptive flexfield.
AttributeDate3	A date segment for the location descriptive flexfield.
AttributeDate4	A date segment for the location descriptive flexfield.
AttributeDate5	A date segment for the location descriptive flexfield.
AttributeDate6	A date segment for the location descriptive flexfield.
AttributeDate7	A date segment for the location descriptive flexfield.
AttributeDate8	A date segment for the location descriptive flexfield.
AttributeDate9	A date segment for the location descriptive flexfield.
AttributeNumber1	A number segment for the location descriptive flexfield.
AttributeNumber10	A number segment for the location descriptive flexfield.
AttributeNumber11	A number segment for the location descriptive flexfield.
AttributeNumber12	A number segment for the location descriptive flexfield.
AttributeNumber2	A number segment for the location descriptive flexfield.
AttributeNumber3	A number segment for the location descriptive flexfield.
AttributeNumber4	A number segment for the location descriptive flexfield.
AttributeNumber5	A number segment for the location descriptive flexfield.
AttributeNumber6	A number segment for the location descriptive flexfield.
AttributeNumber7	A number segment for the location descriptive flexfield.
AttributeNumber8	A number segment for the location descriptive flexfield.
AttributeNumber9	A number segment for the location descriptive flexfield.
Building	The specific building name or number at a given address.
City	The city name of the location.
CliCode	The Common Language Location Identifier (CLLI) code.
Comments	The comments for the record.
Country	The name of the country.
County	The name of the county.
CreatedBy	The user who created the record.
CreatedByModule	The module through which the record was created.
CreationDate	The date and time of creating the record.
DateValidated	The date when the address was last validated.

Name	Description
Description	The free text description of the record.
DoNotValidateFlag	Indicates that a particular location isn't validated, regardless of the current validation status code. If the value is Yes, then the location isn't validated. The default is No.
FaLocationId	Foreign key to the FA_LOCATIONS table.
FloorNumber	Specific floor number at a given address or in a particular building when building number is provided.
HouseType	Indicates the building type for the building in the address. A list of valid values are defined in the lookup HZ_HOUSE_TYPE.
InternalFlag	This is set to Y for identifying internal or legal location. Possible values are Y and N. Default is N.
Language	The language used in the location.
LastUpdateDate	The date and time of last update of the record.
LastUpdateLogin	The login of the user who last updated the record.
LastUpdatedBy	The user who last updated the record.
Latitude	The latitude information for the location which is used for spatial proximity and containment purposes.
LocationDirections	The directions to the address location.
LocationId	The identifier of the location. This is a primary key.
Longitude	The longitude information for the location which is used for spatial proximity and containment purposes.
OrigSystemReference	The identifier for the record from the original system.
Position	The primary direction such as North or East that's used to access the location.
PostalCode	The postal code element of the address.
PostalPlus4Code	The four-digit extension to the United States Postal ZIP code for the address.
Province	The name of the province.
SalesTaxGeocode	The US Sales Tax Jurisdiction code. Use this field to provide a Jurisdiction Code, also called Geocode, defined by Vertex or Taxware. This value is passed as a ship-to location jurisdiction code to the tax partner API.
SalesTaxInsideCityLimits	Indicates whether the location is inside the boundary of a city. Used to calculate state and local taxes in the United States. If the value is 1, then the location is within city limits.
ShortDescription	The short description of the location.
State	The name of the state.
StatusFlag	The record status flag used to soft delete the record. The accepted values are A for active, I for inactive, D for logically deleted, and M for merged. The default is A.
TimezoneCode	The code of the time zone for the location.
ValidatedFlag	Indicates whether the entity was validated. If the value is Y then the entity was validated.
ValidationStatusCode	A standardized status code describing the results of the validation. The value is internally set by system during address cleansing.

Organization Contacts

The organization contact view object contains information about the position of the contact for a party or party site. The records in this view provide information about a contact position such as JOB_TITLE, RANK, and general contact information.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.HzBiccExtractAM.OrganizationContactExtractPVO

Primary Keys : OrgContactId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Attribute1	A segment for the organization contact descriptive flexfield.
Attribute10	A segment for the organization contact descriptive flexfield.
Attribute11	A segment for the organization contact descriptive flexfield.
Attribute12	A segment for the organization contact descriptive flexfield.
Attribute13	A segment for the organization contact descriptive flexfield.
Attribute14	A segment for the organization contact descriptive flexfield.
Attribute15	A segment for the organization contact descriptive flexfield.
Attribute16	A segment for the organization contact descriptive flexfield.
Attribute17	A segment for the organization contact descriptive flexfield.
Attribute18	A segment for the organization contact descriptive flexfield.
Attribute19	A segment for the organization contact descriptive flexfield.
Attribute2	A segment for the organization contact descriptive flexfield.
Attribute20	A segment for the organization contact descriptive flexfield.
Attribute21	A segment for the organization contact descriptive flexfield.
Attribute22	A segment for the organization contact descriptive flexfield.
Attribute23	A segment for the organization contact descriptive flexfield.
Attribute24	A segment for the organization contact descriptive flexfield.
Attribute25	A segment for the organization contact descriptive flexfield.

Name	Description
Attribute26	A segment for the organization contact descriptive flexfield.
Attribute27	A segment for the organization contact descriptive flexfield.
Attribute28	A segment for the organization contact descriptive flexfield.
Attribute29	A segment for the organization contact descriptive flexfield.
Attribute3	A segment for the organization contact descriptive flexfield.
Attribute30	A segment for the organization contact descriptive flexfield.
Attribute4	A segment for the organization contact descriptive flexfield.
Attribute5	A segment for the organization contact descriptive flexfield.
Attribute6	A segment for the organization contact descriptive flexfield.
Attribute7	A segment for the organization contact descriptive flexfield.
Attribute8	A segment for the organization contact descriptive flexfield.
Attribute9	A segment for the organization contact descriptive flexfield.
AttributeCategory	The context name for the organization contact descriptive flexfield.
AttributeDate1	A date segment for the organization contact descriptive flexfield.
AttributeDate10	A date segment for the organization contact descriptive flexfield.
AttributeDate11	A date segment for the organization contact descriptive flexfield.
AttributeDate12	A date segment for the organization contact descriptive flexfield.
AttributeDate2	A date segment for the organization contact descriptive flexfield.
AttributeDate3	A date segment for the organization contact descriptive flexfield.
AttributeDate4	A date segment for the organization contact descriptive flexfield.
AttributeDate5	A date segment for the organization contact descriptive flexfield.
AttributeDate6	A date segment for the organization contact descriptive flexfield.
AttributeDate7	A date segment for the organization contact descriptive flexfield.
AttributeDate8	A date segment for the organization contact descriptive flexfield.
AttributeDate9	A date segment for the organization contact descriptive flexfield.
AttributeNumber1	A number segment for the organization contact descriptive flexfield.
AttributeNumber10	A number segment for the organization contact descriptive flexfield.
AttributeNumber11	A number segment for the organization contact descriptive flexfield.
AttributeNumber12	A number segment for the organization contact descriptive flexfield.
AttributeNumber2	A number segment for the organization contact descriptive flexfield.
AttributeNumber3	A number segment for the organization contact descriptive flexfield.

Name	Description
AttributeNumber4	A number segment for the organization contact descriptive flexfield.
AttributeNumber5	A number segment for the organization contact descriptive flexfield.
AttributeNumber6	A number segment for the organization contact descriptive flexfield.
AttributeNumber7	A number segment for the organization contact descriptive flexfield.
AttributeNumber8	A number segment for the organization contact descriptive flexfield.
AttributeNumber9	A number segment for the organization contact descriptive flexfield.
Comments	The comments entered by the user about the organization contact.
ContactNumber	The user-defined identification number for this contact.
CorpCurrencyCode	The corporate currency code used by the CRM Extensibility framework. It's defaulted to the value set in the profile option ZCA_COMMON_CORPORATE_CURRENCY.
CreatedBy	The user who created the record.
CreatedByModule	The module through which the record was created.
CreationDate	The date and time of creating the record.
CurcyConvRateType	The currency conversion rate type. A list of valid values are defined in the lookup ZCA_COMMON_RATE_TYPE. Review and update the profile option using the Setup and Maintenance work area, Manage Currency Profile Options task.
CurrencyCode	The currency code. A list of valid values are defined in the lookup ZCA_COMMON_CORPORATE_CURRENCY. Review and update the profile option using the Setup and Maintenance work area, Manage Currency Profile Options task.
DecisionMakerFlag	Indicates whether this contact is a decision maker. The values are Y for a decision maker, N for someone who's not the decision maker.
Department	The free form text used to name the department for the contact.
DepartmentCode	The value of the department code for the contact.
ExtnAttributeChar001	A column reserved for custom extension attributes of type string.
ExtnAttributeChar002	A column reserved for custom extension attributes of type string.
ExtnAttributeChar003	A column reserved for custom extension attributes of type string.
ExtnAttributeChar004	A column reserved for custom extension attributes of type string.
ExtnAttributeChar005	A column reserved for custom extension attributes of type string.
ExtnAttributeChar006	A column reserved for custom extension attributes of type string.
ExtnAttributeChar007	A column reserved for custom extension attributes of type string.
ExtnAttributeChar008	A column reserved for custom extension attributes of type string.
ExtnAttributeChar009	A column reserved for custom extension attributes of type string.
ExtnAttributeChar010	A column reserved for custom extension attributes of type string.
ExtnAttributeChar011	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar012	A column reserved for custom extension attributes of type string.
ExtnAttributeChar013	A column reserved for custom extension attributes of type string.
ExtnAttributeChar014	A column reserved for custom extension attributes of type string.
ExtnAttributeChar015	A column reserved for custom extension attributes of type string.
ExtnAttributeChar016	A column reserved for custom extension attributes of type string.
ExtnAttributeChar017	A column reserved for custom extension attributes of type string.
ExtnAttributeChar018	A column reserved for custom extension attributes of type string.
ExtnAttributeChar019	A column reserved for custom extension attributes of type string.
ExtnAttributeChar020	A column reserved for custom extension attributes of type string.
ExtnAttributeChar021	A column reserved for custom extension attributes of type string.
ExtnAttributeChar022	A column reserved for custom extension attributes of type string.
ExtnAttributeChar023	A column reserved for custom extension attributes of type string.
ExtnAttributeChar024	A column reserved for custom extension attributes of type string.
ExtnAttributeChar025	A column reserved for custom extension attributes of type string.
ExtnAttributeChar026	A column reserved for custom extension attributes of type string.
ExtnAttributeChar027	A column reserved for custom extension attributes of type string.
ExtnAttributeChar028	A column reserved for custom extension attributes of type string.
ExtnAttributeChar029	A column reserved for custom extension attributes of type string.
ExtnAttributeChar030	A column reserved for custom extension attributes of type string.
ExtnAttributeChar031	A column reserved for custom extension attributes of type string.
ExtnAttributeChar032	A column reserved for custom extension attributes of type string.
ExtnAttributeChar033	A column reserved for custom extension attributes of type string.
ExtnAttributeChar034	A column reserved for custom extension attributes of type string.
ExtnAttributeChar035	A column reserved for custom extension attributes of type string.
ExtnAttributeChar036	A column reserved for custom extension attributes of type string.
ExtnAttributeChar037	A column reserved for custom extension attributes of type string.
ExtnAttributeChar038	A column reserved for custom extension attributes of type string.
ExtnAttributeChar039	A column reserved for custom extension attributes of type string.
ExtnAttributeChar040	A column reserved for custom extension attributes of type string.
ExtnAttributeChar041	A column reserved for custom extension attributes of type string.
ExtnAttributeChar042	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar043	A column reserved for custom extension attributes of type string.
ExtnAttributeChar044	A column reserved for custom extension attributes of type string.
ExtnAttributeChar045	A column reserved for custom extension attributes of type string.
ExtnAttributeChar046	A column reserved for custom extension attributes of type string.
ExtnAttributeChar047	A column reserved for custom extension attributes of type string.
ExtnAttributeChar048	A column reserved for custom extension attributes of type string.
ExtnAttributeChar049	A column reserved for custom extension attributes of type string.
ExtnAttributeChar050	A column reserved for custom extension attributes of type string.
ExtnAttributeChar051	A column reserved for custom extension attributes of type string.
ExtnAttributeChar052	A column reserved for custom extension attributes of type string.
ExtnAttributeChar053	A column reserved for custom extension attributes of type string.
ExtnAttributeChar054	A column reserved for custom extension attributes of type string.
ExtnAttributeChar055	A column reserved for custom extension attributes of type string.
ExtnAttributeChar056	A column reserved for custom extension attributes of type string.
ExtnAttributeChar057	A column reserved for custom extension attributes of type string.
ExtnAttributeChar058	A column reserved for custom extension attributes of type string.
ExtnAttributeChar059	A column reserved for custom extension attributes of type string.
ExtnAttributeChar060	A column reserved for custom extension attributes of type string.
ExtnAttributeChar061	A column reserved for custom extension attributes of type string.
ExtnAttributeChar062	A column reserved for custom extension attributes of type string.
ExtnAttributeChar063	A column reserved for custom extension attributes of type string.
ExtnAttributeChar064	A column reserved for custom extension attributes of type string.
ExtnAttributeChar065	A column reserved for custom extension attributes of type string.
ExtnAttributeChar066	A column reserved for custom extension attributes of type string.
ExtnAttributeChar067	A column reserved for custom extension attributes of type string.
ExtnAttributeChar068	A column reserved for custom extension attributes of type string.
ExtnAttributeChar069	A column reserved for custom extension attributes of type string.
ExtnAttributeChar070	A column reserved for custom extension attributes of type string.
ExtnAttributeChar071	A column reserved for custom extension attributes of type string.
ExtnAttributeChar072	A column reserved for custom extension attributes of type string.
ExtnAttributeChar073	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar074	A column reserved for custom extension attributes of type string.
ExtnAttributeChar075	A column reserved for custom extension attributes of type string.
ExtnAttributeChar076	A column reserved for custom extension attributes of type string.
ExtnAttributeChar077	A column reserved for custom extension attributes of type string.
ExtnAttributeChar078	A column reserved for custom extension attributes of type string.
ExtnAttributeChar079	A column reserved for custom extension attributes of type string.
ExtnAttributeChar080	A column reserved for custom extension attributes of type string.
ExtnAttributeChar081	A column reserved for custom extension attributes of type string.
ExtnAttributeChar082	A column reserved for custom extension attributes of type string.
ExtnAttributeChar083	A column reserved for custom extension attributes of type string.
ExtnAttributeChar084	A column reserved for custom extension attributes of type string.
ExtnAttributeChar085	A column reserved for custom extension attributes of type string.
ExtnAttributeChar086	A column reserved for custom extension attributes of type string.
ExtnAttributeChar087	A column reserved for custom extension attributes of type string.
ExtnAttributeChar088	A column reserved for custom extension attributes of type string.
ExtnAttributeChar089	A column reserved for custom extension attributes of type string.
ExtnAttributeChar090	A column reserved for custom extension attributes of type string.
ExtnAttributeChar091	A column reserved for custom extension attributes of type string.
ExtnAttributeChar092	A column reserved for custom extension attributes of type string.
ExtnAttributeChar093	A column reserved for custom extension attributes of type string.
ExtnAttributeChar094	A column reserved for custom extension attributes of type string.
ExtnAttributeChar095	A column reserved for custom extension attributes of type string.
ExtnAttributeChar096	A column reserved for custom extension attributes of type string.
ExtnAttributeChar097	A column reserved for custom extension attributes of type string.
ExtnAttributeChar098	A column reserved for custom extension attributes of type string.
ExtnAttributeChar099	A column reserved for custom extension attributes of type string.
ExtnAttributeChar100	A column reserved for custom extension attributes of type string.
ExtnAttributeChar101	A column reserved for custom extension attributes of type string.
ExtnAttributeChar102	A column reserved for custom extension attributes of type string.
ExtnAttributeChar103	A column reserved for custom extension attributes of type string.
ExtnAttributeChar104	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar105	A column reserved for custom extension attributes of type string.
ExtnAttributeChar106	A column reserved for custom extension attributes of type string.
ExtnAttributeChar107	A column reserved for custom extension attributes of type string.
ExtnAttributeChar108	A column reserved for custom extension attributes of type string.
ExtnAttributeChar109	A column reserved for custom extension attributes of type string.
ExtnAttributeChar110	A column reserved for custom extension attributes of type string.
ExtnAttributeChar111	A column reserved for custom extension attributes of type string.
ExtnAttributeChar112	A column reserved for custom extension attributes of type string.
ExtnAttributeChar113	A column reserved for custom extension attributes of type string.
ExtnAttributeChar114	A column reserved for custom extension attributes of type string.
ExtnAttributeChar115	A column reserved for custom extension attributes of type string.
ExtnAttributeChar116	A column reserved for custom extension attributes of type string.
ExtnAttributeChar117	A column reserved for custom extension attributes of type string.
ExtnAttributeChar118	A column reserved for custom extension attributes of type string.
ExtnAttributeChar119	A column reserved for custom extension attributes of type string.
ExtnAttributeChar120	A column reserved for custom extension attributes of type string.
ExtnAttributeChar121	A column reserved for custom extension attributes of type string.
ExtnAttributeChar122	A column reserved for custom extension attributes of type string.
ExtnAttributeChar123	A column reserved for custom extension attributes of type string.
ExtnAttributeChar124	A column reserved for custom extension attributes of type string.
ExtnAttributeChar125	A column reserved for custom extension attributes of type string.
ExtnAttributeChar126	A column reserved for custom extension attributes of type string.
ExtnAttributeChar127	A column reserved for custom extension attributes of type string.
ExtnAttributeChar128	A column reserved for custom extension attributes of type string.
ExtnAttributeChar129	A column reserved for custom extension attributes of type string.
ExtnAttributeChar130	A column reserved for custom extension attributes of type string.
ExtnAttributeChar131	A column reserved for custom extension attributes of type string.
ExtnAttributeChar132	A column reserved for custom extension attributes of type string.
ExtnAttributeChar133	A column reserved for custom extension attributes of type string.
ExtnAttributeChar134	A column reserved for custom extension attributes of type string.
ExtnAttributeChar135	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar136	A column reserved for custom extension attributes of type string.
ExtnAttributeChar137	A column reserved for custom extension attributes of type string.
ExtnAttributeChar138	A column reserved for custom extension attributes of type string.
ExtnAttributeChar139	A column reserved for custom extension attributes of type string.
ExtnAttributeChar140	A column reserved for custom extension attributes of type string.
ExtnAttributeChar141	A column reserved for custom extension attributes of type string.
ExtnAttributeChar142	A column reserved for custom extension attributes of type string.
ExtnAttributeChar143	A column reserved for custom extension attributes of type string.
ExtnAttributeChar144	A column reserved for custom extension attributes of type string.
ExtnAttributeChar145	A column reserved for custom extension attributes of type string.
ExtnAttributeChar146	A column reserved for custom extension attributes of type string.
ExtnAttributeChar147	A column reserved for custom extension attributes of type string.
ExtnAttributeChar148	A column reserved for custom extension attributes of type string.
ExtnAttributeChar149	A column reserved for custom extension attributes of type string.
ExtnAttributeChar150	A column reserved for custom extension attributes of type string.
ExtnAttributeChar151	A column reserved for custom extension attributes of type string.
ExtnAttributeChar152	A column reserved for custom extension attributes of type string.
ExtnAttributeChar153	A column reserved for custom extension attributes of type string.
ExtnAttributeChar154	A column reserved for custom extension attributes of type string.
ExtnAttributeChar155	A column reserved for custom extension attributes of type string.
ExtnAttributeChar156	A column reserved for custom extension attributes of type string.
ExtnAttributeChar157	A column reserved for custom extension attributes of type string.
ExtnAttributeChar158	A column reserved for custom extension attributes of type string.
ExtnAttributeChar159	A column reserved for custom extension attributes of type string.
ExtnAttributeChar160	A column reserved for custom extension attributes of type string.
ExtnAttributeChar161	A column reserved for custom extension attributes of type string.
ExtnAttributeChar162	A column reserved for custom extension attributes of type string.
ExtnAttributeChar163	A column reserved for custom extension attributes of type string.
ExtnAttributeChar164	A column reserved for custom extension attributes of type string.
ExtnAttributeChar165	A column reserved for custom extension attributes of type string.
ExtnAttributeChar166	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar167	A column reserved for custom extension attributes of type string.
ExtnAttributeChar168	A column reserved for custom extension attributes of type string.
ExtnAttributeChar169	A column reserved for custom extension attributes of type string.
ExtnAttributeChar170	A column reserved for custom extension attributes of type string.
ExtnAttributeChar171	A column reserved for custom extension attributes of type string.
ExtnAttributeChar172	A column reserved for custom extension attributes of type string.
ExtnAttributeChar173	A column reserved for custom extension attributes of type string.
ExtnAttributeChar174	A column reserved for custom extension attributes of type string.
ExtnAttributeChar175	A column reserved for custom extension attributes of type string.
ExtnAttributeChar176	A column reserved for custom extension attributes of type string.
ExtnAttributeChar177	A column reserved for custom extension attributes of type string.
ExtnAttributeChar178	A column reserved for custom extension attributes of type string.
ExtnAttributeChar179	A column reserved for custom extension attributes of type string.
ExtnAttributeChar180	A column reserved for custom extension attributes of type string.
ExtnAttributeChar181	A column reserved for custom extension attributes of type string.
ExtnAttributeChar182	A column reserved for custom extension attributes of type string.
ExtnAttributeChar183	A column reserved for custom extension attributes of type string.
ExtnAttributeChar184	A column reserved for custom extension attributes of type string.
ExtnAttributeChar185	A column reserved for custom extension attributes of type string.
ExtnAttributeChar186	A column reserved for custom extension attributes of type string.
ExtnAttributeChar187	A column reserved for custom extension attributes of type string.
ExtnAttributeChar188	A column reserved for custom extension attributes of type string.
ExtnAttributeChar189	A column reserved for custom extension attributes of type string.
ExtnAttributeChar190	A column reserved for custom extension attributes of type string.
ExtnAttributeChar191	A column reserved for custom extension attributes of type string.
ExtnAttributeChar192	A column reserved for custom extension attributes of type string.
ExtnAttributeChar193	A column reserved for custom extension attributes of type string.
ExtnAttributeChar194	A column reserved for custom extension attributes of type string.
ExtnAttributeChar195	A column reserved for custom extension attributes of type string.
ExtnAttributeChar196	A column reserved for custom extension attributes of type string.
ExtnAttributeChar197	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar198	A column reserved for custom extension attributes of type string.
ExtnAttributeChar199	A column reserved for custom extension attributes of type string.
ExtnAttributeChar200	A column reserved for custom extension attributes of type string.
ExtnAttributeChar201	A column reserved for custom extension attributes of type string.
ExtnAttributeChar202	A column reserved for custom extension attributes of type string.
ExtnAttributeChar203	A column reserved for custom extension attributes of type string.
ExtnAttributeChar204	A column reserved for custom extension attributes of type string.
ExtnAttributeChar205	A column reserved for custom extension attributes of type string.
ExtnAttributeChar206	A column reserved for custom extension attributes of type string.
ExtnAttributeChar207	A column reserved for custom extension attributes of type string.
ExtnAttributeChar208	A column reserved for custom extension attributes of type string.
ExtnAttributeChar209	A column reserved for custom extension attributes of type string.
ExtnAttributeChar210	A column reserved for custom extension attributes of type string.
ExtnAttributeChar211	A column reserved for custom extension attributes of type string.
ExtnAttributeChar212	A column reserved for custom extension attributes of type string.
ExtnAttributeChar213	A column reserved for custom extension attributes of type string.
ExtnAttributeChar214	A column reserved for custom extension attributes of type string.
ExtnAttributeChar215	A column reserved for custom extension attributes of type string.
ExtnAttributeChar216	A column reserved for custom extension attributes of type string.
ExtnAttributeChar217	A column reserved for custom extension attributes of type string.
ExtnAttributeChar218	A column reserved for custom extension attributes of type string.
ExtnAttributeChar219	A column reserved for custom extension attributes of type string.
ExtnAttributeChar220	A column reserved for custom extension attributes of type string.
ExtnAttributeChar221	A column reserved for custom extension attributes of type string.
ExtnAttributeChar222	A column reserved for custom extension attributes of type string.
ExtnAttributeChar223	A column reserved for custom extension attributes of type string.
ExtnAttributeChar224	A column reserved for custom extension attributes of type string.
ExtnAttributeChar225	A column reserved for custom extension attributes of type string.
ExtnAttributeChar226	A column reserved for custom extension attributes of type string.
ExtnAttributeChar227	A column reserved for custom extension attributes of type string.
ExtnAttributeChar228	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar229	A column reserved for custom extension attributes of type string.
ExtnAttributeChar230	A column reserved for custom extension attributes of type string.
ExtnAttributeChar231	A column reserved for custom extension attributes of type string.
ExtnAttributeChar232	A column reserved for custom extension attributes of type string.
ExtnAttributeChar233	A column reserved for custom extension attributes of type string.
ExtnAttributeChar234	A column reserved for custom extension attributes of type string.
ExtnAttributeChar235	A column reserved for custom extension attributes of type string.
ExtnAttributeChar236	A column reserved for custom extension attributes of type string.
ExtnAttributeChar237	A column reserved for custom extension attributes of type string.
ExtnAttributeChar238	A column reserved for custom extension attributes of type string.
ExtnAttributeChar239	A column reserved for custom extension attributes of type string.
ExtnAttributeChar240	A column reserved for custom extension attributes of type string.
ExtnAttributeChar241	A column reserved for custom extension attributes of type string.
ExtnAttributeChar242	A column reserved for custom extension attributes of type string.
ExtnAttributeChar243	A column reserved for custom extension attributes of type string.
ExtnAttributeChar244	A column reserved for custom extension attributes of type string.
ExtnAttributeChar245	A column reserved for custom extension attributes of type string.
ExtnAttributeChar246	A column reserved for custom extension attributes of type string.
ExtnAttributeChar247	A column reserved for custom extension attributes of type string.
ExtnAttributeChar248	A column reserved for custom extension attributes of type string.
ExtnAttributeChar249	A column reserved for custom extension attributes of type string.
ExtnAttributeChar250	A column reserved for custom extension attributes of type string.
ExtnAttributeChar251	A column reserved for custom extension attributes of type string.
ExtnAttributeChar252	A column reserved for custom extension attributes of type string.
ExtnAttributeChar253	A column reserved for custom extension attributes of type string.
ExtnAttributeChar254	A column reserved for custom extension attributes of type string.
ExtnAttributeChar255	A column reserved for custom extension attributes of type string.
ExtnAttributeChar256	A column reserved for custom extension attributes of type string.
ExtnAttributeChar257	A column reserved for custom extension attributes of type string.
ExtnAttributeChar258	A column reserved for custom extension attributes of type string.
ExtnAttributeChar259	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar260	A column reserved for custom extension attributes of type string.
ExtnAttributeChar261	A column reserved for custom extension attributes of type string.
ExtnAttributeChar262	A column reserved for custom extension attributes of type string.
ExtnAttributeChar263	A column reserved for custom extension attributes of type string.
ExtnAttributeChar264	A column reserved for custom extension attributes of type string.
ExtnAttributeChar265	A column reserved for custom extension attributes of type string.
ExtnAttributeChar266	A column reserved for custom extension attributes of type string.
ExtnAttributeChar267	A column reserved for custom extension attributes of type string.
ExtnAttributeChar268	A column reserved for custom extension attributes of type string.
ExtnAttributeChar269	A column reserved for custom extension attributes of type string.
ExtnAttributeChar270	A column reserved for custom extension attributes of type string.
ExtnAttributeChar271	A column reserved for custom extension attributes of type string.
ExtnAttributeChar272	A column reserved for custom extension attributes of type string.
ExtnAttributeChar273	A column reserved for custom extension attributes of type string.
ExtnAttributeChar274	A column reserved for custom extension attributes of type string.
ExtnAttributeChar275	A column reserved for custom extension attributes of type string.
ExtnAttributeChar276	A column reserved for custom extension attributes of type string.
ExtnAttributeChar277	A column reserved for custom extension attributes of type string.
ExtnAttributeChar278	A column reserved for custom extension attributes of type string.
ExtnAttributeChar279	A column reserved for custom extension attributes of type string.
ExtnAttributeChar280	A column reserved for custom extension attributes of type string.
ExtnAttributeChar281	A column reserved for custom extension attributes of type string.
ExtnAttributeChar282	A column reserved for custom extension attributes of type string.
ExtnAttributeChar283	A column reserved for custom extension attributes of type string.
ExtnAttributeChar284	A column reserved for custom extension attributes of type string.
ExtnAttributeChar285	A column reserved for custom extension attributes of type string.
ExtnAttributeChar286	A column reserved for custom extension attributes of type string.
ExtnAttributeChar287	A column reserved for custom extension attributes of type string.
ExtnAttributeChar288	A column reserved for custom extension attributes of type string.
ExtnAttributeChar289	A column reserved for custom extension attributes of type string.
ExtnAttributeChar290	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar291	A column reserved for custom extension attributes of type string.
ExtnAttributeChar292	A column reserved for custom extension attributes of type string.
ExtnAttributeChar293	A column reserved for custom extension attributes of type string.
ExtnAttributeChar294	A column reserved for custom extension attributes of type string.
ExtnAttributeChar295	A column reserved for custom extension attributes of type string.
ExtnAttributeChar296	A column reserved for custom extension attributes of type string.
ExtnAttributeChar297	A column reserved for custom extension attributes of type string.
ExtnAttributeChar298	A column reserved for custom extension attributes of type string.
ExtnAttributeChar299	A column reserved for custom extension attributes of type string.
ExtnAttributeChar300	A column reserved for custom extension attributes of type string.
ExtnAttributeChar301	A column reserved for custom extension attributes of type string.
ExtnAttributeChar302	A column reserved for custom extension attributes of type string.
ExtnAttributeChar303	A column reserved for custom extension attributes of type string.
ExtnAttributeChar304	A column reserved for custom extension attributes of type string.
ExtnAttributeChar305	A column reserved for custom extension attributes of type string.
ExtnAttributeChar306	A column reserved for custom extension attributes of type string.
ExtnAttributeChar307	A column reserved for custom extension attributes of type string.
ExtnAttributeChar308	A column reserved for custom extension attributes of type string.
ExtnAttributeChar309	A column reserved for custom extension attributes of type string.
ExtnAttributeChar310	A column reserved for custom extension attributes of type string.
ExtnAttributeChar311	A column reserved for custom extension attributes of type string.
ExtnAttributeChar312	A column reserved for custom extension attributes of type string.
ExtnAttributeChar313	A column reserved for custom extension attributes of type string.
ExtnAttributeChar314	A column reserved for custom extension attributes of type string.
ExtnAttributeChar315	A column reserved for custom extension attributes of type string.
ExtnAttributeChar316	A column reserved for custom extension attributes of type string.
ExtnAttributeChar317	A column reserved for custom extension attributes of type string.
ExtnAttributeChar318	A column reserved for custom extension attributes of type string.
ExtnAttributeChar319	A column reserved for custom extension attributes of type string.
ExtnAttributeChar320	A column reserved for custom extension attributes of type string.
ExtnAttributeChar321	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar322	A column reserved for custom extension attributes of type string.
ExtnAttributeChar323	A column reserved for custom extension attributes of type string.
ExtnAttributeChar324	A column reserved for custom extension attributes of type string.
ExtnAttributeChar325	A column reserved for custom extension attributes of type string.
ExtnAttributeChar326	A column reserved for custom extension attributes of type string.
ExtnAttributeChar327	A column reserved for custom extension attributes of type string.
ExtnAttributeChar328	A column reserved for custom extension attributes of type string.
ExtnAttributeChar329	A column reserved for custom extension attributes of type string.
ExtnAttributeChar330	A column reserved for custom extension attributes of type string.
ExtnAttributeChar331	A column reserved for custom extension attributes of type string.
ExtnAttributeChar332	A column reserved for custom extension attributes of type string.
ExtnAttributeChar333	A column reserved for custom extension attributes of type string.
ExtnAttributeChar334	A column reserved for custom extension attributes of type string.
ExtnAttributeChar335	A column reserved for custom extension attributes of type string.
ExtnAttributeChar336	A column reserved for custom extension attributes of type string.
ExtnAttributeChar337	A column reserved for custom extension attributes of type string.
ExtnAttributeChar338	A column reserved for custom extension attributes of type string.
ExtnAttributeChar339	A column reserved for custom extension attributes of type string.
ExtnAttributeChar340	A column reserved for custom extension attributes of type string.
ExtnAttributeChar341	A column reserved for custom extension attributes of type string.
ExtnAttributeChar342	A column reserved for custom extension attributes of type string.
ExtnAttributeChar343	A column reserved for custom extension attributes of type string.
ExtnAttributeChar344	A column reserved for custom extension attributes of type string.
ExtnAttributeChar345	A column reserved for custom extension attributes of type string.
ExtnAttributeChar346	A column reserved for custom extension attributes of type string.
ExtnAttributeChar347	A column reserved for custom extension attributes of type string.
ExtnAttributeChar348	A column reserved for custom extension attributes of type string.
ExtnAttributeChar349	A column reserved for custom extension attributes of type string.
ExtnAttributeChar350	A column reserved for custom extension attributes of type string.
ExtnAttributeClob001	A column reserved for custom extension attributes of type string.
ExtnAttributeClob002	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeClob003	A column reserved for custom extension attributes of type string.
ExtnAttributeClob004	A column reserved for custom extension attributes of type string.
ExtnAttributeClob005	A column reserved for custom extension attributes of type string.
ExtnAttributeClob006	A column reserved for custom extension attributes of type string.
ExtnAttributeClob007	A column reserved for custom extension attributes of type string.
ExtnAttributeClob008	A column reserved for custom extension attributes of type string.
ExtnAttributeClob009	A column reserved for custom extension attributes of type string.
ExtnAttributeClob010	A column reserved for custom extension attributes of type string.
ExtnAttributeClob011	A column reserved for custom extension attributes of type string.
ExtnAttributeClob012	A column reserved for custom extension attributes of type string.
ExtnAttributeClob013	A column reserved for custom extension attributes of type string.
ExtnAttributeClob014	A column reserved for custom extension attributes of type string.
ExtnAttributeClob015	A column reserved for custom extension attributes of type string.
ExtnAttributeClob016	A column reserved for custom extension attributes of type string.
ExtnAttributeClob017	A column reserved for custom extension attributes of type string.
ExtnAttributeClob018	A column reserved for custom extension attributes of type string.
ExtnAttributeClob019	A column reserved for custom extension attributes of type string.
ExtnAttributeClob020	A column reserved for custom extension attributes of type string.
ExtnAttributeClob021	A column reserved for custom extension attributes of type string.
ExtnAttributeClob022	A column reserved for custom extension attributes of type string.
ExtnAttributeClob023	A column reserved for custom extension attributes of type string.
ExtnAttributeClob024	A column reserved for custom extension attributes of type string.
ExtnAttributeClob025	A column reserved for custom extension attributes of type string.
ExtnAttributeNumber001	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber002	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber003	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber004	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber005	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber006	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber007	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber008	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber009	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber010	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber011	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber012	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber013	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber014	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber015	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber016	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber017	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber018	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber019	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber020	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber021	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber022	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber023	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber024	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber025	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber026	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber027	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber028	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber029	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber030	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber031	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber032	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber033	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber034	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber035	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber036	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber037	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber038	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber039	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber040	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber041	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber042	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber043	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber044	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber045	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber046	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber047	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber048	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber049	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber050	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber051	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber052	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber053	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber054	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber055	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber056	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber057	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber058	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber059	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber060	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber061	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber062	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber063	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber064	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber065	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber066	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber067	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber068	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber069	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber070	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber071	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber072	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber073	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber074	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber075	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber076	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber077	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber078	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber079	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber080	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber081	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber082	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber083	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber084	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber085	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber086	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber087	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber088	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber089	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber090	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber091	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber092	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber093	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber094	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber095	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber096	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber097	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber098	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber099	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber100	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber101	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber102	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber103	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber104	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber105	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber106	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber107	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber108	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber109	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber110	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber111	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber112	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber113	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber114	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber115	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber116	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber117	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber118	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber119	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber120	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber121	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber122	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber123	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber124	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber125	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber126	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber127	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber128	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber129	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber130	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber131	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber132	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber133	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber134	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber135	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber136	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber137	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber138	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber139	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber140	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber141	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber142	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber143	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber144	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber145	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber146	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber147	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber148	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber149	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber150	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber151	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber152	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber153	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber154	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber155	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber156	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber157	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber158	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber159	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber160	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber161	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber162	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber163	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber164	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber165	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber166	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber167	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber168	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber169	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber170	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber171	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber172	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber173	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber174	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber175	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber176	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber177	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber178	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber179	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber180	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber181	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber182	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber183	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber184	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber185	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber186	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber187	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber188	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber189	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber190	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber191	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber192	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber193	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber194	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber195	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber196	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber197	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber198	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber199	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber200	A column reserved for custom extension attributes of type number.
ExtnAttributeTimestamp001	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp002	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp003	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp004	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp005	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp006	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp007	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp008	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp009	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp010	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp011	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp012	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp013	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp014	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp015	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp016	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp017	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp018	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp019	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp020	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp021	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp022	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp023	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp024	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp025	A column reserved for custom extension attributes of type timestamp.

Name	Description
ExtnAttributeTimestamp026	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp027	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp028	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp029	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp030	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp031	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp032	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp033	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp034	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp035	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp036	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp037	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp038	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp039	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp040	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp041	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp042	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp043	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp044	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp045	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp046	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp047	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp048	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp049	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp050	A column reserved for custom extension attributes of type timestamp.
JobTitle	The free form text for job title for the contact associated to an account.
JobTitleCode	The value of the code for the job title of the contact person.
LastUpdateDate	The date and time of last update of the record.
LastUpdateLogin	The login of the user who last updated the record.
LastUpdatedBy	The user who last updated the record.
OrgContactId	Identifier of the organization contact.

Name	Description
OrigSystemReference	The identifier for the record from the original system.
PartyRelationshipId	Identifies relationship that contact person has with an organization or person. Foreign key to the HZ_RELATIONSHIPS table.
PartySiteId	Indicates whether contact is for a particular party site. Foreign key to the party site view object.
Rank	Importance of the contact relative to other contacts
ReferenceUseFlag	Indicates whether this contact can be used as a reference. The values are Y for a contact who will act as a reference, N for a contact who can't act as a reference.
SalesAffinityCode	The contact's affinity for the deploying organization.
SalesAffinityComments	The comments describing the contact's affinity for the deploying organization.
SalesBuyingRoleCode	The contact's role in the buying process.
SalesInfluenceLevelCode	The contact's level of influence in the buying process.
UserLastUpdateDate	The date and time when the row was last updated. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database such as a different mobile database or the server.

Organizations

The organization view object contains information specific to an Organization, like the total number of employees in a company or whether a company is minority owned and the historical data for the organization, and so on. Every time when an organization's information is changed, the effective end date column for the original record is updated and a new record that contains the updated information is created.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.HzBiccExtractAM.OrganizationExtractPVO

Primary Keys : OrganizationProfileId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
AccountScore	A score that enables you to prioritize your accounts.
AccountScoringTier	Tier assigned based on custom criteria by the user.
ActualContentSource	Additional Content Source Type column for backward compatibility.
AnalysisFy	The fiscal year that the financial information is based on.

Name	Description
Attribute1	A segment for the organization descriptive flexfield.
Attribute10	A segment for the organization descriptive flexfield.
Attribute11	A segment for the organization descriptive flexfield.
Attribute12	A segment for the organization descriptive flexfield.
Attribute13	A segment for the organization descriptive flexfield.
Attribute14	A segment for the organization descriptive flexfield.
Attribute15	A segment for the organization descriptive flexfield.
Attribute16	A segment for the organization descriptive flexfield.
Attribute17	A segment for the organization descriptive flexfield.
Attribute18	A segment for the organization descriptive flexfield.
Attribute19	A segment for the organization descriptive flexfield.
Attribute2	A segment for the organization descriptive flexfield.
Attribute20	A segment for the organization descriptive flexfield.
Attribute21	A segment for the organization descriptive flexfield.
Attribute22	A segment for the organization descriptive flexfield.
Attribute23	A segment for the organization descriptive flexfield.
Attribute24	A segment for the organization descriptive flexfield.
Attribute25	A segment for the organization descriptive flexfield.
Attribute26	A segment for the organization descriptive flexfield.
Attribute27	A segment for the organization descriptive flexfield.
Attribute28	A segment for the organization descriptive flexfield.
Attribute29	A segment for the organization descriptive flexfield.
Attribute3	A segment for the organization descriptive flexfield.
Attribute30	A segment for the organization descriptive flexfield.
Attribute4	A segment for the organization descriptive flexfield.
Attribute5	A segment for the organization descriptive flexfield.
Attribute6	A segment for the organization descriptive flexfield.
Attribute7	A segment for the organization descriptive flexfield.
Attribute8	A segment for the organization descriptive flexfield.
Attribute9	A segment for the organization descriptive flexfield.
AttributeCategory	The context name for the organization descriptive flexfield.

Name	Description
AttributeDate1	A date segment for the organization descriptive flexfield.
AttributeDate10	A date segment for the organization descriptive flexfield.
AttributeDate11	A date segment for the organization descriptive flexfield.
AttributeDate12	A date segment for the organization descriptive flexfield.
AttributeDate2	A date segment for the organization descriptive flexfield.
AttributeDate3	A date segment for the organization descriptive flexfield.
AttributeDate4	A date segment for the organization descriptive flexfield.
AttributeDate5	A date segment for the organization descriptive flexfield.
AttributeDate6	A date segment for the organization descriptive flexfield.
AttributeDate7	A date segment for the organization descriptive flexfield.
AttributeDate8	A date segment for the organization descriptive flexfield.
AttributeDate9	A date segment for the organization descriptive flexfield.
AttributeNumber1	A number segment for the organization descriptive flexfield.
AttributeNumber10	A number segment for the organization descriptive flexfield.
AttributeNumber11	A number segment for the organization descriptive flexfield.
AttributeNumber12	A number segment for the organization descriptive flexfield.
AttributeNumber2	A number segment for the organization descriptive flexfield.
AttributeNumber3	A number segment for the organization descriptive flexfield.
AttributeNumber4	A number segment for the organization descriptive flexfield.
AttributeNumber5	A number segment for the organization descriptive flexfield.
AttributeNumber6	A number segment for the organization descriptive flexfield.
AttributeNumber7	A number segment for the organization descriptive flexfield.
AttributeNumber8	A number segment for the organization descriptive flexfield.
AttributeNumber9	A number segment for the organization descriptive flexfield.
BankCode	Identifies the bank in several countries, typically for regulatory purposes.
BankOrBranchNumber	Stores bank number for banks and branch number for bank branches. Primarily stores ABA number for US bank branches.
BranchCode	Identifies the bank branch in several countries, typically for regulatory purposes.
BranchFlag	Indicates whether this is a branch location. If the value is True, then this is a branch location.
BusinessReport	Dun and Bradstreet Business Information Report.
BusinessScope	The physical class of business in which a business participates. For example, local, national, or international.

Name	Description
CeoName	The name of the chief executive officer.
CeoTitle	The formal title of the chief executive officer.
CertReasonCode	The reason for the organization party's current certification level assignment as indicated by the HZ_PARTY_CERT_REASON lookup type.
CertificationLevel	The certification level the organization party as indicated in the HZ_PARTY_CERT_LEVEL lookup type.
CleanlinessScore	The overall score for the contact or account record for category Cleanliness.
Comments	The comments entered by the user about the organization.
CompletenessScore	The overall score for the contact or account record for category Completeness.
CongDistCode	The U.S. Congressional district code for the organization.
ContentSourceNumber	The content source number.
ControlYr	The year when current ownership gained control of the organization.
CorpCurrencyCode	The corporate currency code associated with the record. This attribute is used by CRM Extensibility framework.
CorporationClass	The taxation classification for corporation entities such as Chapter S in the US.
CreatedBy	The user who created the record.
CreatedByModule	The module through which the record was created.
CreationDate	The date and time of creating the record.
CurcyConvRateType	The currency conversion rate type. A list of valid values are defined in the lookup ZCA_COMMON_RATE_TYPE. Review and update the profile option using the Setup and Maintenance work area, Manage Currency Profile Options task.
CurrFyPotentialRevenue	The estimated revenues that can be earned by the organization during its current fiscal year.
CurrencyCode	The currency code. A list of valid values are defined in the lookup ZCA_COMMON_CORPORATE_CURRENCY. Review and update the profile option using the Setup and Maintenance work area, Manage Currency Profile Options task.
DataCloudStatus	Specifies the enrichment status of the organization.
DataConfidenceScore	The overall Data confidence Score that indicates the level of data quality for a particular record.
DatafoxCompanyId	The data fox company identifier.
DbRating	The Dun and Bradstreet credit rating.
Description	Short description for the company.
Disadv8aInd	Indicates whether the organization is considered disadvantaged by the US government under Title 8A. If the value is Yes, the organization is considered disadvantaged under Title 8A. The default value is No.
DisplayedDunsPartyId	Dun and Bradstreet doesn't maintain data for the branch offices of companies that are located outside of North America. Data is only maintained for the company's headquarters. If the data pertains only to a company's headquarters, this column stores the headquarters's PARTY_ID. If the data pertains to a branch office, this column stores the branch's PARTY_ID.
DoNotConfuseWith	Indicates existence of similarly named business.

Name	Description
DomesticUltimateDunsNumC	Duns Number for the Domestic Ultimate, which is the highest family member in the same country as this business entity. A subject may be its own Domestic Ultimate.
DunsNumberC	The nine-digit identification number that's assigned to business entities by Dun and Bradstreet.
DuplicateIndicator	Signifies the duplicate status of the record determined as follows. A null value indicates that either the record isn't a duplicate or it hasn't been evaluated. The record can also have one of 2 other values - DUPE indicating the record is a duplicate and LINK indicating the record is linked to another record.
DuplicateScore	The overall score for the contact or account record for category Duplicate.
EffectiveEndDate	The date and time when the organization record becomes inactive.
EffectiveLatestChange	Y indicates that this row represents the latest change in the day.
EffectiveSequence	Indicates the order of different changes made during a day. The lowest value represents the earliest change in the day.
EffectiveStartDate	The date and time when the organization record becomes active.
EmpAtPrimaryAdr	The number of employees at the referenced address.
EmpAtPrimaryAdrEstInd	Indicates the calculation of employees at the primary address as estimated.
EmpAtPrimaryAdrMinInd	Indicates the calculation of employees at the primary address as minimum.
EmpAtPrimaryAdrText	The number of employees at the referenced address which can't be mapped to a number.
EmployeesTotal	The total number of employees.
EnquiryDuns	Identifier used to query the Dun and Bradstreet data. If a location is a branch, then in some countries the headquarters Duns number is used to do the query. Otherwise it's the same as the Duns number.
EnrichmentScore	The overall score for the contact or account record for category Enrichment.
ExportInd	Indicates whether the organization is an exporter. If the value is Y, then the organization is an exporter. The default value is N.
ExtnAttributeChar001	A column reserved for custom extension attributes of type string.
ExtnAttributeChar002	A column reserved for custom extension attributes of type string.
ExtnAttributeChar003	A column reserved for custom extension attributes of type string.
ExtnAttributeChar004	A column reserved for custom extension attributes of type string.
ExtnAttributeChar005	A column reserved for custom extension attributes of type string.
ExtnAttributeChar006	A column reserved for custom extension attributes of type string.
ExtnAttributeChar007	A column reserved for custom extension attributes of type string.
ExtnAttributeChar008	A column reserved for custom extension attributes of type string.
ExtnAttributeChar009	A column reserved for custom extension attributes of type string.
ExtnAttributeChar010	A column reserved for custom extension attributes of type string.
ExtnAttributeChar011	A column reserved for custom extension attributes of type string.
ExtnAttributeChar012	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar013	A column reserved for custom extension attributes of type string.
ExtnAttributeChar014	A column reserved for custom extension attributes of type string.
ExtnAttributeChar015	A column reserved for custom extension attributes of type string.
ExtnAttributeChar016	A column reserved for custom extension attributes of type string.
ExtnAttributeChar017	A column reserved for custom extension attributes of type string.
ExtnAttributeChar018	A column reserved for custom extension attributes of type string.
ExtnAttributeChar019	A column reserved for custom extension attributes of type string.
ExtnAttributeChar020	A column reserved for custom extension attributes of type string.
ExtnAttributeChar021	A column reserved for custom extension attributes of type string.
ExtnAttributeChar022	A column reserved for custom extension attributes of type string.
ExtnAttributeChar023	A column reserved for custom extension attributes of type string.
ExtnAttributeChar024	A column reserved for custom extension attributes of type string.
ExtnAttributeChar025	A column reserved for custom extension attributes of type string.
ExtnAttributeChar026	A column reserved for custom extension attributes of type string.
ExtnAttributeChar027	A column reserved for custom extension attributes of type string.
ExtnAttributeChar028	A column reserved for custom extension attributes of type string.
ExtnAttributeChar029	A column reserved for custom extension attributes of type string.
ExtnAttributeChar030	A column reserved for custom extension attributes of type string.
ExtnAttributeChar031	A column reserved for custom extension attributes of type string.
ExtnAttributeChar032	A column reserved for custom extension attributes of type string.
ExtnAttributeChar033	A column reserved for custom extension attributes of type string.
ExtnAttributeChar034	A column reserved for custom extension attributes of type string.
ExtnAttributeChar035	A column reserved for custom extension attributes of type string.
ExtnAttributeChar036	A column reserved for custom extension attributes of type string.
ExtnAttributeChar037	A column reserved for custom extension attributes of type string.
ExtnAttributeChar038	A column reserved for custom extension attributes of type string.
ExtnAttributeChar039	A column reserved for custom extension attributes of type string.
ExtnAttributeChar040	A column reserved for custom extension attributes of type string.
ExtnAttributeChar041	A column reserved for custom extension attributes of type string.
ExtnAttributeChar042	A column reserved for custom extension attributes of type string.
ExtnAttributeChar043	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar044	A column reserved for custom extension attributes of type string.
ExtnAttributeChar045	A column reserved for custom extension attributes of type string.
ExtnAttributeChar046	A column reserved for custom extension attributes of type string.
ExtnAttributeChar047	A column reserved for custom extension attributes of type string.
ExtnAttributeChar048	A column reserved for custom extension attributes of type string.
ExtnAttributeChar049	A column reserved for custom extension attributes of type string.
ExtnAttributeChar050	A column reserved for custom extension attributes of type string.
ExtnAttributeChar051	A column reserved for custom extension attributes of type string.
ExtnAttributeChar052	A column reserved for custom extension attributes of type string.
ExtnAttributeChar053	A column reserved for custom extension attributes of type string.
ExtnAttributeChar054	A column reserved for custom extension attributes of type string.
ExtnAttributeChar055	A column reserved for custom extension attributes of type string.
ExtnAttributeChar056	A column reserved for custom extension attributes of type string.
ExtnAttributeChar057	A column reserved for custom extension attributes of type string.
ExtnAttributeChar058	A column reserved for custom extension attributes of type string.
ExtnAttributeChar059	A column reserved for custom extension attributes of type string.
ExtnAttributeChar060	A column reserved for custom extension attributes of type string.
ExtnAttributeChar061	A column reserved for custom extension attributes of type string.
ExtnAttributeChar062	A column reserved for custom extension attributes of type string.
ExtnAttributeChar063	A column reserved for custom extension attributes of type string.
ExtnAttributeChar064	A column reserved for custom extension attributes of type string.
ExtnAttributeChar065	A column reserved for custom extension attributes of type string.
ExtnAttributeChar066	A column reserved for custom extension attributes of type string.
ExtnAttributeChar067	A column reserved for custom extension attributes of type string.
ExtnAttributeChar068	A column reserved for custom extension attributes of type string.
ExtnAttributeChar069	A column reserved for custom extension attributes of type string.
ExtnAttributeChar070	A column reserved for custom extension attributes of type string.
ExtnAttributeChar071	A column reserved for custom extension attributes of type string.
ExtnAttributeChar072	A column reserved for custom extension attributes of type string.
ExtnAttributeChar073	A column reserved for custom extension attributes of type string.
ExtnAttributeChar074	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar075	A column reserved for custom extension attributes of type string.
ExtnAttributeChar076	A column reserved for custom extension attributes of type string.
ExtnAttributeChar077	A column reserved for custom extension attributes of type string.
ExtnAttributeChar078	A column reserved for custom extension attributes of type string.
ExtnAttributeChar079	A column reserved for custom extension attributes of type string.
ExtnAttributeChar080	A column reserved for custom extension attributes of type string.
ExtnAttributeChar081	A column reserved for custom extension attributes of type string.
ExtnAttributeChar082	A column reserved for custom extension attributes of type string.
ExtnAttributeChar083	A column reserved for custom extension attributes of type string.
ExtnAttributeChar084	A column reserved for custom extension attributes of type string.
ExtnAttributeChar085	A column reserved for custom extension attributes of type string.
ExtnAttributeChar086	A column reserved for custom extension attributes of type string.
ExtnAttributeChar087	A column reserved for custom extension attributes of type string.
ExtnAttributeChar088	A column reserved for custom extension attributes of type string.
ExtnAttributeChar089	A column reserved for custom extension attributes of type string.
ExtnAttributeChar090	A column reserved for custom extension attributes of type string.
ExtnAttributeChar091	A column reserved for custom extension attributes of type string.
ExtnAttributeChar092	A column reserved for custom extension attributes of type string.
ExtnAttributeChar093	A column reserved for custom extension attributes of type string.
ExtnAttributeChar094	A column reserved for custom extension attributes of type string.
ExtnAttributeChar095	A column reserved for custom extension attributes of type string.
ExtnAttributeChar096	A column reserved for custom extension attributes of type string.
ExtnAttributeChar097	A column reserved for custom extension attributes of type string.
ExtnAttributeChar098	A column reserved for custom extension attributes of type string.
ExtnAttributeChar099	A column reserved for custom extension attributes of type string.
ExtnAttributeChar100	A column reserved for custom extension attributes of type string.
ExtnAttributeChar101	A column reserved for custom extension attributes of type string.
ExtnAttributeChar102	A column reserved for custom extension attributes of type string.
ExtnAttributeChar103	A column reserved for custom extension attributes of type string.
ExtnAttributeChar104	A column reserved for custom extension attributes of type string.
ExtnAttributeChar105	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar106	A column reserved for custom extension attributes of type string.
ExtnAttributeChar107	A column reserved for custom extension attributes of type string.
ExtnAttributeChar108	A column reserved for custom extension attributes of type string.
ExtnAttributeChar109	A column reserved for custom extension attributes of type string.
ExtnAttributeChar110	A column reserved for custom extension attributes of type string.
ExtnAttributeChar111	A column reserved for custom extension attributes of type string.
ExtnAttributeChar112	A column reserved for custom extension attributes of type string.
ExtnAttributeChar113	A column reserved for custom extension attributes of type string.
ExtnAttributeChar114	A column reserved for custom extension attributes of type string.
ExtnAttributeChar115	A column reserved for custom extension attributes of type string.
ExtnAttributeChar116	A column reserved for custom extension attributes of type string.
ExtnAttributeChar117	A column reserved for custom extension attributes of type string.
ExtnAttributeChar118	A column reserved for custom extension attributes of type string.
ExtnAttributeChar119	A column reserved for custom extension attributes of type string.
ExtnAttributeChar120	A column reserved for custom extension attributes of type string.
ExtnAttributeChar121	A column reserved for custom extension attributes of type string.
ExtnAttributeChar122	A column reserved for custom extension attributes of type string.
ExtnAttributeChar123	A column reserved for custom extension attributes of type string.
ExtnAttributeChar124	A column reserved for custom extension attributes of type string.
ExtnAttributeChar125	A column reserved for custom extension attributes of type string.
ExtnAttributeChar126	A column reserved for custom extension attributes of type string.
ExtnAttributeChar127	A column reserved for custom extension attributes of type string.
ExtnAttributeChar128	A column reserved for custom extension attributes of type string.
ExtnAttributeChar129	A column reserved for custom extension attributes of type string.
ExtnAttributeChar130	A column reserved for custom extension attributes of type string.
ExtnAttributeChar131	A column reserved for custom extension attributes of type string.
ExtnAttributeChar132	A column reserved for custom extension attributes of type string.
ExtnAttributeChar133	A column reserved for custom extension attributes of type string.
ExtnAttributeChar134	A column reserved for custom extension attributes of type string.
ExtnAttributeChar135	A column reserved for custom extension attributes of type string.
ExtnAttributeChar136	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar137	A column reserved for custom extension attributes of type string.
ExtnAttributeChar138	A column reserved for custom extension attributes of type string.
ExtnAttributeChar139	A column reserved for custom extension attributes of type string.
ExtnAttributeChar140	A column reserved for custom extension attributes of type string.
ExtnAttributeChar141	A column reserved for custom extension attributes of type string.
ExtnAttributeChar142	A column reserved for custom extension attributes of type string.
ExtnAttributeChar143	A column reserved for custom extension attributes of type string.
ExtnAttributeChar144	A column reserved for custom extension attributes of type string.
ExtnAttributeChar145	A column reserved for custom extension attributes of type string.
ExtnAttributeChar146	A column reserved for custom extension attributes of type string.
ExtnAttributeChar147	A column reserved for custom extension attributes of type string.
ExtnAttributeChar148	A column reserved for custom extension attributes of type string.
ExtnAttributeChar149	A column reserved for custom extension attributes of type string.
ExtnAttributeChar150	A column reserved for custom extension attributes of type string.
ExtnAttributeChar151	A column reserved for custom extension attributes of type string.
ExtnAttributeChar152	A column reserved for custom extension attributes of type string.
ExtnAttributeChar153	A column reserved for custom extension attributes of type string.
ExtnAttributeChar154	A column reserved for custom extension attributes of type string.
ExtnAttributeChar155	A column reserved for custom extension attributes of type string.
ExtnAttributeChar156	A column reserved for custom extension attributes of type string.
ExtnAttributeChar157	A column reserved for custom extension attributes of type string.
ExtnAttributeChar158	A column reserved for custom extension attributes of type string.
ExtnAttributeChar159	A column reserved for custom extension attributes of type string.
ExtnAttributeChar160	A column reserved for custom extension attributes of type string.
ExtnAttributeChar161	A column reserved for custom extension attributes of type string.
ExtnAttributeChar162	A column reserved for custom extension attributes of type string.
ExtnAttributeChar163	A column reserved for custom extension attributes of type string.
ExtnAttributeChar164	A column reserved for custom extension attributes of type string.
ExtnAttributeChar165	A column reserved for custom extension attributes of type string.
ExtnAttributeChar166	A column reserved for custom extension attributes of type string.
ExtnAttributeChar167	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar168	A column reserved for custom extension attributes of type string.
ExtnAttributeChar169	A column reserved for custom extension attributes of type string.
ExtnAttributeChar170	A column reserved for custom extension attributes of type string.
ExtnAttributeChar171	A column reserved for custom extension attributes of type string.
ExtnAttributeChar172	A column reserved for custom extension attributes of type string.
ExtnAttributeChar173	A column reserved for custom extension attributes of type string.
ExtnAttributeChar174	A column reserved for custom extension attributes of type string.
ExtnAttributeChar175	A column reserved for custom extension attributes of type string.
ExtnAttributeChar176	A column reserved for custom extension attributes of type string.
ExtnAttributeChar177	A column reserved for custom extension attributes of type string.
ExtnAttributeChar178	A column reserved for custom extension attributes of type string.
ExtnAttributeChar179	A column reserved for custom extension attributes of type string.
ExtnAttributeChar180	A column reserved for custom extension attributes of type string.
ExtnAttributeChar181	A column reserved for custom extension attributes of type string.
ExtnAttributeChar182	A column reserved for custom extension attributes of type string.
ExtnAttributeChar183	A column reserved for custom extension attributes of type string.
ExtnAttributeChar184	A column reserved for custom extension attributes of type string.
ExtnAttributeChar185	A column reserved for custom extension attributes of type string.
ExtnAttributeChar186	A column reserved for custom extension attributes of type string.
ExtnAttributeChar187	A column reserved for custom extension attributes of type string.
ExtnAttributeChar188	A column reserved for custom extension attributes of type string.
ExtnAttributeChar189	A column reserved for custom extension attributes of type string.
ExtnAttributeChar190	A column reserved for custom extension attributes of type string.
ExtnAttributeChar191	A column reserved for custom extension attributes of type string.
ExtnAttributeChar192	A column reserved for custom extension attributes of type string.
ExtnAttributeChar193	A column reserved for custom extension attributes of type string.
ExtnAttributeChar194	A column reserved for custom extension attributes of type string.
ExtnAttributeChar195	A column reserved for custom extension attributes of type string.
ExtnAttributeChar196	A column reserved for custom extension attributes of type string.
ExtnAttributeChar197	A column reserved for custom extension attributes of type string.
ExtnAttributeChar198	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar199	A column reserved for custom extension attributes of type string.
ExtnAttributeChar200	A column reserved for custom extension attributes of type string.
ExtnAttributeChar201	A column reserved for custom extension attributes of type string.
ExtnAttributeChar202	A column reserved for custom extension attributes of type string.
ExtnAttributeChar203	A column reserved for custom extension attributes of type string.
ExtnAttributeChar204	A column reserved for custom extension attributes of type string.
ExtnAttributeChar205	A column reserved for custom extension attributes of type string.
ExtnAttributeChar206	A column reserved for custom extension attributes of type string.
ExtnAttributeChar207	A column reserved for custom extension attributes of type string.
ExtnAttributeChar208	A column reserved for custom extension attributes of type string.
ExtnAttributeChar209	A column reserved for custom extension attributes of type string.
ExtnAttributeChar210	A column reserved for custom extension attributes of type string.
ExtnAttributeChar211	A column reserved for custom extension attributes of type string.
ExtnAttributeChar212	A column reserved for custom extension attributes of type string.
ExtnAttributeChar213	A column reserved for custom extension attributes of type string.
ExtnAttributeChar214	A column reserved for custom extension attributes of type string.
ExtnAttributeChar215	A column reserved for custom extension attributes of type string.
ExtnAttributeChar216	A column reserved for custom extension attributes of type string.
ExtnAttributeChar217	A column reserved for custom extension attributes of type string.
ExtnAttributeChar218	A column reserved for custom extension attributes of type string.
ExtnAttributeChar219	A column reserved for custom extension attributes of type string.
ExtnAttributeChar220	A column reserved for custom extension attributes of type string.
ExtnAttributeChar221	A column reserved for custom extension attributes of type string.
ExtnAttributeChar222	A column reserved for custom extension attributes of type string.
ExtnAttributeChar223	A column reserved for custom extension attributes of type string.
ExtnAttributeChar224	A column reserved for custom extension attributes of type string.
ExtnAttributeChar225	A column reserved for custom extension attributes of type string.
ExtnAttributeChar226	A column reserved for custom extension attributes of type string.
ExtnAttributeChar227	A column reserved for custom extension attributes of type string.
ExtnAttributeChar228	A column reserved for custom extension attributes of type string.
ExtnAttributeChar229	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar230	A column reserved for custom extension attributes of type string.
ExtnAttributeChar231	A column reserved for custom extension attributes of type string.
ExtnAttributeChar232	A column reserved for custom extension attributes of type string.
ExtnAttributeChar233	A column reserved for custom extension attributes of type string.
ExtnAttributeChar234	A column reserved for custom extension attributes of type string.
ExtnAttributeChar235	A column reserved for custom extension attributes of type string.
ExtnAttributeChar236	A column reserved for custom extension attributes of type string.
ExtnAttributeChar237	A column reserved for custom extension attributes of type string.
ExtnAttributeChar238	A column reserved for custom extension attributes of type string.
ExtnAttributeChar239	A column reserved for custom extension attributes of type string.
ExtnAttributeChar240	A column reserved for custom extension attributes of type string.
ExtnAttributeChar241	A column reserved for custom extension attributes of type string.
ExtnAttributeChar242	A column reserved for custom extension attributes of type string.
ExtnAttributeChar243	A column reserved for custom extension attributes of type string.
ExtnAttributeChar244	A column reserved for custom extension attributes of type string.
ExtnAttributeChar245	A column reserved for custom extension attributes of type string.
ExtnAttributeChar246	A column reserved for custom extension attributes of type string.
ExtnAttributeChar247	A column reserved for custom extension attributes of type string.
ExtnAttributeChar248	A column reserved for custom extension attributes of type string.
ExtnAttributeChar249	A column reserved for custom extension attributes of type string.
ExtnAttributeChar250	A column reserved for custom extension attributes of type string.
ExtnAttributeChar251	A column reserved for custom extension attributes of type string.
ExtnAttributeChar252	A column reserved for custom extension attributes of type string.
ExtnAttributeChar253	A column reserved for custom extension attributes of type string.
ExtnAttributeChar254	A column reserved for custom extension attributes of type string.
ExtnAttributeChar255	A column reserved for custom extension attributes of type string.
ExtnAttributeChar256	A column reserved for custom extension attributes of type string.
ExtnAttributeChar257	A column reserved for custom extension attributes of type string.
ExtnAttributeChar258	A column reserved for custom extension attributes of type string.
ExtnAttributeChar259	A column reserved for custom extension attributes of type string.
ExtnAttributeChar260	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar261	A column reserved for custom extension attributes of type string.
ExtnAttributeChar262	A column reserved for custom extension attributes of type string.
ExtnAttributeChar263	A column reserved for custom extension attributes of type string.
ExtnAttributeChar264	A column reserved for custom extension attributes of type string.
ExtnAttributeChar265	A column reserved for custom extension attributes of type string.
ExtnAttributeChar266	A column reserved for custom extension attributes of type string.
ExtnAttributeChar267	A column reserved for custom extension attributes of type string.
ExtnAttributeChar268	A column reserved for custom extension attributes of type string.
ExtnAttributeChar269	A column reserved for custom extension attributes of type string.
ExtnAttributeChar270	A column reserved for custom extension attributes of type string.
ExtnAttributeChar271	A column reserved for custom extension attributes of type string.
ExtnAttributeChar272	A column reserved for custom extension attributes of type string.
ExtnAttributeChar273	A column reserved for custom extension attributes of type string.
ExtnAttributeChar274	A column reserved for custom extension attributes of type string.
ExtnAttributeChar275	A column reserved for custom extension attributes of type string.
ExtnAttributeChar276	A column reserved for custom extension attributes of type string.
ExtnAttributeChar277	A column reserved for custom extension attributes of type string.
ExtnAttributeChar278	A column reserved for custom extension attributes of type string.
ExtnAttributeChar279	A column reserved for custom extension attributes of type string.
ExtnAttributeChar280	A column reserved for custom extension attributes of type string.
ExtnAttributeChar281	A column reserved for custom extension attributes of type string.
ExtnAttributeChar282	A column reserved for custom extension attributes of type string.
ExtnAttributeChar283	A column reserved for custom extension attributes of type string.
ExtnAttributeChar284	A column reserved for custom extension attributes of type string.
ExtnAttributeChar285	A column reserved for custom extension attributes of type string.
ExtnAttributeChar286	A column reserved for custom extension attributes of type string.
ExtnAttributeChar287	A column reserved for custom extension attributes of type string.
ExtnAttributeChar288	A column reserved for custom extension attributes of type string.
ExtnAttributeChar289	A column reserved for custom extension attributes of type string.
ExtnAttributeChar290	A column reserved for custom extension attributes of type string.
ExtnAttributeChar291	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar292	A column reserved for custom extension attributes of type string.
ExtnAttributeChar293	A column reserved for custom extension attributes of type string.
ExtnAttributeChar294	A column reserved for custom extension attributes of type string.
ExtnAttributeChar295	A column reserved for custom extension attributes of type string.
ExtnAttributeChar296	A column reserved for custom extension attributes of type string.
ExtnAttributeChar297	A column reserved for custom extension attributes of type string.
ExtnAttributeChar298	A column reserved for custom extension attributes of type string.
ExtnAttributeChar299	A column reserved for custom extension attributes of type string.
ExtnAttributeChar300	A column reserved for custom extension attributes of type string.
ExtnAttributeChar301	A column reserved for custom extension attributes of type string.
ExtnAttributeChar302	A column reserved for custom extension attributes of type string.
ExtnAttributeChar303	A column reserved for custom extension attributes of type string.
ExtnAttributeChar304	A column reserved for custom extension attributes of type string.
ExtnAttributeChar305	A column reserved for custom extension attributes of type string.
ExtnAttributeChar306	A column reserved for custom extension attributes of type string.
ExtnAttributeChar307	A column reserved for custom extension attributes of type string.
ExtnAttributeChar308	A column reserved for custom extension attributes of type string.
ExtnAttributeChar309	A column reserved for custom extension attributes of type string.
ExtnAttributeChar310	A column reserved for custom extension attributes of type string.
ExtnAttributeChar311	A column reserved for custom extension attributes of type string.
ExtnAttributeChar312	A column reserved for custom extension attributes of type string.
ExtnAttributeChar313	A column reserved for custom extension attributes of type string.
ExtnAttributeChar314	A column reserved for custom extension attributes of type string.
ExtnAttributeChar315	A column reserved for custom extension attributes of type string.
ExtnAttributeChar316	A column reserved for custom extension attributes of type string.
ExtnAttributeChar317	A column reserved for custom extension attributes of type string.
ExtnAttributeChar318	A column reserved for custom extension attributes of type string.
ExtnAttributeChar319	A column reserved for custom extension attributes of type string.
ExtnAttributeChar320	A column reserved for custom extension attributes of type string.
ExtnAttributeChar321	A column reserved for custom extension attributes of type string.
ExtnAttributeChar322	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar323	A column reserved for custom extension attributes of type string.
ExtnAttributeChar324	A column reserved for custom extension attributes of type string.
ExtnAttributeChar325	A column reserved for custom extension attributes of type string.
ExtnAttributeChar326	A column reserved for custom extension attributes of type string.
ExtnAttributeChar327	A column reserved for custom extension attributes of type string.
ExtnAttributeChar328	A column reserved for custom extension attributes of type string.
ExtnAttributeChar329	A column reserved for custom extension attributes of type string.
ExtnAttributeChar330	A column reserved for custom extension attributes of type string.
ExtnAttributeChar331	A column reserved for custom extension attributes of type string.
ExtnAttributeChar332	A column reserved for custom extension attributes of type string.
ExtnAttributeChar333	A column reserved for custom extension attributes of type string.
ExtnAttributeChar334	A column reserved for custom extension attributes of type string.
ExtnAttributeChar335	A column reserved for custom extension attributes of type string.
ExtnAttributeChar336	A column reserved for custom extension attributes of type string.
ExtnAttributeChar337	A column reserved for custom extension attributes of type string.
ExtnAttributeChar338	A column reserved for custom extension attributes of type string.
ExtnAttributeChar339	A column reserved for custom extension attributes of type string.
ExtnAttributeChar340	A column reserved for custom extension attributes of type string.
ExtnAttributeChar341	A column reserved for custom extension attributes of type string.
ExtnAttributeChar342	A column reserved for custom extension attributes of type string.
ExtnAttributeChar343	A column reserved for custom extension attributes of type string.
ExtnAttributeChar344	A column reserved for custom extension attributes of type string.
ExtnAttributeChar345	A column reserved for custom extension attributes of type string.
ExtnAttributeChar346	A column reserved for custom extension attributes of type string.
ExtnAttributeChar347	A column reserved for custom extension attributes of type string.
ExtnAttributeChar348	A column reserved for custom extension attributes of type string.
ExtnAttributeChar349	A column reserved for custom extension attributes of type string.
ExtnAttributeChar350	A column reserved for custom extension attributes of type string.
ExtnAttributeClob001	A column reserved for custom extension attributes of type string.
ExtnAttributeClob002	A column reserved for custom extension attributes of type string.
ExtnAttributeClob003	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeClob004	A column reserved for custom extension attributes of type string.
ExtnAttributeClob005	A column reserved for custom extension attributes of type string.
ExtnAttributeClob006	A column reserved for custom extension attributes of type string.
ExtnAttributeClob007	A column reserved for custom extension attributes of type string.
ExtnAttributeClob008	A column reserved for custom extension attributes of type string.
ExtnAttributeClob009	A column reserved for custom extension attributes of type string.
ExtnAttributeClob010	A column reserved for custom extension attributes of type string.
ExtnAttributeClob011	A column reserved for custom extension attributes of type string.
ExtnAttributeClob012	A column reserved for custom extension attributes of type string.
ExtnAttributeClob013	A column reserved for custom extension attributes of type string.
ExtnAttributeClob014	A column reserved for custom extension attributes of type string.
ExtnAttributeClob015	A column reserved for custom extension attributes of type string.
ExtnAttributeClob016	A column reserved for custom extension attributes of type string.
ExtnAttributeClob017	A column reserved for custom extension attributes of type string.
ExtnAttributeClob018	A column reserved for custom extension attributes of type string.
ExtnAttributeClob019	A column reserved for custom extension attributes of type string.
ExtnAttributeClob020	A column reserved for custom extension attributes of type string.
ExtnAttributeClob021	A column reserved for custom extension attributes of type string.
ExtnAttributeClob022	A column reserved for custom extension attributes of type string.
ExtnAttributeClob023	A column reserved for custom extension attributes of type string.
ExtnAttributeClob024	A column reserved for custom extension attributes of type string.
ExtnAttributeClob025	A column reserved for custom extension attributes of type string.
ExtnAttributeNumber001	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber002	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber003	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber004	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber005	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber006	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber007	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber008	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber009	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber010	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber011	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber012	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber013	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber014	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber015	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber016	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber017	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber018	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber019	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber020	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber021	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber022	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber023	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber024	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber025	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber026	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber027	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber028	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber029	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber030	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber031	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber032	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber033	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber034	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber035	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber036	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber037	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber038	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber039	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber040	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber041	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber042	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber043	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber044	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber045	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber046	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber047	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber048	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber049	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber050	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber051	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber052	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber053	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber054	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber055	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber056	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber057	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber058	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber059	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber060	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber061	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber062	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber063	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber064	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber065	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber066	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber067	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber068	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber069	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber070	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber071	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber072	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber073	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber074	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber075	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber076	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber077	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber078	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber079	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber080	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber081	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber082	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber083	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber084	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber085	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber086	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber087	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber088	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber089	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber090	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber091	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber092	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber093	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber094	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber095	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber096	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber097	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber098	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber099	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber100	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber101	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber102	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber103	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber104	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber105	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber106	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber107	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber108	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber109	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber110	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber111	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber112	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber113	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber114	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber115	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber116	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber117	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber118	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber119	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber120	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber121	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber122	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber123	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber124	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber125	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber126	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber127	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber128	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber129	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber130	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber131	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber132	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber133	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber134	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber135	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber136	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber137	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber138	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber139	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber140	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber141	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber142	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber143	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber144	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber145	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber146	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber147	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber148	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber149	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber150	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber151	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber152	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber153	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber154	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber155	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber156	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber157	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber158	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber159	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber160	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber161	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber162	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber163	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber164	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber165	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber166	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber167	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber168	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber169	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber170	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber171	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber172	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber173	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber174	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber175	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber176	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber177	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber178	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber179	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber180	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber181	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber182	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber183	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber184	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber185	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber186	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber187	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber188	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber189	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber190	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber191	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber192	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber193	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber194	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber195	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber196	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber197	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber198	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber199	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber200	A column reserved for custom extension attributes of type number.
ExtnAttributeTimestamp001	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp002	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp003	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp004	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp005	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp006	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp007	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp008	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp009	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp010	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp011	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp012	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp013	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp014	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp015	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp016	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp017	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp018	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp019	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp020	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp021	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp022	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp023	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp024	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp025	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp026	A column reserved for custom extension attributes of type timestamp.

Name	Description
ExtnAttributeTimestamp027	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp028	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp029	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp030	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp031	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp032	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp033	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp034	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp035	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp036	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp037	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp038	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp039	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp040	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp041	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp042	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp043	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp044	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp045	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp046	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp047	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp048	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp049	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp050	A column reserved for custom extension attributes of type timestamp.
FiscalYearendMonth	The month when the fiscal year ends for the organization.
GlobalUltimateDunsNumC	Duns Number for the Global Ultimate, which is the highest family member in the same country as this business entity as you walk up this branch of the tree. A case may be its own ultimate.
GrowthStrategyDesc	The description of the growth strategy.
GsaIndicatorFlag	Indicates if this is a US federal agency supported by the General Services Administration (GSA). Y for organizations served by the GSA, N for organizations that aren't served by the GSA.
HomeCountry	The home country of the organization.

Name	Description
HqBranchInd	The status of this site, such as HQ, a branch, or a single location. A list of accepted values are defined in the lookup type HQ_BRANCH_IND.
ImportInd	Indicates whether the organization is an importer. If the value is Y, then the organization is an importer. The default value is N.
IncorpYear	The year that the business was formally incorporated.
InternalFlag	Indicates whether this is an internal organization. Y for internal, N for external. Defaulted to N.
JgzzFiscalCode	The taxpayer identification number. It can be the unique identifier of the person or organization. It can also be the SSN or income taxpayer ID in US, fiscal code or NIF in Europe.
Keywords	The array of the company's top keywords.
LaborSurplusInd	Indicates whether the organization operates in an area with a labor surplus. If the value is Y, then the organization operates in an area with a labor surplus. The default value is N.
LastAssignedDate	The date indicating when the Sales Profile Territory Assignment was last run by Assignment Manager.
LastEnrichmentDate	The date this organization was last enriched in DaaS.
LastScoreUpdateDate	The date when the record was last updated by the source system.
LastUpdateDate	The date and time of last update of the record.
LastUpdateLogin	The login of the user who last updated the record.
LastUpdatedBy	The user who last updated the record.
LegalStatus	The legal structure of the organization such as partnership, corporation, and so on.
LineOfBusiness	The type of business activities performed at this site.
LocalActivityCode	The local activity classification code.
LocalActivityCodeType	The local activity classification code type identifier.
LocalBusIdenType	The most common business identifiers in a country such as Chamber of Commerce Number in Italy, Government Registration Number in Taiwan. A list of accepted values are defined in the lookup type LOCAL_BUS_IDEN_TYPE.
LocalBusIdentifier	The primary identifier assigned to businesses by government agency, Chamber of Commerce, or other authority. Generally used outside US.
MinorityOwnedInd	Indicates whether the organization is primarily owned by ethnic or racial minorities. If the value is Y, then the organization is owned by ethnic or racial minorities. The default value is N.
MinorityOwnedType	The type of minority-owned firm.
MissionStatement	The corporate charter of organization in user-defined text format.
NamedFlag	Indicates whether this is a named account.
NextFyPotentialRevenue	The estimated revenues that can be earned by the organization during its next fiscal year.
OobInd	Indicates whether the organization is out of business. If the value is Y, then the organization is out of business. The default value is N.
OrganizationName	The name of the party when the party type is Organization.

Name	Description
OrganizationProfileId	The unique identifier for organization profiles. This is a primary key.
OrganizationSize	Size of an organization based on revenue, number of employees, and so on.
OwnerPartyId	The PARTY_ID of the resource designated as the owner of the Sales Profile. Foreign key to the HZ_PARTIES table.
ParentDunsNumC	Parent is a corporation that owns more than 50% of another corporation's capital stock. The parent company can also be a subsidiary of another corporation. If the parent also has branches, then it's a headquarter as well as a parent company. A headquarter is a business establishment that has branches or divisions reporting to it, and is financially responsible for those branches or divisions. If the headquarter has more than 50% of capital stock owned by another corporation, it also will be a subsidiary. If it owns more than 50% of capital stock of another corporation, then it's also a parent.
ParentSubInd	Indicates whether the organization is a parent or subsidiary.
PartyId	The unique identifier of the contact party. Foreign key to the party view.
PartyNumber	The unique identification number for the party.
PrefFunctionalCurrency	The preferred functional currency for the person or organization.
PreferredContactMethod	The preferred contact method for a person or organization. It's validated against lookup HZ_PREFERRED_CONTACT_METHOD.
PreferredContactPersonId	The PARTY_ID of a preferred contact for a given party. There should be a valid relationship.
PrincipalName	The name of the highest ranking person in the organization.
PrincipalTitle	The title of the highest ranking person in the organization.
PublicPrivateOwnershipFlag	Indicator to specify if the organization is privately owned. Y stands for a privately owned organization and N stands for a publicly owned organization.
RecencyScore	The overall score for the contact or account record for category Recency.
RegistrationType	Indicates the registration type of the organization, such as nonprofit.
RentOwnInd	Indicates whether this organization owns or rents its place of business. A list of valid values for rent, own, and lease are defined in the lookup OWN_RENT_IND.
SalesProfileStatus	The status of a sales profile. Value can be ACTIVE or INACTIVE.
SalesProfileType	Type of a Sales profile. Value can be ZCA_CUSTOMER,ZCA_PROSPECT,ZCA_CONTACT and custom account type defined by the user.
SeblUserKeyLoc	The location of account. Optional part of user primary key.
SmallBusInd	Indicates whether the organization is considered as a small business. If the value is Y, then the organization is considered as a small business. The default value is N.
Status	The status of the record.
StockSymbol	The corporate stock symbol such as ORCL.
SuffixOverriddenFlag	Indicator to specify that the attribute has Y if the suffix is overridden by user and N otherwise. Default value is N.
TotalEmpEstInd	Indicates whether the employee total is estimated. The accepted values are defined in the lookup type TOTAL_EMP_EST_IND.

Name	Description
TotalEmpMinInd	Indicates whether the number is a minimum, maximum, or average number of total employees. The accepted values are defined in the lookup type TOTAL_EMP_MIN_IND. A for minimum, B for maximum, and C for average.
TotalEmployeesInd	Indicates whether subsidiaries are included in the calculation of total employees. The accepted values are defined in the lookup type TOTAL_EMPLOYEES_INDICATOR. A for totals without subsidiaries, B for totals with subsidiaries.
TotalEmployeesText	The total number of employees in text format.
TotalPayments	The total number of payment experiences.
TradingPartnerIdentifier	One column to store the FSIO related trading partner codes. It stores alpha numeric values and also addresses the Fed verses Nonfed attribute requirement.
UniqueNameAlias	The name as captured by the users to internally identify the organization.
UniqueNameSuffix	Captures system generated or manually overridden suffix.
ValidityScore	The overall score for the contact or account record for category Validity.
WomanOwnedInd	Indicates whether the organization is primarily owned by women. If the value is Y, then the organization is primarily owned by women. The default value is N.
YearEstablished	The year when the organization began doing business.

Original System References

The source system reference view object contains the mapping between source system references and the owner tables. The source system reference is an identifier for the record that the data came from the source system and the owner table is the TCA table, which stores that data. A record with an Active status means the cross-reference mapping between TCA and source system is valid. An Inactive status means the cross-referencing mapping is no longer valid.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.HzBiccExtractAM.OriginalSystemReferenceExtractPVO

Primary Keys : OrigSystemRefId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Attribute1	A segment for the Original System Reference descriptive flexfield.
Attribute10	A segment for the Original System Reference descriptive flexfield.
Attribute11	A segment for the Original System Reference descriptive flexfield.

Name	Description
Attribute12	A segment for the Original System Reference descriptive flexfield.
Attribute13	A segment for the Original System Reference descriptive flexfield.
Attribute14	A segment for the Original System Reference descriptive flexfield.
Attribute15	A segment for the Original System Reference descriptive flexfield.
Attribute16	A segment for the Original System Reference descriptive flexfield.
Attribute17	A segment for the Original System Reference descriptive flexfield.
Attribute18	A segment for the Original System Reference descriptive flexfield.
Attribute19	A segment for the Original System Reference descriptive flexfield.
Attribute2	A segment for the Original System Reference descriptive flexfield.
Attribute20	A segment for the Original System Reference descriptive flexfield.
Attribute21	A segment for the Original System Reference descriptive flexfield.
Attribute22	A segment for the Original System Reference descriptive flexfield.
Attribute23	A segment for the Original System Reference descriptive flexfield.
Attribute24	A segment for the Original System Reference descriptive flexfield.
Attribute25	A segment for the Original System Reference descriptive flexfield.
Attribute26	A segment for the Original System Reference descriptive flexfield.
Attribute27	A segment for the Original System Reference descriptive flexfield.
Attribute28	A segment for the Original System Reference descriptive flexfield.
Attribute29	A segment for the Original System Reference descriptive flexfield.
Attribute3	A segment for the Original System Reference descriptive flexfield.
Attribute30	A segment for the Original System Reference descriptive flexfield.
Attribute4	A segment for the Original System Reference descriptive flexfield.
Attribute5	A segment for the Original System Reference descriptive flexfield.
Attribute6	A segment for the Original System Reference descriptive flexfield.
Attribute7	A segment for the Original System Reference descriptive flexfield.
Attribute8	A segment for the Original System Reference descriptive flexfield.
Attribute9	A segment for the Original System Reference descriptive flexfield.
AttributeCategory	The context name for the Original System Reference descriptive flexfield.
AttributeDate1	A date segment for the Original System Reference descriptive flexfield.
AttributeDate10	A date segment for the Original System Reference descriptive flexfield.
AttributeDate11	A date segment for the Original System Reference descriptive flexfield.

Name	Description
AttributeDate12	A date segment for the Original System Reference descriptive flexfield.
AttributeDate2	A date segment for the Original System Reference descriptive flexfield.
AttributeDate3	A date segment for the Original System Reference descriptive flexfield.
AttributeDate4	A date segment for the Original System Reference descriptive flexfield.
AttributeDate5	A date segment for the Original System Reference descriptive flexfield.
AttributeDate6	A date segment for the Original System Reference descriptive flexfield.
AttributeDate7	A date segment for the Original System Reference descriptive flexfield.
AttributeDate8	A date segment for the Original System Reference descriptive flexfield.
AttributeDate9	A date segment for the Original System Reference descriptive flexfield.
AttributeNumber1	A number segment for the Original System Reference descriptive flexfield.
AttributeNumber10	A number segment for the Original System Reference descriptive flexfield.
AttributeNumber11	A number segment for the Original System Reference descriptive flexfield.
AttributeNumber12	A number segment for the Original System Reference descriptive flexfield.
AttributeNumber2	A number segment for the Original System Reference descriptive flexfield.
AttributeNumber3	A number segment for the Original System Reference descriptive flexfield.
AttributeNumber4	A number segment for the Original System Reference descriptive flexfield.
AttributeNumber5	A number segment for the Original System Reference descriptive flexfield.
AttributeNumber6	A number segment for the Original System Reference descriptive flexfield.
AttributeNumber7	A number segment for the Original System Reference descriptive flexfield.
AttributeNumber8	A number segment for the Original System Reference descriptive flexfield.
AttributeNumber9	A number segment for the Original System Reference descriptive flexfield.
CreatedBy	A number segment for the Original System Reference descriptive flexfield.
CreatedByModule	The user who created the record.
CreationDate	The module through which the record was created.
EndDateActive	The date after which the record becomes inactive.
LastUpdateDate	The date and time of last update of the record.
LastUpdateLogin	The login of the user who last updated the record.
LastUpdatedBy	The user who last updated the record.
OldOrigSystemReference	The old source system reference that's being replaced.
OrigSystem	The source system name.
OrigSystemRefId	The sequentially generated identifier.

Name	Description
OrigSystemReference	The identifier for the record from the original system.
OwnerTableId	The unique identifier for a record in the owner table.
OwnerTableName	The Trading Community Architecture tables that have source system reference column.
PartyId	Party identifier of the record.
ReasonCode	The reason for setting the record to Inactive.
StartDateActive	The date on which the record becomes active.
Status	The status of the record. The default is A for Active.
UserLastUpdateDate	The date and time when the Original System Reference row was last updated. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database such as a different mobile database or the server.

Parties

The party view object stores basic information about parties. Although a record in the view represents a unique party, multiple parties can have the same name with unique party identifier. The parties can be Organization, Person, or Group.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.HzBiccExtractAM.PartyExtractPVO

Primary Keys : PartyId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Address1	First line of the identifying address.
Address2	Second line of the identifying address.
Address3	Third line of the identifying address.
Address4	Fourth line of the identifying address.
AnalysisFy	Fiscal year that financial information is based on.
Attribute1	A segment for the Party descriptive flexfield.
Attribute10	A segment for the Party descriptive flexfield.

Name	Description
Attribute11	A segment for the Party descriptive flexfield.
Attribute12	A segment for the Party descriptive flexfield.
Attribute13	A segment for the Party descriptive flexfield.
Attribute14	A segment for the Party descriptive flexfield.
Attribute15	A segment for the Party descriptive flexfield.
Attribute16	A segment for the Party descriptive flexfield.
Attribute17	A segment for the Party descriptive flexfield.
Attribute18	A segment for the Party descriptive flexfield.
Attribute19	A segment for the Party descriptive flexfield.
Attribute2	A segment for the Party descriptive flexfield.
Attribute20	A segment for the Party descriptive flexfield.
Attribute21	A segment for the Party descriptive flexfield.
Attribute22	A segment for the Party descriptive flexfield.
Attribute23	A segment for the Party descriptive flexfield.
Attribute24	A segment for the Party descriptive flexfield.
Attribute25	A segment for the Party descriptive flexfield.
Attribute26	A segment for the Party descriptive flexfield.
Attribute27	A segment for the Party descriptive flexfield.
Attribute28	A segment for the Party descriptive flexfield.
Attribute29	A segment for the Party descriptive flexfield.
Attribute3	A segment for the Party descriptive flexfield.
Attribute30	A segment for the Party descriptive flexfield.
Attribute4	A segment for the Party descriptive flexfield.
Attribute5	A segment for the Party descriptive flexfield.
Attribute6	A segment for the Party descriptive flexfield.
Attribute7	A segment for the Party descriptive flexfield.
Attribute8	A segment for the Party descriptive flexfield.
Attribute9	A segment for the Party descriptive flexfield.
AttributeCategory	The context name for the Party descriptive flexfield.
AttributeDate1	A date segment for the Party descriptive flexfield.
AttributeDate10	A date segment for the Party descriptive flexfield.

Name	Description
AttributeDate11	A date segment for the Party descriptive flexfield.
AttributeDate12	A date segment for the Party descriptive flexfield.
AttributeDate2	A date segment for the Party descriptive flexfield.
AttributeDate3	A date segment for the Party descriptive flexfield.
AttributeDate4	A date segment for the Party descriptive flexfield.
AttributeDate5	A date segment for the Party descriptive flexfield.
AttributeDate6	A date segment for the Party descriptive flexfield.
AttributeDate7	A date segment for the Party descriptive flexfield.
AttributeDate8	A date segment for the Party descriptive flexfield.
AttributeDate9	A date segment for the Party descriptive flexfield.
AttributeNumber1	A number segment for the Party descriptive flexfield.
AttributeNumber10	A number segment for the Party descriptive flexfield.
AttributeNumber11	A number segment for the Party descriptive flexfield.
AttributeNumber12	A number segment for the Party descriptive flexfield.
AttributeNumber2	A number segment for the Party descriptive flexfield.
AttributeNumber3	A number segment for the Party descriptive flexfield.
AttributeNumber4	A number segment for the Party descriptive flexfield.
AttributeNumber5	A number segment for the Party descriptive flexfield.
AttributeNumber6	A number segment for the Party descriptive flexfield.
AttributeNumber7	A number segment for the Party descriptive flexfield.
AttributeNumber8	A number segment for the Party descriptive flexfield.
AttributeNumber9	A number segment for the Party descriptive flexfield.
CategoryCode	The user-definable code indicates the category of the party. A list of valid category codes is defined using the lookup CUSTOMER_CATEGORY. Review and update the codes using the Setup and Maintenance work area, Manage Trading Community Common Lookups task.
CeoName	The name of the party's chief executive officer.
CertReasonCode	The code indicating the reason for the organization party's current certification level assignment. A list of valid certification reason codes are defined using the lookup HZ_PARTY_CERT_REASON. Review and update the codes using the Setup and Maintenance work area, Manage Trading Community Common Lookups task.
CertificationLevel	The certification level of the organization party. A list of valid certification level codes is defined using the lookup HZ_PARTY_CERT_LEVEL. Review and update the codes using the Setup and Maintenance work area, Manage Trading Community Common Lookups task.
City	The city of the identifying address.

Name	Description
Comments	It's a denormalization column stores the description for a group.
Country	The country of the identifying address
County	The county of the Identifying address
CreatedBy	The user who created the record.
CreatedByModule	The module through which the record was created.
CreationDate	The date and time of creating the record.
CurrFyPotentialRevenue	The organization's potential revenue for this fiscal year.
DateOfBirth	A denormalization column of person stores the date the person was born.
DunsNumberC	Stores the DUNS_NUMBER in VARCHAR format which the value isn't restricted to nine digit Duns Number.
EmailAddress	The email address of the party associated with.
EmployeesTotal	The total number of employees in the organization.
FiscalYearendMonth	The month in which fiscal year ends for the organization.
Gender	A denormalization column of person stores the gender such as male, female, or unknown of the person.
GroupType	The the group type code of the party.
GsaIndicatorFlag	Indicates if this is a US federal agency supported by the General Services Administration (GSA). Y for organizations served by the GSA, N for organizations that aren't served by the GSA.
HomeCountry	The home country of the organization.
HqBranchInd	The status of this site, such as HQ, a branch, or a single location. A list of accepted values are defined in the lookup type HQ_BRANCH_IND.
IdenAddrLocationId	The unique identifier of the location of the identifying address.
IdenAddrPartySiteId	The unique identifier of the party site of the identifying address.
InternalFlag	This a denormalization column. For person, the internal flag indicates whether the person is internal or external to the user's organization. For organization, the internal flag indicates whether this is an internal organization or external organization.
JgzzFiscalCode	The taxpayer identification number, often unique identifier of person or organization. Can be SSN or income taxpayer ID in US, fiscal code or NIF in Europe.
LanguageName	The standard name for a language, example US.
LastUpdateDate	The date and time of last update of the record.
LastUpdateLogin	The login of the user who last updated the record.
LastUpdatedBy	The user who last updated the record.
MaritalStatus	A denormalization column of person stores the marital status of the person.
MasterPartyId	The unique identifier of the master party associated with the nonduplicate record which provides the link between survivor and victim records.

Name	Description
MissionStatement	Corporate charter of organization
NextFyPotentialRevenue	The organization's potential revenue for its next fiscal year.
ObjectType	The object type for internal use.
OrigSystemReference	The customer identifier from foreign system. May not be unique.
PartyId	The unique identifier of party. This is the primary key of the party view.
PartyName	The name of this party.
PartyNumber	The unique identification number for this party.
PartyType	The type of the party, such as Person, Organization, Group.
PartyUniqueName	This is a derived column. For Organization, it's concatenation of unique_name_alias and suffix. For Person, it's concatenation of person_name and suffix.
PersonAcademicTitle	The academic title that's part of a person's name, such as Dr. John Smith.
PersonFirstName	The first name of the person.
PersonLastName	The last or surname of the person.
PersonLastNamePrefix	The prefix for the last name of a person.
PersonMiddleName	The middle name of the person.
PersonNameSuffix	The suffix for the name of a person.
PersonPreNameAdjunct	The preferred name adjacency of a person, such as Mr. or Herr.
PersonPreviousLastName	The previous last or surname of a person.
PersonSecondLastName	The second last name for a person.
PersonTitle	A professional or family title. For example, Don or The Right Honorable.
PersonalAddressFlag	Indicates whether the primary address is the personal address of the contact.
PersonalEmailFlag	Indicates whether the primary E-mail is the personal E-mail address of the contact.
PersonalPhoneFlag	Indicates whether the primary phone is the personal phone of the contact.
PostalCode	The postal code of the identifying address.
PrefFunctionalCurrency	The default currency code for this person or organization.
PreferredContactMethod	How a person prefers to be contacted. Validated against lookup HZ_PREFERRED_CONTACT_METHOD.
PreferredContactPersonId	The unique identifier of the preferred contact person for this party.
PreferredName	The preferred name for this party.
PreferredNameId	The ID of the preferred name for the party. If NULL, the profile name, the name contained in the profile, will be used as the preferred name. By default the value is NULL.
PrimaryEmailContactPtId	The unique identifier of the primary E-mail.
PrimaryPhoneAreaCode	The phone area code of the party.

Name	Description
PrimaryPhoneContactPtId	The unique identifier of the primary phone.
PrimaryPhoneCountryCode	The phone country code of the party. For example, 33 for France.
PrimaryPhoneExtension	The phone extension code of the party.
PrimaryPhoneLineType	The type of the phone line of the party. For example, general, fax, inbound or outbound.
PrimaryPhoneNumber	The primary phone number of the party. The number should not include country code, area code, or extension.
PrimaryPhonePurpose	Contact point phone purpose type, such as business or personal
PrimaryUrlContactPtId	The unique identifier of the primary uniform resource locator.
Province	The province of the Identifying address.
SalesAccountId	The unique identifier of the sales account.
Salutation	A phrase used to address a party in any correspondence.
SicCode	The standard Industry Classification (SIC) code of the party.
SicCodeType	The version of Standard Industry Classification (SIC) code of the party.
State	The state of the identifying address.
Status	The status of the record.
ThirdPartyFlag	Indicates whether the party is a third party. Tracks if a party has a direct relationship with the organization using Oracle Receivables or through a third party. Y for a third party relationship, N for a direct relationship. If Oracle Service is installed, the Third Party field in the Customers window is mandatory.
TradingPartnerIdentifier	The FSIO related trading partner codes.
Url	The uniform resource locator or a website containing information about the party.
UserGuid	The global unique identifier of the user.
UserLastUpdateDate	The date and time when the record was last updated. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database such as a different mobile database or the server).
ValidatedFlag	Indicates whether the party was validated. Y for a validated party, N for a party that isn't validated.
YearEstablished	The year that the organization began doing business

Party Contact Points

The party contact point view object contains the electronic methods of communication with parties such as Electronic Data Interchange or EDI, e-mail, phone, telex, and the Internet. Each media or method is stored as a separate record in this view.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.HzBiccExtractAM.PartyContactPointExtractPVO

Primary Keys : ContactPointId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ActualContentSource	The additional content source type column for backward compatibility.
Attribute1	A segment for the party contact point descriptive flexfield.
Attribute10	A segment for the party contact point descriptive flexfield.
Attribute11	A segment for the party contact point descriptive flexfield.
Attribute12	A segment for the party contact point descriptive flexfield.
Attribute13	A segment for the party contact point descriptive flexfield.
Attribute14	A segment for the party contact point descriptive flexfield.
Attribute15	A segment for the party contact point descriptive flexfield.
Attribute16	A segment for the party contact point descriptive flexfield.
Attribute17	A segment for the party contact point descriptive flexfield.
Attribute18	A segment for the party contact point descriptive flexfield.
Attribute19	A segment for the party contact point descriptive flexfield.
Attribute2	A segment for the party contact point descriptive flexfield.
Attribute20	A segment for the party contact point descriptive flexfield.
Attribute21	A segment for the party contact point descriptive flexfield.
Attribute22	A segment for the party contact point descriptive flexfield.
Attribute23	A segment for the party contact point descriptive flexfield.
Attribute24	A segment for the party contact point descriptive flexfield.
Attribute25	A segment for the party contact point descriptive flexfield.
Attribute26	A segment for the party contact point descriptive flexfield.
Attribute27	A segment for the party contact point descriptive flexfield.
Attribute28	A segment for the party contact point descriptive flexfield.
Attribute29	A segment for the party contact point descriptive flexfield.
Attribute3	A segment for the party contact point descriptive flexfield.
Attribute30	A segment for the party contact point descriptive flexfield.

Name	Description
Attribute4	A segment for the party contact point descriptive flexfield.
Attribute5	A segment for the party contact point descriptive flexfield.
Attribute6	A segment for the party contact point descriptive flexfield.
Attribute7	A segment for the party contact point descriptive flexfield.
Attribute8	A segment for the party contact point descriptive flexfield.
Attribute9	A segment for the party contact point descriptive flexfield.
AttributeCategory	The context name for the party contact point descriptive flexfield.
AttributeDate1	A date segment for the party contact point descriptive flexfield.
AttributeDate10	A date segment for the party contact point descriptive flexfield.
AttributeDate11	A date segment for the party contact point descriptive flexfield.
AttributeDate12	A date segment for the party contact point descriptive flexfield.
AttributeDate2	A date segment for the party contact point descriptive flexfield.
AttributeDate3	A date segment for the party contact point descriptive flexfield.
AttributeDate4	A date segment for the party contact point descriptive flexfield.
AttributeDate5	A date segment for the party contact point descriptive flexfield.
AttributeDate6	A date segment for the party contact point descriptive flexfield.
AttributeDate7	A date segment for the party contact point descriptive flexfield.
AttributeDate8	A date segment for the party contact point descriptive flexfield.
AttributeDate9	A date segment for the party contact point descriptive flexfield.
AttributeNumber1	A number segment for the party contact point descriptive flexfield.
AttributeNumber10	A number segment for the party contact point descriptive flexfield.
AttributeNumber11	A number segment for the party contact point descriptive flexfield.
AttributeNumber12	A number segment for the party contact point descriptive flexfield.
AttributeNumber2	A number segment for the party contact point descriptive flexfield.
AttributeNumber3	A number segment for the party contact point descriptive flexfield.
AttributeNumber4	A number segment for the party contact point descriptive flexfield.
AttributeNumber5	A number segment for the party contact point descriptive flexfield.
AttributeNumber6	A number segment for the party contact point descriptive flexfield.
AttributeNumber7	A number segment for the party contact point descriptive flexfield.
AttributeNumber8	A number segment for the party contact point descriptive flexfield.
AttributeNumber9	A number segment for the party contact point descriptive flexfield.

Name	Description
ContactPointId	The unique primary key identifier for the contact point.
ContactPointPurpose	The purpose of the contact point, such as business or personal.
ContactPointType	The type of the contact point type, such as phone or e-mail.
CreatedBy	The user who created the record.
CreatedByModule	The module through which the party contact point was created.
CreationDate	The date and time of creating the record.
EdiEceTpLocationCode	The trading partner location code for EDI Gateway.
EdiIdNumber	The EDI trading partner number for the supplier site.
EdiPaymentFormat	Indicates type of information being transmitted with the funds if using EDI_PAYMENT_METHOD ACH. The list of accepted values are CCD, CCP, CHZ, CTX, PPD, and PPP.
EdiPaymentMethod	Indicates how a payment is to be made through EDI. The list of accepted values are ACH and BOP.
EdiRemittanceInstruction	Indicates who will send the remittance advice. The list of accepted values are Banks or Payables systems.
EdiRemittanceMethod	Indicates how remittance advice are sent to the supplier.
EdiTpHeaderId	The unique identifier of the EDI transaction header.
EdiTransactionHandling	The ANSI standard code for EDI transaction type.
EftPrintingProgramId	The printing program identifier.
EftSwiftCode	The EFT swift code information.
EftTransmissionProgramId	The transmission program identifier.
EftUserNumber	The number that identifies you as a user of electronic funds transfer service for your bank or clearing organization.
EmailAddress	The email address of the contact point.
EmailFormat	Indicates the preferred format for email addressed to this address. For example, HTML or ASCII.
EndDate	Indicates the date till which the entity is active. This date is inclusive and the status of the entity is dependent on this.
InstantMessagingAddress	The instant messaging information address.
InstantMessengerType	The type of the instant messenger type, such as Yahoo, MSN or ICQ.
LastContactDtTime	The last time when the contact point was contacted.
LastUpdateDate	The date and time of last update of the record.
LastUpdateLogin	The login of the user who last updated the record.
LastUpdatedBy	The user who last updated the record.
OrigSystemReference	The identifier for the record from the original system.

Name	Description
OverallPrimaryFlag	Indicates whether this is the primary contact point of this contact irrespective of the context. Y for primary contact, N for all others.
OwnerTableId	The unique identifier for a record in the owner table.
OwnerTableName	The Trading Community Architecture tables that have source system reference column.
PagerTypeCode	The PAGER_TYPE_CODE column stores the lookup code for the type of pager. The type of pager determines how the page is received. For example, tone, number, alphanumeric or two-way alphanumeric.
PartyUsageCode	The usage context of a party's contact point.
PhoneAreaCode	The area code prefix for the phone number.
PhoneCountryCode	The country code prefix for the phone number. For example, 33 for France.
PhoneExtension	Additional number addressed after initial connection to an internal phone system.
PhoneLineType	The lookup code for the type of phone line. For example, general, fax, inbound, or outbound.
PhoneNumber	The phone number in the local format. The number must not include area code, country code, or extension.
PhoneType	Indicates the type of phone like work, home, mobile, and so on.
PrimaryByPurpose	Indicates whether this is the primary contact point of the contact point purpose for the party or site. The value Y indicates that the contact point is the primary contact point. A party or site can have only one contact point with value Y.
PrimaryFlag	Indicator to specify if this is the primary contact point of the contact point type for referenced party, site, or location. Y stands for primary contact and N for all others.
PrimaryPerPhoneType	Indicates whether this is the primary phone of the phone type. Y for primary contact, N for all others.
RawPhoneNumber	The unformatted phone number.
RelationshipId	The relationship identifier for the record.
StartDate	Indicates the date from which this entity is active. This date is inclusive and the status of an entity is dependent on this.
Status	Indicates the status of the contact point status. Typically values are active, inactive, delete.
TelexNumber	The telex reference number which is usually a phone number of the organization.
TimezoneCode	The contact point's time zone. It's a foreign key to FND_TIMEZONES_B.TIMEZONE_CODE.
TransposedPhoneNumber	This column stores the concatenation of PHONE_COUNTRY_CODE, PHONE_AREA_CODE, and PHONE_NUMBER in reverse order. For example, if PHONE_COUNTRY_CODE is 1, PHONE_AREA_CODE is 650 and PHONE_NUMBER is 5065747, this column stores 74756050561. This column is used for building an index to search for any combination of the above three columns.
Url	Indicates the URL associated with the contact point.
UserLastUpdateDate	The date and time when the contact point row was last updated. This value is different from LAST_UPDATE_DATE if the update originally happened in a different database such as a different mobile database or the server.
WebType	The prefix class to a web address. Typically this is either FTP or HTTP.

Party Site Uses

Party site use view object contains information about how a party site is used. Party sites can have multiple uses, for example Ship-To and Bill-To.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.HzBiccExtractAM.PartySiteUseExtractPVO

Primary Keys : PartySiteUseId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Attribute1	A segment for the party site use descriptive flexfield.
Attribute10	A segment for the party site use descriptive flexfield.
Attribute11	A segment for the party site use descriptive flexfield.
Attribute12	A segment for the party site use descriptive flexfield.
Attribute13	A segment for the party site use descriptive flexfield.
Attribute14	A segment for the party site use descriptive flexfield.
Attribute15	A segment for the party site use descriptive flexfield.
Attribute16	A segment for the party site use descriptive flexfield.
Attribute17	A segment for the party site use descriptive flexfield.
Attribute18	A segment for the party site use descriptive flexfield.
Attribute19	A segment for the party site use descriptive flexfield.
Attribute2	A segment for the party site use descriptive flexfield.
Attribute20	A segment for the party site use descriptive flexfield.
Attribute21	A segment for the party site use descriptive flexfield.
Attribute22	A segment for the party site use descriptive flexfield.
Attribute23	A segment for the party site use descriptive flexfield.
Attribute24	A segment for the party site use descriptive flexfield.
Attribute25	A segment for the party site use descriptive flexfield.
Attribute26	A segment for the party site use descriptive flexfield.

Name	Description
Attribute27	A segment for the party site use descriptive flexfield.
Attribute28	A segment for the party site use descriptive flexfield.
Attribute29	A segment for the party site use descriptive flexfield.
Attribute3	A segment for the party site use descriptive flexfield.
Attribute30	A segment for the party site use descriptive flexfield.
Attribute4	A segment for the party site use descriptive flexfield.
Attribute5	A segment for the party site use descriptive flexfield.
Attribute6	A segment for the party site use descriptive flexfield.
Attribute7	A segment for the party site use descriptive flexfield.
Attribute8	A segment for the party site use descriptive flexfield.
Attribute9	A segment for the party site use descriptive flexfield.
AttributeCategory	The context name for the party site use descriptive flexfield.
BeginDate	The date when the party site use begins.
Comments	The comments entered by the user about the party site use.
CreatedBy	The user who created the record.
CreatedByModule	The module through which the record was created.
CreationDate	The date and time of creating the record.
EndDate	The date when the party site use ends.
LastUpdateDate	The date and time of last update of the record.
LastUpdateLogin	The login of the user who last updated the record.
LastUpdatedBy	The user who last updated the record.
PartySiteId	The identifier for the party site use, which is a foreign key to the party site view object.
PartySiteUseId	The party site use identifier. Primary key.
PrimaryPerType	Indicates whether this is the primary use for this site. Y for the primary site, N for all other sites.
SiteUseType	Indicates the site use type.
Status	Indicates whether this is an Active or Inactive site. A for active, I for inactive.

Party Sites

The party site view object contains all the addresses associated to a party. One party can have one or more party sites and alternatively, an address could be associated to multiple parties or accounts.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.HzBiccExtractAM.PartySiteExtractPVO

Primary Keys : PartySiteId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ActualContentSource	Additional Content Source Type column for backward compatibility.
Addressee	Stores addressee information.
Attribute1	A segment for the party site descriptive flexfield.
Attribute10	A segment for the party site descriptive flexfield.
Attribute11	A segment for the party site descriptive flexfield.
Attribute12	A segment for the party site descriptive flexfield.
Attribute13	A segment for the party site descriptive flexfield.
Attribute14	A segment for the party site descriptive flexfield.
Attribute15	A segment for the party site descriptive flexfield.
Attribute16	A segment for the party site descriptive flexfield.
Attribute17	A segment for the party site descriptive flexfield.
Attribute18	A segment for the party site descriptive flexfield.
Attribute19	A segment for the party site descriptive flexfield.
Attribute2	A segment for the party site descriptive flexfield.
Attribute20	A segment for the party site descriptive flexfield.
Attribute21	A segment for the party site descriptive flexfield.
Attribute22	A segment for the party site descriptive flexfield.
Attribute23	A segment for the party site descriptive flexfield.
Attribute24	A segment for the party site descriptive flexfield.
Attribute25	A segment for the party site descriptive flexfield.
Attribute26	A segment for the party site descriptive flexfield.
Attribute27	A segment for the party site descriptive flexfield.
Attribute28	A segment for the party site descriptive flexfield.
Attribute29	A segment for the party site descriptive flexfield.

Name	Description
Attribute3	A segment for the party site descriptive flexfield.
Attribute30	A segment for the party site descriptive flexfield.
Attribute4	A segment for the party site descriptive flexfield.
Attribute5	A segment for the party site descriptive flexfield.
Attribute6	A segment for the party site descriptive flexfield.
Attribute7	A segment for the party site descriptive flexfield.
Attribute8	A segment for the party site descriptive flexfield.
Attribute9	A segment for the party site descriptive flexfield.
AttributeCategory	The context name for the Party Site descriptive flexfield.
AttributeDate1	A date segment for the Party Site descriptive flexfield.
AttributeDate10	A date segment for the Party Site descriptive flexfield.
AttributeDate11	A date segment for the Party Site descriptive flexfield.
AttributeDate12	A date segment for the Party Site descriptive flexfield.
AttributeDate2	A date segment for the Party Site descriptive flexfield.
AttributeDate3	A date segment for the Party Site descriptive flexfield.
AttributeDate4	A date segment for the Party Site descriptive flexfield.
AttributeDate5	A date segment for the Party Site descriptive flexfield.
AttributeDate6	A date segment for the Party Site descriptive flexfield.
AttributeDate7	A date segment for the Party Site descriptive flexfield.
AttributeDate8	A date segment for the Party Site descriptive flexfield.
AttributeDate9	A date segment for the Party Site descriptive flexfield.
AttributeNumber1	A number segment for the Party Site descriptive flexfield.
AttributeNumber10	A number segment for the Party Site descriptive flexfield.
AttributeNumber11	A number segment for the Party Site descriptive flexfield.
AttributeNumber12	A number segment for the Party Site descriptive flexfield.
AttributeNumber2	A number segment for the Party Site descriptive flexfield.
AttributeNumber3	A number segment for the Party Site descriptive flexfield.
AttributeNumber4	A number segment for the Party Site descriptive flexfield.
AttributeNumber5	A number segment for the Party Site descriptive flexfield.
AttributeNumber6	A number segment for the Party Site descriptive flexfield.
AttributeNumber7	A number segment for the Party Site descriptive flexfield.

Name	Description
AttributeNumber8	A number segment for the Party Site descriptive flexfield.
AttributeNumber9	A number segment for the Party Site descriptive flexfield.
Comments	The comments entered by the user about the party site record.
CorpCurrencyCode	Indicates the corporate currency code
CreatedBy	The user who created the record.
CreatedByModule	The module through which the record was created.
CreationDate	The date and time when the record was created
CurcyConvRateType	The conversion rate type for the corporate currency.
CurrencyCode	The currency code for the record.
DunsNumberC	Duns number, a unique, nine digit identification number that's assigned to business entities by Dun and Bradstreet.
EndDateActive	The date after which the record becomes inactive.
ExtnAttributeChar001	A column reserved for the custom attribute of type String.
ExtnAttributeChar002	A column reserved for the custom attribute of type String.
ExtnAttributeChar003	A column reserved for the custom attribute of type String.
ExtnAttributeChar004	A column reserved for the custom attribute of type String.
ExtnAttributeChar005	A column reserved for the custom attribute of type String.
ExtnAttributeChar006	A column reserved for the custom attribute of type String.
ExtnAttributeChar007	A column reserved for the custom attribute of type String.
ExtnAttributeChar008	A column reserved for the custom attribute of type String.
ExtnAttributeChar009	A column reserved for the custom attribute of type String.
ExtnAttributeChar010	A column reserved for the custom attribute of type String.
ExtnAttributeChar011	A column reserved for the custom attribute of type String.
ExtnAttributeChar012	A column reserved for the custom attribute of type String.
ExtnAttributeChar013	A column reserved for the custom attribute of type String.
ExtnAttributeChar014	A column reserved for the custom attribute of type String.
ExtnAttributeChar015	A column reserved for the custom attribute of type String.
ExtnAttributeChar016	A column reserved for the custom attribute of type String.
ExtnAttributeChar017	A column reserved for the custom attribute of type String.
ExtnAttributeChar018	A column reserved for the custom attribute of type String.
ExtnAttributeChar019	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar020	A column reserved for the custom attribute of type String.
ExtnAttributeChar021	A column reserved for the custom attribute of type String.
ExtnAttributeChar022	A column reserved for the custom attribute of type String.
ExtnAttributeChar023	A column reserved for the custom attribute of type String.
ExtnAttributeChar024	A column reserved for the custom attribute of type String.
ExtnAttributeChar025	A column reserved for the custom attribute of type String.
ExtnAttributeChar026	A column reserved for the custom attribute of type String.
ExtnAttributeChar027	A column reserved for the custom attribute of type String.
ExtnAttributeChar028	A column reserved for the custom attribute of type String.
ExtnAttributeChar029	A column reserved for the custom attribute of type String.
ExtnAttributeChar030	A column reserved for the custom attribute of type String.
ExtnAttributeChar031	A column reserved for the custom attribute of type String.
ExtnAttributeChar032	A column reserved for the custom attribute of type String.
ExtnAttributeChar033	A column reserved for the custom attribute of type String.
ExtnAttributeChar034	A column reserved for the custom attribute of type String.
ExtnAttributeChar035	A column reserved for the custom attribute of type String.
ExtnAttributeChar036	A column reserved for the custom attribute of type String.
ExtnAttributeChar037	A column reserved for the custom attribute of type String.
ExtnAttributeChar038	A column reserved for the custom attribute of type String.
ExtnAttributeChar039	A column reserved for the custom attribute of type String.
ExtnAttributeChar040	A column reserved for the custom attribute of type String.
ExtnAttributeChar041	A column reserved for the custom attribute of type String.
ExtnAttributeChar042	A column reserved for the custom attribute of type String.
ExtnAttributeChar043	A column reserved for the custom attribute of type String.
ExtnAttributeChar044	A column reserved for the custom attribute of type String.
ExtnAttributeChar045	A column reserved for the custom attribute of type String.
ExtnAttributeChar046	A column reserved for the custom attribute of type String.
ExtnAttributeChar047	A column reserved for the custom attribute of type String.
ExtnAttributeChar048	A column reserved for the custom attribute of type String.
ExtnAttributeChar049	A column reserved for the custom attribute of type String.
ExtnAttributeChar050	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar051	A column reserved for the custom attribute of type String.
ExtnAttributeChar052	A column reserved for the custom attribute of type String.
ExtnAttributeChar053	A column reserved for the custom attribute of type String.
ExtnAttributeChar054	A column reserved for the custom attribute of type String.
ExtnAttributeChar055	A column reserved for the custom attribute of type String.
ExtnAttributeChar056	A column reserved for the custom attribute of type String.
ExtnAttributeChar057	A column reserved for the custom attribute of type String.
ExtnAttributeChar058	A column reserved for the custom attribute of type String.
ExtnAttributeChar059	A column reserved for the custom attribute of type String.
ExtnAttributeChar060	A column reserved for the custom attribute of type String.
ExtnAttributeChar061	A column reserved for the custom attribute of type String.
ExtnAttributeChar062	A column reserved for the custom attribute of type String.
ExtnAttributeChar063	A column reserved for the custom attribute of type String.
ExtnAttributeChar064	A column reserved for the custom attribute of type String.
ExtnAttributeChar065	A column reserved for the custom attribute of type String.
ExtnAttributeChar066	A column reserved for the custom attribute of type String.
ExtnAttributeChar067	A column reserved for the custom attribute of type String.
ExtnAttributeChar068	A column reserved for the custom attribute of type String.
ExtnAttributeChar069	A column reserved for the custom attribute of type String.
ExtnAttributeChar070	A column reserved for the custom attribute of type String.
ExtnAttributeChar071	A column reserved for the custom attribute of type String.
ExtnAttributeChar072	A column reserved for the custom attribute of type String.
ExtnAttributeChar073	A column reserved for the custom attribute of type String.
ExtnAttributeChar074	A column reserved for the custom attribute of type String.
ExtnAttributeChar075	A column reserved for the custom attribute of type String.
ExtnAttributeChar076	A column reserved for the custom attribute of type String.
ExtnAttributeChar077	A column reserved for the custom attribute of type String.
ExtnAttributeChar078	A column reserved for the custom attribute of type String.
ExtnAttributeChar079	A column reserved for the custom attribute of type String.
ExtnAttributeChar080	A column reserved for the custom attribute of type String.
ExtnAttributeChar081	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar082	A column reserved for the custom attribute of type String.
ExtnAttributeChar083	A column reserved for the custom attribute of type String.
ExtnAttributeChar084	A column reserved for the custom attribute of type String.
ExtnAttributeChar085	A column reserved for the custom attribute of type String.
ExtnAttributeChar086	A column reserved for the custom attribute of type String.
ExtnAttributeChar087	A column reserved for the custom attribute of type String.
ExtnAttributeChar088	A column reserved for the custom attribute of type String.
ExtnAttributeChar089	A column reserved for the custom attribute of type String.
ExtnAttributeChar090	A column reserved for the custom attribute of type String.
ExtnAttributeChar091	A column reserved for the custom attribute of type String.
ExtnAttributeChar092	A column reserved for the custom attribute of type String.
ExtnAttributeChar093	A column reserved for the custom attribute of type String.
ExtnAttributeChar094	A column reserved for the custom attribute of type String.
ExtnAttributeChar095	A column reserved for the custom attribute of type String.
ExtnAttributeChar096	A column reserved for the custom attribute of type String.
ExtnAttributeChar097	A column reserved for the custom attribute of type String.
ExtnAttributeChar098	A column reserved for the custom attribute of type String.
ExtnAttributeChar099	A column reserved for the custom attribute of type String.
ExtnAttributeChar100	A column reserved for the custom attribute of type String.
ExtnAttributeChar101	A column reserved for the custom attribute of type String.
ExtnAttributeChar102	A column reserved for the custom attribute of type String.
ExtnAttributeChar103	A column reserved for the custom attribute of type String.
ExtnAttributeChar104	A column reserved for the custom attribute of type String.
ExtnAttributeChar105	A column reserved for the custom attribute of type String.
ExtnAttributeChar106	A column reserved for the custom attribute of type String.
ExtnAttributeChar107	A column reserved for the custom attribute of type String.
ExtnAttributeChar108	A column reserved for the custom attribute of type String.
ExtnAttributeChar109	A column reserved for the custom attribute of type String.
ExtnAttributeChar110	A column reserved for the custom attribute of type String.
ExtnAttributeChar111	A column reserved for the custom attribute of type String.
ExtnAttributeChar112	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar113	A column reserved for the custom attribute of type String.
ExtnAttributeChar114	A column reserved for the custom attribute of type String.
ExtnAttributeChar115	A column reserved for the custom attribute of type String.
ExtnAttributeChar116	A column reserved for the custom attribute of type String.
ExtnAttributeChar117	A column reserved for the custom attribute of type String.
ExtnAttributeChar118	A column reserved for the custom attribute of type String.
ExtnAttributeChar119	A column reserved for the custom attribute of type String.
ExtnAttributeChar120	A column reserved for the custom attribute of type String.
ExtnAttributeChar121	A column reserved for the custom attribute of type String.
ExtnAttributeChar122	A column reserved for the custom attribute of type String.
ExtnAttributeChar123	A column reserved for the custom attribute of type String.
ExtnAttributeChar124	A column reserved for the custom attribute of type String.
ExtnAttributeChar125	A column reserved for the custom attribute of type String.
ExtnAttributeChar126	A column reserved for the custom attribute of type String.
ExtnAttributeChar127	A column reserved for the custom attribute of type String.
ExtnAttributeChar128	A column reserved for the custom attribute of type String.
ExtnAttributeChar129	A column reserved for the custom attribute of type String.
ExtnAttributeChar130	A column reserved for the custom attribute of type String.
ExtnAttributeChar131	A column reserved for the custom attribute of type String.
ExtnAttributeChar132	A column reserved for the custom attribute of type String.
ExtnAttributeChar133	A column reserved for the custom attribute of type String.
ExtnAttributeChar134	A column reserved for the custom attribute of type String.
ExtnAttributeChar135	A column reserved for the custom attribute of type String.
ExtnAttributeChar136	A column reserved for the custom attribute of type String.
ExtnAttributeChar137	A column reserved for the custom attribute of type String.
ExtnAttributeChar138	A column reserved for the custom attribute of type String.
ExtnAttributeChar139	A column reserved for the custom attribute of type String.
ExtnAttributeChar140	A column reserved for the custom attribute of type String.
ExtnAttributeChar141	A column reserved for the custom attribute of type String.
ExtnAttributeChar142	A column reserved for the custom attribute of type String.
ExtnAttributeChar143	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar144	A column reserved for the custom attribute of type String.
ExtnAttributeChar145	A column reserved for the custom attribute of type String.
ExtnAttributeChar146	A column reserved for the custom attribute of type String.
ExtnAttributeChar147	A column reserved for the custom attribute of type String.
ExtnAttributeChar148	A column reserved for the custom attribute of type String.
ExtnAttributeChar149	A column reserved for the custom attribute of type String.
ExtnAttributeChar150	A column reserved for the custom attribute of type String.
ExtnAttributeChar151	A column reserved for the custom attribute of type String.
ExtnAttributeChar152	A column reserved for the custom attribute of type String.
ExtnAttributeChar153	A column reserved for the custom attribute of type String.
ExtnAttributeChar154	A column reserved for the custom attribute of type String.
ExtnAttributeChar155	A column reserved for the custom attribute of type String.
ExtnAttributeChar156	A column reserved for the custom attribute of type String.
ExtnAttributeChar157	A column reserved for the custom attribute of type String.
ExtnAttributeChar158	A column reserved for the custom attribute of type String.
ExtnAttributeChar159	A column reserved for the custom attribute of type String.
ExtnAttributeChar160	A column reserved for the custom attribute of type String.
ExtnAttributeChar161	A column reserved for the custom attribute of type String.
ExtnAttributeChar162	A column reserved for the custom attribute of type String.
ExtnAttributeChar163	A column reserved for the custom attribute of type String.
ExtnAttributeChar164	A column reserved for the custom attribute of type String.
ExtnAttributeChar165	A column reserved for the custom attribute of type String.
ExtnAttributeChar166	A column reserved for the custom attribute of type String.
ExtnAttributeChar167	A column reserved for the custom attribute of type String.
ExtnAttributeChar168	A column reserved for the custom attribute of type String.
ExtnAttributeChar169	A column reserved for the custom attribute of type String.
ExtnAttributeChar170	A column reserved for the custom attribute of type String.
ExtnAttributeChar171	A column reserved for the custom attribute of type String.
ExtnAttributeChar172	A column reserved for the custom attribute of type String.
ExtnAttributeChar173	A column reserved for the custom attribute of type String.
ExtnAttributeChar174	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar175	A column reserved for the custom attribute of type String.
ExtnAttributeChar176	A column reserved for the custom attribute of type String.
ExtnAttributeChar177	A column reserved for the custom attribute of type String.
ExtnAttributeChar178	A column reserved for the custom attribute of type String.
ExtnAttributeChar179	A column reserved for the custom attribute of type String.
ExtnAttributeChar180	A column reserved for the custom attribute of type String.
ExtnAttributeChar181	A column reserved for the custom attribute of type String.
ExtnAttributeChar182	A column reserved for the custom attribute of type String.
ExtnAttributeChar183	A column reserved for the custom attribute of type String.
ExtnAttributeChar184	A column reserved for the custom attribute of type String.
ExtnAttributeChar185	A column reserved for the custom attribute of type String.
ExtnAttributeChar186	A column reserved for the custom attribute of type String.
ExtnAttributeChar187	A column reserved for the custom attribute of type String.
ExtnAttributeChar188	A column reserved for the custom attribute of type String.
ExtnAttributeChar189	A column reserved for the custom attribute of type String.
ExtnAttributeChar190	A column reserved for the custom attribute of type String.
ExtnAttributeChar191	A column reserved for the custom attribute of type String.
ExtnAttributeChar192	A column reserved for the custom attribute of type String.
ExtnAttributeChar193	A column reserved for the custom attribute of type String.
ExtnAttributeChar194	A column reserved for the custom attribute of type String.
ExtnAttributeChar195	A column reserved for the custom attribute of type String.
ExtnAttributeChar196	A column reserved for the custom attribute of type String.
ExtnAttributeChar197	A column reserved for the custom attribute of type String.
ExtnAttributeChar198	A column reserved for the custom attribute of type String.
ExtnAttributeChar199	A column reserved for the custom attribute of type String.
ExtnAttributeChar200	A column reserved for the custom attribute of type String.
ExtnAttributeChar201	A column reserved for the custom attribute of type String.
ExtnAttributeChar202	A column reserved for the custom attribute of type String.
ExtnAttributeChar203	A column reserved for the custom attribute of type String.
ExtnAttributeChar204	A column reserved for the custom attribute of type String.
ExtnAttributeChar205	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar206	A column reserved for the custom attribute of type String.
ExtnAttributeChar207	A column reserved for the custom attribute of type String.
ExtnAttributeChar208	A column reserved for the custom attribute of type String.
ExtnAttributeChar209	A column reserved for the custom attribute of type String.
ExtnAttributeChar210	A column reserved for the custom attribute of type String.
ExtnAttributeChar211	A column reserved for the custom attribute of type String.
ExtnAttributeChar212	A column reserved for the custom attribute of type String.
ExtnAttributeChar213	A column reserved for the custom attribute of type String.
ExtnAttributeChar214	A column reserved for the custom attribute of type String.
ExtnAttributeChar215	A column reserved for the custom attribute of type String.
ExtnAttributeChar216	A column reserved for the custom attribute of type String.
ExtnAttributeChar217	A column reserved for the custom attribute of type String.
ExtnAttributeChar218	A column reserved for the custom attribute of type String.
ExtnAttributeChar219	A column reserved for the custom attribute of type String.
ExtnAttributeChar220	A column reserved for the custom attribute of type String.
ExtnAttributeChar221	A column reserved for the custom attribute of type String.
ExtnAttributeChar222	A column reserved for the custom attribute of type String.
ExtnAttributeChar223	A column reserved for the custom attribute of type String.
ExtnAttributeChar224	A column reserved for the custom attribute of type String.
ExtnAttributeChar225	A column reserved for the custom attribute of type String.
ExtnAttributeChar226	A column reserved for the custom attribute of type String.
ExtnAttributeChar227	A column reserved for the custom attribute of type String.
ExtnAttributeChar228	A column reserved for the custom attribute of type String.
ExtnAttributeChar229	A column reserved for the custom attribute of type String.
ExtnAttributeChar230	A column reserved for the custom attribute of type String.
ExtnAttributeChar231	A column reserved for the custom attribute of type String.
ExtnAttributeChar232	A column reserved for the custom attribute of type String.
ExtnAttributeChar233	A column reserved for the custom attribute of type String.
ExtnAttributeChar234	A column reserved for the custom attribute of type String.
ExtnAttributeChar235	A column reserved for the custom attribute of type String.
ExtnAttributeChar236	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar237	A column reserved for the custom attribute of type String.
ExtnAttributeChar238	A column reserved for the custom attribute of type String.
ExtnAttributeChar239	A column reserved for the custom attribute of type String.
ExtnAttributeChar240	A column reserved for the custom attribute of type String.
ExtnAttributeChar241	A column reserved for the custom attribute of type String.
ExtnAttributeChar242	A column reserved for the custom attribute of type String.
ExtnAttributeChar243	A column reserved for the custom attribute of type String.
ExtnAttributeChar244	A column reserved for the custom attribute of type String.
ExtnAttributeChar245	A column reserved for the custom attribute of type String.
ExtnAttributeChar246	A column reserved for the custom attribute of type String.
ExtnAttributeChar247	A column reserved for the custom attribute of type String.
ExtnAttributeChar248	A column reserved for the custom attribute of type String.
ExtnAttributeChar249	A column reserved for the custom attribute of type String.
ExtnAttributeChar250	A column reserved for the custom attribute of type String.
ExtnAttributeChar251	A column reserved for the custom attribute of type String.
ExtnAttributeChar252	A column reserved for the custom attribute of type String.
ExtnAttributeChar253	A column reserved for the custom attribute of type String.
ExtnAttributeChar254	A column reserved for the custom attribute of type String.
ExtnAttributeChar255	A column reserved for the custom attribute of type String.
ExtnAttributeChar256	A column reserved for the custom attribute of type String.
ExtnAttributeChar257	A column reserved for the custom attribute of type String.
ExtnAttributeChar258	A column reserved for the custom attribute of type String.
ExtnAttributeChar259	A column reserved for the custom attribute of type String.
ExtnAttributeChar260	A column reserved for the custom attribute of type String.
ExtnAttributeChar261	A column reserved for the custom attribute of type String.
ExtnAttributeChar262	A column reserved for the custom attribute of type String.
ExtnAttributeChar263	A column reserved for the custom attribute of type String.
ExtnAttributeChar264	A column reserved for the custom attribute of type String.
ExtnAttributeChar265	A column reserved for the custom attribute of type String.
ExtnAttributeChar266	A column reserved for the custom attribute of type String.
ExtnAttributeChar267	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar268	A column reserved for the custom attribute of type String.
ExtnAttributeChar269	A column reserved for the custom attribute of type String.
ExtnAttributeChar270	A column reserved for the custom attribute of type String.
ExtnAttributeChar271	A column reserved for the custom attribute of type String.
ExtnAttributeChar272	A column reserved for the custom attribute of type String.
ExtnAttributeChar273	A column reserved for the custom attribute of type String.
ExtnAttributeChar274	A column reserved for the custom attribute of type String.
ExtnAttributeChar275	A column reserved for the custom attribute of type String.
ExtnAttributeChar276	A column reserved for the custom attribute of type String.
ExtnAttributeChar277	A column reserved for the custom attribute of type String.
ExtnAttributeChar278	A column reserved for the custom attribute of type String.
ExtnAttributeChar279	A column reserved for the custom attribute of type String.
ExtnAttributeChar280	A column reserved for the custom attribute of type String.
ExtnAttributeChar281	A column reserved for the custom attribute of type String.
ExtnAttributeChar282	A column reserved for the custom attribute of type String.
ExtnAttributeChar283	A column reserved for the custom attribute of type String.
ExtnAttributeChar284	A column reserved for the custom attribute of type String.
ExtnAttributeChar285	A column reserved for the custom attribute of type String.
ExtnAttributeChar286	A column reserved for the custom attribute of type String.
ExtnAttributeChar287	A column reserved for the custom attribute of type String.
ExtnAttributeChar288	A column reserved for the custom attribute of type String.
ExtnAttributeChar289	A column reserved for the custom attribute of type String.
ExtnAttributeChar290	A column reserved for the custom attribute of type String.
ExtnAttributeChar291	A column reserved for the custom attribute of type String.
ExtnAttributeChar292	A column reserved for the custom attribute of type String.
ExtnAttributeChar293	A column reserved for the custom attribute of type String.
ExtnAttributeChar294	A column reserved for the custom attribute of type String.
ExtnAttributeChar295	A column reserved for the custom attribute of type String.
ExtnAttributeChar296	A column reserved for the custom attribute of type String.
ExtnAttributeChar297	A column reserved for the custom attribute of type String.
ExtnAttributeChar298	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar299	A column reserved for the custom attribute of type String.
ExtnAttributeChar300	A column reserved for the custom attribute of type String.
ExtnAttributeChar301	A column reserved for the custom attribute of type String.
ExtnAttributeChar302	A column reserved for the custom attribute of type String.
ExtnAttributeChar303	A column reserved for the custom attribute of type String.
ExtnAttributeChar304	A column reserved for the custom attribute of type String.
ExtnAttributeChar305	A column reserved for the custom attribute of type String.
ExtnAttributeChar306	A column reserved for the custom attribute of type String.
ExtnAttributeChar307	A column reserved for the custom attribute of type String.
ExtnAttributeChar308	A column reserved for the custom attribute of type String.
ExtnAttributeChar309	A column reserved for the custom attribute of type String.
ExtnAttributeChar310	A column reserved for the custom attribute of type String.
ExtnAttributeChar311	A column reserved for the custom attribute of type String.
ExtnAttributeChar312	A column reserved for the custom attribute of type String.
ExtnAttributeChar313	A column reserved for the custom attribute of type String.
ExtnAttributeChar314	A column reserved for the custom attribute of type String.
ExtnAttributeChar315	A column reserved for the custom attribute of type String.
ExtnAttributeChar316	A column reserved for the custom attribute of type String.
ExtnAttributeChar317	A column reserved for the custom attribute of type String.
ExtnAttributeChar318	A column reserved for the custom attribute of type String.
ExtnAttributeChar319	A column reserved for the custom attribute of type String.
ExtnAttributeChar320	A column reserved for the custom attribute of type String.
ExtnAttributeChar321	A column reserved for the custom attribute of type String.
ExtnAttributeChar322	A column reserved for the custom attribute of type String.
ExtnAttributeChar323	A column reserved for the custom attribute of type String.
ExtnAttributeChar324	A column reserved for the custom attribute of type String.
ExtnAttributeChar325	A column reserved for the custom attribute of type String.
ExtnAttributeChar326	A column reserved for the custom attribute of type String.
ExtnAttributeChar327	A column reserved for the custom attribute of type String.
ExtnAttributeChar328	A column reserved for the custom attribute of type String.
ExtnAttributeChar329	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeChar330	A column reserved for the custom attribute of type String.
ExtnAttributeChar331	A column reserved for the custom attribute of type String.
ExtnAttributeChar332	A column reserved for the custom attribute of type String.
ExtnAttributeChar333	A column reserved for the custom attribute of type String.
ExtnAttributeChar334	A column reserved for the custom attribute of type String.
ExtnAttributeChar335	A column reserved for the custom attribute of type String.
ExtnAttributeChar336	A column reserved for the custom attribute of type String.
ExtnAttributeChar337	A column reserved for the custom attribute of type String.
ExtnAttributeChar338	A column reserved for the custom attribute of type String.
ExtnAttributeChar339	A column reserved for the custom attribute of type String.
ExtnAttributeChar340	A column reserved for the custom attribute of type String.
ExtnAttributeChar341	A column reserved for the custom attribute of type String.
ExtnAttributeChar342	A column reserved for the custom attribute of type String.
ExtnAttributeChar343	A column reserved for the custom attribute of type String.
ExtnAttributeChar344	A column reserved for the custom attribute of type String.
ExtnAttributeChar345	A column reserved for the custom attribute of type String.
ExtnAttributeChar346	A column reserved for the custom attribute of type String.
ExtnAttributeChar347	A column reserved for the custom attribute of type String.
ExtnAttributeChar348	A column reserved for the custom attribute of type String.
ExtnAttributeChar349	A column reserved for the custom attribute of type String.
ExtnAttributeChar350	A column reserved for the custom attribute of type String.
ExtnAttributeClob001	A column reserved for the custom attribute of type String.
ExtnAttributeClob002	A column reserved for the custom attribute of type String.
ExtnAttributeClob003	A column reserved for the custom attribute of type String.
ExtnAttributeClob004	A column reserved for the custom attribute of type String.
ExtnAttributeClob005	A column reserved for the custom attribute of type String.
ExtnAttributeClob006	A column reserved for the custom attribute of type String.
ExtnAttributeClob007	A column reserved for the custom attribute of type String.
ExtnAttributeClob008	A column reserved for the custom attribute of type String.
ExtnAttributeClob009	A column reserved for the custom attribute of type String.
ExtnAttributeClob010	A column reserved for the custom attribute of type String.

Name	Description
ExtnAttributeClob011	A column reserved for the custom attribute of type String.
ExtnAttributeClob012	A column reserved for the custom attribute of type String.
ExtnAttributeClob013	A column reserved for the custom attribute of type String.
ExtnAttributeClob014	A column reserved for the custom attribute of type String.
ExtnAttributeClob015	A column reserved for the custom attribute of type String.
ExtnAttributeClob016	A column reserved for the custom attribute of type String.
ExtnAttributeClob017	A column reserved for the custom attribute of type String.
ExtnAttributeClob018	A column reserved for the custom attribute of type String.
ExtnAttributeClob019	A column reserved for the custom attribute of type String.
ExtnAttributeClob020	A column reserved for the custom attribute of type String.
ExtnAttributeClob021	A column reserved for the custom attribute of type String.
ExtnAttributeClob022	A column reserved for the custom attribute of type String.
ExtnAttributeClob023	A column reserved for the custom attribute of type String.
ExtnAttributeClob024	A column reserved for the custom attribute of type String.
ExtnAttributeClob025	A column reserved for the custom attribute of type String.
ExtnAttributeNumber001	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber002	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber003	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber004	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber005	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber006	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber007	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber008	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber009	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber010	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber011	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber012	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber013	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber014	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber015	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber016	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber017	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber018	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber019	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber020	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber021	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber022	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber023	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber024	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber025	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber026	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber027	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber028	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber029	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber030	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber031	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber032	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber033	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber034	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber035	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber036	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber037	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber038	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber039	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber040	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber041	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber042	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber043	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber044	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber045	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber046	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber047	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber048	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber049	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber050	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber051	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber052	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber053	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber054	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber055	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber056	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber057	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber058	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber059	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber060	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber061	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber062	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber063	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber064	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber065	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber066	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber067	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber068	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber069	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber070	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber071	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber072	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber073	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber074	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber075	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber076	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber077	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber078	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber079	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber080	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber081	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber082	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber083	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber084	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber085	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber086	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber087	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber088	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber089	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber090	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber091	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber092	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber093	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber094	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber095	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber096	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber097	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber098	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber099	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber100	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber101	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber102	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber103	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber104	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber105	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber106	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber107	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber108	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber109	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber110	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber111	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber112	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber113	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber114	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber115	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber116	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber117	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber118	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber119	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber120	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber121	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber122	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber123	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber124	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber125	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber126	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber127	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber128	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber129	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber130	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber131	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber132	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber133	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber134	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber135	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber136	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber137	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber138	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber139	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber140	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber141	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber142	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber143	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber144	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber145	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber146	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber147	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber148	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber149	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber150	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber151	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber152	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber153	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber154	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber155	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber156	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber157	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber158	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber159	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber160	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber161	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber162	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber163	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber164	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber165	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber166	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber167	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber168	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber169	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber170	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber171	A column reserved for the custom attribute of type Number.

Name	Description
ExtnAttributeNumber172	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber173	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber174	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber175	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber176	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber177	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber178	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber179	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber180	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber181	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber182	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber183	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber184	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber185	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber186	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber187	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber188	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber189	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber190	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber191	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber192	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber193	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber194	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber195	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber196	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber197	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber198	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber199	A column reserved for the custom attribute of type Number.
ExtnAttributeNumber200	A column reserved for the custom attribute of type Number.
ExtnAttributeTimestamp001	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp002	A column reserved for the custom attribute of type Timestamp.

Name	Description
ExtnAttributeTimestamp003	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp004	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp005	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp006	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp007	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp008	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp009	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp010	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp011	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp012	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp013	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp014	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp015	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp016	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp017	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp018	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp019	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp020	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp021	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp022	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp023	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp024	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp025	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp026	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp027	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp028	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp029	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp030	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp031	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp032	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp033	A column reserved for the custom attribute of type Timestamp.

Name	Description
ExtnAttributeTimestamp034	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp035	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp036	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp037	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp038	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp039	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp040	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp041	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp042	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp043	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp044	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp045	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp046	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp047	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp048	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp049	A column reserved for the custom attribute of type Timestamp.
ExtnAttributeTimestamp050	A column reserved for the custom attribute of type Timestamp.
GlobalLocationNumber	The global location number that uniquely identifies each location in a trading partners enterprise.
IdentifyingAddressFlag	Indicates whether this is the identifying address for the party. If the value is Y, then this is the identifying address for the party.
Language	The language used in the contact's location.
LastUpdateDate	The date and time of last update of the record.
LastUpdateLogin	The login of the user who last updated the record.
LastUpdatedBy	The user who last updated the record.
LocationId	The identifier of the location. It's the foreign key to the location view object.
Mailstop	A user-defined code to indicate a mail drop point within the organization.
OrigSystemReference	The identifier for the record from the original system.
OverallPrimaryFlag	Indicates if this is the primary address of the contact irrespective of the Context. Y for primary contact, N for all others.
PartyId	The unique identifier of the party site. Foreign key to the party view object.
PartyNameDba	The doing-business_as (DBA) party name for a party site.
PartyNameDivision	The division of the party name for a party site.

Name	Description
PartyNameLegal	The legal party name for a party site.
PartySiteId	The identifier for the party site. Primary key.
PartySiteName	The user-defined name for the site.
PartySiteNumber	Party site number which is the alternate identifier of the party site.
PartySiteType	The type of the party site type.
PartyUsageCode	The usage context of a party's site.
RelationshipId	The relationship identifier for the record.
StartDateActive	The date on which the record becomes active.
Status	The status of the party site.

Party Usage Assignments

The party usage assignment view object stores information about party usage assignments.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.HzBiccExtractAM.PartyUsageAssignmentExtractPVO

Primary Keys : PartyUsgAssignmentId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
Attribute1	A segment for the party usage assignment descriptive flexfield.
Attribute10	A segment for the party usage assignment descriptive flexfield.
Attribute11	A segment for the party usage assignment descriptive flexfield.
Attribute12	A segment for the party usage assignment descriptive flexfield.
Attribute13	A segment for the party usage assignment descriptive flexfield.
Attribute14	A segment for the party usage assignment descriptive flexfield.
Attribute15	A segment for the party usage assignment descriptive flexfield.
Attribute16	A segment for the party usage assignment descriptive flexfield.
Attribute17	A segment for the party usage assignment descriptive flexfield.

Name	Description
Attribute18	A segment for the party usage assignment descriptive flexfield.
Attribute19	A segment for the party usage assignment descriptive flexfield.
Attribute2	A segment for the party usage assignment descriptive flexfield.
Attribute20	A segment for the party usage assignment descriptive flexfield.
Attribute21	A segment for the party usage assignment descriptive flexfield.
Attribute22	A segment for the party usage assignment descriptive flexfield.
Attribute23	A segment for the party usage assignment descriptive flexfield.
Attribute24	A segment for the party usage assignment descriptive flexfield.
Attribute25	A segment for the party usage assignment descriptive flexfield.
Attribute26	A segment for the party usage assignment descriptive flexfield.
Attribute27	A segment for the party usage assignment descriptive flexfield.
Attribute28	A segment for the party usage assignment descriptive flexfield.
Attribute29	A segment for the party usage assignment descriptive flexfield.
Attribute3	A segment for the party usage assignment descriptive flexfield.
Attribute30	A segment for the party usage assignment descriptive flexfield.
Attribute4	A segment for the party usage assignment descriptive flexfield.
Attribute5	A segment for the party usage assignment descriptive flexfield.
Attribute6	A segment for the party usage assignment descriptive flexfield.
Attribute7	A segment for the party usage assignment descriptive flexfield.
Attribute8	A segment for the party usage assignment descriptive flexfield.
Attribute9	A segment for the party usage assignment descriptive flexfield.
AttributeCategory	A context name for the party usage assignment descriptive flexfield.
Comments	The comments entered by the user about the party usage assignment.
CompetitorFlag	Indicates if the party usage is assigned to competitor or not. If party_usage_code is COMPETITOR then Y, else N.
ContactFlag	Indicates if the party usage is assigned to customer contact or not. If party_usage_code is CUSTOMER_CONTACT then Y, else N.
CreatedBy	The user who created the record.
CreatedByModule	The module through which the record was created.
CreationDate	The date and time when the record was created
CustomerFlag	Indicates if the party usage assigned to customer or not. If party_usage_code is CUSTOMER then Y, else N.

Name	Description
CustomerSinceDt	The start date for customer. If party_usage_code is CUSTOMER, then it's CREATION_DATE, else it's NULL.
EffectiveEndDate	The date when the validity of the party usage assignment ends.
EffectiveStartDate	The date when the validity of the party usage assignment starts.
HrEmployeeFlag	Indicates if the party usage is assigned to HR employee or not. If party_usage_code is HR_EMPLOYEE then Y, else N.
LastUpdateDate	The date and time when the record was last updated
LastUpdateLogin	The login of the user who last updated the record.
LastUpdatedBy	The user who last updated the record.
LegalEntityFlag	Indicates if the party usage is assigned to legal entity or not. If party_usage_code is LEGAL_ENTITY then Y, else N.
ManufacturerFlag	Indicates if the party usage is assigned to manufacture or not. If party_usage_code is MANUFACTURER then Y, else N.
OrgContactFlag	Indicates if the party usage is assigned to org contact or not. If party_usage_code is ORG_CONTACT then Y, else N.
OwnerTableId	The owner table name which can be used to identify a party usage assignment.
OwnerTableName	The owner table ID which can be used to identify a party usage assignment.
PartyId	The unique identifier of party that the party usage is assigned to.
PartyUsageCode	The code that identifies the party usage.
PartyUsgAssignmentId	The unique identifier for a party usage assignment. This is a primary key.
ProspectFlag	Indicates whether the party usage is assigned to prospect or not. If party_usage_code is PROSPECT then Y, else N.
SalesAccountFlag	Indicates whether the party usage is assigned to sales account or not. If party_usage_code is SALES_ACCOUNT then Y, else N.
SalesProspectFlag	Indicates whether the party usage is assigned to sales prospect or not. If party_usage_code is SALES_PROSPECT then Y, else N.
SalesReferenceFlag	Indicates whether the party usage is assigned to sales reference or not. If party_usage_code is SALES_REFERENCE then Y, else N.
SalesaccntSinceDt	The start date for sales account. If party_usage_code is SALES_ACCOUNT, then it's CREATION_DATE, else it's NULL.
StatusFlag	The record status used to soft delete the record. The accepted values are A for active and I for inactive. The default value is A.
SupplierContactFlag	Indicates whether the party usage is assigned to supplier contact or not. If party_usage_code is SUPPLIER_CONTACT then Y, else N.
SupplierFlag	Indicates whether the party usage is assigned to supplier or not. If party_usage_code is SUPPLIER then Y, else N.
SupplierSinceDt	The start date for supplier. If party_usage_code is SUPPLIER, then it's CREATION_DATE, else it's NULL.

Persons

The person view object contains personal and family information about a party of the Person type, including gender, marital status, academic title, previous last name, and so on. Some information in this view may also be stored in Party view object.

Data Store Key : CrmAnalyticsAM.CrmExtractAM.HzBiccExtractAM.PersonExtractPVO

Primary Keys : PersonProfileId

Initial Extract Date : CreationDate

Incremental Extract Date : LastUpdateDate

Attributes

This table provides the list of exposed attributes and their descriptions.

Name	Description
ActualContentSource	The information regarding the source of the contact point.
Attribute1	A segment for the person descriptive flexfield.
Attribute10	A segment for the person descriptive flexfield.
Attribute11	A segment for the person descriptive flexfield.
Attribute12	A segment for the person descriptive flexfield.
Attribute13	A segment for the person descriptive flexfield.
Attribute14	A segment for the person descriptive flexfield.
Attribute15	A segment for the person descriptive flexfield.
Attribute16	A segment for the person descriptive flexfield.
Attribute17	A segment for the person descriptive flexfield.
Attribute18	A segment for the person descriptive flexfield.
Attribute19	A segment for the person descriptive flexfield.
Attribute2	A segment for the person descriptive flexfield.
Attribute20	A segment for the person descriptive flexfield.
Attribute21	A segment for the person descriptive flexfield.
Attribute22	A segment for the person descriptive flexfield.
Attribute23	A segment for the person descriptive flexfield.
Attribute24	A segment for the person descriptive flexfield.

Name	Description
Attribute25	A segment for the person descriptive flexfield.
Attribute26	A segment for the person descriptive flexfield.
Attribute27	A segment for the person descriptive flexfield.
Attribute28	A segment for the person descriptive flexfield.
Attribute29	A segment for the person descriptive flexfield.
Attribute3	A segment for the person descriptive flexfield.
Attribute30	A segment for the person descriptive flexfield.
Attribute4	A segment for the person descriptive flexfield.
Attribute5	A segment for the person descriptive flexfield.
Attribute6	A segment for the person descriptive flexfield.
Attribute7	A segment for the person descriptive flexfield.
Attribute8	A segment for the person descriptive flexfield.
Attribute9	A segment for the person descriptive flexfield.
AttributeCategory	The context name for the person descriptive flexfield.
AttributeDate1	A date segment for the person descriptive flexfield.
AttributeDate10	A date segment for the person descriptive flexfield.
AttributeDate11	A date segment for the person descriptive flexfield.
AttributeDate12	A date segment for the person descriptive flexfield.
AttributeDate2	A date segment for the person descriptive flexfield.
AttributeDate3	A date segment for the person descriptive flexfield.
AttributeDate4	A date segment for the person descriptive flexfield.
AttributeDate5	A date segment for the person descriptive flexfield.
AttributeDate6	A date segment for the person descriptive flexfield.
AttributeDate7	A date segment for the person descriptive flexfield.
AttributeDate8	A date segment for the person descriptive flexfield.
AttributeDate9	A date segment for the person descriptive flexfield.
AttributeNumber1	A number segment for the person descriptive flexfield.
AttributeNumber10	A number segment for the person descriptive flexfield.
AttributeNumber11	A number segment for the person descriptive flexfield.
AttributeNumber12	A number segment for the person descriptive flexfield.
AttributeNumber2	A number segment for the person descriptive flexfield.

Name	Description
AttributeNumber3	A number segment for the person descriptive flexfield.
AttributeNumber4	A number segment for the person descriptive flexfield.
AttributeNumber5	A number segment for the person descriptive flexfield.
AttributeNumber6	A number segment for the person descriptive flexfield.
AttributeNumber7	A number segment for the person descriptive flexfield.
AttributeNumber8	A number segment for the person descriptive flexfield.
AttributeNumber9	A number segment for the person descriptive flexfield.
CertReasonCode	The reason for the organization party's current certification level assignment as indicated by the HZ_PARTY_CERT_REASON lookup type.
CertificationLevel	The certification level the organization party as indicated in the HZ_PARTY_CERT_LEVEL lookup type.
CleanlinessScore	The overall score for the contact or account record for category Cleanliness.
Comments	The comments entered by the user about the person.
CompletenessScore	The overall score for the contact or account record for category Completeness.
ContactRole	The name of the role of the contact.
CorpCurrencyCode	The corporate currency code used by the CRM Extensibility framework. It's defaulted to the value set in the profile option ZCA_COMMON_CORPORATE_CURRENCY.
CreatedBy	The user who created the record.
CreatedByModule	The module through which the person record was created.
CreationDate	The date and time of creating the record.
CurcyConvRateType	The currency conversion rate type. A list of valid values are defined in the lookup ZCA_COMMON_RATE_TYPE. Review and update the profile option using the Setup and Maintenance work area, Manage Currency Profile Options task.
CurrencyCode	The currency code. A list of valid values are defined in the lookup ZCA_COMMON_CORPORATE_CURRENCY. Review and update the profile option using the Setup and Maintenance work area, Manage Currency Profile Options task.
DataCloudStatus	The enrichment status of the contact record from Data-as-a-Service. A list of valid values are defined in the lookup DATA_CLOUD_STATUS. Review and update the codes using the Setup and Maintenance work area, Manage Standard Lookups task.
DataConfidenceScore	The overall data confidence score that indicates the level of data quality for a particular record.
DateOfBirth	The date the person was born.
DateOfDeath	The date the person died.
DeceasedFlag	Indicates whether the person is deceased or not. If the value is True, then the person is deceased. The default value is False.
DeclaredEthnicity	The declared ethnicity of the person.
Department	The name the department of the contact.

Name	Description
DepartmentCode	The code indicating the department of the contact. A list of accepted values is defined in the lookup DEPARTMENT_TYPE. Review and update the value for this attribute using the Setup and Maintenance work area, Manage Contact Lookups task.
DoNotCallFlag	Indicates whether the user can call the person or not. If the value is True, then the user must not call the person. The default value is False. A list of accepted values is defined using the lookup YES_NO. Review and update the value for this attribute using the Setup and Maintenance work area, Manage Common Lookups task.
DoNotContactFlag	Indicates whether the user can contact the person or not by phone, e-mail, or mail. If the value is True, then the user must not contact the person. The default value is False. A list of accepted values is defined using the lookup YES_NO. Review and update the value for this attribute using the Setup and Maintenance work area, Manage Common Lookups task.
DoNotEmailFlag	Indicates whether the user can e-mail the person or not. If the value is True, then the user must not contact the person by e-mail. The default value is False. A list of accepted values is defined using the lookup YES_NO. Review and update the value for this attribute using the Setup and Maintenance work area, Manage Common Lookups task.
DoNotMailFlag	Indicates whether the user can send mail to the person or not. If the value is True, then the user must not contact the person by mail. The default value is False. A list of accepted values is defined using the lookup YES_NO. Review and update the value for this attribute using the Setup and Maintenance work area, Manage Common Lookups task.
DuplicateIndicator	The duplicate status of the record in certain scenarios.
DuplicateScore	The overall score for the contact or account record for category Duplicate.
EffectiveEndDate	The date and time when the record becomes inactive.
EffectiveLatestChange	Y indicates that this row represents the latest change in the day.
EffectiveSequence	Indicates the order of different changes made during a day. The lowest value represents the earliest change in the day.
EffectiveStartDate	The date and time when the row becomes active.
EnrichmentScore	Overall score for the contact or account record for category Enrichment.
ExtnAttributeChar001	A column reserved for custom extension attributes of type string.
ExtnAttributeChar002	A column reserved for custom extension attributes of type string.
ExtnAttributeChar003	A column reserved for custom extension attributes of type string.
ExtnAttributeChar004	A column reserved for custom extension attributes of type string.
ExtnAttributeChar005	A column reserved for custom extension attributes of type string.
ExtnAttributeChar006	A column reserved for custom extension attributes of type string.
ExtnAttributeChar007	A column reserved for custom extension attributes of type string.
ExtnAttributeChar008	A column reserved for custom extension attributes of type string.
ExtnAttributeChar009	A column reserved for custom extension attributes of type string.
ExtnAttributeChar010	A column reserved for custom extension attributes of type string.
ExtnAttributeChar011	A column reserved for custom extension attributes of type string.
ExtnAttributeChar012	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar013	A column reserved for custom extension attributes of type string.
ExtnAttributeChar014	A column reserved for custom extension attributes of type string.
ExtnAttributeChar015	A column reserved for custom extension attributes of type string.
ExtnAttributeChar016	A column reserved for custom extension attributes of type string.
ExtnAttributeChar017	A column reserved for custom extension attributes of type string.
ExtnAttributeChar018	A column reserved for custom extension attributes of type string.
ExtnAttributeChar019	A column reserved for custom extension attributes of type string.
ExtnAttributeChar020	A column reserved for custom extension attributes of type string.
ExtnAttributeChar021	A column reserved for custom extension attributes of type string.
ExtnAttributeChar022	A column reserved for custom extension attributes of type string.
ExtnAttributeChar023	A column reserved for custom extension attributes of type string.
ExtnAttributeChar024	A column reserved for custom extension attributes of type string.
ExtnAttributeChar025	A column reserved for custom extension attributes of type string.
ExtnAttributeChar026	A column reserved for custom extension attributes of type string.
ExtnAttributeChar027	A column reserved for custom extension attributes of type string.
ExtnAttributeChar028	A column reserved for custom extension attributes of type string.
ExtnAttributeChar029	A column reserved for custom extension attributes of type string.
ExtnAttributeChar030	A column reserved for custom extension attributes of type string.
ExtnAttributeChar031	A column reserved for custom extension attributes of type string.
ExtnAttributeChar032	A column reserved for custom extension attributes of type string.
ExtnAttributeChar033	A column reserved for custom extension attributes of type string.
ExtnAttributeChar034	A column reserved for custom extension attributes of type string.
ExtnAttributeChar035	A column reserved for custom extension attributes of type string.
ExtnAttributeChar036	A column reserved for custom extension attributes of type string.
ExtnAttributeChar037	A column reserved for custom extension attributes of type string.
ExtnAttributeChar038	A column reserved for custom extension attributes of type string.
ExtnAttributeChar039	A column reserved for custom extension attributes of type string.
ExtnAttributeChar040	A column reserved for custom extension attributes of type string.
ExtnAttributeChar041	A column reserved for custom extension attributes of type string.
ExtnAttributeChar042	A column reserved for custom extension attributes of type string.
ExtnAttributeChar043	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar044	A column reserved for custom extension attributes of type string.
ExtnAttributeChar045	A column reserved for custom extension attributes of type string.
ExtnAttributeChar046	A column reserved for custom extension attributes of type string.
ExtnAttributeChar047	A column reserved for custom extension attributes of type string.
ExtnAttributeChar048	A column reserved for custom extension attributes of type string.
ExtnAttributeChar049	A column reserved for custom extension attributes of type string.
ExtnAttributeChar050	A column reserved for custom extension attributes of type string.
ExtnAttributeChar051	A column reserved for custom extension attributes of type string.
ExtnAttributeChar052	A column reserved for custom extension attributes of type string.
ExtnAttributeChar053	A column reserved for custom extension attributes of type string.
ExtnAttributeChar054	A column reserved for custom extension attributes of type string.
ExtnAttributeChar055	A column reserved for custom extension attributes of type string.
ExtnAttributeChar056	A column reserved for custom extension attributes of type string.
ExtnAttributeChar057	A column reserved for custom extension attributes of type string.
ExtnAttributeChar058	A column reserved for custom extension attributes of type string.
ExtnAttributeChar059	A column reserved for custom extension attributes of type string.
ExtnAttributeChar060	A column reserved for custom extension attributes of type string.
ExtnAttributeChar061	A column reserved for custom extension attributes of type string.
ExtnAttributeChar062	A column reserved for custom extension attributes of type string.
ExtnAttributeChar063	A column reserved for custom extension attributes of type string.
ExtnAttributeChar064	A column reserved for custom extension attributes of type string.
ExtnAttributeChar065	A column reserved for custom extension attributes of type string.
ExtnAttributeChar066	A column reserved for custom extension attributes of type string.
ExtnAttributeChar067	A column reserved for custom extension attributes of type string.
ExtnAttributeChar068	A column reserved for custom extension attributes of type string.
ExtnAttributeChar069	A column reserved for custom extension attributes of type string.
ExtnAttributeChar070	A column reserved for custom extension attributes of type string.
ExtnAttributeChar071	A column reserved for custom extension attributes of type string.
ExtnAttributeChar072	A column reserved for custom extension attributes of type string.
ExtnAttributeChar073	A column reserved for custom extension attributes of type string.
ExtnAttributeChar074	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar075	A column reserved for custom extension attributes of type string.
ExtnAttributeChar076	A column reserved for custom extension attributes of type string.
ExtnAttributeChar077	A column reserved for custom extension attributes of type string.
ExtnAttributeChar078	A column reserved for custom extension attributes of type string.
ExtnAttributeChar079	A column reserved for custom extension attributes of type string.
ExtnAttributeChar080	A column reserved for custom extension attributes of type string.
ExtnAttributeChar081	A column reserved for custom extension attributes of type string.
ExtnAttributeChar082	A column reserved for custom extension attributes of type string.
ExtnAttributeChar083	A column reserved for custom extension attributes of type string.
ExtnAttributeChar084	A column reserved for custom extension attributes of type string.
ExtnAttributeChar085	A column reserved for custom extension attributes of type string.
ExtnAttributeChar086	A column reserved for custom extension attributes of type string.
ExtnAttributeChar087	A column reserved for custom extension attributes of type string.
ExtnAttributeChar088	A column reserved for custom extension attributes of type string.
ExtnAttributeChar089	A column reserved for custom extension attributes of type string.
ExtnAttributeChar090	A column reserved for custom extension attributes of type string.
ExtnAttributeChar091	A column reserved for custom extension attributes of type string.
ExtnAttributeChar092	A column reserved for custom extension attributes of type string.
ExtnAttributeChar093	A column reserved for custom extension attributes of type string.
ExtnAttributeChar094	A column reserved for custom extension attributes of type string.
ExtnAttributeChar095	A column reserved for custom extension attributes of type string.
ExtnAttributeChar096	A column reserved for custom extension attributes of type string.
ExtnAttributeChar097	A column reserved for custom extension attributes of type string.
ExtnAttributeChar098	A column reserved for custom extension attributes of type string.
ExtnAttributeChar099	A column reserved for custom extension attributes of type string.
ExtnAttributeChar100	A column reserved for custom extension attributes of type string.
ExtnAttributeChar101	A column reserved for custom extension attributes of type string.
ExtnAttributeChar102	A column reserved for custom extension attributes of type string.
ExtnAttributeChar103	A column reserved for custom extension attributes of type string.
ExtnAttributeChar104	A column reserved for custom extension attributes of type string.
ExtnAttributeChar105	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar106	A column reserved for custom extension attributes of type string.
ExtnAttributeChar107	A column reserved for custom extension attributes of type string.
ExtnAttributeChar108	A column reserved for custom extension attributes of type string.
ExtnAttributeChar109	A column reserved for custom extension attributes of type string.
ExtnAttributeChar110	A column reserved for custom extension attributes of type string.
ExtnAttributeChar111	A column reserved for custom extension attributes of type string.
ExtnAttributeChar112	A column reserved for custom extension attributes of type string.
ExtnAttributeChar113	A column reserved for custom extension attributes of type string.
ExtnAttributeChar114	A column reserved for custom extension attributes of type string.
ExtnAttributeChar115	A column reserved for custom extension attributes of type string.
ExtnAttributeChar116	A column reserved for custom extension attributes of type string.
ExtnAttributeChar117	A column reserved for custom extension attributes of type string.
ExtnAttributeChar118	A column reserved for custom extension attributes of type string.
ExtnAttributeChar119	A column reserved for custom extension attributes of type string.
ExtnAttributeChar120	A column reserved for custom extension attributes of type string.
ExtnAttributeChar121	A column reserved for custom extension attributes of type string.
ExtnAttributeChar122	A column reserved for custom extension attributes of type string.
ExtnAttributeChar123	A column reserved for custom extension attributes of type string.
ExtnAttributeChar124	A column reserved for custom extension attributes of type string.
ExtnAttributeChar125	A column reserved for custom extension attributes of type string.
ExtnAttributeChar126	A column reserved for custom extension attributes of type string.
ExtnAttributeChar127	A column reserved for custom extension attributes of type string.
ExtnAttributeChar128	A column reserved for custom extension attributes of type string.
ExtnAttributeChar129	A column reserved for custom extension attributes of type string.
ExtnAttributeChar130	A column reserved for custom extension attributes of type string.
ExtnAttributeChar131	A column reserved for custom extension attributes of type string.
ExtnAttributeChar132	A column reserved for custom extension attributes of type string.
ExtnAttributeChar133	A column reserved for custom extension attributes of type string.
ExtnAttributeChar134	A column reserved for custom extension attributes of type string.
ExtnAttributeChar135	A column reserved for custom extension attributes of type string.
ExtnAttributeChar136	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar137	A column reserved for custom extension attributes of type string.
ExtnAttributeChar138	A column reserved for custom extension attributes of type string.
ExtnAttributeChar139	A column reserved for custom extension attributes of type string.
ExtnAttributeChar140	A column reserved for custom extension attributes of type string.
ExtnAttributeChar141	A column reserved for custom extension attributes of type string.
ExtnAttributeChar142	A column reserved for custom extension attributes of type string.
ExtnAttributeChar143	A column reserved for custom extension attributes of type string.
ExtnAttributeChar144	A column reserved for custom extension attributes of type string.
ExtnAttributeChar145	A column reserved for custom extension attributes of type string.
ExtnAttributeChar146	A column reserved for custom extension attributes of type string.
ExtnAttributeChar147	A column reserved for custom extension attributes of type string.
ExtnAttributeChar148	A column reserved for custom extension attributes of type string.
ExtnAttributeChar149	A column reserved for custom extension attributes of type string.
ExtnAttributeChar150	A column reserved for custom extension attributes of type string.
ExtnAttributeChar151	A column reserved for custom extension attributes of type string.
ExtnAttributeChar152	A column reserved for custom extension attributes of type string.
ExtnAttributeChar153	A column reserved for custom extension attributes of type string.
ExtnAttributeChar154	A column reserved for custom extension attributes of type string.
ExtnAttributeChar155	A column reserved for custom extension attributes of type string.
ExtnAttributeChar156	A column reserved for custom extension attributes of type string.
ExtnAttributeChar157	A column reserved for custom extension attributes of type string.
ExtnAttributeChar158	A column reserved for custom extension attributes of type string.
ExtnAttributeChar159	A column reserved for custom extension attributes of type string.
ExtnAttributeChar160	A column reserved for custom extension attributes of type string.
ExtnAttributeChar161	A column reserved for custom extension attributes of type string.
ExtnAttributeChar162	A column reserved for custom extension attributes of type string.
ExtnAttributeChar163	A column reserved for custom extension attributes of type string.
ExtnAttributeChar164	A column reserved for custom extension attributes of type string.
ExtnAttributeChar165	A column reserved for custom extension attributes of type string.
ExtnAttributeChar166	A column reserved for custom extension attributes of type string.
ExtnAttributeChar167	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar168	A column reserved for custom extension attributes of type string.
ExtnAttributeChar169	A column reserved for custom extension attributes of type string.
ExtnAttributeChar170	A column reserved for custom extension attributes of type string.
ExtnAttributeChar171	A column reserved for custom extension attributes of type string.
ExtnAttributeChar172	A column reserved for custom extension attributes of type string.
ExtnAttributeChar173	A column reserved for custom extension attributes of type string.
ExtnAttributeChar174	A column reserved for custom extension attributes of type string.
ExtnAttributeChar175	A column reserved for custom extension attributes of type string.
ExtnAttributeChar176	A column reserved for custom extension attributes of type string.
ExtnAttributeChar177	A column reserved for custom extension attributes of type string.
ExtnAttributeChar178	A column reserved for custom extension attributes of type string.
ExtnAttributeChar179	A column reserved for custom extension attributes of type string.
ExtnAttributeChar180	A column reserved for custom extension attributes of type string.
ExtnAttributeChar181	A column reserved for custom extension attributes of type string.
ExtnAttributeChar182	A column reserved for custom extension attributes of type string.
ExtnAttributeChar183	A column reserved for custom extension attributes of type string.
ExtnAttributeChar184	A column reserved for custom extension attributes of type string.
ExtnAttributeChar185	A column reserved for custom extension attributes of type string.
ExtnAttributeChar186	A column reserved for custom extension attributes of type string.
ExtnAttributeChar187	A column reserved for custom extension attributes of type string.
ExtnAttributeChar188	A column reserved for custom extension attributes of type string.
ExtnAttributeChar189	A column reserved for custom extension attributes of type string.
ExtnAttributeChar190	A column reserved for custom extension attributes of type string.
ExtnAttributeChar191	A column reserved for custom extension attributes of type string.
ExtnAttributeChar192	A column reserved for custom extension attributes of type string.
ExtnAttributeChar193	A column reserved for custom extension attributes of type string.
ExtnAttributeChar194	A column reserved for custom extension attributes of type string.
ExtnAttributeChar195	A column reserved for custom extension attributes of type string.
ExtnAttributeChar196	A column reserved for custom extension attributes of type string.
ExtnAttributeChar197	A column reserved for custom extension attributes of type string.
ExtnAttributeChar198	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar199	A column reserved for custom extension attributes of type string.
ExtnAttributeChar200	A column reserved for custom extension attributes of type string.
ExtnAttributeChar201	A column reserved for custom extension attributes of type string.
ExtnAttributeChar202	A column reserved for custom extension attributes of type string.
ExtnAttributeChar203	A column reserved for custom extension attributes of type string.
ExtnAttributeChar204	A column reserved for custom extension attributes of type string.
ExtnAttributeChar205	A column reserved for custom extension attributes of type string.
ExtnAttributeChar206	A column reserved for custom extension attributes of type string.
ExtnAttributeChar207	A column reserved for custom extension attributes of type string.
ExtnAttributeChar208	A column reserved for custom extension attributes of type string.
ExtnAttributeChar209	A column reserved for custom extension attributes of type string.
ExtnAttributeChar210	A column reserved for custom extension attributes of type string.
ExtnAttributeChar211	A column reserved for custom extension attributes of type string.
ExtnAttributeChar212	A column reserved for custom extension attributes of type string.
ExtnAttributeChar213	A column reserved for custom extension attributes of type string.
ExtnAttributeChar214	A column reserved for custom extension attributes of type string.
ExtnAttributeChar215	A column reserved for custom extension attributes of type string.
ExtnAttributeChar216	A column reserved for custom extension attributes of type string.
ExtnAttributeChar217	A column reserved for custom extension attributes of type string.
ExtnAttributeChar218	A column reserved for custom extension attributes of type string.
ExtnAttributeChar219	A column reserved for custom extension attributes of type string.
ExtnAttributeChar220	A column reserved for custom extension attributes of type string.
ExtnAttributeChar221	A column reserved for custom extension attributes of type string.
ExtnAttributeChar222	A column reserved for custom extension attributes of type string.
ExtnAttributeChar223	A column reserved for custom extension attributes of type string.
ExtnAttributeChar224	A column reserved for custom extension attributes of type string.
ExtnAttributeChar225	A column reserved for custom extension attributes of type string.
ExtnAttributeChar226	A column reserved for custom extension attributes of type string.
ExtnAttributeChar227	A column reserved for custom extension attributes of type string.
ExtnAttributeChar228	A column reserved for custom extension attributes of type string.
ExtnAttributeChar229	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar230	A column reserved for custom extension attributes of type string.
ExtnAttributeChar231	A column reserved for custom extension attributes of type string.
ExtnAttributeChar232	A column reserved for custom extension attributes of type string.
ExtnAttributeChar233	A column reserved for custom extension attributes of type string.
ExtnAttributeChar234	A column reserved for custom extension attributes of type string.
ExtnAttributeChar235	A column reserved for custom extension attributes of type string.
ExtnAttributeChar236	A column reserved for custom extension attributes of type string.
ExtnAttributeChar237	A column reserved for custom extension attributes of type string.
ExtnAttributeChar238	A column reserved for custom extension attributes of type string.
ExtnAttributeChar239	A column reserved for custom extension attributes of type string.
ExtnAttributeChar240	A column reserved for custom extension attributes of type string.
ExtnAttributeChar241	A column reserved for custom extension attributes of type string.
ExtnAttributeChar242	A column reserved for custom extension attributes of type string.
ExtnAttributeChar243	A column reserved for custom extension attributes of type string.
ExtnAttributeChar244	A column reserved for custom extension attributes of type string.
ExtnAttributeChar245	A column reserved for custom extension attributes of type string.
ExtnAttributeChar246	A column reserved for custom extension attributes of type string.
ExtnAttributeChar247	A column reserved for custom extension attributes of type string.
ExtnAttributeChar248	A column reserved for custom extension attributes of type string.
ExtnAttributeChar249	A column reserved for custom extension attributes of type string.
ExtnAttributeChar250	A column reserved for custom extension attributes of type string.
ExtnAttributeChar251	A column reserved for custom extension attributes of type string.
ExtnAttributeChar252	A column reserved for custom extension attributes of type string.
ExtnAttributeChar253	A column reserved for custom extension attributes of type string.
ExtnAttributeChar254	A column reserved for custom extension attributes of type string.
ExtnAttributeChar255	A column reserved for custom extension attributes of type string.
ExtnAttributeChar256	A column reserved for custom extension attributes of type string.
ExtnAttributeChar257	A column reserved for custom extension attributes of type string.
ExtnAttributeChar258	A column reserved for custom extension attributes of type string.
ExtnAttributeChar259	A column reserved for custom extension attributes of type string.
ExtnAttributeChar260	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar261	A column reserved for custom extension attributes of type string.
ExtnAttributeChar262	A column reserved for custom extension attributes of type string.
ExtnAttributeChar263	A column reserved for custom extension attributes of type string.
ExtnAttributeChar264	A column reserved for custom extension attributes of type string.
ExtnAttributeChar265	A column reserved for custom extension attributes of type string.
ExtnAttributeChar266	A column reserved for custom extension attributes of type string.
ExtnAttributeChar267	A column reserved for custom extension attributes of type string.
ExtnAttributeChar268	A column reserved for custom extension attributes of type string.
ExtnAttributeChar269	A column reserved for custom extension attributes of type string.
ExtnAttributeChar270	A column reserved for custom extension attributes of type string.
ExtnAttributeChar271	A column reserved for custom extension attributes of type string.
ExtnAttributeChar272	A column reserved for custom extension attributes of type string.
ExtnAttributeChar273	A column reserved for custom extension attributes of type string.
ExtnAttributeChar274	A column reserved for custom extension attributes of type string.
ExtnAttributeChar275	A column reserved for custom extension attributes of type string.
ExtnAttributeChar276	A column reserved for custom extension attributes of type string.
ExtnAttributeChar277	A column reserved for custom extension attributes of type string.
ExtnAttributeChar278	A column reserved for custom extension attributes of type string.
ExtnAttributeChar279	A column reserved for custom extension attributes of type string.
ExtnAttributeChar280	A column reserved for custom extension attributes of type string.
ExtnAttributeChar281	A column reserved for custom extension attributes of type string.
ExtnAttributeChar282	A column reserved for custom extension attributes of type string.
ExtnAttributeChar283	A column reserved for custom extension attributes of type string.
ExtnAttributeChar284	A column reserved for custom extension attributes of type string.
ExtnAttributeChar285	A column reserved for custom extension attributes of type string.
ExtnAttributeChar286	A column reserved for custom extension attributes of type string.
ExtnAttributeChar287	A column reserved for custom extension attributes of type string.
ExtnAttributeChar288	A column reserved for custom extension attributes of type string.
ExtnAttributeChar289	A column reserved for custom extension attributes of type string.
ExtnAttributeChar290	A column reserved for custom extension attributes of type string.
ExtnAttributeChar291	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar292	A column reserved for custom extension attributes of type string.
ExtnAttributeChar293	A column reserved for custom extension attributes of type string.
ExtnAttributeChar294	A column reserved for custom extension attributes of type string.
ExtnAttributeChar295	A column reserved for custom extension attributes of type string.
ExtnAttributeChar296	A column reserved for custom extension attributes of type string.
ExtnAttributeChar297	A column reserved for custom extension attributes of type string.
ExtnAttributeChar298	A column reserved for custom extension attributes of type string.
ExtnAttributeChar299	A column reserved for custom extension attributes of type string.
ExtnAttributeChar300	A column reserved for custom extension attributes of type string.
ExtnAttributeChar301	A column reserved for custom extension attributes of type string.
ExtnAttributeChar302	A column reserved for custom extension attributes of type string.
ExtnAttributeChar303	A column reserved for custom extension attributes of type string.
ExtnAttributeChar304	A column reserved for custom extension attributes of type string.
ExtnAttributeChar305	A column reserved for custom extension attributes of type string.
ExtnAttributeChar306	A column reserved for custom extension attributes of type string.
ExtnAttributeChar307	A column reserved for custom extension attributes of type string.
ExtnAttributeChar308	A column reserved for custom extension attributes of type string.
ExtnAttributeChar309	A column reserved for custom extension attributes of type string.
ExtnAttributeChar310	A column reserved for custom extension attributes of type string.
ExtnAttributeChar311	A column reserved for custom extension attributes of type string.
ExtnAttributeChar312	A column reserved for custom extension attributes of type string.
ExtnAttributeChar313	A column reserved for custom extension attributes of type string.
ExtnAttributeChar314	A column reserved for custom extension attributes of type string.
ExtnAttributeChar315	A column reserved for custom extension attributes of type string.
ExtnAttributeChar316	A column reserved for custom extension attributes of type string.
ExtnAttributeChar317	A column reserved for custom extension attributes of type string.
ExtnAttributeChar318	A column reserved for custom extension attributes of type string.
ExtnAttributeChar319	A column reserved for custom extension attributes of type string.
ExtnAttributeChar320	A column reserved for custom extension attributes of type string.
ExtnAttributeChar321	A column reserved for custom extension attributes of type string.
ExtnAttributeChar322	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeChar323	A column reserved for custom extension attributes of type string.
ExtnAttributeChar324	A column reserved for custom extension attributes of type string.
ExtnAttributeChar325	A column reserved for custom extension attributes of type string.
ExtnAttributeChar326	A column reserved for custom extension attributes of type string.
ExtnAttributeChar327	A column reserved for custom extension attributes of type string.
ExtnAttributeChar328	A column reserved for custom extension attributes of type string.
ExtnAttributeChar329	A column reserved for custom extension attributes of type string.
ExtnAttributeChar330	A column reserved for custom extension attributes of type string.
ExtnAttributeChar331	A column reserved for custom extension attributes of type string.
ExtnAttributeChar332	A column reserved for custom extension attributes of type string.
ExtnAttributeChar333	A column reserved for custom extension attributes of type string.
ExtnAttributeChar334	A column reserved for custom extension attributes of type string.
ExtnAttributeChar335	A column reserved for custom extension attributes of type string.
ExtnAttributeChar336	A column reserved for custom extension attributes of type string.
ExtnAttributeChar337	A column reserved for custom extension attributes of type string.
ExtnAttributeChar338	A column reserved for custom extension attributes of type string.
ExtnAttributeChar339	A column reserved for custom extension attributes of type string.
ExtnAttributeChar340	A column reserved for custom extension attributes of type string.
ExtnAttributeChar341	A column reserved for custom extension attributes of type string.
ExtnAttributeChar342	A column reserved for custom extension attributes of type string.
ExtnAttributeChar343	A column reserved for custom extension attributes of type string.
ExtnAttributeChar344	A column reserved for custom extension attributes of type string.
ExtnAttributeChar345	A column reserved for custom extension attributes of type string.
ExtnAttributeChar346	A column reserved for custom extension attributes of type string.
ExtnAttributeChar347	A column reserved for custom extension attributes of type string.
ExtnAttributeChar348	A column reserved for custom extension attributes of type string.
ExtnAttributeChar349	A column reserved for custom extension attributes of type string.
ExtnAttributeChar350	A column reserved for custom extension attributes of type string.
ExtnAttributeClob001	A column reserved for custom extension attributes of type string.
ExtnAttributeClob002	A column reserved for custom extension attributes of type string.
ExtnAttributeClob003	A column reserved for custom extension attributes of type string.

Name	Description
ExtnAttributeClob004	A column reserved for custom extension attributes of type string.
ExtnAttributeClob005	A column reserved for custom extension attributes of type string.
ExtnAttributeClob006	A column reserved for custom extension attributes of type string.
ExtnAttributeClob007	A column reserved for custom extension attributes of type string.
ExtnAttributeClob008	A column reserved for custom extension attributes of type string.
ExtnAttributeClob009	A column reserved for custom extension attributes of type string.
ExtnAttributeClob010	A column reserved for custom extension attributes of type string.
ExtnAttributeClob011	A column reserved for custom extension attributes of type string.
ExtnAttributeClob012	A column reserved for custom extension attributes of type string.
ExtnAttributeClob013	A column reserved for custom extension attributes of type string.
ExtnAttributeClob014	A column reserved for custom extension attributes of type string.
ExtnAttributeClob015	A column reserved for custom extension attributes of type string.
ExtnAttributeClob016	A column reserved for custom extension attributes of type string.
ExtnAttributeClob017	A column reserved for custom extension attributes of type string.
ExtnAttributeClob018	A column reserved for custom extension attributes of type string.
ExtnAttributeClob019	A column reserved for custom extension attributes of type string.
ExtnAttributeClob020	A column reserved for custom extension attributes of type string.
ExtnAttributeClob021	A column reserved for custom extension attributes of type string.
ExtnAttributeClob022	A column reserved for custom extension attributes of type string.
ExtnAttributeClob023	A column reserved for custom extension attributes of type string.
ExtnAttributeClob024	A column reserved for custom extension attributes of type string.
ExtnAttributeClob025	A column reserved for custom extension attributes of type string.
ExtnAttributeNumber001	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber002	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber003	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber004	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber005	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber006	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber007	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber008	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber009	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber010	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber011	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber012	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber013	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber014	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber015	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber016	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber017	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber018	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber019	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber020	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber021	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber022	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber023	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber024	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber025	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber026	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber027	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber028	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber029	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber030	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber031	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber032	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber033	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber034	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber035	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber036	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber037	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber038	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber039	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber040	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber041	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber042	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber043	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber044	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber045	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber046	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber047	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber048	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber049	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber050	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber051	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber052	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber053	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber054	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber055	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber056	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber057	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber058	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber059	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber060	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber061	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber062	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber063	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber064	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber065	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber066	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber067	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber068	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber069	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber070	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber071	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber072	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber073	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber074	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber075	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber076	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber077	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber078	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber079	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber080	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber081	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber082	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber083	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber084	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber085	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber086	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber087	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber088	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber089	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber090	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber091	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber092	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber093	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber094	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber095	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber096	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber097	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber098	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber099	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber100	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber101	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber102	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber103	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber104	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber105	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber106	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber107	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber108	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber109	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber110	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber111	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber112	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber113	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber114	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber115	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber116	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber117	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber118	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber119	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber120	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber121	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber122	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber123	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber124	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber125	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber126	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber127	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber128	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber129	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber130	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber131	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber132	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber133	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber134	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber135	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber136	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber137	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber138	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber139	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber140	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber141	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber142	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber143	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber144	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber145	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber146	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber147	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber148	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber149	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber150	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber151	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber152	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber153	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber154	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber155	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber156	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber157	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber158	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber159	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber160	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber161	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber162	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber163	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber164	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber165	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber166	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber167	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber168	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber169	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber170	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber171	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber172	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber173	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber174	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber175	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber176	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber177	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber178	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber179	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber180	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber181	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber182	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber183	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber184	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber185	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber186	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber187	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber188	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber189	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber190	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber191	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber192	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber193	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber194	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber195	A column reserved for custom extension attributes of type number.

Name	Description
ExtnAttributeNumber196	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber197	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber198	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber199	A column reserved for custom extension attributes of type number.
ExtnAttributeNumber200	A column reserved for custom extension attributes of type number.
ExtnAttributeTimestamp001	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp002	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp003	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp004	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp005	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp006	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp007	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp008	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp009	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp010	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp011	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp012	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp013	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp014	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp015	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp016	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp017	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp018	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp019	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp020	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp021	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp022	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp023	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp024	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp025	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp026	A column reserved for custom extension attributes of type timestamp.

Name	Description
ExtnAttributeTimestamp027	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp028	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp029	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp030	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp031	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp032	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp033	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp034	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp035	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp036	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp037	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp038	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp039	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp040	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp041	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp042	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp043	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp044	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp045	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp046	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp047	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp048	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp049	A column reserved for custom extension attributes of type timestamp.
ExtnAttributeTimestamp050	A column reserved for custom extension attributes of type timestamp.
Gender	The gender of the person, such as male, female, and unknown. A list of accepted values is defined in the lookup HZ_GENDER. Review and update the value for this attribute using the Setup and Maintenance work area, Manage Standard Lookups task.
HeadOfHouseholdFlag	Indicates if the person is the head of the household. If the value is True, then the person is the head of the household. The default value is False.
HouseholdIncome	The income of the household that this person is a part of.
HouseholdSize	The size of the household this person is a part of.
InternalFlag	Y or N which indicates whether the person is internal or external to the user's organization or not.

Name	Description
JgzzFiscalCode	Taxpayer identification number, often unique identifier of person or organization. Can be SSN or income taxpayer ID in US, fiscal code or NIF in Europe.
JobTitle	The job title of the person.
JobTitleCode	The code indicating the job title of the person, for example, Analyst.
LastAssignedDate	Date on which the Sales Profile Territory Assignment was last run by Assignment Manager.
LastContactDate	The date when the person was last contacted.
LastEnrichmentDate	The date when the record was last enriched.
LastKnownGps	The geophysical location (GPS point) that was last reported for the person.
LastScoreUpdateDate	Indicates when the last data confidence score on this record was computed.
LastSourceUpdateDate	The timestamp when this record was updated by the source system in the last update source system column.
LastUpdateDate	The date and time of last update of the record.
LastUpdateLogin	The login of the user who last updated the record.
LastUpdateSourceSystem	The Source System that last updated this record.
LastUpdatedBy	The user who last updated the record.
MaritalStatus	The marital status of the person. A list of accepted values is defined in the lookup MARITAL_STATUS. Review and update the value for this attribute using the Setup and Maintenance work area, Manage Standard Lookups task.
MaritalStatusEffectiveDate	The date when the person's marital status changed.
NamedFlag	The flag indicating if this is a named account.
OwnerPartyId	The PARTY_ID of the resource designated as the owner of the Sales Profile. Foreign key to the party view object.
PartyId	The unique identifier of the person.
PartyNumber	The unique alternate identifier for the person party. You can update the value if the profile option HZ_GENERATE_PARTY_NUMBER is set to True. The default value is a concatenation of the value specified in the profile option ZCA_PUID_PREFIX and a unique system generated sequence number. Inactive records can't be updated.
PersonAcademicTitle	Academic title that's part of the person's name such as Dr. Jane Smith
PersonFirstName	The first name of the person
PersonInitials	The initials of the person's name.
PersonLastName	The last or surname of the person
PersonLastNamePrefix	The prefix for the last name of a person, such as Fon, or Van. For example, if a person's name is Hans Van, the last name of the person is captured using this attribute.
PersonMiddleName	The middle name of the person.
PersonName	The combination of title, first, middle, last, and suffix names.

Name	Description
PersonNameSuffix	Indicates the place in a family structure. For example, in Tom Jones III, the III.
PersonPreNameAdjunct	The salutary introduction such as Mr., Herr, and so on.
PersonPreviousLastName	The previous last or surname of the person
PersonProfileId	The unique identifier for the person's profile.
PersonSecondLastName	The second last name for a person. In some cultures it isn't uncommon to have double last name. It's used in the same way the new field PERSON_SECOND_LAST_NAME in HZ_PERSON_PROFILES is used.
PersonTitle	A professional or family title. Such as Don or The Right Honorable.
PersonalIncome	The estimated gross annual income of the person.
PlaceOfBirth	Place where the person was born. Typically, the city and country.
PrefFunctionalCurrency	The code indicating the person's default currency. A list of valid currency codes are defined during the application setup.
PreferredContactMethod	The preferred contact method of the person. The accepted values are defined in the lookup type HZ_PREFERRED_CONTACT_METHOD. Review and update the codes using the Setup and Maintenance work area, Manage Trading Community Common Lookups task.
PreferredContactPersonId	The person PARTY_ID of a preferred contact for a given party. There should be a valid relationship.
PrimaryCustomerId	The party identifier of a primary customer for a given person. There should be a valid relationship between the person and a customer.
PrimaryCustomerRelationshipId	Identifier of the primary customer relationship.
RecencyScore	The overall score for the contact or account record for category Recency.
RegistrationStatus	The code indicating the registration status of the person. For example, Approved, Pending, or Rejected. The valid list of values is defined in the lookup ORA_CONTACT_REG_STATUS.
RentOwnInd	Indicates if this contact owns or rents his or her residence. A list of valid values for rent, own, and lease are defined in the lookup OWN_RENT_IND. Review and update the codes using the Setup and Maintenance work area, Manage Standard Lookups task.
SalesAffinityCode	The code indicating the affinity of a contact to the deploying organization. A list of accepted values is defined in the lookup HZ_SLS_CNTCT_AFFINITY_CODE. Review and update the value for this attribute using the Setup and Maintenance work area, Manage Contact Lookups task.
SalesBuyingRoleCode	The code indicating the roles played by a contact in the buying process, for example, decision maker or supporting role. A list of accepted values is defined in the lookup HZ_SLS_CNTCT_BUY_ROLE_CODE. Review and update the values for this attribute using the Setup and Maintenance work area, Manage Contact Lookups task.
SalesProfileStatus	The status of a sales profile. Value can be ACTIVE or INACTIVE.
SalesProfileType	The type of a sales profile. Value can be ZCA_CUSTOMER, ZCA_PROSPECT, ZCA_CONTACT and custom account type defined by the user.
Salutation	The phrase used to address a contact party in any correspondence.
Status	The status of the person. This is an internally-used column and the values are defined in the lookup HZ_STATUS. Review and update the codes using the Setup and Maintenance work area, Manage Trading Community Common Lookups task.
SuffixOverriddenFlag	This attribute will have Y if the suffix is overridden by user and N if not. Default value is N.

Name	Description
UniqueNameSuffix	The suffix used to generate the attribute PartyUniqueName. The suffix is concatenated to the PersonName attribute to generate the PartyUniqueName. The primary address is defaulted as the suffix.
ValidityScore	The overall score for the contact or account record for category Validity.