

ISPKS_ADV1 Package

Extensible Hook Details

Release 14.8.2.0.0

Part No.G52361-01

April 2026

Oracle Financial Services Software Limited

Oracle Park

Off western Express Highway
Goregaon(East)
Mumbai,Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax:+91 22 6718 3001
www.oracle.com/financialservices/

Copyright © 2007, 2026, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are commercial computer software pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

| | |
|-----------------------------|----|
| 1. FN_GET_RTGS_RECEIVER/7/1 | 1 |
| 2. FN_INSERT/7/1 | 1 |
| 3. FN_MT101/4/1 | 2 |
| 4. FN_MT102/3/1 | 2 |
| 5. FN_MT102/3/2 | 3 |
| 6. FN_MT103/4/1 | 3 |
| 7. FN_MT103/4/2 | 4 |
| 8. FN_MT103/4/3 | 4 |
| 9. FN_MT103/4/4 | 5 |
| 10. FN_MT103/4/5 | 6 |
| 11. FN_MT103/4/6 | 6 |
| 12. FN_MT103/4/7 | 7 |
| 13. FN_MT103/4/8 | 7 |
| 14. FN_MT103/4/10 | 8 |
| 15. FN_MT103/4/14 | 8 |
| 16. FN_MT103/4/15 | 9 |
| 17. FN_MT103/4/16 | 9 |
| 18. FN_MT103/4/17 | 10 |
| 19. FN_MT103/4/18 | 11 |
| 20. FN_MT103/4/25 | 11 |
| 21. FN_MT103/4/26 | 12 |
| 22. FN_MT103/4/28 | 12 |
| 23. FN_MT103/0/32 | 13 |
| 24. FN_MT103/0/33 | 13 |
| 25. FN_MT103/0/34 | 13 |
| 26. FN_MT103/0/35 | 14 |
| 27. FN_MT202/4/1 | 14 |
| 28. FN_MT202/4/3 | 15 |
| 29. FN_MT202/4/4 | 16 |
| 30. FN_MT202/4/5 | 16 |
| 31. FN_MT202/4/6 | 17 |
| 32. FN_MT202/4/7 | 17 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_GET_RTGS_RECEIVER |
| No of Parameters | 7 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_GET_RTGS_RECEIVER |
| Additional parameters | l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |
| Hook Description | Hook provided to support changes in fedwire fund service (rtgs) |
| Description | <p>Hook provided to support changes in fedwire fund service (rtgs)</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 18804641 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_INSERT |
| No of Parameters | 7 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_INSERT |
| Additional parameters | l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |
| Hook Description | Hook Provided for a functional capability enhancement to use SWIFT-RUR6 standards for processing financial notifications considering rules of Russian Payment system in order to perform settlements in Russian ruble (RUB). |
| Description | <p>Hook Provided for a functional capability enhancement to use SWIFT-RUR6 standards for processing financial notifications considering rules of Russian Payment system in order to perform settlements in Russian ruble (RUB).</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 20125470 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_MT101 |
| No of Parameters | 4 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_MT101 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |
| Hook Description | Hook Provided |
| Description | <p>Hook Provided</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 17861835 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_MT102 |
| No of Parameters | 3 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_MT102 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(I_recvcorr_flag) |
| Received from Extensible Layer | I_Tb_Cluster_Data(I_recvcorr_flag) |
| Hook Description | Hook Provided for a functional capability enhancement to use SWIFT-RUR6 standards for processing financial notifications considering rules of Russian Payment system in order to perform settlements |
| Description | <p>Hook Provided for a functional capability enhancement to use SWIFT-RUR6 standards for processing financial notifications considering rules of Russian Payment system in order to perform settlements</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 20125470 |

| Parameter | Description |
|------------------|-------------|
| Function | FN_MT102 |
| No of Parameters | 3 |

| | |
|--------------------------------|---|
| Function Call Id | 2 |
| Cluster/Custom Function Name | FN_MT102 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |
| Hook Description | Hook Provided for a functional capability enhancement to use SWIFT-RUR6 standards for processing financial notifications considering rules of Russian Payment system in order to perform settlements |
| Description | <p>Hook Provided for a functional capability enhancement to use SWIFT-RUR6 standards for processing financial notifications considering rules of Russian Payment system in order to perform settlements</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 20125470 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_MT103 |
| No of Parameters | 4 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(Module) |
| Received from Extensible Layer | None |
| Hook Description | Hook Provided |
| Description | <p>Hook Provided</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 17861835 |

| Parameter | Description |
|------------------------------|-------------------|
| Function | FN_MT103 |
| No of Parameters | 4 |
| Function Call Id | 2 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | I_tb_cluster_data |

| | |
|--------------------------------|--|
| Sent to Extensible layer | I_Tb_Cluster_Data(I_20_Ref) I_Tb_Cluster_Data(p_Modproc_Rec) I_Tb_Cluster_Data(I_Fldval) |
| Received from Extensible Layer | I_Tb_Cluster_Data(I_Fldval) |
| Hook Description | Hook Provided in ISPKS_ADV1 for Tag 20 Enhancement For MM module Changes. |
| Description | Hook Provided in ISPKS_ADV1 for Tag 20 Enhancement For MM module Changes. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 17566048 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_MT103 |
| No of Parameters | 4 |
| Function Call Id | 3 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(I_amt_tag) I_Tb_Cluster_Data(I_Dcn) I_Tb_Cluster_Data(I_Fldtag) I_Tb_Cluster_Data(I_Loopno) I_Tb_Cluster_Data(I_module) I_Tb_Cluster_Data(I_Fldval) |
| Received from Extensible Layer | I_Tb_Cluster_Data(I_amt_tag) I_Tb_Cluster_Data(I_Dcn) I_Tb_Cluster_Data(I_Fldtag) I_Tb_Cluster_Data(I_Loopno) I_Tb_Cluster_Data(I_module) I_Tb_Cluster_Data(I_Fldval) |
| Hook Description | Hook Provided |
| Description | Hook Provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 17472969 |

| Parameter | Description |
|------------------|-------------|
| Function | FN_MT103 |
| No of Parameters | 4 |
| Function Call Id | 4 |

| | |
|--------------------------------|---|
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(I_amt_tag) I_Tb_Cluster_Data(I_Dcn) I_Tb_Cluster_Data(I_Fldtag) I_Tb_Cluster_Data(I_Loopno) I_Tb_Cluster_Data(I_module) I_Tb_Cluster_Data(I_Fldval) |
| Received from Extensible Layer | I_Tb_Cluster_Data(I_amt_tag) I_Tb_Cluster_Data(I_Dcn) I_Tb_Cluster_Data(I_Fldtag) I_Tb_Cluster_Data(I_Loopno) I_Tb_Cluster_Data(I_module) I_Tb_Cluster_Data(I_Fldval) |
| Hook Description | Hook Provided |
| Description | Hook Provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 17472969 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_MT103 |
| No of Parameters | 4 |
| Function Call Id | 5 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(I_amt_tag) I_Tb_Cluster_Data(I_Dcn) I_Tb_Cluster_Data(I_Fldtag) I_Tb_Cluster_Data(I_Loopno) I_Tb_Cluster_Data(I_module) I_Tb_Cluster_Data(I_Fldval) |
| Received from Extensible Layer | I_Tb_Cluster_Data(I_amt_tag) I_Tb_Cluster_Data(I_Dcn) I_Tb_Cluster_Data(I_Fldtag) I_Tb_Cluster_Data(I_Loopno) I_Tb_Cluster_Data(I_module) I_Tb_Cluster_Data(I_Fldval) |
| Hook Description | Hook Provided |

| Description | <p>Hook Provided</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
|--------------------------------|--|
| Bug No | 17472969 |
| | |
| Parameter | Description |
| Function | FN_MT103 |
| No of Parameters | 4 |
| Function Call Id | 6 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | <p>I_Tb_Cluster_Data(DCN)</p> <p>I_Tb_Cluster_Data(AMTTAG)</p> <p>I_Tb_Cluster_Data(FLDTAG)</p> <p>I_Tb_Cluster_Data(MODULE)</p> <p>I_Tb_Cluster_Data(FLD50K)</p> |
| Received from Extensible Layer | None |
| Hook Description | Hook Provided |
| Description | <p>Hook Provided</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 17861835 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_MT103 |
| No of Parameters | 4 |
| Function Call Id | 7 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | <p>I_Tb_Cluster_Data(DCN)</p> <p>I_Tb_Cluster_Data(AMTTAG)</p> <p>I_Tb_Cluster_Data(FLDTAG)</p> <p>I_Tb_Cluster_Data(MODULE)</p> <p>I_Tb_Cluster_Data(FLD50K)</p> <p>I_Tb_Cluster_Data(LOOPNO)</p> |
| Received from Extensible Layer | None |
| Hook Description | Hook Provided |

| | |
|-------------|--|
| Description | <p>Hook Provided</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 17861835 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_MT103 |
| No of Parameters | 4 |
| Function Call Id | 8 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | <p>I_Tb_Cluster_Data(DCN)</p> <p>I_Tb_Cluster_Data(LOOPNO)</p> <p>I_Tb_Cluster_Data(AMTTAG)</p> <p>I_Tb_Cluster_Data(FLDTAG)</p> <p>I_Tb_Cluster_Data(MODULE)</p> <p>I_Tb_Cluster_Data(FLD50K)</p> |
| Received from Extensible Layer | None |
| Hook Description | Hook Provided |
| Description | <p>Hook Provided</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 17861835 |

| Parameter | Description |
|------------------------------|---|
| Function | FN_MT103 |
| No of Parameters | 4 |
| Function Call Id | 10 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | <p>I_Tb_Cluster_Data(DCN)</p> <p>I_Tb_Cluster_Data(LOOPNO)</p> <p>I_Tb_Cluster_Data(FLDTAG)</p> <p>I_Tb_Cluster_Data(FLDVAL)</p> <p>I_Tb_Cluster_Data(I_Final_Receiver)</p> |

| | |
|--------------------------------|--|
| Received from Extensible Layer | I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(FLDVAL) I_Tb_Cluster_Data(I_Final_Receiver) |
| Hook Description | Hook Provided for FEW ADDITIONAL FIELDS. |
| Description | Hook Provided for FEW ADDITIONAL FIELDS. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 18722579 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_MT103 |
| No of Parameters | 4 |
| Function Call Id | 14 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(32A) |
| Received from Extensible Layer | I_Tb_Cluster_Data(32A) |
| Hook Description | Corrected code to display System generated MT202 cover with incomplete message details |
| Description | Corrected code to display System generated MT202 cover with incomplete message details All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 18730087 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_MT103 |
| No of Parameters | 4 |
| Function Call Id | 15 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(amttag) I_Tb_Cluster_Data(module) I_Tb_Cluster_Data(esn) |
| Received from Extensible Layer | I_Tb_Cluster_Data(amttag) I_Tb_Cluster_Data(esn) |

| | |
|------------------|---|
| Hook Description | Hook Provided so that amount_tag can be stored as part of insertion of data into ISTB_MSGHO and can be used while selecting data from ISTBS_CONTRACT_DETAILS for message generation. |
| Description | <p>Hook Provided so that amount_tag can be stored as part of insertion of data into ISTB_MSGHO and can be used while selecting data from ISTBS_CONTRACT_DETAILS for message generation.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 18775671 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_MT103 |
| No of Parameters | 4 |
| Function Call Id | 16 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(I_Final_Receiver) I_Tb_Cluster_Data(I_Module) |
| Received from Extensible Layer | I_Tb_Cluster_Data(LOOPNO) |
| Hook Description | Hook Provided to introduce an extra slash in the 57A of MT103 |
| Description | <p>Hook Provided to introduce an extra slash in the 57A of MT103</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 19537385 |

| Parameter | Description |
|------------------------------|-------------------|
| Function | FN_MT103 |
| No of Parameters | 4 |
| Function Call Id | 17 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | I_tb_cluster_data |

| | |
|--------------------------------|---|
| Sent to Extensible layer | I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(L_ORG_MSG_TYPE) I_Tb_Cluster_Data(I_Module) I_Tb_Cluster_Data(L_FT.DR_CCY) I_Tb_Cluster_Data(L_FT.DR_AMOUNT) I_Tb_Cluster_Data(L_RCVR_CHG_AMT) I_Tb_Cluster_Data(L_SNDR_CHG_AMT) |
| Received from Extensible Layer | I_Tb_Cluster_Data(LOOPNO) |
| Hook Description | Hook Provided to skip the tags 33B and 36 in MT103. |
| Description | Hook Provided to skip the tags 33B and 36 in MT103. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 19855568 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_MT103 |
| No of Parameters | 4 |
| Function Call Id | 18 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(I_Module) I_Tb_Cluster_Data(I_ft.upload_flag) I_Tb_Cluster_Data(I_ft.internal_remarks) I_Tb_Cluster_Data(I_org_msg_type) I_Tb_Cluster_Data(I_sndr_chg_amt) I_Tb_Cluster_Data(I_gen_191) I_Tb_Cluster_Data(I_rcvr_chg_amt) I_Tb_Cluster_Data(I_esn) I_Tb_Cluster_Data(I_amt_tag) |
| Received from Extensible Layer | None |
| Hook Description | Hook Provided for a functional capability enhancement to use SWIFT-RUR6 standards for processing financial notifications considering rules of Russian Payment system in order to perform settlements |

| | |
|-------------|---|
| Description | <p>Hook Provided for a functional capability enhancement to use SWIFT-RUR6 standards for processing financial notifications considering rules of Russian Payment system in order to perform settlements</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 20125470 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_MT103 |
| No of Parameters | 4 |
| Function Call Id | 25 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(I_103_user_header) |
| Received from Extensible Layer | I_Tb_Cluster_Data(I_103_user_header) |
| Hook Description | Hook Provided to check that if a payment is not through RTGS network but resulting in Bifurcation then MT202 header should be appended or populated with the value BIFURCATED in tag 108 |
| Description | <p>Hook Provided to check that if a payment is not through RTGS network but resulting in Bifurcation then MT202 header should be appended or populated with the value BIFURCATED in tag 108</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 23653428 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_MT103 |
| No of Parameters | 4 |
| Function Call Id | 26 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(I_103_user_header) |
| Received from Extensible Layer | I_Tb_Cluster_Data(I_103_user_header) |
| Hook Description | Hook Provided to check that if a payment is not through RTGS network but resulting in Bifurcation then MT202 header should be appended or populated with the value BIFURCATED in tag 108 |

| Description | <p>Hook Provided to check that if a payment is not through RTGS network but resulting in Bifurcation then MT202 header should be appended or populated with the value BIFURCATED in tag 108</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
|--------------------------------|---|
| Bug No | 23653428 |
| | |
| Parameter | Description |
| Function | FN_MT103 |
| No of Parameters | 4 |
| Function Call Id | 28 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(I_swift_addr) I_Tb_Cluster_Data(I_fldval) |
| Received from Extensible Layer | I_Tb_Cluster_Data(I_fldval) |
| Hook Description | Hook Provided so that MT103 MESSAGE cab be SENT FOR PROCESSING IN A PARTICULAR FORM |
| Description | <p>Hook Provided so that MT103 MESSAGE cab be SENT FOR PROCESSING IN A PARTICULAR FORM</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 23652458 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_MT103 |
| No of Parameters | 0 |
| Function Call Id | 32 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | |
| Sent to Extensible layer | I_tb_cluster_data('33B'):=I_fldval; |
| Received from Extensible Layer | I_Fldval := I_tb_cluster_data('33B'); |
| Hook Description | Hook required in ispks_adv1.fn_mt103 after deriving the field value for :33B: tag.Hook has been provided in function Fn_Mt103 in package ispks_adv1. |

| | |
|-------------|---|
| Description | <p>Hook required in ispk_adv1.fn_mt103 after deriving the field value for :33B: tag.Hook has been provided in function Fn_Mt103 in package ispk_adv1.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 28204509 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_MT103 |
| No of Parameters | 0 |
| Function Call Id | 33 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | |
| Sent to Extensible layer | I_tb_cluster_data('33B'):=I_fidval; |
| Received from Extensible Layer | I_Fidval := I_tb_cluster_data('33B'); |
| Hook Description | Hook required in ispk_adv1.fn_mt103 after deriving the field value for :33B: tag.Hook has been provided in function Fn_Mt103 in package ispk_adv1. |
| Description | <p>Hook required in ispk_adv1.fn_mt103 after deriving the field value for :33B: tag.Hook has been provided in function Fn_Mt103 in package ispk_adv1.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 28204509 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_MT103 |
| No of Parameters | 0 |
| Function Call Id | 34 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | |
| Sent to Extensible layer | I_tb_cluster_data('L_OPTION') := I_option; |
| Received from Extensible Layer | I_Option := I_tb_cluster_data('L_OPTION'); |
| Hook Description | Inline Hook provided in function fn_mt103 in package Ispk_Adv1. |
| Description | <p>Inline Hook provided in function fn_mt103 in package Ispk_Adv1.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 28176176 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_MT103 |
| No of Parameters | 0 |
| Function Call Id | 35 |
| Cluster/Custom Function Name | FN_MT103 |
| Additional parameters | |
| Sent to Extensible layer | I_tb_cluster_data('I_Fldval') := I_Fldval; |
| Received from Extensible Layer | I_Fldval := I_tb_cluster_data('I_Fldval'); |
| Hook Description | Hook has been provided in function Fn_Mt103 in package ispks_adv1. |
| Description | <p>Hook has been provided in function Fn_Mt103 in package ispks_adv1.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 28665028 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_MT202 |
| No of Parameters | 4 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_MT202 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(I_Fldval) I_Tb_Cluster_Data(I_benef_flag) |
| Received from Extensible Layer | I_Tb_Cluster_Data(I_Fldval) I_Tb_Cluster_Data(I_benef_flag) |
| Hook Description | Hook Provided for TAG20, 21 ENHANCEMENT FOR MM AND LD MODULES |
| Description | <p>Hook Provided for TAG20, 21 ENHANCEMENT FOR MM AND LD MODULES</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 17566048 |

| Parameter | Description |
|------------------|-------------|
| Function | FN_MT202 |
| No of Parameters | 4 |
| Function Call Id | 3 |

| | |
|--------------------------------|--|
| Cluster/Custom Function Name | FN_MT202 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(MODULE) |
| Received from Extensible Layer | I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(MODULE) |
| Hook Description | Hook Provided so that UAEFTS & QATCH MESSAGING SYSTEMS can have FEW ADDITIONAL FIELDS. |
| Description | Hook Provided so that UAEFTS & QATCH MESSAGING SYSTEMS can have FEW ADDITIONAL FIELDS. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 18722930 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_MT202 |
| No of Parameters | 4 |
| Function Call Id | 4 |
| Cluster/Custom Function Name | FN_MT202 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(FLDVAL) I_Tb_Cluster_Data(I_Final_Receiver) I_Tb_Cluster_Data(p_Is_Msggho_Rec.Acc_With_Instn1) I_Tb_Cluster_Data(I_Benef_Inst1_For_Cover) I_Tb_Cluster_Data(Cnt1) I_Tb_Cluster_Data(L_ACC_WITH_INST) I_Tb_Cluster_Data(L_INTERMEDIARY) |
| Received from Extensible Layer | I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(FLDVAL) I_Tb_Cluster_Data(L_ACC_WITH_INST) I_Tb_Cluster_Data(L_INTERMEDIARY) |

| | |
|------------------|---|
| Hook Description | Hook Provided so that UAEFTS & QATCH MESSAGING SYSTEMS can have FEW ADDITIONAL FIELDS. |
| Description | <p>Hook Provided so that UAEFTS & QATCH MESSAGING SYSTEMS can have FEW ADDITIONAL FIELDS.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 18722579 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_MT202 |
| No of Parameters | 4 |
| Function Call Id | 5 |
| Cluster/Custom Function Name | FN_MT202 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(MODULE) |
| Received from Extensible Layer | I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(MODULE) |
| Hook Description | Hook Provided so that UAEFTS & QATCH MESSAGING SYSTEMS can have FEW ADDITIONAL FIELDS. |
| Description | <p>Hook Provided so that UAEFTS & QATCH MESSAGING SYSTEMS can have FEW ADDITIONAL FIELDS.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 18722930 |

| Parameter | Description |
|------------------------------|-------------------|
| Function | FN_MT202 |
| No of Parameters | 4 |
| Function Call Id | 6 |
| Cluster/Custom Function Name | FN_MT202 |
| Additional parameters | I_tb_cluster_data |

| | |
|--------------------------------|--|
| Sent to Extensible layer | I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(FLDVAL) |
| Received from Extensible Layer | I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(FLDVAL) |
| Hook Description | Hook Provided so that UAEFTS & QATCH MESSAGING SYSTEMS can have FEW ADDITIONAL FIELDS. |
| Description | Hook Provided so that UAEFTS & QATCH MESSAGING SYSTEMS can have FEW ADDITIONAL FIELDS. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 18722930 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_MT202 |
| No of Parameters | 4 |
| Function Call Id | 7 |
| Cluster/Custom Function Name | FN_MT202 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(32A) |
| Received from Extensible Layer | I_Tb_Cluster_Data(32A) |
| Hook Description | Corrected code to display System generated MT202 cover with incomplete message details |
| Description | Corrected code to display System generated MT202 cover with incomplete message details All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 18730087 |

| Parameter | Description |
|------------------------------|-------------------|
| Function | FN_MT202 |
| No of Parameters | 4 |
| Function Call Id | 8 |
| Cluster/Custom Function Name | FN_MT202 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | None |

| | |
|--------------------------------|---|
| Received from Extensible Layer | None |
| Hook Description | Hook Provided for generating new reference number and that should be populated into user reference number during new /copy action for FTDTRONL |
| Description | <p>Hook Provided for generating new reference number and that should be populated into user reference number during new /copy action for FTDTRONL</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 19928402 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_MT202 |
| No of Parameters | 4 |
| Function Call Id | 12 |
| Cluster/Custom Function Name | FN_MT202 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(I_202_User_Header) I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(I_rtgs_nw_service_identifier) |
| Received from Extensible Layer | I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) |
| Hook Description | Hook Provided to check that if a payment is not through RTGS network but resulting in Bifurcation then MT202 header should be appended or populated with the value BIFURCATED in tag 108 |
| Description | <p>Hook Provided to check that if a payment is not through RTGS network but resulting in Bifurcation then MT202 header should be appended or populated with the value BIFURCATED in tag 108</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 23653428 |

| Parameter | Description |
|------------------|-------------|
| Function | FN_MT202 |
| No of Parameters | 4 |
| Function Call Id | 18 |

| | |
|--------------------------------|--|
| Cluster/Custom Function Name | FN_MT202 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |
| Hook Description | Automation of MT 103 and MT 202 as per bank requirement. |
| Description | Automation of MT 103 and MT 202 as per bank requirement. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 28176283 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_MT203 |
| No of Parameters | 3 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_MT203 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDVAL) I_Tb_Cluster_Data(LOOPNO) |
| Received from Extensible Layer | None |
| Hook Description | Hook Provided |
| Description | Hook Provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 17861835 |

| Parameter | Description |
|------------------------------|--|
| Function | FN_MT203 |
| No of Parameters | 3 |
| Function Call Id | 2 |
| Cluster/Custom Function Name | FN_MT203 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDVAL) I_Tb_Cluster_Data(LOOPNO) |

| | |
|--------------------------------|--|
| Received from Extensible Layer | I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDVAL) I_Tb_Cluster_Data(LOOPNO) |
| Hook Description | Hook Provided for FEW ADDITIONAL FIELDS. |
| Description | Hook Provided for FEW ADDITIONAL FIELDS. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 18722930 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_SNDR_CORRESP |
| No of Parameters | 5 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_SNDR_CORRESP |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |
| Hook Description | Hook Provided sa that GCB can have different criteria for the field 53A for MT103. |
| Description | Hook Provided sa that GCB can have different criteria for the field 53A for MT103. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 18989665 |

| Parameter | Description |
|--------------------------------|-------------------|
| Function | FN_VALIDATE_103 |
| No of Parameters | 5 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_VALIDATE_103 |
| Additional parameters | I_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |
| Hook Description | Hook Provided |

| | |
|-------------|--|
| Description | <p>Hook Provided</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 17861835 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_VALIDATE_103 |
| No of Parameters | 5 |
| Function Call Id | 2 |
| Cluster/Custom Function Name | FN_VALIDATE_103 |
| Additional parameters | l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |
| Hook Description | Hook Provided for iban validation for country at to be skipped in favour of iban |
| Description | <p>Hook Provided for iban validation for country at to be skipped in favour of iban</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 18694488 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_VALIDATE_103P |
| No of Parameters | 5 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_VALIDATE_103P |
| Additional parameters | l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |
| Hook Description | Hook Provided for iban validation for country at to be skipped in favor of iban |
| Description | <p>Hook Provided for iban validation for country at to be skipped in favor of iban</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 18694488 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_VALIDATE_IS_INFO |
| No of Parameters | 10 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_VALIDATE_IS_INFO |
| Additional parameters | l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |
| Hook Description | Hook Provided for the MELOCAL common customization project |
| Description | <p>Hook Provided for the MELOCAL common customization project</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 17861835 |