

Oracle Banking Retail and SME Lending Cloud Service -
ELCM Integration

Oracle Banking Retail and SME Lending Cloud Service

Release 14.8.2.0.0

Part No. G55841-01

April 2026

Oracle FLEXCUBE UBS - ELCM Integration User Guide
Oracle Banking Retail and SME Lending Cloud Services

Release 14.8.2.0.0

Copyright © 2021, 2026, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners. Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1. Preface	1-1
1.1 Introduction.....	1-1
1.2 Audience.....	1-1
1.3 Documentation Accessibility.....	1-1
1.4 Critical Patches.....	1-1
1.5 Organization	1-1
1.6 Acronyms and Abbreviations.....	1-2
1.7 Glossary of Icons.....	1-2
1.8 Related Information Sources.....	1-2
2. Oracle Banking Retail and SME Lending Cloud Service - ELCM Integration	
2-1	
2.1 Scope	2-1
2.1.1 <i>OBRSL Installation Modes</i>	2-1
2.2 Prerequisites.....	2-2
2.3 Integration Process.....	2-2
2.3.1 <i>Installation Modes</i>	2-2
2.3.2 <i>Integration Maintenance and Processing</i>	2-4
3. Annexure	3-1
3.1 List of Integration Features.....	3-1
4. Function ID Glossary	4-1

1. Preface

1.1 Introduction

This document helps you acquaint with the information on inter-connecting Oracle Banking Retail and SME Lending Cloud Service (OBRSL) with Enterprise Limits and Collateral Management (ELCM).

Besides this user manual, while maintaining the interface related details, you can invoke the context sensitive help available for each field in OBRSL. This help describes the purpose of each field within a screen. You can obtain this information by placing the cursor on the relevant field and striking the <F1> key on the keyboard.

1.2 Audience

This manual is intended for the following User/User Roles:

Role	Function
Back office data entry Clerks	Input functions for maintenance related to the interface
End of day operators	Processing during end of day
Implementation Teams	For setting up integration

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

1.4 Critical Patches

Oracle advises customers to get all their security and vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

1.5 Organization

This chapter is organized into following chapters:

Chapter	Description
Chapter 1	<i>Preface</i> gives information on the intended audience. It also lists the various chapters covered in this User Manual.
Chapter 2	<i>Oracle OBRSL - ELCM Integration</i> explains the integration between Oracle Banking Retail and SME Lending Cloud Service and Enterprise Limits and Collateral Management.





Chapter 3	<i>Annexure</i> provides the details of supported and unsupported functionalities of ELCM.
------------------	--

1.6 Acronyms and Abbreviations

Abbreviation	Description
System	Unless and otherwise specified, it always refers to Oracle Banking Retail and SME Lending Cloud Service
OBRSL	Oracle Banking Retail and SME Lending Cloud Service
ELCM	Enterprise Limits and Collateral Management
SYNC	Synchronous
ASYNC	Asynchronous
XML	Extensible Markup Language

1.7 Glossary of Icons

This user manual may refer to all or some of the following icons.

Icons	Function
	Exit
	Add row
	Delete row
	Option List

1.8 Related Information Sources

Along with this user manual you may also refer the following related resource:

- Oracle Banking Retail and SME Lending Cloud Service Installation Manual
- Common Core - Core Entities and Services User Guide
- Core Services User Guide

2. Oracle Banking Retail and SME Lending Cloud Service - ELCM Integration

Banks extend various credit facilities like limits to its customers depending on their requirements. Based on the bank's business model and their target customers they have one of the following scenarios:

- Banks extending basic credit facilities to customers like overdraft or small loans who will prefer to manage the limits within the core banking system (Standalone OBRSL installation)
- Banks dealing with corporates who require trade finance and treasury that requires limit to be routed through dedicated system to manage the collateral and limit details

This chapter contains the following sections:

- [Section 2.1, "Scope"](#)
- [Section 2.2, "Prerequisites"](#)
- [Section 2.3, "Integration Process"](#)

2.1 Scope

This section contains the following topic:

- [Section 2.1.1, "OBRSL Installation Modes"](#)

2.1.1 OBRSL Installation Modes

This document talks about two types of OBRSL installation modes. They are:

- OBRSL with No External Limits - For this installation mode limit support is within OBRSL through local facility and local collateral
- OBRSL with External Limits - The integration supports the following modes of OBRSL - Limits installation:
 - Standalone Limits system with OBRSL - SYNC Method
 - Standalone Limits system with OBRSL - ASYNC Method
 - Componentized limits installation - SYNC Method
 - Componentized limits installation - ASYNC Method

Details	Standalone		Componentized	
	SYNC (1)	ASYNC (2)	SYNC (3)	ASYNC (4)
Data Storage	Different DB	Different DB	Same DB	Same DB
Deployment	Different App.	Different App.	Same App.	Same App.
Mode Interface	Web Services	Web Services	Web Services	Web Services
Limit Response Handling	Online	Deferred	Online	Deferred

2.2 Prerequisites

Set up Oracle Banking Retail and SME Lending Cloud Service Application. ELCM user will have read-only access to this application. The access is provided only to particular extraction tables.

Refer the 'Oracle Banking Retail and SME Lending Cloud Service Installation' manual.

2.3 Integration Process

This section contains the following topics:

- [Section 2.3.1, "Installation Modes"](#)
- [Section 2.3.2, "Integration Maintenance and Processing"](#)

2.3.1 Installation Modes

The following installation modes are described in the upcoming sections:


- ASYNC Installation for Standalone and Componentized
- SYNC Installation for Standalone and Componentized

2.3.1.1 ASYNC Installation (Standalone and Componentized)

If the mode of limits installation is selected as ASYNC (Standalone/Componentized), the limits requests will be logged with Limits Pending Status in OBRSL Limits Queue. These pending limits requests are picked by a job to form the webservices XML requests. The status of the limit request will be updated in OBRSL based on the external limits response. The status can be Approved, Rejected or Timed-out. OBRSL will authorize the transactions that are in Approved status.

ASYNC Installation Architecture

FCUBS –Limits-Transaction- SYNC Flow



* Oracle Banking Interface Adaptor

Limit Processing Queue

You can query and perform manual actions on external limit requests using Limit Processing Queue screen. This screen supports user action only on timed out requests. You can invoke

this screen by typing 'SQSEXLMT' in the top right corner of the Application toolbar and clicking the adjoining arrow button.

You can view records based on any or all of the following criteria:

- Branch Code
- Process Status
- Authorization Status
- Transaction Ref No
- External Status
- Customer No
- Destination Source

Select any or all of the parameters for a query and click 'Search' button. The records meeting the selected criteria are displayed.

External Limit Queue supports user actions only on a timed out request. A limit request is moved to 'Timed-out' status based on the time out parameter maintained. If response is not received from the external system within the given time, the status is marked as timed out. The following actions are allowed on a timed out requests:

- Approve - Manual approval of external limits
- Reject - Manual rejection of external limits
- Authorize - Authorization of external limits approval or reject done from queue
- Resend - Resend of timed-out request


2.3.1.2 **SYNC Installation (Standalone and Componentized)**

If the mode of limits installation is selected as SYNC (Standalone/Componentized):

- the limit transactions are processed in the transaction time window
- OBRSL creates the limit request during the transaction and sends it to the external limit system
- the response received from the external limit system along with the overrides and errors are displayed to the user during the transaction
- the user can approve the limits overrides and proceed with the transactions from OBRSL

SYNC Installation Architecture

FCUBS –Limits-Transaction- SYNC Flow



* Oracle Banking Interface Adaptor

2.3.2 Integration Maintenance and Processing

The following sections describes the integration maintenance and processing in detail. You can maintain external services using 'External Service Maintenance' screen. You can invoke this screen by typing 'IFDEXSER' in the top right corner of the Application toolbar and clicking the adjoining arrow button.

External Service Maintenance ⌵ ⌵ X

New Enter Query

External System *	<input type="text"/>	External System AppID	<input type="text"/>
External System Type	Default	Read Time Out (In Seconds)	<input type="text"/>
External User *	<input type="text"/>	Connection Time Out (In Seconds)	<input type="text"/>
		Retry Count	<input type="text"/>
		Archival Days	<input type="text"/>
		Rest Service Secured	<input type="checkbox"/>

Type	Service Name	WS Endpoint URL	Rest Service Context	Rest Service IP	Rest Service Port	Rest Service Pattern
No data to display.						

Page 1 (0 of 0 items) << 1 >>

Audit Exit Save

You can maintain the following in this screen:

External System

Specify the external system, Alternatively, you can select the external system from the option list. The list displays all valid values maintained in the system.

Description

The system displays the description based on the external system selected.

External System Type

The system defaults the External System Type.

External User

Specify the external user.

Type

Select the type from the drop-down list.

External System AppID

Specify the External System AppID.

Service Name

Specify the service name. Alternatively, you can select the service name from the option list. The list displays all valid service name maintained in the system.

WS Endpoint URL

Provide WS endpoint URL.

Rest Service Context

The system displays the rest service context.

Rest Service IP

The system displays the rest service IP.

Rest Service Pattern

The system displays the rest service pattern.

Read Time Out (In Seconds)

Specify the web service read time out in seconds.

Connection Time Out (In Seconds)

Specify the web service connection time out in seconds.

Retry Count

Specify the retry count for reprocessing the records.

Archival Days

Specify the archival days.

Rest Services Secured

Select the check box.

2.3.2.1 Installation Parameters

You can select the required external limit setup mode and communication mode during installation.

Limit Setup Mode (ELCM SETUP MODE)

The following parameters can be used for limit setup mode:

- N - Should be used for No External Limit setup (default)
- S - Standalone UBS - Limits setup/ Componentized Limits setup

External Limit Interface Mode (UBS_EL_COMM_MODE)

The following parameters can be used for external limit interface mode:

- A - Asynchronous

- S - Synchronous

This is applicable for Standalone UBS - Limits setup/ Componentized Limits setup.

2.3.2.2 OBRSL with No External Limits Installation

If OBRSL is installed with no external limits:

- Local facility can be created using 'External Facilities Maintenance' (STDCRFAC) screen
- Local collateral can be created using 'Local Collateral Maintenance' (STDCOLAT) screen
- Linkage can be done at customer account and module level as applicable
- OBRSL does the utilization tracking and validations for local facilities and collaterals

2.3.2.3 OBRSL with External Limits Installation

If OBRSL is installed with external limits, then:

- following limit details are replicated from external system to OBRSL:
 - Liability details
 - Customer liability linkage
 - Facility details
 - Collateral details
 - Collateral pool details
- local collateral can be created using the 'Local Collateral Maintenance' (STDCOLAT) screen
- linkage is done at customer account and module level
- for local facility and collateral OBRSL tracks the limit balances and performs the validations, and hands over the utilisation to the external system
- you can also link global limits as applicable based on the data replicated from external system
- for non-local limit types, OBRSL does the limit processing based on the external system response.
- in case of Batch operation OBRSL posts the utilisation to external limits as Force Post

2.3.2.4 Retry mechanism for core replication

Currently Scheduler picks the Record which is having the PROCESS_STATUS value as 'A' and 'U' and EXT_STATUS is 'U' while replication to core system.

As per existing Mechanism OBRSL replication is happening for Request type M & U (Maintenance and Utilization).

Request Type M (Maintenance)

Scheduler picks all the failed records either technical or Functional in below filter criteria:

- PROCESS_STATUS is A,P and EXT_STATUS is T (Time out Occur scenario).
- PROCESS_STATUS is E,F and EXT_STATUS is U (Unhandled exception before web service call itself)

Request Type U (Utilization)

Scheduler picks the technical failure records only for retry mechanism such as request time out or service Maintenance problems. The system will not consider functional Failure records.

- PROCESS_STATUS is F,E and EXT_STATUS is U (Unhandled exception before web service call itself)
- PROCESS_STATUS is P and EXT_STATUS is T (Time out Occur scenario).

Salient Points

- During the process of Core Replication, the system will increase the Retry count each time whenever Failure happens while Processing Records.
- If the retry count is more than the maintained parameter value, the system will not consider the record for the retry process even if the status is Failure
- This is a technical retry only. For functional failure, the user needs to do the necessary corrections and then do a Manual Retry.
- For Example- If there is a wrong field value / mandatory field is not populated, the retry will fail for the maximum retry count. Post this the user has to monitor such cases, correct the same, and then do a manual retry through the front-end screen.

3. Annexure

3.1 List of Integration Features

For details on features that are supported and unsupported in OBRSL and ELCM, refer the excel sheet [Limit_Changes.xlsx](#)

4. Function ID Glossary

I

IFDEXSER2-4

S

SQSEXLMT 2-3