

Oracle Banking Retail and SME Lending Cloud Service -
OFSA Integration

Oracle Banking Retail and SME Lending Cloud Service

Release 14.8.2.0.0

Part No. G55841-01

April 2026

OBRSL - OFSAA Integration User Guide
Oracle Banking Retail and SME Lending Cloud Services

Release 14.8.2.0.0

Copyright © 2021, 2026, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners. Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

| | |
|--|------------|
| 1. Preface | 1-1 |
| 1.1 Introduction..... | 1-1 |
| 1.2 Audience..... | 1-1 |
| 1.3 Documentation Accessibility..... | 1-1 |
| 1.4 Critical Patches..... | 1-1 |
| 1.5 Organization | 1-1 |
| 1.6 Acronyms and Abbreviations..... | 1-2 |
| 1.7 Glossary of Icons..... | 1-2 |
| 1.8 Related Information Sources..... | 1-2 |
| 2. Oracle OBRSL - OFSAA Integration | 2-1 |
| 2.1 Scope | 2-1 |
| 2.1.1 <i>Integration Scope in Oracle Banking Retail and SME Lending Cloud Services</i> | 2-2 |
| 2.1.2 <i>Integration Scope in Oracle Financial Services Analytical Applications</i> | 2-3 |
| 2.2 Prerequisites in Oracle Banking Retail and SME Lending Cloud Service..... | 2-3 |
| 2.2.1 <i>Maintenances</i> | 2-3 |
| 2.3 Prerequisites in Oracle Financial Services Analytical Applications | 2-4 |
| 2.4 Integration Architecture | 2-5 |
| 2.5 Integration Process..... | 2-5 |
| 2.6 Assumptions..... | 2-6 |
| 3. Annexure | 3-1 |
| 3.1 Data Transfer from OBRSL to OFSAA..... | 3-1 |

1. Preface

1.1 Introduction

This document helps you acquaint with the information on inter-connecting Oracle Banking Retail and SME Lending Cloud Services (OBRSL) with Oracle Financial Services Analytical Application (OFSAA).

Besides this user manual, while maintaining the interface related details, you can invoke the context sensitive help available for each field in OBRSL. This help describes the purpose of each field within a screen. You can obtain this information by placing the cursor on the relevant field and striking the <F1> key on the keyboard.

1.2 Audience

This manual is intended for the following User/User Roles:

| Role | Function |
|-------------------------------|--|
| Back office data entry Clerks | Input functions for maintenance related to the interface |
| End of day operators | Processing during end of day |
| Implementation Teams | For setting up integration |

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

1.4 Critical Patches

Oracle advises customers to get all their security and vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

1.5 Organization

This chapter is organized into following chapters:





| Chapter | Description |
|-----------|---|
| Chapter 1 | <i>Preface</i> gives information on the intended audience. It also lists the various chapters covered in this User Manual. |
| Chapter 2 | <i>Oracle OBRSL - OFSAA Integration</i> explains the integration between Oracle Banking Retail and SME Lending Cloud Service and Oracle Financial Services Analytical Applications. |
| Chapter 3 | <i>Annexure</i> provides the details of data exchange. |

1.6 Acronyms and Abbreviations

| Abbreviation | Description |
|---------------|--|
| System | Unless and otherwise specified, it always refers to Oracle Banking Retail and SME Lending Cloud Services |
| OBRSL | Oracle Banking Retail and SME Lending Cloud Services |
| OFSA | Oracle Financial Services Analytical Applications |
| DIH | Data Integration Hub |
| Source System | Oracle Banking Retail and SME Lending Cloud Services (OBRSL) |
| EOD | End of Day |
| EOFI | End of Financial Input |
| OD | Overdraft |

1.7 Glossary of Icons

This user manual may refer to all or some of the following icons.

| Icons | Function |
|---|-------------|
|  | Exit |
|  | Add row |
|  | Delete row |
|  | Option List |

1.8 Related Information Sources

Along with this user manual you may also refer the following related resources:

- Oracle Banking Retail and SME Lending Cloud Service Installation Manual
- OBRSL-OFSA Data Transfer matrix

2. Oracle OBRSL - OFSAA Integration

The integration between the Oracle Banking Retail and SME Lending Cloud Services (OBRSL) and the Oracle Financial Services Analytical Applications (OFSAA) enables the financial institutions to:

- get insights to customer patterns based on the data captured in core Banking
- achieve end-to-end improvement in business delivery
- achieve effective performance and risk free management using the available customer data

This integration is achieved by handing off OBRSL core Banking data via staging tables to OFSAA using DIH connector.

This chapter contains the following sections:

- [Section 2.1, "Scope"](#)
- [Section 2.2, "Prerequisites in Oracle Banking Retail and SME Lending Cloud Service"](#)
- [Section 2.3, "Prerequisites in Oracle Financial Services Analytical Applications"](#)
- [Section 2.4, "Integration Architecture"](#)
- [Section 2.5, "Integration Process"](#)
- [Section 2.6, "Assumptions"](#)

2.1 Scope

This section describes the scope of the integration with respect to each system, i.e. OBRSL and OFSAA.

This section contains the following topics:

- [Section 2.1.1, "Integration Scope in Oracle Banking Retail and SME Lending Cloud Services"](#)
- [Section 2.1.2, "Integration Scope in Oracle Financial Services Analytical Applications"](#)

2.1.1 Integration Scope in Oracle Banking Retail and SME Lending Cloud Services

During the integration following data are provided to OFSAA in the OBRSL staging table. .

| Module | Hand off Details |
|---|---|
| Core Entities | <ul style="list-style-type: none"> • Customer address, phone numbers and email IDs • Customer education and employment details • Customer marital status • Customer relationship details • Details of organizations that are the customers • Exchange rate information • Details of all geographical locations and transaction channels of the bank • Details of the loan product category and list of all products |
| Current Account and Savings Account | <ul style="list-style-type: none"> • All the personal and business addresses, e-mail IDs and phone numbers associated with an account • List of branch transactions • CASA account ledger and transactions on OD accounts • Interest rates of CASA and OD accounts |
| Consumer Lending | <ul style="list-style-type: none"> • All the personal and business addresses, email IDs and phone numbers associated with an account • Loan contract transactions details • Repayment schedules of contracts like loan, mortgages, OD and credit cards |
| Term Deposit | <ul style="list-style-type: none"> • Term deposit product processor and term deposit ledger table details |
| Enterprise Limits and Collateral Management | <ul style="list-style-type: none"> • Details of the collaterals submitted by the customer for various loan contracts • Customer credit line details • Market value and original value of the collaterals |
| General Ledger | <ul style="list-style-type: none"> • GL book parameters and the list of GL items available in OBRSL • GL balance of the customer • Interbank correspondent transactions of a customer |
| Corporate Deposit | <ul style="list-style-type: none"> • Corporate deposit contracts and accounting entries |

| Module | Hand off Details |
|-------------|--|
| Collections | <ul style="list-style-type: none"> Collection details |
| Leasing | <ul style="list-style-type: none"> Lease contracts |

2.1.2 Integration Scope in Oracle Financial Services Analytical Applications

Refer 'OBRSL Connectors User Guide' and 'Data Integration Hub User Guide' to know about integration scope in OFSAA.

2.2 Prerequisites in Oracle Banking Retail and SME Lending Cloud Service

Set up Oracle Banking Retail and SME Lending Cloud Service Application. OFSAA user will have read-only access to this application. The access is provided only to particular extraction tables.

Refer the 'Oracle Banking Retail and SME Lending Cloud Service Installation' manual.

This section contains the following topic:

- [Section 2.2.1, "Maintenances"](#)

2.2.1 Maintenances

Complete the maintenances discussed below.

2.2.1.1 Interest Rates Parameters

To calculate the interest rates of CASA and OD accounts, you need to maintain the following parameters in 'Interest and Charges Product Maintenance' (ICDPRMNT) screen:

- Default Credit Interest IC Product - IC product linked with credit interest rule
- Default Debit Interest IC Product - IC product linked with debit interest rule

The CASA account classes are linked to default credit and debit interest IC product to derive CASA interest rates.

Note

If an IC product is linked to both debit and credit interest rules, then you can maintain that IC product as Default Credit Interest IC Product and Default Debit Interest IC Product.

2.2.1.2 Interest Rate UDE

You need to maintain the UDE for CASA interest rate in 'Interest and Charges Product Maintenance' screen (ICDPRMNT). The Interest Rate UDE maintained in this screen is used as Interest Rate UDE in Rule Maintenance screen (ICDRUMNT).

If the account class of a CASA or OD account is linked to one or more credit or debit interest IC product, then the interest rate of that account will be the main UDE maintained in the default credit or debit interest IC product. If main UDE is not maintained in the IC product, the interest rate can be left blank.

Note

You need to manually maintain the data for default credit and debit IC product and UDE in the table AATB_ICTM_INTEREST_RATE to calculate the interest rates for CASA and OD accounts.

For further details on 'Interest and Charges Product Maintenance' screen and Rule Maintenance screen, refer to Interest and Charges User Manual.

2.2.1.3 Maintaining Batch Programs

You need to maintain the batch program 'EMXTRACT' using 'Mandatory Batch Program Maintenance' (EIDMANPE) screen. This batch extracts the data from Oracle FLEXCUBE during end of financial input (EOFI) stage. It is recommended that the extraction of data from FLEXCUBE UBS is done from the reporting environment and not the production environment. You also need to maintain the extraction routine.

2.2.1.4 Maintaining Extraction Routines

You can maintain the data extraction routines in the maintenance table called 'ESTM_DEST_TABLES'. This table is used to maintain extraction routines and should be maintained manually with the following values along with other details:

| Column Name | Description |
|--------------------|---|
| ORD_OF_EXT | Order of extraction in which routine will be executed. This should be a unique value. |
| TABLE_NAME | Name of the staging table to be populated with data. |
| ROUTINE | Routine to be executed. The format should be 'Package.procedure' |
| INTEGRATION_NAME | OFSAA |


All the parameters such as extraction date, previous extraction date, log required and so on are maintained in maintenance table 'CSTB_EIS_PARAM'. In this table the KEYID is the primary key.

2.3 Prerequisites in Oracle Financial Services Analytical Applications

Refer 'OBRSL Connectors User Guide' and 'Data Integration Hub User Guide' for details on the prerequisites in OFSAA.

2.4 Integration Architecture

The following diagram provides information on the integration architecture followed in OBRSL-OFSAA integration.



2.5 Integration Process

FLEXCUBE has pre-defined staging tables required for OFSAA extracts. During EOFI batch, the module wise data is extracted to staging tables in OBRSL. OBRSL provides a control table to indicate successful data extraction. OFSAA pulls the data from the tables in OBRSL using the DIH connector.

The transfer or extraction of data from OBRSL to OFSAA differs based on the staging tables as follows:

- Master table - Incremental data between two extraction dates are transferred.
- Maintenances and contract tables - Entire transaction data are transferred in each extraction.
- Transaction table - Data related to the transactions created on the extraction date are transferred.

During data extraction you can check the status of the extraction routines in the table ESTB_JOB_CONTROL. The column STATUS shows whether the routine is in progress (W) or has failed (F) or has completed successfully (S). At the time of extraction all the routines from maintenance table 'ESTM_DEST_TABLES' are inserted to 'ESTB_JOB_CONTROL' for the current extraction date with initial status as 'W'. This status will be updated accordingly when the routine is completed successfully (S) or unsuccessfully (F).

Extraction Log

You can have the logs generated as part of EOD for each table. EOD log captures the complete extraction process. The table level extraction log contains the details of each data transfer.

Errors in the data extraction process and the failure reasons are logged in an error data store. These errors are rectified manually and the batch is run again for the failed data.

2.6 Assumptions

Unique Names for Loan Products and Loan Account Classes

Ensure that the loan products and loan account classes maintained in OBRSL have unique names. Name of any loan product should not be identical to the name of an account class.

3.1 Data Transfer from OBRSL to OFSAA

For details on data transfer from OBRSL to OFSAA, refer the excel sheet [OBRSL OFSAA Data Transfer Details.xls](#).

This sheet has the following details:

- Source System
- Target System
- Data Transferred
- Source System Module
- OBRSL Staging Table Name
- Extraction Package Name
- Target System Table Name
- Extraction Routine
- Data Included in the Extraction