

**Oracle® Warehouse Management
Cloud**

Getting Started Guide

Update 20B

Part No. F29967-01

March 2020

Copyright Notice

Oracle® Warehouse Management Cloud Getting Started Guide, Update 20B

Part No. F29967-01

Copyright © 2019 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Contents

COPYRIGHT NOTICE.....	III
CONTENTS.....	IV
FIGURES	V
SEND US YOUR COMMENTS	VI
PREFACE	VII
CHANGE HISTORY	VII
1. SYSTEM OVERVIEW.....	1-1
PARENT-CHILD COMPANY HIERARCHY.....	1-1
USER MENU CONFIGURATION	1-1
USERS, GROUPS AND MENUS	1-2
WHAT IS A UI MENU?.....	1-2
WHAT IS AN RF MENU?.....	1-3
CREATING USERS	1-4
CONFIGURING MENUS FOR USERS.....	1-6
SYSTEM INTEGRATION FRAMEWORK.....	1-10
SUPPORTED FORMATS.....	1-11
INPUT INTERFACES	1-12
OUTPUT INTERFACES.....	1-12
UPLOADING INTERFACE FILES WITH ORACLE WAREHOUSE MANAGEMENT CLOUD.....	1-12
SETTING EMAIL NOTIFICATIONS FOR FAILED INTERFACES	1-13
TO SET UP EMAIL NOTIFICATION.....	1-13
2. BUSINESS INTELLIGENCE	2-1
 WHAT IS BUSINESS INTELLIGENCE?	2-1
 ADDING BUSINESS INTELLIGENCE TO THE ORACLE WAREHOUSE MANAGEMENT CLOUD ENVIRONMENT	2-1
ENABLING BUSINESS INTELLIGENCE IN THE ENVIRONMENT	2-1
ADDING THE BUSINESS INTELLIGENCE SCREEN TO ORACLE WAREHOUSE MANAGEMENT CLOUD	2-1
3. APPENDIX	3-1
 ROLES AND PERMISSIONS.....	3-1

Figures

Figure 1-1: Parent-Child Company Example Diagram.....	1-1
Figure 1-2: Facility and Company Views from the UI	1-1
Figure 1-3: User, Group and Menu Organization	1-2
Figure 1-4: Warehouse Management System (WMS) User Interface (UI) Menu	1-3
Figure 1-5: RF Menu.....	1-3
Figure 1-6: Validating Your Current Facility in the RF.....	1-4
Figure 1-7: Creating New Users	1-5
Figure 1-8: Viewing Your Eligible Facilities/Companies	1-6
Figure 1-9: Updating Your Eligible Records.....	1-6
Figure 1-10: Assigning Users with Equipment Types.....	1-6
Figure 1-11: Naming Folders	1-7
Figure 1-12: Adding Screens to a Folder	1-7
Figure 1-13: Accessing a Group's Permissions	1-8
Figure 1-14: List of Permission Activities.....	1-8
Figure 1-15: Parent Company has an Asterisk in the Parent Company Column.....	1-9
Figure 1-16: Assigning Users to Facilities and Companies.....	1-10
Figure 1-17: Sample User/Group set up in Oracle Warehouse Management Cloud	1-10
Figure 1-18: SFTP Method in Oracle Warehouse Management Cloud	1-11
Figure 1-19: Interfacing Methods in Oracle Warehouse Management Cloud	1-11
Figure 1-20	1-13
Figure 2-1: Application Admin Request Type.....	2-1
Figure 2-2: Selecting Business intelligence Screen	2-1

Send Us Your Comments

Oracle® Warehouse Management Cloud Getting Started Guide, Update 20B

Part No. F29967-01

Oracle welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, please indicate the title and part number of the documentation and the chapter, section, and page number (if available). You can send comments to us in the following ways:

- Electronic mail: owms-cloud-comms_us@oracle.com

If you would like a reply, please give your name, address, telephone number, and electronic mail address (optional).

If you have problems with the software, contact Support at <https://support.oracle.com> or find the Support phone number for your region at <http://www.oracle.com/support/contact.html>.

Preface

This document provides you the basic instructions on basic user configuration for Oracle Warehouse Management Cloud. Oracle Warehouse Management Cloud was formerly known as LogFire.

Change History

Date	Document Revision	Summary of Changes
03/2017	-01	Initial publication.
04/2018	-02	Updates for 9.0.

1. System Overview

Parent-Child Company Hierarchy

In Oracle Warehouse Management Cloud, companies are divided into parent and child companies. This structure exists in order to help 3PLs view and manage their clients' inventory separately. Depending on how many clients and how many warehouses the 3PL has, views can be managed.




Figure 1-1: Parent-Child Company Example Diagram

To toggle a specific Distribution Center (DC) view for a company, select the choices from the two dropdown menus located at the top right of the UI screen.

In Figure 1-2, the first dropdown denotes a facility (DC), while the second dropdown denotes the companies in the environment:

The screenshot shows a user interface for managing LPNs (Warehouse Pickings). At the top, there are buttons for Approve, Reject, Deallocate LPN, Print Label, and Blind Labels. Below these are dropdown menus for Change pack qty, Set LPN as Pallet, and Unset LPN as Pallet. A search bar is also present. The main area is a table with columns: LPN Nbr, Status, Item, Received Qty, Current Qty, Allocated Qty, Nbr Locks, Location, Putaway Type, Pack Qty, Case Qty, Previous Location, Expiry Date, and Batch Nbr. The table contains several rows of data. Two dropdown menus in the top right corner are highlighted with red boxes and arrows pointing to them. The first dropdown is labeled "FACILITY" and the second is labeled "PARENT". A third dropdown menu, labeled "COMPANY", is shown in a dropdown state, listing "PARENT" and "CHILD_1".

LPN Nbr	Status	Item	Received Qty	Current Qty	Allocated Qty	Nbr Locks	Location	Putaway Type	Pack Qty	Case Qty	Previous Location	Expiry Date	Batch Nbr
LPN_0313_02	Received	THK5	0	10	0	0	PT6	2	5				
LPN_0313_01	Received	THK5	0	10	0	0	PT6	2	5				
LPN_0312_01	Cancelled	THK5	0	0	0	0	CC-4-4-					03/31/2015	030215
LPN_0311_01	Allocated	THK5	0	5	5	0	PTS-1-1						
LPN_0306_03	Located	THK6	0	8	0	0	D1-1-1-					03/31/2015	
LPN_0306_02	Lost	THK6	0	10	0	0	PT6						
LPN_0306_01	Cancelled	THK6	0	0	0	0	CC-5-5-5	PT6	5	20			
LPN_0305_01	Located	THK6	0	8	0	0	D1-1-1-1	PT6	5	20	CC-4-4-4	03/31/2015	
LPN_0304_10	Lost	THK6	0	7	0	0	PT6	PT6	5	20	CC-1-1-1	03/29/2015	

Figure 1-2: Facility and Company Views from the UI

User Menu Configuration

The Oracle Warehouse Management Cloud organizes your structure in the following way:




Figure 1-3: User, Group and Menu Organization

Users, Groups and Menus

Users are separated into groups based on their operational purpose in the warehouse. Every user within a group shares the same user interface (UI) and radio frequency (RF) menus. Within each menu, you can configure your permissions and parameters for RF menus.

What is a UI menu?

The UI menu is a series of windows and dialog boxes that are accessible to you in the WMS via the browser. See Figure 1-4.

Company	Code	Alternate Item C...	Style	Part b	Part c	Description	External Style	Barcode	Putaway Type
PARENT	GALAXYS6	GALAXYS6	GALAXYS6			Samsung Galaxy S6		GALAXYS6	
PARENT	THK6-1	THK6-1	THK6-1			THK ITEM 6-1		THK6-1	PT6
PARENT	GALAXYS5	GALAXYS5	GALAXYS5			Samsung Galaxy S5		GALAXYS5	
PARENT	BANANA	BANANA	BANANA			Banana		BANANA	
PARENT	ZUNE	ZUNE	ZUNE			Zune		ZUNE	
PARENT	IPOD	IPOD	IPOD			iPod Touch		IPOD	
PARENT	NOKIA	NOKIA	NOKIA			Nokia Phone		NOKIA	
PARENT	ITEM2	ITEM2	ITEM2			Item 2		ITEM2	PT2
PARENT	ITEM1	ITEM1	ITEM1			Item 1		ITEM1	PT1
PARENT	THK11	THK11	THK11			THK11		THK11	PT1
PARENT	THKPP03	THKPP03	THKPP03			THK Prepack 3		THKPP03	PT7
PARENT	THKPP02	THKPP02	THKPP02			THK Prepack 2		THKPP02	PT7
PARENT	THKPP01	THKPP01	THKPP01			THK Prepack 1		THKPP01	PT7
PARENT	THK6	THK6	THK6			THK ITEM 6		THK6	PT6
PARENT	THK5	THK5	THK5			THK ITEM 5		THK5	PT6
PARENT	THK4	THK4	THK4			THK ITEM 4		THK4	PT4
PARENT	THK3	THK3	THK3			THK ITEM 3		THK3	PT1
PARENT	THK2	THK2	THK2			THK ITEM 2		THK2	PT2
PARENT	THK1	THK1	THK1			THK ITEM 1		THK1	PT1

Figure 1-4: Warehouse Management System (WMS) User Interface (UI) Menu

Note: When using the RF gun, you must ensure that the RF is in the correct facility. This can be seen at the top right of the RF menu management.

What is an RF menu?

The RF menu is the series of transactions that are made with the RF gun on the warehouse floor. These screens, or modules, are used to perform processes such as Receiving, Put away (also called putaway), Picking, and Loading.

LogFire WMS FACILITY/PAR

- 1) Execute Task
- 2) Receive LPN Shipment
- 3) Receive LPN (XDOCK)
- 4) Receive LPN Shipment Expiry
- 5) Receive LPN Shipment Cases

=> _____

Env: lgf62_qa
 Ctrl-L: Change Language
 Ctrl-F: Change Facility
 Ctrl-U: Page Up
 Ctrl-D: Page Down
 Ctrl-X: Exit App
 Ctrl-W: Previous screen

Figure 1-5: RF Menu

LogFire WMS **FACILITY**/PAR

- 1) Execute Task
- 2) Receive LPN Shipment
- 3) Receive LPN (XDOCK)
- 4) Receive LPN Shipment Expiry
- 5) Receive LPN Shipment Cases

=> _____

Figure 1-6: Validating Your Current Facility in the RF

Note: To change facilities, press Ctrl-F and type in the Facility code.

Creating Users

New users can be created through you screen where you can define the following:

- Username and password
- The facilities and companies you have access for
- Your role (Administrator, Management, Supervisor, etc.)
- Your default group (UI and RF Menus)
- Your language (English or Spanish)
- Your default printer
- Your fixed equipment type

Creating New Users

1. On the Users screen.
2. Click the **Create**  button and populate the necessary fields:

Active	<input checked="" type="checkbox"/>
Login *	Username
First Name *	Name
Last Name *	Surname
Password	password123
password_life_in_days *	0
RUT *	12345678
Type *	Internal
Hire Date *	01/01/2015 <input type="button" value="Calendar"/>
Hourly Wage	
E Hour Wage	
Facility *	(None)
Company *	(None)
Shift *	DEFAULT
Role *	ADMINISTRATOR
Language *	English
Default group	LGF Super User
Default label printer	

Figure 1-7: Creating New Users

Description of Fields for Users

- **RUT:** Unique identifier (alphanumeric). New User
- **Type:** Field used to distinguish between internal and external users.
- **Facility:** Defines the default Facility that you is displayed upon login.
- **Company:** Defines the default company that you is displayed upon login.
- **Shift:** Defines your shift, if applicable. Shifts are created in the Shifts screen, which defines the start and end time.
- **Role:** Defines your role in the warehouse. Each role has a different set of permissions for performing transactions in Oracle Warehouse Management Cloud (UI permissions only).
- **Language:** Sets your language (English or Spanish).
- **Default Group:** Defines the default group that you display upon login. Users can be assigned to multiple groups via the Groups button. If a user is assigned to multiple groups, you can switch Group views by clicking the gear button on the top right and then clicking View, and finally selecting the desired Group.
- **Default label printer:** User should input the label printer name defined in the Printers screen.

3. Click **Save** when done.
4. To configure the Facilities and Companies that he user has access to, select user and click the **Eligible Facilities & Eligible Companies** buttons. This takes you to a new screen displaying all records you currently have access to view.

Active	Login	First Name	Last Name	RUT	Type	Hire Date	Hourly Wage	E Hor
Yes	lgf_thkim2	Tae	Kim	376511232123231	Internal	10/12/2010	0	0
Yes	lgf_thkim	Tae	Kim	37651	Internal	10/12/2010	0	0

Figure 1-8: Viewing Your Eligible Facilities/Companies

- Click the **Create**  button to add new Facilities or Companies.

User	Facility	Name	Create Timestamp
lgf_thkim	SKC_DC	SKC_DC	10/13/2014 6:30:23 PM
lgf_thkim	DC_01	Distribution Center 1	09/17/2014 3:06:03 PM

Figure 1-9: Updating Your Eligible Records

- When finished, click Back to return to the main screen.

- To assign Equipment Types to a user:

- Select user.
- Select an Equipment Type from the dropdown menu.
- Click the Assign Equipment Type label.

Active	Login	First Name	Last Name	RUT	Type
Yes	lgf_thkim2	Tae	Kim	376511232123231	Internal
Yes	lgf_thkim	Tae	Kim	37651	Internal

Figure 1-10: Assigning Users with Equipment Types

Note: Equipment Types must first be defined in the Equipment Types screen before assigning them to users.

Configuring Menus for Users

There are five steps in adding Group menus.

- Adding Screens
- Adding Screens to different Menus
- Assigning Menus to Groups
- Assigning Groups to Users
- Creating and Assigning Facilities & Companies to Users

Adding Screens

- On the Screens UI screen, click **Generate Screens**.
- Select all the necessary screens for the Group (e.g. ASNs, Appointments, Loads, etc.).
- You add both UI and RF screens.
- Note:** For RF menus, extra configuration might be required (RF module parameters). To modify its parameters, select the RF screen and click the **Details**  button.
- Click Save when done.

Adding Screens to Different Menus

On the Menus screen, to create a new menu (one for the UI and the RF):

1. Select the menu and click on the Details  button. In the new dialog box, you are able to separate screens into different folders.



Figure 1-11: Naming Folders

To name a folder:

1. Select the folder (1)
2. Type in the name in the field to the right (2).




Figure 1-12: Adding Screens to a Folder

To add a screen within the folder:

1. Select the folder first (1).
2. Click **Insert Screen** (2).
3. Pick the screen to add from the dropdown menu (3).
4. Repeat steps until all the screens have been added.
5. Click **Save** to complete.

Assigning Menus to Groups

Once the Menus have been set up, it is now time to add them to Groups. On the Groups screen:


1. Click the **Create**  button to create a new group.
2. Type in the group name.
3. Select the UI/RF menus from the dropdown menus.
4. Click **Save**.

Note: You can also assign specific permissions to a Group by clicking the Permissions button. This displays a list of additional permissions that the group can access. To provide access, check the activity.



Company	Group	UI Menu	RF Menu
PARENT	Super User	SUPERUSER	RF

Figure 1-13: Accessing a Group's Permissions



RF / RF pre recv for da
 RF / RF pre recv for da palletize
 RF / RF pre recv for da by load
 RF / RF pre recv da palletize by load
 RF / RF ac completion
 RF / RF receiving
 RF / RF receiving exp date
 RF / RF receiving xdock
 RF / RF receive palletize
 RF / RF receiving by load
 RF / RF receiving exp date by load
 RF / RF receiving xdock by load
 RF / RF receive palletize by load
 RF / RF process var

Figure 1-14: List of Permission Activities

Assigning Groups to Users

Now that Groups have been created, you now adds users to each group. On the User screen:

1. Select a user to assign to a group.
2. Click on **Groups**.
3. Using the Create  button, add the Group(s) to assign the user to the Group.

Note: If the user is assigned to multiple groups, you can toggle between different groups by clicking the gear button at the top right, hovering the mouse over the View menu, and selecting the Group name.

Creating and Assigning Facilities & Companies to Users

Once user and group setup is complete, you must create facilities and companies in Oracle Warehouse Management Cloud.

To create companies, on the Companies screen:

1. Click the **Create ** button.
2. Populate the company's information such as the Code, Name, and Address.

Note: The first company is the parent company in the environment by default. To verify this, observe the Parent Company column.

Parent company ▲	Code	Name	Address 1	City	State	ZIP
*	PARENT	THK Company	100 Galleria Parkway	Atlanta	GA	30339
PARENT	CHILD_1	Client Child Company	North Ave NW	Atlanta	GA	30332

Figure 1-15: Parent Company has an Asterisk in the Parent Company Column

3. Click **Save** when complete.

Facilities are controlled at the company level. This means that every company has its own set of facilities. This link is defined in the Parent Company column in the Facilities screen. By default, all parent and child company facilities are displayed.

To Create Facilities, on the Facilities screen:

1. Click the Create  button.
2. Populate the facility's information such as the Code, Name, and Address.

Functional Field Descriptions for Facilities

- **Default Ship Via Code:** This field is used when ship via codes are activated through the company's PACKING_ROUTING_MODE parameter. The system defaults to this ship via value if the order header doesn't have a ship via code specified.
- **Parent Company:** Denotes the company that the facility belongs to.
- **Accept Transfer Shipment:** If checked and if this facility is a warehouse in Oracle Warehouse Management Cloud, this facility accepts ASNs from other facilities configured in the environment.

Once the Companies and Facilities have been created, the next task is to assign them to users. This task defines the companies and facilities that you have access to. On your screen:

1. Select the user to modify.
2. Click on **Eligible Facilities** button.
3. Using the Create  button.
4. Add the Facilities that this user requires to access.

To add companies:

1. Select you to modify.
2. Click the Eligible Companies button
3. Using the Create  button.
4. Add the Facilities that this user requires to access.

		Eligible Facilities	Eligible Companies	Work Areas	Groups
Active	Login	First Name	Last Name	RUT	
Yes	thkim2	Tae Hoon	Kim	4783	
User	thkim2	User	thkim2		
Company *	(None)	Facility *	(None)		
	PARENT	DEMO_FAC			
	CHILD_1	FACILITY			
		THKDC1			
		THK_STORE1			
		THK_STORE2			

Figure 1-16: Assigning Users to Facilities and Companies

A sample User/Group set up is shown below:




Figure 1-17: Sample User/Group set up in Oracle Warehouse Management Cloud

System Integration Framework

Oracle Warehouse Management Cloud uses the following methods for processing interface files into and out of Oracle Warehouse Management Cloud:




Figure 1-18: SFTP Method in Oracle Warehouse Management Cloud




Figure 1-19: Interfacing Methods in Oracle Warehouse Management Cloud

Supported Formats

Oracle Warehouse Management Cloud supports the following formats (both inbound/outbound) with interfaces:

- Flat files
- XML files
- CSV files
- XLS files
- EDI files (translated through a 3rd party application)

- MHE messages (translated through a 3rd party application)
- FedEx web services
- UPS web services

Input Interfaces

- Purchase order
- Item
- Item (facility specific)
- Item barcode
- Item pre-pack
- Inbound shipment
- Order
- Vendor
- Appointment
- Store
- Locations
- Route
- Price label
- Ship to company
- Site
- Asset
- Cubiscan
- Point of sale

Output Interfaces

- ASN verification
- Parcel Manifest shipment confirmation
- LTL Shipment confirmation
- Inventory history

Note: For more details on each interface, please refer to the Oracle Warehouse Management Cloud Interface File Formats file.

Uploading Interface Files with Oracle Warehouse Management Cloud

If you are manually preparing the input interface file via Excel, it is important to follow these best practices:

- The filename must start with the phrase as specified in the Input File Formats document (the filename must begin with ORR for uploading Order files).
- The columns specified as required in the interface specification document must be populated.
- For Purchase Order, Order, and Inbound Shipment interfaces, you must populate [H1] for every distinct header record and [H2] for each of its detail records.
- You must populate the correct sequence in the seq_nbr field (i.e. no duplicate values).

Setting Email Notifications for Failed Interfaces

You can set up email notifications for interfaces that fail to process into Oracle Warehouse Management Cloud. The email notification provides the following information:

- The interface file that failed
- Error message – the reason why the file failed.

To Set Up Email Notification

On the Company Parameters screen:

1. Select INTF_ERROR_EMAIL_LIST parameter and click the **Edit**  button.
2. In the Parameter Value, populate with the emails that are to receive the error notifications. Separate multiple emails without spaces between emails.

Company	<input type="text" value="SNEPHEW"/>
Parameter Key	<input type="text" value="INTF_ERROR_EMAIL_LIST"/>
Parameter Value	<input type="text" value="joe@email.com,jane@email.com"/>

Figure 1-20

2. Business Intelligence

What is Business Intelligence?

Business intelligence is a powerful tool within Oracle Warehouse Management Cloud that allows you to create custom reports. It is a user-friendly method of pulling data from Oracle Warehouse Management Cloud without having to run SQL queries.

Adding Business intelligence to the Oracle Warehouse Management Cloud Environment

Adding Business intelligence to the current Oracle Cloud WMS environment is a two-step process:

Enabling Business intelligence in the Environment

By default, the Web Report functionality is disabled. You must create a Happy Fox ticket requesting access to the tool. When creating the ticket, ensure that the Request Type is set to Application Admin Request.




Figure 2-1: Application Admin Request Type

Adding the Business intelligence Screen to Oracle Warehouse Management Cloud

Just like any other screen, you add the Business intelligence screen to a specific menu. On the Screen Configuration screen:

1. Click the **Create**  button.
2. Select Business intelligence from the dropdown menu.



Figure 2-2: Selecting Business intelligence Screen

3. Appendix

Roles and Permissions

PERMISSIONS FOR ROLE: ADMINISTRATOR				
Add company	10	Add facility	19	Save company menu
Delete company	11	Change facility	20	Save group menu
Change company	12	Delete facility	21	Modify view columns
Add user	13	Modify view columns	22	Reorder view columns
Delete user	14	Reorder view columns	23	Save group view
Change user	15	Save company view	24	Save user view
Add group	16	Save group view	25	Modify menus
Delete group	17	Save user view	26	Save company menu
Change group	18	Modify menus	27	Save group menu.

Note: By default, Administrators have access to all companies that the facility is eligible to access.

PERMISSIONS FOR ROLE: MANAGEMENT				
1	Change user	10	Modify menus	
2	Add user	11	Save group menu	
3	Add facility	12	Modify view columns	
4	Change facility	13	Reorder view columns	
5	Delete facility	14	Save group view	
6	Modify view columns	15	Save user view	
7	Reorder view columns	16	Modify menus	
8	Save group view	17	Save group menu.	
9	Save user view			

PERMISSIONS FOR ROLE: SUPERVISOR			
1	Change user	5	Save group view
2	Change facility	6	Save user view
3	Modify view column	7	Modify menus
4	Reorder view columns	8	Save group menu.

PERMISSIONS FOR ROLE: GUARD		PERMISSIONS FOR ROLE: EMPLOYEE	
1 Read-only access; users can't create, copy, edit or delete.		1 Read-only access; users can't create, copy, edit or delete.	

Note: These permissions apply for the UI screens only; RF permissions aren't affected.