

# Oracle® Communications Network Charging and Control

## Customer Care Portal User's Guide



Release 15.2

January 2026



# Copyright

Copyright © 2026, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

**U.S. GOVERNMENT END USERS:** Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

About This Document .....	v
Document Conventions .....	vi
<b>Chapter 1</b>	
<b>Customer Care Portal .....</b>	<b>1</b>
Overview .....	1
What is the Customer Care Portal? .....	1
<b>Chapter 2</b>	
<b>Getting Started .....</b>	<b>3</b>
Overview .....	3
Accessing CCP .....	3
<b>Chapter 3</b>	
<b>CCP Dashboard .....</b>	<b>9</b>
Overview .....	9
CCP Dashboard Screen .....	9
Searching for Subscribers .....	11
Quick View .....	13
View EDRs from Dashboard .....	14
Common Tasks .....	16
History .....	17
Changing Your Password .....	18
Locking and Unlocking the Dashboard .....	19
<b>Chapter 4</b>	
<b>Editing Subscribers .....</b>	<b>21</b>
Overview .....	21
Editing a Subscriber .....	21
Configure Subscriber Zones .....	25
Configuring Subscriber Options .....	28
Adding Wallets .....	35
Edit Wallets .....	37
Edit Wallet Balances .....	41
Merge Wallets .....	45
View EDRs .....	47
Business Process Logic .....	49
View Subscriber Promotions .....	51
Credit Transfers .....	53
<b>Chapter 5</b>	
<b>Vouchers in CCP .....</b>	<b>57</b>
Overview .....	57
Vouchers .....	57
Searching for Vouchers .....	58
Voucher Status .....	59

Redeeming Vouchers .....	60
Decrypting Voucher Private Secret .....	60

# About This Document

## Scope

The scope of this document includes all functionality a user must know in order to effectively operate the Oracle Communications Network Charging and Control (NCC) Customer Care Portal (CCP) application. It does not include a detailed design of the service.

## Audience

This guide is written primarily for customer care operators. However, the overview sections of the document are useful to anyone requiring an introduction to this software.

## Prerequisites

Although there are no prerequisites for using this guide, familiarity with the target platform would be an advantage.

This manual describes system tasks that should only be carried out by suitably trained operators.

## Related Documents

The following documents are related to this document:

- *Charging Control Services User's Guide*
- *Charging Control Services Technical Guide*
- *Voucher Manager User's Guide*
- *Subscriber Profile Manager User's Guide*
- *Service Management System User's Guide*

# Document Conventions

## Typographical Conventions

The following terms and typographical conventions are used in the Oracle Communications Network Charging and Control (NCC) documentation.

Formatting Convention	Type of Information
<b>Special Bold</b>	Items you must select, such as names of tabs. Names of database tables and fields.
<i>Italics</i>	Name of a document, chapter, topic or other publication. Emphasis within text.
<b>Button</b>	The name of a button to click or a key to press. <b>Example:</b> To close the window, either click <b>Close</b> , or press <b>Esc</b> .
<b>Key+Key</b>	Key combinations for which the user must press and hold down one key and then press another. <b>Example:</b> <b>Ctrl+P</b> or <b>Alt+F4</b> .
<b>Monospace</b>	Examples of code or standard output.
<b>Monospace Bold</b>	Text that you must enter.
<i>variable</i>	Used to indicate variables or text that should be replaced with an actual value.
<b>menu option &gt; menu option &gt;</b>	Used to indicate the cascading menu option to be selected. <b>Example:</b> <b>Operator Functions &gt; Report Functions</b>
<a href="#">hypertext link</a>	Used to indicate a hypertext link.

Specialized terms and acronyms are defined in the glossary at the end of this guide.

# Customer Care Portal

## Overview

### Introduction

This chapter explains the basic features and purpose of the Oracle Communications Network Charging and Control Customer Care Portal.

### In this chapter

---

This chapter contains the following topics.

What is the Customer Care Portal?..... 1

## What is the Customer Care Portal?

### Introduction

The Customer Care Portal (CCP) is a customizable application that provides the information a user needs to manage their subscribers day to day. It is intended for use by customer services representatives (CSRs) who are performing tasks relating to subscriber account management rather than service configuration or operations.

### Features

The CCP has these features:

- A single CCP Dashboard screen providing all the information a CSR needs to manage a subscriber, including the facility to:
  - Search for subscriber accounts and view the results
  - Edit subscriber details in the Edit Subscriber screen
  - Search for, change voucher status, and redeem vouchers
  - Search for and view EDR records
  - Run common task
  - View an historical list of previously viewed subscribers and vouchers
- Optional warning and message of the day splash screens displayed when users log in.
- The CSR can lock the CCP Dashboard screen to preserve its contents while they away from their work station.

### Java requirements

The CCP is a WebStart application that may be started using a shortcut to the locally stored WebStart file or by entering the CCP URL into a web browser.

## Chapter 1

This table describes the supported versions of the Java Runtime Environment and Internet browser required to run the CCP.

Software	Version	Description
JRE	Java 21	Java Runtime Environment.

# Getting Started

## Overview

### Introduction

This chapter explains how to log in to the Oracle Communications Network Charging and Control Customer Care Portal and how to use the main screen features.

### In this chapter

---

This chapter contains the following topics.

Accessing CCP.....	3
--------------------	---

## Accessing CCP

To access the CCP user interface (UI), do the following:

- Ensure the Java SE Runtime Environment version 21 is installed on your machine.
- If required, obtain, and install the trusted certificate for the database connection into your keystore.
- Obtain the application zip file containing jars and other files (**ccpGui.bat** or **ccpGui.sh**).
- In Windows, run **ccpGui.bat** to start the application.
- In other machines:
  - Change the permission of **ccpGui.sh** using `chmod 755 ccpGui.sh` command.
  - Run the application using `bash ccpGui.sh` command.

### Logging in the first time


Follow these steps to log in to the CCP for the first time using the CCP URL.

**Note:** You can use this process to install a shortcut to the CCP on your desktop.

Step	Action
1	Run the <b>ccpGui.bat</b> / <b>ccpGui.sh</b> script file for accessing the GUI. <b>Result:</b> You see the following screens: <ol style="list-style-type: none"><li>1. Java Loading screen. </li></ol>

Step	Action
------	--------

2. Java Starting application screen.



3. Prepaid Charging CCP - Create shortcut(s) screen.

2 In the Prepaid Charging CCP - Create shortcut(s) screen, click **Yes**.

**Result:** A shortcut to the CCP is created for the desktop and the start menu. You will be able to use the shortcut next time you want to access CCP.

You also see the CCP Login screen.



3 Enter your user name in the **User Name** field.

4 Enter your password in the **Password** field.

**Warning:** A maximum of three attempts to enter the correct user name and password combination is allowed.

Step	Action
5	<p>Click <b>Login</b>.</p> <p><b>Result:</b> If enabled, you see the Security Warning such as in this example.</p> <div style="border: 1px solid black; padding: 10px;"><p>This is the logon Security Warning screen. Please configure as required, or switch it off if you are not intending to use it.</p><p>Further information on how to perform either of these 2 actions can be found in the CCS Technical Guide.</p><p><i>A possible example is given below. The legality of the content has NOT been verified:</i></p><p>Welcome to the network for <b>XYZ Company</b>. Use of the network is restricted to authorized users. User activity is monitored and recorded by system personnel.</p><p>Anyone using the network expressly consents to such monitoring and recording. Be advised: If possible criminal activity is detected, system records, along with certain personal information, may be provided to law enforcement officials.</p></div>
6	<p>Click <b>Next</b>.</p> <p><b>Result:</b> If enabled you see the Message of the Day such as in this example.</p> <div style="border: 1px solid black; padding: 10px;"><p>This is the Message Of The Day screen. Please configure as required, or switch it off if you are not intending to use it.</p><p>Further information on how to perform either of these 2 actions can be found in the CCS Technical Guide.</p><p><i>A possible example is given below.</i></p><p>The system will be shut down at 18:00hrs GMT today for system intervention and a software upgrade.</p></div>
7	<p>Click <b>Continue</b>.</p> <p><b>Result:</b> You are logged into the CCP and you see the CCP Dashboard screen.</p> <p>For more information about the CCP Dashboard screen, see <i>CCP Dashboard</i> (on page 9).</p>

## Accessing CCP Dashboard from SMS

Follow these steps to open the CCP Dashboard screen from SMS.

Step	Action
1	Select the <b>Services</b> menu from the SMS main screen.  A screenshot of a Windows application window titled "SU - Service Management System". The window has a menu bar with "File", "Services" (which is highlighted in blue), "Operator Functions", and "Help". A dropdown menu is open under "Services" with the following options: "ACS Service", "CCP Dashboard" (which is highlighted with a blue selection bar), "Promotion Manager", "Prepaid Charging", "Voucher Manager", "Messaging Manager", and "Subscriber Profile Manager". The main pane of the window shows a red logo with the letters "CLE" and a registered trademark symbol. The window has standard Windows window controls (minimize, maximize, close) at the top right.

**Note:** The services which are available under the **Services** menu depend on the components which have been installed, and the permissions of the user. The services displayed in this screen shot may not match the services you have available on your system.

2 Select **CCP Dashboard**.

**Result:** You see CCP Dashboard screen.

**Note:** The CCP Anchor screen is not displayed from SMS.

## Subsequent dashboard access

For non SMS access methods, the successful initial log in is associated with the CCP Anchor screen.

While this panel is open, there is no need to re-enter the user ID or password, so for all subsequent invocations, the dashboard is displayed as if coming from SMS.

The dashboard content is either an empty dashboard, or subscriber data for the MSISDN passed as the WebStart URL parameter.

**Note:** If no subscriber data can be found for the passed MSISDN, an error is displayed instead of the dashboard.

## Closing the dashboard

For all methods, clicking the standard **X** icon will close the dashboard, returning to the previous application screen the dashboard was called from.

To completely close a non-SMS invoked dashboard, after closing the dashboard, perform one of the following actions:

- Click **Log Out** on the CCP Anchor screen

- Reboot the PC

This will force the next non SMS user invocation to enter their user details.





# CCP Dashboard

## Overview

### Introduction

This chapter explains the features of Oracle Communications Network Charging and Control Customer Care Portal that are available from the CCP Dashboard.

### In this chapter

---

This chapter contains the following topics.

CCP Dashboard Screen .....	9
Searching for Subscribers .....	11
Quick View.....	13
View EDRs from Dashboard .....	14
Common Tasks .....	16
History .....	17
Changing Your Password.....	18
Locking and Unlocking the Dashboard .....	19

## CCP Dashboard Screen

### Introduction

The CCP Dashboard screen displays information about your subscribers. It contains a number of features that help you to manage subscriber data quickly. You can:


- Search for subscriber accounts. For details, see *Searching for Subscribers* (on page 11).
- View a summary of a subscriber's details. For details, see *Quick View* (on page 13).
- Search for and change the status of vouchers or redeem vouchers. For details, see *Vouchers in CCP* (on page 57).
- View the subscriber's recent EDRs. For details, see *View EDRs from Dashboard* (see page 14).
- Complete common administrative tasks. For details, see *Common Tasks* (on page 16).
- Quickly find and select recently viewed subscribers or vouchers. For details, see *History* (on page 17).
- Open the Edit Subscriber screen. For more information about editing subscribers, see *Accessing the Edit Subscriber screen* (on page 11).

The CCP Dashboard screen also provides the following security features:

- Lock the dashboard. For details, see *Locking and Unlocking the Dashboard* (on page 19).
- Change your password. For details, see *Changing Your Password* (on page 18).

## CCP Dashboard screen

Here is an example CCP Dashboard screen at initial startup.



Access to elements of this screen are controlled by user permissions. If you cannot see some of the functionality described for this screen, your permissions may have been set to restrict access to that element.

### Buttons

This table describes the buttons available in the CCP Dashboard screen.

Button	Function
<b>Lock Dashboard</b>	Hides the CCP Dashboard screen and opens the CCP Dashboard Locked screen. The user must enter their user name and password before the CCP Dashboard screen will be reopened. <b>Note:</b> This must be the same user and password combination as the one entered when the user initially logged in.
<b>Password</b>	Use to change your password.
<b>Help</b>	Opens the CCP help files.
<b>Search</b>	Use to search for subscriber or voucher records.
<b>Open</b>	Opens the Edit Subscriber screen for a selected subscriber.
<b>Refresh</b>	Refreshes the details in the screen.


Button	Function
Apply	Changes the voucher state.
Redeem Voucher	Redeems a voucher for a selected subscriber.
Vouchers	Toggles the Vouchers panel on or off.
Common Tasks	Toggles the Common Tasks panel on or off.
History	Toggles the History panel on or off.
View EDRs	Toggles the EDR panel on or off.

## Status bar

In the bottom left corner of the CCP Dashboard there is a status bar. The status bar displays messages about the tasks being performed using the CCP Dashboard.

### Status bar example

Here is an example the status bar reporting the results of a subscriber search.



## Accessing the Edit Subscriber screen

Follow these steps to open the Edit Subscriber screen for a selected subscriber.

**Note:** Only primary wallet information is available for editing when you open the Edit Subscriber screen from the CCP Dashboard.

Step	Action
1	In the CCP Dashboard screen, search for the subscriber to view or edit using the subscriber search fields. For details see <i>Finding a subscriber</i> (on page 12).
2	Highlight the row in the search results for the subscriber to edit.
3	Click <b>Open</b> . <b>Result:</b> You see the details of the subscriber selected from the search results in the Edit Subscriber screen. <b>Tip:</b> To quickly open the Edit Subscriber screen, double click the required entry in the search results.


## Searching for Subscribers

### Introduction

You can search for subscribers in the CCP Dashboard screen based on criteria entered in the subscriber search fields. The available search fields will depend on how your system has been set up. A maximum of four search fields may be available.

## CCP Dashboard search panel

Here is an example **search panel** on the CCP Dashboard screen.



The search panel contains the following fields and controls:

- Subscriber ID: A text input field containing the value "1".
- Customer: A text input field.
- Show Linked Subscribers: A checkbox.
- Card Number: A text input field.
- PostCode: A text input field.
- Search: A button.
- Open: A button.


### Finding a subscriber

Follow these steps to search for a subscriber in the CCP Dashboard screen.

Step	Action
1	From the drop down list, select the <b>Service Provider</b> .
2	In the search panel, enter the search strings you are using to find the required subscriber in one or more of the available search fields. If your search is based on any of these fields, you can enter just the first few characters to search for in the search field: <ul style="list-style-type: none"><li>• Subscriber ID</li><li>• Card Number</li><li>• Customer</li><li>• Wallet Reference</li></ul> If you are searching on any other field, then you must enter the full value to search for in the search field.
3	Click <b>Search</b> . <b>Result:</b> Subscribers that match all the search criteria will be displayed in the search results. <b>Note:</b> You may only access wallet information for a subscriber's primary wallet in the CCP, therefore only primary wallet information will be returned.

### Search results panel

Here is an example search results panel in the CCP Dashboard screen.



Subscriber ID	Card Number	Wallet Reference	Product Type	Customer	Currency
1140404040	114040404040	10	PT1	Britain (Great Britain)	

**Note:** The exact appearance of this screen will depend on how your system has been set up.

### Search results

The results of a subscriber search are displayed in the search results table immediately below the subscriber search fields. Only the first 100 records matching your search criteria will be listed. If the subscriber you require does not appear in the list and more than 100 records were returned, then you will need to refine your search criteria. For example, enter longer search strings and/or specify more search fields.

**Tip:** To reorder subscribers by a particular column name, select the column in the search results table.

## Finding linked subscribers

Follow these steps to find any additional subscribers that share their primary wallet with a selected subscriber.

Step	Action
1	In the search results panel select the subscriber for whom you want to find any linked subscribers.
2	In the search panel select the <b>Show Linked Subscribers</b> check box. <b>Result:</b> Any additional subscribers that share the primary wallet of the selected subscriber will appear in the search results list.

## Quick View

### Introduction

The Quick View panel in the CCP Dashboard screen lets you view important information about a selected subscriber account. The information which is available will depend on the configuration defined for the selected service provider.

### Quick View panel

Here is an example Quick View panel from the CCP Dashboard screen.

The screenshot shows the 'Quick View' panel with the following fields:

- Subscriber ID: [Text Box]
- Language: [Dropdown] No Language Selected
- Product Type: [Text Box]
- My Best Friend: [Text Box]
- Wallet Information:
  - Wallet Reference: [Text Box]
  - Wallet Currency: [Text Box]
  - Private / Shared: [Text Box]
  - Maximum Concurrent Accesses: [Text Box]
  - Promotional Destination Messages: [Text Box]
  - Bill for Product Swap: [checkbox]
- Integer: [Text Box]
- Byte: [Text Box]
- NSString: [Text Box]
- Boolean: [checkbox]
- Use Date: [checkbox]

### Viewing a subscriber

Follow these steps to see a quick view of a selected subscriber.

Step	Action
1	In the search results panel on the CCP Dashboard, select the subscriber record to view. <b>Result:</b> The Subscriber's details appear in the Quick View panel. <b>Tip:</b> To display the details of a previously selected subscriber in the Quick View, select the subscriber ID from the History panel.

## View EDRs from Dashboard

### Introduction

The View EDRs panel in the CCP Dashboard screen lets you view the recent EDRs for a selected subscriber account. The information which is available will depend on the configuration defined for the selected service provider.

### View EDR panel

Here is an example View EDRs panel from the CCP Dashboard screen.

View EDRs						
M	Date	Balance Types	Old Balances	Cost	New Balances	EDR Type
	2009-02-04 03:18:23	See Details				Voucher Redeem
	2009-02-04 03:15:59	See Details				Voucher Redeem
	2009-02-02 20:20:22	See Details				Voucher Redeem
	2009-02-01 23:08:28	See Details				Voucher Redeem
	2009-02-01 23:06:41	See Details				Voucher Redeem
	2009-02-01 22:54:49	See Details				Voucher Redeem
	2009-02-01 20:46:53	See Details				Voucher Redeem
	2009-02-01 20:34:07	See Details				Voucher Redeem

**Note:** This is pre-populated with the EDRs for the subscriber selected from the search results panel, plus age and category values from the script file. See *CCS Technical Guide*.

### Viewing EDR list

Follow these steps to see the EDRs of a selected subscriber.

Step	Action
1	In the search results panel on the CCP Dashboard, select the subscriber record to view. <b>Result:</b> The subscriber's details appear in the Quick View panel, and the EDR details are listed in the View EDRs panel. <b>Tip:</b> To display the details of a previously selected subscriber in the Quick View, select the Subscriber ID from the History panel.
2	Click <b>View EDRs</b> if panel is not displayed. <b>Note:</b> The information which is available will depend on the configuration defined for the selected service provider. The default EDRs shown will depend on configuration in the <code>sms.html</code> or <code>ccpGui.bat/ccpGui.sh</code> file.

### View EDR detail


Follow these steps to view the details of an EDR record.

Step	Action
1	Select the EDR record to view in the table in the View EDRs panel.
2	Double click the EDR record. <b>Result:</b> You see the <i>EDR Details for Subscriber</i> (See example on page 15) screen. <b>Note:</b> The screen layout and available fields depend on the category and template definition configured for the EDR in CCS. For more information, refer to <i>CCS User's Guide</i> .

Step	Action
3	To change the currency used to display costs and balances, select the <b>Display Currency</b> drop down list.
4	When you have finished viewing that EDR record, click <b>Close</b> . <b>Result:</b> You return to the Dashboard.
<b>Notes:</b>	
<ul style="list-style-type: none"> <li>From the Dashboard the EDR details can only be viewed, they cannot be reversed.</li> <li>To reverse a charge the EDR must be accessed through the Edit Subscriber process. See the <i>Reversing a charge</i> (see page 48) procedure.</li> </ul>	

## EDR Details for Subscriber screen

Here is an example EDR Details for Subscriber screen.

The screenshot shows a software window titled "EDR Details for Subscriber 1212122222". The window has a blue header bar with the title and a close button. Below the header is a toolbar with a "Help" button. The main area is titled "EDR Details" and contains the following fields:

EDR Type:	Operator Update	Display Currency:	GBP										
Operator Name:	SU												
Wallet Type:	Primary												
Record Date:	2007-10-16 09:52:49												
Balance Costs and Expiries	<table border="1"> <thead> <tr> <th>Balance Name</th> <th>Original Value</th> <th>Cost</th> <th>Old Expiry Date</th> <th>New Expiry Date</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Balance Name	Original Value	Cost	Old Expiry Date	New Expiry Date					
Balance Name	Original Value	Cost	Old Expiry Date	New Expiry Date									
Product Type:	MH1												
Previous State:													
New State:													
Old Wallet Expiry:	Never Expires												
New Wallet Expiry:	2007-10-16 09:00:00												
Pi Identification:													
Subscriber IDs:	1212122222												

At the bottom of the window is a "Close" button.

## Common Tasks


### Introduction

The CCP Dashboard screen provides the facility to run any common tasks that have been set up for you. You run common tasks from the Common Tasks panel where a button is provided for each available task.

**Note:** Common Tasks may also be referred to as BPL tasks.

### Common Tasks panel

Here is an example Common Tasks panel in the CCP Dashboard screen.



### Run a common task

Follow these steps to run a common task for a subscriber.

**Note:** The common task will be run for the subscriber currently displayed in the Quick View.

Step	Action
1	In the CCP Dashboard screen search for the subscriber. For details, see <i>Finding a subscriber</i> (on page 12).
2	Select the subscriber record in the search results so that their details appear in the Quick View. <b>Tip:</b> Select a subscriber from the History panel to redisplay their details in the Quick View.
3	If the Common Tasks panel is not currently visible in the CCP Dashboard screen, then click <b>Common Tasks</b> to display it. <b>Note:</b> If no common tasks have been defined for the service provider then the Common Tasks panel is not displayed. You see the following message in the Status bar at the bottom of the screen: "No Common Tasks defined."

Step	Action
4	<p>In the Common Tasks panel, click the button for the task you want to run.</p> <p><b>Result:</b> You see the Confirm Execute Common Task prompt.</p> 
5	<p>If any parameters have been defined for the tasks, enter the values for these as prompted.</p> <p><b>Warning:</b> You must enter a value for all mandatory parameters.</p>
6	<p>Click <b>Execute</b>.</p> <p><b>Result:</b> You see the Executing Common Task progress box.</p> <p>Then you see the Execute Common Task Result prompt.</p> <p><b>Note:</b> If the task fails then a message giving the failure reason is displayed in the Execute Common Task Result screen.</p>
7	Click <b>OK</b> .

## History

### Introduction

The search history for subscriber accounts and Vouchers is displayed on the **Subscriber** and **Voucher** tabs in the History panel. A new entry is added to the subscriber history each time a subscriber account is displayed in the Quick View panel. Similarly, a new entry is added to the voucher history each time a valid voucher is retrieved in the Vouchers panel.

## History panel

Here is an example History panel from the CCP Dashboard screen.



### Viewing history

Follow these steps to view a historical list of subscribers or vouchers.

Step	Action
1	If the History panel is not currently visible in the CCP Dashboard screen, click <b>History</b> to display it.
2	In the History panel select the tab for the type of history you want to view. Select one of: <ul style="list-style-type: none"><li>• <b>Subscriber</b></li><li>• <b>Voucher</b></li></ul>
3	Select an item from the history to review its details. Select one of: <ul style="list-style-type: none"><li>• <b>Subscriber ID</b> to view its details in the Quick View panel</li><li>• <b>Voucher ID</b> to view its details in the Vouchers panel</li></ul>

**Tip:** Double-click a subscriber ID to access its details in the Edit Subscriber screen.

## Changing Your Password


### Introduction

The Change Password screen appears when you click **Password** in the CCP Dashboard screen.

Use this screen to change the password for your user account.

## Change Password Screen

Here is an example Change Password screen.



### Changing your password

Follow these steps to change your password.

Step	Action
1	In the CCP Dashboard screen, click <b>Password</b> . <b>Result:</b> You see the Change Password screen.
2	Enter your current password in the <b>Old Password</b> field.
3	Enter your new password in the <b>New Password</b> field. <b>Note:</b> For security reasons, a password must be at least 8 characters long.
4	Re-enter your new password in the <b>Confirmation</b> field.
5	Click <b>OK</b> to save the changed password.

## Locking and Unlocking the Dashboard

### Introduction

If you need to leave your work station for a short period, then you can lock the CCP Dashboard screen so that the screen contents are protected. When you lock the CCP Dashboard, the screen is hidden from view and the CCP Dashboard Locked prompt is displayed. The CCP Dashboard will be redisplayed as soon as you reenter your original user name and password correctly.

You can make a maximum of three attempts to enter the correct user name and password combination. If you make more than three failed attempts, then you will receive a warning message and the CCP application will be terminated.

**Note:** The CCP Dashboard will also be locked automatically if the SMS quality of service feature is enabled and you have not used the CCP Dashboard for a configurable period of time.

For further information on this feature refer to *SMS User's Guide*.

## Locking the dashboard

Follow these steps to lock the CCP Dashboard.

Step	Action
1	<p>In the CCP Dashboard screen, click <b>Lock Dashboard</b>.</p> <p><b>Result:</b> The CCP Dashboard screen is hidden from view and you see the CCP Dashboard Locked prompt.</p> 

## Unlocking the dashboard

Follow these steps to unlock the CCP Dashboard screen.

Step	Action
1	<p>Enter your user name in the <b>User Name</b> field in the CCP Dashboard Locked screen.</p> <p><b>Note:</b> This must be the same user name as the one you originally used to log in with for this session.</p>
2	Enter your password in the <b>Password</b> field.
3	Click <b>Ok</b> .

**Result:** The CCP Dashboard screen reappears.

# Chapter 4

# Editing Subscribers

## Overview

### Introduction

This chapter explains how to access the Edit Subscriber screen from Oracle Communications Network Charging and Control Customer Care Portal, and edit subscriber details.

### In this chapter

---

This chapter contains the following topics.

Editing a Subscriber .....	21
Configure Subscriber Zones.....	25
Configuring Subscriber Options .....	28
Adding Wallets.....	35
Edit Wallets.....	37
Edit Wallet Balances.....	41
Merge Wallets.....	45
View EDRs .....	47
Business Process Logic .....	49
View Subscriber Promotions .....	51
Credit Transfers.....	53

## Editing a Subscriber

### Introduction

The Edit Subscriber screen lets you change a subscriber's configuration. For example you can:

- Edit subscriber details
- Configure subscriber zones
- Add a secondary wallet
- Edit primary wallets and wallet balances
- Merge wallets
- View EDRs
- Execute BPLs
- Perform credit transfers

**Note:** The Edit Subscriber screen can also be opened from the Subscriber Management screen in Prepaid Charging. Refer to *Charging Control Services User's Guide* for more information.

### Reverting unsaved changes

You can revert any unsaved changes to a subscriber's configuration by clicking **Revert**. The data will revert to the most recently saved version of the subscriber's configuration.

For details see *Reverting subscriber edits* (on page 24).

## Edit subscriber screen layout

The configuration and layout for the Edit Subscriber screen is defined in the Subscriber Profile Manager (SPM). When you open the Edit Subscriber screen, the fields and options you see depend on the configuration defined in the SPM for the subscriber's product type and service provider (see following screen example). This means that you may see one of the following:

- The default configuration for the Edit Subscriber screen containing all the fields and options available as a standard
- A customized Edit Subscriber screen containing a subset of the standard fields and options, plus any subscriber profile groups, fields and zones that have been configured specifically for you. The labels given to the fields and options may also be different from the default labels

You see the available options listed in the menu on the left hand side of the screen. To view or edit the fields for a particular option, select the option in the list.

**Note:** For information on configuring the Edit Subscriber screen, refer to [Subscriber Profile Manager User's Guide](#).

## Accessing the Edit Subscriber screen

Follow these steps to open the Edit Subscriber screen for a selected subscriber.

**Note:** Only primary wallet information is available for editing when you open the Edit Subscriber screen from the CCP Dashboard.

Step	Action
1	In the CCP Dashboard screen, search for the subscriber to view or edit using the subscriber search fields. For details see <i>Finding a subscriber</i> (on page 12).
2	Highlight the row in the search results for the subscriber to edit.
3	Click <b>Open</b> .

**Result:** You see the details of the subscriber selected from the search results in the Edit Subscriber screen.

**Tip:** To quickly open the Edit Subscriber screen, double click the required entry in the search results.

## Example Edit Subscriber screen

Here is an example Edit Subscriber screen configured to show subscriber details when the Promotions option is selected.

Promotion	Status	Expiry Date
BVset01	Unset	
BVset02	Unset	
BVset021	Unset	
GC Bonus Set01	Unset	
RichardsBonusSet	Unset	
Vince Promo 1	Unset	
Vince Promo 2	Unset	
Vince Promo 3	Unset	

**Monthly Spend**

Name	<input type="text" value="Monthly Spend"/>
Status	<input type="text" value="Active"/>
Tracker Balance Value	<input type="text" value="0.00"/>
Tracker Balance Expiry Date	<input type="text" value="2009-12-25 16:46"/>
Individual Limited Liability Balance	<input type="text"/>
Individual Limited Liability Expiry Date	<input type="text"/>
Max Individual Limited Liability	<input type="text"/>
Global Liability Status	<input type="text" value="Unset"/>

Access to elements of this screen are controlled by user permissions. If you cannot see some of the functionality described for this screen, your permissions may have been set to restrict access to that element.

### Subscriber details groups

This table describes the function of the standard groups of fields that may be associated with subscriber details in the Edit Subscriber screen. Each group contains a standard set of fields, some of which may be editable.

**Note:** This table shows the default labels given to the subscriber details groups. Different labels may be used in your screens depending on how the Edit Subscriber screen is configured.

Group	Description
PIN	Sets the subscriber's PIN.
Confirm PIN	Confirmation of the subscriber's PIN.
Subscriber Information	Core information about the subscriber. For information purposes only.

## Subscriber details fields

This table describes the function of the standard subscriber details fields that may be available in the Edit Subscriber screen.

**Note:** Some of these fields may have been given different labels in your screens depending on how the Edit Subscriber screen has been configured.

Field	Description
Card Number	Specifies the card number for the subscriber.
Subscriber ID	The calling line identifier (CLI) for this subscriber. This identifies the line that the call is being placed from. When a call is made, the system determines which wallet to charge based on the subscriber ID of the caller.
Description	A description for this subscriber.
Language	Sets the language to use for announcements for this subscriber.
Subscriber ID Restricted	Sets whether or not the subscriber may set the presentation restricted indicator in the outgoing connect message for services. For further information refer to <i>Charging Control Services User's Guide</i> .
Disable Incoming Calls When Roaming	Sets whether or not the subscriber may receive incoming calls while roaming.
Blacklisted	Sets whether or not the subscriber may use the service. When selected, the service will be disabled. For more information about blacklisted subscribers, see <a href="#">Adding Subscribers</a> .
Disable SMS Notifications	Sets whether or not the subscriber may receive SMS notifications.

## Editing configuration options

Follow these steps to edit the configuration options for a subscriber account.

Step	Action
1	In the Edit Subscriber screen, select the option from the left hand menu that holds the field to edit.
2	Enter the new details as required.
3	Repeat steps 1 and 2 for all the fields to edit.
4	When you have completed your edits, click <b>Save</b> .

## Reverting subscriber edits

Follow these steps to revert unsaved changes to the subscriber configuration.

Step	Action
1	In the Edit Subscriber screen, click <b>Revert</b> . <b>Result:</b> Any unsaved changes to the subscriber configuration will be reversed and the subscriber will be redisplayed using the original data.

# Configure Subscriber Zones

## Introduction

Zones provide the facility to customize the services provided to the subscriber depending on their location. For example, a home zone could be defined where the subscriber may obtain cheaper calls.

A subscriber may have up to nine zones. Each zone can be configured to include a group of up to five rectangular and circular shapes. The location and area covered by each shape is determined by its coordinates (defined in latitude and longitude format). If required, the shapes may overlap.

**Note:** This functionality is only operational if the NCC Location Capabilities Pack (LCP) package is installed.

## User access

You can access zones in the Edit Subscriber screen provided you have been given sufficient privileges.

This table describes the privileges that may be assigned to zone.


Privilege	Description
Read/Only	The zone will be visible through the screens, but you will not be able to edit, create, or delete it.
Read/Modify	The zone will be visible through the screens, and you will be able to edit it, but you will not be able to create or delete it. This means that you will be able to add, edit and delete shapes for the zone. However, if there is only one shape defined for the zone you will not be able to delete it because this would also delete the zone itself.
Create/Delete	The zone will be visible to the user through the screens, and you will be able to add, edit, and delete shapes for it even if there is only one shape defined for the zone. If you delete the only remaining zone shape, then the zone's profile tag will also be removed from the subscriber's profile.

**Note:** Access permissions are managed through the user templates defined in the Service Management System User Management screen. For information on creating and maintaining user templates, see *Service Management System User's Guide*.

## Zone group

Zones are defined in zone group panels in the Edit Subscriber screen. A zone group panel can be included where needed using the Subscriber Profile Manager.

Here is an example zone group panel.




### Adding a new zone shape

Follow these steps to add a new shape to a zone.

Step	Action
1	In the Edit Subscriber screen, select the option that holds the zone to add a shape to.
2	In the group for the zone, click <b>New</b> .

**Result:** You see the New Zone screen.




Step	Action
3	Select the option for the zone shape, select one of: <ul style="list-style-type: none"> <li>• Circular Shapes</li> <li>• Rectangular Shapes</li> </ul>
4	If you are specifying a circular zone shape, in the boxes enter the coordinates for the center of the circle and its radius. <ul style="list-style-type: none"> <li>• <b>X (Deg):</b> The longitude coordinate. Restricted to between -179.99999 (W) and 180.00000 (E) degrees.</li> <li>• <b>Y (Deg):</b> The Latitude coordinate. Restricted to between -90.00000 and 90.00000 degrees.</li> <li>• <b>R (Kms):</b> The radius. Restricted to between 0.000000 and 99999999.9999999 kilometers.</li> </ul>
5	If you are specifying a rectangular zone shape, enter the coordinates for the top left and bottom right corners of the rectangle. <p>Top-Left Corner:</p> <ul style="list-style-type: none"> <li>• <b>X (Deg):</b> The longitude west coordinate. Restricted to between -179.99999 (W) and 180.00000 (E) degrees and must not equal the value for the longitude east coordinate.</li> <li>• <b>Y (Deg):</b> The latitude north coordinate. Restricted to between -90.00000 and 90.00000 degrees and must be a higher number than the latitude south coordinate.</li> </ul> <p>Bottom-Right Corner:</p> <ul style="list-style-type: none"> <li>• <b>X (Deg):</b> The longitude east coordinate. Restricted to between -179.99999 (W) and 180.00000 (E) degrees and must not equal the value for the longitude west coordinate.</li> <li>• <b>Y (Deg):</b> The latitude south coordinate. Restricted to between -90.00000 and 90.00000 degrees and must be a lower number than the latitude north coordinate.</li> </ul>
6	Click <b>Save</b> .

## Editing a zone shape

Follow these steps to edit a Zone shape.

Step	Action
1	In the Edit Subscriber screen, select the option where the zone to edit is defined.

Step	Action
2	<p>In the zone group select the shape to edit and click <b>Edit</b>.</p> <p><b>Result:</b> You see the Edit Zone screen.</p> 
3	Edit the shape definition as described in <i>Adding a new zone shape</i> (on page 26).
4	Click <b>Save</b> .

## Deleting a zone shape

Follow these steps to delete a Zone shape.

Step	Action
1	In the Edit Subscriber screen, select the option where the zone shape to delete is defined.
2	<p>In the zone group select the shape to delete and click <b>Delete</b>.</p> <p><b>Result:</b> The zone shape is deleted.</p>

# Configuring Subscriber Options

## Subscriber options

Here is a list of the available Subscriber Profile options.


- Call Barring
- Number Translation
- Credit Card
- Remote Access
- Friends and Family
- Closed User Groups

- Balance Topup Rules

## Call Barring

Follow these steps to configure call barring for a subscriber.

Step	Action
1	Select the Call Barring option from the left hand menu. <b>Result:</b> You see the Call Barring configuration options.



2 In the **Allowed/Barred List** section, select whether the listed numbers will be allowed or barred from the **List Type** drop down list.


**Tip:** Depending on the list type, all numbers in the list are allowed, or all numbers are barred for this subscriber. It is not possible to have some allowed and some barred numbers in the list.

3 If you want the service to ignore the allowed/barred list for this Subscriber, select the **Ignore** check box.

Step	Action
4	Edit the Number List as required. To add a number to the list: a. Enter the number in the <b>New Number</b> field. b. Click <b>Add</b> . To delete a number from the list: a. Select it in the <b>Number List</b> . b. Click <b>Delete</b> .
5	Repeat step 4 until the number list contains all the required numbers.
6	Click <b>Save</b> .
<b>Note:</b> Allowed/barred lists may also have been set at the following levels:	
• System-wide • Service provider • Product type	

## Number Translation

Follow these steps to configure the number translation details for a subscriber.

Step	Action
1	Select the Number Translation option from the left hand menu. <b>Result:</b> You see the Number Translation configuration options.
	

Step	Action
2	<p>In the <b>Short Codes</b> section, edit the number list. To add a number to the list:</p> <ol style="list-style-type: none"> <li>In the <b>In</b> field, enter the service short code that you want to translate.</li> <li>In the <b>Out</b> field, enter the termination number that you want to translate the short service code to.</li> <li>Click <b>Add</b>.</li> </ol> <p>To delete a number from the list:</p> <ol style="list-style-type: none"> <li>Select the number in the <b>Number list</b>.</li> <li>Click <b>Delete</b>.</li> </ol>
3	Repeat step 2 until the number list contains all the numbers that you require.
4	Click <b>Save</b> .


**Note:** Number translation may also have been set at the following levels:

- System-wide
- Service provider
- Product type

## Credit Card

Follow these steps to configure credit card details for a subscriber.

Step	Action
1	Select the Credit Card option from the left hand menu. <b>Result:</b> You see the Credit Card configuration options.




- In the **Credit Card Number** field, enter the credit card number for this subscriber.
- In the **Expiry Date** drop down boxes, select the year and month on which the credit card will expire, and click **Reset**.

Step	Action
4	If the credit recharge facility should be enabled, select the <b>IVR Recharge Allowed</b> check box.
5	Click <b>Save</b> .

## Friends and Family

Follow these steps to configure friends and family details for a subscriber.

Step	Action
1	Select the Friends and Family option from the left hand menu. <b>Result:</b> You see the Friends and Family configuration options.




- From the **Active Service** option buttons, select the one the subscriber should have.
- In the **Friends & Destination Settings** section, select the discount prefix for Friends and Destination from the **Discount Prefix** drop down list.
- In the **Change Count** field, enter the total number of change counts for the subscriber.
- From the **Change date** drop down list, select the day, month, year, hour and minute of the most recent change to the subscriber.
- From the **Friends & Family Settings** section, enter the number of times the subscriber has been changed in the **Change count** field.
- From the **Change date:** drop down list, select the day, month, year, hour and minute of the most recent change to the subscriber.
- In the **Friends & Family Numbers** section, edit the **Number list**. To:
  - Add a number, enter the number in the **New Number** field and click **Add**.
  - Delete a number, select it in the list and click **Delete**.
- Click **Save**.

## Closed User Groups

Follow these steps to configure Closed User Groups for a subscriber.

**Warning:** This functionality is only available where rating management for the subscriber is either handled by the Voucher and Wallet Server, or a third party domain that supports closed user groups.

Step	Action
1	Select the Closed User Groups option from the left hand menu. <b>Result:</b> You see the Closed User Groups configuration options.



- 1 Select the Closed User Groups option from the left hand menu.  
**Result:** You see the Closed User Groups configuration options.
- 2 Update the **Closed User Group Membership List** for the Subscriber as required.
  - To add a closed user group:
    - Select the CUG you want from the **Available Closed User Groups** drop down list
    - Click **Add**
  - To remove a CUG from the list:
    - Select it in the Closed User Group Membership List
    - Click **Delete**.
- 3 Click **Save**.

## Balance Topup Rules


The Balance Topup Rules option lets you view the active topup rules defined for the subscriber, and when they were last activated. The rules are used to allocate additional items, such as additional SMSs, to specified balance types on a regular basis. For details on creating and activating balance topup rules, see *Charging Control Services Technical Guide*.

**Warning:** This functionality is only available where rating management for the subscriber is handled by the Prepaid Charging VWS.

## Chapter 4

Follow these steps to view the active balance topup rules for a subscriber.


Step	Action
1	Select the Balance Topup Rules option from the left hand menu. <b>Result:</b> You see the Balance Topup Rules screen.



## Remote Access

Follow these steps to configure remote access for a subscriber.

Step	Action
1	Select the Remote Access option from the left hand menu. <b>Result:</b> You see the Remote Access configuration options.



- 2 If you want the subscriber to have remote access, select the **Remote Access Allowed** check box.
- 3 Click **Save**.

## Adding Wallets

### Introduction

You can add a secondary wallet for a subscriber. The new wallet can be one of:

- Second private wallet
- Link to a shared wallet

When you add a new wallet, you must specify its domain. This determines whether rating management for the wallet is handled by the Prepaid Charging VWS or a third party.

## New Wallet screen

Here is an example New Wallet screen. The **New Wallet** screen appears when you click **New Wallet** in the Edit Subscriber screen.

### Adding a new Prepaid Charging VWS wallet

Follow these steps to add a new wallet to a subscriber on a Prepaid Charging VWS domain.

Step	Action
1	In the Edit Subscriber screen, click <b>New Wallet</b> . <b>Result:</b> You see the New Wallet screen.
2	Ensure <b>Link To Existing Wallet</b> is not selected.
3	From the <b>Domain</b> drop down list select a Prepaid Charging VWS domain. <b>Note:</b> The wallet reference will be generated automatically.
4	From drop down list, select the <b>Product Type</b> that will be associated with this wallet.
5	From the <b>Display Currency</b> drop down list, select the currency that the <b>Minimum Credit</b> field will be displayed in.
6	From the <b>Wallet Currency</b> drop down list, select the currency that will be used for monetary values for this wallet. All available currencies are displayed in this list.
7	If required, select the <b>Customer</b> from drop down list who will have access to this wallet.
8	Select the <b>Limit Type</b> from the drop down list that will be used for this wallet.
9	If you selected Limited Postpaid for the Limit Type, enter the minimum credit value for this wallet in the <b>Minimum Credit</b> field.
10	In the <b>Maximum Concurrent Accesses</b> field, enter the total number of accesses that can be supported against the wallet at any one time.
11	Click <b>OK</b> to save the new wallet.

## Adding a new wallet for a third party domain

Follow these steps to add a new wallet to a subscriber using a third party domain.

Step	Action
1	In the Edit Subscriber screen, click <b>New Wallet</b> . <b>Result:</b> You see the New Wallet screen.
2	If this is a shared wallet, in the New Wallet screen, select <b>Link To Existing Wallet</b> . If this is not a shared wallet, ensure <b>Link To Existing Wallet</b> is not selected.
3	From the <b>Domain</b> drop down list, select the third party domain for the wallet.
4	Enter the identifier for the wallet in the <b>Wallet Reference</b> field. This can be the wallet reference for a linked wallet. If you leave this field blank then the reference is auto-generated and you must use the generated reference Id on the third party domain.
	<b>Warning:</b> The wallet reference is not validated by the system.
5	From the <b>Display Currency</b> drop down list, select the currency that the <b>Minimum Credit</b> field will be displayed in.
6	Click <b>OK</b> to save the new wallet.

## Adding a new link to a wallet

Follow these steps to add a new link to an existing wallet for a subscriber.

Step	Action
1	In the Edit Subscriber screen, click <b>New Wallet</b> . <b>Result:</b> The New Wallet screen appears.
2	Select <b>Link To Existing Wallet</b> .
3	Enter the identifier for the shared wallet in the <b>Wallet Reference</b> field. You must enter an existing wallet reference.
4	Select the <b>Product Type</b> from the drop down list that will be associated with this wallet .
5	From the drop down list, select the <b>Display Currency</b> to use to display the minimum credit for the wallet.
6	Click <b>OK</b> to save the new linked wallet.

## Edit Wallets

### Introduction

The wallet information available in the Edit Subscriber screen will depend on the configuration defined for the product type and service provider for the subscriber (see following screen examples). This means that you may see one of the following:

- The default wallet configuration where all the standard wallet information fields are displayed under a single Wallet option.
- The Edit Subscriber screen may have been customized to contain a subset of the standard wallet information fields. This information may be available under a single option listed in the panel on the left hand side of the screen, or it may be split over more than one option. The labels given to the fields and options may also be different.

You see the available options listed in the menu on the left hand side of the screen. To view or edit the fields for a particular option, select the option in the list.

### Default wallet configuration

The default configuration for the Edit Subscriber screen contains the following categories of information and fields for subscribers' wallets. Depending on how your screens have been configured, you will be able to edit some or all of this data:

- Wallet information
- Wallet expiry details
- Wallet history
- Wallet balances
- Product type
- Wallet state
- Customer

### Wallet type

The Edit Subscriber screen, when accessed from the CCP Dashboard, lets you look at the wallet details for the subscriber's primary wallet. The wallet type is clearly indicated in the Edit Subscriber screen title.

**Note:** Secondary wallet information is only available in the Edit Subscriber screen when it is accessed through the Subscriber Management screen in CCS.

## Example wallet details

Here is an example Edit Subscriber screen configured to provide wallet details when the Wallets option is selected. It shows how the information appears if the CCP is enabled on your system.

The screenshot shows the 'Edit Subscriber 4411 Primary Wallet' dialog box. The left sidebar has a tree structure with 'Wallets' selected. The main area has several sections:

- Display Currency:** GBP (dropdown menu)
- Buttons:** New Wallet, Merge Wallet, View EDRS
- Table:** Shows wallet balances with columns: Balance Type, Limit Type, Total Value, First Expiry Date, and Category. Rows include General Cash (Prepaid, 91.84), Promotional Cash (Prepaid, 10.00, 2010-10-19 15:10), Bad Pin (0), Monthly Exp (0.00), Yearly Exp (0.00, 2011-10-19 15:20), and Free SMS (Prepaid, 1).
- Wallet Information:** Fields include Wallet Reference (2), Wallet Currency (Britain (Great Britain), I), Private/Shared (Private), Maximum Concurrent Accesses (1), Promotional Destination Messages (0), and Bill for Product Swap (checkbox).
- Product Type:** PT1 (dropdown menu)
- Wallet State:** Active (dropdown menu)
- Customer:** No Customer Selected (dropdown menu)
- Wallet Expiry Details:** Define Wallet Expiry Date (checkbox) checked, Wallet Expiry Date (03-Oct-2009 15:00:00, dropdown menu).
- Wallet History:** Fields include Date Last Use (2007-11-01 16:28:45), Last Activation Date (2007-10-25 08:10:41), Previous Wallet Expiry Date (2009-10-02 15:00:00), Last Product Type Swap (dropdown menu), Balance Before Last Recharge (94.34), Previous Balance Expiry Date (dropdown menu), Date of Last Recharge (2007-11-01 16:28:45), and Total Expired Credit (0.00).
- Buttons:** Save, Cancel, Revert

Access to elements of this screen are controlled by user permissions. If you cannot see some of the functionality described for this screen, your permissions may have been set to restrict access to that element.

## Wallet field groups

This table describes the function of the standard groups of fields that may be available with a wallet in the Edit Subscriber screen. Each group contains a standard set of fields, some of which may be editable.

**Note:** This table shows the default labels given to the information groups. These labels may be different in your screens depending on how the Edit Subscriber screen has been configured.

Group Label	Description
Balance Types panel	A panel showing the available wallet balances. For details, see <i>Edit Wallet Balances</i> (on page 41).
Wallet Information	Core information about the wallet. For details, see <i>Editing wallet information</i> (on page 40).
Product Type, Wallet State, and Customer fields	Wallet attributes. For details, see <i>Product Type, Wallet State and Customer fields</i> (on page 40).
Wallet Expiry Details	Describes wallet expiry date (if any). For details, see <i>Setting wallet expiry dates</i> (on page 41).

Group Label	Description
Wallet History	For information purposes only. Provides details about the wallet history.

## Wallet Information group

Here is an example **Wallet Information** group.

## Editing wallet information

Follow these steps to edit the details in the Wallet Information group.

**Warning:** Although the names of the fields in the group remain the same, the group name will depend on how the Edit Subscriber screen has been configured.

Step	Action
1	From the left hand menu in the Edit Subscriber screen, select the option containing the Wallet Information group of fields.
2	In the Wallet Information panel select a different <b>Wallet Currency</b> from the drop down list, if required. This defines the currency used for monetary values for this Wallet.
3	If required, enter a new number for the <b>Maximum Concurrent Accesses</b> that can be supported against the subscriber at any one time.
4	If you have changed the subscriber's product type and you want to charge for this change then select the <b>Bill for Product Swap</b> check box. <b>Tip:</b> This charge is made when the current subscriber edits are saved. The next time you edit this subscriber this check box will have been cleared.
5	If you have completed your subscriber edits, click <b>Save</b> .

## Product Type, Wallet State and Customer fields

This table describes the function of each field.

Field	Description
Product Type	The product type which applies when this subscriber uses this wallet.
Wallet State	The state the current wallet is in. A wallet's state controls what features of the service a wallet can use, and reflects where in the wallet life cycle the wallet is. For more information about the wallet life cycle, see <a href="#">Wallet lifecycle</a> .
Customer	The customer the wallet is associated with. For more information about customers, see <a href="#">Customer</a> .

## Wallet Expiry Details group

Here is an example of the Wallet Expiry Details group fields.

The screenshot shows a user interface for defining wallet expiry details. At the top, there is a label 'Wallet Expiry Details'. Below it, a checkbox labeled 'Define Wallet Expiry Date' is checked. To the right of the checkbox is a dropdown menu labeled 'Wallet Expiry Date' containing the value '03-Oct-2009 15:00:00'. A small downward arrow icon is located to the right of the dropdown menu.

## Setting wallet expiry dates

Follow these steps to set the expiry date for a wallet.

Step	Action
1	From the left hand menu in the Edit Subscriber screen, select the option containing the Wallet Expiry Details group of fields.
2	In the Wallet Expiry Details group ensure <b>Define Wallet Expiry Date</b> is selected.
3	Select the <b>Wallet Expiry Date</b> from the drop down window. For more information about setting dates, see Time and Date panels.
4	If you have completed editing the subscriber, click <b>Save</b> .

## Edit Wallet Balances

### Introduction

You can view and edit balances for the wallets on the CCS VWS domain.

**Note:** If the wallet is on a third party domain then you will not be able to access balance type information in the Edit Subscriber screen.

For each balance type, you can specify:

- A set of bucket values and expiry dates
- The limit type
- The minimum credit (only available on general cash balances)
- The display currency (not valid for non-cash balances such as time or SMSs)

Bucket values are used to update balances. When you add a new bucket for a balance type, the bucket value is added to its current balance. When you edit a bucket value, the balance is changed to the new value.

Bucket expiry dates are used to define when the bucket balance will expire. When a bucket expiry date is reached, its balance is subtracted from the current balance value of the balance type.

**Note:** For time balance types, you specify bucket values in seconds. The value is shown on screen in both minutes and seconds. This functionality is only available if you have the appropriate license.

## Balance Type area

Here is an example Balance Type area in the Edit Subscriber screen.

<span style="float: left; margin-right: 10px;">Display Currency</span> <span style="border: 1px solid #ccc; padding: 2px 5px; border-radius: 3px;">GBP</span> <span style="float: right; margin-left: 10px;">Details</span> <span style="float: right; margin-left: 10px;">Add Balance</span> <span style="float: right; margin-left: 10px;">All Balance Categories</span>				
Balance Type	Limit Type	Total Value	First Expiry Date	Category
General Cash	Prepaid	91.84		Chargeable Balance
Promotional Cash	Prepaid	10.00	2010-10-19 15:10	Chargeable Balance
Bad Pin		0		Internal Balance
Monthly Exp		0.00		Expenditure Balance
Yearly Exp		0.00	2011-10-19 15:20	Expenditure Balance
Free SMS	Prepaid	1		Chargeable Balance

## Changing the display currency

Follow these steps to change the currency used to display balance values.

Step	Action
1	On the left hand panel in the Edit Subscriber screen, select the Wallets option, containing the Balance Type area.
2	Select a different display currency from the drop down list. <b>Result:</b> The Total Value column in the <b>Balance Type</b> table will be re-displayed using the currently selected display currency.

## Displaying balances by category

Follow these steps to display a selected balance category in the Balance Types panel.

Step	Action
1	On the left hand panel in the Edit Subscriber screen, select the Wallets, option containing the Balance Type area.
2	Select the Balance Category you want to display from the drop down list. <b>Result:</b> The <b>Balance Type</b> table is re-displayed showing only the balances for the selected balance category. Here is an example Balance Types panel showing balances for the Expenditure Balance Category.

<span style="float: left; margin-right: 10px;">Display Currency</span> <span style="border: 1px solid #ccc; padding: 2px 5px; border-radius: 3px;">GBP</span> <span style="float: right; margin-left: 10px;">Details</span> <span style="float: right; margin-left: 10px;">Add Balance</span> <span style="float: right; margin-left: 10px;">Expenditure Balance Category</span>				
Balance Type	Limit Type	Total Value	First Expiry Date	Category
Monthly Exp		0.00		Expenditure Balance
Yearly Exp		0.00	2011-10-19 15:20	Expenditure Balance

## Adding a new balance

Follow these steps to add a new balance to a wallet.

**Warning:** Once you have added a wallet balance and saved the subscriber record you will not be able to delete the balance.


Step	Action
1	On the left hand panel in the Edit Subscriber screen, select the option containing the Balance Types panel.

Step	Action
2	<p>Click <b>Add Balance</b>.</p> <p><b>Result:</b> You see the Add Balance for Subscriber screen.</p> 
3	Select the <b>Balance Type</b> to add from the drop down list.
	<b>Note:</b> You will only be able to choose a balance type that has not been added already.
4	In the <b>Value</b> field, enter the current value for the balance.
5	<p>To set an expiry date for the balance:</p> <ul style="list-style-type: none"> <li>Select the <b>Define Bucket Expiry Date</b> check box</li> <li>Select the <b>Expiry Date</b> from the drop down window</li> </ul> <p>For details on selecting a date, see Time and Date panels.</p>
6	<p>Click <b>OK</b>.</p> <p>You are returned to the Edit Subscriber screen.</p> <p><b>Warning:</b> The changes to the wallet balances will be saved only when you save the subscriber record.</p>

## Editing wallet balance details

Follow these steps to edit the balance details for a selected balance type for a wallet.

Step	Action
1	From the left hand menu in the Edit Subscriber screen, select the Wallets option, containing the Balance Types area.
2	<p>Highlight the row in the <b>Balance Types</b> table for the balance to edit, and click <b>Details</b>.</p> <p><b>Result:</b> You see the details screen for the selected balance.</p>

Step	Action
	

3 To edit a bucket for the balance type, highlight the bucket in the **Buckets** table, and click **Edit**. Edit the details as described in *Adding a new bucket balance* (on page 44). To delete a bucket for the balance type, highlight the bucket in the Buckets table, and click **Delete**.

4 Edit the **Balance** fields as required.

**Tip:** If you set the **Limit Type** for a cash balance to Limited Credit, then you can specify its minimum credit.

5 Click **OK** to return the Edit Subscriber screen.

6 If you have finished editing the subscriber, click **Save**.

**Warning:** Changes to wallet balances are not saved until the subscriber record is saved.

## Adding a new bucket balance

Follow these steps to add a new bucket for a balance type.

Step	Action
1	In the details screen for the selected balance type, click <b>New</b> . <b>Result:</b> You see the New Bucket screen for the balance type.
	

Step	Action
2	In the <b>Value</b> field, enter the new balance.
3	To specify an expiry date for the new bucket, select the <b>Define Bucket Expiry Date</b> check box. <b>Result:</b> The <b>Expiry Date</b> field is populated with today's date.
4	If required, select a different <b>Expiry Date</b> . For details, see Time and Date panels.
5	Click <b>OK</b> . <b>Result:</b> You see the new bucket balance in a new row in the Buckets table.
6	Click <b>OK</b> to return to the Edit Subscriber screen. <b>Result:</b> The balance for the new bucket is added to the existing balance for the balance type.

## Merge Wallets

### Introduction

The Merge Wallets option in the Edit Subscriber screen provides the facility to merge primary and secondary wallets. Typically you use this option to merge the wallets for a subscriber with the wallets of another subscriber. If required, you can also use the merge process to consolidate the primary and secondary wallets for a subscriber.

**Note:** You can only use the merge wallet facility if both the source and target wallets are on the VWS. If either wallet is on a third party domain then you will not be able to use this facility.

### Merge wallet rules

The following rules apply to wallet merges:

- 1 Only one wallet pair may be merged at a time. Therefore two merge operations are required to merge both the primary and the secondary wallets for a subscriber with those of a different subscriber.
- 2 If the source wallet is in a pre-use state, then the wallet is activated and the activation bonus is applied prior to the merge.
- 3 Once the merge has taken place, the source and target subscribers will share the same wallet. Normally, the target wallet will be shared and the source wallet will be deleted. However, if a secondary wallet is specified as the target, and a secondary wallet has not yet been created for the target subscriber, then the source wallet is shared.
- 4 After the merge, the state of the shared wallet will normally be set to that of the target wallet. If the target wallet does not yet exist then it is set to the state of the source wallet.

### Merge wallet expiry policy

The expiry policy for the merged wallet will be set to one of the following:

- Best – This means that the best of both wallet expiry dates will be used. In other words, if the target wallet expires before the source wallet, the expiry date of the target wallet is extended to match that of the source wallet.
- Ignore – This means that the expiry date of the target wallet is not changed.

The policy applies to the target wallet.

For more information on configuring the wallet expiry policy see *CCS Technical Guide*.

## Merge bucket expiry policy

The bucket expiry policy for the merged wallet will be set to one of the following:

- Merge – This means that buckets in the source wallet may be merged with buckets in the target wallet. For this to happen:
  - A source wallet bucket must have an expiry date
  - The target wallet bucket must be of the same balance type
 The merged bucket takes the latest date of both buckets.
- Move – This means that buckets in the source wallet may be moved to the target wallet. For this to happen, a source wallet bucket must have an expiry date. The expiry date of the moved bucket is not changed.


For more information on configuring the bucket expiry policy see the *CCS Technical Guide*.

## Source wallet state

The merge can only be processed if the source wallet is in an allowable state. For more information on configuring the allowable source wallet states, see *CCS Technical Guide*.

## Merging a wallet

Follow these steps to merge either the primary or secondary wallet for the current subscriber with another wallet.

Step	Action
1	<p>In the panel at the top of the Edit Subscriber screen click <b>Merge Wallet</b>.</p> <p><b>Result:</b> You see the Merge Wallets screen.</p> 

2 In the **Source MSISDN** field, enter the CLI of the subscriber holding the source wallet for the merge.

**Note:** The **Target MSISDN** field contains the CLI of the subscriber currently being edited. It is for reference only and cannot be changed.

3 Select the **Source Wallet Type** for the merge. Select one of:

- Primary
- Secondary

4 Select the **Target Wallet Type** for the merge. Select one of:

- Primary
- Secondary

Step	Action
5	<p>Click <b>Save &amp; Merge</b>.</p> <p><b>Result:</b></p> <ol style="list-style-type: none"> <li>1 Any changes to the subscriber configuration made in the Edit Subscriber screens are saved.</li> <li>2 The source and target wallets are merged.</li> </ol>

## View EDRs

### Introduction

From the Edit Subscriber screen you can search for and view the EDRs that have been generated for the subscriber. For each EDR you can:

- View the EDR details
- Reverse any associated charges

### Viewing EDR details

Follow these steps to view the details for a selected EDR.

The EDR Details for Subscriber screen cannot be edited beyond changing the currency information it is displayed in.


To reverse a charge EDR, see the *Reversing a charge* (see page 48) procedure.

Step	Action
1	Select the EDR record to view in the search results table in the View EDRs for Subscriber screen.
2	Click <b>Display</b> .

**Result:** You see the EDR Details for Subscriber screen.

**Notes:**

- The screen layout and available fields depend on the category and template definition configured for the EDR in CCS. For more information, refer to the *EDR Templates* topic in *Charging Control Services User's Guide*.
- You cannot edit this screen. To reverse a charge EDR, see *Reversing a charge* (see page 48) procedure.

Step	Action
 <p>The screenshot shows the 'EDR Details for Subscriber 1212122222' window. The window title is 'EDR Details for Subscriber 1212122222'. The 'EDR Type' is 'Operator Update'. The 'Display Currency' is set to 'GBP'. The form contains the following fields:</p> <ul style="list-style-type: none"> <li>Operator Name: SU</li> <li>Wallet Type: Primary</li> <li>Record Date: 2007-10-16 09:52:49</li> <li>Balance Costs and Expiries: A table with columns 'Balance Name', 'Original Value', 'Cost', 'Old Expiry Date', and 'New Expiry Date'. The table has one row.</li> <li>Product Type: MH1</li> <li>Previous State: (empty)</li> <li>New State: (empty)</li> <li>Old Wallet Expiry: Never Expires</li> <li>New Wallet Expiry: 2007-10-16 09:00:00</li> <li>Pi Identification: (empty)</li> <li>Subscriber IDs: 1212122222</li> </ul> <p>At the bottom is a 'Close' button.</p>	

- 3 To change the currency used to display costs and balances, select the **Display Currency** drop down list.
- 4 When you have finished viewing that EDR record, click **Close**.  
**Result:** You return to the View EDRs for Subscriber screen.
- 5 When you have finished viewing EDR records, click **Close**.  
**Result:** You return to the Edit Subscriber screen.

## EDR details


The EDR Details for Subscriber screen cannot be edited beyond changing the currency information it is displayed in.

To reverse a charge EDR, see the *Reversing a charge* (see page 48) procedure.

## Reversing a charge

Follow these steps to reverse a charge detailed in an EDR record.

Step	Action
1	In the EDRs for Subscriber screen, search for the EDR record to reverse. For details on searching for EDRs see <a href="#">Finding EDRs</a> .
2	Highlight the record in the search results table.

Step	Action
3	<p><b>Click Reverse Charge.</b></p> <p><b>Result:</b> You see the Reverse Charge prompt.</p> 
4	<p>Click <b>Save &amp; Execute</b> to save any edits to the subscriber and then reverse the charge.</p> <p>Click <b>Execute Only</b> to reverse the charge without saving edits to the subscriber.</p>
5	<p><b>Result:</b> You see the Reverse Charge prompt.</p> 
6	<p>Click <b>OK</b>.</p> <p><b>Result:</b> The charge is reversed for all the affected balance types and the subscriber data is reloaded. You are then returned to the Edit Subscriber screen.</p>

## Business Process Logic

### Introduction

A business process logic (BPL) task comprises a set of actions that fall within the defined business rules of the service provider, and that may be run for the subscriber. Each business process is defined in the control plan referenced in the BPL record. When the BPL is run, this control plan is invoked for the current subscriber.

Depending on how the BPL has been configured, a charge may be imposed for the service provided and SMS notifications may be sent out. For information on how to configure BPLs, refer to *Charging Control Services User's Guide*.

#### Notes:

- Business processes are also referred to as tasks.
- This functionality will only be available to you if you have an appropriate license.

## Example BPL processes


Here are some examples of the processes that can be run through a BPL:

- Product type swaps
- Profile updates
- Voucher type recharges
- Wallet state changes
- Credit transfers

## Executing a BPL

Follow these steps to run a BPL for a subscriber.

**Note:** BPLs can only be run for existing subscribers.

Step	Action
1	<p>In the Edit Subscriber screen select the Subscriber option where the BPL to run is located.</p> <p><b>Result:</b> You see a button for each of the available BPLs.</p>
2	<p>Click the button for the BPL to run.</p> <p><b>Result:</b> You see the Confirm Execute Business Process Logic for Subscriber prompt.</p> 

- 3 If any parameters have been defined for the BPL, enter values for these as prompted.  
**Warning:** You must enter a value for all mandatory parameters.
- 4 To save any changes you have made to the subscriber configuration in the Edit Subscriber screens and then run the BPL, click **Save & Execute**.  
To run the BPL without saving changes to the subscriber configuration, click **Execute Only**.  
**Result:** You see the Execute BPL Result prompt.
- 5 Click **OK**.

## View Subscriber Promotions

### Introduction

The Edit Subscriber screen can be configured to display the following types of promotion information:

- Subscriber promotion panel showing the list of promotions for which the currently selected subscriber is eligible
- Promotion information for a specific promotion.

### Subscriber Promotion Panel

Here is an example Subscriber Promotion Panel in the Edit Subscriber screen.

Promotion	Status	Expiry Date
BVset01	Unset	
BVset02	Unset	
BVset021	Unset	
GC Bonus Set01	Unset	
RichardsBonusSet	Unset	
Vince Promo 1	Unset	
Vince Promo 2	Unset	
Vince Promo 3	Unset	

### Subscriber promotion panel fields

This table describes the function of each field.

Field	Description
Promotion	Lists the promotions for which the current subscriber is eligible.
Status	Displays the global limited liability status value for each promotion. Options are: <ul style="list-style-type: none"> <li>• Unset</li> <li>• Eligible</li> <li>• Ineligible</li> </ul>
Expiry Date	Displays the global limited liability status expiry date for each promotion.

## Promotion Info Field example

Here is an example Promotion Info Field in the Edit Subscriber screen. This field has been configured with the **Monthly Spend** Display Name.

Monthly Spend	
Name	Monthly Spend
Status	Active
Tracker Balance Value	0.00
Tracker Balance Expiry Date	2009-12-25 16:46
Individual Limited Liability Balance	
Individual Limited Liability Expiry Date	
Max Individual Limited Liability	
Global Liability Status	Unset

## Promotion info field fields

The Promotion Info Field displays status, balance and expiry details for a specified promotion. The promotion is specified when the Promotion Info Field is configured in the Subscriber Profile Manager.

This table describes the function of each field.

Field	Description
Name	Promotion name.
Status	Promotion status. Either active or inactive.
Tracker Balance Value	The total value of the tracker balance used to trigger the promotion for the subscriber.
Tracker Balance Expiry Date	Displays the first expiry date for the tracker balance. If an expiry date has not been specified, then "Does not expire" will be displayed.  <b>Note:</b> This field will only be visible if the <b>Show Expiry Date</b> check box was selected when this Promotion Info Field was configured in the SPM.
Individual Limited Liability Balance	The subscriber's total balance held in the limit balance type configured for the promotion.
Individual Limited Liability Expiry Date	Displays the first expiry date for the individual limited liability balance. If an expiry date has not been specified, then <code>Does not expire</code> will be displayed.
Max Individual Limited Liability	Maximum individual limited liability configured for the promotion.
Global Liability Status	The options are <ul style="list-style-type: none"> <li>• Unset</li> <li>• Eligible</li> <li>• Not Eligible</li> </ul>

# Credit Transfers

## Introduction

The **Credit Transfers** option in the Edit Subscriber screen lets you perform credit transfers. A credit transfer moves credit from one subscriber to another. For information on how to configure credit transfers, see Transfer Management.

**Note:** The credit transfer functionality will only be available to you if you have an appropriate license.

## Credit transfer types

Two types of credit transfer may be performed:

- Service bundle
- Peer-to-peer

### Peer-to-Peer credit transfers

You use peer-to-peer credit transfers to one of the following:

- Transfer credit between the primary and secondary wallets held by an individual subscriber
- Transfer credit between the wallets held by two different subscribers

### Service Bundle credit transfers

You use service bundle credit transfers to one of the following:

- Transfer credit between different balances held by an individual subscriber in the same wallet
- Transfer credit between two subscribers that share the same wallet

## Credit transfer voucher type


When a credit transfer is performed, cash credit from the purchasing subscriber is used to buy a specified voucher type which is then applied to the recipient's wallet. The voucher type definition may include any of the following:

- A list of balance types where the value and/or the expiry periods have changed
- An extension to the recipient's wallet expiry period
- A product type swap on the recipient's wallet
- A limited list of available product types (the credit transfer will only succeed if the product type for the recipient matches one of the product types in the list)
- Multiple balance types which may also be associated with a limited list of product types

## Performing a credit transfer

Follow these steps to make a credit transfer for a subscriber.

Step	Action
1	<p>In the Edit Subscriber screen choose the credit transfer option you require from the left hand menu:</p> <ul style="list-style-type: none"> <li>• To make a peer-to-peer credit transfer, select <b>Peer-to-Peer Transfer</b>.</li> <li>• To make a service bundle credit transfer, select <b>Service Bundle</b>.</li> </ul> <p><b>Result:</b> You see a series of buttons on the Edit Subscriber screen such as in this example. There is one button for each of the available credit transfer definitions.</p>




2 In the **Recipient MSISDN** field, enter the CLI for the subscriber who will receive the credit.

**Tip:** This field is optional. If you do not enter a value, then the current subscriber ID is used.

3 Click the button for the credit transfer to make.

**Result:** You see the Confirm Credit Transfer prompt.



4 If the subscriber has two wallets, then **Wallet Type** selection will be enabled for the purchaser/recipient. Select the required wallet types for the transfer.

Step	Action
5	If the <b>Security PIN</b> field is enabled then you must enter the PIN for the purchaser subscriber.  <b>Warning:</b> The PIN must be already configured in the subscriber details.
6	To save any changes you have made to the subscriber configuration in the Edit Subscriber screens before making the credit transfer, click <b>Save &amp; Execute</b> . To make the credit transfer without saving changes to the subscriber configuration, click <b>Execute Only</b> .



# Chapter 5

# Vouchers in CCP

## Overview

### Introduction

This chapter explains how to search for vouchers, change the status of vouchers, and redeem vouchers from the CCP Dashboard in the Oracle Communications Network Charging and Control Customer Care Portal.

### In this chapter

---

This chapter contains the following topics.

Vouchers .....	57
Searching for Vouchers .....	58
Voucher Status .....	59
Redeeming Vouchers .....	60
Decrypting Voucher Private Secret .....	60

## Vouchers

### Introduction

The Vouchers panel in the CCP Dashboard screen lets you:

- Search for a voucher and view its details. See *Searching for Vouchers* (on page 58)
- Change the voucher status (providing you have sufficient privileges). See *Voucher Status* (on page 59)
- Redeem the voucher for a selected subscriber. See *Redeeming Vouchers* (on page 60)
- Decrypt the private secret of a voucher. See *Decrypting Voucher Private Secret* (on page 60)

### Vouchers panel

Here is an example Vouchers panel in the CCP Dashboard screen.

### Voucher information fields

This table describes the voucher information fields that may be available in the Vouchers panel.

## Chapter 5

Depending on how the Vouchers panel has been configured, the fields available to you will be a subset of these fields.

**Warning:** Fields may also have been given different labels.

Field	Description
Batch Code	The batch code for the voucher batch that includes this voucher.
Batch ID	Unique ID for the voucher batch.
Batch Name	The name of the voucher batch. This can be up to 50 characters long.
Batch State	The state of vouchers in the voucher batch. The batch states are: <ul style="list-style-type: none"><li>• Active</li><li>• Created</li><li>• Unavailable</li></ul>
HRN	Voucher Hidden/Human Readable Number, decrypted from the Private Secret.
PIN	The PIN for the voucher.
Private Secret	Encrypted voucher HRN or PIN.
Scenario	The voucher scenario used to redeem the voucher.
Serial Number	The voucher serial number.
Subscriber ID	The ID of the subscriber redeeming the voucher.
Voucher Activated	The voucher activation date.
Voucher Created	The voucher creation date.
Voucher Number	The voucher number and PIN.
Voucher Redeemed	The voucher redemption date.
Voucher Status	The voucher status. Available values are: <ul style="list-style-type: none"><li>• Created</li><li>• Active</li><li>• Frozen</li></ul>
Voucher Reference	Internal voucher number
Wallet Reference	The wallet reference of the redeeming wallet.

## Searching for Vouchers

### Introduction

You can search for a voucher in the Vouchers panel based on one of the following:

- Voucher Number or HRN
- Voucher Serial Number

When you find a voucher, its details are displayed in the information fields in the Vouchers panel. You will then be able to redeem the voucher against a selected subscriber, change the voucher status, or decrypt the private secret of the voucher to obtain the HRN.

### Finding a voucher

Follow these steps to look for a Voucher.

Step	Action
1	In the CCP Dashboard screen, select the <b>Service Provider</b> from the drop down list.

Step	Action
2	If the Vouchers panel is not currently visible, click <b>Vouchers</b> at the bottom right hand corner of the CCP Dashboard screen. <b>Result:</b> You see the Vouchers panel displayed in the bottom half of the screen.
3	In the Vouchers search fields, enter one of the following: <ul style="list-style-type: none"> <li>The voucher number or HRN in the <b>Voucher</b> field</li> <li>The voucher serial number in the <b>Serial Number</b> field</li> <li>The voucher PIN in the <b>PIN</b> field</li> </ul>
4	Select the relevant search option. Select one of the following: <ul style="list-style-type: none"> <li><b>Voucher</b> to search for a voucher number or HRN</li> <li><b>Serial Number</b> to search for a voucher serial number</li> </ul>
5	Click <b>Search</b> . <b>Result:</b> If found, you see the relevant details from the voucher record in the information fields in the Vouchers panel. Refer to <i>Voucher information fields</i> (on page 57).
6	You may perform the following actions on the selected voucher: <ul style="list-style-type: none"> <li>Change the voucher status. See <i>Voucher Status</i> (on page 59)</li> <li>Redeem the voucher. See <i>Redeeming Vouchers</i> (on page 60)</li> <li>If authorised, decrypt the voucher private secret to recovr the HRN. See <i>Decrypting Voucher Private Secret</i> (on page 60).</li> </ul>

## Voucher Status

### Introduction

You can change the state of a voucher displayed in the Vouchers panel if you have sufficient privileges. If you have insufficient privileges you will be able to view the voucher state, but you will not be able to change it.

### Changing voucher status

Follow these steps to change the status of a Voucher.

Step	Action
1	If the Vouchers panel is not currently visible in the CCP Dashboard screen, click <b>Vouchers</b> to display it.
2	Find the voucher whose status you want to change. See <i>Finding a voucher</i> for details. <b>Result:</b> You see the voucher details in the <b>Vouchers</b> panel.
3	Select the new status for the voucher from the <b>Voucher Status</b> drop down box. Refer to <i>Voucher information fields</i> (on page 57).
4	Click <b>Apply</b> . <b>Result:</b> You see the Voucher State Update Successful prompt.
5	Click <b>OK</b> .

## Redeeming Vouchers

### Introduction

You can redeem the voucher displayed in the Vouchers panel for a valid subscriber displayed in the Quick View. Before redeeming the voucher, you must ensure that the voucher scenario has been selected, and that the voucher PIN has been specified in the PIN search field.

### Redeeming a voucher

Follow these steps to redeem a voucher for a subscriber.

**Note:** You will only be able to redeem the voucher if you have sufficient privileges.

Step	Action
1	If the Vouchers panel is not currently visible in the CCP Dashboard screen, click <b>Vouchers</b> to display it.
2	Find the subscriber for whom you want to redeem a voucher. See <i>Finding a subscriber</i> (on page 12) for details.
3	Select the subscriber ID in the search result panel or from the <b>Subscriber History</b> panel. <b>Result:</b> You see the subscriber details in the <b>Quick View</b> panel.
4	Find the voucher to redeem. See <i>Finding a voucher</i> for details. <b>Result:</b> You see the voucher details in the <b>Vouchers</b> panel. Refer to <i>Voucher information fields</i> (on page 57).
5	In the PIN search field, enter the voucher PIN.
6	If required, select a different scenario for the voucher from the <b>Scenario</b> drop down box.
7	Click <b>Redeem Voucher</b> . <b>Result:</b> The system will attempt to recharge the subscriber with the voucher. If it is successful, you see the Success prompt.
8	Click <b>OK</b> .

## Decrypting Voucher Private Secret

### Introduction

You can decrypt the private secret of a voucher assuming that you have the required access template assigned and the voucher was produced by an authentication rule that allows for decryption (AES symmetric cipher and CB10 HRN AES).

Vouchers with private secrets that were not created using an AES256 CCS Auth rule cannot be decrypted.

### Decrypting the private secret of a voucher

Follow these steps to decrypt the private secret of a voucher for a subscriber.

**Note:** You will only be able to decrypt the private secret of a voucher if you have sufficient privileges.

Step	Action
1	If the Vouchers panel is not currently visible in the CCP Dashboard screen, click <b>Vouchers</b> to display it.
2	Find the subscriber for whom you want to decrypt the private secret of a voucher. See <i>Finding a subscriber</i> (on page 12) for details.

Step	Action
3	Select the subscriber ID in the search result panel or from the <b>Subscriber History</b> panel. <b>Result:</b> You see the subscriber details in the <b>Quick View</b> panel.
4	Find the voucher to decrypt. See <i>Finding a voucher</i> for details. <b>Result:</b> You see the voucher details in the <b>Vouchers</b> panel. Refer to <i>Voucher information fields</i> (on page 57).
6	If required, select a different scenario for the voucher from the <b>Scenario</b> drop down box.
7	<b>Click Decrypt Private Secret</b> <b>Result:</b> The system decrypts the private secret and displays it in the HRN field.