

Error Messages

EPMWKSP-00101: Found application registration with ID "{0}" and name "{1}".

Cause: Indicates the application registration which was found and is recognized by Workspace.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-00102: Failed to generate context XML.

Cause: Context information is invalid or could not be retrieved from the registry.

Action: Verify products have been properly configured by running the Config Tool.

Level: 1

Type: ERROR

EPMWKSP-00103: Initializing Workspace Configuration.

Cause: Workspace is initializing the system using information from the registry.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00104: There is an error detecting application ID for role checking.

Cause: An application ID could not be retrieved for CSS role checking.

Action: Verify in the registry that all registered products have a valid value for property applicationId.

Level: 1

Type: ERROR

EPMWKSP-00105: Default Application ID for role checking is {0}.

Cause: Indicates the application ID that will be used for CSS role checking.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00106: There was an error determining the URL.

Cause: The logical webapp URL could not be obtained or is invalid.

Action: Verify that the logical webapp URLs specified in the registry for all registered products are valid.

Level: 1

Type: ERROR

EPMWKSP-00107: There was an error determining the context.

Cause: The logical webapp context could not be obtained or is invalid.

Action: Verify that the logical webapp context specified in the registry for all registered products are valid.

Level: 1

Type: ERROR

EPMWKSP-00108: There was an error parsing file {0}.

Cause: The xml in WSPProducts.xml could not be parsed or is invalid.

Action: Verify the file exists and that the xml is valid.

Level: 1

Type: ERROR

EPMWKSP-00109: There was an error initializing system registry: {0}.

Cause: The system registry was not properly installed or configured.

Action: Verify connection to the registry is valid and re-run the config tool.

Level: 1

Type: ERROR

EPMWKSP-00110: Registry default properties: failed to check and set property {0}.

Cause: The default properties could not be set.

Action: Verify the default registry properties file exists and that the values are valid.

Level: 1

Type: ERROR

EPMWKSP-00111: There was an error loading product configuration data: {0}

Cause: The configuration file for at least one product could not be loaded.

Action: Check the Workspace configuration log for further error details.

Level: 1

Type: ERROR

EPMWKSP-00112: Failed to initialize the BPMUI authentication class: {0}

Cause: The class could not be found or initialization failed.

Action: Verify that the class is accessible and the entry in web.xml is valid.

Level: 1

Type: ERROR

EPMWKSP-00113: There was an error loading product configuration data: {0}

Cause: The configuration file for at least one product could not be loaded.

Action: Check the Workspace configuration log for further error details.

Level: 1

Type: ERROR

EPMWKSP-00114: Workspace initialization complete.

Cause: Workspace has initialized and processed the information from the registry.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00115: The property "{0}" has value "{1}".

Cause: Reports the named property and value.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00116: Parsing the product file generated the following warnings:

Cause: Indicates the start of the list of possible issues encountered while parsing Workspace's Product file.

Action: Verify the Workspace's Products file exists and that the entries are valid.

Level: 1

Type: WARNING

EPMWKSP-00117: Workspace may not function properly unless these are fixed: {0} {1}

Cause: Indicates the xml may not comply with the dtd.

Action: Resolve the issue specified in the warning.

Level: 1

Type: WARNING

EPMWKSP-00118: End of warning messages.

Cause: Indicates the end of the list of possible issues encountered while parsing Workspace's Product file.

Action: Verify all warnings are resolved or inconsequential.

Level: 1

Type: NOTIFICATION

EPMWKSP-00119: Product file parsed without errors.

Cause: The Workspace's Product file was successfully processed.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00120: Attempting registry connection using: {0}{1}{2}{3}

Cause: Indicates the registry information is being obtained to initialize Workspace.

Action: No action required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00122: Looking for the Workspace Product component (type: {0})

Cause: Indicates the Product that is currently being validated and processed as one of the installed products in Workspace.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00123: Found component object: {0}

Cause: Indicates the Workspace component that was discovered in the EPM Registry.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00125: Looking for Workspace Logical Webapp (child of Workspace Product, type: {0})

Cause: Indicates that Workspace is searching the EPM Registry for its Logical Webapp.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00131: Found {0} webapps plugged in to the HTTP proxy at {1}:{2}

Cause: Indicates the webapps using the HTTP proxy.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00132: Found webapp: {0}

Cause: Indicates the webapp that is under the HTTP proxy.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00133: Web application type: {0}

Cause: Indicates the type of a webapp found while scanning the EPM Registry for products.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00134: This is the web application for EPM Workspace.

Cause: Indicates that a webapp discovered during a registry scan is EPM Workspace.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00135: Checking for Workspace configuration file(s)

Cause: Indicates if Workspace configuration file(s) were found.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00136: Checking for configuration file named: {0}

Cause: Indicates the specific configuration file being located.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00137: Found configuration file.

Cause: Indicates that the configuration file is found and accessible.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00138: ERROR: configuration file does not declare sharedServicesId. Product cannot be identified or loaded from product file.

Cause: The configuration file does not contain a node with sharedServicesId as an attribute.

Action: Verify that the product file being loaded is valid and has shreadServicesId declared.

Level: 1

Type: ERROR

EPMWKSP-00139: Loaded product with name {0}

Cause: Indicates the product was successfully loaded.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00140: Static file configuration matches version {0}; discarding registry file.

Cause: Indicates that Workspace's Product file has a configuration which matches a configuration in the registry and the configuration found in the Workspace's Product file will be used.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00141: Product not in static configuration file, initializing.

Cause: Indicates that a product's configuration information is being loaded from the registry.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00142: Static file configuration is for version(s): {0} but registered product version is {1}

Cause: Indicates that there is a different version of a configuration for the same registered product specified in Workspace's product file.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00143: Discarding static configuration.

Cause: Indicates that the product configuration from the registry will be used instead of the one found in Workspace's product file.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00144: NOTE: Product version for display is {0}

Cause: Indicates the product version to display in the Help->About.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00145: Skipping integration for this product.

Cause: The version for the product failed the version test.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00146: Product file configuration matches version {0}

Cause: Allow integration of product since it passes the version test.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00147: NOTE: Product version for display is {0}

Cause: The product version was found in the product configuration information.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00148: Skipping integration for this product.

Cause: The product configuration information could not be found in registry or in the Workspace's product file.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00149: Product not in static configuration file. Initializing product.

Cause: The product's configuration information was found in the registry but not in the Workspace's product file. Product will be configured with information from the registry.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00150: Product file configuration matches version {0}

Cause: Indicate the supported version.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00151: Product file configuration is for version(s): {0} but registered product version is {1}

Cause: Versions between product file configuration version and registered product version are mismatched.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00152: Discarding old configuration.

Cause: A more recent configuration was found and used.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00153: Setting product to use external configuration.

Cause: Indicates that a product does not have a configuration loaded from Workspace's static configuration files, and that the product configuration will be loaded from the EPM Registry.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00154: NOTE: Product version for display is {0}

Cause: Indicates the product version that is displayed in Workspace.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00155: Product {0}-{1} was not registered. Deactivating product.

Cause: The product may be not supported with the current Workspace version.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00156: Product {0} has been explicitly disabled. Deactivating product.

Cause: The products configuration has specified the disabled attribute.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00157: Product {0} was forcibly enabled and set at version {1}, but the internal configuration is valid for versions {2}.

Cause: The products configuration has the forceEnabled attribute set but the versions set may not be compatible with the current Workspace version.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00159: Setting product to use external configuration.

Cause: Indicates that a product does not have a configuration loaded from Workspace's static configuration files, and that the product configuration will be loaded from the EPM Registry.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00162: There was an error building the sorted product list.

Cause: Workspace was unable to determine the correct order in which to display integrated products.

Action: Consult Workspace logs for preceding error messages. This is likely a consequence of prior errors while scanning the registry.

Level: 1

Type: ERROR

EPMWKSP-00163: There was an error refreshing display version for product {0} {1}.

Cause: Workspace could not determine a version number for a product.

Action: This error is not fatal, but product version numbers will be incorrect. Consult Workspace configuration log for further error messages.

Level: 1

Type: ERROR

EPMWKSP-00164: Read {0} bytes from the registry.

Cause: Indicates the number of bytes of data successfully processed from the registry.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00165: Missing product context {0}

Cause: The product's context configuration information may be missing or invalid.

Action: Verify the products registration file is valid or run the config tool.

Level: 1

Type: ERROR

EPMWKSP-00166: Found and loaded context for {0}

Cause: A product's context was successfully loaded.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00167: Could not find product context for {0}. This product will not load.

Cause: A product's context could not be loaded.

Action: Verify the products configuration has a valid context configuration or run the config tool.

Level: 1

Type: ERROR

EPMWKSP-00168: Failed to parse HSS response for product {0}

Cause: The response may contain an invalid content type or the xml may be invalid.

Action: Verify the response is xml content type and that the xml is valid.

Level: 1

Type: ERROR

EPMWKSP-00169: Failed to connect and retrieve info for product {0}

Cause: The product's webapp may not be started, the url to the config xml may be invalid or the config xml is returning an invalid response.

Action: Verify the product's webapp is running, is properly configured and is returning a valid response.

Level: 1

Type: ERROR

EPMWKSP-00170: Failed to connect and retrieve info for product {0}

Cause: The product's webapp may not be started, the url to the config xml may be invalid or the config xml is returning an invalid response.

Action: Verify the product's webapp is running, is properly configured and is returning a valid response.

Level: 1

Type: ERROR

EPMWKSP-00171: Product file reports the following parse problems.

Cause: The xml is invalid and cannot be parsed.

Action: Try to resolve the reported parse problems.

Level: 1

Type: ERROR

EPMWKSP-00172: Workspace may not function properly unless these are fixed:{0} {1}

Cause: The xml could not be parsed.

Action: Try to resolve the reported issues.

Level: 1

Type: ERROR

EPMWKSP-00173: End of warning messages.

Cause: Indicates the end of the warning messages that needs attention.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00174: Product file parsed without errors.

Cause: Indicates the product file was valid.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00175: Checking HSS with product code {0}

Cause: Information is being retrieved from HSS for this product.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00176: Recovered {0} bytes from HSS.

Cause: The query to HSS was successful.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00177: Failed to recover configuration from HSS.

Cause: Information on this product could not be retrieved from HSS.

Action: Verify HSS connection is valid and the product is properly configured.

Level: 1

Type: ERROR

EPMWKSP-00178: There was an error loading default registry properties.

Cause: File was not found or could not be accessed.

Action: Verify file exists and is accessible.

Level: 1

Type: ERROR

EPMWKSP-00179: Parsing product file: {0}

Cause: Product file is parsed.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00180: Looking for Workspace Web Server (child of Workspace product with type: {0})

Cause: Indicates the Workspace Web Server.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00181: Found {0} HTTP proxy instance(s).

Cause: Indicates the number of HTTP proxy instances discovered when scanning the EPM Registry.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00182: File not found. Ending search.

Cause: Indicates that a product did not have a Workspace configuration file in the EPM Registry.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00183: EPM System Common Install Version: {0}

Cause: Indicates the version of the Common Installer.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00184: Checking product version numbers:

Cause: Product version numbers must be compatible.

Action: No action is required.

Level: 1

Type: WARNING

EPMWKSP-00186: All versions are at the same patchset level.

Cause: System was patched correctly.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00187: Version number check skipped due to missing version numbers.

Cause: The version number was not specified in the configuration information.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00188: Checking Registry version numbers:

Cause: Indicate the current registry version numbers.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00189: Compiled against Registry version: {0}

Cause: Indicates the version of the EPM Registry API against which Workspace was compiled.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00190: WORKSPACE component version: {0}

Cause: Indicates the Workspace build number.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00191: LOGICAL_WEB_APP component version: {0}

Cause: Indicates the component version of Workspace's Logical Webapp component in the EPM Registry.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00192: WEB_SERVER component version: {0}

Cause: Indicates the component version of Workspace's Web Server component in the EPM Registry.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00194: All version numbers are at the same release level.

Cause: Version numbers are from the same release.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00195: WARNING: Product registry version does not match Workspace registry version. Skipping integration for this product.

Cause: Product failed the version test.

Action: No action is required as it may be the product configuration is left over from an upgrade.

Level: 1

Type: WARNING

EPMWKSP-00196: Product {0} has at least one string bundle that is not statically loaded. Deactivating product.

Cause: The product's webapp is not running or the files are not there.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00197: BPMUI Java: {0}

Cause: Reports the version number of the BPMUI Java library.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00198: BPMUI Web: {0}

Cause: Reports the version number of the BPMUI shared web application.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00199: Workspace Java: {0}

Cause: Reports the version number of the Workspace Java library.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00201: Property "{0}" is not in the Registry. Default value is used.

Cause: Mentioned property is absent from the Registry.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00202: Message cache was cleared by admin request.

Cause: Admin user has changed server settings related to messaging system.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00203: Message cache expired. The message will be reread from the Registry.

Cause: Time of cache expiration has passed

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00204: Empty message is stored in the Registry.

Cause: No message is stored in the Registry.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00205: Cannot find the file with name "{0}" in the Registry.

Cause: No such message is stored in the Registry.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00206: There was an error reading message from the Registry.

Cause: Unexpected error occurred during reading message from the Registry.

Action: Verify HSS connection.

Level: 1

Type: ERROR

EPMWKSP-00301: Product "{0}" has been excluded from the list of SmartView providers.

Cause: Product is in list of excluded products.

Action: No action is required.

Level: 32

Type: TRACE

EPMWKSP-00302: There was an error loading the list of products excluded from the list of SmartView providers.

Cause: The file with list of excluded products is corrupted or absent.

Action: Verify the file with list of excluded products.

Level: 1

Type: ERROR

EPMWKSP-00401: Error getting Workspace configuration instance.

Cause: System is not properly initialized.

Action: Verify system is properly initialized.

Level: 1

Type: ERROR

EPMWKSP-00402: There was an error during authentication.

Cause: User has entered wrong credentials.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00403: No credentials provided in the SmartView request.

Cause: User has not entered credentials.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00404: There was an error during processing:

Cause: Unexpected error occurred.

Action: Verify system is properly initialized.

Level: 1

Type: ERROR

EPMWKSP-00405: There was an error parsing the request.

Cause: Invalid request was sent

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-00406: There was an error building handshake response.

Cause: Unexpected error occurred.

Action: Check log details and verify that system is properly initialized.

Level: 1

Type: ERROR

EPMWKSP-00408: There was an error building response.

Cause: Unexpected error occurred.

Action: Check log details and verify that system is properly initialized.

Level: 1

Type: ERROR

EPMWKSP-00507: There was an error determining the instanced product list.

Cause: Workspace was unable to determine the list of products that use per-instance provisioning.

Action: This is usually caused by an error when loading product configuration info. Check the Workspace configuration logs for other errors.

Level: 1

Type: ERROR

EPMWKSP-00508: There was an error determining the provisioned application list.

Cause: Workspace was unable to determine the list of applications for which the current user is provisioned.

Action: Check the Workspace security log for detailed errors from the security API.

Level: 1

Type: ERROR

EPMWKSP-00509: There was an error fetching an application registration

Cause: Workspace cannot fetch an application registration from Hyperion Shared Services and/or the EPM Registry.

Action: The Workspace configuration or security logs will contain further errors. Verify the registration of the product and application in Hyperion Shared Services.

Level: 1

Type: ERROR

EPMWKSP-00510: Fetching registration for product {0} application {1}

Cause: Indicates the product registration for an application is being retrieved.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00511: Fetched {0} bytes from HSS.

Cause: Indicates that the product registration information for an application has been retrieved from HSS successfully.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00512: Parsing the instance file caused the following warnings:

Cause: Indicates a list of warnings generated when parsing the application's registration file.

Action: These issues may cause the application to not function properly in Workspace. Verify the product registration in Shared Services.

Level: 1

Type: WARNING

EPMWKSP-00513: Instance may not function properly unless these are fixed:{0}{1}

Cause: Indicates a list of warnings generated when parsing the application's registration file.

Action: These issues may cause the application to not function properly in Workspace. Verify the product registration in Shared Services.

Level: 1

Type: WARNING

EPMWKSP-00514: End of warning messages.

Cause: Indicates all the warning messages has been listed.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00515: Instance file parsed without errors.

Cause: An application instance file was successfully processed by Workspace.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00516: Registration files are only used in EPM mode.

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00517: Product ID is null.

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-00518: Could not recover instance file for {0}, {1}

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-00519: Could not recover product file for {0}

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-00601: Log on failed: error while checking user roles.

Cause: The user attempting to log on does not have the necessary role requirements for log on.

Action: Verify the user is properly provisioned to log on.

Level: 1

Type: ERROR

EPMWKSP-00602: Log on failed: error while checking user preferences.

Cause: The user preferences repository could not be accessed.

Action: Verify the connection to the user preferences repository is valid.

Level: 1

Type: ERROR

EPMWKSP-00603: There was an error while creating the Reporting and Analysis security token.

Cause: Workspace could not obtain a Reporting and Analysis security token.

Action: Verify the Reporting and Analysis webapp and services are running.

Level: 1

Type: ERROR

EPMWKSP-00604: There was an error determining user accessibility settings.

Cause: Obtaining accessibility mode setting from request parameter, CSS Session (Fusion), User Preference (EPM) or extant cookie may have failed.

Action: Verify accessibility mode settings is valid and in request parameter, CSS Session (Fusion), User Preference (EPM) or extant cookie.

Level: 1

Type: ERROR

EPMWKSP-00605: There was an error determining user theme settings.

Cause: Obtaining theme settings from request parameter, CSS Session (Fusion), User Preference (EPM) or extant cookie may have failed.

Action: Verify theme settings are valid and in request parameter, CSS Session (Fusion), User Preference (EPM) or extant cookie.

Level: 1

Type: ERROR

EPMWKSP-00606: There was an error determining user locale settings.

Cause: There was an error obtaining the locale from the CSS session or request parameter.

Action: Verify the local is valid and in the CSS session or request parameter.

Level: 1

Type: ERROR

EPMWKSP-00607: There was an error validating user theme selection.

Cause: The theme selection does not match one of the supported themes.

Action: Verify the user theme selection is one of the supported themes.

Level: 1

Type: ERROR

EPMWKSP-00608: There was an error setting the user cookies.

Cause: The cookies for user name, accessibility mode, theme selection and locale couldn't be set.

Action: Check log details and verify that system is properly initialized.

Level: 1

Type: ERROR

EPMWKSP-00609: The cookies created by the application will be secured based on the registry's SSL value "{0}", while the session cookie created by the server will use the value "{1}" (the incoming request has scheme "{2}" with secure value "{3}").

Cause: The HTTP security level is being tracked as multiple sources affect the setting which is used in cookie creation.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-01301: Could not resolve role: {0}

Cause: Workspace was unable to verify the existence of the named role.

Action: Verify the user provisioning and product registration in Shared Services. The named role will not be used by Workspace.

Level: 1

Type: ERROR

EPMWKSP-01302: Exception while checking user roles

Cause: Workspace was unable to check a user's provisioned roles.

Action: Check the Workspace security log for further errors from the security API

Level: 1

Type: ERROR

EPMWKSP-01401: There was an error while parsing {0}

Cause: Workspace was unable to parse its own role definition file.

Action: Verify that the Workspace deployment has not been corrupted. Contact technical support for further guidance.

Level: 1

Type: ERROR

EPMWKSP-01402: Mapping role name {0} to role ID {1}

Cause: Indicates that a role has been successfully matched to a Shared Services LDAP ID or a Reporting and Analysis GUID.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-01501: Searching for users matching "{0}" as user {1}

Cause: Indicates a search request for users conducted by an administrator.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-01502: Found {0} result(s).

Cause: Indicates the number of users found by an administrative search for users.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-01601: The value for parameter "{0}" was invalid.

Cause: Specified parameter's value is invalid.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-01602: Validating parameter "{0}" with value "{1}".

Cause: Parameter is being validated

Action: No action is required.

Level: 32

Type: TRACE

EPMWKSP-01603: Loading list of supported locales from default configuration.

Cause: Default list of supported locales is loaded

Action: No action is required.

Level: 32

Type: TRACE

EPMWKSP-01604: There was an error loading default list of supported locales.

Cause: System is not properly initialized.

Action: Verify system is properly initialized.

Level: 1

Type: ERROR

EPMWKSP-01650: Setting the value of "{0}" to "{1}".

Cause: The value has been changed by the user.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01701: There was an error evaluating product-level Constraints for {0}. Deactivating product.

Cause: There was an issue with one of the product-level constraints.

Action: Verify the product-level constraints are valid.

Level: 1

Type: ERROR

EPMWKSP-01702: There was an error generating product path

Cause: The direct-access URL, non-proxied path to the product could not be obtained.

Action: Verify the product's webapp is running and correctly configured.

Level: 1

Type: ERROR

EPMWKSP-01801: Redirecting From Url: {0}

Cause: This is the URL before the redirect.

Action: No action is required.

Level: 1

Type: TRACE

EPMWKSP-01802: Redirecting To Url: {0}

Cause: This is the URL after the redirect.

Action: No action is required.

Level: 1

Type: TRACE

EPMWKSP-01803: Get Logical WebApp Info.

Cause: This is the information retrieved on the logical webapp.

Action: Registration may have failed. Try re-registering the products by running the configuration tool.

Level: 1

Type: TRACE

EPMWKSP-01804: Get Logical WebApp Info for workspace failed, using default.

Cause: The logical webapp information for Workspace could not be retrieved. Assuming the context is /workspace.

Action: No action is required.

Level: 1

Type: TRACE

EPMWKSP-01805: Current Context Path: {0}

Cause: Indicates the current context path before the redirect.

Action: No action is required.

Level: 1

Type: TRACE

EPMWKSP-01806: Redirect Context Path: /{0}

Cause: Indicates the context path after the redirect.

Action: No action is required.

Level: 1

Type: TRACE

EPMWKSP-01807: Form Post Redirect

Cause: Indicates that redirect was handled by performing a form post.

Action: No action is required.

Level: 1

Type: TRACE

EPMWKSP-01808: Send Redirect with Cookie {0}: {1}

Cause: Indicates the redirect was handled by a send redirect. Cookies are included in the redirect.

Action: No action is required.

Level: 1

Type: TRACE

EPMWKSP-01809: The servlet failed, invalid token or url.

Cause: Indicates the URL or token may be invalid which caused the redirect to fail.

Action: Verify the URL is valid and user is properly provisioned.

Level: 1

Type: ERROR

EPMWKSP-01810: The servlet failed, bad redirect url or token: {0}

Cause: User is not authenticated.

Action: Verify the user is properly provisioned.

Level: 1

Type: ERROR

EPMWKSP-01811: Processed {0} urls to redirect using form post.

Cause: Indicates the URLs that must be redirected using a form post.

Action: No action is required.

Level: 1

Type: TRACE

EPMWKSP-01813: Processed {0} parameters to omit from redirect.

Cause: Indicates the number of parameters that were found and should be omitted from the redirect.

Action: No action is required.

Level: 1

Type: TRACE

EPMWKSP-01815: isFormPostUrl: {0} in {1} {2}

Cause: Indicates if the current URL should be redirected with a form post.

Action: No action is required.

Level: 1

Type: TRACE

EPMWKSP-01816: isParamOmit: {0}

Cause: Indicates if the current parameter should be omitted from the redirect.

Action: No action is required.

Level: 1

Type: TRACE

EPMWKSP-01901: The "{0}" persistence unit is already open

Cause: Indicates that while attempting to initialize the persistence, a previous attempt to terminate failed.

Action: This unexpected state should be reported, although the code will continue on and not attempt to initialize the persistence.

Level: 16

Type: NOTIFICATION

EPMWKSP-01902: Initializing persistence with the connection configured in "{0}"

Cause: Indicates that an attempt is being made to initialize the persistence with the connection information in the specified file.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01903: Loading the "{0}" persistence unit

Cause: Indicates that an attempt is being made to load the specified persistence unit.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01904: Unloading the "{0}" persistence unit

Cause: Indicates that an attempt is being made to unload the specified persistence unit.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01905: The "{0}" persistence unit is not open

Cause: Indicates that while attempting to terminate the persistence, a previous attempt to initialize failed.

Action: This unexpected state should be reported, although the code will continue on and not attempt to terminate the persistence.

Level: 16

Type: NOTIFICATION

EPMWKSP-01906: Started the migration

Cause: Indicates that the migration has started.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01907: Ended the migration

Cause: Indicates that the migration has ended.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01908: Started the migration initialization

Cause: Indicates that the migration initialization has started.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01909: Ended the migration initialization

Cause: Indicates that the migration initialization has ended.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01910: Started the migration termination

Cause: Indicates that the migration termination has started.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01911: Ended the migration termination

Cause: Indicates that the migration termination has ended.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01912: Started the migration to Talleyrand

Cause: Indicates that the migration to the Talleyrand release has started.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01913: Could not find the user with identity "{0}"

Cause: Indicates that the identity of an existing user could not be located in the security system.

Action: The specified identity should be recorded to see why they are no longer in the security system (such as leaving the company, or a name change that affects the identity).

Level: 16

Type: NOTIFICATION

EPMWKSP-01914: User={0}, Properties={1}

Cause: Indicates a user and their properties that are being migrated

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01915: Ended the migration to Talleyrand

Cause: Indicates that the migration to the Talleyrand release has ended.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01916: Started the connection acquisition for component type "{0}"

Cause: Indicates that the connection acquisition for the specified component type has started.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01917: JdbcDriver={0}

Cause: Indicates the JDBC driver that is being used for the connection acquisition.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01918: JdbcUrl={0}

Cause: Indicates the JDBC URL that is being used for the connection acquisition.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01919: JdbcUserName={0}

Cause: Indicates the JDBC username that is being used for the connection acquisition.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01920: JdbcPassword={0}

Cause: Indicates the JDBC password that is being used for the connection acquisition.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01921: JdbcDataSourceName={0}

Cause: Indicates the JDBC data source name that is being used for the connection acquisition.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01922: JndiName={0}

Cause: Indicates the JNDI name that is being used for the connection acquisition.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-01923: Ended the connection acquisition for component type "{0}"

Cause: Indicates that the connection acquisition for the specified component type has ended.

Action: No action is required.

Level: 16

Type: NOTIFICATION

EPMWKSP-02101: An empty search term was passed into Dynamic Help. The client search pages filter for this, so the submission may be from a source other than the search form.

Cause: An empty search term was passed in.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-02102: No topics matched the search criteria.

Cause: Indicates that no topics matched the user's search criteria.

Action: No action is required.

Level: 1

Type: TRACE

EPMWKSP-02103: Exact phrase search - add quotes to set term string as {0}

Cause: Indicates the user specified an exact phrase search.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-02104: query string: {0}

Cause: Logs the search query string.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-02105: parsed query: {0}

Cause: Logs the parsed query.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-02106: Dynamic Help could not create the Lucene query parser:

Cause: Unknown cause.

Action: Verify that the Lucene search engine .jars are available.

Level: 1

Type: ERROR

EPMWKSP-02107: Version number not returned from Workspace. The path to the Lucene index thus cannot be resolved for module: {0}

Cause: Could not obtain the product's version number from the Workspace Registry for an unknown reason.

Action: Try the search again. If the same issue occurs, validate that the product is correctly registered with Workspace.

Level: 1

Type: ERROR

EPMWKSP-02108: adding Lucene index path {0}

Cause: Logging the search engine index location for the product.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-02109: The Lucene index for the {0} module was not found in {1}

Cause: The search engine index for the product and locale may be missing, or the EPM_ORACLE_HOME system variable may not be properly set.

Action: If the logged index path begins with null, the EPM_ORACLE_HOME system variable is not set; if so, set it. Otherwise, check whether the search index for the product and locale is installed in the specified location.

Level: 1

Type: NOTIFICATION

EPMWKSP-02110: The Lucene search index could not be found, so no search was conducted.

Cause: No search engine indices were found.

Action: Check whether the search index for the product and locale is installed in the specified location. Also, make sure the EPM_ORACLE_HOME system variable is correctly set.

Level: 1

Type: ERROR

EPMWKSP-02111: parsed CJK query: {0}

Cause: Logging the parsed query for an Asian locale.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-02112: Dynamic Help could not create the Lucene CJK query parser:

Cause: Unknown cause.

Action: Verify that the Lucene search engine .jars are available.

Level: 1

Type: ERROR

EPMWKSP-02113: I18N QueryFilter: {0}

Cause: Logging the query filter for an Asian locale.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-02114: internationalized query: {0}

Cause: Logging the query for searches on multiple locales.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-02115: Dynamic Help could not execute search

Cause: Search cannot be executed for an unknown reason.

Action: Try searching again. If the same issue occurs, a component that help depends upon may be mis-configured or unavailable.

Level: 1

Type: ERROR

EPMWKSP-02116: Search form did not pass a locale parameter; default to English.

Cause: No locale parameter was passed in by the search page.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-02201: Error in setting tools context ID data.

Cause: Could not obtain data from the Workspace Registry for the Reporting and Analysis Framework products' help.

Action: Validate that the Registry entries for the Reporting and Analysis Framework products are correctly defined.

Level: 1

Type: ERROR

EPMWKSP-02202: Error in setting IR help path.

Cause: Unknown cause.

Action: Make sure that the Workspace Registry Dynamic Help entries for the tools context are correctly defined.

Level: 1

Type: ERROR

EPMWKSP-02203: Error in setting SQR help path.

Cause: Unknown cause.

Action: Make sure that the Workspace Registry Dynamic Help entries for the tools context are correctly defined.

Level: 1

Type: ERROR

EPMWKSP-02204: Error in adding IR help paths:

Cause: Unknown cause.

Action: Make sure that the Workspace Registry Dynamic Help entries for the tools context are correctly defined.

Level: 1

Type: ERROR

EPMWKSP-02205: Error in adding SQR help paths:

Cause: Unknown cause.

Action: Make sure that the Workspace Registry Dynamic Help entries for the tools context are correctly defined.

Level: 1

Type: ERROR

EPMWKSP-02206: Error in adding IR launch pages:

Cause: Unknown cause.

Action: No action is required; minor issue.

Level: 1

Type: ERROR

EPMWKSP-02207: Error in adding SQR launch pages:

Cause: Unknown cause.

Action: No action is required; minor issue.

Level: 1

Type: ERROR

EPMWKSP-02208: Workspace Registry returned no name for the product code {0}. Dynamic Help will display the product code as a fallback.

Cause: The product's displayName Workspace Registry attribute may not be set.

Action: Set the displayName attribute.

Level: 16

Type: TRACE

EPMWKSP-02301: UPK URL is an empty string.

Cause: The UPK URI obtained from Workspace is an empty string.

Action: Make sure that a valid UPK URI is set in the Workspace Server Settings dialog.

Level: 1

Type: NOTIFICATION

EPMWKSP-02302: UPK URL is null.

Cause: Workspace is indicating that UPK should be displayed, but the UPK URI value is not available.

Action: Make sure that a valid UPK URI is set in the Workspace Server Settings dialog.

Level: 1

Type: NOTIFICATION

EPMWKSP-02303: Exception trying to redirect to UPK:

Cause: For an unknown reason, an error occurred when forwarding to UPK.

Action: Verify that a valid UPK URI is set in the Workspace Server Settings dialog, then try accessing UPK again. If that does not work, as a workaround try accessing UPK through the UPK toolbar icon in help.

Level: 1

Type: ERROR

EPMWKSP-02501: There was an error getting version number for module {0}.

Cause: Could not obtain the product's version number from the Workspace Registry.

Action: Validate the product's Workspace Registry entry.

Level: 1

Type: ERROR

EPMWKSP-02502: There was an error in getting the product name for product {0}.

Cause: An exception occurred for unknown reasons when help tried to obtain a product name from the Workspace Registry.

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-02503: The help system path is: {0}

Cause: Logging the path to the help system.

Action: No action is required.

Level: 16

Type: TRACE

EPMWKSP-02504: There was an error setting the help system path for module: {0} guide: {1} locale: {2}

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-02505: There was an error retrieving registered Workspace products.

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-02506: Dynamic help could not create array of products and guides.

Cause: Unknown cause.

Action: Validate that the products' Workspace Registry entries are correctly defined.

Level: 1

Type: ERROR

EPMWKSP-02507: There was an error getting the launch page.

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-02508: There was an error getting the language for the help guide. Using English.

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-02509: Could not get default locale code.

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-02510: Exception testing for locale code, falling back on en:

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-02511: Exception in Lucene Index Report, which thus will return no items:

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-02512: Exception trying to get the system mode, defaulting to EPM. If in Fusion, search indices will not be found:

Cause: Function to get the system mode threw an exception.

Action: Make sure system mode is correctly defined in Registry.

Level: 1

Type: ERROR

EPMWKSP-02513: guidelocale error; defaulting to English.

Cause: An error occurred when trying to query the Registry for the help system's locale.

Action: Make sure the localeMapping attribute is correctly defined.

Level: 1

Type: ERROR

EPMWKSP-02514: An exception occurred when attempting to get the UPK URL from the HelpUserTrainingUri property.

Cause: Unknown cause.

Action: Check the logged BpmUiException information.

Level: 1

Type: ERROR

EPMWKSP-02515: An exception occurred when attempting to filter any invalid context ids. Only the Workspace context id will be used.

Cause: Unknown cause.

Action: Check the logged exception information.

Level: 1

Type: ERROR

EPMWKSP-02601: Error evaluating product-level Constraints for {0}. Deactivating product.

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-02602: Exception generating product path

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-02801: Failed to authenticate a trusted CSS user.

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-02802: Failed to recover the HSS trusted service key.

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-02803: Failed to recover the default JPS application.

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-02901: Failed to get products.

Cause: An exception occurred for unknown reasons while getting products.

Action: Check the logged exception information.

Level: 1

Type: ERROR

EPMWKSP-02902: Failed to generate XML response.

Cause: An exception occurred for unknown reasons while generating XML.

Action: Check the logged exception information.

Level: 1

Type: ERROR

EPMWKSP-03001: There was an error during logoff.

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-03002: Exception generating product path

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-03003: Failed to logon to the system because the password has expired.

Cause: The password has expired.

Action: An administrator needs to reset the password.

Level: 1

Type: WARNING

EPMWKSP-03004: Failed to logon to the system due to something unexpected.

Cause: Something unexpected has occurred.

Action: Contact your system administrator.

Level: 1

Type: ERROR

EPMWKSP-03005: Failed to logon to the system due to something unexpected.

Cause: Something unexpected has occurred.

Action: Contact your system administrator.

Level: 1

Type: ERROR

EPMWKSP-03006: Failed to get User Info

Cause: Something unexpected has occurred.

Action: Contact your system administrator.

Level: 1

Type: ERROR

EPMWKSP-03101: The server generated the internal error "{0}".

Cause: An exception was thrown and caught by the application, and then displayed to the user with the default error page.

Action: Contact your system administrator.

Level: 1

Type: ERROR

EPMWKSP-03201: The user preferences could not be retrieved due to "{0}".

Cause: An exception was thrown and caught by the application, and then displayed to the user with a dialog.

Action: Contact your system administrator.

Level: 1

Type: ERROR

EPMWKSP-03301: An unexpected modifier "{0}" was encountered while trying to conditionally set the attribute "{1}" to value "{2}".

Cause: There is a syntax error in the "WSProducts.xml" config file, or in the config file of a product retrieved from the registry.

Action: Development needs to verify the syntax of the modifier for typographical errors, or possible code handling of new enumerators.

Level: 1

Type: WARNING

EPMWKSP-03401: Max File Size Allowed For Publish (MB)

Cause: Sets the maximum size for files that users can import into the repository. Default setting is 100 MB

Action: Sets the maximum size for files that users can import into the repository. Default setting is 100 MB

Level: 1

Type: ERROR

EPMWKSP-03402: User is unable to upload file.

Cause: Unknown cause..

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-03403: Unable to View File UUID "{0}".

Cause: Unknown cause..

Action: No action is required.

Level: 1

Type: ERROR

EPMWKSP-03501: Unable to delete UUID "{0}".

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: WARNING

EPMWKSP-03502: Unable to complete Auto Delete job "

Cause: Unknown cause.

Action: No action is required.

Level: 1

Type: WARNING

EPMWKSP-03503: Auto delete Job is running

Cause: Job is running

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-10100: Workspace Web: {0}

Cause: Reports the version number of the Workspace web application.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-10101: EPM Workspace class audit failure: {0}

Cause: Reports a failure to locate a dependent class used by EPM Workspace.

Action: Check the system environment and shared library deployments to verify the required library is installed and deployed.

Level: 1

Type: ERROR

EPMWKSP-10102: Checking for the {0} library using class name {1}

Cause: Reports that Workspace is attempting to use the given class name to verify the installation and deployment of a given library.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-10103: Found class {0} at location {1}

Cause: Reports that Workspace located the named class at the given location.

Action: No action is required.

Level: 1

Type: NOTIFICATION

EPMWKSP-10104: Could not find class {0} for the {1} library.

Cause: Reports that Workspace could not locate the named library using the named class.

Action: Check the system environment and shared library deployments to verify the required library is installed and deployed.

Level: 1

Type: WARNING

EPMWKSP-10105: WARNING: Could not find class {0} for the {1} library.

Cause: Reports that Workspace could not locate the named library using the named class.

Action: This warning may not be a fatal error, depending on the system configuration and installed features. Check the system environment and shared library deployments to verify the required library is installed and deployed.

Level: 1

Type: WARNING

EPMWKSP-10106: Without this library, language loading will not work properly. The product may

appear only in English, in the wrong language, or in some combination of languages.

Cause: Provides extra details about the library failure reported in message 10105.

Action: This warning may not be a fatal error, depending on the system configuration and installed features. Check the system environment and shared library deployments to verify the required library is installed and deployed.

Level: 1

Type: WARNING

EPMWKSP-10108: Failed to parse product configuration file. Product cannot be enabled.

Cause: A product configuration file retrieved from the EPM registry was corrupt or otherwise unparsable. The corresponding product will not appear in Workspace.

Action: Verify that the product was registered and deployed correctly. Directly check the named file in the EPM Registry for corruption and reregister or redeploy the corresponding product.

Level: 1

Type: ERROR

EPMWKSP-10109: There was an error initializing version numbers: {0}

Cause: One or more component versions did not match.

Action: Check the Workspace configuration log for further error details.

Level: 1

Type: ERROR

EPMWKSP-10110: The R&A Framework registry component does not contain an application ID.

Cause: The R&A Framework does not appear to be properly configured.

Action: Verify that the R&A Framework is properly configured by running the Config Tool.

Level: 1

Type: ERROR

EPMWKSP-10111: Could not find the R&A Framework registry component.

Cause: The R&A Framework does not appear to be configured.

Action: Verify that the R&A Framework is configured by running the Config Tool.

Level: 1

Type: ERROR

EPMWKSP-10112: There was an error loading the Workspace version file "{0}".

Cause: File was not found or could not be accessed.

Action: Verify file exists and is accessible.

Level: 1

Type: ERROR

EPMWKSP-10113: There was an error getting PBCS version number from the Shared services Registry.

Cause: Could not obtain the product's version number from the Shared services Registry.

Action: Validate the product's Shared services Registry entry.

Level: 1

Type: ERROR

EPMWKSP-10114: Loaded properties from "{0}".

Cause: The configuration class loaded the named file.

Action: No action is required.

Level: 1

Type: NOTIFICATION

Oracle® Hyperion Enterprise Performance Management Workspace Error Message Reference

F24651-01

Copyright © 2019, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

To provide feedback on this documentation, send email to epmdoc_ww@oracle.com, or, in an Oracle Help Center topic, click the Feedback button located beneath the Table of Contents (you may need to scroll down to see the button).

Follow EPM Information Development on these social media sites:

LinkedIn - http://www.linkedin.com/groups?gid=3127051&goback=.gmp_3127051

Twitter - <http://twitter.com/hyperionepminfo>

Facebook - <http://www.facebook.com/pages/Hyperion-EPM-Info/102682103112642>

YouTube - <https://www.youtube.com/oracleepminthecloud>