

# Oracle® Big Data SQL Installation Guide



Release 4.0  
E93787-07  
October 2021



Oracle Big Data SQL Installation Guide, Release 4.0

E93787-07

Copyright © 2012, 2021, Oracle and/or its affiliates.

Primary Author: Drue Swadener, Frederick Kush, Lauran Serhal

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

## 1 Introduction

---

1.1	Supported System Combinations	1-1
1.2	Oracle Big Data SQL Master Compatibility Matrix	1-2
1.3	Installing on Oracle Big Data Appliance	1-2
1.4	Prerequisites for Networking	1-3
1.4.1	Port Access Requirements	1-3
1.5	Prerequisites for Installation on the Hadoop Cluster	1-4
1.5.1	Software Package Requirements for all DataNodes	1-4
1.5.2	Python Requirements for the Cluster Management Node	1-6
1.5.2.1	Adding Python 2.7.5 or Greater as a Secondary Installation	1-7
1.5.2.2	When You May Need to Use scl to Invoke the Correct Python Version	1-7
1.5.3	Environment Settings	1-8
1.5.4	Proxy-Related Settings	1-8
1.5.5	CPU, Memory, and Networking Requirements	1-9
1.6	Prerequisites for Installation on Oracle Database Nodes	1-9
1.7	Downloading Oracle Big Data SQL and Query Server	1-10
1.8	Upgrading From a Prior Release of Oracle Big Data SQL	1-13
1.9	Important Terms and Concepts	1-13
1.10	Installation Overview	1-15
1.11	Post-Installation Checks	1-20
1.11.1	Run <code>bds_cluster_node_helper.sh</code> to Get Information About the Oracle Big Data SQL Installation on a Node	1-21
1.12	Using the Installation Quick Reference	1-25

## 2 Installing or Upgrading the Hadoop Side of Oracle Big Data SQL

---

2.1	About Support for Multiple Database Versions (18c, 12.2, and 12.1)	2-1
2.2	Before You Start	2-1
2.2.1	Check for Hadoop-Side Prerequisites With <code>bds_node_check.sh</code>	2-2
2.2.2	Greater Memory Requirement if You Intend to Support Oracle Database 12.1.	2-3
2.2.3	Plan the Configuration and Edit the Jaguar Configuration File	2-4
2.3	About the Jaguar Utility	2-7
2.3.1	Jaguar Configuration Parameter and Command Reference	2-8

2.4	Steps for Installing on the Hadoop Cluster	2-22
-----	--	------

## 3 Installing or Upgrading the Oracle Database Side of Oracle Big Data SQL

---

3.1	Before You Start the Database-Side Installation	3-1
3.1.1	Check for Required Grid Patches With bds-validate-grid-patches.sh	3-3
3.1.2	Potential Requirement to Restart Grid Infrastructure	3-3
3.1.2.1	Understanding When Grid or Database Restart is Required	3-4
3.1.3	Special Considerations When a System Under Grid Infrastructure has Multiple Network Interfaces of the Same Type	3-4
3.2	About the Database-Side Installation Directory	3-6
3.3	Steps for Installing on Oracle Database Nodes	3-6
3.3.1	Command Line Parameter Reference for bds-database-install.sh	3-11
3.4	Granting User Access to Oracle Big Data SQL	3-14
3.5	Enabling Object Store Access	3-15
3.6	Maintaining WebLogic Server	3-16

## 4 Expanding or Shrinking an Installation

---

4.1	Adding or Removing Oracle Big Data SQL on Hadoop Cluster Nodes	4-1
4.2	Adding or Removing Oracle Big Data SQL on Oracle Database Nodes	4-2

## 5 Reconfiguring an Installation

---

5.1	Reconfiguring an Existing Oracle Big Data SQL Installation	5-3
-----	--	-----

## 6 Uninstalling Oracle Big Data SQL

---

6.1	General Guidelines for Removing the Software	6-1
6.2	Uninstalling From an Oracle Database Server	6-2
6.3	Uninstalling From a Hadoop Cluster	6-2

## 7 Securing Oracle Big Data SQL

---

7.1	Security Overview	7-1
7.2	Big Data SQL Communications and Secure Hadoop Clusters	7-2
7.2.1	Connecting a Database to Both Secure and Unsecured Clusters	7-2
7.3	Configuring Oracle Big Data SQL in a Kerberos-Secured Environment	7-3
7.3.1	Enabling Oracle Big Data SQL Access to a Kerberized Cluster	7-3
7.3.2	Installing a Kerberos Client on the Oracle Database Nodes	7-5

7.4	Using Oracle Secure External Password Store to Manage Database access for Oracle Big Data SQL	7-6
7.5	About Data Security on Oracle Big Data Appliance	7-6
7.6	Authentication Between Oracle Database and Oracle Big Data SQL Offload Cell Server Processes	7-7
7.7	The Multi-User Authorization Model	7-7
7.8	Sentry Authorization in Oracle Big Data SQL	7-7
7.8.1	Sentry and Multi-User Authorization	7-8
7.8.2	Groups, Users, and Role-Based Access Control in Sentry	7-8
7.8.3	How Oracle Big Data SQL Uses Sentry	7-9
7.8.4	Oracle Big Data SQL Privilege-Related Exceptions for Sentry	7-10
7.8.5	Sentry Usage Examples	7-10
7.9	Securing Object Store Access	7-11

## 8 Additional Tools Installed

---

8.1	Copy to Hadoop and OSH	8-1
8.1.1	Completing the OSH Configuration on Oracle Database Nodes	8-2
8.1.2	Completing the OSH Configuration on the Hadoop Cluster	8-4
8.1.3	Getting Started Using Copy to Hadoop and OSH	8-5
8.1.4	Configuring OSH to Enable Job Monitoring	8-6

## A Installation Quick Reference

---

## B bds-config.json Configuration Example

---

## C Oracle Big Data SQL Installation Examples

---

## D Determining the Correct Software Version and Composing the Download Paths for Hadoop Clients

---

## E Oracle Big Data SQL Licensing

---

E.1	ANTLR 4.7.1	E-1
E.2	Apache Licensed Code	E-2
E.3	Apache License	E-3
E.4	Snappy Compression 1.1.7	E-6

# Index

---

# Preface

This guide shows you how to install and configure Oracle Big Data SQL.

## Audience

This guide is intended for administrators and users of Oracle Big Data SQL, including:

- Application developers
- Data analysts
- Data scientists
- Database administrators
- System administrators

The guide assumes that the reader has basic knowledge of Oracle Database single-node and multinode systems, the Hadoop framework, the Linux operating system, and networking concepts.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

### Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

## Related Documents

See the *Oracle Big Data SQL User's Guide* for instructions on using this product after installation.

The following are Oracle products that are often used along with Oracle Big Data SQL:

- [Oracle Big Data Appliance](#)
- [Oracle Big Data Connectors](#)
- [Oracle SQL Developer](#)

You can find more information about Oracle's Big Data solutions and Oracle Database at the [Oracle Help Center](#)

For more information on Hortonworks HDP and Ambari, refer to the Hortonworks documentation site at <http://docs.hortonworks.com/index.html>.

For more information on Cloudera CDH and Configuration Manager, see <http://www.cloudera.com/documentation.html>

## Conventions

The following text conventions are used in this document:

Convention	Meaning
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.
# prompt	The pound (#) prompt indicates a command that is run as the Linux root user.

## Backus-Naur Form Syntax

The syntax in this reference is presented in a simple variation of Backus-Naur Form (BNF) that uses the following symbols and conventions:

Symbol or Convention	Description
[ ]	Brackets enclose optional items.
{ }	Braces enclose a choice of items, only one of which is required.
	A vertical bar separates alternatives within brackets or braces.
...	Ellipses indicate that the preceding syntactic element can be repeated.
delimiters	Delimiters other than brackets, braces, and vertical bars must be entered as shown.
<b>boldface</b>	Words appearing in boldface are keywords. They must be typed as shown. (Keywords are case-sensitive in some, but not all, operating systems.) Words that are not in boldface are placeholders for which you must substitute a name or value.

## Changes in Oracle Big Data SQL 4.0

The following are new features and updates in Oracle Big Data SQL Release 4.0.

### Support for Oracle Database 18c as well as Backward Compatibility for Oracle Database 12.2 and 12.1

To take Oracle advantage of the new capabilities in Oracle Big Data SQL 4.0, you need use Oracle Database 18c or later. However, use of Oracle Database 12.1 and 12.2 is fully supported in this release (even though you can't leverage the new 4.0 capabilities with these database versions). This backward compatibility enables you to install and administer release 4.0 in a mixed environment that includes both Oracle Database 18c and 12c.



## Support for Cloudera Enterprise 6

In addition to Cloudera Enterprise Release 5, this release of Oracle Big Data SQL also fully supports Cloudera Enterprise Release 6. If Oracle Big Data SQL is installed on Cloudera Enterprise Release 6, the Jaguar installer detects this release level and configures the installation accordingly. No additional steps are required.

## New ORACLE\_BIGDATA Driver for Accessing Object Stores

In addition to ORACLE\_HIVE and ORACLE\_HDFS, release 4.0 also includes the new ORACLE\_BIGDATA driver. This driver enables you to create external tables over data within object stores in the cloud. Currently Oracle Object Store and Amazon S3 are supported. You can create external tables over Parquet, Avro, and text files in these stores. For development and testing, you can also use ORACLE\_BIGDATA to access local data files through Oracle Database directory objects. The driver is written in C. It does not execute any Java code and can therefore work with non-Java environments.

In release 4.0, ORACLE\_BIGDATA supports the return of scalar fields from Parquet files. More complex data types as well as multi-part Parquet files are not supported at this time. Because the reader does not support complex data types in the Parquet file, the column list generated omits any complex columns from the external table definition. Most types stored in Parquet files are not directly supported as types for columns in Oracle tables.

Oracle Big Data SQL's Smart Scan performance optimizations, including the new aggregation offload capability (also introduced in this section), work with object stores by offloading data from the object store to processing cells on the Hadoop cluster where Oracle Big Data SQL is installed.

Authentication against object stores is accomplished through a credential object that you create using the DBMS\_CREDENTIAL package. You include the name of the credential object as well as a location URI as parameters of the external table create statement.

### See Also:

Creating an Oracle External Table for Object Store Access in the *Oracle Big Data SQL User's Guide* provides create statement examples as well as conversion tables for Parquet and Avro data types to Oracle data types.

## Oracle Big Data SQL Query Server

Query Server is a lightweight, zero-maintenance 18c Oracle Database that you install directly on a Hadoop cluster edge node. It gives you an easy way query data in Hadoop without the need for a full-fledged Oracle Database system. The service consists of the Oracle SQL query engine only. It provides no persistent storage except for certain categories of metadata that are useful to retain across sessions.

- **Installs Easily and Requires no Maintenance**

Big Data SQL Query Server is included as part of the standard Oracle Big Data SQL installation. The only additional things you need to do in order to use this optional component are download and unpack the "extras" package from the same site where you download Oracle Big Data SQL. There are also some Query Server-related parameters that must be set in the Jaguar installer's configuration file, including the address of a dedicated edge node where you would like to run this service. Then, when you install

Oracle Big Data SQL, the Query Server installation is fully automated and requires no post-installation configuration.

- **Provides Single and Multi-User Modes**

The service provides two modes – single-user and multi-user. Single-user mode utilizes a single user for accessing the Query Server. All users connect to the Query Server as the BDSQL user with the password specified during the installation. In multi-user mode Hadoop cluster users log into the Query Server using their Kerberos principal.

- **Works with Kerberos, Automatically Imports Kerberos Principals**

A Kerberos-secured cluster can support both single user and multi-user mode.

During installation on a secured cluster, the installer automatically queries the KDC to identify the Kerberos principals and then sets up externally identified users based on the principals. After installation, the administrator can manually add or remove principals.

- **Resets to Initial State After Each Query Server Restart**

Each time Big Data SQL Query Server is restarted, the database instance is reset to the original state. This also happens if a fatal error occurs. The reset enables you to start again from a “clean slate.” However, a restart does preserve external tables. ORACLE\_HIVE, ORACLE\_HDFS, and ORACLE\_BIGDATA external tables, associated statistics, and user-defined views are preserved. For ORACLE\_BIGDATA external tables, it also preserves object store access credentials created with DBMS\_CREDENTIAL. All of this external data persists after a restart. Regular tables containing user data are not preserved in a restart.

- **Can be Managed Through Hortonworks Ambari or Cloudera Manager**

Big Data SQL Query Service is automatically set up as a service in Ambari or Cloudera Manager. You can use these administrative tools to monitor and stop/start the process, view warning, error, and informational messages, and perform some Big Data SQL Query Service operations such as statistics gathering and Hive metadata import.

Query Server is provided under a limited use license described in [Oracle Big Data SQL Licensing](#).



#### See Also:

- Working With Query Server in the Oracle Big Data SQL User's Guide walks you through the process of setting up and using Query Server.

- **Works with Kerberos, Automatically Imports Kerberos Principals**

A Kerberos-secured cluster can support both single user and multi-user mode.

During installation on a secured cluster, the installer automatically queries the KDC to identify the Kerberos principals and then sets up externally identified users based on the principals. After installation, the administrator can manually add or remove principals.

- **Resets to Initial State After Each Query Server Restart**

Each time Big Data SQL Query Server is restarted, the database instance is reset to the original state. This also happens if a fatal error occurs. The reset enables

you to start again from a “clean slate.” However, a restart does preserve external tables. ORACLE\_HIVE, ORACLE\_HDFS, and ORACLE\_BIGDATA external tables, associated statistics, and user-defined views are preserved. For ORACLE\_BIGDATA external tables, it also preserves object store access credentials created with DBMS\_CREDENTIAL. All of this external data persists after a restart. Regular tables containing user data are not preserved in a restart.

- **Can be Managed Through Hortonworks Ambari or Cloudera Manager**  
Big Data SQL Query Service is automatically set up as a service in Ambari or Cloudera Manager. You can use these administrative tools to monitor and stop/start the process, view warning, error, and informational messages, and perform some Big Data SQL Query Service operations such as statistics gathering and Hive metadata import.

Query Server is provided under a limited use license described in [Oracle Big Data SQL Licensing](#).

#### See Also:

*Working With Query Server Working With Query Server in the Oracle Big Data SQL User's Guide* walks you through the process of setting up and using Query Server.

### Aggregation Offload

Oracle Big Data SQL can now utilize Oracle In-Memory technology to offload aggregations to the Oracle Big Data SQL cells. Oracle Big Data SQL leverages the processing power of the Hadoop cluster to distribute aggregations across the cluster nodes.

The performance gains achieved through aggregation offload can be very substantial, especially when there are a moderate number of summary groupings.

Oracle Big Data SQL cells support single table and multi-table aggregations (for example, dimension tables joining to a fact table). For multi-table aggregations, the Oracle Database uses the key vector transform optimization in which the key vectors are pushed to the cells for the aggregation process. This transformation type is useful for star join sql queries that use typical aggregation operators (for example, SUM, MIN, MAX, and COUNT) which are common in business queries.

#### See Also:

*About Aggregation Offload in the Oracle Big Data SQL User's Guide*

### Sentry Authorization in Oracle Big Data SQL

In addition to supporting authorization for HDFS file access, Oracle Big Data SQL supports Sentry policies, which authorize access to Hive metadata. Sentry enables fine-grained control over user access, down to the column level.

#### See Also:

[Sentry Authorization in Oracle Big Data SQL](#).

## Installer Improvements

- The Jaguar installer provides easy installation of the optional Query Server database. Several new parameters are added to the Jaguar configuration file for the installation of this component.
- Oracle Big Data SQL now includes its own JDK. You no longer need to download it from the Oracle Technology Network. Other versions of the JDK may be present, but do not change the JDK path that Oracle Big Data SQL uses.
- The installer now validates principals entered in the Kerberos section of the configuration file against the corresponding keytab file and flags an error if these do not match.
- Cluster edge nodes are automatically excluded from the requirements pre-check.
- In the installation pre-check, hardware factors (cores and memory) are validated only on nodes where Oracle Big Data SQL processing cells will be installed.
- On the database side, the install now validates the subnet (for InfiniBand connections), the LD\_LIBRARY\_PATH, and the hostnames of Hadoop systems on the other side of the connection.
- In an uninstall on the database side, the operation now removes all Oracle Big Data SQL artifacts from the database server and reverts all changes to `cellinit.*ora` and database parameters.
- The Jaguar `updatenodes` operation is deprecated in this release. Use `reconfigure` instead to change cluster settings, create database-side install bundles, and expand or shrink the configuration.
- Two new scripts to help predetermine readiness for installation.  
Prior to installing the Hadoop side of Oracle Big Data SQL, you can run [bds\\_node\\_check.sh](#) on each DataNode of the cluster to check if the node meets the installation prerequisites.  
  
Prior to installing on the Oracle Database system, you can run [bds-validate-grid-patches.sh](#) to ensure that Oracle Grid includes the patches required by the Oracle Big Data SQL release.
- The script [bds\\_cluster\\_node\\_helper.sh](#), which you can run on each Hadoop node, provides status on the Oracle Big Data SQL installation on the node and also collects log data and other information useful for maintenance. There are three options for the scope of the log data collection.

# 1

## Introduction

This guide describes how to install Oracle Big Data SQL, how to reconfigure or extend the installation to accommodate changes in the environment, and, if necessary, how to uninstall the software.

This installation is done in phases. The first two phases are:

- Installation on the node of the Hadoop cluster where the cluster management server is running.
- Installation on each node of the Oracle Database system.

If you choose to enable optional security features available, then there is an additional third phase in which you activate the security features.

The two systems must be networked together via Ethernet or InfiniBand. (Connectivity to Oracle SuperCluster is InfiniBand only).



### Note:

For Ethernet connections between Oracle Database and the Hadoop cluster, Oracle recommends 10 Gb/s Ethernet.

The installation process starts on the Hadoop system, where you install the software manually on one node only (the node running the cluster management software). Oracle Big Data SQL leverages the administration facilities of the cluster management software to automatically propagate the installation to all DataNodes in the cluster.

The package that you install on the Hadoop side also generates an Oracle Big Data SQL installation package for your Oracle Database system. After the Hadoop-side installation is complete, copy this package to all nodes of the Oracle Database system, unpack it, and install it using the instructions in this guide. If you have enabled Database Authentication or Hadoop Secure Impersonation, you then perform the third installation step.

## 1.1 Supported System Combinations

Oracle Big Data SQL supports connectivity between a number of Oracle Engineered Systems and commodity servers.

The current release supports Oracle Big Data SQL connectivity for the following Oracle Database platforms/Hadoop system combinations:

- Oracle Database on commodity servers with Oracle Big Data Appliance.
- Oracle Database on commodity servers with commodity Hadoop systems.
- Oracle Exadata Database Machine with Oracle Big Data Appliance.
- Oracle Exadata Database Machine with commodity Hadoop systems.

 **Note:**

The phrase “Oracle Database on commodity systems” refers to Oracle Database hosts that are not the Oracle Exadata Database Machine. Commodity database systems may be either Oracle Linux or RHEL-based. “Commodity Hadoop systems” refers to Hortonworks HDP systems and to Cloudera CDH-based systems other than Oracle Big Data Appliance.

## 1.2 Oracle Big Data SQL Master Compatibility Matrix

See the [Oracle Big Data SQL Master Compatibility Matrix](#) (Doc ID 2119369.1 in [My Oracle Support](#)) for up-to-date information on Big Data SQL compatibility with the following:

- Oracle Engineered Systems.
- Other systems.
- Linux OS distributions and versions.
- Hadoop distributions.
- Oracle Database releases, including required patches.

## 1.3 Installing on Oracle Big Data Appliance

Each Oracle Big Data Appliance software release already includes a version of Oracle Big Data SQL that is ready to install, using the utilities available on the appliance.

You can download and install the standalone Big Data SQL bundle as described in this guide on all supported Hadoop platforms, including Big Data appliance. But for Big Data Appliance, the recommended method is to install the Big Data SQL package included with your Big Data Appliance software. The instructions for doing this are in the *Oracle Big Data Appliance Owner's Guide*. You can find them in the same location in most versions of the Owner's Guide. For example, Big Data Appliance 4.14 includes Big Data SQL 3.2.1.2 and the instructions are here: [10.9.5 Installing Oracle Big Data SQL](#).

The advantages of installing the version of Big Data SQL included with the appliance are:

- The prerequisites to the installation are already met.
- You can add Big Data SQL to the Big Data Appliance release installation by checking a checkbox in the Big Data Appliance Configuration Generation Utility. The Mammoth utility will then automatically include Big Data SQL in the installation.
- You can also install Big Data SQL later, using the `bdacli` utility. This is also a simple procedure. The command is `bdacli enable big_data_sql`.
- When Big Data SQL is installed by the Mammoth utility, then during an upgrade to a newer Big Data Appliance software release, Mammoth will automatically upgrade the Hadoop side of the Big Data SQL installation to the version included in the release bundle.

The limitations of installing the version of Big Data SQL include with Big Data Appliance are:

- The installation is performed for the Hadoop side only. You still need to install the database side of the product using the instructions in this guide. You also must refer to this guide if you want to modify the default installation.
- The Big Data Appliance release may not include the latest available version of Big Data SQL.

 **Note:**

If you choose to download and install a release of Big Data SQL from the [Oracle Software Delivery Cloud](#) instead of installing the version included with Big Data Appliance, then first check the [Oracle Big Data SQL Master Compatibility Matrix](#) to confirm that your current Big Data Appliance release level supports the version that you want to install.

## 1.4 Prerequisites for Networking

The Oracle Big Data SQL installation has the following network dependencies.

### 1.4.1 Port Access Requirements

Oracle Big Data SQL requires that the following ports are open though firewalls protecting the Hadoop cluster and Oracle Database.

**Table 1-1 Ports That Must be Open on Both the Hadoop Cluster and Oracle Database Servers**

Port	Use
Ephemeral_range, i.e. 9000-65500	UDP communication from the celliniteth.ora IP address
5042	Diskmon

**Table 1-2 Additional Ports That Must Be Open on the Hadoop Cluster**

Hadoop Cluster Ports	Where	Use
50010	All nodes on unsecured clusters	dfs.datanode.address
1004	All nodes on secured clusters	dfs.datanode.address
50020	All nodes	dfs.datanode.ipc.address
8020	NameNodes	fs.defaultFS
8022	NameNodes	dfs.namenode.servicerpc-address
9083	Hive Metastore & HiveServer2 node.	hive.metastore
10000	Hive Metastore & HiveServer2 node.	hive.server2.thrift.port
88	Kerberos KDC	TCP & UDP

**Table 1-2 (Cont.) Additional Ports That Must Be Open on the Hadoop Cluster**

Hadoop Cluster Ports	Where	Use
16000	Where HDFS Encryption is enabled	KMS HTTP Port

## 1.5 Prerequisites for Installation on the Hadoop Cluster

The following installed software package active services, tools, and environment settings are prerequisites to the Oracle Big Data SQL installation.

Platform requirements, such as supported Linux distributions and versions, as well as supported Oracle Database releases and required patches are not listed here. See the [Oracle Big Data SQL Master Compatibility Matrix](#) (Doc ID 2119369.1 in [My Oracle Support](#)) for this information.

The Oracle Big Data SQL installer checks all prerequisites before beginning the installation and reports any missing requirements on each node.

### Tip:

*Use `bds_node_check.sh` to pre-check whether or not the DataNodes of the cluster are ready for the installation.*

You can manually check for them, but the easiest way is to run `bds_node_check.sh` on each node. This script returns a complete readiness report. After you download the installation bundle, unzip it, and execute the run file, `bds_node_check.sh` will be available, along with the tools to perform the installation. See [Check for Hadoop-Side Prerequisites With `bds\_node\_check.sh`](#) for details.

### Note:

- Oracle Big Data SQL 4.0 does not support single user mode for Cloudera clusters.
- The JDK is no longer a prerequisite. JDK 8u171 is included with this release of Oracle Big Data SQL.

### 1.5.1 Software Package Requirements for all DataNodes

The following packages must be pre-installed on all Hadoop cluster nodes before installing Oracle Big Data SQL. These are already installed on releases of Oracle Big Data Appliance that support Oracle Big Data SQL 4.0. Several additional packages are required if Query Server will be installed.

```
libaio
dmidecode
net-snmp
```



```
net-snmp-utils
glibc
libgcc
libstdc++
libuuid
ntp
perl
perl-libwww-perl
perl-libxml-perl
perl-XML-LibXML
perl-Time-HiRes
perl-XML-SAX
perl-Env (only for Oracle Linux 7 and RHEL 7)
rpm
curl
unzip
zip
tar
wget
uname
```

The following packages are required only if you install Query Server:

```
expect
procmail
```

The yum utility is the recommended method for installing these packages. All of them can be installed with a single yum command. For example (not including expect and procmail):

```
# yum -y install dmidecode net-snmp net-snmp-utils perl perl-libs perl-Time-
HiRes perl-libwww-perl perl-libxml-perl perl-XML-LibXML perl-XML-SAX perl-
Env fuse fuse-libs rpm curl unzip zip tar wget uname -y libaio gcc
```

### Special Prerequisites for the Configuration Management Server

On the node where CM or Ambari runs (usually Node 3 on Oracle Big Data Appliance), you may also need to install a compatible version of Python as well as the Python Cryptography package. See the next section to determine whether or not this is necessary. If you do need to manually install a version of Python, then add openssl-devel to the yum parameter string:

```
# yum -y install dmidecode net-snmp net-snmp-utils perl perl-libs perl-Time-
HiRes perl-libwww-perl perl-libxml-perl perl-XML-LibXML perl-XML-SAX perl-
Env fuse fuse-libs rpm curl unzip zip tar wget uname openssl-devel -y libaio
gcc
```

### Other Prerequisites

- HDFS, YARN, and Hive must be running on the cluster at Oracle Big Data SQL installation time and runtime. They can be installed as parcels or packages on Cloudera CDH and as stacks on Hortonworks HDP.

- On CDH, if you install the Hadoop services required by Oracle Big Data SQL as packages, be sure that they are installed from within CM. Otherwise, CM will not be able to manage them. This is not an issue with parcel-based installation.

## 1.5.2 Python Requirements for the Cluster Management Node

On the node where the CM or Ambari cluster management service is running, the Oracle Big Data SQL installer requires Python 2.7.5 or greater, but less than 3.0. You must also add the Python Cryptography package to this Python installation if it is not present.

Jaguar, the Oracle Big Data SQL installer, requires Python ( $\geq 2.7.5 < 3.0$ ) locally on the node where you run the installer. This is the node where CM or Ambari cluster management service is running. If any installation of Python in this supported version range is already present, you can use it to run Jaguar.

- On Oracle Big Data Appliance or commodity Hadoop clusters running Oracle Linux 6 or 7:  
Do not manually install Python to support the Jaguar installer. There is a compatible Python package already available on the appliance and the Jaguar installer will automatically find and use this package without prompting you.
- On commodity Hadoop clusters running Oracle Linux 6:  
Install a compatible version of Python if not present.
- On Oracle Big Data Appliance or commodity Hadoop clusters running Oracle Linux 5:  
Install a compatible version of Python if not present. On Oracle Big Data Appliance, install it as secondary installation only.

### Important:

On Oracle Big Data Appliance do not overwrite the default Python installation with a newer version or switch the default to a newer version. This restriction may also apply to other supported Hadoop platforms. Consult the documentation for the CDH or HDP platform you are using.

On Oracle Linux 5 or 6 on a commodity Hadoop platform, the Jaguar installer will prompt you for the path of the compatible Python installation.

### Installing the Required Python Cryptography Module

You can use Python's pip utility to install the Python Cryptography module. Use `scl` if Python ( $\geq 2.7.5 < 3.0$ ) is not the default. This example installs pip and then installs and imports the module.

```
# scl enable python27 "pip install -U pip"
# scl enable python27 "pip install cryptography"
# scl enable python27 "python -c 'import cryptography; print \"ok\";'"
```

You can then run the Jaguar installer.

### 1.5.2.1 Adding Python 2.7.5 or Greater as a Secondary Installation

Below is a procedure for adding the Python 2.7.5 or greater (but less than 3.0) as a secondary installation.

**Note:**

If you manually install Python, first ensure that the `openssl-devel` package is installed:

```
# yum install -y openssl-devel
```

```
# pyversion=2.7.5
# cd /tmp/
# mkdir py_install
# cd py_install
# wget https://www.python.org/static/files/pubkeys.txt
# gpg --import pubkeys.txt
# wget https://www.python.org/ftp/python/$pyversion/Python-$pyversion.tgz.asc
# wget https://www.python.org/ftp/python/$pyversion/Python-$pyversion.tgz
# gpg --verify Python-$pyversion.tgz.asc Python-$pyversion.tgz
# tar xfvz Python-$pyversion.tgz
# cd Python-$pyversion
# ./configure --prefix=/usr/local/python/2.7.5
# make
# mkdir -p /usr/local/python/2.7.5
# make install
# export PATH=/usr/local/python/2.7.5/bin:$PATH
```

If you create a secondary installation of Python, it is strongly recommended that you apply Python update regularly to include new security fixes.

**Important:** On Oracle Big Data Appliance, do not update the mammoth-installed Python unless directed to do so by Oracle.

### 1.5.2.2 When You May Need to Use `scl` to Invoke the Correct Python Version

If there is more than one Python release on the cluster management server, then be sure that Python 2.7.5 or greater (but less than 3.0) is invoked for any operations associated with this release of Oracle Big Data SQL.

If the `scl` utility is available, you can use to invoke Python 2.7.5 or greater explicitly. This is necessary if a different Python installation is the default. In that case, use `scl` or another method to invoked the correct Python version for scripts as well as Python-based utilities such as Jaguar, the Oracle Big Data SQL installer,

```
[root@myclusteradminserver:BDSjaguar] # scl enable python27 "./jaguar
install bds-config.json"
```

There is one exception to this requirement. On Oracle Big Data Appliance clusters running Oracle Linux 6 or Oracle Linux 7, it is not necessary to use `scl` explicitly in order to run the Jaguar installer. In this case, you can invoke Jaguar directly, as in:

```
[root@myclusteradminserver:BDSjaguar] # ./jaguar install bds-config.json
```

Jaguar itself will silently invoke `scl` if it is available and if `scl` is required to invoke a compatible Python release in this environment.

Note that this only applies to Jaguar on Big Data Appliance. To run any other Python scripts required by Oracle Big Data SQL (even on Oracle Big Data Appliance), use `scl` if Python 2.7.5 is not the default.

For example, to install the required Python Cryptography package, you may need to invoke `scl` to ensure that you are using the correct version of Python:

```
# scl enable python27 pip install cryptography
```

## 1.5.3 Environment Settings

The following environment settings are required prior to the installation.

- `ntp` enabled
- Minimum ratio of `shmmx` to `shmall`:  
`shmmx = shmall * PAGE_SIZE`
- `shmmx` must be greater than physical memory.
- `swappiness` set between 5 and 25.
- All `*.rp_filter` instances disabled
- Socket buffer size equal to or greater than 4194304

## 1.5.4 Proxy-Related Settings

The installation process requires Internet access in order to download some packages from Cloudera or Hortonworks sites.

If a proxy is required for Internet access, then either ensure that the following are set as Linux environment variables, or, enable the equivalent parameters in the Jaguar configuration file, `bds-config.json`

- `http_proxy` and `https_proxy`
- `no_proxy`

Set `no_proxy` to include the following: `"localhost,127.0.0.1,<Comma-separated list of the hostnames in the cluster (in FQDN format).>"`.

On Cloudera CDH, clear any proxy settings in Cloudera Manager administration before running the installation.



**See Also:**

[Configuration Parameters for bds-config.json](#) describes the use of `http_proxy`, `https_proxy`, and other parameters in the installer configuration file.

## 1.5.5 CPU, Memory, and Networking Requirements

Oracle Big Data SQL requires the following.

### Minimum CPU and Memory for Each Node

- 8 CPU cores
- 16 GB RAM

### Networking

If Hadoop traffic is over VLANs, all DataNodes must be on the same VLAN.

## 1.6 Prerequisites for Installation on Oracle Database Nodes

Installation prerequisites vary, depending on type of Hadoop system and Oracle Database system where Oracle Big Data SQL will be installed.

### Patch Level

See the *Oracle Big Data SQL Master Compatibility Matrix* (Doc ID 2119369.1) in [My Oracle Support](#) for supported Linux distributions, Oracle Database release levels, and required patches.



**Note:**

Be sure that the correct Bundle Patch and any one-off patches identified in the Compatibility Matrix have been pre-applied before starting this installation.

Before you begin the installation, review the additional environmental and user access requirements described below.

### Packages Required for Kerberos

If you are installing on a Kerberos-enabled Oracle Database System, these package must be pre-installed:

- krb5-workstation
- krb5-libs

### Packages for the “Oracle Tablespaces in HDFS” Feature

Oracle Big Data SQL provides a method to store Oracle Database tablespaces in the Hadoop HDFS file system. The following RPMs must be installed:

- fuse

- fuse-libs

```
# yum -y install fuse fuse-libs
```

### Required Environment Variables

The following are always required. Be sure that these environment variables are set correctly.

- ORACLE\_SID
- ORACLE\_HOME



#### Note:

GI\_HOME (which was required in Oracle Big Data SQL 3.1 and earlier) is no longer required.

### Required Credentials

- Oracle Database owner credentials (The owner is usually the `oracle` Linux account.)  
Big Data SQL is installed as an add-on to Oracle Database. Tasks related directly to database instance are performed through database owner account (`oracle` or other).
- Grid user credentials  
In some cases where Grid infrastructure is present, it must be restarted. If the system uses Grid then you should have the Grid user credentials on hand in case a restart is required.

The Linux users `grid` and `oracle` (or other database owner) must both be in the same group (usually `oinstall`). This user requires permission to read all files owned by the `grid` user and vice versa.

All Oracle Big Data SQL files and directories are owned by the `oracle:oinstall` user and group.

### Required Grid Infrastructure Patches

You can run the script `bds-validate-grid-patches.sh` to check that the Grid Infrastructure includes all of the patches that are required by the Oracle Big Data Installation. See [Check for Required Grid Patches With `bds-validate-grid-patches.sh`](#)

## 1.7 Downloading Oracle Big Data SQL and Query Server

You can download Oracle Big Data SQL from the Oracle Software Delivery Cloud (also known as “eDelivery”).

There are three files to download:

- The primary BDSJaguar bundle, which contains the Jaguar installer for Oracle Big Data SQL  
`V982738-01.zip`

- The two parts of the optional Query Server bundle

```
V982741-01_1of2.zip  
V982741-01_2of2.zip
```

If you want to use Query Server, then download the two parts of the Query Server bundle in addition to the primary bundle.

**Note:**

You cannot use Query Server apart from Oracle Big Data SQL. Query Server is also not installed separately. It can be included in the Jaguar-driven installation as described below.

1. Log on to the [Oracle Software Delivery Cloud](#).
2. Search for “Oracle Big Data SQL”.
3. Select Oracle Big Data SQL 4.0.0.0 for Linux x86-64.
4. Agree to the Oracle Standard Terms and Restrictions. Then you can download the bundle.
5. Copy the bundle to the Hadoop node that hosts the cluster management server (CDH or Ambari). On Oracle Big Data Appliance this is usually Node3. Chose any location. Copy the Extras bundle to the same location if you intend to use Query Server.
6. Log on as root and unzip the BDSJaguar bundle.

You will see that the Release 4.0 bundle contains only the run file.

```
# unzip V982738-01.zip  
Archive:  V982738-01.zip  
  inflating: BDSJaguar-4.0.0.run  
  inflating: readme
```

7. Before executing the run file, decide if you want to keep the default extraction target for the installation and configuration files. The default is `/opt/oracle`. If not, then you can change it by setting the `JAGUAR_ROOT` environment variable.

```
# export JAGUAR_ROOT=<my_directory>
```

Throughout this guide, the placeholder *Big Data SQL Install Directory* refers to the `JAGUAR_ROOT` where you extracted the files.

 **Important:**

This is the permanent working directory from which you configure and install Oracle Big Data SQL. You will also need the tools in this directory post installation. It is strongly recommended that you secure this directory against accidental or unauthorized modification or deletion. The primary file to protect is your installation configuration file (by default, `bds-config.json`). As you customize the configuration to your needs, this file becomes the record of the state of the installation. It is useful for recovery purposes and as a basis for further changes.

**8. Execute the run file.**

```
# ./BDSJaguar-4.0.0.run
BDSJaguar-4.0.0.run: platform is: Linux
BDSJaguar-4.0.0.run: Jaguar directory created successfull
BDSJaguar-4.0.0.run: Based on features selected in config.json
file, extra bundles could be required
BDSJaguar-4.0.0.run: Please go to /opt/oracle/BDSJaguar
```

**9. Optional Step: Include Query Server.**

If you want to include Query Server in the installation, then also unzip `V982741-01_1of2.zip` and `V982741-01_2of2.zip` to extract the two parts of the bundle. You will also see that both files contain the script `join.sh`. Run this script in order to assemble the bundle. You can use the copy of `join.sh` from either zip file.

```
$ unzip -j -o V982741-01_1of2.zip
Archive: V982741-01_1of2.zip
  inflating: BDSQLQS82d323d472f5c4666e1a7e48cd2d75b9-00
  inflating: join.sh
  inflating: readme.lst

$ unzip -j -o V982741-01_2of2.zip
Archive: V982741-01_2of2.zip
  inflating: BDSQLQS82d323d472f5c4666e1a7e48cd2d75b9-01
  inflating: join.sh
  inflating: readme.lst

$ ./join.sh
Re-assembling Big Data SQL Query Server bundle
Detected files:
BDSQLQS82d323d472f5c4666e1a7e48cd2d75b9-00
BDSQLQS82d323d472f5c4666e1a7e48cd2d75b9-01
Joining 2 files
BigDataSQL-4.0.0-QueryServer.zip successfully created !!!
```

Then, unzip the newly created bundle to extract the QueryServer run file.

```
# unzip BDSEExtra-4.0.0-QueryServer.zip
...
# ./BDSEExtra-4.0.0-QueryServer.run
```



To include Query Server in the Big Data SQL installation, be sure to execute this extra run file before running the Jaguar installer.

## 1.8 Upgrading From a Prior Release of Oracle Big Data SQL

On the Oracle Database side, Oracle Big Data SQL can now be installed over a previous release with no need to remove the older software. The install script automatically detects and upgrades an older version of the software.

### Upgrading the Oracle Database Side of the Installation

On the database side, you need to perform the installation only once to upgrade the database side for any clusters connected to that particular database. This is because the installations on the database side are not entirely separate. They share the same set of Oracle Big Data SQL binaries. This results in a convenience for you – if you upgrade one installation on a database instance then you have effectively upgraded the database side of all installations on that database instance.

### Upgrading the Hadoop Cluster Side of the Installation

If existing Oracle Big Data SQL installations on the Hadoop side are not upgraded, these installations will continue to work with the new Oracle Big Data SQL binaries on the database side, but will not have access to the new features in this release.

## 1.9 Important Terms and Concepts

These are special terms and concepts in the Oracle Big Data SQL installation.

### **Oracle Big Data SQL Installation Directory**

On both the Hadoop side and database side of the installation, the directory where you unpack the installation bundle is not a temporary directory which you can delete after running the installer. These directories are staging areas for any future changes to the configuration. You should not delete them and may want to secure them against accidental deletion.

### **Database Authentication Keys**

Database Authentication uses a key that must be identical on both sides of the installation (the Hadoop cluster and Oracle Database). The first part of the key is created on the cluster side and stored in the `.reqkey` file. This file is consumed only once on the database side, to connect the first Hadoop cluster to the database. Subsequent cluster installations use the configured key and the `.reqkey` file is no longer required. The full key (which is completed on the database side) is stored in an `.ackkey` file. This key is included in the part of the ZIP file created by the database-side installation and must be copied back to the Hadoop cluster by the user.

### **Request Key**

By default, the Database Authentication feature is enabled in the configuration. (You can disable it by setting the parameter `database_auth_enabled` to “false” in the configuration file.) When this setting is true, then the Jaguar `install` and `reconfigure` operations can generate a `request key` (stored in a file with the extension `.reqkey`). This key is part of a unique GUID-key pair used for Database Authorization. This GUID-key pair is generated during the database side of the installation. The Jaguar operation creates a request key if the command line includes the `--requestdb` command line parameter along with a single database name

(or a comma separated list of names). In this example, the install operation creates three keys, one for each of three different databases:

```
# ./jaguar --requestdb orcl,testdb,proddb install
```

The operation creates the request keys files in the directory *<Oracle Big Data SQL install directory>/BDSJaguar/dbkeys*. In this example, Jaguar *install* would generate these request key files:

```
orcl.reqkey  
testdb.reqkey  
proddb.reqkey
```

Prior to the database side of the installation, you copy request key to the database node and into the path of the database-side installer, which at runtime generates the GUID-key pair.

### **Acknowledge Key**

After you copy a request key into the database-side installation directory, then when you run the database-side Oracle Big Data SQL installer it generates a corresponding *acknowledge key*. The acknowledge key is the original request key, paired with a GUID. This key is stored in a file that is included in a ZIP archive along with other information that must be returned to the Hadoop cluster by the user.

### **Database Request Operation (databasereq)**

The Jaguar *databasereq* operation is “standalone” way to generate a request key. It lets you create one or more request keys without performing an *install* or *reconfigure* operation:

```
# ./jaguar --requestdb <database name list> databasereq {configuration  
file | null}
```

### **Database Acknowledge ZIP File**

If Database Authentication, or Hadoop Secure Impersonation is enabled for the configuration, then the database-side installer creates a ZIP bundle configuration information. If Database Authentication is enabled, this bundle includes the acknowledge key file. Information required for Hadoop Secure Impersonation is also included if that option was enabled. Copy this ZIP file back to */opt/oracle/DM/databases/conf* on the Hadoop cluster management server for processing.

Database Acknowledge is a third phase of the installation and is performed only when any of the three security features cited above are enabled.

### **Database Acknowledge Operation (databaseack)**

If you have opted to enable any or all of three new security features (Database Authentication, or Hadoop Secure Impersonation), then after copying the Database Acknowledge ZIP file back to the Hadoop cluster, run the Jaguar *Database Acknowledge* operation.

The setup process for these features is a “round trip” that starts on the Hadoop cluster management server, where you set the security directives in the configuration file and run Jaguar, to the Oracle Database system where you run the database-side

installation, and back to the Hadoop cluster management server where you return a copy of the ZIP file generated by the database-side installation. The last step is when you run `databaseack`, the Database Acknowledge operation described in the outline below. Database Acknowledge completes the setup of these security features.

### **Default Cluster**

The *default cluster* is the first Oracle Big Data SQL connection installed on an Oracle Database. In this context, the term *default cluster* refers to the installation directory on the database node where the connection to the Hadoop cluster is established. It does not literally refer to the Hadoop cluster itself. Each connection between a Hadoop cluster and a database has its own installation directory on the database node.

An important aspect of the default cluster is that the setting for Hadoop Secure Impersonation in the default cluster determines that setting for all other cluster connections to a given database. If you run a Jaguar `reconfigure` operation some time after installation and use it to turn Hadoop Secure Impersonation in the default cluster on or off, this change is effective for *all* clusters associated with the database.

If you perform installations to add additional clusters, the first cluster remains the default. If the default cluster is uninstalled, then next one (in chronological order of installation) becomes the default.

## 1.10 Installation Overview

The Oracle Big Data SQL software must be installed on all Hadoop cluster DataNodes and all Oracle Database compute nodes.

### **Important: About Service Restarts**

On the Hadoop-side installation, the following restarts may occur.

- Cloudera Configuration Manager (or Ambari) may be restarted. This in itself does not interrupt any services.
- Hive, YARN, and any other services that have a dependency on Hive or YARN (such as Impala) are restarted.

The Hive libraries parameter is updated in order to include Oracle Big Data SQL JARs. On Cloudera installations, if the YARN Resource Manager is enabled, then it is restarted in order to set cgroup memory limit for Oracle Big Data SQL and the other Hadoop services. On Oracle Big Data Appliance, the YARN Resource Manager is always enabled and therefore always restarted.

On the Oracle Database server(s), the installation may require a database and/or Oracle Grid infrastructure restart in environments where updates are required to Oracle Big Data SQL cell settings on the Grid nodes. See [Potential Requirement to Restart Grid Infrastructure](#) for details.

### **If a Previous Version of Oracle Big Data SQL is Already Installed**

On commodity Hadoop systems (those other than Oracle Big Data Appliance) the installer automatically uninstalls any previous release from the Hadoop cluster.

You can install Oracle Big Data SQL on all supported Oracle Database systems without uninstalling a previous version.

Before installing this Oracle Big Data SQL release on Oracle Big Data Appliance, you must use `bdacli` to manually uninstall the older version if it had been enabled via `bdacli` or

Mammoth. If you are not sure, try `bdacli disable big_data_sql`. If the `disable` comment fails, then the installation was likely done with the `setup-bds` installer. In that case, you can install the new version Oracle Big Data SQL without disabling the old version.

### How Long Does It Take?

The table below estimates the time required for each phase of the installation. Actual times will vary.

**Table 1-3 Installation Time Estimates**

Installation on the Hadoop Cluster	Installation on Oracle Database Nodes
<p>Eight minutes to 28 minutes</p> <p>The Hadoop side installation may take eight minute if all resources are locally available. An additional 20 minutes or more may be required if resources must be downloaded from the Internet.</p>	<p>The average installation time for the database side can be estimated as follows:</p> <ul style="list-style-type: none"> <li>• 15 minutes for a single node database if a restart is not required. If a restart is required, the time will vary, depending on the size of the database.</li> <li>• On a RAC database, multiply the factors above by the number of nodes.</li> <li>• If an Oracle Grid restart is required, factor that in as well.</li> </ul>

The installation process on Hadoop side includes installation on the Hadoop cluster as well as generation of the bundle for the second phase of the installation on the Oracle Database side. The database bundle includes Hadoop and Hive clients and other software. The Hadoop and Hive client software enable Oracle Database to communicate with HDFS and the Hive Metastore. The client software is specific to the version of the Hadoop distribution (i.e. Cloudera or Hortonworks). As explained later in this guide, you can download these packages prior to the installation, set up an URL or repository within your network, and make that target available to the installation script. If instead you let the installer download them from the Internet, the extra time for the installation depends upon your Internet download speed.

### Pre-installation Steps

- Check to be sure that the Hadoop cluster and the Oracle Database system both meet all of the prerequisites for installation. On the database side, this includes confirming that all of the required patches are installed. Check against these sources:
  - [Oracle Big Data SQL Master Compatibility Matrix](#) (Doc ID 2119369.1 in [My Oracle Support](#))
  - Sections 2.1 in this guide, which identifies the prerequisites for installing on the Hadoop cluster. Also see Section 3.1, which describes the prerequisites for installing the Oracle Database system component of Oracle Big Data SQL.

Oracle Big Data Appliance already meets all prerequisites.

- Have these login credentials available:
  - `root` credentials for both the Hadoop cluster and all Oracle Grid nodes.  
On the grid nodes you have the option of using passwordless SSH with the `root` user instead.
  - `oracle` Linux user (or other, if the database owner is not `oracle`)

- The Oracle Grid user (if this is not the same as the database owner).
- The Hadoop configuration management service (CM or Ambari) admin password.
- On the cluster management server (where CM or Ambari is running), download the Oracle Big Data SQL installation bundle and unzip it into a [permanent](#) location of your choice. (See [Downloading Oracle Big Data SQL and Query Server](#).)

## Outline of the Installation Steps

This is an overview to familiarize you with the process. Complete installation instructions are provided in Chapters 2 and 3.

The installation always has two phases – the installation on the Hadoop cluster and the subsequent installation on the Oracle Database system. It may also include the third, “Database Acknowledge,” phase, depending on your configuration choices.

### 1. Start the Hadoop-Side Installation

Review the installation parameter options described in Chapter 2. The installation on the Hadoop side is where you make all of the decisions about how to configure Oracle Big Data SQL, including those that affect the Oracle Database side of the installation.

2. Edit the `bds-config.json` file provided with the bundle in order to configure the Jaguar installer as appropriate for your environment. You could also create your own configuration file using the same parameters.
3. Run the installer to perform the Hadoop-side installation as described in [Installing or Upgrading the Hadoop Side of Oracle Big Data SQL](#).

If the Database Authentication feature is enabled, then Jaguar must also output a “request key” (`.reqkey`) file for each database that will connect to the Hadoop cluster. You generate this file by including the `--requestdb` parameter in the Jaguar `install` command (the recommended way). You can also generate the file later with other Jaguar operations that support the `--requestdb`.

This file contains one half of a GUID-key pair that is used in Database Authentication. The steps to create and install the key are explained in more detail in the installation steps.

4. Copy the database-side installation bundle to any temporary directory on each Oracle Database compute node.
5. If a request key file was generated, copy over that file to the same directory.

### 6. Start the Database-Side Installation

Log on to the database server as the database owner. Unzip bundle and execute the run file it contained. The run file does not install the software. It sets up an installation directory under `$ORACLE_HOME`.

7. As the database owner, perform the Oracle Database server-side installation. (See [Installing or Upgrading the Oracle Database Side of Oracle Big Data SQL](#).)

In this phase of the installation, you copy the database-side installation bundle to a temporary location on each compute node. If a `.reqkey` file was generated for the database, then copy the file into the installation directory before proceeding. Then run the `bds-database-install.sh` installation program.

The database-side installer does the following:

- Copies the Oracle Big Data SQL binaries to the database node.

- Creates all database metadata and MTA extprocs (external processes) required to access the Hadoop cluster and configures the communication settings.

**! Important:**

Be sure to install the bundle on each database compute node. The Hadoop-side installation automatically propagates the software to each node of the Hadoop cluster. However, the database-side installation does not work this way. You must copy the software to each database compute node and install it directly.

In Oracle Grid environments, if cell settings need to be updated, then a Grid restart may be needed. Be sure that you know the Grid password. If a Grid restart is required, then you will need the Grid credentials to complete the installation.

**8. If Applicable, Perform the “Database Acknowledge” Step**

If Database Authentication or Hadoop Secure Impersonation were enabled, the database-side installation generates a ZIP file that you must copy back to Hadoop cluster management server. The file is generated in the installation directory under `$ORACLE_HOME` and has the following filename format.

```
<Hadoop cluster name>-<Number nodes in the cluster>-<FQDN of the  
cluster management server node>-<FQDN of this database node>.zip
```

Copy this file back to `/opt/oracle/DM/databases/conf` on the Hadoop cluster management server and then as `root` run the Database Acknowledge command from the BDSJaguar directory:

```
# cd <Big Data SQL install directory>/BDSJaguar  
# ./jaguar databaseack <bds-config.json>
```


**Workflow Diagrams****Complete Installation Workflow**

The figure below illustrates the complete set of installation steps as described in this overview.

**Note:**

Before you start the steps shown in the workflow, be sure that both systems meet the installation prerequisites.

Figure 1-1 Installation Workflow



### Key Generation and Installation

The figure below focuses on the three steps required to create and installing the GUID-key pair used in Database Authentication. The braces around parameters of the Jaguar command indicate that one of the operations in the list is required. Each of these operations supports use of the `--requestdb` parameter. Note that although `updatenodes` is included in this list, `updatenodes` is deprecated in this release. You should use `reconfigure` instead.

**Figure 1-2** Generating and Installing the GUID-Key Pair for Database Authentication

```

Hadoop Cluster Management Server
1 GENERATE REQUEST KEY (AS ROOT)
Use --requestdb with jaguar operations
to generate a .reqkey file.
# ./jaguar --requestdb <dblist>
The .reqkey is generated in the dbkeys
subdirectory.
# cd dbkeys; ls
orcl.reqkey
Copy the key file to the
database server.
# scp orcl.reqkey oracle@myoradb1:/opt/tmp

install
reconfigure
updatenodes
databasereq

3 RUN DATABASE ACKNOWLEDGE (AS ROOT)
# cd <Install Dir>/BDSJaguar
# ./jaguar databaseack <config file>

Oracle Database Server
2 GENERATE ACKNOWLEDGE KEY (AS THE DATABASE OWNER)
$ cd $ORACLE_HOME/BDSJaguar-3.2.0/cdh510-6-node1.myclust.mydom.com
Pass the --reqkey parameter to ./bds-database-install.sh
$ ./bds-database-install.sh --reqkey=orcl.reqkey --install
Copy the zip file created by dbs-database-install to the Hadoop cluster management
server and run the Jaguar Database Acknowledge operation (databaseack)
$ ls
clust1-18-node3.dom.com-myoradb1.dom.com.zip
$ scp clust1-18-node3.dom.com-myoradb1.dom.com.zip \
>root@node1:/opt/oracle/DM/databases/conf

```

## 1.11 Post-Installation Checks

### Validating the Installation With bdschecksw and Other Tests

- The script `bdschecksw` now runs automatically as part of the installation. This script gathers and analyzes diagnostic information about the Oracle Big Data SQL installation from both the Oracle Database and the Hadoop cluster sides of the installation. You can also run this script as a troubleshooting check at any time after the installation. The script is in `$ORACLE_HOME/bin` on the Oracle Database server.

```
$ bdschecksw --help
```

See *Running Diagnostics With bdchecksw* in the *Oracle Big Data SQL User's Guide* for a complete description.

- Also see *How to do a Quick Test* in the user's guide for some additional functionality tests.

### Checking the Installation Log Files

You can examine these log files after the installation.



On the Hadoop cluster side:

```
/var/log/bigdatasql  
/var/log/oracle
```

On the Oracle Database side:

```
$ORACLE_HOME/install/bds* (This is a set of files, not a directory)  
$ORACLE_HOME/bigdatasql/logs  
/var/log/bigdatasql
```

**Tip:**

If you make a support request, create a zip archive that includes all of these logs and include it in your email to Oracle Support.

**Other Post-Installation Steps to Consider**

- Read about measures you can take to secure the installation. (See [Securing Oracle Big Data SQL](#).)
- Learn how to modify the Oracle Big Data SQL configuration when changes occur on the Hadoop cluster and in the Oracle Database installation. (See [Expanding or Shrinking an Installation](#).)
- If you have used Copy to Hadoop in earlier Oracle Big Data SQL releases, learn how Oracle Shell for Hadoop Loaders can simplify Copy to Hadoop tasks. (See [Additional Tools Installed](#).)

## 1.11.1 Run `bds_cluster_node_helper.sh` to Get Information About the Oracle Big Data SQL Installation on a Node

The script `bds_cluster_node_helper.sh` aggregates information about a Hadoop cluster node that is useful for Oracle Big Data SQL maintenance purposes.

This script provides options to do the following:

- Show Oracle Big Data SQL status information via `bdscli`, the Oracle Big Data SQL command line interface.
- Collect and archive log data that is pertinent to Oracle Big Data SQL operations. There are three levels to the scope of the data collection.
- Set some parameters that control the level of debug information in logs that are collected.

You can find this script at `<Oracle Big Data SQL installation directory>/BDSJaguar`. It must be run as root.

**Usage**

```
# bds_cluster_node_helper.sh [OPTIONS]
```

**Table 1-4 Parameters for bds\_cluster\_node\_helper.sh**

Parameter	Description
-h, --help	Show usage information.
-v, --version	Show the Oracle Big Data Appliance release version.
--skip-bdscli-info	<p>Skip bdscli information gathering. Default: false.</p> <p>Runs the following bdscli commands and returns the output:</p> <pre>bdscli -e "list bdsq1" bdscli -e "list bdsq1 detail" bdscli -e "list offloadgroup" bdscli -e "list offloadgroup detail" bdscli -e "list quarantine"</pre>
--get-logs [--log-level=<1/2/3>] [--bundle-name=<name>] [--wrap, --envelop]	<p>Generates a gzipped tar file of logs. Default: false.</p> <p>Options:</p> <ul style="list-style-type: none"> <li>• --log-level=&lt;supported value&gt; Specifies the log level.</li> <li>• --bundle-name=&lt;name&gt; Names the .tar.gz created.</li> <li>• --wrap, --envelop Prepares the bundle to be sent over email.</li> </ul>

 **Note:**

See the table below for more detail on each -get-logs sub-option.

**Table 1-4 (Cont.) Parameters for bds\_cluster\_node\_helper.sh**

Parameter	Description
<code>--set-debug=&lt;on off&gt;</code>	<p><code>--set-debug=&lt;supported value&gt;</code> Set or remove the <code>_cell_server_event</code> parameter from the <code>cellinit.ora</code> file.</p> <ul style="list-style-type: none"> <li>• <code>--set-debug=on</code> <ul style="list-style-type: none"> <li>– In the files <code>/opt/oracle/bigdatasql/bdcell-12.1/bigdata-log4j.properties</code> and <code>/opt/oracle/bigdatasql/bdcell-12.2/bigdata-log4j.properties</code>, this sets the parameter value <code>log4j.logger.oracle.hadoop.sql=ALL</code>. In <code>cellinit.ora</code>, sets <code>_cell_server_event</code> as follows: <code>_cell_server_event="trace[CELLSRV_Disk_Layer]</code> <code>disk=highest, memory=highest"</code></li> </ul> </li> <li>• <code>--set-debug=off</code> <ul style="list-style-type: none"> <li>– In the file <code>/opt/oracle/cell/cellsrv/deploy/config/cellinit.ora</code>, this setting remove the parameter whose prefix is <code>_cell_server_event="trace[CELLSRV_Disk_Layer]</code></li> <li>– In <code>bigdata-log4j.properties</code>, sets <code>log4j.logger.oracle.hadoop.sql=OFF</code>.</li> </ul> </li> </ul>

The table below provides full details on `bds_cluster_node_helper.sh --get-logs` sub-options.

**Table 1-5 Sub-Parameters for --get-logs Option of bds\_cluster\_node\_helper.sh**

<b>bds_cluster_node_helper.sh --get-logs sub-options</b>	<b>Description</b>
<code>--get-logs --log-level=&lt;1/2/3&gt;</code>	<p>Specifies the log level. Default: 1.</p> <p>The scope of the recovery for each log level is as follows:</p> <ul style="list-style-type: none"> <li>• <code>--get-logs</code>, or <code>--get-logs --log-level=1</code>:   <pre> /var/log/bigdatasql /opt/oracle/cell/.install_log.txt </pre> </li> <li>• <code>--get-logs --log-level=2</code>: Includes level 1 logging, plus:   <pre> /var/log/oracle /opt/oracle/cell/cellsrv/deploy/wls/logs /opt/oracle/cell/cellsrv/deploy/msdomain/servers/msServer/logs </pre> </li> <li>• <code>--get-logs --log-level=3</code>: Includes level 1 and 2 logging, plus:   <pre> /var/run/cloudera-scm-agent/process (on Cloudera clusters) /var/lib/ambari-agent/data (on Hortonworks HDP clusters) </pre> </li> </ul> <p>Example: <code># bds_cluster_node_helper.sh --get-logs --log-level=2</code></p>
<code>--get-logs --bundle-name=&lt;name&gt;</code>	<p>Give a name to the created tar.gz bundle. Default: <code>bds-&lt;Oracle Big Data SQL version&gt;-&lt;YYYY-mm-dd-HH-MM-SS&gt;</code>. For example, <code>bds_4.0.0_2019-01-20_23-55-03.tar.gz</code></p> <p>The customer can use this option to specify a different name. For example:</p> <pre># bds_cluster_node_helper.sh --get-logs --bundle-name=logs_from_node1.tar.gz</pre>
<code>--get-logs [--wrap   --envelop]</code>	<p>Prepares the bundle for email transmission. Default: false.</p> <p>Examples:</p> <pre># bds_cluster_node_helper.sh --get-logs --wrap # bds_cluster_node_helper.sh --get-logs --envelop</pre> <p>These sub-options are equivalent.</p>

## 1.12 Using the Installation Quick Reference

Once you are familiar with the functionality of the Jaguar utility on the Hadoop side and bds-database-install.sh on the Oracle Database side, you may find it useful to work from the [Installation Quick Reference](#) for subsequent installations. This reference provides an abbreviated description of the installation steps. It does not fully explain each step, so users should already have a working knowledge of the process. Links to relevant details in this and other documents are included.

# 2

## Installing or Upgrading the Hadoop Side of Oracle Big Data SQL

After downloading the Oracle Big Data SQL deployment bundle and extracting the files, the next step is to configure the installer and then run the installation.

The installation of Oracle Big Data SQL on the Hadoop cluster is deployed using the services provided by the cluster management server (Cloudera Manager or Ambari). The `Jaguar install` command uses the management server API to register the BDS service and start the deployment task. From there, the management server controls the process that deploys the software to the nodes of the cluster and installs it.

The Hadoop-side installation also generates the deployment bundle for the database side of the installation.

If a previous version of Oracle Big Data SQL is already installed, Oracle Big Data SQL upgrades the installation to Release 4.0.

Users of previous Oracle Big Data SQL releases, please note that there are changes to the BDSJaguar configuration parameters available in this release.

### 2.1 About Support for Multiple Database Versions (18c, 12.2, and 12.1)

Oracle Big Data SQL now supports Oracle Database 18c and also provides backward compatibility for Oracle Database 12.2 and 12.1.

To take Oracle advantage of the new capabilities in Oracle Big Data SQL 4.0, you need use Oracle Database 18c or later. However, use of Oracle Database 12.1 and 12.2 is fully supported in this release (even though you cannot leverage the new 4.0 capabilities with these database versions). This backward compatibility enables you to install and administer release 4.0 in a mixed environment that includes both Oracle Database 18c and 12c.

#### See Also:

The [Jaguar Configuration Parameter and Command Reference](#) in this chapter shows you how to configure support for Oracle Database versions when you install the Hadoop side of Big Data SQL.

### 2.2 Before You Start

**Check to Ensure that all DataNodes of the Cluster Meet the Prerequisites**

## 2.2.1 Check for Hadoop-Side Prerequisites With `bds_node_check.sh`

You can run `bds_node_check.sh` on all cluster DataNodes prior to installing Oracle Big Data SQL. This is a quick way to check if each node meets the installation criteria. You can see exactly what needs to be updated.

Running `bds_node_check.sh` is not required, but is recommended. The Jaguar installer runs the same pre-checks internally, but when Jaguar runs the pre-checks it also starts and stops the cluster management server. Furthermore, the installation stops in place when it encounters a node that does not meet the prerequisites. Each time this happens, you then need to fix the readiness errors on the node in order to continue. Running `bds_node_check.sh` as a first step contributes to a smoother installation. You can use this same script to check for the prerequisites when you add new nodes to the cluster.

### Deploying and Running `bds_node_check.sh`

The script checks the local node where it is run. It does not check all nodes in the cluster.

1. Find the script on the cluster management server in the install directory created when you executed `./BDSJaguar-4.0.0.run`.

```
$ ls <Big Data SQL Install Directory>
BDSJaguar
bds_node_check.sh
$ cd <Big Data SQL Install Directory>
```

2. Use your preferred method to copy the script to a node that you want to check.

```
$ scp bds_node_check.sh oracle@<node_IP_address>:/opt/tmp
```

3. Log on to the node and run the script.

```
$ ./bds_node_check.sh
```

### Checking for Missing Prerequisites in the `bds_node_check.sh` Output

The report returned by `bds_node_check.sh` inspects the node both for Jaguar installer prerequisites and prerequisites for support of communications with Query Server on its edge node. If you do not intend to install Query Server, you can ignore that subset of the prerequisites.

```
bds_node_check.sh:
Starting pre-requirements checks for BDS Jaguar
Total memory 50066 >= 20480 correct
vm_overcommit_memory=0 correct
shmmax=1099511627776, shmall=268435456, PAGE_SIZE=4096 correct
shmmax=1099511627776 >= total_memory=52498006016 + 1024 correct
swappiness=10 correct
Total cores 9 >= 8 correct
Size of socket buffer rmem_default 4194304 >= 4194304 correct
Size of socket buffer rmem_max 8388608 >= 4194304 correct
Size of socket buffer wmem_default 4194304 >= 4194304 correct
```

```
Size of socket buffer wmem_max 8388608 >= 4194304 correct
dmidecode installed
net-snmp not installed
net-snmp-utils not installed
perl-XML-SAX not installed
perl-XML-LibXML not installed
perl-libwww-perl not installed
perl-libxml-perl not installed
libaio installed
glibc installed
libgcc installed
libstdc++ installed
libuuid installed
perl-Time-HiRes not installed
perl-libs not installed
rpm found
scp found
curl found
unzip found
zip found
tar found
wget not found
uname found
perl not found
10 error(s) found for BDS Jaguar pre-requirements
```

```
Starting pre-requirements checks for BDS Query Server
expect installed
procmail installed
rpm found
scp found
curl found
unzip found
zip found
tar found
wget not found
uname found
perl not found
```

```
2 error(s) found for BDS Query Server pre-requirements
```

## 2.2.2 Greater Memory Requirement if You Intend to Support Oracle Database 12.1.

Support for Oracle Database 12.1 may require additional memory.

Oracle Big Data SQL 4.0 provides backward compatibility with Oracle Database 12.1 and 12.2 . However compatibility with Oracle Database 12.1 incurs an additional cost in memory. Oracle Database 12.1 support requires that the Hadoop nodes run an older offload server (in addition to the offload server normally present). The overhead of running this additional offload server is a resource expense that you can prevent if you do not need to support Oracle Database 12.1.



**If You Need to Support Oracle Database 12.1 for This Cluster:**

Be sure that the DataNodes in the Hadoop cluster have enough memory. The minimum memory requirement per Hadoop node for an installation that supports full database compatibility, including 18c, 12.2, 12.1 is 64 GB.

Also check to be sure that the memory cgroup upper limit is set to allow Oracle Big Data SQL to consume this much memory.

**If You do not Need to Support Oracle Database 12.1 for This Cluster:**

Be sure to choose the right setting for the `database_compatibility` value in the Jaguar configuration file (`bds-config.json` or other). The options for this parameter are: "12.1", "12.2", "18", and "full". Both "12.1" and "full" trigger the startup of the additional offload server. Use whichever of the options is appropriate for your environment.

Also note that the new features that Oracle Big Data SQL provides cannot be leveraged on the older 12c databases.

 **See Also:**

The [Jaguar Configuration Parameter and Command Reference](#) describes the `database_compatibility` parameter.

## 2.2.3 Plan the Configuration and Edit the Jaguar Configuration File

Before you start, consider the questions below.

Answering these questions will help clarify how you should edit the Jaguar configuration file. (See the [Jaguar Configuration Parameter and Command Reference](#) in this chapter.)

- *Do you plan to access data in object storage?*  
If so, then in the Jaguar configuration file you need to enable this access and also define some proxy settings that are specific to object store access.
- *Do you want to install the optional Query Server?*  
If so, several things are required before you run Jaguar in order to install Oracle Big Data SQL:
  - Identify a cluster edge node to host the optional Query Server. A dedicated node is strongly recommended. Query Server is resource-intensive and cannot run on node hosting either the DataNode or BDSSERVER roles.
  - Download and unzip the Query Server bundle and then execute the run file. The Query Server is in a separate deployment bundle from the Jaguar installer (`BDSEExtra-4.0.0-QueryServer.zip`). Before running Jaguar, download and unzip this bundle from eDelivery. Then execute the Query Server run file. Also, in the configuration file submitted to Jaguar, define the two related parameters in the `edgedb` section of the file `-- node` and `enabled`.

```
"edgedb" :
{
```

```

        "node"      : "<some server>.<some
domain>.com",
        "enabled"  :
"true"
    }

```

- *Does your Hadoop environment need to connect to more than one Oracle Database version?*

By default, Big Data SQL allows connections from 12.1, 12.2, and 18c databases. However, the offloaders that support these connections are resource-intensive, particularly for memory consumption on the nodes of the cluster. If you do not need to support all three releases, you can save resource by turning off either the 12.1 or 12.2 offloader. (Note that the 12.2 offloader actually supports both 12.2 and 18c.) You set this in the configuration passed to the Jaguar installer. For example, you can enter this string to allow connections from 12.1 databases only:

```
"database_compatibility" : [ "12.1" ]
```

To turn off the 12.1 offloader, enter the value "12.2":

```
"database_compatibility" : [ "12.2" ]
```

- *Do you want to enable Database Authentication in order to validate connection requests from Oracle Database to Big Data SQL server processes on the Hadoop DataNodes?*

Database Authentication in the network connection between the Oracle Database and Hadoop is set to "true" in the configuration by default. You have the option to disable it by setting the `database_auth_enabled` to "false":

```
"database_auth_enabled" : "false",
```

- *Do you want to use the Multi-User Authorization feature?*

Multi-User Authorization enables you to grant users other than `oracle` permissions to run SQL queries against the Hadoop cluster. Multi-User Authorization can be used in conjunction with Sentry's role-based access control to provide improved control over user access.

The first step in setting up Multi-User Authorization is to set these parameters in the security section of the configuration file:

```

"impersonation_enabled" : "true",
"impersonation_usehosts" : "true",
"impersonation_blacklist" : "hdfs,hive"

```

Note that you can add any account to the blacklist.

- *Are the Hadoop cluster and the Oracle Database system going to communicate over Ethernet or over InfiniBand? Also, do the Hadoop nodes have more than one network interface?*

See the `use_infiniband` and `selection_subnet` parameters. (The `selection_subnet` does not apply to Oracle Big Data Appliance.)

```
"use_infiniband" : "false",
"selection_subnet" : "5.32.128.10/21"
```

By default `use_infiniband` is set to `false`. Ethernet is the default protocol.

- *Are you going to pre-download the Hadoop and Hive client tarballs and set up a local repository or directory where the installer can acquire them, or, will you configure Jaguar to download them directly from the Cloudera or Hortonworks repository on the Internet?*

Jaguar needs to know where to find the Hadoop and Hive tarballs. You can specify either an URL or directory path or both for the tarballs.

```
"url" : [
"http://repo1.domain.com/loc/hadoop",
"http://repo2.domain.com/loc",
"http://alternate.domain.com/backup/repo"
],
"dir" : [ "/root/hadooprepo" ]
```

If you choose to download the tarballs from the Internet, ensure that the repository is accessible from the node where you are running the installation. If needed, you can set the `http_proxy` parameter to configure the installer to work with HTTP/HTTPS proxies within your environment:

```
"http_proxy" : "http://my.proxy.server.com:80",
"https_proxy" : "http://mysecure.proxy.server.com:80"
```

You can either set the proxy values in the configuration file or use preexisting proxy environment variables.

 **Note:**

On Big Data Appliance only, the Mammoth installer provides an option for you to include Big Data SQL in the Big Data Appliance release installation. You can also install it later using the `bdacli` utility. If you use either of these appliance-specific methods, the clients are installed for you and you do not need to provide any information on where to find them. However, if you use the Jaguar to install Big Data SQL on Big Data Appliance as well as other supported Hadoop platforms, you do have to provide the path to the repositories in the Jaguar configuration file using either the `dir` or `url` parameter.

- *If the network is Kerberos-secured, do you want the installer to set up automatic Kerberos ticket renewal for the oracle account used by Oracle Big Data SQL?*

See the parameters in the `kerberos` section:

```
"principal" : "oracle/mycluster@MY.DOMAIN.COM",
"keytab" : "/home/oracle/security/oracle.keytab",
```

```
"hdfs-principal" : "hdfs/mycluster@MY.DOMAIN.COM",  
"hdfs-keytab" : "/home/hdfs/security/hdfs.keytab"
```

- *Do you want the Oracle Big Data SQL install process to automatically restart services that are in a stale state?*

By default, stale services are restarted automatically. If you want to suppress this, you can set the `restart_stale` parameter in the configuration file to `false`.

- *Is the Hadoop cluster using the default REST API port for CDH or Ambari?*

If not, set the `ports` parameter.

#### Note:

Setting these parameters in the configuration file does not complete the set up for some features. For example, to enable Database Authentication, you must also pass a special `--requestdb` parameter to the Jaguar utility in order to identify the target database or databases. There are also steps required to generate and install the security key used by this feature. To enable Multi-User Authorization, you start by setting the Hadoop Impersonation parameters in the configuration file, but also need to set up the authorization rules. The steps to complete these setups are provided where needed as you work through the instructions in this guide.

## 2.3 About the Jaguar Utility

Jaguar is a multifunction command line utility that you use to perform all Oracle Big Data SQL operations on the Hadoop cluster.

Jaguar currently supports these operations:

- `install`
  - Deploys Oracle Big Data SQL binaries to each cluster node that is provisioned with the DataNode service.
  - Configures Linux and network settings for `bd_cell` (the Oracle Big Data SQL service) on each of these nodes.
  - Generates the bundle that installs Oracle Big Data SQL on the Oracle Database side. It uses the parameter values that you set in the configuration file in order to configure the Oracle Database connection to the cluster.
- `reconfigure`

Modifies the current configuration of the installation (according to the settings in the configuration file provided).
- `databasereq`

Generates a request key file that contains one segment of the GUID-key pair used in Database Authentication. (The `databasereq` operation performs this function only. For `install` and `reconfigure`, request key generation is an option that can be included as part of the larger operation.)
- `databaseack`

Perform the last step in Database Authentication setup -- install the GUID-key pair on all Hadoop DataNodes in a cluster in order to allow queries from the Oracle Database that provided it.

- `sync_principals`  
Gets a list of principals from a KDC running on a cluster node and use it to create externally-identified database users for Query Server.
- `uninstall`  
Uninstalls Oracle Big Data SQL from all DataNodes of the Hadoop cluster.



#### See Also:

[Jaguar Operations](#) in the next section provides details and examples.

## 2.3.1 Jaguar Configuration Parameter and Command Reference

This section describes the parameters within the Jaguar configuration file as well as Jaguar command line parameters.

### Configuration Parameters

The table below describes all parameters available for use in `bds-config.json` or your own configuration file. Only the cluster `name` parameter is always required. Others are required under certain conditions stated in the description.



#### Note:

When editing the configuration file, be sure to maintain the JSON format. Square brackets are required around lists, even in the case of a list with a single item.


**Table 2-1 Configuration Parameters in `bds-config.json` (or in Customer-Created Configuration Files)**

Section	Parameter	Type	Description
cluster	name	String	The name of the cluster.  For CDH clusters (Oracle Big Data Appliance or other), this name can be either the physical cluster name or the display name. The installer searches first by physical name and then by display name.  The <code>name</code> parameter is required only if Cloudera Manager will manage two or more clusters.

**Table 2-1 (Cont.) Configuration Parameters in bds-config.json (or in Customer-Created Configuration Files)**

Section	Parameter	Type	Description
cluster	database_compatibility	string	<p>Select which Oracle Database versions must be supported. Possible values: "12.1"   "12.2"   "18"   "full" For example, either of these settings enables support for Oracle Database 12.1, 12.2, and 18c.</p> <pre>"database_compatibility" : [ "12.1" ] "database_compatibility" : [ "full" ]</pre> <p>Either of the following settings enables support for Oracle Database 12.2, and 18c, but disable support for Oracle Database 12.1. By disabling support for Oracle Database 12.1 if it is not needed, you conserve some system resources, particularly memory.</p> <pre>"database_compatibility" : [ "12.2" ] "database_compatibility" : [ "18" ]</pre> <p>The default is "full".</p>
api	hostname	String	<p>Visible hostname for the cluster management server. In some scenarios, the visible hostname for Cloudera Manager or Ambari is not the same to the current hostname, for example, in High Availability environments. Default: the local hostname.</p>
api	skip_health_check	Boolean	<p>If "true", the cluster health check is skipped. The cluster health check verifies that HDFS, Hive and Yarn services are running with good health and are not stale. Additionally, for CDH clusters, management services should be running with good health and not stale. Default: "false".</p>
api	port	Integer	<p>Cloudera Manager or Ambari REST API port. By default, on CDH clusters this port is 7183 for secured and 7180 for unsecured access. For Ambari, is 8443 for secured and 8080 for unsecured. Optional.</p>

**Table 2-1 (Cont.) Configuration Parameters in bds-config.json (or in Customer-Created Configuration Files)**

Section	Parameter	Type	Description
api	restart_ stale	Boolean	<p>If "true", then services with stale configurations are restarted at the end of install process. These services are HDFS NodeName, YARN NodeManager and/or Hive (depending upon the settings selected).</p> <p>If "false", the installation will finish but those services will remain on stale state. This is useful for avoiding unwanted service interruptions. You can then restart later when it is more convenient.</p> <p>Optional. The default is "true".</p>
edgedb	enabled	Boolean	<p>Determines whether or not the Query Server functionality is enabled or not.</p> <p>Default: "false".</p>
edgedb	node	String	<p>Hostname of the node where the Query Server database will be running (if enabled).</p>
<div style="border: 1px solid #0070c0; padding: 10px; background-color: #e6f2ff;"> <p> <b>Note:</b></p> <p>Because Query Server is resource-intensive, it is highly recommended that you install the database on a dedicated node. Query server cannot run on a node that is running the DataNode role, nor the BDSSERVER role.</p> </div>			
object_store_s upport	enabled	boolean	<p>If "true", Oracle Wallet is set up both in the cluster and on the database system in order to allow access to Object Store.</p> <p>Default: "false".</p>
object_store_s upport	cell_htt p_proxy	string	<p>If object store access support is enabled, this parameter is required for access to an object store from the Hadoop cluster side, even for empty values. Follows same rules as the Linux http_proxy variable. For example: http://myproxy.domain.com:80. No default value.</p>
object_store_s upport	cell_no_ proxy	string	<p>Like cell_http_proxy, supports access to object stores and is also required if this access is enabled, even for empty values. Follows same syntax rules as the Linux no_proxy environment variable. For example: localhost,127.0.0.1,.domain.com. No default value.</p>

**Table 2-1 (Cont.) Configuration Parameters in bds-config.json (or in Customer-Created Configuration Files)**


Section	Parameter	Type	Description
object_store_support	database_http_proxy	string	Same description as <code>cell_http_proxy</code> , except that this parameter supports object store access from the database side, not the Hadoop side.
object_store_support	database_no_proxy	string	Same description as <code>cell_no_proxy</code> , except that this parameter supports object store access from the database side, not the Hadoop side.
network	http_proxy https_proxy	String	Specify the proxy settings to enable download of the Hadoop client tarballs and cluster settings files. If both of these strings are empty, the OS environment proxy settings are used. By default, both strings are empty. Using these two parameters in the configuration file is optional. If they are needed, you could instead set them externally as in <code>export http_proxy=&lt;proxy value&gt;</code> Not applicable to Oracle Big Data Appliance
network	extra_nodes	List	List additional nodes where the BDSAgent should be installed The BDSAgent and BDSServer roles are installed on all DataNodes instances. In addition, BDSAgent is installed on cluster nodes running HiveServer2 and HiveMetaStore instances. All remaining nodes are automatically excluded unless you add them here. Default: empty
network	excluded_nodes	List	Nodes that are not hosting the DataNode role can be excluded by listing them within this parameter.
security	impersonation_enabled	Boolean	If "true", Hadoop impersonation for Multi-user Authorization support is enabled. This sets up the oracle OS user as the Hadoop proxy user and propagates the proxy user's black list to the database nodes. If "false", this feature is not enabled. Default value: "true" in Oracle Big Data SQL 4.x and higher.

 **Note:**

For CDH clusters, if the Sentry service is running, this setting is overridden and impersonation is enabled regardless of the value of this parameter.



**Table 2-1 (Cont.) Configuration Parameters in bds-config.json (or in Customer-Created Configuration Files)**

Section	Parameter	Type	Description
kerberos	principal	String	The fully-qualified Kerberos principal name for a user.
			<div style="border: 1px solid #0070C0; padding: 10px; background-color: #E6F2FF;"> <p> <b>Note:</b></p> <p>In earlier releases, only the principal for the oracle user is supported. Other principals are now supported as well.</p> </div>
			<p>The principal has three parts:</p> <ul style="list-style-type: none"> <li>• The User Name: Kerberos principal name are case-sensitive. Be sure the User Name in the same format used for the Kerberos principal name.</li> <li>• Qualifier: "<i>/&lt;qualifier&gt;</i>." This is optional information to help you organize and identify principals.</li> <li>• Domain: "@MY.DOMAIN.COM." This is required information managed by the KDC.</li> </ul> <p>The Oracle Big Data SQL installation uses the Kerberos principal field (and keytab field below) to set up automated Kerberos ticket renewal for the user represented by the principal. It does this on both the Hadoop and Oracle Database sides of the installation. The installer does not create the principal or the keytab. These must already exist. Required for secured clusters.</p>
kerberos	db-service-principal	String	<p>Specifies a principal on the KDC server. This is the service principal Query Server uses to validate the Kerberos ticket presented by a client.</p> <p>Both db-service-principal and db-service-keytab are used to validate the Kerberos ticket presented by a client . Note that the parameters SQLNET.AUTHENTICATION_KERBEROS5_SERVICE and SQLNET.KERBEROS5_KEYTAB in sqlnet.ora will be set accordingly.</p> <p>The qualifier for the principal name must match the fully qualified domain name of the node where the Query Server will be running. Required for secured clusters.</p>
kerberos	db-service-keytab	String	<p>Fully-qualified location of the keytab file for the principal specified with db-service-principal. Be sure to store the keytab in a location that is accessible to the Jaguar installer.</p>


**Table 2-1 (Cont.) Configuration Parameters in bds-config.json (or in Customer-Created Configuration Files)**

Section	Parameter	Type	Description
kerberos	sync_principals	Boolean	<p>The sync_principals parameter specifies whether or not Jaguar automatically gets a list of principals from a KDC running on a cluster node and then uses the list to create externally-identified database users for Query Server.</p> <p>If set to true, then an automatic synchronization with Kerberos principals occurs during Jaguar install and reconfigure operations. The user can also call this synchronization at any time by invoking the sync_principals operation of Jaguar on the command line.</p> <p>Default: "true".</p>
kerberos	hdfs-keytab	String	<p>Fully-qualified path to the principal keytab file. A keytab file is created for each principal on the KDC server. It must exist in a location accessible to the Jaguar installer.</p> <p>Required for secured clusters.</p>
kerberos	keytab	String	<p>Fully-qualified location for the principal's keytab file name.</p> <p>Copy the keytab file to a location accessible to the Jaguar installer and set the path as the value of this parameter.</p>
kerberos	hdfs-principal	String	<p>Fully-qualified Kerberos principal name for the "hdfs" user. It has three parts: User name, Qualifier, and Domain.</p> <p>The User name is the fully-qualified principal name for the hdfs user. Qualifier is the cluster name prefixed by a forward slash, as in /mycluster. Domain is specified in the form @MY.DOMAIN.COM. All three are required. The principal name is defined on the KDC.</p> <p>Required for secured clusters.</p>
repositories	dir	List	<p>List of directories where the Hadoop clients for deployment on the database side are located. These directories can be on the local file system or on NFS. Directories are searched in the order listed. By default, the list is empty. If the dir list has any entries, these are searched before the URL list is searched, since this option should provide the fastest access to the clients. To give the installer the quickest access to the tarballs, you could set up a local repository, download the tarballs separately though a direct Internet connection, copy them into a directory on the same node where the Oracle Big Data SQL installer will run, and list that directory in the dir parameter.</p> <p>Optional.</p> <p>Not applicable to Oracle Big Data Appliance.</p>

**Table 2-1 (Cont.) Configuration Parameters in bds-config.json (or in Customer-Created Configuration Files)**

Section	Parameter	Type	Description
repositories	url	List	<p>This is the list of URLs where the Hadoop client tarballs for deployment on the database side are located. If your data center already has repositories set up for access via HTTP, then you may prefer to maintain the Hadoop tarballs in that repository and use URL parameter for Oracle Big Data SQL installations. The URLs can be to the localhost, an internal network, or a site on the Internet (if the node has Internet access). The URLs are tried in the order listed. Note that internal proxy values and/or OS environment proxy settings must be set to allow this access if needed.</p> <p>If access to all listed repositories fails and/or Internet access is blocked, the database installation bundle is not created and a warning message is displayed. After correcting any problems and providing access to a repository, you can re-run the installer using the <code>reconfigure</code> and the installer should successfully generate the database-side installation bundle. Note that <code>reconfigure</code> detects and implements changes according to the current directives in the configuration file. It does not uninstall and reinstall Oracle Big Data SQL on the cluster.</p> <p>Not applicable to Big Data Appliance, where the tarballs are stored in a local repository in the cluster and the location is automatically added to the configuration file.</p>
network	use_infiniband	Boolean	<p>If "true", the communication will be set through private network interface, if "false" by client network interface.</p> <p>Used for Oracle Big Data Appliance clusters only. Default value: "false".</p>

**Table 2-1 (Cont.) Configuration Parameters in bds-config.json (or in Customer-Created Configuration Files)**

Section	Parameter	Type	Description
network	selection_subnet	String	<p>If Hadoop cluster nodes have several network interfaces, you can use <code>selection_subnet</code> to select one. The selected IP address will be the nearest to the selection subnetwork.</p> <p>If the Hadoop cluster nodes have only one network interface, this parameter is ignored.</p> <p>The default value depends upon these conditions:</p> <ul style="list-style-type: none"> <li>On non-Oracle commodity Hadoop clusters (CDH or HDP) the default selection is 0.0.0.0/0. (If a cluster node has several IP addresses, the lowest address is selected.)</li> <li>On Oracle Big Data Appliance, the default is either the private or client IP address, depending upon the setting of the <code>use_infiniband</code> parameter.</li> </ul>
<div style="border-left: 2px solid #0070C0; border-right: 2px solid #0070C0; border-bottom: 2px solid #0070C0; padding: 10px; background-color: #E6F2FF;"> <p> <b>Note for Oracle Big Data Appliance Users:</b></p> <p>It's possible to configure several networks on an Oracle Big Data Appliance. If multiple networks exist, then this parameter must be set in order to select a specific network.</p> </div>			
security	database_auth_enabled	Boolean	<p>If "true", the database authentication through the GUID-key mechanism is enabled. This requires an extra step in the installation process in order to set up the database GUID-key pair on the cluster side. If "false", the feature will not be enabled.</p> <p>Default value: "true".</p>
security	impersonation_blacklist	String	<p>The Hadoop proxy users blacklisted for impersonation. This parameter is used only if Hadoop impersonation is enabled.</p> <p>Since this is a required setting on the Oracle Database side, it is provided with a default value of "dummy" in order to avoid extproc errors that can occur if Hadoop Impersonation is not enabled.</p>

**Table 2-1 (Cont.) Configuration Parameters in bds-config.json (or in Customer-Created Configuration Files)**

Section	Parameter	Type	Description
security	impersonation_uses_hosts	Boolean	If "true", the proxy hosts variable is set to the IP address of the database node. If "false", the proxy hosts variable is set to the wildcard: "*". Default value: "true".
memory	min_hard_limit	Integer	The minimum amount of memory reserved for Big Data SQL, in megabytes. This parameter is used on CDH clusters (Oracle Big Data Appliance and others). It is not used on HDP clusters. By default, the value is 16384 MB (16 GB) .
memory	max_percentage	Integer	On CDH clusters (Oracle Big Data Appliance and others) this parameter specifies the percentage of memory on each node to reserve for Big Data SQL. This percentage is considered from a total amount of: NodeManager if YARN ResourceManager is enabled for that node. Physical memory if not. If the YARN Resource Manager is enabled for the node, then percentage should be based on the total amount of memory used by the NodeManager. Otherwise it should be a percentage of physical memory. This parameter is ignored on HDP clusters.

 **Note:**

After Oracle Big Data SQL is installed on the Hadoop cluster management server, you can find configuration file examples that demonstrate various parameter combinations in the `<Big Data SQL Install directory>/BDSjaguar` directory:

```
example-bda-config.json
example-cdh-config.json
example-kerberos-config.json
example-localrepos-config.json
example-subnetwork-config.json
example-unsecure-config.json
```

You can see all possible parameter options in use in `example-cdh-config.json` .

 **See Also:**

See the Appendix [Determining the Correct Software Version and Composing the Download Paths for Hadoop Clients](#) for suggestions that can help with the setup of client tarball downloads.

## Jaguar Operations

The table below lists the full set of operations performed by the Jaguar utility on the Hadoop side of the Oracle Big Data SQL installation.

The general syntax for Jaguar commands is as follows. The `--requestdb` parameter does not apply to all Jaguar commands.

```
# ./jaguar {--requestdb <comma-separated database names> | NULL } <action>
{ bds-config.json | <myfilename>.json | NULL }
```

### Examples:

```
# ./jaguar install
# ./jaguar install bds-config.json
# ./jaguar install mycustomconfig.json
# ./jaguar --requestdb orcl,testdb,proddb install
# ./jaguar --requestdb orcl install
# ./jaguar sync_principals
```

You can use the default `bds-config.json` or your own configuration file, or omit the configuration file argument (which defaults to `bds-config.json`).

 **About --requestdb:**

The `--requestdb` parameter is required for the `databasereq` command, optional for `install`, `updatenodes`, and `reconfigure`, and non-applicable for other Jaguar commands. The parameter must be passed in to one of these operations in order to enable Database Authentication in the connection between a Hadoop cluster and a database. Unless you prefer to disable Database Authentication, it is recommended that you include `--requestdb` with the initial `install` operation. Otherwise, you will need perform an additional step later in order to generate the request key.

This parameter is functional only when Database Authentication (`database_auth_enabled`) is set to “true” in the configuration. (This setting is a configuration default and does not need to be explicitly set in the configuration file.)

Jaguar needs the database names in order to generate a unique `.reqkey` (request key) file for each database. When `database_auth_enabled` is set “true” at installation time, the `--requestdb` parameter is still optional. Post-installation you have the same option to send the request key in the `updatenodes`, `reconfigure`, and `databasereq` commands. Database Authentication is not implemented until you do all of the following:

1. Ensure that `database_auth_enabled` is either absent from the configuration file or is set to “true”. (It is “true” by default.)
2. Include `--requestdb` in a Jaguar command:
  - a. Run the Jaguar `install`, `updatenodes`, or `reconfigure` and install the updated database-side installation bundle, or
  - b. Run Jaguar `databasereq` to generate an acknowledge key from the existing database side installation.
3. Copy the generated ZIP file that contains the `.ackkey` file from the database-side installation directory to `/opt/oracle/DM/databases/conf` on the Hadoop cluster management server.
4. Run the Jaguar `databaseack` command as described in the table below.

The table below shows the available Jaguar commands.

Table 2-2 Jaguar Operations

Jaguar Operation	Supports --requestdb?	Usage and Examples
install The --requestdb parameter is not strictly required by the install operation, but you cannot enable Database Authentication if you do not generate a request key for each database.  --requestdb <comma-separated database list>	Y	<p>Installs Oracle Big Data SQL on the Hadoop cluster identified in the configuration file and creates an installation bundle for the database side based on the parameters included in the configuration file (or default values for parameters not explicitly assigned value in the configuration file). Examples:</p> <pre># ./jaguar --requestdb orcl,testdb,proddb install</pre> <p>No configuration file parameter is included in the above example. <code>bds-config.json</code> is the implicit default. You can specify a different configuration file as in <code>./jaguar --requestdb mydb install myconfig.json</code></p>
updatenodes	Y	<p>On Big Data Appliance clusters running Oracle Linux 6 and Oracle Linux 7, <code>scl</code> is not needed in order call the correct Python version for Jaguar.</p> <p>Expand or shrink the cluster. Oracle Big Data SQL to any new DataNodes and update the cells inventory if the cluster has grown since the last Oracle Big data SQL installation.</p>

 **Note:**

You may need to use the `scl` utility to ensure that the correct Python version is invoked:

```
scl enable python27 "./jaguar
install"
```



Table 2-2 (Cont.) Jaguar Operations

Jaguar Operation	Supports --requestdb?	Usage and Examples
reconfigure	Y	<p>Modify the current installation by applying changes you have made to the configuration file (<code>bds-config.json</code> or other).</p> <pre># ./jaguar reconfigure myconfigfile.json</pre> <p>Note that if you run <code>./jaguar reconfigure &lt;config file&gt;</code> to reconfigure Oracle Big Data SQL on the Hadoop cluster, a corresponding reconfiguration is required on the Oracle Database side. The two sides cannot communicate if the configurations do not match. The Jaguar utility regenerates the database-side bundle files to incorporate the changes. You must redeploy the bundle on all database servers where it was previously installed.</p> <p>The <code>--requestdb</code> argument is required if <code>database_auth_enabled</code> is set to "true" in the updated configuration file. This is so that Jaguar will generate <code>.reqkey</code> files that are included in the database-side installation bundle. Note that we let the configuration file parameter default to <code>bds-config.json</code>.</p> <pre># ./jaguar --requestdb demodb,testdb,proddb1 reconfigure</pre>
databasereq	Y	<p>Use this command to create the <code>.reqkey</code> file without repeating the Hadoop-side installation, or doing an <code>updatenodes</code> or <code>reconfigure</code> operation. (For example, if you forgot to include the <code>--requestdb</code> argument with the Jaguar <code>install</code> command), you can create a request key later with <code>databasereq</code>. This operation requires that <code>database_auth_enabled</code> is set to "true" (the default value) in the configuration.</p> <pre># ./jaguar --requestdb demodb,testdb,proddb1 databasereq</pre>

Table 2-2 (Cont.) Jaguar Operations

Jaguar Operation	Supports --requests --requests tdb?	Usage and Examples
databaseack	N	<p>The "Database Acknowledge" process provides confirmation to the Oracle Big Data SQL installation on the Hadoop cluster that security features you enabled in the configuration file have been successfully implemented in the database-side installation. It then completes implementation of the selected security features on the Hadoop cluster side.</p> <pre>./jaguar databaseack bds-config.json</pre> <p>Only run databaseack if you chose to enable security features by setting either of these parameters in the configuration file to "true":</p> <ul style="list-style-type: none"> <li>"impersonation_enabled" : "true"</li> <li>"database_auth_enabled" : "true"</li> </ul> <p>If a database-side installation bundle is built with any of these features set to "true", then the database-side installation from that bundle generates a ZIP file in the installation directory under <code>\$ORACLE_HOME</code> on the database server. The format of the ZIP file name is <code>&lt;Hadoop cluster name&gt;-&lt;Number nodes in the cluster&gt;-&lt;FQDN of the cluster management server node&gt;-&lt;FQDN of this database node&gt;.zip</code>. For example:</p> <pre>\$ ls \$ORACLE_HOME/BDSJaguar-4.0.0/cdh510-6-node1.my.domain.com/*.zip \$ cdh510-6-node1.my.domain.com-myoradb1.mydomain.com.zip</pre> <p>Copy this zip archive back to <code>/opt/oracle/DM/databases/conf</code> on the Hadoop cluster management server after the database-side installation is complete. Then, to fully enable the security features, run databaseack.</p>
sync_principals	N/A	Gets a list of principals from a KDC running on a cluster node and use it to create externally-identified database users in Query Server. You can do the same by including the similarly-named sync_principals parameter in a Jaguar configuration file during Jaguar install and reconfigure operations.
--object-store-http-proxy	N/A	Specify a different proxy for Object Store access than the one set in the configuration file.
--object-store-no-proxy	N/A	Sets a no-proxy value and overrides the no_proxy value that may be set in the configuration file.
uninstall	N/A	<p>Uninstall Oracle Big Data SQL from the Hadoop cluster.</p> <p>The uninstall process stops the <code>bd_cell</code> process (the Oracle Big Data SQL process) on all Hadoop cluster nodes, removes all instances from Hadoop cluster, and release all related resources.</p>

 **Note:**

When Oracle Big Data SQL is uninstalled on the Hadoop side, any queries against Hadoop data that are in process on the database side will fail. It is strongly recommended that you uninstall Oracle Big Data SQL from all databases systems shortly after uninstalling the Hadoop component of the software.

 **See Also:**

[Uninstalling Oracle Big Data SQL.](#)

## 2.4 Steps for Installing on the Hadoop Cluster

After you have set up the Jaguar configuration file according to your requirements, follow these steps to run the Jaguar installer, which will install Oracle Big Data SQL on the Hadoop cluster and will also generate a database-side installation bundle that you deploy to the Oracle Database system. In these steps, `bds-config.json` is the configuration filename passed to Jaguar. This is the default. Any file name is accepted, therefore you can create separate configuration files for installation on different clusters and save them in different files.

 **Note:**

Jaguar requires Python 2.7 to 3.0. Versions greater than 3.0 are not supported by Oracle Big Data SQL at this time. If necessary, you can add a Jaguar-compatible version of Python as a secondary installation. Revisit the prerequisites section in the Introduction for details. If you are using Oracle Big Data Appliance, do **not** overwrite the Mammoth-installed Python release.

1. Log on to the cluster management server node as `root` and `cd` to the directory where you extracted the downloaded Oracle Big Data SQL installation bundle.
2. `Cd` to the `BDSJaguar` subdirectory under the path where you unzipped the bundle.

```
# cd <Big Data SQL Install Directory>/BDSJaguar
```

3. Edit the file `bds-config.json`.

```
{  
  "cluster": {  
    "name": "<Your cluster name>"  
  }  
}
```

Add the parameters that you want to use in this installation.

 **See Also:**

The cluster name is the only required parameter, but it is required only in environments where the configuration management service must manage more than one cluster. See the [Jaguar Configuration Parameter and Command Reference](#) for a description of all available parameters. You can see an example of a `bds-config.json` file populated with all available parameters in [bds-config.json Configuration Example](#).

In the `BDSJaguar` directory, run the Jaguar `install` operation. Pass the `install` parameter and the configuration file name. (`bds-config.json` is the implicit default) as arguments to the Jaguar command. You may or may not need to include the `--requestdb` option.

```
[root@myclusteradminserver:BDSjaguar] # ./jaguar install <config file name>
```

 **Note:**

By default, Database Authentication is set to true unless you set `database_auth_enabled` to “false” in the configuration file. If you enable Database Authentication, then either as part of the install operation or later, generate a “request key.” This is half of a GUID/key pair used in the authentication process. To generate this key, include the `--requestdb` parameter in the Jaguar `install` command line:

```
[root@myclusteradminserver:BDSjaguar] # ./jaguar --requestdb mydb install
```

If the install was run with `database_auth_enabled` is “true”, you can use the Jaguar `databasereq` command to generate the key after the database-side installation. Several other Jaguar commands can also generate the request key if you pass them the `--requestdb` parameter.

Jaguar prompts for the cluster management service administrator credentials and then installs Oracle Big Data SQL throughout the Hadoop cluster. It also generates the database-side installation bundle in the `db-bundles` subdirectory. The following message is returned if the installation completed without error.

```
BigDataSQL: INSTALL workflow completed.
```

4. Check for the existence of the database side installation bundle:

```
# ls <Big Data SQL Install Directory>/BDSJaguar/db-bundles
bds-4.0.0-db-<cluster>-<yymmdd.hhmi>.zip
```

This bundle is for setting up Oracle Big Data SQL connectivity Oracle database and the specific cluster defined in the `bds-config.json` (or other) configuration file. It contains all packages and settings files required except for an optional database request key file.

If you included `--requestdb` in the install command, then the installation also generates one or more database request key files under the `dbkeys` subdirectory. You should check to see that this key exists.

```
# ls <Big Data SQL Install Directory>/BDSJaguar/dbkeys  
clusterldb.reqkey
```

#### See Also:

If you chose to install Query Server, you can connect and start working with it now. It is not dependent on completion of the Oracle Database side of the installation. See *Working With Query Server* in the *Oracle Big Data SQL User's Guide*.

This completes the Oracle Big Data SQL installation on the Hadoop cluster.

#### What Next?

After Jaguar has successfully installed Oracle Big Data SQL on the Hadoop cluster, you are done with the first half of the installation. The next step is to install Oracle Big Data SQL on the Oracle Database system that will run queries against the data on the Hadoop cluster.

To do this, copy the database-side installation bundle to any location on the Oracle Database system. Unless you set `database_auth_enabled` to "false" in the configuration file, then also copy over the `.reqkey` file generated by Jaguar.

#### Tip:

You only need to send a request key to a database once. A single request key is valid for all Hadoop cluster connections to the same database. If you have already completed the installation to connect one Hadoop cluster to a specific database, then the database has the key permanently and you do not need to generate it again or copy it over to the database again in subsequent cluster installations.

Go to [Installing or Upgrading the Oracle Database Side of Oracle Big Data SQL](#) for instructions on unpacking the bundle and installing the database-side components of the software.

#### See Also:

An example of the complete standard output from a successful installation is provided in [Oracle Big Data SQL Installation Examples](#).

# 3

## Installing or Upgrading the Oracle Database Side of Oracle Big Data SQL

Oracle Big Data SQL must be installed on both the Hadoop cluster management server and the Oracle Database server. This section describes the installation of Oracle Big Data SQL on Oracle Database systems, including single-node and RAC systems.

### 3.1 Before You Start the Database-Side Installation

Review the points in this section before starting the installation.

If the current version of Oracle Big Data SQL is already installed on the Oracle Database system and you are making changes to the existing configuration, you do not need to repeat the entire installation process. See [Reconfiguring an Existing Oracle Big Data SQL Installation](#) .

**!** Important:

- For multi-node databases (such as Oracle RAC systems), **you must repeat this installation on every compute node of the database.** If this is not done, you will see RPC connection errors when the Oracle Big Data SQL service is started.
- It is recommended that you set up passwordless SSH for root on the database nodes where Grid is running. Otherwise, you will need to supply the credentials during the installation on each node.
- If the `diskmon` process is not already running prior to the installation, a Grid infrastructure restart will be required in order to complete the installation.
- If you set up Oracle Big Data SQL connections from more than one Hadoop cluster to the same database, be sure that the configurations for each connection are the same. Do not set up one connection to use Infiniband and another to use Ethernet. Likewise, if you enable database authentication in one configuration, then this feature must be enabled in all Oracle Big Data SQL connections between different Hadoop clusters and the same database.
- If the database system is Kerberos-secured, then it is important to note that authentication for the database owner principal can be performed by only one KDC. Oracle Big Data SQL currently does not support multiple Kerberos tickets. If two or more Hadoop cluster connections are installed by the same database owner, all must use the same KDC.

The `KRB5_CONF` environment variable must point to only one configuration file. The configuration file must exist, and the variable itself must be set for the database owner account at system startup.

- For database running under Oracle Grid Infrastructure, if the system has more than one network interfaces of the same type (two or more Ethernet, two or more InfiniBand, or two or more Ethernet-over-InfiniBand interfaces), then the installation always selects the one whose name is first in alphabetical order.

 See Also:

Details are provide in [Special Considerations When a System Under Grid Infrastructure has Multiple Network Interfaces of the Same Type.](#)

### 3.1.1 Check for Required Grid Patches With `bds-validate-grid-patches.sh`

The script `bds-validate-grid-patches.sh` checks to determine whether or not patches to the Oracle Grid Infrastructure that are required by Oracle Big Data SQL have been installed.

 **Note:**

If you want to run this script, do so *before* Oracle Big Data SQL is installed on the database node.

Prerequisites for running this script:

- `ORACLE_HOME` must be set to the Grid home.

```
$ echo $ORACLE_HOME
/u01/app/18c/gridhome
```

- Copy the file `bdsq1_db_patches` from the Oracle Big Data SQL installation directory on the Hadoop cluster to the same directory where you will run `bds-validate-grid-patches.sh` on the database node. The script uses `bdsq1_db_patches` to determine if the required Grid patches are present for this release of Oracle Big Data SQL on the currently-installed Oracle Database release. You can find `bdsq1_db_patches` at the following location on the Hadoop cluster node where you ran that side of the installation:

```
<Oracle Big Data SQL installation directory>/BDSJaguar/bdsrepo/db/
bdsq1_db_patches>
```

By default, the installation directory on the Hadoop cluster is `/opt/oracle`.

- You must run this script as the Oracle Grid Infrastructure installation owner (Grid user).

 **See Also:**

The [Oracle Big Data SQL Master Compatibility Matrix](#) (Doc ID 2119369.1 in [My Oracle Support](#)) provides up-to-date information on patch requirements.

### 3.1.2 Potential Requirement to Restart Grid Infrastructure

In certain database environments `bds-database-install.sh` needs to create `cellinit.ora` and/or `celliniteth.ora`. In these cases, the script will attempt to propagate similar changes across all nodes in the Grid Infrastructure. To do this, the script expects that passwordless SSH is set up between `oracle` and `root` or it will prompt for the root password for each node during execution. If the nature of the changes requires a restart of the Grid Infrastructure, the script will also display messages indicating that grid infrastructure needs to be restarted manually. Because the installation cannot complete without Grid credentials if a restart is necessary, be sure that you have the Grid password at hand.



### 3.1.2.1 Understanding When Grid or Database Restart is Required

On the database side of Oracle Big Data SQL, the diskmon process is the agent in charge of communications with the Hadoop cluster. This is similar to its function on the Oracle Exadata Database Machine, where it manages communications between compute nodes and storage nodes.

In Grid environments, diskmon is owned by the Grid user. In a non-Grid environment, it is owned by the Oracle Database owner.

In Oracle Big Data SQL, diskmon settings are stored on `cellinit.ora` and `celliniteth.ora` files in the `/etc/oracle/cell/network-config/` directory. The installer updates these files in accordance with the cluster connection requirements.

This is how the installer determines when Grid or Oracle Database needs to be restarted:

- If the installer detects that no previous `cellinit.ora` or `celliniteth.ora` file exists, this means that no diskmon process is running. In this case, if the environment includes Oracle Grid then you must restart the Grid. If the environment does not include Grid, then you must restart Oracle Database.
- If previous `cellinit.ora` and/or `celliniteth.ora` file exist, this indicates that diskmon process is running. In this case, if the installer needs to make a change to these files, then only the database needs to be restarted.
- In multi-node Grid environments, diskmon works on all nodes as a single component and `cellinit.ora` and `celliniteth.ora` must be synchronized on all nodes. This task is done through SSH. If passwordless SSH is set up on the cluster, no user interaction is required. If passwordless SSH is not set up, then the script will pause for you to input the root credentials for all nodes. When the `cellinit.ora` and `celliniteth.ora` files across all nodes are synchronized, then the script will continue. Then the script finishes and in this case, you must restart the Grid infrastructure.

### 3.1.3 Special Considerations When a System Under Grid Infrastructure has Multiple Network Interfaces of the Same Type

The Oracle Big Data SQL installation or SmartScan operation may sometimes fail in these environments because the wrong IP address is selected for communication with the cells.

When installing Oracle Big Data SQL within Oracle Grid Infrastructure, you cannot provide the installer with a specific IP address to select for communication with the Oracle Big Data SQL cells on the nodes. Network interface selection is automatically determined in this environment. This determination is not always correct and there are instances where the database-side installation may fail, or, you may later discover that SmartScan is not working.

You can manually correct this problem, but first it is helpful to understand how the installation decides which network interfaces to select.

#### **How the Installation Selects From Among Multiple Interfaces of the Same Type on a System Under Grid Infrastructure**

- The `diskmon` process is controlled by Oracle Grid Infrastructure and not by the database. Grid manages communications with the Oracle Big Data SQL cells.
- The Oracle Big Data SQL installer in these cases does not create `cellinit.ora` and `celliniteth.ora`, nor does it update the cell settings stored in these files. In these environments, the task is handled by Grid, because it is a cluster-wide task that must be synchronized across all nodes.
- If there are multiple network interfaces, the Grid-managed update to the cells automatically selects the first network interface of the appropriate type on each node. It selects the interface whose name is first in alphabetical order.

For example, here is a system that is under Grid Infrastructure. It has multiple InfiniBand, Ethernet, and Ethernet over InfiniBand (`bondeth*`) network interfaces. This is the list of interfaces:

```
[root@mynode ~]# ip -o -f inet addr show
1: lo      inet 127.0.0.1/8
2: eth0    inet 12.17.207.156/21
3: eth1    inet 16.10.145.12/21
19: bondeth0    inet 12.17.128.15/20
20: bondeth2    inet 16.10.230.160/20
21: bondeth4    inet 192.168.1.45/20
30: bondib0     inet 192.168.31.178/21
31: bondib1     inet 192.168.129.2/21
32: bondib2     inet 192.168.199.205/21
33: bondib3     inet 192.168.216.31/21
34: bondib4     inet 192.168.249.129/21
```

When the Oracle Big Data SQL installer runs on this system, the following interfaces would be selected.

- 192.168.31.178/21 is selected for the InfiniBand connection configured in `cellinit.ora`. Among the InfiniBand interfaces on this system, the interface name `bondib0` is first in an ascending alphabetical sort.
- 12.17.128.15/20 is selected for an Ethernet-over-InfiniBand connection configured in `celliniteth.ora`.

 **Note:**

This example demonstrates an additional selection factor – Ethernet over InfiniBand takes precedence over standard Ethernet. The `bondeth0` interface name is first in this case.

### How the Installation (or SmartScan) may Fail Under These Conditions

It is possible that `diskmon` cannot connect to the Oracle Big Data SQL cells via the network interface selected according to the logic described above. The correct subnet (one that `diskmon` can reach) may not appear first in an alphabetical sort.

### How to Fix the Problem

You can manually change the IP addresses in `thecellinit.ora` and `celliniteth.ora` files. These files are at `/etc/oracle/cell/network-config` on each node.

1. Stop the CRS process. (Be sure to do this before the cell edit. If you do not, diskmon may hang.)
2. Edit `cellinit.ora` and/or `celliniteth.ora` . Change the IP addresses as needed.
3. Restart CRS.

## 3.2 About the Database-Side Installation Directory

You start the database side of the installation by unpacking the database-side installation bundle and executing the run file it contains. The run file creates an installation directory under `$ORACLE_HOME/BDSJaguar-4.0.0`. For example:

```
$ORACLE_HOME/BDSJaguar-4.0.0/cdh510-6-node1.mycluster.mydomain.com
```

The installation of Oracle Big Data SQL is not finished when this directory is created. The directory is a staging area that contains all of the files needed to complete the installation on the database node.

There can be Oracle Big Data SQL connections between the database and multiple Hadoop clusters. Each connection is established through a separate database-side installation and therefore creates a separate installation directory. The segments in the name of the installation directory enable you to identify the Hadoop cluster in this specific connection:

```
<Hadoop cluster name>-<Number nodes in the cluster>-<FQDN of the  
cluster management server node>
```

You should keep this directory. It captures the latest state of the installation and you can use it to regenerate the installation if necessary. Furthermore, if in the future you need to adjust the database-side of the installation to Hadoop cluster changes, then the updates generated by the Jaguar `reconfigure` command are applied to this directory.

Consider applying permissions that would prevent the installation directory from being modified or deleted by any user other than `oracle` (or other database owner).

## 3.3 Steps for Installing on Oracle Database Nodes

To install the database side of Oracle Big Data SQL, copy over the zip file containing the database-side installation bundle that was created on the Hadoop cluster management server, unzip it, execute the run file it contains, then run the installer.

Perform the procedure in this section as the database owner (`oracle` or other ). You stage the bundle in a temporary directory, but after you unpack the bundle and execute the run file it contains, then the installation package is installed in a subdirectory under `$ORACLE_HOME`. For example: `$ORACLE_HOME/BDSJaguar-4.0.0/cdh510-6-node1.mycluster.mydomain.com`.

Before starting, check that `ORACLE_HOME` and `ORACLE_SID` are set correctly.

## How Many Times Do I Run the Installation?

You must perform the installation for each instance of each database. For example, if you have a non-CBD database and a CBD database (DBA and DBB respectively, in the example below) on a single two-node RAC, then you would install Oracle Big Data SQL on both nodes as follows:

- On node 1

```
./bds-database-install.sh --db-resource=DBA1 --cdb=false  
./bds-database-install.sh --db-resource=DBB1 --cdb=true
```

- On node 2

```
./bds-database-install.sh --db-resource=DBA2 --cdb=false  
./bds-database-install.sh --db-resource=DBB2 --cdb=true
```

## Copy Over the Components and Prepare for the Installation

Copy over and install the software on each database node in sequence from node 1 to node *n*.

1. If you have not already done so, use your preferred method to copy over the database-side installation bundle from the Hadoop cluster management server to the Oracle Database server. If there are multiple bundles, be sure to select the correct bundle for cluster that you want to connect to Oracle Database. Copy it to any location that you would like to use as a temporary staging area. To perform the copy operation, it may be easiest for you to log on to the Hadoop cluster management server as `root`, navigate down to the bundle location within the Oracle Big Data SQL installation directory, and push the bundle over to the database server. Use the database owner account (usually `oracle`) for the remote logon on the database side.

In this example the bundle is copied over to `/opt/tmp`. You can copy the bundle to any secure directory, but first confirm that the directory exists.

```
# cd <Big Data SQL Install Directory>/BDSjaguar-4.0.0/db-bundles  
# scp bds-4.0.0-db-<cluster>-<yymmdd.hhmi>.zip  
oracle@<database_node>:/opt/tmp
```

2. If you generated a database request key, then also copy that key over to the Oracle Database server.

```
# cd <Big Data SQL Install Directory>/BDSjaguar-4.0.0/dbkeys  
# scp <database name or other name>.reqkey oracle@<database_node>:/opt/tmp
```

3. Log on to the database server host as `oracle` (or whichever user is the database owner) and `cd` to the directory where you copied the file (or files).
4. Unzip the bundle. You will see that it contains a single, compressed run file.
5. Check to ensure that the prerequisite environment variables are set – `$ORACLE_HOME` and `$ORACLE_SID`.

6. Run the file in order to unpack the bundle into `$ORACLE_HOME`. For example:

```
$ ./bds-4.0.0-db-cdh510-170309.1918.run
```

Because you can set up independent Oracle Big Data SQL connections between an Oracle Database instance and multiple Hadoop clusters, the `run` command unpacks the bundle to a cluster-specific directory under `$ORACLE_HOME/BDSJaguar-4.0.0`. For example:

```
$ ls $ORACLE_HOME/BDSJaguar-4.0.0
cdh510-6-node1.mycluster.mydomain.com
test1-3-node1.myothercluster.mydomain.com
```

If the `BDSJaguar-4.0.0` directory does not already exist, it is created as well.

7. If you generated a database request key, then copy it into the newly created installation directory. For example:

```
$ cp /opt/tmp/mydb.reqkey $ORACLE_HOME/BDSJaguar-4.0.0/cdh510-6-
node1.mycluster.mydomain.com
```

 **Tip:**

You also have the option to leave the key file in the temporary location and use the `--reqkey` parameter in the installation command in order to tell the script where the key file is located. This parameter lets you specify a non-default request key filename and/or path.

However, the install script only detects the key in the installation directory when the key filename is the same as the database name. Otherwise, even if the key is local, if you gave it a different name then you must still use `--reqkey` to identify to the install script.

Now that the installation directory for the cluster is in place, you are ready to install the database side of Oracle Big Data SQL.

## Install Oracle Big Data SQL on the Oracle Database Node

### Important:

The last part of the installation may require a single restart of Oracle Database under either or both of these conditions:

- If Oracle Database does not include the Oracle Grid Infrastructure. In this case, the installation script makes a change to the `pfile` or `spfile` configuration file in order to support standalone operation of `diskmon`.
- If there are changes to the IP address and the communication protocol recorded in `cellinit.ora`. These parameters define the connection to the cells on the Hadoop cluster. For example, if this is a re-installation and the IP address for the Hadoop/Oracle Database connection changes from an Ethernet address to an InfiniBand address and/or the protocol changes (between TCP and UDP), then a database restart is required.

1. Start the database if it is not running.
2. Log on to the Oracle Database node as `oracle` and change directories to the cluster-specific installation directory under `$ORACLE_HOME/BDSJaguar-4.0.0`. For example:

```
$ cd $ORACLE_HOME/BDSJaguar-4.0.0/cdh510-6-node1.my.domain.com
```

3. Run `bds-database-install.sh`, the database-side Oracle Big Data SQL installer. You may need to include some optional parameters.

```
$ ./bds-database-install.sh [options]
```

4. Restart the database (optional).

### See Also :

The `bds-database-install.sh` installer command supports parameters that are ordinarily optional, but may be required for some configurations. See the [Command Line Parameter Reference for bds-database-install.sh](#)

## Extra Step If You Enabled Database Authentication or Hadoop Secure Impersonation

- If `database_auth_enabled` or `impersonation_enabled` was set to “true” in the configuration file used to create this installation bundle, copy the ZIP file generated by the database-side installer back to the Hadoop cluster management server and run the Jaguar “Database Acknowledge” operation. This completes the set up of login authentication between Hadoop cluster and Oracle Database.

Find the zip file that contains the GUID-key pair in the installation directory. The file is named according to the format below.

*<name of the Hadoop cluster>-<number nodes in the cluster>-<FQDN of the node where the cluster management server is running>-<FQDN of this database node>.zip*

For example:

```
$ ls $ORACLE_HOME/BDSJaguar-4.0.0/cdh510-6-node1.my.domain.com/  
*.zip  
$ mycluster1-18-mycluster1node03.mydomain.com-  
myoradb1.mydomain.com.zip
```

1. Copy the ZIP file back to `/opt/oracle/DM/databases/conf` on the Hadoop cluster management server.
2. Log on to the cluster management server as `root`, `cd` to `/BDSjaguar-4.0.0` under the directory where Oracle Big Data SQL was installed, and run `databaseack` (the Jaguar “database acknowledge” routine). Pass in the configuration file that was used to generate the installation bundle (`bds-config.json` or other).

```
# cd <Big Data SQL Install Directory>/BDSjaguar-4.0.0  
# ./jaguar databaseack bds-config.json
```

### 3.3.1 Command Line Parameter Reference for bds-database-install.sh

The bds-database-install.sh script accepts a number of command line parameters. Each parameter is optional, but the script requires at least one.

**Table 3-1 Parameters for bds-database-install.sh**

Parameter	Function
--install	Install the Oracle Big Data SQL connection to this cluster.

 **Note:**

In mid-operation, this script will pause and prompt you to run a second script as root:

```
bds-database-install: root shell
script /u03/app/masha/12.1.0/
dbhome_mydb/install/bds-database-
install-10657-root-
scriptclust1.sh
please run as root:
<enter> to continue checking..
q<enter> to quit
bds-database-install: root
```

As root, open a session in a second terminal and run the script there. When that script is complete, return to the original terminal and press **Enter** to resume the bds-database-install.sh session.

Because Oracle Big Data SQL is installed on the database side as a regular user (not a superuser), tasks that must be done as root and/or the Grid user require the installer to spawn shells to run other scripts under those accounts while bds-database-install.sh is paused.

In some earlier releases, the --install parameter was implicit if no other parameters are supplied. You must now explicitly include this parameter in order to do an installation.

--version	Show the bds-database-install.sh script version.
--info	Show information about the cluster, such as the cluster name, cluster management server host, and the web server.
--grid-home	Specifies the Oracle Grid home directory.



**Table 3-1 (Cont.) Parameters for bds-database-install.sh**

Parameter	Function
--crs	Use <code>crsctl</code> to set up Oracle Big Data SQL MTA extprocs. Ignored in non-Grid environments.  --crs={true false}  The installer always checks to verify that Grid is running. If Grid is not running, then the installer assumes that Grid is not installed and that the database is single-instance. It then automatically sets the <code>crs</code> flag to <code>false</code> .  If <code>--crs=true</code> is explicitly set and Grid cannot be found, the installer terminates with an error message stating that <code>GI_HOME</code> must be set.
--cdb	Create database objects on all PDBs for CDB databases.  --cdb={true false}
--db-resource	Deprecated. Oracle Big Data SQL scripts will run on the database specified by <code>ORACLE_SID</code> or <code>ORACLE_HOME</code> environment variables.  --db-resource=\$ORACLE_SID
--db-name	Deprecated. Oracle Big Data SQL scripts will run on the database specified by <code>ORACLE_SID</code> or <code>ORACLE_HOME</code> environment variables.  --db-name=\$ORACLE_HOME

**Table 3-1 (Cont.) Parameters for bds-database-install.sh**

Parameter	Function
<code>--reqkey</code>	<p>This parameter tells the installer the name and location of the request key file. Database Authentication is enabled by default in the configuration. Unless you do not intend to enable this feature, then as one of the steps to complete the configuration, you must use <code>--reqkey</code>.</p> <ul style="list-style-type: none"> <li>To provide the key file name and the path if the key file is not in the local directory: <pre>\$ ./bds-database-install.sh --reqkey=/opt/tmp/ some_name.reqkey --install</pre> </li> <li>To provide the key file name if the file is local, but the filename is not the same as the database name: <pre>\$ ./bds-database-install.sh --reqkey=some_name.reqkey --install</pre> </li> </ul> <p>If the request key filename is provided without a path, then the key file is presumed to be in the installation directory. The installer will find the key if the filename is the same as the database name.</p> <p>For example, in this case the request key file is in the install directory and the name is the same as the database name.</p> <pre>\$ ./bds-database-install.sh --install</pre> <p>This file is consumed only once on the database side in order to connect the first Hadoop cluster to the database. Subsequent cluster installations to connect to the same database use the configured key. You do not need to resubmit the <code>.reqkey</code> file.</p>
<code>--uninstall</code>	Uninstall the Oracle Big Data SQL connection to this cluster.
<code>--reconfigure</code>	<p>Reconfigures <code>bd_cell</code> network parameters, Hadoop configuration files, and Big Data SQL parameters. The Oracle Big Data SQL installation to connect to this cluster must already exist.</p> <p>Run <code>reconfigure</code> when a change has occurred on the Hadoop cluster side, such as a change in the <code>DataNode</code> inventory.</p>
<code>--databaseack-only</code>	Create the Database Acknowledge zip file. (You must then copy the zip file back to <code>/opt/oracle/DM/databases/conf</code> on the Hadoop cluster management server and run <code>./jaguar databaseack &lt;configuration file&gt;</code> .)
<code>--mta-restart</code>	MTA extproc restart. (Oracle Big Data SQL must already be installed on the database server.)
<code>--mta-setup</code>	Set up MTA extproc with no other changes. (Oracle Big Data SQL must already be installed on the database server.)
<code>--mta-destroy</code>	Destroy MTA extproc and make no other changes. (Oracle Big Data SQL must already be installed on the database server.)

**Table 3-1 (Cont.) Parameters for bds-database-install.sh**

Parameter	Function
<code>--aux-run-mode</code>	<p>Because Oracle Big Data SQL is installed on the database side as a regular user (not a superuser), tasks that must be done as <code>root</code> and/or the Grid user require the installer to spawn shells to run other scripts under those accounts while <code>bds-database-install.sh</code> is paused.</p> <p>The <code>--aux-run-mode</code> parameter specifies a mode for running these auxiliary scripts.</p> <pre>--aux-run-mode=&lt;mode&gt;</pre> <p>Mode options are:</p> <ul style="list-style-type: none"> <li><code>session</code> — through a spawned session.</li> <li><code>su</code> — as a substitute user.</li> <li><code>sudo</code> — through <code>sudo</code>.</li> <li><code>ssh</code> — through secure shell.</li> </ul>
<code>--root-script</code>	<p>Enables or disables the startup root script execution.</p> <pre>--root-script={true false}</pre>
<code>--no-root-script</code>	Skip root script creation and execution.
<code>--root-script-name</code>	Set a name for the root script (the default name is based on the PID).
<code>--pdb-list-to-install</code>	For container-type databases, Oracle Big Data SQL is by default set up on all open PDBs. This parameter limits the setup to the specified list of PDBs.
<code>--restart-db</code>	If a database restart is required, then by default the install script prompts the user to choose between doing the restart now or later. Setting <code>--restart-db=yes</code> tells the script in advance to proceed with any needed restart without prompting the user. If <code>--restart-db=no</code> then the prompt is displayed and the installation waits for a response. This is useful for unattended executions.
<code>--skip-db-patches-check</code>	<p>To skip the patch validation, add this parameter when you run the installer:</p> <pre>./bds-database-install.sh --skip-db-patches-check</pre> <p>By default, database patch requirements are checked when you run <code>./bds-database-install.sh</code>. If the patch validation fails, the installer returns a prompt with a warning message, indicating that there are some patches missing. Installation will continue after the warning.</p>

The `--root-script-only` parameter from previous releases is obsolete.

## 3.4 Granting User Access to Oracle Big Data SQL

In Oracle Big Data SQL releases prior to 3.1, access is granted to the `PUBLIC` user group. In the current release, you must do the following for each user who needs access to Oracle Big Data SQL:

- Grant the `BDSQL_USER` role.
- Grant read privileges on the BigDataSQL configuration directory object.
- Grant read privileges on the Multi-User Authorization security table to enable impersonation.

For example, to grant access to `user1`:

```
SQL> grant BDSQL_USER to user1;
SQL> grant read on directory ORACLE_BIGDATA_CONFIG to user1;
SQL> grant read on BDSQL_USER_MAP to user1;
```

#### See Also:

Use the `DBMS_BDSQL` PL/SQL Package in the *Oracle Big Data SQL User's Guide* to indirectly provide users access to Hadoop data. The Multi-User Authorization feature that this package implements uses Hadoop Secure Impersonation to enable the `oracle` account to execute tasks on behalf of other designated users.

## 3.5 Enabling Object Store Access

If you want to use Oracle Big Data SQL to query object stores, certain database properties and Network ACL values must be set on the Oracle Database side of the installation. The installation provides two SQL scripts you can use to do this.

As of Oracle Big Data SQL 4.0, the `ORACLE_BIGDATA` driver enables you to create external tables over data within object stores in the cloud. Currently, Oracle Object Store and Amazon S3 are supported. You can create external tables over Parquet, Avro, and text files in these stores. The first step is set up access to the object stores as follows.

### Run `set_parameters_cdb.sql` and `allow_proxy_pdb.sql` to Enable Object Store Access

1. After you run `bds-database-install.sh` to execute the database-side installation, find these two SQL script files under `$ORACLE_HOME`, in the cluster subdirectory under the `BDSJaguar` directory:

```
set_parameters_cdb.sql
allow_proxy_pdb.sql
```

2. Open and read each of these files. Confirm that the configuration is correct.

#### Important:

Because there are security implications, carefully check that the HTTP server setting and other settings are correct.

3. In `CBD ROOT`, run `set_parameters_cdb.sql`.
4. In each `PDB` that needs access to object stores, run `allow_proxy_pdb.sql`.

In a RAC database, you only need to run these scripts on one instance of the database.

## 3.6 Maintaining WebLogic Server

The WebLogic Server is included as component of Oracle Big Data SQL. Download and run the patching tool described here to keep WebLogic Server up-to-date with the official security patches provided by Oracle.

Web Logic Server is deployed on all DataNodes where Big Data SQL is installed. It is embedded in the bd\_cells (Big Data SQL processing cells) running on these nodes. At the time of Big Data SQL 4.0 release, the WebLogic Server 10.3.6 component is up-to-date with the 2019 April PSU. To maintain WebLogic Server, you should run the patching tool after the Big Data SQL installation and then again later as newer PSUs become available.

The patching tool is available as patch 31188867 on [My Oracle Support](#). Click on the **Patches and Updates** tab and enter "31188867" into the search field. Installation instructions are in the readme file provided with the patch. However, also review Document 2662568.1 in My Oracle Support. It provides some information that is not in the readme file.

# 4

## Expanding or Shrinking an Installation

Changes that occur to the Hadoop cluster over time, such as network reconfiguration or DataNode services added, moved, or removed, as well as changes on the Oracle Database server, can require corresponding changes to the Oracle Big Data SQL installation.

### 4.1 Adding or Removing Oracle Big Data SQL on Hadoop Cluster Nodes

On the Hadoop side, Oracle Big Data SQL must be installed on every cluster node where the DataNode role is running and should not be installed on other nodes. Note that when you run `jaguar reconfigure` as described below, you must also reconfigure the Oracle Database side of the installation.

The `Jaguar reconfigure` operation uses the cluster management server to determine where the DataNode service is running and then installs or uninstalls Oracle Big Data SQL on each cluster node as needed.

Run `reconfigure` when the distribution of DataNode services has changed in the Hadoop cluster.

```
# cd <Big Data SQL install directory>/BDSJaguar
# ./jaguar reconfigure <JSON_configuration_file>
```

When the reconfiguration is done, this message is returned to the console:

```
BigDataSQL: RECONFIGURE workflow completed.
```

The following are situations where you should run `reconfigure`:

- New nodes are added to the Hadoop cluster and some or all of them are provisioned with the DataNode role.
- Services and roles are redistributed in the cluster and some DataNode instances are moved.
- One or more nodes provisioned with the DataNode role are removed from the cluster or deprovisioned.

**! Important:**

Be sure to run `reconfigure` after a cluster expansion. This will enable local processing for data stored on the updated nodes. Also, the new DataNode instances in the cluster provide additional resource for query processing that is not utilized until Oracle Big Data SQL is installed on those nodes. You must also run `bds-database-install.sh --reconfigure` on the database side after you run `reconfigure` on the Hadoop side.

**✎ See Also:**

The [Jaguar Configuration Parameter and Command Reference](#) provides a full description of the Jaguar `reconfigure` operation.

**Communicating DataNode Changes to Oracle Database**

The Oracle Database side of the installation maintains an inventory of the DataNodes where Oracle Big Data SQL is installed in the Hadoop cluster. This is a map that tells it which nodes to query. If you run `reconfigure`, this updated DataNode inventory must be provided to the database compute nodes. The `reconfigure` procedure generates a new database installation bundle that includes the new inventory. Install this updated bundle on the database compute nodes using the same method that you use in a full installation. Install the update using `bds-database-install.sh --reconfigure`

1. As the database owner, copy the bundle to temporary location on the database node.
2. Extract the contents of the zip file.
3. Execute the run file extracted from the zip file.
4. Go to the installation directory under `$ORACLE_HOME/BDSJaguar-4.0.0`.
5. Run the installer with the `--reconfigure` command line parameter. For example:

```
$ cd $ORACLE_HOME/BDSJaguar-4.0.0/cdh510-6-node1.mydomain.com
$ ./bds-database-install.sh --reconfigure
```

## 4.2 Adding or Removing Oracle Big Data SQL on Oracle Database Nodes

Add or remove Oracle Big Data SQL from Oracle Database nodes by manually running the install or uninstall program on individual database nodes as needed.

On the Oracle Database side, there is at this time no equivalent to the Hadoop-side Jaguar `reconfigure` operation, which installs or uninstalls Oracle Big Data SQL on cluster nodes as required.

## To Install Oracle Big Data SQL on Additional Nodes of Oracle Database RAC System

If you want to extend Oracle Big Data SQL from a Hadoop cluster to additional Oracle Database nodes at any time after the initial installation of Oracle Big Data SQL, then install the database-side installation bundle for that cluster on these database nodes using the same configuration applied to other nodes of the database.

 **Note:**

The configuration for the connection between a Hadoop cluster and Oracle Database must be the same for all nodes of the database.

- You may find the bundle at `<Big Data SQL Install Directory>/BDSJaguar/db-bundles` or at the temporary location on other database nodes where you copied the bundle in order to stage the installation. The bundle ZIP file should include the Hadoop cluster name and a time stamp: `bds-4.0.0-db-<cluster>-<yymmdd.hhmi>.zip`
- If you can no longer locate the original database-side installation bundle, but do have the configuration file that was used for other nodes of the database, then you can recreate the same bundle by running the Jaguar `reconfigure` command.

```
[root@myclusteradminserver:BDSjaguar]# ./jaguar reconfigure  
my_original_configfile.json
```

Deploy and install the bundle on the new database nodes as described in [Steps for Installing on Oracle Database Nodes](#).

## To Uninstall Oracle Big Data SQL from Oracle Database Nodes

See [Uninstalling From an Oracle Database Server](#).



# 5

## Reconfiguring an Installation

After the initial Oracle Big Data SQL installation, there may be changes on the Hadoop cluster or the Oracle Database system that require corresponding updates to the Oracle Big Data SQL configuration, including:

- A change in the status of Kerberos — if it was previously disabled and is now enabled, or vice versa.
- Implementation of TLS (Transport Layer Security) or other security measures, such as Database Authentication option now supported by Oracle Big Data SQL.
- Changes to the location of Hive service instances within the Hadoop cluster.
- A switch from Ethernet to InfiniBand (or InfiniBand to Ethernet) for networking between the Hadoop cluster and the Oracle Database system.
- A change to the version of Oracle Big Data SQL running on the Hadoop cluster.

### Important:

If you are storing Oracle tablespaces in HDFS, then after you run `reconfigure`, take the tablespaces offline (or stop the database) and then restart the FUSE-DFS service running on all database compute nodes that are connected to the Hadoop cluster. See *Restarting FUSE-DFS After a Reconfigure Operation* at the end of this section for details.

The basic procedure for reconfiguring an installation is:

- Edit the `bds-config.json` file as needed.
- Run the Jaguar `reconfigure` command to push the configuration changes to the Hadoop cluster nodes and to generate an updated database-side installation bundle.
- Reinstall Oracle Big Data Data SQL on Oracle Database compute nodes using the new installation bundle. You can just overwrite the current installation. There is no prerequisite to uninstall the current Oracle Big Data SQL installation on either side.

Details are provided below.

### See Also:

The addition or removal of Oracle Big Data SQL from Hadoop cluster nodes or nodes in a multinode Oracle Database system is not a considered configuration change. See [Expanding or Shrinking an Installation](#).

### Run “jaguar reconfigure” to Reconfigure the Hadoop Side of the Installation and to Generate an Updated Database Installation Bundle

1. Log on to the cluster management server node as `root` and `cd` to the directory where you extracted the downloaded Oracle Big Data SQL installation bundle.
2. Go to the `BDSJaguar-4.0.0` subdirectory under the path where you unzipped the Oracle Big Data SQL bundle .

```
# cd <Big Data SQL Install Directory>/BDSJaguar-4.0.0
```

3. In the `BDSJaguar-4.0.0` directory, run the Jaguar utility. Pass it the `reconfigure` parameter and the configuration file name (`bds-config.json` or other) as arguments. You may or may not need to include the `--requestdb` option.

```
[root@myclusteradminserver:BDSjaguar-4.0.0] # ./jaguar reconfigure
bds-config.json
```

If `bds-config.json` sets `database_auth_enabled` to “true”, then include the `--requestdb` option in the install command:

```
[root@myclusteradminserver:BDSjaguar-4.0.0] # ./jaguar --requestdb
testdb reconfigure
```

The script prompts for the cluster management service administrator credentials and then reconfigures Oracle Big Data SQL on the management server and the cluster nodes according to the new settings in the configuration file. The script output terminates with the following message if the installation completed without error.

```
BigDataSQL: RECONFIGURE workflow completed.
```

### Copy the Updated Database Installation Bundle to Each Oracle Database Node and Install It

1. Log on as either `root` or `oracle` on the cluster management server and `cd` to the directory where the new database bundle was generated.

```
# cd <Big Data SQL Install Directory>/BDSJaguar-4.0.0/db-bundles
```

Check that the new bundle is there.

```
[oracle@myclusteradminserver:db-bundles] # ls
[oracle@myclusteradminserver:db-bundles] # bds-4.0.0-db-<cluster>-
<yymmdd.hhmi>.zip
```

2. Copy the database installation bundle over to any directory on the Oracle Database node, using the `oracle` account on the Oracle system. If there are

multiple bundles, be sure to select the correct bundle for cluster that you want to connect to Oracle Database.

```
[oracle@myclusteradminserver:db-bundles] # scp bds-4.0.0-db-<cluster>-  
<yymmdd.hhmi>.zip oracle@<database_node>:/opt/tmp
```

3. Log on to the Oracle Database node as the database owner (`oracle` or other) in order to perform the installation.
4. Cd to the directory where you copied the bundle, unzip the bundle, and then run the compressed executable that was extracted from the zip file. For example:

```
$ unzip bds-4.0.0-db-cdh510-170309.1918.zip  
$ ./bds-4.0.0-db-cdh510-170309.1918.run
```

5. Change directories to the new directory under `ORACLE_HOME` and run `bds-database-install.sh`, the database-side installer.

```
$ cd $ORACLE_HOME/BDSJaguar-4.0.0/cdh510-6-node1.my.domain.com  
$ ./bds-database-install.sh
```

### Restarting FUSE\_DFS After a Reconfigure Operation

The Oracle Tablespaces in HDFS feature uses a FUSE-DFS connection for file transfers between Oracle Database and the Hadoop cluster. There is a FUSE-DFS service instance for each connection to cluster. The service is named as follows:

```
fuse_<cluster name>_hdfs
```

If this service exists, then after a reconfiguration of an Oracle Big Data SQL installation, do the following:

1. Either set the tablespaces in HDFS to offline or stop the database.  
The datafiles for these tablespaces are open and locked by database processes.
2. Restart FUSE-DFS. Do this on each compute node.

```
# service fuse_mycluster_hdfs restart
```

3. After FUSE-DFS has restarted, you can set the tablespaces to online (or you if you stopped the database, you can restart it).

The `status`, `stop`, and `start` operations are also available for the FUSE-DFS service, as in:

```
# service fuse_mycluster_hdfs status
```

## 5.1 Reconfiguring an Existing Oracle Big Data SQL Installation

When Oracle Big Data SQL is installed on the cluster management server, the database-side installation bundle that is generated contains configuration information that is based on the current state of the cluster. When you install the bundle on the Oracle Database side, this configuration information is used to set up the connection between the Hadoop cluster and the database server. After the installation, changes in the Hadoop cluster may require an

update to the Oracle Big Data SQL configuration both sides (Hadoop cluster and database server) in order to maintain connectivity.

Here are some Hadoop-side changes which require you to reconfigure the installation:

- Network security changes, such as a switch from HTTP to HTTPS or vice versa.
- Port reassignments in the cluster management service (CM or Ambari).
- Hive changes, such as migration of the service to different node or nodes or a change to the authentication method.
- Changes to other related Hadoop services, such as HDFS, MapReduce2, and YARN, may also affect connectivity.

 **Note:**

The `reconfigure` procedure cannot be used to update the installation of an older version of Oracle Big Data SQL. You should instead overwrite the old installation with the current Oracle Big Data SQL version.

1. As root on the Hadoop cluster management server, make any necessary updates to the configuration file for the connection between the Hadoop cluster and Oracle Database (`bds-config.json` or other).
2. Go to the `BDSJaguar-4.0.0` directory and run `Jaguar` to invoke the `reconfigure` operation. Pass in the configuration filename.

```
# cd <Big Data SQL install directory>/BDSJaguar-4.0.0
# ./jaguar reconfigure bds-config.json
```

This updates the Oracle Big Data SQL installation on the Hadoop cluster and generates a new database-side installation bundle, which you can find at `<Oracle Big Data SQL Install Directory>/BDSJaguar-4.0.0/dbbundles`.

 **Note:**

If you are using Database Authentication and already provided a request key to the database-side installer when you did the original installation, then you do not need to do again. That is, you do not need to include `--requestdb` in a `reconfigure` operation unless you want to set up a connection to another database.

3. As in the original installation, copy the new bundle file to a temporary directory each database node. Connect using the `oracle` account on the database node. For example:

```
# scp bds-4.0.0-db-<cluster>-<yyymmdd.hhmi>.zip
oracle@dbnode:/opt/tmp
```

4. Log on to the database node as the `oracle` user.
5. Locate the bundle and unzip it.

6. Run the executable file extracted from the bundle.

```
[oracle@mydbserver: $ bds-4.0.0-db-<cluster>-<yymmdd.hhmi>.run
```

This extracts the installation files into a new directory under ORACLE\_HOME.

7. Change directories to ORACLE\_HOME and list the subdirectories. You should see the old installation directory along with the new one. The directory names will include the same cluster name, but will have different timestamps. Delete the old directory.

```
$ cd $ORACLE_HOME
$ ls
  bds-4.0.0-db-<cluster>-<new timestamp>
  bds-4.0.0-db-<cluster>-<old timestamp>
$ rm -rf bds-4.0.0-db-<cluster>-<old timestamp>
```

8. Change directories to the new directory.

Run `bds-database-install.sh` with the `--reconfigure` parameter.

```
$ ./bds-database-install.sh --reconfigure
```

# 6

## Uninstalling Oracle Big Data SQL

If you want to completely uninstall Oracle Big Data SQL, the software must be removed from the Hadoop cluster management server and the Oracle Database nodes where it is currently installed.

If the Hadoop DataNode service is removed from a subset of the nodes, then Oracle Big Data SQL must be removed from those nodes only.

### 6.1 General Guidelines for Removing the Software

Oracle Big Data SQL can be uninstalled from the Hadoop cluster management server or from any Oracle Database servers connected to the cluster management server. The procedure is the same for all Hadoop platforms.

Guidelines for uninstalling Oracle Big Data SQL are as follows:

- To perform a complete uninstall of Oracle Big Data SQL, remove the software from the cluster management server and from each Oracle Database server connected to the BDS service.

This is a single script execution on each server. Not other manual steps are needed.

- You can uninstall from the cluster management server first or from the database servers first.

#### Tip:

If you are removing the software from both sides of the installation, uninstall it from the database side first. If you uninstall from the cluster management server first, queries in process will fail.

- On the database side, the first Oracle Big Data SQL connection installed is known as the “default cluster.”

#### Note:

In a Oracle RAC database, be sure to run the uninstall script on all nodes of the database.

## 6.2 Uninstalling From an Oracle Database Server

On any database server where you want to uninstall the current version of Oracle Big Data SQL, run the commands below as the database owner (usually the `oracle` user). In the case of a RAC database, be sure to perform the uninstall on each instance of the RAC.

Note that the `--crs` command line parameter may or may not be required, depending upon conditions related to Grid support. See the *Command Line Parameter Reference for `bds-database-install.sh`* in this guide.

### If FUSE is enabled for TableSpaces in HDFS, Uninstall it First

If you had previously set up FUSE to store Oracle tablespaces in HDFS, then you must first run the following command before uninstalling Oracle Big Data SQL:

```
$ ./bds-copy-tbs-to-hdfs.sh --uninstall
```

This command removes the FUSE mount point. You can then proceed with the Oracle Big Data SQL uninstall.

### Uninstalling Oracle Big Data SQL

Run `bds-database-install.sh` with the `uninstall` command.

```
$ /bds-database-install.sh --uninstall --crs=false
```

#### Note:

If Grid is not running on this database node, or, if the database does not use Grid (CRS/ASM), then include the optional `--crs` parameter and set it to `false`.

Also note that the `--uninstall-as-primary` and `--uninstall-as-secondary` parameters from previous releases are deprecated in this release. It is no longer necessary to differentiate between primary and secondary clusters in the uninstall process. In addition, `--db-resource` has been deprecated and is therefore not used in the example provided here.

## 6.3 Uninstalling From a Hadoop Cluster

Oracle Big Data SQL works with the Hadoop DataNode service. When you run the Oracle Big Data SQL installer on the configuration management server, it automatically propagates the Oracle Big Data SQL components to all Hadoop cluster nodes where the DataNode service is running. If the DataNode service is removed from one or more nodes, then you must also remove the Oracle Big Data SQL components from those same nodes.

1. On the cluster management server (where CM or Ambari is running), log on as `root`.
2. Change directories to the `BDSjaguar` directory under the location where the Oracle Big Data SQL Installation bundle `BigDataSQL-<Hadoop distribution><version>.zip` was extracted.
3. Run Jaguar with the `uninstall` command and provide the configuration file previously used to install on the cluster (`bds-config.json` or other):

```
[root@myclusteradminserver:BDSjaguar] # ./jaguar uninstall bds-config.json
```

When the uninstall is complete, the following message is returned:

```
BigDataSQL: UNINSTALL workflow completed.
```



# 7

## Securing Oracle Big Data SQL

This section describes security features provided by Oracle Big Data SQL, measures you can take to secure Oracle Big Data SQL, and to pointers to the information you need in order to configure Oracle Big Data SQL within secured environments.

### 7.1 Security Overview

This section covers installer, network, file, and password security.

#### Network Security

In Oracle Big Data SQL, network traffic between the database and the Hadoop cluster, is no longer guaranteed to be over a private InfiniBand network, but can occur over a client network. This network traffic is not currently secured. Therefore when operating a secured Hadoop cluster (e.g., Kerberos-enabled, RPC encryption), Oracle Big Data SQL requires the following:

- All members of the client network are trusted, or
- Private network connectivity is used exclusively for communication between the Hadoop nodes and Oracle database instances.

This private network is commonly referred to as the *Big Data SQL interconnect network*. The interconnect network must be a private network with only trusted users, use at least one switch, and 10 Gigabit Ethernet adapters. Ensure that only the nodes in the Hadoop cluster and Oracle RAC cluster can access the interconnect network. Do not use the interconnect network for other user communication.

#### Installer File Security

The new Jaguar installer incorporates the following best practices for secure Linux installers and applications:

- No persistent or temporary world-writable files are created.
- No `setuid` or `setgid` files are used.

In addition, the installer works with hardened Oracle Database environments as well as hardened CDH and HDP clusters as described in the Cloudera CDH and Hortonworks HDP security documentation

#### Password Safety

The Jaguar installer provides these password security measures:

- Passwords for the Ambari and Cloudera Manager cluster management servers are not be passed in on the command line and are not saved in any persistent file during the installation or after the installation is complete.
- Passwords are not logged to any log or trace files.

### Security of Related Software

Oracle Big Data SQL relies on other installed software, including third party projects. It is the customer's responsibility to ensure that such software is kept up-to-date with the latest security patches. This software includes (but is not limited to):

- Python
- Perl

## 7.2 Big Data SQL Communications and Secure Hadoop Clusters

It is generally a good security practice to ensure that HDFS file access permissions are minimized in order to prevent unauthorized write/read access. This is true regardless of whether or not the Hadoop cluster is secured by Kerberos.

Please refer to MOS Document 2123125.1 at [My Oracle Support](#) for detailed guidelines on securing Hadoop clusters for use with Oracle Big Data SQL.

### 7.2.1 Connecting a Database to Both Secure and Unsecured Clusters

Oracle Big Data SQL can connect a single database to multiple Kerberos secured or unsecured clusters at the same time.

There is limitation on the use of Hive metadata queries where a database has mixed connections to both secured and unsecured clusters. If the default (the first available connection) is secured, then Hive metadata on unsecured clusters is inaccessible. The reverse is also true – if the default cluster is unsecured, then Hive metadata on secured clusters is inaccessible. This is because the database can only support one Hadoop authentication method.

Suppose the database has these connections: cluster\_1 (the default cluster, secured), cluster\_2 (unsecured), cluster\_3 (secured). In this case, a query such as the following succeeds against cluster\_1 since it is the default. It also succeeds against cluster\_3. However it fails against cluster\_2, which is not secured.

```
select cluster_id, database_name, table_name from all_hive_tables;
```

If cluster\_1 (the default) were not secured, then instead the query would succeed against cluster\_2 and fail against cluster\_3.

If you already know the metadata (which you can acquire through other tools), then you can successfully create external tables over Hive sources. For example, the following create table command will work against both secured and unsecured clusters, regardless of the status of the default cluster.

```
create table myhivetable (  
  id number(10),  
  name varchar2(4000),  
  type varchar2(4000))  
organization external (  
  type ORACLE_HIVE
```

```

default directory default_dir
access parameters (
  com.oracle.bigdata.cluster=<cluster name>
  com.oracle.bigdata.tablename=<Hive database name>.<Hive table name>)
)
parallel 2 reject limit unlimited;

```

## 7.3 Configuring Oracle Big Data SQL in a Kerberos-Secured Environment

If Kerberos is enabled on the Hadoop system, you must configure Oracle Big Data SQL on the database server to work with Kerberos. This requires a Kerberos client on each database node where Oracle Big Data SQL is installed. Also, the OS account that owns the database (`oracle` or another account) must be provisioned as a user principal.

When operating a secured Hadoop cluster (e.g., Kerberos enabled, RPC encryption), Oracle Big Data SQL requires either that all members of the client network be trusted, or that private network connectivity is used exclusively for communication between the Hadoop nodes and Oracle database instances. This private network is commonly referred to as the Big Data SQL interconnect network. The interconnect network must be a private network with only trusted users, use at least one switch, and 10 Gigabit Ethernet adapters. Ensure that only the nodes in the Hadoop cluster and Oracle RAC cluster can access the interconnect network. Do not use the interconnect network for other user communication.

### 7.3.1 Enabling Oracle Big Data SQL Access to a Kerberized Cluster

You must configure Oracle Big Data SQL to use Kerberos in environments where user access is Kerberos-controlled.

There are two situations when this is required:

- When enabling Oracle Big Data SQL on a Kerberos-enabled cluster.
- When enabling Kerberos on a cluster where Oracle Big Data SQL is already installed.

Oracle Big Data SQL processes run on the nodes of the Hadoop cluster as the `oracle` Linux user. On the Oracle Database server, the owner of the Oracle Database process is also (usually) the `oracle` Linux user. When Kerberos is enabled on the Hadoop system, the following is required in order to give the user access to HDFS.

- The `oracle` Linux user needs to be able to authenticate as a principal in the Kerberos database on the Kerberos Key Distribution Center (KDC) server. The principal name in Kerberos does not have to be 'oracle'. However, the principal must have access to the underlying Hadoop data being requested by Oracle Big Data SQL.
- The following are required on all Oracle Database nodes and all Hadoop cluster nodes running Oracle Big Data SQL:
  - Kerberos client software installed.
  - A copy of the Kerberos configuration file from the KDC.
  - A copy of the Kerberos keytab file generated on the KDC for the `oracle` user.
  - A valid Kerberos ticket for the `oracle` Linux user.

## Installing the Kerberos Client

If the Kerberos client is not installed, see [Installing a Kerberos Client on the Oracle Database Nodes](#) for instructions on installing the Kerberos client.

## Creating a Kerberos Principal for the oracle User

On the Kerberos Key Distribution Center (KDC) server, become `root` and use `kadmin.local` to add a principal for the `oracle` user.

1. `# kadmin.local`
2. Within `kadmin.local`, type:

```
add_principal <user>@<realm>
quit
```

You have the option to include the password, as in:

```
add_principal <user>@<realm> -pw <password>
quit
```

## Creating a Kerberos Keytab for the oracle User

1. On the KDC, become `root` and run the following:

```
# kadmin.local
```

2. Within `kadmin.local`, type:

```
xst -norandkey -k /home/oracle/oracle.keytab oracle
quit
```

This creates the `oracle.keytab` file for the Kerberos `oracle` user in the `/home/oracle` directory.

 **Note:**

If you run the `xst(ktadd)` command without the `-norandkey` option, this will invalidate other keytabs previously created for this user.

3. Ensure that `oracle.keytab` is owned by the `oracle` Linux user and is readable by that user only.

```
$ chown oracle oracle.keytab
$ chmod 400 oracle.keytab
```

## Kerberos Tasks Automated by Oracle Big Data SQL

The following Kerberos tasks are now automated:

- Distributing Keytab and Kerberos configuration file distribution files.

The Oracle Big Data SQL installation can now be configured to automatically distribute the keytab and Kerberos configuration files for the `oracle` user or other database owner to the Hadoop DataNodes (and Oracle Database compute nodes). This is done if the principal name and keytab file location parameters are set in the Jaguar configuration file. This automation is performed on both the Hadoop and Oracle Database side.

On Oracle Big Data Appliance, the keytab file distribution is done by default for the `oracle` account and you do not need to add the principal and keytab file path for this account to the configuration file.

- Acquiring a Kerberos Ticket for designated principals.

For `oracle` and other principals that were listed in the Jaguar configuration file, the installation acquires a Kerberos ticket on each Hadoop DataNode and Oracle DB compute node

- Ticket renewal

The installation automatically sets up cron jobs in the Hadoop cluster and on Oracle Database to kinit for new ticket for each principal in the configuration four times daily.

### Cleaning up After Ticket Expirations

When the `bd_cell` process is running on the nodes of a secured Hadoop cluster but the Kerberos ticket is not valid, then the cell goes to quarantine status. You should drop all such quarantines.

1. Check that the `oracle` user has a valid Kerberos ticket on all Hadoop cluster nodes.
2. On each cluster node, become `oracle` and run the following:

```
$ /opt/oracle/bd_cell/cellsrv/bin/bdscli
```

3. In the `bdscli` shell, type:

```
list quarantine
```

4. While still in `bdscli`, drop each quarantine on the list:

```
drop quarantine <id>
```

5. Type `exit` to exit `bdscli`.

## 7.3.2 Installing a Kerberos Client on the Oracle Database Nodes

If the Oracle Database system is Kerberos secured, then Oracle Big Data SQL requires a Kerberos client. The client must be installed on each compute node of the database.

For commodity servers, download the Kerberos client software from a repository of your choice. If the database server is an Oracle Exadata Database Machine, download and install the software from the Oracle repository as shown below. The process should be similar for downloads from non-Oracle repositories.

Log on to the database server as `root` and use `yum` to install the `krb5-libs` and `krb5-workstation` packages. Download from the Oracle Linux 6 or Oracle Linux 5 repository as appropriate.

1. Check that the Oracle `public-yum-ol6` or `public-yum-ol5` repository ID is installed.

```
# yum repolist
```

2. Temporarily disable all repository IDs and then enable the Oracle repository only ( Oracle Linux 6 in this example).

```
# yum --disablerepo="*" --enablerepo="public-yum-ol6" list available
```

3. Install the Kerberos packages.

```
# yum install krb5-libs krb5-workstation
```

4. Copy the `/etc/krb5.conf` file from the Key Distribution Center (KDC) to the same path on the database server.

These steps must be performed for each Oracle Database node.

You must also register the `oracle` Linux user (or other Linux user) and password in the KDC for the cluster as described in [Enabling Oracle Big Data SQL Access to a Kerberized Cluster](#)

## 7.4 Using Oracle Secure External Password Store to Manage Database access for Oracle Big Data SQL

On the Oracle Database server, you can use the Oracle Secure External Password Store (SEPS) to manage database access credentials for Oracle Big Data SQL.

This is done by creating an Oracle wallet for the `oracle` Linux user (or other database owner). An Oracle wallet is a password-protected container used to store authentication and signing credentials, including private keys, certificates, and trusted certificates needed by SSL.

See [MOS Document 2126903.1](#) at [My Oracle Support](#) for information on using SEPS with Oracle Big Data SQL.

## 7.5 About Data Security on Oracle Big Data Appliance

If your Hadoop system is an Oracle Big Data Appliance, the following tools to strengthen security are already available.

- **Kerberos authentication:** Requires users and client software to provide credentials before accessing the cluster.
- **Apache Sentry authorization:** Provides fine-grained, role-based authorization to data and metadata.
- **HDFS Transparent Encryption:** Protects the data on disk and at rest. Data encryption and decryption is transparent to applications using the data.
- **HTTPS/ Network Encryption:** Provides HTTPS for Cloudera Manager, Hue, Oozie, and Hadoop Web UIs. Also Enables network encryption for other internal Hadoop data transfers, such as those made through YARN shuffle and RPC.



**See Also:**

Security for Oracle Big Data Appliance in *Oracle Big Data Appliance Software User's Guide*.

## 7.6 Authentication Between Oracle Database and Oracle Big Data SQL Offload Cell Server Processes

The Database Authentication feature described in this guide prevents unauthorized and potentially malicious processes (which can originate from anywhere) from connecting to Oracle Big Data SQL cell server processes in the DataNodes of the Hadoop cluster.

When Ethernet is selected for the connection between Oracle Databases and Oracle Big Data SQL, then by default this secured authentication framework is set up automatically during the installation. Database Authentication is also available as a configuration option for InfiniBand connections.



**See Also:**

[Jaguar Configuration Parameter and Command Reference](#)

## 7.7 The Multi-User Authorization Model

Multi-User Authorization gives you the ability to use Hadoop Secure Impersonation to direct the `oracle` account to execute tasks on behalf of other designated users.

This enables HDFS data access based on the user that is currently executing the query, rather than the singular `oracle` user.

Administrators set up the rules for identifying the query user (the currently connected user) and for mapping this user to the user that is impersonated. Because there are numerous ways in which users can connect to Oracle Database, this user may be a database user, a user sourced from LDAP, from Kerberos, or other sources. Authorization rules on the files apply to the query user and audits will identify the user as the query user.



**See Also:**

The `DBMS_BDSQL PL/SQL Package` in the *Oracle Big Data SQL User's Guide* describes the Multi-User Authorization security table and the procedures for adding user maps to the table and removing them from the table.

## 7.8 Sentry Authorization in Oracle Big Data SQL

In addition to supporting authorization for HDFS file access, Oracle Big Data SQL supports Sentry policies, which authorize access to Hive metadata. Sentry enables fine-grained control over user access, down to the column level.

 **Note:**

Sentry is not supported for Big Data SQL installations on Oracle Database 12.1 systems.

## 7.8.1 Sentry and Multi-User Authorization

You can use Oracle Big Data SQL's Multi-User Authorization system to enhance Sentry security.

Oracle Big Data SQL utilizes Sentry policies whenever Sentry is enabled on the Hadoop cluster. Support for Sentry in Oracle Big Data SQL is most effective when used in conjunction with the Multi-User Authorization system. Multi-User Authorization enables Sentry authorization based on the actual identity of the currently connected user.

If Multi-User Authorization is not enabled, then the `oracle proxy` user is used for authorization for all queries.

 **See Also:**

- [The Multi-User Authorization Model](#), the previous section in this chapter.
- `DBMS_BDSQL` PL/SQL Package in the *Oracle Big Data SQL User's Guide* describes `SYS.BDSQL_USER_MAP` and the procedures for managing the table.
- [Jaguar Configuration Parameter and Command Reference](#), in this guide, shows how to use Jaguar parameters to configure security features in Oracle Big Data SQL. The `impersonation_enabled` parameter enables or disables multi-user authorization (which is based on Apache's Hadoop Secure Impersonation).

## 7.8.2 Groups, Users, and Role-Based Access Control in Sentry

Oracle Big Data SQL does not directly control access to Hive tables. It respects the access controls defined by the Hive database administrator. For Sentry, these controls are role-based. A given user's access rights are defined by their group memberships and the roles assigned to those groups.

The administrator uses tools such as the HiverServer2 Beeline utility to assign privileges (such as `SELECT` and `INSERT`) to Hive tables and their columns. The administrator also creates Sentry roles, assigns roles to different user groups, and grants privileges to those roles. The Hadoop user operating in the Hadoop environment inherits all of the privileges from each role that is assigned to their group or groups.



For example, to provide access to salary data, an administrator may create a role for this purpose and then grant SELECT privileges to the role:

```
CREATE ROLE auditfixedcosts;  
GRANT SELECT ON TABLE salary TO ROLE auditfixedcosts;
```

Grants may also be given to the role `auditfixedcosts` for access to data on other servers or in other databases, tables, or columns.

The administrator assigns the `auditfixedcosts` role to a group:

```
GRANT ROLE fixedcosts TO GROUP finance;
```

Members of the `finance` group then have SELECT access to all data in the salary table, any other SELECT access granted to the `auditfixedcosts` role, as well as access inherited from any other roles granted to the `finance` group.

#### See Also:

- [Hive SQL Syntax for Use with Sentry](#) on Cloudera's web site provides information on how to configure Sentry permissions.
- See the Apache Foundation documentation at <https://sentry.apache.org> for more details.

## 7.8.3 How Oracle Big Data SQL Uses Sentry

In Oracle Big Data SQL, Sentry provides a way to grant or withhold the SELECT privilege for individual Oracle Database users who attempt to query Oracle external tables over Hive tables.

As a result, Sentry policies do not need to be replicated to the Oracle external tables (i.e. using GRANT), which simplifies administration.

Sentry can be used to control the SELECT privilege at these levels of scope:

- Server (cluster node)
- Hive database
- Specific columns within a Hive table

Oracle Big Data SQL does not support DML operations. Therefore, only the SELECT privilege applies to Oracle Big Data SQL queries. The Sentry privileges ALL, OWNER, CREATE, INSERT, and REFRESH are not relevant to Oracle Big Data SQL access.

### How Oracle Big Data SQL Uses Sentry to Determine Access at Query Execution

When a user executes a query against an Oracle external table over a Hive table, Oracle Big Data SQL checks for role-based Sentry privileges granted to the Hadoop user and applies them against the Oracle external table that is created over the current Hive table. It then compares these with the privileges required to execute the query. If the privileges granted to the user do not fulfill the requirements of the query, then an exception is raised.

## 7.8.4 Oracle Big Data SQL Privilege-Related Exceptions for Sentry

Oracle Big Data SQL raises one of two exceptions when a user's Sentry privileges are not sufficient to execute a query.

The exceptions and the errors returned by are as follows.

- Table-level privilege exception:

```
"User <the user> does not have SELECT privileges on oracle table
<external table name>
for Server=<server name>->Db=<Hive db name>->Table=<table name>"
```

- Column-level privilege exception:

```
"User <the user> does not have SELECT privileges on oracle table
<external table name>
column <column name> for Server=<server name>->Db=<Hive db name>-
>Table=<table name>->Field=<field name>"
```

## 7.8.5 Sentry Usage Examples

```
CREATE ROLE marketing_role;
CREATE ROLE hr_role;
CREATE ROLE developer_role;
CREATE ROLE dba_role;

show roles;

# Assign roles to groups. Here, the groups come from either LDAP or
Linux groups:
GRANT ROLE developer_role, hr_role, marketing_role TO GROUP developer;
GRANT ROLE hr_role TO GROUP hr;
GRANT ROLE marketing_role TO GROUP marketing;
GRANT ROLE dba_role TO GROUP dba;

# What roles does the developer have?
SHOW ROLE GRANT GROUP developer;

# Make the dba_role (user dataadmin) the "data boss":
GRANT ALL ON SERVER server1 TO ROLE dba_role;

# For the different Hive databases, assign power users and groups:
GRANT ALL ON DATABASE marketing_db TO ROLE marketing_role WITH GRANT
OPTION;
GRANT ALL ON DATABASE hr_db TO ROLE hr_role WITH GRANT OPTION;

# Load data into a Hive table. First check that you have rights to
access the file
GRANT ALL ON URI 'file:///tmp/salaries.txt' TO ROLE hr_role;
LOAD DATA LOCAL INPATH 'file:///tmp/salaries.txt' INTO TABLE
```

```
salaries;

# Try some queries
# In Hue, as marketinguser1, try to select from salaries:
select * from hr_db.salaries ... fails. No rights to the hr_db

# Allow the marketing user to select everything except salaries from the
table:
GRANT SELECT(emp, mgr) ON TABLE salaries TO ROLE marketing_role;

# As marketinguser1 (This fails because salaries is not found.)
SELECT * FROM hr_db.salaries; ... fails. Can't see salaries

# As marketinguser1 (This one succeeds.)
SELECT emp, mgr FROM hr_db.salaries;
```

## 7.9 Securing Object Store Access

Oracle Big Data SQL enables object store access from Oracle Database and also from the Oracle Big Data SQL offload server, which runs on Hadoop nodes.

The appropriate proxy setting for the Oracle Big Data offload server is required for access to object stores. This is set by including either the `cell_http_proxy` or `cell_no_proxy` parameters in the Jaguar configuration file.



### Note:

Outbound HTTP connections from Hadoop nodes to object stores should be safeguarded. It is recommended that you use a firewall to whitelist target object store domain names.

The credential information required for object store access is encrypted before it is sent from Oracle Database to the Oracle Big Data SQL offload server.



### See Also:

- The [Jaguar Configuration Parameter and Command Reference](#) shows how to apply the proxy parameters for object store access.
- [Granting User Access to Oracle Big Data SQL](#) describes several permissions that must be granted on the Oracle Database side before object store access can be authorized.

# 8

## Additional Tools Installed

### 8.1 Copy to Hadoop and OSHH

#### Copy to Hadoop

Copy to Hadoop makes it easy to identify and copy data from an Oracle Database table to the Apache Hadoop Distributed File System (HDFS) and create an Apache Hive external table over that data. In HDFS, the data can be saved in Oracle Data Pump files (which store data as Oracle data types). This provides an exact copy of the data in the database, without the potential for data type conversion errors. You can then query the data via Hive (and Hadoop technologies that access data through Hive) and by Oracle Big Data SQL. Oracle Data Pump data can be converted to Parquet or ORC using Hive

#### Oracle Shell for Hadoop Loaders (OSCH)

OSCH is an intuitive command line tool to move data between Hadoop and Oracle Database. It provides a set of declarative commands you can use to copy contents from an Oracle Database table to a Hive table.

OSCH is bundled with both Oracle Big Data SQL and Oracle Big Data Connectors. With Oracle Big Data SQL, OSCH works with Copy to Hadoop. With Oracle Big Data Connectors, OSCH provides an interface to copy contents from Hadoop and Hive to Oracle tables using Oracle Loader for Hadoop (OLH) and Oracle SQL Connector for Hadoop Distributed File System (OSCH).

Although OSCH can serve as a front end for OLH and OSCH as well as for Copy to Hadoop, OLH and OSCH are part of the Oracle Big Data Connectors product and are not installed by Oracle Big Data SQL.

#### Installation and Configuration of Copy to Hadoop and OSCH

You can use Copy to Hadoop and OSCH from any of these environments:

- A Hadoop cluster node
- An Oracle Database node
- An edge node.

Oracle Big Data SQL installs the kits for Copy to Hadoop and Oracle Shell for Hadoop Loaders on the Hadoop cluster management server and on any Oracle Database server node where you install Oracle Big Data SQL.

You can also manually copy the kits for both tools from the Hadoop cluster management server to an edge node and configure them for use from the edge node. The kits are stored at `/opt/oracle/orahivedp-<version>..` See `/opt/oracle/ohsh-<version>/doc/OSCH_EDGE_NODE_README.txt` on the Hadoop cluster management server for instructions.

 **Note:**

In the Oracle Big Data SQL installation, the Copy to Hadoop is fully automated except for the setting of the `CP2HADOOP_HOME` listed in the table below. You must set this manually. You must complete configuration of Oracle Shell for Hadoop Loaders manually, as described in this section.

### Environment Variables for OSH

On the Hadoop cluster management server, the OSH configuration file is `/opt/oracle/ohsh-<version>/bin/ohsh_config.sh`. On an Oracle Database node, it is `$ORACLE_HOME/ohsh/bin/ohsh_config.sh`. This file contains environment required by OSH. The set of variables needed the installation on a Hadoop cluster, Oracle Database Node or an edge node differ. The table below shows which variables you need to set for each environment. Some of the required variables are set for you automatically by the Oracle Big Data SQL installer.

## 8.1.1 Completing the OSH Configuration on Oracle Database Nodes

The Oracle Big Data SQL installation automatically copies the OSH installation kit to each node where Oracle Big Data SQL is installed. There are some manual steps you must perform to complete the installation.

 **Note:**

The README file at `$ORACLE_HOME/ohsh/doc/OSSH_DB_NODE_README.txt` on the Hadoop cluster management server where you installed Oracle Big Data SQL describes the full set of steps ordinarily needed to enable OSH on an Oracle Database node. However, when OSH is installed by Oracle Big Data SQL, some of the setup is done for you by the installer. To complete the configuration in this context, use this shortened procedure instead of the full procedure documented in the README.

1. Log on to the Oracle Database server as the `oracle` user.
2. Set up OSH to work with Copy to Hadoop.
  - a. Create a staging directory in the file system on the Oracle Database node:

```
$ mkdir <OS_STAGE_DIR>
```

- b. Create an Oracle directory on this staging directory and grant read/write privileges to the Oracle Database user (`oracle` or other). In this example,

`ORACLE_STAGE_DIR` refers to the name of the directory object in Oracle Database. `OS_STAGE_DIR` refers to the path on the server.

```
SQL> CREATE DIRECTORY <ORACLE_STAGE_DIR> AS '<OS_STAGE_DIR>';
SQL> GRANT READ,WRITE ON DIRECTORY <ORACLE_STAGE_DIR> TO
<ORACLE_USER>;
```

 **Note:**

Later, if you employ the “stage” method to copy Oracle tables, use the `OHS set locationdirectory` command to point to the Oracle directory object name (the name of the directory you created above in this step).

- c. If you are connecting to a CDH-based Hadoop system (Oracle Big Data Appliance or other), perform the substeps below to enable the OHS “FUSE” method, in which you copy files to Hive tables over an HDFS Mountable FUSE directory. Note that HDP does not support Fuse, therefore you cannot create a mount point to HDFS on HDP using these steps.
  - i. On the Oracle Database host, create a FUSE mount to the root of the HDFS system on the Hadoop cluster. Refer to Cloudera’s documentation on installing FUSE. You may find current instructions at [Configuring Mountable HDFS](#) on Cloudera’s website.
  - ii. Create the Oracle directory on the FUSE mount and grant privileges. In this example, `ORACLE_FUSE_DIR` refers to the name of the directory object in Oracle Database. `OS_FUSE_MOUNT` refers to the path to the mount point on the server.

```
SQL> CREATE DIRECTORY <ORACLE_FUSE_DIR> AS '<OS_FUSE_MOUNT>';
SQL> GRANT READ,WRITE ON DIRECTORY <ORACLE_FUSE_DIR> TO
<ORACLE_USER>;
```

Note that when you use OHS later to copy Oracle tables to Hive using the “FUSE” method, use the `OHS set locationdirectory` command to point to the same `<ORACLE_FUSE_DIR>`

3. Edit `$ORACLE_HOME/ohsh/bin/ohsh_config.sh` in order to configure the home directories of dependencies. When OHS is installed by Oracle Big Data SQL, most of the required variables are already set for you. Set `HS2_HOST_PORT` and (if needed) `HIVE_SESS_VAR_LIST` as follows.

```
export HS2_HOST_PORT=<HS2_HOST>:<HS2_PORT>
```

Also set `HIVE_SESS_VAR_LIST` to any required Hive session variables. For example:

- To connect to HiveServer2 with Kerberos authentication: `export HIVE_SESS_VAR_LIST="principal=<The server principal of HiveServer2>"`  
The Hive principal is specified by the configuration property `hive.server2.authentication.kerberos.principal` in `hive-site.xml`.
- To connect to HiveServer2 running in HTTP mode: `export HIVE_SESS_VAR_LIST="transportMode=http;httpPath=<The HTTP endpoint>"`

- To connect to HiveServer2 when SSL is enabled: `export HIVE_SESS_VAR_LIST="ssl=true;sslTrustStore=<Trust Store path>;trustStorePassword=<Trust Store password>"`
4. If you want to configure OSH to use Oracle Wallet, set environment the variables `TNS_ADMIN` and `WALLET_LOCATION` to the directory path where TNS and Oracle Wallet are stored.

```
export WALLET_LOCATION="<wallet_location>"
export TNS_ADMIN="<tns_admin_location>"
```

 **Note:**

Later, when you start an OSH session, if the `TNS_ADMIN` and `WALLET_LOCATION` are different on the Hadoop cluster then set `hadooptnsadmin` and `hadoopwalletlocation`:

```
set hadooptnsadmin <tns_admin_hadoop_node>
set hadoopwalletlocation <wallet_location_hadoop_node>
```

5. Start an OSH session and check for resources. This check indicates whether or not the configuration is correct.

```
$ ohsh
ohsh> show resources
```

You should see the resources `hadoop0`, `hive0`, and `bash0`.

## 8.1.2 Completing the OSH Configuration on the Hadoop Cluster

On the Hadoop cluster management server, Oracle Big Data SQL installs OSH from an RPM to `/opt/oracle/ohsh`. Perform the steps below as `root` in order to complete the Hadoop side of the configuration.

 **Note:**

The installation instructions at `$ORACLE_HOME/ohsh/doc/OSSH_HADOOP_NODE_README.txt` on the Hadoop cluster management server contain extra information that is not applicable to the installation of Copy to Hadoop and OSH in the context of the Oracle Big Data SQL installation. Use the instructions below instead.

1. If the Hadoop system is not an Oracle Big Data Appliance, then download the SQL\*Plus Instant Client and Oracle Instant Client for Linux from the [Oracle Technology Network](#). Select the client versions that matches the version of the Oracle Database.

Extract both packages into the same directory.

Add the directory to `PATH` and `LD_LIBRARY_PATH`.

2. Create a local directory for TNS and from `TNS_ADMIN` on the Oracle Database host, copy the `tnsnames.ora` and `sqlnet.ora` file into this directory.

If you create an Oracle Wallet for the Oracle Database host, then also copy over the Oracle Wallet file from the database server. Also check that `sqlnet.ora` points to the correct Oracle Wallet location.

```
WALLET_LOCATION=
  (SOURCE=(METHOD=FILE)(METHOD_DATA=
    (DIRECTORY=<your wallet directory>)))
sqlnet.wallet_override=true
```

3. As root, edit `/opt/oracle/ohsh/bin/ohsh_config.sh`. Set the following environment variables.

```
export CP2HADOOP_HOME=/opt/oracle/orahivedp-<version>
export HS2_HOST_PORT=<HiveServer2 hostname>:<Port number>
```

Also set `HIVE_SESS_VAR_LIST` to any required Hive session variables. For example:

- To connect to HiveServer2 with Kerberos authentication: `export HIVE_SESS_VAR_LIST="principal=<The server principal of HiveServer2>"`
- To connect to HiveServer2 running in HTTP mode: `export HIVE_SESS_VAR_LIST="transportMode=http;httpPath=<The HTTP endpoint>"`
- To connect to HiveServer2 when SSL is enabled: `export HIVE_SESS_VAR_LIST="ssl=true;sslTrustStore=<Trust Store path>;trustStorePassword=<Trust Store password>"`

4. If TNS and Oracle Wallet are enabled, also add the following variables to the file and export them:

```
export WALLET_LOCATION="<your wallet directory>"
export TNS_ADMIN="<your TNS directory>"
```

5. Add `/opt/oracle/ohsh` and `$HADOOP_HOME/bin` to the `PATH` variable

```
PATH=/opt/oracle/ohsh-<version>/bin:$PATH
PATH=$HADOOP_HOME/bin:$PATH
```

6. Start an OHS session and check for resources. This check indicates whether or not the configuration is correct.

```
$ ohsh
ohsh> show resources
```

You should see the resources `hadoop0`, `hive0`, and `bash0`.

### 8.1.3 Getting Started Using Copy to Hadoop and OHS

See `$ORACLE_HOME/ohsh/doc` and `$ORACLE_HOME/ohsh/examples` for examples that show how to run the OHS load methods.



See the Oracle Big Data SQL User's Guide more information on Copy to Hadoop and Oracle Shell for Hadoop Loaders.

## 8.1.4 Configuring OSH to Enable Job Monitoring

When OSH jobs are executed, status and other information about the job is recorded into a back-end database. To access information from the OSH command line, you must first configure the connection to the database.

### Configuration Steps

Configure the following properties in `conf/smartloader-conf.xml` in order to enable a database instance where job history is stored.

- `oracle.hadoop.smartloader.diagnostics.jobhistory.jdbc.driver`  
Specifies the JDBC driver for the supported back-end database type. Currently, `MYSQL` and `ORACLE` are valid values. If this property is not specified, the job history commands fail.

Additional properties must be set. These differ, depending upon which database type is defined as the supported back-end database

- If `jdbc.driver = ORACLE`:
  - `oracle.hadoop.smartloader.diagnostics.jobhistory.jdbc.oracleConnectId`  
A TNS entry name defined in the `tnsnames.ora` file.
  - `oracle.hadoop.smartloader.diagnostics.jobhistory.jdbc.oracleWalletDir`  
The OS directory containing the Oracle Wallet used to connect to an Oracle Database schema through JDBC.
  - `oracle.hadoop.smartloader.diagnostics.jobhistory.jdbc.oracleTnsDir`  
The file path to a directory on the node where OSH runs. This directory contains SQL\*Net configuration files such as `sqlnet.ora` and `tnsnames.ora`. Typically, this is `${ORACLE_HOME}/network/admin`.

#### Note:

If you are running OSH from a Hadoop client and want to use Oracle Wallet, copy `tnsnames.ora` and the wallet files to any directory on the Hadoop client.

- If `jdbc.driver = MYSQL`:
  - `oracle.hadoop.smartloader.diagnostics.jobhistory.jdbc.mysqlConnectUrl`  
The URL used to make a JDBC connection to the MySQL database
  - `oracle.hadoop.smartloader.diagnostics.jobhistory.jdbc.mysqlUser`  
MySQL user of job history schema
  - `oracle.hadoop.smartloader.diagnostics.jobhistory.jdbc.mysqlPW`

Password of the MySQL user account.

### Commands for Monitoring OSH Jobs

After this configuration is completed, you will be able to execute the following OSH commands:

- `ohsh> show job <job_id>`  
Shows the detailed information of the job specified by ID.
- `ohsh> show job summary <job_id>`  
Shows the performance of the completed job specified by ID.
- `ohsh> show job abstract <job_id>`  
Provides a functional description of the job.
- `ohsh> show jobs [failed|running|completed|finished] [extended] [<integer>]`  
Shows the last *n* jobs of a particular job status.
  - The first parameter specifies job status. If the status is not specified, all jobs are shown, regardless of job status.
  - The second parameter specifies whether to show details.
  - The third parameter specifies that the last *n* jobs of the specified status should be shown. If *n* is not specified, then all jobs of that status are shown.
- `ohsh> truncate jobs [<integer>]`  
Removes the last *n* jobs from the database. If the integer is not specified, the command removes all jobs

# A

## Installation Quick Reference

This condensed description of the installation steps may be useful if you have installed the release before, or, feel that you do not need a detailed explanation of the steps. You can refer back to the full instructions in the main body of the guide for more information.

### About Restarts

#### Hadoop Side:

- Cloudera Configuration Manager (or Ambari) may be restarted by the installation. This in itself does not interrupt any services.
- Hive, YARN, and any other services that have a dependency on Hive or YARN (such as Impala) are restarted.

The Hive libraries parameter is updated in order to include Oracle Big Data SQL JARs. On Cloudera installations, if the YARN Resource Manager is enabled, then it is restarted in order to set cgroup memory limit for Oracle Big Data SQL and the other Hadoop services. On Oracle Big Data Appliance, the YARN Resource Manager is always enabled and therefore always restarted.

#### Database Side:

- In some cases where Grid infrastructure is present, it must be restarted. If the system uses Grid then you should have the Grid user credentials on hand in case a restart is required
- The Linux users grid and oracle (or other database owner) must both in the same group (usually oinstall).

**Table A-1 Checking Prerequisites and Patches**

Step	For More Information
1. Check for the prerequisites on both the Hadoop or Oracle Database systems. (The installation will alert you if any are missing.)	<ul style="list-style-type: none"><li>• <a href="#">Prerequisites for Installation on the Hadoop Cluster</a></li><li>• <a href="#">Prerequisites for Installation on Oracle Database Nodes</a></li></ul>
2. Ensure that the latest Database Proactive Bundle Patch is installed on database as well as any one-off patches required for this product. <b>NOTE:</b> The Database Proactive Bundle Patch is different than the Patch Set Update. Refer to the Master Compatibility Matrix for complete details on required patches.	<a href="#">Oracle Big Data SQL Master Compatibility Matrix</a> (Doc ID 2119369.1 in <a href="#">My Oracle Support</a> )
3. On the database server, check that <code>opatch</code> is included in <code>PATH</code> . Then run <code>opatch</code> to see what patches are installed on the database: <code>\$ ./opatch lspatches</code> .	
4. Make sure database and listener are down before installing any missing patches.	<a href="#">Managing Oracle Software and Applying Patches (Database 2 Day + Real Application Clusters Guide)</a>

**Table A-1 (Cont.) Checking Prerequisites and Patches**

Step	For More Information
<p>6. Unzip the patch archive on the database server. Navigate to the patch and apply it: <code>\$ ./opatch apply</code></p> <p>If the database server has both a database and Grid home, then apply a one-off patch to BOTH the grid home and database home.</p>	
<p>7. Navigate to <code>\$ORACLE_HOME/Opatch</code> and run the <code>datapatch</code> command: <code>\$ ./datapatch</code></p>	

**Table A-2 Installing the Hadoop Side of Oracle Big Data SQL**

Step	For More Information
<p>1. Download the Oracle Big Data SQL installation bundle from OTN or eDelivery (Oracle Software Delivery Cloud).</p>	<ul style="list-style-type: none"> <li>• <a href="#">OTN</a></li> <li>• <a href="#">Oracle Software Delivery Cloud</a></li> </ul>
<p>2. Copy this file on to master node of the Hadoop cluster (where Ambari or CM is running). Unzip it and navigate to extracted directory.</p>	
<p>3. Create a configuration file:</p> <pre>{ "cluster": {   "name": &lt;Your cluster name&gt; } }</pre>	
<p>Some important implicit default settings you may want to modify are <code>database_compatibility</code> and <code>database_auth_enabled</code>. See the description of these parameters in the <a href="#">Jaguar Configuration Parameter and Command Reference</a> in this guide.</p> <pre>{ "cluster": {   "name": &lt;Your cluster name&gt;   "database_compatibility" : [ "18" ] }, "security": {   "database_auth_enabled": "false" } }</pre>	
<p>Other configuration options are available.</p>	<ul style="list-style-type: none"> <li>• <a href="#">Jaguar Configuration Parameter and Command Reference</a></li> <li>• <a href="#">Steps for Installing on the Hadoop Cluster</a></li> </ul>

**Table A-2 (Cont.) Installing the Hadoop Side of Oracle Big Data SQL**

Step	For More Information
<p>4. As root, run: <code>./jaguar install &lt;config file&gt;</code></p> <p>If you want to generate a key for Database Authentication, then include the <code>--requestdb</code> parameter and list the databases that should accept the key:</p> <pre>./jaguar --requestdb orcl,testdb,proddb install &lt;config file&gt;</pre>	
<p>5. Copy the database-side installation bundle generated in <code>&lt;Big Data SQL Install directory&gt;/BDSjaguar-4.0.0/dbundles</code> to the database server. If you used <code>--requestdb</code> to generate a request key, find the <code>.reqkey</code> file under <code>/BDSjaguar-4.0.0/dbkeys</code> and copy it to the database server as well.</p>	

**Table A-3 Installing the Database Side of Oracle Big Data SQL**

Step	For More Information
<p>1. Log on as the database owner, locate the database-side installation bundle, and unzip it.</p>	<a href="#">Steps for Installing on Oracle Database Nodes</a>
<p>2. Execute the <code>.run</code> file extracted from the ZIP file.</p>	
<p>3. Navigate to <code>\$ORACLE_HOME/BDSJaguar-4.0.0</code> and find the installation directory created by the <code>.run</code> file. The directory name will indicate the cluster, node, and domain where the installation bundle originated. Cd into the directory and run the installer:</p> <pre>\$ cd cdh510-6-node1.my.domain.com \$ ./bds-database-install.sh</pre>	
<p>You may need to include some parameters with this command.</p>	<a href="#">Command Line Parameter Reference for bds-database-install.sh</a>

Perform the steps in the table below if `database_auth_enabled` and/or `impersonation_enabled` was set to "true" in the configuration.

**Table A-4 Extra Steps to Complete the Configuration for Database Authentication and/or Multi-User Authorization**

Step	For More Information
<p>1. If Database Authentication and/or Multi-User Authorization are enabled, the database-side installation generates a ZIP file. Find this file in the installation directory and copy it back to the path indicated below on the Hadoop cluster management server:</p>	<p><a href="#">Steps for Installing on Oracle Database Nodes</a></p>
<pre>\$ ls \$ORACLE_HOME/BDSJaguar-4.0.0/cdh510-6- node1.my.domain.com/*.zip mycluster1-18- mycluster1node03.mydomain.com- myoradb1.mydomain.com.zip \$ scp mycluster1-18- mycluster1node03.mydomain.com- myoradb1.mydomain.com.zip root@node1:/opt/ oracle/DM/databases/conf</pre>	
<p>2. Log on to the Hadoop cluster management server as root and run the Database Acknowledge operation:</p>	
<pre># cd &lt;Big Data SQL Install Directory&gt;/ BDSJaguar-4.0.0 # ./jaguar databaseack &lt;config file&gt;</pre>	

**Table A-5 Creating Users and Setting Up Mappings for Multi-User Authorization**

Action	For More Information
<p>1. To grant a user access:</p> <ul style="list-style-type: none"> <li>Grant the BDSQL_USER role.</li> <li>Grant read privileges on the BigDataSQL configuration directory object.</li> </ul>	
<pre>SQL&gt; grant BDSQL_USER to user1; SQL&gt; grant read on directory ORACLE_BIGDATA_CONFIG to user1;</pre>	

**Table A-5 (Cont.) Creating Users and Setting Up Mappings for Multi-User Authorization**

Action	For More Information
<p>2. To grant users Hadoop access through the Multi-User Authorization feature, use the procedures of the DBMS_BDSQL PL/SQL Package:</p> <ul style="list-style-type: none"> <li>• Grant the BDSQL_ADMIN role to designated administrators in order to allow them to invoke these procedures.</li> <li>• Use the ADD_USER_MAP procedure to define the rules for a user. This creates a row in the BDSQL_USER_MAP table.</li> <li>• Use REMOVE_USER_MAP to remove a row from the BDSQL_USER_MAP table.</li> </ul>	DBMS_BDSQL PL/SQL Package

**See Also**

These workflow diagrams provide a visual overview of the installation process as a whole and a close-up view of the steps needed to complete the setup of Database Authentication:

- [Installation Workflow](#)
- [Generating and Installing the GUID-Key Pair for Database Authentication](#)

The next two sections of this guide provide useful code examples:

- [bds-config.json Configuration Example](#)
- [Oracle Big Data SQL Installation Examples](#)

# B

## bds-config.json Configuration Example

This example demonstrates some of the available configuration parameters and values.

```
{
  "cluster": {
    "name": "cluster",
    "database_compatibility" : [ "12.1", "18" ]
  },
  "object_store_support" : {
    "enabled" : "true",
    "cell_http_proxy"      : "http://proxy1.server.com:80",
    "cell_no_proxy"       :
"localhost,127.0.0.1,.my.domain.com,my.domain.com",
    "database_http_proxy" : "http://proxy2.server.com:80",
    "database_no_proxy"   :
"localhost,127.0.0.1,.my.domain.com,my.domain.com"
  },
  "api" : {
    "hostname"           : "admin.server.com",
    "skip_health_check" : "true",
    "port" : 5050,
    "restart_stale" : "false"
  },
  "repositories" : {
    "url" : [
      "http://repo1.domain.com/loc/hadoop",
      "http://repo2.domain.com/loc",
      "http://alternate.domain.com/backup/repo"
    ],
    "dir" : [ "/root/hadooprepo" ]
  },
  "network" : {
    "use_infiniband" : "false",
    "selection_subnet" : "5.32.128.10/21",
    "http_proxy"      : "http://my.proxy.server.com:80",
    "https_proxy"     : "http://mysecure.proxy.server.com:80"
    "excluded_nodes" : [ "edge.node1.domain.com", "edge.node2.domain.com" ]
  },
  "security" : {
    "database_auth_enabled" : "true",
    "impersonation_enabled" : "true",
    "impersonation_usehosts" : "true",
    "impersonation_blacklist" : "hdfs,hive"
  },
  "kerberos" : {
    "principal" : "oracle/mycluster@MY.DOMAIN.COM",
    "keytab" : "/home/oracle/security/oracle.keytab",
    "hdfs-principal" : "hdfs/mycluster@MY.DOMAIN.COM",
```



```
        "hdfs-keytab"      : "/home/hdfs/security/hdfs.keytab",
        "db-service-principal" : "oracle/
dbnode.domain.com@MY.DOMAIN.COM",
        "db-service-keytab"   : "/home/edgedb/edgedb.keytab"
    },
    "edgedb": {
        "node"      : "dbnode.domain.com",
        "enabled"   : "true",
        "sync_hive_db_list" : "my_hive_db_1,my_hive_db2"
    },
    "memory" : {
        "min_hard_limit" : 16384,
        "max_percentage" : 30
    }
}
```

# C

## Oracle Big Data SQL Installation Examples

The following are samples of the console output for the Oracle Big Data SQL installation.

- Example 1 shows the output of an installation on Oracle Big Data Appliance.
- Example 2 shows the parallel installation on Hortonworks HDP.

The database side of the installation is the same for Exadata Database Machine and all commodity Oracle Database platforms.

The database side of these scripts shows the installation on a system running Oracle Database 12.1. The output is the same for an installation on Oracle Database 18c and 12.2 systems, except for minor path changes.

### Example 1: Installation on Oracle Big Data Appliance

This example shows the Hadoop-side installation where the Hadoop system is Oracle Big Data Appliance. The installation on HDP is similar.

Here are things to note about the example:

- The Big Data Appliance in this case is running the Oracle Big Data Appliance release 4.10. Output may differ slightly on other releases.
- We do not use `sc1` on this system because on Oracle Big Data Appliance systems running Oracle Linux 6 or 7, Jaguar will automatically use `sc1` if needed.
- The `--requestdb` parameter takes the name of the database where you will install the other side of Oracle Big Data SQL will be installed after completing the Hadoop-side installation. The database name in this case is `orcl`. When this parameter is included in the command, Jaguar will generate a "request key" along with the database-side installation bundle. This key is part of the process that authorizes access to the database. See [Important Terms and Concepts](#) for more information about `--requestdb` and about the database authorization process.
- There is no JSON configuration file specified on the command line because we are using the default `bds-config.json` file. If we used a different configuration file, then the file name would need to be explicitly included in the command.
- The output file names are branded with the cluster name, the fully-qualified domain name of the node where the files are generated, and a time stamp. The cluster name in this example is "afghsec."
- The line `BigDataSQL: Object Store support: Enabled` indicates that the `bds-config.json` configuration file was set up to enable Oracle Big Data SQL access to either Amazon S3 or Oracle OCI. Likewise, `DB version support: 18` indicates that `bds-config.json` was set to enable compatibility with Oracle Database 18c and 12c. The line `WARNING: If there are services in the stale state, they will be restarted !!!` represents a default choice in the configuration file. You can configure the installation to bypass restarts of stale services. Other configuration file settings are reported in the output, such as the network connection type: `BigDataSQL: Connection type: Infiniband`. See the [Jaguar Configuration Parameter and Command Reference](#) in this guide for a complete list of configuration options.

- Placeholders in brackets are used to fill in hostnames and IP addresses in this example
- You can run these commands as the `oracle` user. However, you will be prompted for the `root` password in order to do the secure copy of files over to the database server.

```
[root@scaj41bda18 BDSJaguar]# ./jaguar --requestdb orcl install
BigDataSQL:
=====
BigDataSQL: Oracle Big Data SQL 4.0.0.
BigDataSQL: Starting execution on: Mon May 20 16:52:37 2019.
BigDataSQL:      in directory: /opt/oracle/BDSJaguar.
BigDataSQL:      and hostname: <node.domain.com>.
BigDataSQL:      IP address: <IP address>.
BigDataSQL:      DB version support: 18.
BigDataSQL:      Object Store support: Enabled.
BigDataSQL:      API url: https://<node.domain.com>:7183.
BigDataSQL:      Waiting for management server to respond...
BigDataSQL:      Configuration json file name: bds-config.json.
BigDataSQL:      WARNING: If there are services in the stale state, they
will be restarted !!!

Cloudera Manager user: admin
Password:

BigDataSQL: Authentication succeeded.
BigDataSQL: API version: 17.
BigDataSQL: Cluster name   : afghsec.
BigDataSQL: Cluster type   : BDA.
BigDataSQL: Cluster version: CDH5.
BigDataSQL:   full version: 5.12.1.
BigDataSQL: BDA version    : 4.10.0-9.
BigDataSQL: Cluster health check..
BigDataSQL: Service: BIGDATASQL.
BigDataSQL: Verifying service configuration..
BigDataSQL: Connection type: Infiniband.
BigDataSQL: Initialization completed..
BigDataSQL: Copying CSD to Cloudera Manager..
BigDataSQL: Restarting management server...
BigDataSQL: Waiting for management server to respond...
BigDataSQL: Restarting Cloudera Management service..
BigDataSQL: Starting deployment server..
BigDataSQL: Analyzing cluster ....
BigDataSQL: Checking for Big Data SQL requirements..
BigDataSQL: Preparing installation..
BigDataSQL: Installing Big Data SQL agents..
BigDataSQL: Installing Big Data SQL servers..
BigDataSQL: Starting bigdatasql service..
BigDataSQL: reqkey file created: /opt/oracle/BDSJaguar/dbkeys/
orcl.reqkey.
BigDataSQL: Restarting stale services..
BigDataSQL: Restarting Cloudera Management service..
BigDataSQL: Big Data SQL task completed..
BigDataSQL: Creating database side bundle..
```

```

BigDataSQL: Creating bundle file.
BigDataSQL: Bundle file created: /opt/oracle/BDSJaguar/db-bundles/bds-4.0.0-
db-afghsec-190520.1652.zip.
BigDataSQL: INSTALL workflow completed.

```

### Copy the database-side installation bundle to the database node.

```

[oracle@scaj22bda08 ~]$ scp root@<database host>:/opt/oracle/BDSJaguar/db-
bundles/bds-4.0.0-db-afghsec-190520.1652.zip .
root@<host name>'s password:
bds-4.0.0-db-
afghsec-190520.1652.zip
      100% 870MB 232.9MB/s   00:03

```

### Unzip the bundle, execute the run file, and copy the request key file into the install directory created by the run file.

```

$ unzip bds-4.0.0-db-afghsec-190520.1652.zip
Archive:  bds-4.0.0-db-afghsec-190520.1652.zip
  inflating: bds-4.0.0-db-afghsec-190520.1652.run

$ ./bds-4.0.0-db-afghsec-190520.1652.run
bds-4.0.0-db-afghsec-190520.1652.run: platform is           : Linux
bds-4.0.0-db-afghsec-190520.1652.run: script started at    : Mon May 20
17:07:32 PDT 2019
bds-4.0.0-db-afghsec-190520.1652.run: running location     : /home/oracle
bds-4.0.0-db-afghsec-190520.1652.run: ORACLE_SID          : orcl
bds-4.0.0-db-afghsec-190520.1652.run: ORACLE_HOME         : /u03/app/
oracle/18.1.0/dbhome_orcl/shiphome/database
bds-4.0.0-db-afghsec-190520.1652.run: install directory   : /u03/app/
oracle/18.1.0/dbhome_orcl/shiphome/database/BDSJaguar-4.0.0/afghsec-3-<host
FQDN>
bds-4.0.0-db-afghsec-190520.1652.run: extracting...
bds-4.0.0-db-afghsec-190520.1652.run: installer extracted successfully

$ cd $ORACLE_HOME/BDSJaguar-4.0.0/afghsec-3-<FQDN of this Hadoop node>
$ scp root@scaj41bda18:/opt/oracle/BDSJaguar/dbkeys/orcl.reqkey .
root@<host name>'s password:
orcl.reqkey      100% 251   425.6KB/s   00:00

```

### Change to the install directory and run the install operation of bds-database-install.sh.

Notice that in this example, that the default patch check reports that not all prerequisite database patches are installed. This prevented completion of the installation.

```

$ ./bds-database-install.sh --install --restart-db=yes
bds-database-install: platform is           : Linux
bds-database-install: script started at    : Mon May 20 17:08:24 PDT
2019
bds-database-install: running location     : /u03/app/oracle/18.1.0/
dbhome_orcl/shiphome/database/BDSJaguar-4.0.0/afghsec-3-<FQDN of Hadoop node>
bds-database-install: ORACLE_SID          : orcl

```

```
bds-database-install: ORACLE_HOME           : /u03/app/oracle/
18.1.0/dbhome_orcl/shiphome/database
bds-database-install: Validating Database Patches in /u03/app/oracle/
18.1.0/dbhome_orcl/shiphome/database
```

bds-database-install: ERROR: Proactive Patches and/or one-off patches are missing.

For more information, please check MOS note:

Oracle Big Data SQL Master Compatibility Matrix (Doc ID 2119369.1)

```
bds-database-install: log files in /u03/app/oracle/18.1.0/dbhome_orcl/
shiphome/database/install
```

```
bds-database-install: bds-database-install-16055-* files for more
detailed info
```

```
bds-database-install: full log in bds-database-install-16055-main-
script.log
```

### You can temporarily bypass the database patch check

If you include the `--skip-db-patches-check` parameter, the installer bypasses the patch check. You will need to install the patches later in order for Big Data SQL to become operational.

Part of the database-side installation must run as root. Notice that the installer generates a script and prompts you to run it as root.

```
$ ./bds-database-install.sh --install --restart-db=yes --skip-db-
patches-check
bds-database-install: platform is           : Linux
bds-database-install: script started at     : Mon May 20 17:08:52
PDT 2019
bds-database-install: running location      : /u03/app/oracle/
18.1.0/dbhome_orcl/shiphome/database/BDSJaguar-4.0.0/afghsec-3-<Hadoop
node FQDN>
bds-database-install: ORACLE_SID           : orcl
bds-database-install: ORACLE_HOME         : /u03/app/oracle/
18.1.0/dbhome_orcl/shiphome/database
bds-database-install: Install will affect all pdba.
bds-database-install: configuration spfile  : spfileorcl.ora
bds-database-install: Grid home            : not detected
bds-database-install: db resource         : orcl
bds-database-install: mta extproc sid     : bds_orcl_afghsec
bds-database-install: use of crsctl       : false
bds-database-install: Kerberos variables file : /u03/app/oracle/
18.1.0/dbhome_orcl/shiphome/database/bigdatasql/clusters/afghsec/
bds_kerberos_variables.env
bds-database-install: root shell script    : /u03/app/oracle/
18.1.0/dbhome_orcl/shiphome/database/install/bds-database-install-17056-
root-script-afghsec.sh
please run as root:
```

```
/u03/app/oracle/18.1.0/dbhome_orcl/shiphome/database/install/bds-
database-install-17056-root-script-afghsec.sh
```

waiting for root script to complete, press <enter> to continue checking..  
q<enter> to quit

When the script finishes, you should see a success message, such as, "bds-database-install-17056-root-script-afghsec.sh: afghsec: root script finished successfully."

**This is the resumed installation output after the root script execution:**

At the end, the script reminds you to copy the generated zip file that contains the database acknowledge key back to the Hadoop cluster and then run `./jaguar databaseack` to process the key.

```
bds-database-install: root script seem to have succeeded, continuing...
bds-database-install: cluster type                : bda
bds-database-install: connection type            : Infiniband
bds-database-install: cluster name               : afghsec
bds-database-install: cluster version           : cdh5
bds-database-install: dictionary cluster name    : afghsec
bds-database-install: Cluster Hadoop version    : 2.6.0-cdh5.12.1
bds-database-install: Hadoop client version     : hadoop-2.6.0-cdh5.12.1
bds-database-install: Hive client version       : hive-1.1.0-cdh5.12.1
bds-database-install: HBase client version      : Not available on the
cluster
bds-database-install: BDSQL version             : 4.0.0
bds-database-install: BDSQL install date        : Mon May 20 17:05:23 2019
bds-database-install: bd_cell version           :
bd_cell-12.2.1.1.0_LINUX.X64_190515.1-1.x86_64
bds-database-install: cp2hadoop kit version     : orahivedp-5.0.0
bds-database-install: ohsh kit version         : ohsh-5.0.0
bds-database-install: cell config dir          : /etc/oracle/cell/network-
config
bds-database-install: hybrid cell model        : false
bds-database-install: cellinit.ora             : missing
bds-database-install: cellaffinity.ora file    : missing
bds-database-install: listener end point       : EXTPROC1521
bds-database-install: installing JDK           : jdk1.8.0_171
bds-database-install: creating cellinit backup files
bds-database-install: action                   : setup
bds-database-setup: validating <IP Address>/21 against network interfaces
bds-database-setup: found <IP Address>/21 at bondib0
bds-database-setup: ping to cluster nodes from <IP Address> (standard frame)
bds-database-setup: response ok from <IP Address>
bds-database-setup: response ok from <IP Address>
bds-database-setup: response ok from <IP Address>
bds-database-setup: ping to cluster nodes from <IP Address> (Jumbo frame)
bds-database-setup: response ok from <IP Address>
bds-database-setup: response ok from <IP Address>
bds-database-setup: response ok from <IP Address>
bds-database-setup: installing cluster configuration files
bds-database-setup: unpacking hadoop-2.6.0-cdh5.12.1.tar.gz
bds-database-setup: unpacking hadoop-2.6.0-nativelib-ol7.tar.gz
bds-database-setup: unpacking hive-1.1.0-cdh5.12.1.tar.gz
bds-database-setup: unpacking sentry-1.5.1-cdh5.12.1.tar.gz
bds-database-setup: creating database objects
```

```
catcon::set_log_file_base_path: ALL catcon-related output will be
written to [/u03/app/oracle/18.1.0/dbhome_orcl/shiphome/database/
install/bds-database-install-17056-directory-creation_catcon_20018.lst]
```

```
catcon::set_log_file_base_path: catcon: See [/u03/app/oracle/18.1.0/
dbhome_orcl/shiphome/database/install/bds-database-install-17056-
directory-creation*.log] files for output generated by scripts
```

```
catcon::set_log_file_base_path: catcon: See [/u03/app/oracle/18.1.0/
dbhome_orcl/shiphome/database/install/bds-database-install-17056-
directory-creation*.lst] files for spool files, if any
```

```
catcon.pl: completed successfully
bds-database-setup: mta will be setup
bds-database-setup: creating /u03/app/oracle/18.1.0/dbhome_orcl/
shiphome/database/hs/admin/initbds_orcl_afghsec.ora
bds-database-setup: mta shutdown bds_orcl_afghsec
bds-database-setup: removing existing mta parameter settings
bds-database-setup: setting performance parameters for mta
bds-database-setup: setting listener_address to EXTPROC1521
bds-database-setup: starting extproc bds_orcl_afghsec
bds-database-setup: waiting upto 100 seconds for extproc to register
with listener
```

```
.....ok
bds-database-setup: patching view LOADER_DIR_OBJ$
catcon::set_log_file_base_path: ALL catcon-related output will be
written to [/u03/app/oracle/18.1.0/dbhome_orcl/shiphome/database/
install/bds-database-install-17056-patch-view_catcon_21550.lst]
```

```
catcon::set_log_file_base_path: catcon: See [/u03/app/oracle/18.1.0/
dbhome_orcl/shiphome/database/install/bds-database-install-17056-patch-
view*.log] files for output generated by scripts
```

```
catcon::set_log_file_base_path: catcon: See [/u03/app/oracle/18.1.0/
dbhome_orcl/shiphome/database/install/bds-database-install-17056-patch-
view*.lst] files for spool files, if any
```

```
catcon.pl: completed successfully
bds-database-setup: creating mta dblink$
catcon::set_log_file_base_path: ALL catcon-related output will be
written to [/u03/app/oracle/18.1.0/dbhome_orcl/shiphome/database/
install/bds-database-install-17056-create-links_catcon_21746.lst]
```

```
catcon::set_log_file_base_path: catcon: See [/u03/app/oracle/18.1.0/
dbhome_orcl/shiphome/database/install/bds-database-install-17056-create-
links*.log] files for output generated by scripts
```

```
catcon::set_log_file_base_path: catcon: See [/u03/app/oracle/18.1.0/
dbhome_orcl/shiphome/database/install/bds-database-install-17056-create-
links*.lst] files for spool files, if any
```

```
catcon.pl: completed successfully
catcon::set_log_file_base_path: ALL catcon-related output will be
written to [/u03/app/oracle/18.1.0/dbhome_orcl/shiphome/database/
install/bds-database-install-17056-alter-system_catcon_21936.lst]
```

```
catcon::set_log_file_base_path: catcon: See [/u03/app/oracle/18.1.0/
dbhome_orcl/shiphome/database/install/bds-database-install-17056-alter-
system*.log] files for output generated by scripts
```

```
catcon::set_log_file_base_path: catcon: See [/u03/app/oracle/18.1.0/
dbhome_orcl/shiphome/database/install/bds-database-install-17056-alter-
system*.lst] files for spool files, if any
```

```
catcon.pl: completed successfully
bds-database-setup: installing cp2hadoop
bds-database-setup: installing ohsh
bds-database-setup: enabling TLS encryption
bds-database-setup: reconfiguring database instance orcl
bds-database-setup: adding parameter _bigdata_external_table=true
bds-database-setup: adding parameter _dskm_single_instance=true
bds-database-setup: setup cell configuration
bds-database-setup: creating cellinit.ora
bds-database-setup: cellaffinity.ora already disabled
bds-database-setup: verifying pdbs status
bds-database-setup: saving pdbs open states
bds-database-setup: restarting database instance
```

```
bds-database-setup: Object Store scripts templates have been created:
bds-database-setup: set_parameters_cdb.sql      should be executed in CDB
bds-database-setup: allow_proxy_pdb.sql      should be executed on
required PDBs
```

```
/u03/app/oracle/18.1.0/dbhome_orcl/shiphome/database/BDSJaguar-4.0.0/
afghsec-3-scaj41bda18.us.oracle.com/set_parameters_cdb.sql
/u03/app/oracle/18.1.0/dbhome_orcl/shiphome/database/BDSJaguar-4.0.0/
afghsec-3-scaj41bda18.us.oracle.com/allow_proxy_pdb.sql
```

```
bds-database-setup: please review and update them if required
```

```
bds-database-setup: activation zip file created: afghsec-3-
scaj41bda18.us.oracle.com-scaj22bda08.us.oracle.com.zip
```

```
# /u03/app/oracle/18.1.0/dbhome_orcl/shiphome/database/BDSJaguar-4.0.0/
afghsec-3-scaj41bda18.us.oracle.com/afghsec-3-scaj41bda18.us.oracle.com-
scaj22bda08.us.oracle.com.zip
```

```
bds-database-setup: copy this file to root@scaj41bda18.us.oracle.com:/opt/
oracle/DM/databases/conf
bds-database-setup: and run:
```

```
./jaguar databaseack
```

```
bds-database-setup: configuration successful for cluster afghsec
```

```
bds-database-setup: log files in /u03/app/oracle/18.1.0/dbhome_orcl/shiphome/
database/install
```

```
bds-database-setup: bds-database-install-17056-* files for more detailed info
```

```
bds-database-setup: full log in bds-database-install-17056-main-script.log
```



**Copy the zip file generated by `bds-database-install.sh` back to the Hadoop cluster management server. This zip file contains the `.ackkey` file needed to complete the Database Authentication setup.**

```
$ scp afghsec-3-<node name>.us.oracle.com-<node name>.us.oracle.com.zip
root@<Hadoop node FQDN>:/opt/oracle/DM/databases/conf
root@<Hadoop node FQDN>'s password:
afghsec-3-<node name>.us.oracle.com-<node
name>.us.oracle.com.zip          100% 789    0.8KB/s   00:00
```

**As root on the Hadoop cluster management server, run Jaguar's Database Acknowledge operation. This completes the installation.**

If your Jaguar configuration file is not named `bds-config.json`, then include the file name in the command, as in `./jaguar databaseack myjagconf.json`.

```
[root@scaj41bda18 BDSJaguar]# ./jaguar databaseack
BigDataSQL:
=====
BigDataSQL: Oracle Big Data SQL 4.0.0.
BigDataSQL: Starting execution on: Mon May 20 17:15:06 2019.
BigDataSQL:           in directory: /opt/oracle/BDSJaguar.
BigDataSQL:           and hostname: <Hadoop node FQDN>.
BigDataSQL:           IP address: <IP Address>.
BigDataSQL:   DB version support: 18.
BigDataSQL: Object Store support: Enabled.
BigDataSQL: API url: https://<Hadoop node FQDN>:7183.
BigDataSQL: Waiting for management server to respond...
BigDataSQL: Configuration json file name: bds-config.json.
BigDataSQL: WARNING: If there are services in the stale state, they
will be restarted !!!

Cloudera Manager user: admin
Password:

BigDataSQL: Authentication succeeded.
BigDataSQL: API version: 17.
BigDataSQL: Cluster name   : afghsec.
BigDataSQL: Cluster type   : BDA.
BigDataSQL: Cluster version: CDH5.
BigDataSQL:   full version: 5.12.1.
BigDataSQL: BDA version    : 4.10.0-9.
BigDataSQL: Cluster health check..
BigDataSQL: Service: BIGDATASQL.
BigDataSQL: Verifying service configuration..
BigDataSQL: Connection type: Infiniband.
BigDataSQL: Initialization completed..
BigDataSQL: Starting deployment server..
BigDataSQL: Analyzing cluster ....
BigDataSQL: Checking for Big Data SQL requirements..
BigDataSQL: Database acknowledge..
BigDataSQL: Refreshing Big Data SQL database connections..
BigDataSQL: Starting bigdatasql service..
BigDataSQL: Setting database key for Big Data SQL..
```

```
BigDataSQL: Restarting stale services..
BigDataSQL: Restarting Cloudera Management service..
```

```
Big Data SQL setup finished !!!
run bdschecksw tool on database node for sanity verification
```

```
BigDataSQL: DATABASEACK workflow completed.
```

## Example 2: Installation on an HDP Cluster

The installation on an HDP system is nearly the same as on CDH. As in the previous example, Oracle Big Data SQL will be configured to use Database Authorization feature. Therefore the `--requestdb` parameter is included in the Jaguar install command in order to generate a request key file.

```
# ./jaguar --requestdb orcl install
BigDataSQL:
=====
BigDataSQL: Oracle Big Data SQL 4.0.0.
BigDataSQL: Starting execution on: Wed May 22 16:00:40 2019.
BigDataSQL:           in directory: /opt/oracle/BDSJaguar.
BigDataSQL:           and hostname: <Hadoop node FQDN>.
BigDataSQL:           IP address: 10.128.17.167.
BigDataSQL:           DB version support: 18.
BigDataSQL:           Object Store support: Enabled.
BigDataSQL:           API url: http://<node.domain.com>:8080.
BigDataSQL:           Waiting for management server to respond...
BigDataSQL:           Configuration json file name: bds-config.json.
BigDataSQL:           WARNING: If there are services in the stale state, they will be
restarted !!!

Ambari user: admin
Password:

BigDataSQL: Authentication succeeded.
BigDataSQL: API version: 1.
BigDataSQL: Cluster name   : afgghdp2.
BigDataSQL: Cluster type   : HDP.
BigDataSQL: Cluster version: HDP2.
BigDataSQL:   full version: 2.6.5.1100-53.
BigDataSQL: Cluster health check..
BigDataSQL: Service: BIGDATASQL.
BigDataSQL: Verifying service configuration...
BigDataSQL: Connection type: Ethernet.
BigDataSQL: Initialization completed..
BigDataSQL: Copying Stack to Ambari..
BigDataSQL: Restarting management server...
BigDataSQL: Waiting for management server to respond...
BigDataSQL: Starting deployment server..
BigDataSQL: Analyzing cluster ....
BigDataSQL: Checking for Big Data SQL requirements..
BigDataSQL: Preparing installation..
BigDataSQL: Installing Big Data SQL agents..
BigDataSQL: Installing Big Data SQL servers..
BigDataSQL: Starting bigdatasql service.
```

```
BigDataSQL: reqkey file created: /opt/oracle/BDSJaguar/dbkeys/
orcl.reqkey.
BigDataSQL: Restarting stale services..
BigDataSQL: Starting hdfs service.
BigDataSQL: Starting yarn service.
BigDataSQL: Starting mapreduce2 service.
BigDataSQL: Starting hbase service.
BigDataSQL: Starting bigdatasql service.
BigDataSQL: Big Data SQL task completed..
BigDataSQL: Creating database side bundle..
BigDataSQL: Creating bundle file.
BigDataSQL: Bundle file created: /opt/oracle/BDSJaguar/db-bundles/
bds-4.0.0-db-afghhdp2-190522.1600.zip.
BigDataSQL: INSTALL workflow completed.
```

After the HDP-side installation is complete, copy the database-side installation bundle and the key file to the database, unpack the bundle and execute the run file. Then, run `bds-database-install.sh` and copy the generated zip file containing the acknowledge key back to HDP and, finally, run `./jaguar databaseack`. All of these steps are the same as shown in the Big Data Appliance example. The database side of the installation is the same, regardless of whether the Hadoop platform is CDH or HDP.

# D

## Determining the Correct Software Version and Composing the Download Paths for Hadoop Clients

To configure `bds-database-create-bundle.sh` to download the Hadoop, Hive, and HBase tarballs, you must supply an URL to each these parameters:

```
--hive-client-ws  
--hadoop-client-ws  
--hbase-client-ws
```

To get the information needed to provide the correct URL, first check the content management service (CM or Ambari) and find the version of the Hadoop, Hive, and HBase services running on the Hadoop cluster. The compatible clients are of the same versions. In each case, the client tarball filename includes a version string segment that matches the version of the service installed on the cluster. In the case of CDH, you can then browse the public repository and find the URL to the client that matches the service version. For the HDP repository this would require a tool that can browse Amazon S3 storage. However you can also compose the correct URL using the known URL pattern along with information that you can acquire from Ambari, as described in this section.

### For CDH (Both Oracle Big Data Appliance and Commodity CDH Systems):

1. Log on to Cloudera Manager and go to the **Hosts** menu. Select **All Hosts** , then **Inspect All Hosts**.
2. When the inspection is finished, select either **Show Inspector Results** (on the screen) or **Download Result Data** (to a JSON file).
3. In either case, scan the result set and find the service versions.

In JSON version of the inspector results, there is a `componentInfo` section for each cluster that shows the versions of software installed on that cluster. For example:

```
"componentInfo": [  
  ...  
  {  
    "cdhVersion": "CDH5",  
    "componentRelease": "1.cdh5.11.1.p0.6",  
    "componentVersion": "2.6.0+cdh5.11.1+2400",  
    "name": "hadoop"  
  },  
  ...  
]
```

4. Go to <https://archive.cloudera.com/cdh5/cdh/5>.

 **Note:**

Since February 2021 all Cloudera repos require password authentication, you will need to supply your Cloudera credential to access and download both client jars for cdh5 or client rpms for cdh6. If you are running Big Data Appliance please contact oracle support to request a patch with the specific clients you need.

Look in the "hadoop," "hive," and "hbase" subdirectories of the CDH5 section of the archive. In the listings, you should find the client tarball packages for the versions of the services installed on the cluster, such as the following:

```
https://archive.cloudera.com/cdh5/cdh/5/hadoop-2.6.0-cdh5.12.1.tar.gz
https://archive.cloudera.com/cdh5/cdh/5/hbase-1.2.0-cdh5.12.1.tar.gz
https://archive.cloudera.com/cdh5/cdh/5/hive-1.1.0-cdh5.12.1.tar.gz
```

5. Copy the URLs and use them as the parameter values supplied to `bds-database-create-bundle.sh`. For example:

```
https://archive.cloudera.com/cdh5/cdh/5/hadoop-2.6.0-cdh5.12.1.tar.gz
https://archive.cloudera.com/cdh5/cdh/5/hbase-1.2.0-cdh5.12.1.tar.gz
https://archive.cloudera.com/cdh5/cdh/5/hive-1.1.0-cdh5.12.1.tar.gz
```

 **See Also:**

Search for "Host Inspector" on [Cloudera](#) website if you need more help using this tool to determine installed software versions.

**For HDP:**

1. Log on to Ambari. Go to **Admin**, then **Stack and Versions**. On the **Stack** tab, locate the entries for the HDFS, Hive, and HBase services and note down the version number of each as the "service version."
2. Click the **Versions** tab. Note down the version of HDP that is running on the cluster as the "HDP version base."
3. Click **Show Details** to display a pop-up window that shows the full version string for the installed HDP release. Note this down as the "HDP full version"
4. The last piece of information needed is the Linux version ("centos5," "centos6," or "centos7"). Note this down as "OS version."

To search through the HDP repository in Amazon S3 storage to find the correct client URLs using this information acquired in this steps, you would need an S3 browser, browser extension, or command line tool. As alternative, you can piece together the correct URLs, using these strings.

For HDP 2.5 and earlier, the URLs pattern is as follows.

```
http://public-repo-1.hortonworks.com/HDP/<OS version>/2.x/updates/<HDP
version base>/tars/{hadoop|apache-hive|hbase}-<service version>.<HDP full
version>.tar.gz
```

Here are some examples. Note that the pattern of the gzip filename is slightly different for Hive. There is an extra “-bin” segment in the name.

```
http://public-repo-1.hortonworks.com/HDP/centos6/2.x/updates/2.3.2.0/tars/
hadoop-2.7.1.2.3.2.0-2950.tar.gz
http://public-repo-1.hortonworks.com/HDP/centos6/2.x/updates/2.3.2.0/tars/
apache-hive-1.2.1.2.3.2.0-2950-bin.tar.gz
http://public-repo-1.hortonworks.com/HDP/centos6/2.x/updates/2.3.2.0/tars/
hbase-1.1.2.2.3.2.0-2950.tar.gz
```

For HDP 2.5 and later releases, the pattern is almost the same except that there is an additional `hadoop`, `hive`, or `hbase` directory under the `tar` directory:

```
http://public-repo-1.hortonworks.com/HDP/centos6/2.x/updates/2.5.6.0/tars/
hadoop/hadoop-2.7.3.2.5.6.0-40.tar.gz
http://public-repo-1.hortonworks.com/HDP/centos6/2.x/updates/2.5.6.0/tars/
hive/apache-hive-1.2.1000.2.5.6.0-40-bin.tar.gz
http://public-repo-1.hortonworks.com/HDP/centos6/2.x/updates/2.5.6.0/tars/
hbase/hbase-1.1.2.2.5.6.0-40.tar.gz
```

#### Alternative Method for HDP:

You can get the required software versions from the command line instead of using Ambari.

- # `hdp-select versions`

Copy and save the numbers to the left of the dash as the “HDP version base”.

- # `hadoop version`  
# `beeline --version`  
# `hbase version`

Use the output from these commands to formulate the `<service version>.<HDP full version>` segment for each URL.

# E

## Oracle Big Data SQL Licensing

The licensing for Oracle Big Data SQL is separate from the licensing for other Oracle products.

When you purchase licensing for Oracle Big Data SQL, note the following:

- A separate license must be procured for each Hadoop cluster.
- All data nodes within the Hadoop cluster must be licensed. Partial licensing within a node is not available.
- All disks accessed by Oracle Big Data SQL (either within or outside of the Hadoop cluster) must be licensed. This includes disks used by Kafka or NoSQL stores when Oracle Big Data SQL accesses those sources.
- There is no additional license required for the Oracle Database server side.
- Oracle Copy to Hadoop licensing is included.
- WebLogic Server is included in Oracle Big Data SQL. No additional license is required.
- Oracle Big Data SQL includes a Query Server that is used to query data sources including HDFS, Kafka, and NoSQL stores. Oracle Big Data SQL includes a restricted use license of Oracle Database for storing metadata (i.e. external tables and views) maintained by the Query Server. No other objects may be created in this Oracle Database.

### Third Party Licenses

- [ANTLR 4.7.1](#) (Required for Oracle Shell for Hadoop Loaders)
- [Snappy Compression 1.1.7](#)

**Unless otherwise specifically noted, or as required under the terms of the third party license (e.g., LGPL), the licenses and statements herein, including all statements regarding Apache-licensed code, are intended as notices only.**

## E.1 ANTLR 4.7.1

From the license file.txt file in the download package from <https://github.com/antlr/antlr4/archive/4.7.zip>

NOTE: Change in copyright header from previous version (was "Copyright (c) 2016 Terence Parr, Sam Harwell")

Also added attribution for two MIT files

[The "BSD 3-clause license"]

Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

MIT License for codepointat.js from <https://git.io/codepointat>

MIT License for fromcodepoint.js from <https://git.io/vDW1m>

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## E.2 Apache Licensed Code

The following is included as a notice in compliance with the terms of the Apache 2.0 License, and applies to all programs licensed under the Apache 2.0 license:

You may not use the identified files except in compliance with the Apache License, Version 2.0 (the "License.")



You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

A copy of the license is also reproduced below.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

## E.3 Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or

written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - a. You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - b. You must cause any modified files to carry prominent notices stating that You changed the files; and
  - c. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - d. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

#### **APPENDIX: How to apply the Apache License to your work**

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This product includes software developed by The Apache Software Foundation (<http://www.apache.org/>) (listed below):

## E.4 Snappy Compression 1.1.7

Copyright 2011, Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some of the benchmark data in util/zipy/testdata is licensed differently:

- fireworks.jpeg is Copyright 2013 Steinar H. Gunderson, and is licensed under the Creative Commons Attribution 3.0 license (CC-BY-3.0). See <https://creativecommons.org/licenses/by/3.0/> for more information.
- kppkn.gtb is taken from the Gaviota chess tablebase set, and is licensed under the MIT License. See <https://sites.google.com/site/gaviotachessengine/Home/endgame-tablebases-1> for more information.
- paper-100k.pdf is an excerpt (bytes 92160 to 194560) from the paper "Combinatorial Modeling of Chromatin Features Quantitatively Predicts DNA Replication Timing in *Drosophila*," by Federico Comoglio and Renato Paro,

which is licensed under the CC-BY license. See <http://www.ploscompbiol.org/static/license> <http://www.ploscompbiol.org/static/license> for more information.

- `alice29.txt`, `asyoulik.txt`, `plrabn12.txt` and `lcet10.txt` are from Project Gutenberg. The first three have expired copyrights and are in the public domain; the latter does not have expired copyright, but is still in the public domain according to the license information (<http://www.gutenberg.org/ebooks/5>).

# Index

## Symbols

---

--aux-run-mode, [3-14](#)  
--crs, [3-14](#), [6-2](#)  
--db-name, [3-14](#)  
--db-resource, [6-2](#)  
--grid-home, [3-14](#)  
--no-root-script, [3-14](#)  
--reconfigure, [3-14](#), [4-2](#)  
--reqkey, [3-6](#), [3-14](#)  
--root-script, [3-14](#)  
.reqkey file, [2-22](#), [3-6](#)

## A

---

Acknowledge key, [1-13](#)

## B

---

bdacli, [2-1](#)  
bds-config.json, [2-8](#), [2-22](#), [3-6](#), [4-2](#), [5-1](#), [5-4](#)  
bds-database-install.sh, [6-2](#)  
bdschecksw, [1-15](#)  
BDSQL\_USER, [3-6](#), [3-15](#)  
BigDataSQL configuration directory object, [3-15](#)

## C

---

cellint\_ora, [3-6](#)  
Commodity systems, [1-1](#)  
configuration file, [2-8](#), [2-22](#), [4-2](#), [5-1](#)  
Copy to Hadoop, [8-1](#)  
CRS, [3-14](#), [6-2](#)

## D

---

Database Acknowledge, [1-15](#), [3-14](#)  
Database Authentication, [1-13](#), [2-1](#), [2-8](#), [5-1](#)  
database\_auth\_enabled, [2-1](#), [2-8](#)  
databaseack, [1-13](#), [2-7](#), [3-6](#)  
databasereq, [1-13](#), [2-7](#)  
DataNode, [4-2](#), [5-4](#)  
DataNodes, [2-1](#)  
dbkeys directory, [2-22](#), [3-6](#)

Default cluster, [1-13](#), [6-1](#)  
dir, [2-8](#)

## E

---

Ethernet, [1-1](#), [2-1](#), [5-1](#)

## F

---

FUSE-DFS, [5-1](#), [6-2](#), [8-2](#)

## G

---

Grid, [1-15](#), [3-1](#), [3-14](#)  
GUID-key pair, [2-7](#)

## H

---

Hadoop Secure Impersonation, [2-8](#)  
HDFS Transparent Encryption, [7-6](#)  
HIVE\_SESS\_VAR\_LIST, [8-2](#), [8-4](#)  
HTTPS/ Network Encryption, [7-6](#)

## I

---

impersonation\_blacklist, [2-1](#)  
impersonation\_enabled, [2-1](#), [2-8](#)  
InfiniBand, [2-8](#)  
InfiniBand, [1-1](#), [2-1](#), [5-1](#)  
install, [2-7](#)  
Installation directory, [2-22](#), [3-6](#), [4-2](#)

## J

---

Jaguar, [1-15](#), [2-1](#), [2-7](#), [2-22](#), [3-6](#), [4-2](#), [5-1](#), [5-4](#)

## K

---

KDC, [3-1](#)  
Kerberos, [1-9](#), [2-1](#), [5-1](#), [8-2](#), [8-4](#)  
KRB5\_CONF, [3-1](#)

---

## L

locationdirectory, [8-2](#)

---

## M

### MTA

--mta-destroy, [3-14](#)

--mta-restart, [3-14](#)

--mta-setup, [3-14](#)

---

## N

name, [2-8](#)

---

## O

OHS, [8-1](#), [8-2](#), [8-4](#)

Oracle Data Pump, [8-1](#)

Oracle Instant Client, [8-4](#)

Oracle Loader for Hadoop, [8-1](#)

Oracle Shell for Hadoop Loaders, [8-1](#)

Oracle Tablespace in HDFS, [1-9](#), [5-1](#)

Oracle Wallet, [8-4](#)

ORACLE\_HOME, [3-6](#), [5-4](#)

ORACLE\_SID, [3-6](#)

ORC, [8-1](#)

---

## P

Parquet, [8-1](#)

port, [2-8](#)

ports, [2-1](#)

Python, [1-4](#)

---

## Q

Query Server, [2-8](#)

---

## R

RAC database, [6-1](#)

RAC systems, [3-1](#)

reconfigure, [2-7](#), [3-6](#), [4-2](#), [5-1](#), [5-4](#)

Request key, [1-13](#), [2-22](#), [3-6](#), [3-14](#)

restart\_stale, [2-8](#)

---

## S

selection\_subnet, [2-1](#)

selection\_subset, [2-8](#)

SQL\*Plus Instant Client, [8-4](#)

SSH, [3-1](#)

SSL, [8-4](#)

sync\_principals, [2-7](#)

---

## T

TNS, [8-4](#)

---

## U

uninstall, [2-7](#), [6-1](#), [6-2](#)

updatenodes, [3-6](#)

url, [2-8](#)

use\_infinband, [2-1](#)

use\_infiniBand, [2-8](#)

User access, [3-15](#)