Known Issues for Oracle Big Data Cloud Service

Learn about the issues you may encounter when using Oracle Big Data Cloud Service and how to work around them.

Release 18.4.5

Oracle Big Data Manager may not work in Release 18.4.5 and must be re-installed.

To re-install Oracle Big Data Manager, run the following on the third node of the cluster, as the `root` user:

1. Clean up Oracle Big Data Manager and dependent packages and data:

    ```
    rpm -e bigdatamanager bdm-proxy bdm-notebook
    mysql --execute='DROP DATABASE datamovement'
    rm -rf /opt/oracle/bigdatamanager /opt/oracle/bdm-proxy /opt/oracle/bdm-
    notebook
    ```

2. Set Oracle Big Data Manager install variables:

    ```
    export MYSQL_ROOT_USER=root
    export MYSQL_ROOT_PWD=$(awk -F= '/^password=/ {print $2}' /
    root/.my.cnf)
    export BIGDATA_MANAGER_PWD='Cloudera Manager admin password'
    ```

3. Ensure that these variables are set correctly:

    ```
    echo $MYSQL_ROOT_USER
    echo $MYSQL_ROOT_PWD
    echo $BIGDATA_MANAGER_PWD
    ```

4. Install Oracle Big Data Manager:

    ```
    yum install bigdatamanager bdm-notebook
    service bigdatamanager start
    ```

ORACLE®

```
service bdm-notebook start
service bdm-proxy start
```

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info or visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing impaired.