

## What's New for Oracle WebLogic Server for OCI

Here's an overview of the new features and enhancements that were added recently to improve your Oracle WebLogic Server for Oracle Cloud Infrastructure (Oracle WebLogic Server for OCI) experience.

In general, new features are available only when you create a new domain, and can't be used on domains that were created before the new feature was present. You don't need to request an upgrade to be able to use the new features in Oracle WebLogic Server for OCI — they are available to you automatically.

### Topics:

- [October 2024](#)
- [July 2024](#)
- [May 2024](#)
- [April 2024](#)
- [March 2024](#)
- [January 2024](#)
- [December 2023](#)
- [October 2023](#)
- [September 2023](#)
- [August 2023](#)
- [July 2023](#)
- [June 2023](#)
- [May 2023](#)
- [April 2023](#)
- [March 2023](#)
- [January 2023](#)
- [December 2022](#)

- October 2022
- September 2022
- August 2022
- July 2022
- June 2022
- May 2022
- April 2022
- March 2022
- February 2022
- January 2022
- December 2021
- November 2021
- October 2021
- September 2021
- August 2021
- July 2021
- June 2021
- May 2021
- April 2021
- March 2021
- February 2021
- January 2021
- December 2020
- November 2020
- October 2020
- September 2020
- August 2020
- July 2020
- June 2020
- May 2020
- April 2020
- March 2020
- December 2019
- November 2019
- October 2019

- [September 2019](#)

## October 2024

The following table outlines the new features for Oracle WebLogic Server for OCI  
**Release 24.4.1:**

Feature	Description
Use October PSUs	See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## July 2024

The following table outlines the new features for Oracle WebLogic Server for OCI  
**Release 24.3.1:**

Feature	Description
Use July PSUs	See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## May 2024

The following table outlines the new features for Oracle WebLogic Server for OCI  
**Release 24.2.1:**

Feature	Description
Updated Oracle WebLogic Server for OCI release	See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## April 2024

The following table outlines the new features for Oracle WebLogic Server for OCI  
**Release 24.2.1:**

Feature	Description
Use April PSUs	New domains include the April Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## March 2024

The following table outlines the new features for Oracle WebLogic Server for OCI  
**Release 24.1.2:**

Feature	Description
Use March PSUs	New domains include the January Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## January 2024

The following table outlines the new features for Oracle WebLogic Server for OCI  
**Release 24.1.1:**

Feature	Description
Use January PSUs	New domains include the January Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## December 2023

The following table outlines the new feature for Oracle WebLogic Server for OCI  
**Release 23.4.3:**

Feature	Description
Flex shape	Oracle WebLogic Server for OCI now supports the <code>VM.Standard.E5.Flex</code> shape for compute instances.

## October 2023

The following table outlines the new feature for Oracle WebLogic Server for OCI  
**Release 23.4.1:**

Feature	Description
Use October PSUs	New domains include the October Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## September 2023

The following table outlines the new feature for Oracle WebLogic Server for OCI Release 23.3.3:

Feature	Description
Added a new guide: <i>Migrating Oracle Java Cloud Service on OCI-C to Oracle WebLogic Server for OCI Using tar</i> .	This guide explains the procedure for migrating an existing Oracle Java Cloud Service running on OCI-C to Oracle WebLogic Server for OCI using tar.
Use July PSUs	New domains include the July Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## August 2023

The following table outlines the new feature for Oracle WebLogic Server for OCI Release 23.3.2:

Feature	Description
Support for custom SSL in Node Manager	Restart scripts and scaling support Node Manager configurations using custom SSL. See Configure SSL for WebLogic Server in <i>Using Oracle WebLogic Server for OCI</i> .
Use July PSUs	New domains include the July Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## July 2023

The following table outlines the new feature for Oracle WebLogic Server for OCI Release 23.3.1:

Feature	Description
Use July PSUs	New domains include the July Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## June 2023

The following table outlines the new feature for Oracle WebLogic Server for OCI **Release 23.2.3:**

Feature	Description
Support for Oracle Linux 8	New Oracle WebLogic Server for OCI stacks use Oracle Linux 8.

## May 2023

The following table outlines the new feature for Oracle WebLogic Server for OCI **Release 23.2.2:**

Feature	Description
Use resource manager private endpoints	When you create a domain, you can use resource manager private endpoints to collect the logs and check the provisioning status of your resources. See Specify Stack Configuration and Configure Resource Manager Private Endpoint in <i>Using Oracle WebLogic Server for OCI</i> .
Use April PSUs	New domains include the April Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## April 2023

The following table outlines the new feature for Oracle WebLogic Server for OCI **Release 23.2.1:**

Feature	Description
Use April PSUs	New domains include the April Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## March 2023

The following table outlines the new feature for Oracle WebLogic Server for OCI  
**Release 23.1.3:**

Feature	Description
Oracle WebLogic Suite UCM image	You can use Oracle WebLogic Suite UCM image to create Forms domains. See About Oracle Forms for Oracle Cloud Infrastructure in <i>Using Oracle Forms for Oracle Cloud Infrastructure</i> .
Use January PSUs	New domains include the January Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## January 2023

The following table outlines the new feature for Oracle WebLogic Server for OCI  
**Release 23.1.1:**

Feature	Description
Use January PSUs	New domains include the January Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## December 2022

The following table outlines the new feature for Oracle WebLogic Server for OCI  
**Release 22.4.3:**

Feature	Description
Stack configuration	In the Stack Creation wizard, on the Configure Variables page, you can first select the stack configuration options based on your requirements, and then proceed to specify the parameters for each of the configurations. See Specify Stack Configuration in <i>Using Oracle WebLogic Server for OCI</i> .
Network Security Groups	You can use network security groups (NSGs) for your compute instances, load balancer, bastion instance, and file storage. If you're using an existing subnet, you must create your NSGs before creating the stack. See Create a Network Security Group in <i>Using Oracle WebLogic Server for OCI</i> .

Feature	Description
VCN Peering for Autonomous Database	VCN Peering is now supported for an Oracle Autonomous Database that uses private endpoint. See Configure Database Parameters and VCN Peering in <i>Using Oracle WebLogic Server for OCI</i> .
Patching utility tool	<p>You can now use the patching utility tool to:</p> <ul style="list-style-type: none"> <li>List the latest patches</li> <li>List the pending patches to be applied on the Middleware Home</li> <li>Download the latest patches</li> <li>Apply the latest patches</li> <li>Roll back the latest patches</li> </ul> <p><b>Note:</b> To use these latest features for your existing Oracle WebLogic Server for OCI instances created before release December 15, 2022, you must upgrade the patching utility tool as described in Upgrade Patching Tool.</p> <p>See Patch Management Using Patching Utility in <i>Using Oracle WebLogic Server for OCI</i>.</p>
Use October PSUs	<p>New domains include the October Patch Set Updates (PSUs) for Oracle WebLogic Server.</p> <p>See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i>.</p>

## October 2022

The following table outlines the new feature for Oracle WebLogic Server for OCI Release 22.4.1:

Feature	Description
Use October PSUs	<p>New domains include the October Patch Set Updates (PSUs) for Oracle WebLogic Server.</p> <p>See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i>.</p>

## September 2022

The following table outlines the new feature for Oracle WebLogic Server for OCI Release 22.3.3:

Feature	Description
Use July PSUs	<p>New domains include the July Patch Set Updates (PSUs) for Oracle WebLogic Server.</p> <p>See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i>.</p>

## August 2022

The following table outlines the new feature for Oracle WebLogic Server for OCI  
**Release 22.3.2:**

Feature	Description
Use July PSUs	New domains include the July Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## July 2022

The following table outlines the new feature for Oracle WebLogic Server for OCI  
**Release 22.3.1:**

Feature	Description
Application Performance Monitoring dashboard	The Oracle-defined Application Performance Monitoring (APM) dashboard called <b>WebLogic Domains</b> is now available for Oracle WebLogic Server for OCI. The <b>WebLogic Domains</b> dashboard provides a graphical representation of the WebLogic metrics that are exported using APM Java Agent. This dashboard includes some default widgets. You can also add widgets to the dashboard. See Application Performance Monitoring Dashboard in <i>Using Oracle WebLogic Server for OCI</i> .
Use July PSUs	New domains include the July Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## June 2022

The following table outlines the new feature for Oracle WebLogic Server for OCI  
**Release 22.2.3:**

Feature	Description
Use existing load balancer	When you create an Oracle WebLogic Server for OCI domain using an existing VCN and subnet, you can use an existing load balancer to distribute traffic across the managed servers in a domain. See Create a Load Balancer and Configure a Load Balancer in <i>Using Oracle WebLogic Server for OCI</i> .

Feature	Description
Use April PSUs	New domains include the April Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## May 2022

The following table outlines the new feature for Oracle WebLogic Server for OCI Release 22.2.2:

Feature	Description
Support to select secrets	When creating a domain, you can now select the compartment where the secret is located and the secret that you want to use. See <i>Create a Domain in Using Oracle WebLogic Server for OCI</i> .
Use April PSUs	New domains include the April Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## April 2022

The following table outlines the new feature for Oracle WebLogic Server for OCI Release 22.2.1:

Feature	Description
WebLogic administration server availability domain	When creating a domain, you can now specify the availability domain in which to create the WebLogic administration server compute instance. See <i>Configure Network Parameters in Using Oracle WebLogic Server for OCI</i> .
Use April PSUs	New domains include the April Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## March 2022

The following table outlines the new feature for Oracle WebLogic Server for OCI Release 22.1.3:

Feature	Description
Enable Application Performance Monitoring	During stack provisioning, you can enable Oracle Cloud Infrastructure Application Performance Monitoring Service to monitor the performance of administration and managed servers in Oracle WebLogic Server for OCI domain and view the server metrics in the Application Performance Monitoring dashboard. See Application Performance Monitoring and Configure Observability in <i>Using Oracle WebLogic Server for OCI</i> .
Configure Autoscaling	You can enable autoscaling to scale-in or scale-out WebLogic instances based on WebLogic monitoring metrics. For autoscaling, you must enable the Oracle Cloud Infrastructure Application Performance Monitoring service. See Autoscaling and Configure Autoscaling in <i>Using Oracle WebLogic Server for OCI</i> .
Upgrade a Domain	For an existing Oracle WebLogic Server for OCI domain, you can upgrade the WebLogic Server release from 12c (12.2.1.3) to WebLogic Server release 12c (12.2.1.4). See Upgrade a Domain in <i>Using Oracle WebLogic Server for OCI</i> .
Bastion instance with a reserved IP	You can now provision a bastion compute instance with a reserved IP. See Configure Network Parameters and Change Reserved Public IP Usage in <i>Using Oracle WebLogic Server for OCI</i> .
Standard3-based (Intel) shapes	Oracle WebLogic Server for OCI supports <code>BM.Standard3.64</code> and <code>VM.Standard3.Flex</code> shapes for the compute instances. See Compute and Configure WebLogic Instance Parameters in <i>Using Oracle WebLogic Server for OCI</i> .
Configure server startup arguments	During stack provisioning, you can specify server startup arguments to the Java Virtual Machine for WebLogic instances to automatically scale out managed servers. See Configure Advanced Parameters for a Domain in <i>Using Oracle WebLogic Server for OCI</i> .
Use January PSUs	New domains include the January Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## February 2022

The following table outlines the new feature for Oracle WebLogic Server for OCI Release 22.1.2:

Feature	Description
Clone an instance by using the script	Use the clone script to clone and move a JRF or non-JRF instance in Oracle WebLogic Server for OCI. The script performs various procedural steps to clone your instance. See Clone a JRF or non-JRF Instance using a Script.

Feature	Description
Update the WebLogic server image during scale out	You can add Universal Credits (UCM) WebLogic server nodes to a Bring Your Own License (BYOL) stack in your Oracle WebLogic Server for OCI stack. See <a href="#">Add UCM WebLogic Server Node to a BYOL Stack</a> .
Free-tier autonomous database	From this release onwards, free-tier autonomous database is supported.
Use January PSUs	New domains include the January Patch Set Updates (PSUs) for Oracle WebLogic Server. See <a href="#">Patches Included in Oracle WebLogic Server for OCI</a> in <i>Using Oracle WebLogic Server for OCI</i> .

## January 2022

The following table outlines the new feature for Oracle WebLogic Server for OCI **Release 22.1.1**:

Feature	Description
Use an existing File Storage	Use Resource Manager to use an existing file storage when you create an Oracle WebLogic Server for OCI domain. See <a href="#">Configure File Storage</a> in <i>Using Oracle WebLogic Server for OCI</i> .
Network Validation	When you create an Oracle WebLogic Server for OCI domain and use an existing VCN and subnet, you must validate the network and acknowledge the validation. See <a href="#">Validate Existing Network</a> in <i>Using Oracle WebLogic Server for OCI</i> .
Use January PSUs	New domains include the January Patch Set Updates (PSUs) for Oracle WebLogic Server. See <a href="#">Patches Included in Oracle WebLogic Server for OCI</a> in <i>Using Oracle WebLogic Server for OCI</i> .

## December 2021

The following table outlines the new feature for Oracle WebLogic Server for OCI **Release 21.4.3**:

Feature	Description
WebLogic Server 11g and 12.2.1.3 not supported	You can no longer create domains with WebLogic Server versions 10.3.6 and 12.2.1.3 in the Marketplace. However, you can create a domain for WebLogic Server version 12.2.1.3 using the Oracle Cloud Infrastructure (OCI) Command Line Interface (CLI). See <a href="#">About Oracle WebLogic Server for OCI</a> and <a href="#">Create a Domain for Oracle WebLogic Server 12.2.1.3.0 Using Terraform</a> in <i>Using Oracle WebLogic Server for OCI</i> .

Feature	Description
Tags for stack resources	For free-form tags, you must provide the tag key and value and for defined tags, you can select the tag key and value. You can also add additional free-form and defined tags. See Configure Tags in <i>Using Oracle WebLogic Server for OCI</i> .
Policy statements are updated	The policy statements are updated for non-admin users. See Create Root Policies in <i>Using Oracle WebLogic Server for OCI</i> .
Use October PSUs	New domains include the October Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## November 2021

The following table outlines the new feature for Oracle WebLogic Server for OCI Release 21.4.2:

Feature	Description
Add IDCS after you create a domain	If you create a domain using a version released from 21.4.2 onwards, you can add IDCS after you create a domain. See Add IDCS after Creating a Domain in <i>Using Oracle WebLogic Server for OCI</i> .
Policy statements are updated	The policy statements are updated for non-admin users. See Create Compartment Policies, Create Root Policies, Create Dynamic Groups and Policies, and Identity Resources for Dynamic Group and Root Policies in <i>Using Oracle WebLogic Server for OCI</i> .
Policies for using Oracle WebLogic Server for OCI images	The policies to create a compute instance using Oracle WebLogic Server for OCI public images are available for an Oracle Cloud Infrastructure user who is not an administrator. See Create Compartment Policies in Images for Oracle WebLogic Server for OCI.
Use October PSUs	New domains include the October Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## October 2021

The following table outlines the new feature for Oracle WebLogic Server for OCI Release 21.4.1:

Feature	Description
Network validation for load balancer and file system storage subnets	You can validate the existing network setup to check the file system storage subnet ports, and the load balancer security list and load balancer port. See <i>Validate Existing Network Setup in Using Oracle WebLogic Server for OCI</i> .
Use October PSUs	New domains include the October Patch Set Updates (PSUs) for Oracle WebLogic Server. See <i>Patches Included in Oracle WebLogic Server for OCI in Using Oracle WebLogic Server for OCI</i> .

## September 2021

The following table outlines the new feature for Oracle WebLogic Server for OCI **Release 21.3.3**:

Feature	Description
Oracle WebLogic Server for OCI images	You can use the Oracle WebLogic Server for OCI Universal Credits Model (UCM) images that are publicly available in the marketplace to create Oracle WebLogic Server domains in Oracle Cloud Infrastructure. You can also use the patching tool utility on these images to download and apply patches. See <i>Images for Oracle WebLogic Server for OCI</i> .
Optimized shapes	Oracle WebLogic Server for OCI supports <code>BM.Optimized3</code> and <code>VM.Optimized3.Flex</code> shapes for the compute instances. For this shape, you can specify the OCPU count for the compute instances and also modify the OCPU count when you add new WebLogic Server nodes. See <i>Compute and Configure WebLogic Instance Parameters in Using Oracle WebLogic Server for OCI</i> .
Configure a File Storage	Use Resource Manager to add a file storage when you create an Oracle WebLogic Server for OCI domain. You can also add or remove a file storage when you scale out a domain. See <i>Configure File Storage and Scale a Domain in Using Oracle WebLogic Server for OCI</i> .
Create database with database connect string for a JRF-enabled domain	For a JRF-enabled domain, you can create a datasource using the database connection string for an existing network only. In this case, Oracle WebLogic Server for OCI creates a single instance data source. However, you can update the data sources for Oracle WebLogic Suite and Oracle WebLogic Server Enterprise Edition. See <i>Create a Database and Configure Database Parameters in Using Oracle WebLogic Server for OCI</i> .

Feature	Description
Patching tool utility support for custom images	<p>You can use the patching tool utility to download patches for custom images that are created from Oracle WebLogic Server for OCI instance.</p> <p>For custom images created from existing stacks with an older patching tool version, you must first upgrade the patching tool to the latest version.</p> <p>See Download Patches Using the Patching Tool Utility in <i>Using Oracle WebLogic Server for OCI</i>.</p>
Use July PSUs	<p>New domains include the July Patch Set Updates (PSUs) for Oracle WebLogic Server.</p> <p>See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i>.</p>

## August 2021

The following table outlines the new feature for Oracle WebLogic Server for OCI **Release 21.3.2**:

Feature	Description
Policies for the Dynamic Group	<p>The policy grants for vault, key, and secret permissions to a dynamic group are updated to read the required secret-bundles in a tenancy.</p> <p>See Create Policies for the Dynamic Group in <i>Using Oracle WebLogic Server for OCI</i>.</p>
Use July PSUs	<p>New domains include the July Patch Set Updates (PSUs) for Web Services Manager (WSM).</p> <p>See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i>.</p>

## July 2021

The following table outlines the new feature for Oracle WebLogic Server for OCI **Release 21.3.1**:

Feature	Description
Migrate using Oracle WebLogic Deploy Tool (WDT)	<p>Use WDT in Oracle Cloud Infrastructure to migrate your Oracle WebLogic Server domain resources and applications from your existing Oracle Java Cloud Service instance in Oracle Cloud Infrastructure to a new domain in Oracle WebLogic Server for OCI.</p> <p>See Migrating Oracle Java Cloud Service Instances to Oracle WebLogic Server for OCI Using WDT.</p>

Feature	Description
Security Checkup Tool	Oracle WebLogic Administration Server console for WebLogic Server versions 12.2.1.3, 12.2.1.4 and 14.1.1.0 includes a security checkup tool for security warnings. See Security Checkup Tool in <i>Using Oracle WebLogic Server for OCI</i> .
Support ends for terraform v0.11.x	Terraform v0.11.x is not supported. Now, you would not be able to scale out or destroy the stacks created with Terraform v0.11.x. However, you can configure the stacks in your local environment by downloading the terraform configurations. See Terraform Scripts Migration in <i>Using Oracle WebLogic Server for OCI</i> .
Use July PSUs	New domains include the July Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## June 2021

The following table outlines the new feature for Oracle WebLogic Server for OCI **Release 21.2.3**:

Feature	Description
New IDCS Cloudgate version for Oracle WebLogic Server for OCI	New Identity Cloud Service (IDCS) Cloudgate version 21.2.2-2105050509 with nginx 1.18.0 or higher is available for an Oracle WebLogic Server for OCI domain integrated with Oracle Identity Cloud Service. See Upgrade the Oracle Identity Cloud Service App Gateway Version in <i>Using Oracle WebLogic Server for OCI</i> .
Load balancer with a reserved public IP	You can now provision a load balancer with a reserved public IP. See Configure a Load Balancer in <i>Using Oracle WebLogic Server for OCI</i> .
Managed SSH Sessions	Managed SSH Sessions for Bastion Service is now supported in instances created using Oracle WebLogic Server for OCI.
Session Affinity or Sticky Sessions	If you have clustered JMS resources and you access it by using an external client through a load balancer by rmi-tunneling, then you need to enable session affinity or sticky sessions. See Upgrade the Oracle Enable Session Affinity or Sticky Sessions in <i>Using Oracle WebLogic Server for OCI</i> .
Patches are retained in scale out	You do not have to run patches on the new VMs that are added during domain scale out. Any newly added OPatches that are added after provisioning, are automatically applied to the scaled out VM.
Use April PSUs	New domains include the April Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## May 2021

The following table outlines the new feature for Oracle WebLogic Server for OCI  
**Release 21.2.2:**

Feature	Description
WebLogic Server 14.1.1.0 support	You can now create non-JRF domain with WebLogic Server version 14.1.1.0 using JDK version 8 or JDK version 11. See Configure WebLogic Instance Parameters in <i>Using Oracle WebLogic Server for OCI</i> .
Flex shape	Oracle WebLogic Server for OCI supports VM.Standard.E4.Flex shape for the compute instances. For this shape, you can specify the OCPU count for the compute instances and also modify the OCPU count when you add the WebLogic Server nodes. See Configure WebLogic Instance Parameters and Add or Remove WebLogic Server Nodes.
Use April PSUs	New domains include the April Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## April 2021

The following table outlines the new feature for Oracle WebLogic Server for OCI  
**Release 21.2.1:**

Feature	Description
Use April PSUs	New domains include the April Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## March 2021

The following table outlines the new feature for Oracle WebLogic Server for OCI  
**Release 21.1.3:**

Feature	Description
Disaster Recovery: Additional setup option	An additional setup option is available, which is based in FSS with rsync method instead on DBFS.

Feature	Description
Policies for OS Management service	For compute instances created using the OS Management service, the policies required to access OS Management service are added. See Identity Resources for Dynamic Group and Root Policies in <i>Using Oracle WebLogic Server for OCI</i> .
Update the Password Secret OCID and Policy	If you have moved your password to new secret or vault, then you must update the password secret OCID and policy to read the secrets with new secrets OCID. See Update the Password Secret OCID and Policy in <i>Using Oracle WebLogic Server for OCI</i> .
Use January PSUs	New domains include the January Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## February 2021

The following table outlines the new feature for Oracle WebLogic Server for OCI Release 21.1.2:

Feature	Description
The <code>secrets</code> policy is updated	The required policies are created depending on the secrets used for the specified stack. For example: For a JRF stack, two separate policies are created, one for weblogic password and another for DB password. See Identity Resources for Dynamic Group and Root Policies in <i>Using Oracle WebLogic Server for OCI</i> .
Use January PSUs	New domains include the January Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## January 2021

The following table outlines the new feature for Oracle WebLogic Server for OCI Release 21.1.1:

Feature	Description
Flexible load balancer shape	You can now create a flexible load balancer shape with a minimum and maximum bandwidth size. By default, the minimum bandwidth size is 10 Mbps and maximum is 400 Mbps. See Configure a Load Balancer and Add a Load Balancer in <i>Using Oracle WebLogic Server for OCI</i> .

Feature	Description
Use January PSUs	New domains include the January Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## December 2020

The following table outlines the new feature for Oracle WebLogic Server for OCI **Release 20.4.3**:

Feature	Description
Patching tool utility	You can use the patching tool utility to download the patches for the WebLogic compute instance and the bastion instance if you do not have access to the support portal to download the required patches. See Download Patches Using the Patching Tool Utility in <i>Using Oracle WebLogic Server for OCI</i> .
Enable Access to Administration Console	You can enable the Oracle WebLogic Administration Server Console port in a public subnet, when creating a new VCN with a public subnet. See Configure a WebLogic Console Port in <i>Using Oracle WebLogic Server for OCI</i> .
Use October PSUs	New domains include the October Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## November 2020

The following table outlines the new feature for Oracle WebLogic Server for OCI **Release 20.4.2**:

Feature	Description
Clone an Instance	You can clone an Oracle WebLogic Server for OCI instance by cloning the block volumes that contain the middleware binaries ( <code>mw</code> ) and the domain configuration ( <code>data</code> ). See Clone an Instance.
Terraform Scripts	You can access the Terraform Scripts of an Oracle WebLogic Server for OCI to perform Oracle Cloud Infrastructure tasks using the Oracle Cloud Infrastructure (OCI) Command Line Interface (CLI). See Terraform Scripts in Oracle WebLogic Server for OCI.

Feature	Description
Cloud Shell scripts to validate existing network setup	You can run scripts from the Cloud Shell to validate the existing network setup if you run into issues during provisioning. See <i>Validate Existing Network Setup in Using Oracle WebLogic Server for OCI</i> .
Subnet in a separate compartment	You can select a subnet compartment that is different than the VCN compartment when you're using an existing subnet. See <i>Create a Basic Domain in Using Oracle WebLogic Server for OCI</i> .
VCN Peering optional for Infrastructure Database System	If your Oracle Cloud Infrastructure Database is on a different VCN than the VCN you want to use for WebLogic Server, and you have manually peered the VCNs before provisioning the stack, you can choose to disable the VCN peering and save the cost for two additional VMs. See <i>Set Local VCN Peering in Using Oracle WebLogic Server for OCI</i> .
VCN Peering optional for Application Database System	If your Oracle Cloud Application Database is on a different VCN than the VCN you want to use for WebLogic Server, and you have manually peered the VCNs before provisioning the stack, you can choose to disable the VCN peering and save the cost for two additional VMs. See <i>Set Local VCN Peering for an Application Database in Using Oracle WebLogic Server for OCI</i> .
Use October PSUs	New domains include the October Patch Set Updates (PSUs) for Oracle WebLogic Server. See <i>Patches Included in Oracle WebLogic Server for OCI in Using Oracle WebLogic Server for OCI</i> .

## October 2020

The following table outlines the new feature for Oracle WebLogic Server for OCI **Release 20.4.1**:

Feature	Description
Flex shape	You can now select the <code>VM.Standard.E3.Flex</code> shape and specify the OCPU count for the compute instances. You can also modify the OCPU count when you add WebLogic Server nodes. See <i>Configure WebLogic Instance Parameters and Add or Remove WebLogic Server Nodes</i> .
Use October PSUs	New domains include the October Patch Set Updates (PSUs) for Oracle WebLogic Server. See <i>Patches Included in Oracle WebLogic Server for OCI in Using Oracle WebLogic Server for OCI</i> .

## September 2020

The following table outlines the new feature for Oracle WebLogic Server for OCI  
**Release 20.3.3:**

Feature	Description
Change the shape of new compute instances	During scale out, you can change the shape of the new compute instances. See Add or Remove WebLogic Server Nodes.
Availability domain subnets not available for new subnets	When configuring the network parameters for creating a domain, you can create only regional subnets with a new VCN or an existing VCN. This enables you to use the multiple availability domain high availability feature for the regional subnets. You can still use the existing availability domains subnets that are available for the VCN. See Configure Network Parameters in <i>Using Oracle WebLogic Server for Oracle Cloud Infrastructure</i> .
Configuring bastion in private subnet available only for VCNs with existing subnets	You can configure a bastion compute instance on a public subnet to provide access to the WebLogic Server compute instances on a private subnet only for VCNs with existing subnets. This provisioning of a bastion node on public subnet is not supported when you are creating a new subnet for a new VCN or an existing VCN. See Configure a Bastion in <i>Using Oracle WebLogic Server for Oracle Cloud Infrastructure</i> .
Support for Application Database configuration	You can create new data sources that enable you to connect to either an Oracle Autonomous Database or an Oracle Cloud Infrastructure database. See Configure Application Database. Application Database uses local VCN peering to access the database. See Configure Local VCN Peering for an Application Database.
WebLogic Server binaries moved off the boot volume to middleware volume	WebLogic Server binaries are moved to a new middleware volume to support upgrade of operating system during backup and restore of boot and block volumes for your Oracle WebLogic Server for OCI domain.
Number of managed servers	When creating a domain, you can have a maximum of 8 managed servers, which can be scaled out to 30 when you edit the domain. For 11g Standard Edition, the maximum is always 4.
Character length for Resource name prefix	The character length limit for WebLogic Server instance resource name prefix is now extended to 16 characters.
Service limit checks	In a regional subnet, if you use shapes with service limits that are set for an availability domain, then for high availability the fault domains are used.
Use July PSUs	New domains include the July Patch Set Updates (PSUs) for Oracle WebLogic Server. See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i> .

## August 2020

The following table outlines the new feature for Oracle WebLogic Server for OCI Release 20.3.2:

Feature	Description
Configure a Disaster Recovery solution	In case of a disaster event, your Oracle WebLogic Server for OCI environment is at risk. A well planned disaster recovery enables you to quickly recover from disasters and continue to use the applications.
Configuring Bastion is optional in a Private Subnet	You can configure a bastion compute instance on a public subnet to provide access to the WebLogic Server compute instances on a private subnet. However, now creating the bastion node on public subnet is optional. See <i>Configure a Bastion in Using Oracle WebLogic Server for Oracle Cloud Infrastructure</i> .
High Availability support added to WebLogic domains for regional subnets	To ensure high availability for public and private regional subnets, the Weblogic Server compute instances are assigned equally to all the availability domains. So, when you create a regional subnet, you do not have an option to select the availability domain. See <i>Configure Network Parameters in Using Oracle WebLogic Server for Oracle Cloud Infrastructure</i> .  Also, in case of regional subnets, you must set sufficient service limits in all the availability domains for the WebLogic Server shape that you select, else the provisioning fails.
Added root policies	When you create a domain, by default Oracle WebLogic Server for OCI creates a group and one or more root-level (tenancy) policies that allow the domain compute instances to access vault secrets, and manage other relevant resources (if applicable).  The following two new groups are added to manage compute and storage resources:  <pre>Allow group MyGroup to manage volume-family in tenancy Allow dgroup MyGroup to manage instance-family in tenancy</pre>  See <i>Create Root Policies and Identity Resources for Dynamic Group and Root Policies in Using Oracle WebLogic Server for OCI</i> .
Load balancer cookie persistence	When configuring session persistence, the default option is the <code>Enable Load balancer cookie persistence type session persistence (stickiness)</code> .  See <i>Configure Network Parameters in Using Oracle WebLogic Server for Oracle Cloud Infrastructure</i>
Use July PSUs	New domains include the July Patch Set Updates (PSUs) for Oracle WebLogic Server.  See <i>Patches Included in Oracle WebLogic Server for OCI in Using Oracle WebLogic Server for OCI</i> .

## July 2020

The following table outlines the new feature for Oracle WebLogic Server for OCI  
**Release 20.3.1:**

Feature	Description
Root policy creation is optional	<p>When you create a domain, by default Oracle WebLogic Server for OCI creates a dynamic group and one or more root-level (tenancy) policies that allow the domain compute instances to access vault secrets, and manage other relevant resources (if applicable). Previously, you could not disable the creation of the dynamic group and policies. See Identity Resources for Dynamic Group and Root Policies in <i>Using Oracle WebLogic Server for OCI</i>.</p> <p>Allowing Oracle WebLogic Server for OCI to create the necessary dynamic group and root-level policies is recommended. If you're an administrator, see Create a Dynamic Group and Create Root Policies in <i>Using Oracle WebLogic Server for OCI</i>.</p>
Create database security list	<p>When you create a JRF-enabled domain and select an Oracle Cloud Infrastructure Database (DB System), by default Oracle WebLogic Server for OCI creates a security list that allows the WebLogic Server subnet to access the database port. Previously, you were required to enable access to your database before creating the domain.</p> <p>See Configure Database Parameters in <i>Using Oracle WebLogic Server for OCI</i>.</p>
Restart all servers	<p>New domains include utilities that you can use to quickly stop, start, or restart all WebLogic Server processes in the domain.</p> <p>See Start and Stop a Domain in <i>Using Oracle WebLogic Server for OCI</i>.</p>
Domain modification is optional for scale out	<p>When you scale out a domain, Oracle WebLogic Server for OCI creates a compute instance and adds a managed server to your domain configuration. If you prefer, the scale-out operation can simply create the compute instance, and you can manually update the domain configuration at a later time.</p> <p>See Scale a Domain in <i>Using Oracle WebLogic Server for OCI</i>.</p>
Show only relevant variables when editing a stack	<p>Oracle WebLogic Server for OCI supports the modification of certain variables when you edit the stack for your domain, such as the node count. Previously all variables were displayed, including those that were not supported.</p>
Use July PSUs	<p>New domains include the July Patch Set Updates (PSUs) for Oracle WebLogic Server.</p> <p>See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i>.</p>

## June 2020

The following table outlines the new feature for Oracle WebLogic Server for OCI  
**Release 20.2.3:**

Feature	Description
JRF checkbox	<p>When you create a domain that includes the Java Required Files (JRF) components, you must now select the <b>Provision with JRF</b> checkbox to display the Database options on the Configure Variables page of the Create Stack wizard. Previously you did not have to select a checkbox to configure a database.</p> <p>A JRF-enabled domain supports the Oracle Application Development Framework (ADF). After selecting the <b>Provision with JRF</b> checkbox, you can proceed as you did in previous releases to specify the parameters for a database. This database is used only for the required JRF schema. See Configure Database Parameters for a JRF-Enabled Domain in <i>Using Oracle WebLogic Server for OCI</i>.</p>
Self-signed SSL certificate for load balancer	<p>When you create a domain with a load balancer, Oracle WebLogic Server for OCI now creates a load balancer that always uses Secure Socket Layer (SSL). Previously you had to select a checkbox in the Create Stack wizard if you wanted the load balancer to use SSL and listen on an HTTPS port.</p> <p>Now during load balancer provisioning, Oracle WebLogic Server for OCI adds a demonstration self-signed certificate to configure the HTTPS listener. After the domain is provisioned, we recommend you upload your own SSL certificate obtained from a Certificate Authority (CA), and associate the HTTPS listener with your certificate. See Add a Certificate to the Load Balancer in <i>Using Oracle WebLogic Server for OCI</i>.</p>
Scale out and scale in	<p>Use Resource Manager to add or remove compute instances (nodes) on an existing domain.</p> <p>See Scale a Domain in <i>Using Oracle WebLogic Server for OCI</i>.</p>
Add load balancer to existing domain	<p>Use Resource Manager to add a load balancer to an existing domain that was originally created without a load balancer. You can also remove a load balancer from a domain.</p> <p>See Scale a Domain in <i>Using Oracle WebLogic Server for OCI</i>.</p>
Removed some advanced parameters	<p>When creating a domain, the stack variables <b>WebLogic Server Admin Port</b> and <b>WebLogic Server Admin SSL Port</b> are no longer available. These ports (9071 and 9072) are used for internal communication (T3 and T3S), and can only be modified after you create a domain.</p> <p>You can continue to use stack variables to change the default port numbers for external HTTP and HTTPS traffic.</p>
Support for OS Management service	<p>The compute instances for a domain include the OS Management Service Agent software (<code>osms-agent</code>), which allows you to manage Linux packages for the compute instances using the OS Management service.</p>

## May 2020

The following table outlines the new feature for Oracle WebLogic Server for OCI Release 20.2.2:

Feature	Description
Use secrets to encrypt passwords	<p>You now use secrets in Oracle Cloud Infrastructure Vault to encrypt the passwords required for provisioning a domain with Oracle WebLogic Server for OCI. Depending on the type of domain you create, you'll be required to provide the OCID of one or more secrets. Previously, you were required to use the Oracle Cloud Infrastructure command line interface (CLI) to encrypt your passwords, and you provided the encrypted passwords during provisioning.</p> <p>See <a href="#">Create Secrets for Passwords in <i>Using Oracle WebLogic Server for OCI</i></a>.</p>
Dynamic group and policies are created automatically	<p>When you create a domain, Oracle WebLogic Server for OCI creates the required dynamic group and root-level (tenancy) policies that allow the domain to:</p> <ul style="list-style-type: none"> <li>• Access keys and secrets in Oracle Cloud Infrastructure Vault</li> <li>• Access the database wallet if you're using Oracle Autonomous Database</li> </ul> <p>Previously, you were required to create the dynamic group and policies before creating a domain.</p> <p>To create a domain, you must be an Oracle Cloud Infrastructure administrator, or be granted the permission to create these resources. See <a href="#">Create Root Policies and Identity Resources in <i>Using Oracle WebLogic Server for OCI</i></a>.</p>
DB System VCN in a different compartment	<p>When you create a JRF-enabled domain, you can select a database VCN that is in a different compartment than the Oracle Cloud Infrastructure Database.</p> <p>Previously, Oracle WebLogic Server for OCI required your database and its VCN to be in the same compartment.</p> <p>See <a href="#">Configure Database Parameters in <i>Using Oracle WebLogic Server for OCI</i></a>.</p>

Feature	Description
T3 and tunneling are disabled	<p>When you create a domain, the administration server is configured with network channels on ports 7001 and 7002 that support HTTP and HTTPS traffic only. These channels do not support the T3 and T3S protocols, and they do not support HTTP tunneling. Previously, all ports supported T3 and T3S.</p> <p>To connect to the administration server with the WebLogic Scripting Tool (WLST), or with similar tools that use the T3 or T3S protocols, you must use the default network channels on ports 9071 and 9072. These ports are not accessible from outside of Oracle Cloud.</p> <p>Similarly, managed servers are configured with network channels on ports 7003 and 7004 that support HTTP and HTTPS traffic only. Internal T3 and T3S communication is done using ports 9073 and 9074.</p> <p>Oracle does not recommend enabling the T3 protocol or HTTP tunneling on network channels that are accessible from outside of Oracle Cloud. For existing domains on public subnets, you can either update the security lists that control access to your domain, or you can modify your server configuration:</p> <ol style="list-style-type: none"> <li>1. View the existing T3 and T3S network channels and copy the settings.</li> <li>2. Create new HTTP and HTTPS network channels with the same settings.</li> <li>3. Disable the T3 and T3S network channels.</li> </ol>
WebLogic Server 12.2.1.4 is the default	<p>By default, new domains use the latest version of Oracle WebLogic Server 12.2.1.4.</p> <p>Previously, the default was 12.2.1.3.</p>
Use April PSUs	<p>New domains include the April Patch Set Updates (PSUs) for Oracle WebLogic Server.</p> <p>See Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i>.</p>

## April 2020

The following table outlines the new feature for Oracle WebLogic Server for OCI **Release 20.2.1**:

Feature	Description
DB System based on Logical Volume Manager	<p>Oracle WebLogic Server for OCI supports using an Oracle Cloud Infrastructure 1-node virtual machine (VM) DB system that uses Logical Volume Manager (LVM) as the storage management software. Previously you could not provision a stack if it's associated with a 1-node VM DB System created by the fast provisioning option that uses LVM.</p> <p>See Create a Database in <i>Using Oracle WebLogic Server for OCI</i>.</p>

Feature	Description
Autonomous database based on dedicated hardware	Oracle WebLogic Server for OCI supports using an Oracle Autonomous Database that's created with the dedicated Exadata infrastructure option. Previously you could not provision a stack if the associated autonomous database uses a dedicated hardware deployment option. See <i>Create a Database in Using Oracle WebLogic Server for OCI</i> .
Use January PSUs	New domains include the January Patch Set Updates (PSUs) for Oracle WebLogic Server. See <i>Patches Included in Oracle WebLogic Server for OCI in Using Oracle WebLogic Server for OCI</i> .
Terraform version	Oracle WebLogic Server for OCI now uses Terraform version 0.12.x.

## March 2020

The following table outlines the new feature for Oracle WebLogic Server for OCI **Release 20.1.3**:

Feature	Description
New product name	The collection of Marketplace listings for Oracle WebLogic Server is now called Oracle WebLogic Server for OCI. Previously, these listings were called Oracle WebLogic Cloud.
Universal credits	In addition to the Bring Your Own License (BYOL) listings in the Marketplace, new Universal Credits (also called UCM) listings are available for Oracle WebLogic Server Enterprise Edition and Oracle WebLogic Suite. When you create a domain using Universal Credits, you are billed for the cost of the WebLogic Server license (based on OCPU per hour) in addition to the cost of the compute resources.  Oracle WebLogic Server Standard Edition is available only as BYOL.

## December 2019

The following table outlines the new feature for Oracle WebLogic Server for OCI **Release 19.4.3**:

Feature	Description
Use VCN peering to access a database	<p>If your Oracle Cloud Infrastructure Database is on a different VCN than the VCN you want to use for WebLogic Server, then Oracle WebLogic Server for OCI creates a Local Peering Gateway in each VCN so that they are able to communicate. Oracle WebLogic Server for OCI also creates a separate public subnet and compute instance in each VCN to forward DNS traffic across the VCNs.</p> <p>See <a href="#">About the Components of Oracle WebLogic Server for OCI and Create a JRF-Enabled Domain in <i>Using Oracle WebLogic Server for OCI</i></a>.</p>
Use a custom database port	<p>When creating a JRF-enabled domain, you can specify the listen port number for an Oracle Cloud Infrastructure Database (DB System) if it is not using the default port (1521).</p> <p>You do not need to specify a port number when using an Oracle Autonomous Database. Oracle WebLogic Server for OCI identifies the port number from the database's wallet file.</p> <p>See <a href="#">Create a JRF-Enabled Domain in <i>Using Oracle WebLogic Server for OCI</i></a>.</p>
Use WebLogic Server 12.2.1.4	You can create domains with WebLogic Server version 12.2.1.4.

## November 2019

The following table outlines the new feature for Oracle WebLogic Server for OCI **Release 19.4.2**:

Feature	Description
Create a private load balancer	<p>When you create a domain with a load balancer, you can provision a public or private load balancer. A private load balancer does not have a public IP address and cannot be accessed from the Internet, unless you have configured a VPN between your virtual cloud network (VCN) and your on-premise data center.</p> <p>Previously you could only create a public load balancer.</p> <p>See <a href="#">Create a Basic Domain in a Private Subnet in <i>Using Oracle WebLogic Server for OCI</i></a>.</p>
Access Oracle Cloud Infrastructure services using a service gateway	<p>Oracle WebLogic Server for OCI automatically creates a service gateway when provisioning a new VCN with a private subnet. The service gateway provides network access to Oracle Cloud Infrastructure services, such as Oracle Autonomous Database and Oracle Key Management Cloud Service, without using the public Internet. See <a href="#">Configure Network Parameters in <i>Using Oracle WebLogic Server for OCI</i></a>.</p> <p>Network Address Translation (NAT) gateways are no longer used to access Oracle Cloud Infrastructure services. If your private subnet requires access to Internet resources, then you must manually create a NAT gateway in your VCN and the appropriate routing rules.</p>

Feature	Description
Assign tags to stack resources	<p>You can assign tags to the resources (compute, network, and so on) that are provisioned in a stack to support a new domain. Oracle WebLogic Server for OCI supports defined tags and free-form tags.</p> <p>Previously you could only assign tags to the stack.</p> <p>See <i>Create a Basic Domain</i> in <i>Using Oracle WebLogic Server for OCI</i>.</p>
Secure web services using Oracle Identity Cloud Service	<p>For JRF-enabled domains that use Oracle Identity Cloud Service for authentication, you can use Oracle Web Services Manager and the OAuth protocol to secure communication between web service applications and clients.</p> <p>See <i>Secure Web Services Using Identity Cloud Service</i> in <i>Using Oracle WebLogic Server for OCI</i>.</p>
Use October PSUs	<p>New domains include the October Patch Set Updates (PSUs) for Oracle WebLogic Server.</p> <p>See <i>Patches Included in Oracle WebLogic Server for OCI</i> in <i>Using Oracle WebLogic Server for OCI</i>.</p>

## October 2019

The following table outlines the new feature for Oracle WebLogic Server for OCI **Release 19.4.1**:

Feature	Description
Use Standard Edition	<p>Oracle WebLogic Server Standard Edition does not include clustering, and so Oracle WebLogic Server for OCI does not provision a cluster in domains that are running Standard Edition.</p>
Authenticate WebLogic Server users in Oracle Identity Cloud Service	<p>Use Oracle WebLogic Server for OCI to create a domain that integrates the Oracle WebLogic Server security realm with Oracle Identity Cloud Service. As a result, users that access the administration console or your Java applications are authenticated against Oracle Identity Cloud Service.</p> <p>See these topics in <i>Using Oracle WebLogic Server for OCI</i>:</p> <ul style="list-style-type: none"> <li>About the Components of Oracle WebLogic Server for OCI</li> <li>Before You Begin with Oracle WebLogic Server for OCI</li> <li>Create a Basic Domain</li> <li>Access the Sample Application Using Identity Cloud Service</li> <li>Secure a Domain Using Identity Cloud Service</li> <li>Delete the Identity Cloud Service Resources</li> </ul>
Use HTTPS on the load balancer	<p>When you create a domain, Oracle WebLogic Server for OCI can configure the load balancer and supporting resources to use HTTPS instead of HTTP. You can also manually update the load balancer of an existing domain to use SSL.</p> <p>See these topics in <i>Using Oracle WebLogic Server for OCI</i>:</p> <ul style="list-style-type: none"> <li>Create a Basic Domain</li> <li>Configure SSL for a Domain</li> </ul>

## September 2019

The following table outlines the new feature for Oracle WebLogic Server for OCI  
**Release 19.3.3:**

Feature	Description
Create a cluster of up to eight servers	The maximum number of managed servers that you can create in a domain is eight. Previously, the maximum cluster size was four.
Select bare metal shapes	Use Oracle WebLogic Server for OCI to create compute instances that use bare metal (BM) shapes. Previously, only virtual machine (VM) shapes were supported. See <a href="#">Overview of the Compute Service in the Oracle Cloud Infrastructure documentation</a> .
Select a shape for the bastion	Select a custom compute shape for the bastion compute instance when you create a domain in a private subnet. See <a href="#">Create a Basic Domain in a Private Subnet in <i>Using Oracle WebLogic Server for OCI</i></a> .
Select a shape for the load balancer	Select a bandwidth shape when you create a domain that includes a load balancer. See <a href="#">Configure a Load Balancer in <i>Using Oracle WebLogic Server for OCI</i></a> .
Select a network compartment	You can now use two compartments when creating an Oracle WebLogic Server for OCI stack, one compartment for the WebLogic Server compute instances (and bastion instance, if creating in a private subnet), and another compartment for all of the required network resources such as virtual cloud network, subnets, security lists, route tables and gateways (and optional load balancer, if adding). Previously all compute instances, load balancer, and network resources were contained in a single compartment. See <a href="#">Create a Compartment in <i>Using Oracle WebLogic Server for OCI</i></a> .
Quickly create custom data sources for autonomous databases	Use Oracle WebLogic Server for OCI utility scripts to download and extract the Oracle Autonomous Database wallet to the domain nodes, and to create a data source for the database. See <a href="#">Create a Data Source for an ATP Database in <i>Using Oracle WebLogic Server for OCI</i></a> .
Use the Fusion Middleware Control Console	New JRF-enabled domains include the Oracle Fusion Middleware Control Console. Previously you had to install these components manually after creating a domain. See <a href="#">Access the Fusion Middleware Control Console in <i>Using Oracle WebLogic Server for OCI</i></a> .
Use July PSUs	New domains include the July Patch Set Updates (PSUs) for Oracle WebLogic Server. See <a href="#">Patches Included in Oracle WebLogic Server for OCI in <i>Using Oracle WebLogic Server for OCI</i></a> .

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility/>.

## Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <https://support.oracle.com/portal/> or visit [Oracle Accessibility Learning and Support](#) if you are hearing impaired.

---

Oracle Cloud What's New in Oracle WebLogic Server for OCI  
F21180-64

Copyright © 2019, 2024, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.