

Oracle® Cloud

Administering Oracle Fusion Analytics Warehouse



F84122-05
October 2023



Oracle Cloud Administering Oracle Fusion Analytics Warehouse,

F84122-05

Copyright © 2019, 2023, Oracle and/or its affiliates.

Primary Author: Padma Rao

Contributing Authors: Shounak Ganguly, Jenny Smalling

Contributors: Oracle Fusion Analytics Warehouse development, product management(contributors), and quality assurance teams

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Audience	xii
Documentation Accessibility	xii
Diversity and Inclusion	xii
Related Documentation	xiii
Conventions	xiii

1 Get Started with Oracle Fusion Analytics Warehouse

About Oracle Fusion Analytics Warehouse	1-1
Region Availability	1-2
About Oracle Fusion Analytics Warehouse Releases	1-2
About Oracle Fusion Analytics Warehouse Service Level Objective	1-3
About Oracle Fusion Analytics Warehouse Components	1-3
Oracle Fusion Analytics Warehouse Console	1-4
Comparison of Capabilities between Analytics Cloud Associated with Fusion Analytics Warehouse and Standalone Analytics Cloud	1-5
Usage Guidelines for Autonomous Data Warehouse Associated with Fusion Analytics Warehouse	1-7
Preview Features	1-8
Features Available for Preview	1-9
Generally Available Features	1-20
Features Generally Available	1-20
Prerequisites for Oracle Fusion Analytics Warehouse	1-21
Typical Workflow to Administer Oracle Fusion Analytics Warehouse	1-21
Activate Your Oracle Fusion Analytics Warehouse Subscription	1-24
About Activating Your Oracle Fusion Analytics Warehouse Subscription	1-24
Activate the Universal Credits Subscription	1-27
Activate the Oracle Fusion Analytics Warehouse Subscription	1-29
Before You Begin with Oracle Fusion Analytics Warehouse	1-36
Sign In to the Oracle Cloud Infrastructure Console	1-37
Access Your Service	1-37
Add Users with Administrator Permissions	1-37

Add an Oracle Cloud Infrastructure Identity and Access Management Policy	1-38
Create a User in Oracle Fusion Cloud Applications to Extract Data	1-39

2 Set Up Oracle Fusion Analytics Warehouse

Typical Workflow to Set Up Oracle Fusion Analytics Warehouse	2-2
Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On	2-2
About Setting Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On	2-3
Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #1	2-4
Set Up Provisioning with Single Sign-On	2-4
Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #2	2-7
Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #3	2-7
Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #4	2-8
Copy and Store Details of the Identity Domain	2-8
Federate the Identity Domain to Your Oracle Cloud Infrastructure Tenancy	2-9
Sign in to Oracle Cloud Infrastructure using the Federated Identity Domain	2-9
Synchronize Users from Your Oracle Fusion Cloud Applications Instance with the Identity Domain	2-10
Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #5	2-10
Configure Single Sign-on Between Oracle Identity Cloud Service and Identity Domain	2-12
Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #6	2-14
Configure Single Sign-on Between Two Identity Domains	2-15
Create an Oracle Fusion Analytics Warehouse Instance	2-17
About Creating an Instance	2-18
Create an Oracle Fusion Analytics Warehouse Subscription Instance	2-18
Enter Details for an Oracle Fusion Analytics Warehouse Subscription Instance	2-21
Verify Your Instance and Sign In	2-24
Create an Integrated Oracle Fusion Analytics Warehouse Instance	2-25
Deploy Oracle Fusion Analytics Warehouse with a Private Endpoint	2-27
About Private Endpoints	2-27
Prerequisites for a Private Endpoint	2-28
Create an Oracle Fusion Analytics Warehouse Private Instance	2-28
Make Preview Features Available	2-31
Enable Generally Available Features	2-32
View Work Requests	2-33
Update the Data Source Connection Details	2-34

Update Your Subscriptions	2-35
Update the Administrator Password for Oracle Autonomous Data Warehouse	2-36
Reset the Password for OAX_USER and Custom Schemas	2-37
Terminate Instances	2-38
Move the Oracle Fusion Analytics Warehouse Instance to Another Compartment	2-39
Update the Notification Email	2-40
Scale Up Oracle Autonomous Data Warehouse Storage	2-41
Scale Up Oracle Analytics Cloud Capacity	2-43
Configure Advanced Options	2-45
About Advanced Configuration	2-45
Performance and Compatibility Options	2-45
Preview Options	2-46
Set Advanced Options	2-46

3 Configure Oracle Fusion Analytics Warehouse Data

Typical Workflow to Configure Data	3-2
About Data Pipelines for Functional Areas	3-3
Allowed Actions for Data Pipelines	3-4
About Data Refresh Performance	3-5
About Pipeline Parameters	3-6
Set Up the Pipeline Parameters	3-7
Create a Data Pipeline for a Functional Area	3-9
Edit a Data Pipeline for a Functional Area	3-10
Activate a Data Pipeline for a Functional Area	3-11
About Global Parameters	3-12
Set Up the Global Report Parameters	3-12
About Reporting Configurations	3-13
About the Reporting Configuration for Enterprise Resource Planning	3-13
About the Reporting Configuration for Human Capital Management	3-13
Set Up the Reporting Configurations for Enterprise Resource Planning	3-15
Set Up the Reporting Configurations for Human Capital Management	3-15
Deactivate a Data Pipeline for a Functional Area	3-16
Delete a Data Pipeline for a Functional Area	3-17
Refresh a Data Pipeline for a Functional Area	3-18
Reset a Data Pipeline for a Functional Area	3-19
Reset the Data Warehouse	3-20
Reset the Cache	3-21
Reset and Reload the Data Source (Preview)	3-22
View Load Request History	3-24
About Request Types and Statuses	3-25

View the Audit Log	3-26
View Records Rejected in Extraction	3-26
Prioritize Datasets for Incremental Refresh (Preview)	3-27
About Augmenting Your Data	3-28
Augment Your Data	3-29
Create Dimension Augmentation Type	3-31
Create Fact Augmentation Type	3-33
Extend an Entity	3-34
Create a Dimension Alias	3-35
About Managing Data Connections	3-37
Create a Data Connection Type	3-39
Edit a Data Connection Type	3-41
Delete a Data Connection Type	3-41
Create a Data Connection	3-41
Test a Data Connection	3-42
Update a Data Connection	3-43
Delete a Data Connection	3-43
Connect With On-premises Sources	3-43
Load Data from a Remote Agent into Fusion Analytics Warehouse (Preview)	3-44
Load Data from On-premises E-Business Suite into Fusion Analytics Warehouse (Preview)	3-47
Load Data from On-premises PeopleSoft into Fusion Analytics Warehouse (Preview)	3-50
Load Data from On-premises JD Edwards into Fusion Analytics Warehouse (Preview)	3-54
Load Data from SQL Server into Oracle Fusion Analytics Warehouse (Preview)	3-58
Connect With Cloud Sources	3-60
Load Data from Azure SQL into Oracle Fusion Analytics Warehouse (Preview)	3-61
Connect with Your Oracle Eloqua Data Source	3-62
Load Data from Enterprise Performance Management into Fusion Analytics Warehouse (Preview)	3-64
Load Data from EPM Export Data Instance into Fusion Analytics Warehouse (Preview)	3-67
Load Data from Google Analytics into Fusion Analytics Warehouse (Preview)	3-70
Load Data from Salesforce into Fusion Analytics Warehouse (Preview)	3-74
Load the Bureau of Labor Statistics Data into Fusion Analytics Warehouse (Preview)	3-77
Load Data from Shopify into Fusion Analytics Warehouse (Preview)	3-79
Load Data from a Secure FTP Source into Fusion Analytics Warehouse (Preview)	3-81
Load Data from Oracle Autonomous Database into Oracle Fusion Analytics Warehouse (Preview)	3-83
Load Data from Oracle Object Storage into Fusion Analytics Warehouse (Preview)	3-85

Load Data from Amazon Simple Storage Service into Oracle Fusion Analytics Warehouse (Preview)	3-90
Load Data from Snowflake into Oracle Fusion Analytics Warehouse (Preview)	3-91
Load Data from Taleo into Fusion Analytics Warehouse (Preview)	3-93
Load Data from Oracle BI Publisher into Fusion Analytics Warehouse (Preview)	3-95
Load Data from Oracle Database Using JDBC into Fusion Analytics Warehouse (Preview)	3-97
Load Data from QuickBooks Online into Oracle Fusion Analytics Warehouse (Preview)	3-101
Disable Data Pipeline	3-103
Schedule Frequent Refreshes of Data	3-104
Schedule Periodic Full Reload of Functional Area Data	3-106
Schedule Frequent Refreshes of Warehouse Tables	3-107
Extend Data with Custom Data Configurations	3-108
About Extending Data with Custom Data Configurations	3-108
About Extending Data with the Descriptive Flex Fields Attribute Mapper	3-108
Select Descriptive Flex Fields and Map Attributes	3-109
Activate the Descriptive Flex Fields	3-111
Deactivate the Descriptive Flex Fields	3-112

4 Validate Oracle Fusion Analytics Warehouse Data

About Validating Your Data	4-1
Prerequisites for Data Validation	4-1
Create a User to Validate the Extracted Data	4-2
Create a Custom BI Abstract Role	4-3
Validate Your Data	4-3

5 Manage Users, Groups, Application Roles, and Data Access

About Managing Users, Groups, Application Roles, and Data Access	5-1
About Users	5-1
About Groups	5-2
System Groups	5-2
Job-Specific Groups	5-3
Other Groups	5-4
About Application Roles	5-4
Duty Roles	5-4
Data Roles	5-5
System Roles	5-5
About Data Access through Security Assignments	5-17
Typical Workflow to Manage Users, Groups, Application Roles, and Data Access	5-18

Manage Users	5-19
Create Users	5-20
Synchronize Users from Your Oracle Fusion Cloud Applications Instance	5-20
Create Users in Oracle Identity Cloud Service	5-20
Create Users in Oracle Fusion Analytics Warehouse	5-20
License the Users to Access Oracle Fusion Analytics Warehouse	5-21
Update the User Details	5-21
Remove a User's Access to Oracle Fusion Analytics Warehouse	5-22
Assign Licensed Groups to Users	5-22
Assign Groups to Users	5-23
Remove Groups Assigned to a User	5-23
Add Security Assignments to a User	5-24
Remove Security Assignments Granted to a User	5-24
Copy Data Security Assignments	5-25
View the Excluded Data Security Assignments	5-25
Manage Groups	5-25
Create a Group	5-26
Remove a Group	5-26
Add Application Roles to a Group	5-27
Copy Application Roles to a Group	5-27
Remove Application Roles from a Group	5-27
Create an Application Role While Mapping	5-28
Assign Users to a Group	5-28
Upload and Download User Group Mappings	5-29
Remove Users from a Group	5-29
Copy User Mappings to a Group	5-30
Enable Easy Data Access to People Leaders	5-30
Manage Application Roles	5-32
Create an Application Role	5-32
Delete an Application Role	5-33
Assign Groups to Application Roles	5-33
Remove a Group Mapped to an Application Role	5-33
Manage Data Access through Security Assignments	5-34
Create a Security Assignment	5-34
Delete a Security Assignment	5-35
Remove Users from a Security Assignment	5-35
Manage Users for a Security Assignment	5-35
Set Exclusion Rules for Security Assignments	5-36
Update Security Assignments Automatically	5-37
Configure Permissions for Metadata and Front-End Objects	5-37
View Activity History	5-38

Manage Uploads and Downloads	5-38
About Uploading and Downloading Your Data	5-38
Upload and Download Data Security Assignments	5-39
Security Object Tables	5-40
Upload and Download Financial Categories	5-56
Upload and Download Financial Category Assignments	5-57
Upload and Download User Group Mappings	5-58
Download and Upload Area of Responsibility Data	5-59
Download and Upload Data Security Exclusion Rules	5-61
Download and Upload Custom Job Roles Mappings	5-62
Set Up Custom Security	5-64

6 Customize Oracle Fusion Analytics Warehouse

About Semantic Model Customization	6-2
About Best Practices and Tips to Extend the Semantic Model	6-2
Create a Branch	6-3
Edit a Branch	6-4
Add a Step to a Branch	6-4
Add a Dimension	6-5
Add a Fact Table	6-6
Add a Hierarchy	6-9
Add Session Variables	6-10
Extend a Dimension	6-11
Add Derived Columns	6-12
Create a Subject Area	6-13
Modify a Subject Area	6-14
Edit or Delete a Branch Step	6-15
Reapply a Branch Step	6-16
Disable and Enable the Disabled Steps	6-16
Copy Steps from One Branch to Another	6-17
View Details of Failed Branch Steps	6-17
Merge the Customization Branches with the Main Branch	6-17
Reorder Steps of Customization Branches	6-18
Delete a Main Branch Step	6-18
Tag the Main Branch's Steps	6-19
Add Security Configurations	6-19
Configure Data Security	6-20
Configure Object Permissions	6-21
View Activity History of Semantic Model Extensions	6-22
Publish the Model	6-22

Load Customization Data to the Autonomous Data Warehouse	6-23
Promote Your Customizations to the Production Environment	6-23
View Promotion History	6-24
Republish Your Customizations	6-25

7 Manage Oracle Fusion Analytics Warehouse

Manage Application Updates	7-1
About Application Updates	7-1
Update Your Application	7-2
View Release Update Activity	7-2
Bundle Your Application Artifacts	7-3
About Bundles	7-3
Create a Bundle	7-4
Edit a Bundle	7-8
Publish a Bundle	7-8
Export a Bundle	7-9
Import a Bundle	7-9
Deploy a Bundle	7-10
Delete a Bundle	7-11
View Activity History of Bundles	7-11
Configure a Virus Scanner	7-12
About Backup and Restore	7-12
About Disaster Recovery	7-13
Migrate Your Content	7-13
About Migrating Custom Content	7-14
Migrate Custom Content	7-19
Troubleshoot Content Migration	7-20

8 Frequently Asked Questions

Top FAQs for Activation	8-1
Top FAQs for Instance Creation	8-2
Top FAQs for Data Configuration	8-2
Top FAQs for Security Setup	8-3
Top FAQs for Customization and Data Augmentation	8-4
Top FAQs for Managing Oracle Fusion Analytics Warehouse	8-5

9 Troubleshooting

10 Certification Information

Certification - Supported Browsers 10-1

11 Build Analytical Applications

About Overview Dashboards 11-1

Use Filters in Overview Dashboards 11-2

Use Parameters in Overview Dashboards 11-3

About Detail Dashboards 11-5

Create a Detail Dashboard 11-5

Use Parameters in Detail Dashboards 11-5

Add Filters to Detail Dashboard 11-6

Add Targets to Key Metrics 11-6

Add Conditional Formatting for Metric Status 11-6

Preface

Learn how to get started with Oracle Fusion Analytics Warehouse.

Topics

- [Audience](#)
- [Documentation Accessibility](#)
- [Diversity and Inclusion](#)
- [Related Documentation](#)
- [Conventions](#)

Audience

This document is intended for administrators who implement, configure, and manage Oracle Fusion Analytics Warehouse.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility/>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <https://support.oracle.com/portal/> or visit [Oracle Accessibility Learning and Support](#) if you are hearing impaired.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Related Documentation

These related Oracle resources provide more information.

- Oracle Cloud <http://cloud.oracle.com>
- Getting Started with Oracle Cloud
- [Managing and Monitoring Oracle Cloud](#)
- Using Oracle Fusion Analytics Warehouse
- Getting Started with Oracle Analytics Cloud
- Visualizing Data and Building Reports in Oracle Analytics Cloud
- Preparing Data in Oracle Analytics Cloud

Conventions

The following text conventions are used in this document.

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

1

Get Started with Oracle Fusion Analytics Warehouse

Let's explore Oracle Fusion Analytics Warehouse and what you need to know to get started with administration.

Topics:

- [About Oracle Fusion Analytics Warehouse](#)
- [Prerequisites for Oracle Fusion Analytics Warehouse](#)
- [Typical Workflow to Administer Oracle Fusion Analytics Warehouse](#)
- [Activate Your Oracle Fusion Analytics Warehouse Subscription](#)
- [Before You Begin with Oracle Fusion Analytics Warehouse](#)
- [Sign In to the Oracle Cloud Infrastructure Console](#)
- [Access Your Service](#)
- [Add Users with Administrator Permissions](#)
- [Add an Oracle Cloud Infrastructure Identity and Access Management Policy](#)
- [Create a User in Oracle Fusion Cloud Applications to Extract Data](#)

About Oracle Fusion Analytics Warehouse

Oracle Fusion Analytics Warehouse is a family of prebuilt, cloud native analytics applications for Oracle Cloud Applications that provides line-of-business users with ready-to-use insights to improve decision-making.

It empowers business users with industry-leading, AI-powered, self-service analytics capabilities for data preparation, visualization, enterprise reporting, augmented analysis, and natural language processing. It is a Cloud application that delivers best-practice Key Performance Indicators (KPIs) and deep analyses to help decision-makers run their business. Oracle Fusion Analytics Warehouse is built on top of Oracle Analytics Cloud and Oracle Autonomous Data Warehouse. This packaged service starts with Oracle Fusion Cloud Applications, and you can deploy rapidly, personalize, and extend it. The service extracts and loads data from your Oracle Fusion Cloud Applications into an instance of Oracle Autonomous Data Warehouse. Business users can then create and customize dashboards in Oracle Analytics Cloud.

This service consists of a data pipeline, data warehouse, semantic model, and best-practice content such as prebuilt KPIs, dashboards, and reports. Oracle manages the service starting with deployment through performance monitoring, upgrades, and maintenance for the pre-built content. You can customize the pre-built content as defined in the [Customize Oracle Fusion Analytics Warehouse](#) section. Apart from your Oracle Fusion Cloud Applications data, you can load external data from non-Oracle Fusion Cloud Applications sources such as Salesforce or EBusiness Suite into Oracle Autonomous Data Warehouse associated with Oracle Fusion Analytics Warehouse. See [About Managing Data Connections](#).

You must configure the included semantic model only with the embedded Oracle Fusion Analytics Warehouse tools and deployed only on the Oracle Fusion Analytics Warehouse service instance. You mustn't configure the included semantic model with non-Oracle Fusion Analytics Warehouse tools including Oracle Analytics Client Tools, Oracle Analytics Administration Tool, or APIs.

Oracle Fusion Analytics Warehouse runs on Oracle Cloud Infrastructure and is integrated with many infrastructure services. Before you begin using Oracle Fusion Analytics Warehouse, you should become familiar with Oracle Cloud Infrastructure. See [Welcome to Oracle Cloud Infrastructure](#).

To know about the user experience for Oracle Fusion Analytics Warehouse, see [Learn About the New Oracle Fusion Analytics Warehouse Experience](#).

Region Availability

Oracle Fusion Analytics Warehouse is available in the following regions currently:

Region Location	Region Name	Region Key
Amsterdam, Netherlands	eu-amsterdam-1	AMS
Ashburn, VA	us-ashburn-1	IAD
Dubai, UAE	me-dubai-1	DXB
Frankfurt, Germany	eu-frankfurt-1	FRA
Jeddah, Saudi Arabia	me-jeddah-1	JED
London, United Kingdom	uk-london-1	LHR
Mumbai, India	ap-mumbai-1	BOM
Phoenix, AZ	us-phoenix-1	PHX
Sao Paulo, Brazil	sa-saopaulo-1	GRU
Singapore, Singapore	ap-singapore-1	SIN
Sydney, Australia	ap-sydney-1	SYD
Tokyo, Japan	ap-tokyo-1	NRT
Toronto, Canada	ca-toronto-1	YYZ
UK Gov London, United Kingdom	uk-gov-london-1	LTN

About Oracle Fusion Analytics Warehouse Releases

Updates to Oracle Fusion Analytics Warehouse are mainly released as Application and Platform releases with major features and minor, security, and emergency patches.

Here are the details:

- Platform Releases:
 - Platform Releases contain updates to your service; for example as security patches and updates to the Console accessible to administrators.
 - You don't need to make any selection or take any action. These updates include operating system and security patches and are applied for all customers on the same day.
 - Because these releases don't change the data model or content, business users aren't affected.

- You can expect a major release every quarter (February, May, August, November), a minor patch every month, and emergency fixes as patches.
- Application Releases:
 - Application Releases contain updates to the data model and new content when available.
 - You'll receive notification emails about these releases.
 - You'll find the release numbers listed in the Release Updates tile of the Console, where you can view the available releases and apply them as appropriate.
 - You'll notice an "auto-update" target date for major releases. You can update to a release any time before the predefined date by changing it to a date convenient for you. See [Update Your Application](#). On the predefined date, if you haven't yet updated, then Oracle Fusion Analytics Warehouse automatically updates your data model and content without extending the predefined date.
 - You can expect a major release every quarter (February, May, August, November) and optional updates or emergency patches. Each patch is cumulative. For example, if you choose to apply the 22.R1.P3 patch, then the previous patches (such as 22.R1.P1 and 22.R1.P2) are also applied with the 22.R1.P3 patch. You won't see the older patches listed in the Release Updates tile of the Console as available releases when the release changes to the current one (such as 22.R1.P3).
 - You aren't impacted by major application releases which have undergone testing to negate the impact to existing business users. Major application releases don't cause service downtime.

About Oracle Fusion Analytics Warehouse Service Level Objective

Oracle Fusion Analytics Warehouse is built on Oracle Cloud Infrastructure and leverages the Oracle PaaS Cloud services.

Oracle Fusion Analytics Warehouse availability is tied to dependent Oracle services such as Oracle Identity Cloud Service, Oracle Analytics Cloud, Oracle Autonomous Data Warehouse, and Oracle Cloud IaaS services, including compute and storage. Each of these services has published service level agreements under [Oracle Cloud SLA](#). See the Oracle PaaS and IaaS Public Cloud Services Pillar Document (PDF).

Oracle Fusion Analytics Warehouse has a service-level objective (SLO) of 99.9%.

About Oracle Fusion Analytics Warehouse Components

Oracle Fusion Analytics Warehouse consists of several core components such as Oracle Cloud Infrastructure Identity and Access Management, Oracle Fusion Analytics Warehouse Console, data pipeline infrastructure, Oracle Autonomous Data Warehouse, and Oracle Analytics Cloud.

It has ready-to-use components that Oracle manages and extensible components that you can manage. Though Oracle manages these components, you can customize and extend them:

- Data pipeline to Oracle Fusion Cloud Applications
- Data model
- Semantic model

- Best practice content like KPIs, dashboards, and reports

You can:

- Add external data sources into the same Oracle Autonomous Data Warehouse as the Oracle Fusion Cloud Applications data.
- Use any ETL tool or the robust Oracle Data Integrator with its many connectors to load data into the custom schemas and tables in the same Oracle Autonomous Data Warehouse repository.
- Connect to data using more than the 30 self-service connectors rather than loading data into Oracle Autonomous Data Warehouse.
- Import Microsoft Excel files or spreadsheets.
- Extend the semantic model.
- Create KPIs, dashboards, and reports.

Oracle Fusion Analytics Warehouse Console

You must have the Oracle Fusion Analytics Warehouse service administrator role to access the Console and perform administration tasks.

The following table outlines the tasks that you can perform on the Oracle Fusion Analytics Warehouse Console.

Task	More information
Security	Manage users and their access to subject areas and data. See Manage Users, Groups, Application Roles, and Data Access .
Release Updates	Decide and apply the application updates except the emergency patches that are deployed automatically. See Manage Application Updates .
Virus Scanner	Use the Virus Scanner option on the Console in Oracle Fusion Analytics Warehouse to connect to your virus scanning server. See Configure a Virus Scanner .
Advanced Configuration	Advanced data and content configurations will be available in a future release.
Data Configuration	Configure connections to source systems Fusion and managed pipelines. Configure pipeline settings, data augmentations and application specific configurations. See Configure Oracle Fusion Analytics Warehouse Data .
Semantic Model Extensions	Configure extensions and customizations to the semantic model. Join with custom data objects or import external semantic models. See Customize Oracle Fusion Analytics Warehouse .
Data Validation	Validate the data after loading the source data from Oracle Fusion Cloud Applications into your data warehouse. See Validate Oracle Fusion Analytics Warehouse Data .

Task	More information
Uploads	Upload and download data related to security and financial categories to your data warehouse using files. See Manage Uploads and Downloads .
Promote Objects	Promote changes to the semantic model, security configurations, and customized KPIs from non-production to Production environments. See Promote Your Customizations to the Production Environment .
Bundles	Manage snapshots of your application artifacts as bundles. See Bundle Your Application Artifacts .
Session and Query Cache	See which users are signed in and troubleshoot report queries. This is also accessible from the FAW console. See Monitor Users and Activity Logs.
Issue SQL	Test and debug SQL queries. See Run Test SQL Queries.

Comparison of Capabilities between Analytics Cloud Associated with Fusion Analytics Warehouse and Standalone Analytics Cloud

As an Oracle Fusion Analytics Warehouse service administrator, you perform certain tasks differently in the Oracle Analytics Cloud associated with Oracle Fusion Analytics Warehouse than the standalone Oracle Analytics Cloud.

Service administrators have access to two console user interfaces, and administrative tasks span both the consoles. The Oracle Fusion Analytics Warehouse console allows administrators to manage central tasks that are common to both users as well as the application. The Oracle Analytics Cloud console allows administrators to configure features that are specific to analytics. Oracle Analytics Cloud associated with Oracle Fusion Analytics Warehouse is directly connected to the Oracle Autonomous Data Warehouse and doesn't support connections to external systems through the Analytics Server. For example, connections to social media platforms isn't supported through the Analytics Server of Oracle Analytics Cloud associated with Oracle Fusion Analytics Warehouse. You can use the Oracle Fusion Analytics Warehouse console to define external connections and extensions to the repository file but you can't directly access the repository (rpd) file.

The following table outlines the tasks that you can and can't perform on the Oracle Analytics Cloud Console that is included with Oracle Fusion Analytics Warehouse. You must have the Oracle Fusion Analytics Warehouse service administrator role to access the Console and perform administration tasks.

Tasks	More Information
Maps	Define how users display their data on maps. See Manage Map Information for Analyses .
Extensions	Upload custom visualization types or custom data actions. See Manage Custom Plug-ins .

Tasks	More Information
Social	Not available. External connections to social media platforms aren't allowed in Oracle Fusion Analytics Warehouse.
Search Index	Set up how content is indexed and crawled so users always find the latest information when they search. See Schedule Regular Content Crawls and Monitor Search Crawl Jobs .
Safe Domains	Authorize access to safe domains. See Register Safe Domains .
Users and Roles	Not available. Use the Security option on the Console in Oracle Fusion Analytics Warehouse to define users and roles. See Manage Users, Groups, Application Roles, and Data Access .
Snapshots	Not available. Use the Bundles option on the Console in Oracle Fusion Analytics Warehouse to manage snapshots. See Bundle Your Application Artifacts .
Semantic Model Connections	Not authorized. Additional database connections for the semantic model aren't supported through the Oracle Analytics Cloud Console. Only the connection to Oracle Autonomous Data Warehouse is supported. However, all direct connections from the visualization layer in Oracle Analytics Cloud are supported, because these don't use the Analytics Server.
Virus Scanner	Use the Virus Scanner option on the Console in Oracle Fusion Analytics Warehouse to connect to your virus scanning server. See Configure a Virus Scanner .
Session and Query Cache	See which users are signed in and troubleshoot report queries. This is also accessible from the Console in Oracle Fusion Analytics Warehouse. See Monitor Users and Activity Logs .
Issue SQL	Test and debug SQL queries. See Run Test SQL Queries .
Mail Server	Connect to your email server. See Set Up an Email Server to Deliver Reports .
Monitor Deliveries	Track deliveries sent by the email server. See Track the Reports You Distribute by Email or Through Agents .
System Settings	Not authorized. Oracle directly manages the system settings for each of the Oracle Fusion Analytics Warehouse instances and tunes the instances to provide an optimized user experience. Oracle Fusion Analytics Warehouse doesn't allow configuration of advanced options for Oracle Analytics Cloud.
Remote Data Connectivity	Register one or more Data Gateway agents for remote connectivity to visualization workbooks. See Configure and Register Data Gateway for Visualization .

Usage Guidelines for Autonomous Data Warehouse Associated with Fusion Analytics Warehouse

Oracle Fusion Analytics Warehouse provisions instances of Oracle Autonomous Data Warehouse to store data. As part of the integrated SaaS offering of Oracle Fusion Analytics Warehouse, Oracle doesn't allow or recommend certain Oracle Autonomous Data Warehouse administration tasks.

As a service administrator, you can access the Oracle Autonomous Data Warehouse instance associated with Oracle Fusion Analytics Warehouse using the Oracle Cloud Infrastructure Console. The following table outlines the tasks that aren't allowed or recommended.

Task	More information
Database life cycle management	You can't stop, delete, pause, or restart the database. Oracle Fusion Analytics Warehouse controls these activities for the instance. Oracle recommends that you don't rename the database and don't use the Start or Stop options in the Scheduled Maintenance feature for the Oracle Autonomous Data Warehouse instance associated with Oracle Fusion Analytics Warehouse.
Changes to auto-provisioned resources	You can scale up resources such as OCPUs for additional capacity or terabytes for additional storage. However, you can't scale down such resources to levels below those automatically provisioned with Oracle Fusion Analytics Warehouse. Auto-scale for OCPUs is turned on by default by Oracle Fusion Analytics Warehouse and you can't turn it off.
Autonomous data guard	Even though you can turn on Autonomous Data Guard, this isn't recommended because Oracle Fusion Analytics Warehouse doesn't currently support failover to the instance populated through Data Guard.
Restore from backups	Oracle Autonomous Data Warehouse provides daily backups. While restoring to a new instance may be useful to view or copy data from backup, it isn't recommended to restore backups against the Oracle Autonomous Data Warehouse instance associated with Oracle Fusion Analytics Warehouse. Doing so may put the data pipelines and factory content in an inconsistent state.

The Oracle Autonomous Data Warehouse instance created by Oracle Fusion Analytics Warehouse is primarily for use by the service. While you can insert custom data and query the database, it has an impact on the database storage and compute. Following are some guidelines:

Custom Usage	Guidance
Adding data to custom schemas	You can add as many as 50GB of custom data to the service. For more than 50GB, you must scale up the terabytes of storage through the Oracle Cloud Infrastructure Console, which is charged to your Oracle Cloud account. If you intend to do compute intensive queries and transformations on your custom data, then you can scale up additional OCPUs using the Oracle Cloud Infrastructure Console, which is charged to your Oracle Cloud account. See Scale Up Oracle Autonomous Data Warehouse Storage .
Adding additional CPUs	Ensure that you have adequate CPUs configured in Oracle Autonomous Data Warehouse (and corresponding sessions) to be able to run custom ETL. For every CPU that was allocated as part of the Oracle Fusion Analytics Warehouse instance creation, you shouldn't exceed 5 low service concurrent sessions for custom ETL. Exceeding this can impact the ETL or reporting performance and hence isn't supported. If you need to run more sessions, then ensure that you've additional CPU added to your Oracle Autonomous Data Warehouse instance. Each additional CPU that you add this way will allow upto 300 low sessions. You must avoid Medium or High sessions in all cases, as they block the ETL pipeline.
Adding database connections	See Tutorial . Follow these guidelines: <ul style="list-style-type: none">• Aim for fewer than 10 concurrent database connections.• When you configure the connections, ensure that you select the service with the "low" prefix in its name. Don't select the service with the "high" prefix since it can lead to performance issues in reports and delays in completion of daily data refreshes in Oracle Fusion Analytics Warehouse.• Close unused sessions in a timely manner to ensure no adverse impact on the performance of Oracle Fusion Analytics Warehouse.• If you plan to run compute intensive queries or create many concurrent database connections, then you can scale up additional OCPUs through the Oracle Cloud Infrastructure Console, which is charged to your Oracle Cloud account.

Preview Features

Oracle Fusion Analytics Warehouse offers certain functionality as preview features for you to try. Preview features are high confidence features that are design, specification,

and implementation complete with roadmap commitment but may change before they become generally available.

Preview features are intended for evaluation and training purposes. You may evaluate the preview features for production use as-is based on your specific parameters. Contact Oracle support if you've questions on feasibility of rolling out a specific preview feature for production use.

To find out about features currently available for preview, see [Features Available for Preview](#).

Preview features are disabled by default. If you want to explore one of the preview features, ask your administrator to enable it for your organization. Administrators can make preview features available for others to try; see [Make Preview Features Available](#).

Features Available for Preview

Preview features enable functional administrators to switch functionality on and off. This way, your organization can evaluate and learn how to use new features before they become generally available.

To enable the preview features, see [Make Preview Features Available](#).

Functional Areas

See *Features Available for Preview* in:

- Fusion CX Analytics
- Fusion ERP Analytics
- Fusion HCM Analytics
- Fusion SCM Analytics

Connectors

Feature	Description
AWS S3	<p>This feature enables an administrator to connect to data in Amazon Simple Storage Service (AWS S3).</p> <p>See Load Data from Amazon Simple Storage Service into Oracle Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the AWS S3 option in the Create Connection dialog.• Off – Hide the AWS S3 option in the Create Connection dialog. <p>Default: Off</p> <p>Restart Required: No</p>

Feature	Description
Azure SQL	<p>This feature enables connecting to an Azure SQL instance to create augmentations using data from that instance.</p> <p>See Load Data from Azure SQL into Oracle Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the Azure SQL option in the Create Connection dialog.• Off – Hide the Azure SQL option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
EPM Financial Close and Consolidation Data Export	<p>This feature enables connecting to an EPM Export Data instance to create augmentations using data from that instance.</p> <p>See Load Data from EPM Export Data Instance into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the EPM Financial Close and Consolidation Data Export option in the Create Connection dialog.• Off – Hide the EPM Financial Close and Consolidation Data Export option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
EPM Planning and Budgeting Data Export	<p>This feature enables connecting to an EPM Export Data instance to create augmentations using data from that instance.</p> <p>See Load Data from EPM Export Data Instance into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the EPM Planning and Budgeting Data Export option in the Create Connection dialog.• Off – Hide the EPM Planning and Budgeting Data Export option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
EPM Profitability and Cost Management Data Export	<p>This feature enables connecting to an Oracle EPM instance to build a managed data pipeline with data from that instance.</p> <p>See Load Data from EPM Export Data Instance into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the EPM Profitability and Cost Management Data Export option in the Create Connection dialog.• Off – Hide the EPM Profitability and Cost Management Data Export option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>

Feature	Description
Google Analytics	<p>This feature enables connecting to a Google Analytics instance and building a complete managed data pipeline with that data.</p> <p>See Load Data from Google Analytics into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the Google Analytics option in the Create Connection dialog.• Off – Hide the Google Analytics option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
Oracle Autonomous Database	<p>This feature enables an administrator to connect to custom data in Oracle Autonomous Data Warehouse. You can create up to five connections to different Oracle Autonomous Data Warehouse instances and they are denoted as Oracle Autonomous Database 1, Oracle Autonomous Database 2, Oracle Autonomous Database 3, Oracle Autonomous Database 4, and Oracle Autonomous Database 5.</p> <p>See Load Data from Oracle Autonomous Database into Oracle Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the Oracle Autonomous Data Warehouse option such as Oracle Autonomous Database 1 in the Create Connection dialog.• Off – Hide the Oracle Autonomous Data Warehouse option such as Oracle Autonomous Database 1 in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
Oracle BI Publisher	<p>This feature enables connecting to an Oracle BI Publisher instance to create augmentations using data from that instance.</p> <p>See Load Data from Oracle BI Publisher into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the Oracle BI Publisher option in the Create Connection dialog.• Off – Hide the Oracle BI Publisher option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>

Feature	Description
Oracle E-Business Suite On-Prem	<p>This feature enables configuring remote agent, loading data from on-premises Oracle eBusiness Suite (EBS), and building a complete managed data pipeline with that data.</p> <p>See Load Data from On-premises E-Business Suite into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none"> • On – Display the Oracle E-Business Suite On-Prem option in the Create Connection dialog. • Off – Hide the Oracle E-Business Suite On-Prem option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
Oracle Eloqua	<p>This feature enables connecting to an Oracle Eloqua instance to bring business-relevant marketing and sales campaign data to build a managed data pipeline with data from that instance.</p> <p>See Connect with Your Oracle Eloqua Data Source.</p> <ul style="list-style-type: none"> • On – Display the Oracle Eloqua option in the Create Connection dialog. • Off – Hide the Oracle Eloqua option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
Oracle EPM - Enterprise Data Management	<p>This feature enables connecting to an Oracle EPM instance and building a complete managed data pipeline with that data.</p> <p>See Load Data from Enterprise Performance Management into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none"> • On – Display the Oracle EPM - Enterprise Data Management option in the Create Connection dialog. • Off – Hide the Oracle EPM - Enterprise Data Management option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>

Feature	Description
Oracle EPM - Financial Close and Consolidation	<p>This feature enables connecting to Oracle EPM instance and building a complete managed data pipeline with that data.</p> <p>See Load Data from Enterprise Performance Management into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the Oracle EPM - Financial Close and Consolidation option in the Create Connection dialog.• Off – Hide the Oracle EPM - Financial Close and Consolidation option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
Oracle EPM - Planning and Budgeting	<p>This feature enables connecting to Oracle EPM instance and building a complete managed data pipeline with that data.</p> <p>See Load Data from Enterprise Performance Management into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the Oracle EPM - Planning and Budgeting option in the Create Connection dialog.• Off – Hide the Oracle EPM - Planning and Budgeting option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
Oracle EPM - Profitability and Cost Management	<p>This feature enables connecting to Oracle EPM instance and building a complete managed data pipeline with that data.</p> <p>See Load Data from Enterprise Performance Management into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the Oracle EPM - Profitability and Cost Management option in the Create Connection dialog.• Off – Hide the Oracle EPM - Profitability and Cost Management option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>

Feature	Description
Oracle JD Edwards On-Prem	<p>This feature enables connecting to the various data sources in the on-premises JD Edwards instance and building a complete managed data pipeline with that data.</p> <p>See Load Data from On-premises JD Edwards into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the Oracle JD Edwards On-Prem option in the Create Connection dialog.• Off – Hide the Oracle JD Edwards On-Prem option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
Oracle JDBC	<p>This feature enables the remote agent-managed connectivity to Oracle database using JDBC. You can create upto five connections and they are denoted as Oracle JDBC 1, Oracle JDBC 2, Oracle JDBC 3, Oracle JDBC 4, and Oracle JDBC 5.</p> <p>See Load Data from Oracle Database Using JDBC into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the Oracle JDBC option such as Oracle JDBC 1 in the Create Connection dialog.• Off – Hide the Oracle JDBC option such as Oracle JDBC 1 in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
Oracle Object Storage Service	<p>This managed pipeline connects to Oracle Object Storage to ingest datasets into Oracle Fusion Analytics Warehouse followed by data augmentation.</p> <p>See Load Data from Oracle Object Storage into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the Oracle Object Storage Service option in the Create Connection dialog.• Off – Hide the Oracle Object Storage Service option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>

Feature	Description
Oracle PeopleSoft On-Prem - Campus Solutions	<p>This feature enables connecting to the various data sources in the on-premises PeopleSoft instance and building a complete managed data pipeline with that data.</p> <p>See Load Data from On-premises PeopleSoft into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the Oracle PeopleSoft On-Prem - Campus Solutions option in the Create Connection dialog.• Off – Hide the Oracle PeopleSoft On-Prem - Campus Solutions option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
Oracle PeopleSoft On-Prem - Financials	<p>This feature enables connecting to the various data sources in the on-premises PeopleSoft instance and building a complete managed data pipeline with that data.</p> <p>See Load Data from On-premises PeopleSoft into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the Oracle PeopleSoft On-Prem - Financials option in the Create Connection dialog.• Off – Hide the Oracle PeopleSoft On-Prem - Financials option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
Oracle PeopleSoft On-Prem - Human Resources	<p>This feature enables connecting to the various data sources in the on-premises PeopleSoft instance and building a complete managed data pipeline with that data.</p> <p>See Load Data from On-premises PeopleSoft into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the Oracle PeopleSoft On-Prem - Human Resources option in the Create Connection dialog.• Off – Hide the Oracle PeopleSoft On-Prem - Human Resources option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>

Feature	Description
Oracle PeopleSoft On-Prem - Learning Management	<p>This feature enables connecting to the various data sources in the on-premises PeopleSoft instance and building a complete managed data pipeline with that data.</p> <p>See Load Data from On-premises PeopleSoft into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none"> • On – Display the Oracle PeopleSoft On-Prem - Learning Management option in the Create Connection dialog. • Off – Hide the Oracle PeopleSoft On-Prem - Learning Management option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
QuickBooks Online	<p>This feature enables connecting to a QuickBooks Online instance to create augmentations using data from that instance.</p> <p>See Load Data from QuickBooks Online into Oracle Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none"> • On – Display the QuickBooks Online option in the Create Connection dialog. • Off – Hide the QuickBooks Online option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
Remote Agent	<p>Remote Agent application helps bring data from the on-premises applications like E-Business Suite and JD Edwards into Oracle Fusion Analytics Warehouse.</p> <p>See Load Data from a Remote Agent into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none"> • On – Display the Remote Agent option in the Create Connection dialog. • Off – Hide the Remote Agent option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
Salesforce REST	<p>This feature enables an administrator to connect to a Salesforce SaaS source and build a complete managed data pipeline with that data.</p> <p>See Load Data from Salesforce into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none"> • On – Display the Salesforce REST option in the Create Connection dialog. • Off – Hide the Salesforce REST option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>

Feature	Description
SFTP	<p>This feature enables connecting to a Secure FTP source and building a complete managed data pipeline with that data.</p> <p>See Load Data from a Secure FTP Source into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the SFTP option in the Create Connection dialog.• Off – Hide the SFTP option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
Shopify	<p>This feature enables connecting to a Shopify instance and building a complete managed data pipeline with that data.</p> <p>See Load Data from Shopify into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the Shopify option in the Create Connection dialog.• Off – Hide the Shopify option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
Snowflake	<p>This feature enables connecting to a Snowflake instance and creating augmentations using that data.</p> <p>See Load Data from Snowflake into Oracle Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the Snowflake option in the Create Connection dialog.• Off – Hide the Snowflake option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
SQL Server	<p>This feature enables connecting to the SQL Server instance to create augmentations using data from that instance.</p> <p>See Load Data from SQL Server into Oracle Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none">• On – Display the SQL Server option in the Create Connection dialog.• Off – Hide the SQL Server option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>

Feature	Description
Taleo	<p>This feature enables connecting to a Taleo instance and creating augmentations using that data.</p> <p>See Load Data from Taleo into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none"> • On – Display the Taleo option in the Create Connection dialog. • Off – Hide the Taleo option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>
U.S. Bureau of Labor Statistics (BLS)	<p>This feature enables connecting to publicly available datasets from Bureau of Labor Statistics (BLS) datasets and building a complete managed data pipeline with that data.</p> <p>See Load the Bureau of Labor Statistics Data into Fusion Analytics Warehouse (Preview).</p> <ul style="list-style-type: none"> • On – Display the BLS option in the Create Connection dialog. • Off – Hide the BLS option in the Create Connection dialog. <p>Default: Off Restart Required: No</p>

Notifications

Feature	Description
Event Notification	<p>This feature publishes data pipeline events to the Oracle Cloud Infrastructure Audit service.</p> <p>See Oracle Fusion Analytics - Get notified when your data refresh completes using event notifications.</p>

Pipeline Features

Feature	Description
Data Refresh Estimate	<p>This feature enables prediction of completion time for data refresh. The predicted time is visible under Data Pipeline in the Pipeline Parameters section on the Pipeline Settings page.</p> <p>See About Data Refresh Performance.</p> <ul style="list-style-type: none">• On – Display the Estimated Refresh Completion detail under Data Pipeline in the Pipeline Parameters section on the Pipeline Settings page.• Off – Hide the Estimated Refresh Completion detail under Data Pipeline in the Pipeline Parameters section on the Pipeline Settings page. <p>Default: Off Restart Required: No</p>
Data Source Reset And Reload	<p>This feature enables reset and reload of a data source.</p> <p>See Reset and Reload the Data Source (Preview).</p> <ul style="list-style-type: none">• On – Display the Data Source Reset And Reload detail under Data Pipeline in the Pipeline Parameters section on the Pipeline Settings page.• Off – Hide the Data Source Reset And Reload detail under Data Pipeline in the Pipeline Parameters section on the Pipeline Settings page. <p>Default: Off Restart Required: No</p>
Frequent Refresh Tables	<p>This feature enables custom warehouse tables for frequent data refresh.</p> <p>See Schedule Frequent Refreshes of Warehouse Tables.</p> <ul style="list-style-type: none">• On – Display the Frequent Refresh Tables detail under Data Pipeline in the Pipeline Parameters section on the Pipeline Settings page.• Off – Hide the Frequent Refresh Tables detail under Data Pipeline in the Pipeline Parameters section on the Pipeline Settings page. <p>Default: Off Restart Required: No</p>

Feature	Description
Prioritized Data Refresh	<p>This feature enables configuration of the warehouse tables for prioritized refresh ahead of other data in the regularly scheduled daily refresh cycles.</p> <p>See Prioritize Datasets for Incremental Refresh (Preview).</p> <ul style="list-style-type: none"> • On – Display the Prioritized Data Refresh tab on the Pipeline Settings page. • Off – Hide the Prioritized Data Refresh tab on the Pipeline Settings page. <p>Default: Off Restart Required: No</p>

Generally Available Features

Oracle Fusion Analytics Warehouse offers certain functionality as generally available that you must enable using the Console. Generally available features are publicly available features that you can use for production workloads.

To learn about features that are generally available, see [Features Generally Available](#).

Generally available features are disabled by default. Administrators can make these features available for others to use; see [Enable Generally Available Features](#).

Features Generally Available

Generally available features enable functional administrators to switch functionality on and off.

To enable the generally available features, see [Enable Generally Available Features](#).

Pipeline Features

Feature	Description
Frequent Refresh	<p>This feature enables certain pipeline refresh schedules to be set to a frequency of 4 hours or higher.</p> <p>See Schedule Frequent Refreshes of Data.</p> <ul style="list-style-type: none"> • On – Display the Frequent Refresh option on the Pipeline Settings page. • Off – Hide the Frequent Refresh option on the Pipeline Settings page. <p>Default: Off Restart Required: No</p>

Feature	Description
Scheduled Full Data Reload	<p>For specific functional areas, an administrator can schedule full refreshes on a weekly, monthly, or quarterly basis.</p> <p>See Schedule Periodic Full Reload of Functional Area Data.</p> <ul style="list-style-type: none"> • On – Display the Scheduled Full Data Reload on the Pipeline Settings page. • Off – Hide the Scheduled Full Data Reload on the Pipeline Settings page. <p>Default: Off Restart Required: No</p>

Prerequisites for Oracle Fusion Analytics Warehouse

You must have an Oracle Cloud account with Universal Credits to provision Oracle Fusion Analytics Warehouse.

You can provision Oracle Fusion Analytics Warehouse in one of the regions where the product is [available](#). You must activate the Oracle Cloud account with Universal Credits from your Welcome email before you start using it and before you activate the Fusion Analytics Warehouse order. See [Activate Your Order](#).

Typical Workflow to Administer Oracle Fusion Analytics Warehouse

If you're setting up Oracle Fusion Analytics Warehouse for the first time, then follow these tasks as a guide.

Task	Description	More Information
Activate your Oracle Fusion Analytics Warehouse subscription.	After your order for the Oracle Fusion Analytics Warehouse subscription has been processed, you receive a Welcome email asking you to activate your Oracle Fusion Analytics Warehouse subscription. If your sales representative also included a Universal Credits subscription as part of your order, you receive a separate Welcome email asking you to activate that as well.	Activate Your Oracle Fusion Analytics Warehouse Subscription

Task	Description	More Information
Sign into the Oracle Cloud Infrastructure Console.	After you activate the service, use the cloud account credentials to access your services. If you are planning to use single sign-on to access Oracle Fusion Analytics Warehouse, then Set Up Provisioning with Single Sign-On before proceeding with this and the subsequent tasks.	Sign In to the Oracle Cloud Infrastructure Console
Use the Oracle Cloud Infrastructure Console to access the service pages.	When you sign in to the Console, you'll see the home page. Use the navigation menu in the upper left to navigate to the service pages where you create, manage, and view your cloud resources.	Access Your Service
(Optional) Add a user with administrator permissions for the service.	Add a user with full administrator permissions of the default administrator of the service.	Add Users with Administrator Permissions
Create a user to extract data	If you want to use the password-based basic authentication to connect to your source system, then you must provide credentials of a user who has the appropriate privileges to extract data from Oracle Fusion Cloud Applications into Oracle Fusion Analytics Warehouse.	Create a User in Oracle Fusion Cloud Applications to Extract Data
Set up user access to Oracle Fusion Analytics Warehouse using single sign-on.	You can set up how users from Oracle Fusion Cloud Applications access Oracle Fusion Analytics Warehouse using single sign-on. This setup eases the management of various user names and passwords. It enables you to synchronize users and roles in Oracle Fusion Cloud Applications with Oracle Identity Cloud Service and then enable these users to access Oracle Fusion Analytics Warehouse.	Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On

Task	Description	More Information
Create an instance for Oracle Fusion Analytics Warehouse.	<p>Use the Console to create an instance.</p> <p>If you've set up provisioning with single sign-on, which federates your tenancy with Oracle Identity Cloud Service, then you create the Fusion Analytics Warehouse instance in the federated Oracle Identity Cloud Service instance. If your tenancy isn't federated with an identity provider, then you create the Fusion Analytics Warehouse instance in the default Oracle Identity Cloud Service instance that is available with your Oracle Fusion Analytics Warehouse subscription.</p>	Create an Oracle Fusion Analytics Warehouse Subscription Instance
Verify the Oracle Fusion Analytics Warehouse instance.	<p>You receive an email when your instance is ready. Check that you can sign in and that your instance is up and running.</p>	Verify Your Instance and Sign In
Create and associate users and groups.	<p>When you set up provisioning with single sign-on, you enable synchronization of users and their associated roles from Oracle Fusion Cloud Applications to your federated Oracle Identity Cloud Service instance. After the initial synchronization, if you add users in your Oracle Fusion Cloud Applications instance, they are automatically available in your federated Oracle Identity Cloud Service instance because you've enabled synchronization. See Set Up Provisioning with Single Sign-On. You can also add additional users in your federated Oracle Identity Cloud Service instance through Oracle Fusion Analytics Warehouse using the User Management option in the Console.</p> <p>When you set up provisioning without single sign-on, to access Oracle Fusion Analytics Warehouse, manually create Oracle Fusion Cloud Applications users and groups (these are the equivalent of job roles in Oracle Fusion Cloud Applications) in Oracle Identity Cloud Service and then assign the groups (job roles) to users in</p>	Assign Users to a Group and Assign Groups to Users .

Task	Description	More Information
Configure data security.	Ensure that users have appropriate access to use Oracle Fusion Analytics Warehouse. Access to subject areas and data depends on the roles assigned to the users.	Manage Users, Groups, Application Roles, and Data Access
Configure Oracle Fusion Analytics Warehouse data.	Set up global and reporting configurations and create data pipelines for functional areas to copy your Oracle Fusion Cloud Applications data to the data warehouse.	Configure Oracle Fusion Analytics Warehouse Data

Activate Your Oracle Fusion Analytics Warehouse Subscription

You're now on step 2 of the four required steps to getting up and running with Oracle Fusion Analytics Warehouse. You've completed step 1 of these required steps and are ready to activate the Oracle Fusion Analytics Warehouse subscription to start using the service:

1. Order your Oracle Fusion Analytics Warehouse subscription through your sales representative.
2. Activate your Oracle Fusion Analytics Warehouse subscription.
3. Create your Oracle Fusion Analytics Warehouse instance. See [Create an Oracle Fusion Analytics Warehouse Instance](#).
4. Configure Oracle Fusion Analytics Warehouse. See [Configure Oracle Fusion Analytics Warehouse Data](#).

Topics:

- [About Activating Your Oracle Fusion Analytics Warehouse Subscription](#)
- [Activate the Universal Credits Subscription](#)
- [Activate the Oracle Fusion Analytics Warehouse Subscription](#)

About Activating Your Oracle Fusion Analytics Warehouse Subscription

Before getting started, it's important to note that an UCC subscription is a technical prerequisite to activating Oracle Fusion Analytics Warehouse. An active UCC subscription must exist in the cloud account in which you plan to activate Oracle Fusion Analytics Warehouse.

Oracle Fusion Analytics Warehouse has dependencies on Oracle Analytics Cloud and Oracle Autonomous Data Warehouse and these services are only available with an UCC subscription. Typically there's no additional charge for these services. For exceptions, see the [Important – Read Before Activating](#) section.

After your order for the Oracle Fusion Analytics Warehouse subscription has been processed, you receive the following two Welcome emails in any sequence:

- Welcome email for your Universal Credits (UCC) subscription - The name of the service in the body of this Welcome email is "Oracle PaaS and IaaS Universal Credits".
- Welcome email for your Oracle Fusion Analytics Warehouse subscription - The name of the service in the body of this Welcome email is "Oracle Fusion XXX Analytics..." where XXX represents the Oracle Fusion Analytics Warehouse applications you subscribed to such as Fusion HCM Analytics and Fusion ERP Analytics.

On receiving both the Welcome emails, follow these steps:

1. Review the [Important – Read Before Activating](#) section.
2. Write down the name of your Oracle Fusion Cloud Applications account or tenancy.

 **Note:**

Cloud account is also known as tenancy.

3. Ensure that you're a cloud administrator in your Oracle Fusion Cloud Applications account and have been granted the OCI_Administrator role or Administrators group, whichever is available. See the [Role Needed to Activate](#) section.
4. Activate your UCC subscription into your existing Oracle Fusion Cloud Applications account only if you don't have an active UCC subscription in your existing Oracle Fusion Cloud Applications account.
 - a. If you already have an active UCC subscription in your existing Oracle Fusion Cloud Applications account, then skip to step 5.
 - b. Otherwise, after activating the UCC subscription, be sure to wait until you receive a confirmation email from Oracle Cloud stating that your services are ready before moving to step 5.
5. Activate the Oracle Fusion Analytics Warehouse subscription into the same existing Oracle Fusion Cloud Applications account.
 - Wait until you receive a confirmation email from Oracle Cloud stating that your services are ready before signing back into your Oracle Fusion Cloud Applications account and verifying that your Oracle Fusion Analytics Warehouse entitlements appear and that the "Create Instance" button is enabled.
 - It's also feasible to activate your Oracle Fusion Analytics Warehouse subscription into a non-Oracle Fusion Cloud Applications account but this is discouraged. See [Important – Read Before Activating](#) for further details.

Important – Read Before Activating

- **Best practices** are to always activate UCC and Oracle Fusion Analytics Warehouse into your Oracle Fusion Cloud Applications account. Doing so saves you time, cost and complexity when setting up your security integration between Oracle Fusion Analytics Warehouse and your Oracle Fusion Cloud Applications as well as improved ongoing synchronization performance.
- **If an UCC subscription exists in your Oracle Fusion Cloud Applications account** prior to ordering your Oracle Fusion Analytics Warehouse subscription, then another UCC subscription isn't needed and would have been removed by your sales

representative during the order process. You would then only receive the Welcome email to activate your Oracle Fusion Analytics Warehouse subscription.

- **UCC PAYG subscriptions expire within 30 days of receiving the UCC Welcome email.** It's very important that you activate UCC into your Oracle Fusion Cloud Applications account within 30 days of receiving it. If the UCC PAYG subscription expires, then UCC activation will fail and you'll need to submit a service request prior to trying to activate Oracle Fusion Analytics Warehouse.
- **Attempting to activate Oracle Fusion Analytics Warehouse before activating your UCC subscription** will result in a warning message telling you to activate into an Oracle Cloud account with an UCC subscription. Go back and activate UCC into your Oracle Fusion Cloud Applications account and be sure to wait until you receive a confirmation email from Oracle Cloud stating that your services are ready before activating Oracle Fusion Analytics Warehouse.

 **Note:**

This warning only appears if you received your Welcome email for your Oracle Fusion Analytics Warehouse subscription after March 8, 2023.

- **If an UCC subscription exists in a non-Oracle Fusion Cloud Applications account**, then activating Oracle Fusion Analytics Warehouse subscription into this non-Oracle Fusion Cloud Applications account goes against best practices. It will cost you additional time, money, and complexity when setting up your security integration between Oracle Fusion Analytics Warehouse and your Oracle Fusion Cloud Applications and reduced performance in it's ongoing synchronization. Oracle highly recommends that you pause the activation process and do the following:
 - Ask your sales representative to issue you an order for a \$0 UCC PAYG subscription that you can then activate into your Oracle Fusion Cloud Applications account
 - If you plan on extending Oracle Fusion Analytics Warehouse with more than 50GB of non-Oracle Fusion Cloud Applications data, then you can set up a parent and child relationship between the UCC subscription in your non-Oracle Fusion Cloud Applications account and this new UCC PAYG subscription so that the charges come out of the existing UCC subscription in your non-Oracle Fusion Cloud Applications account. This can be done using the Organization Management functionality in Oracle Cloud Infrastructure. See [Organization Management](#).

Role Needed to Activate

You must be a cloud administrator with the OCI_Administrator role or be in the OCI_Administrators group for the Oracle Cloud account that you're trying to activate your subscriptions into to activate successfully both UCC and Oracle Fusion Analytics Warehouse subscriptions. If you aren't a cloud administrator with this role, then either:

- Ask the current cloud administrator of the cloud account to add you as a cloud administrator and assign the OCI_Administrator role or add you to the Administrators group before you try to activate.
- Or forward the activation emails to a person who has the OCI_Administrator role or is in the Administrators group and have them follow the activation instructions.

If this Oracle Cloud account uses identity domains, then see the *Creating Users* section in [Using the Console](#) to create a user and assign the OCI Administrators or Administrators group, whichever is available. To add this group to an existing user in an identity domain, see the *Adding Users to Groups* section in [Using the Console](#). If this Oracle Cloud account uses Oracle Identity Cloud Service to manage users, then see [Create User Accounts](#) to create a user and assign the OCI Administrator role or Administrators group, whichever is available. To add this group to an existing user in Oracle Identity Cloud Service, see [Assign Groups to the User Account](#). To know if your tenancy uses identity domains or Oracle Identity Cloud Service, see [Do You Have Access to Identity Domains?](#)

Activate the Universal Credits Subscription

Activate the new UCC subscription into your existing Oracle Fusion Cloud Applications account using the **Add to existing cloud account** option in the UCC Welcome email.

If you do not see your existing Oracle Fusion Cloud Applications account when selecting the cloud account to activate into, stop and submit a service request against “Fusion Analytics Warehouse” in My Oracle Support so that it gets routed to the correct team. For this service request, select **Significant Impairment** as **Issue Type** and in **Problem Type**, click **Activate, Create, Delete, Manage FAW Instance** and then select **FAW Activation**. Ensure that you include the account name you are trying to activate into along with a screen shot showing that you've been assigned this role in that Cloud account.

1. Locate your UCC Welcome email.

Action Required: Welcome to New Oracle Cloud Service Subscription(s)

Oracle Cloud <[redacted]>
Thu 9/15/2022 7:10 AM
To: [redacted]>

ORACLE

Add subscriptions to a cloud account

Hi [redacted]

Thank you for subscribing to Oracle Cloud. Your first step is to link the service(s) to an Oracle Cloud Account. With an Oracle Cloud Account, you can manage services, add users, and configure access to resources.

Your first step is to **activate your service(s) by adding them to an Oracle Cloud Account**, which allows you to manage services, add users, and more. Either add your services to an existing account associated with your organization, or create a new account (see options below).

If you are not the correct person to manage your company's subscriptions, simply forward this email to the right person to activate your service(s).

Once you have added your service(s) to an Oracle Cloud Account, you will receive an email from Oracle (oracle.com) that will guide you to take the next onboarding steps. Depending on your order, you may receive additional activation emails for other services. If you have purchased more than one cloud service, it is recommended to use a single cloud account. Please use one of the welcome emails to create a cloud account and wait for the confirmation email with cloud account credentials to activate the remaining cloud services into the same cloud account. Refer [Activating Your Services](#) if you have questions about the distinctions between adding services to an existing versus creating a new Oracle Cloud account.

2. In the UCC Welcome email, click **Add to existing cloud account**.

 **Note:**

The name of the service in the body of this Welcome email is "Oracle PaaS and IaaS Universal Credits".

Subscription ID: [REDACTED]

- Oracle PaaS and IaaS Universal Credits ([REDACTED])

Add to existing cloud account

Create new cloud account

Order Details:

Order Number: [REDACTED]

Order Date: Thu, Sep 15, 2022, 01:39 AM UTC

Customer Support Identifier (CSI): [REDACTED]

Organization Name: [REDACTED]

Questions?

Please contact your account representative or [Oracle Support](#).

Additional resources:

Join the [Cloud Customer Connect community](#) to submit ideas for product enhancements directly to Oracle development or engage in real-time dialogues with other Oracle customers, Oracle experts, and Oracle partners about lessons learned and best practices for cloud adoption and business transformation.

Oracle University is offering [free training on Oracle Cloud](#) for a limited time.

ORACLE
Cloud

Please do not reply directly to this email.

Copyright © 2020 Oracle. All rights reserved.
Contact Us | Legal Notices and Terms of Use | Privacy Statement

3. Follow the instructions in [Add the New Cloud Service to an Existing Oracle Cloud Account](#).

 **Note:**

It can take up to an hour for the activation process to finish. Once it completes, you'll receive an email with the subject "Your services are ready!". Ensure that you don't proceed to the next step until you have received this email.

Activate the Oracle Fusion Analytics Warehouse Subscription

Activate your Oracle Fusion Analytics Warehouse subscription into the Oracle Cloud account where you have Universal Credits (UCC).

After Oracle processes your subscription order, you receive an email asking you to activate the subscription. As part of the activation process, you sign into the Cloud account that has both your Oracle Fusion Cloud Applications and UCC subscription already in it. Upon signing in, you are taken to the Add Subscription page in the Oracle Cloud Infrastructure Console where you'll add the Oracle Fusion Analytics Warehouse subscription to the Cloud account.

After you add the Oracle Fusion Analytics Warehouse subscription, it can take up to an hour for the activation process to complete. You'll receive another email confirming that your subscription is ready. Don't proceed to the next step until you've received this email.

1. Locate your Oracle Fusion Analytics Warehouse Welcome email that you received from Oracle Cloud.

 **Note:**

The name of the service in the body of this Welcome email is "Oracle Fusion XXX Analytics..." where XXX represents the Fusion Analytics Warehouse pillar(s) you subscribed to such as Fusion HCM Analytics and Fusion ERP Analytics.

Action Required: Welcome to New Oracle Cloud Service Subscription(s)

Oracle Cloud <[redacted]>

Thu 9/15/2022 7:10 AM

To: [redacted]

ORACLE

Add subscriptions to a cloud account

Hi [redacted]

Thank you for subscribing to Oracle Cloud. Your first step is to link the service(s) to an Oracle Cloud Account. With an Oracle Cloud Account, you can manage services, add users, and configure access to resources.

Your first step is to **activate your service(s) by adding them to an Oracle Cloud Account**, which allows you to manage services, add users, and more. Either add your services to an existing account associated with your organization, or create a new account (see options below).

If you are not the correct person to manage your company's subscriptions, simply forward this email to the right person to activate your service(s).

Once you have added your service(s) to an Oracle Cloud Account, you will receive an email from Oracle (oracle.com) that will guide you to take the next onboarding steps. Depending on your order, you may receive additional activation emails for other services. If you have purchased more than one cloud service, it is recommended to use a single cloud account. Please use one of the welcome emails to create a cloud account and wait for the confirmation email with cloud account credentials to activate the remaining cloud services into the same cloud account. Refer [Activating Your Services](#) if you have questions about the distinctions between adding services to an existing versus creating a new Oracle Cloud account.

2. In the email, click **Add to existing cloud account**.

Subscription ID: [REDACTED]

- Oracle Fusion HCM Analytics - Hosted Employee ([REDACTED])

Order Details:

Order Number: [REDACTED]

Order Date: Thu, Sep 15, 2022, 01:39 AM UTC

Customer Support Identifier (CSI): [REDACTED]

Organization Name: [REDACTED]

Questions?Please contact your account representative or [Oracle Support](#).**Additional resources:**

Join the [Cloud Customer Connect community](#) to submit ideas for product enhancements directly to Oracle development or engage in real-time dialogues with other Oracle customers, Oracle experts, and Oracle partners about lessons learned and best practices for cloud adoption and business transformation.

Oracle University is offering [free training on Oracle Cloud](#) for a limited time.

ORACLE
Cloud

Please do not reply directly to this email.

Copyright © 2020 Oracle. All rights reserved.
[Contact Us](#) | [Legal Notices and Terms of Use](#) | [Privacy Statement](#)

- On the Oracle Cloud page, click **Sign In using a Cloud Account Name**.

ORACLE

Cloud

Forgot your cloud account name? [Get help](#)
[Sign In](#) using a Cloud Account Name
Not an Oracle Cloud customer yet?

- In **Cloud Account Name**, enter the tenancy name of the existing Oracle Cloud account that has UCC and Oracle Fusion Cloud Applications and then click **Next**.

The screenshot shows the Oracle Cloud account setup page. At the top, the Oracle logo and the word "Cloud" are displayed. Below this is a form titled "Cloud Account Name" with a search icon. A text input field is present, followed by a "Next" button. Below the button, there are two links: "Forgot your cloud account name? [Get help](#)" and "Do you have a Traditional Cloud Account? [Sign In](#)". At the bottom of the form, there is a section titled "Not an Oracle Cloud customer yet?" with a "Sign Up" button.

If you don't see your existing Oracle Cloud account that has UCC and Oracle Fusion Cloud Applications in it, stop and submit a service request against "Fusion Analytics Warehouse" in My Oracle Support so that it gets routed to the correct team. For this service request, select **Significant Impairment** as **Issue Type** and in **Problem Type**, click **Activate, Create, Delete, Manage FAW Instance** and then select **FAW Activation**. Ensure that you include the account name you are trying to activate into along with a screen shot showing that you've been assigned this role in that Cloud account.

- On the Oracle Cloud Account Sign In page, sign in as follows:
 - If the tenancy is set up with single sign-on, then in the Single Sign-On (SSO) section, select the applicable identity provider and click **Continue** to display the sign-in details.

The screenshot shows the Oracle Cloud Account Single Sign-On (SSO) page. At the top right, there is a "Change tenancy" link. The main heading is "Single Sign-On (SSO)". Below this, a message states: "We have detected that your tenancy has been federated to another Identity Provider." Below the message, it says "Select your Identity Provider below." and there is a dropdown menu. At the bottom, there is a "Continue" button.

In the Oracle Cloud Account sign-in details, verify that the tenancy name is your Oracle Fusion Cloud Applications account, enter your credentials, and

then click **Sign In** that takes you to the Add Subscription page in Oracle Cloud Infrastructure.

ORACLE Cloud

Oracle Cloud Account Sign In

Identity domain ⓘ
Default

User Name
User name or email

Password
Password

[Forgot Password?](#)

Sign In

[Need help signing in?](#)

- If the tenancy isn't set up with single sign-on, then in the Oracle Cloud Account sign-in details, verify that the tenancy name is your Oracle Fusion Cloud Applications account, enter your credentials and then click **Sign In** that takes you to the Add Subscription page in Oracle Cloud Infrastructure.
6. On the Add subscription page, click the applicable row to select the subscription that matches the subscription listed in the activation email and then click **Add subscription**.

Add subscription

Add the following subscriptions to your tenancy. If you want to add these subscriptions to a different tenancy, sign out and change the tenancy.

Tenancy name: [redacted]

Subscription	Subscription ID	Description
ANALYTICSAPP	[redacted]	Oracle Fusion HCM Analytics - Hosted Employee - [redacted]

Adding subscriptions to a tenancy cannot be undone.

Add subscription [Cancel](#)

 **Note:**

Stop here if you don't see the subscription that you wish to activate.

- It likely means that you don't have the OCI_Administrator role or Administrators group (whichever is available) assigned to you. You must contact your cloud account administrator.
- If you've been assigned the OCI_Administrator role or are part of the Administrators group, then enter a service request against "Fusion Analytics Warehouse" in My Oracle Support so that it gets routed to the correct team. For this service request, select **Significant Impairment** as **Issue Type** and in **Problem Type**, click **Activate, Create, Delete, Manage FAW Instance** and then select **FAW Activation**. Ensure that you include the account name you are trying to activate into along with a screen shot showing that you've been assigned this role in that Cloud account.

7. In the **Thanks for adding your subscriptions** message, click **Close**.

Thanks for adding your subscriptions. You're almost done!


We'll email you with further instructions when your subscriptions are ready, so you can get your services up and running.

[Learn more about managing your administrative roles](#)


Close

It can take up to an hour to receive an email with the subject "Your services are ready!".

8. Open the email that you received from Oracle Cloud stating that your services are ready and click **Sign in**. Use your Cloud account credentials.




- In Oracle Cloud Infrastructure Console, click the Navigator menu icon, click **Analytics & AI**, and then under Analytics & AI, click **Fusion Analytics Warehouse**.



- On the Fusion Analytics Warehouse Instances page, verify that the subscriptions listed in the Compartment banner match your Oracle Fusion Analytics Warehouse order and the **Create Instance** button is enabled.

To create an instance, see [Create an Oracle Fusion Analytics Warehouse Subscription Instance](#).



11. If you run into issues, then enter a service request against “Fusion Analytics Warehouse” in My Oracle Support so that it gets routed to the correct team. For this service request, select **Significant Impairment** as **Issue Type** and in **Problem Type**, click **Activate, Create, Delete, Manage FAW Instance** and then select **FAW Activation**. Prior to creating the service request, ensure that you have noted down the Cloud account, order number, subscription details, and the failed step information.

Before You Begin with Oracle Fusion Analytics Warehouse

Oracle Fusion Analytics Warehouse is available on Oracle Cloud Infrastructure and uses few other Oracle Cloud Infrastructure services.

When you order Oracle Fusion Analytics Warehouse, you get access to Oracle Autonomous Data Warehouse and Oracle Analytics Cloud Subscription.

When you activate your Oracle Fusion Analytics Warehouse order, you get the Service Administrator role. This role gives you full administration privileges on the service, so you can complete all aspects of Oracle Fusion Analytics Warehouse setup and create other users. There’s no need to delegate this responsibility, but if you want someone else to set up Oracle Fusion Analytics Warehouse, you can add more users and assign them to the required roles.

Here’s the information about how Oracle Fusion Analytics Warehouse uses other Oracle Cloud Infrastructure services and what you need to do if you’re setting up Oracle Fusion Analytics Warehouse for the first time.

Service	What is it for?	Do I need to do anything?
Oracle Identity Cloud Service	When you subscribe to Oracle Fusion Analytics Warehouse, you automatically receive Oracle Identity Cloud Service Foundation that provides the core identity and access management capabilities. Oracle Fusion Analytics Warehouse uses Oracle Identity Cloud Service to manage users and groups.	Create and associate users and groups. See Assign Users to a Group and Assign Groups to Users .
Oracle Autonomous Data Warehouse	Oracle Fusion Analytics Warehouse uses Oracle Autonomous Data Warehouse to store the data extracted from the Oracle Fusion Cloud Applications sources.	Provide the autonomous data warehouse details while creating a service instance for Oracle Fusion Analytics Warehouse. See Create an Oracle Fusion Analytics Warehouse Subscription Instance

Service	What is it for?	Do I need to do anything?
Oracle Analytics Cloud	Oracle Fusion Analytics Warehouse uses Oracle Analytics Cloud to analyze data, create visualizations, and generate reports from the Oracle Fusion Cloud Applications data stored in Oracle Autonomous Data Warehouse.	No

Sign In to the Oracle Cloud Infrastructure Console

After you activate the service, use the cloud account credentials to sign in to the Oracle Cloud Infrastructure Console to access your services.

If you're the first user on the account and were invited by Oracle Cloud, then you're automatically added to the Administrators group. You can invite other members of the organization by adding users in Oracle Cloud Infrastructure Identity and Access Management. See [Signing In to the Console](#).

Access Your Service

Sign in to the Oracle Cloud Infrastructure Console and use the navigation menu in the upper left to navigate to the service pages where you create, manage, and view your cloud resources..

See [Using the Console](#).

Add Users with Administrator Permissions

If you want another user to administer the service, then provide the user with the same permissions as the default administrator of the service.

- If you're an Oracle Cloud Infrastructure Identity and Access Management administrator and want to add another Oracle Cloud Infrastructure Identity and Access Management user with administrator privileges, then complete the following tasks:
 - Create a group and add a non-administrator user to the group. Name the group, for example, `FAWAdmin.grp`. See [Managing Groups](#).
 - Create a compartment for the Oracle Fusion Analytics Warehouse instances to limit the access of non-administrator users to only those services within the compartment. Name the compartment, for example, `FAWServicesCompartment`. See [Managing Compartments](#).
 - Define the policies for the non-administrator user to access the Oracle Fusion Analytics Warehouse instances. Name the policy, for example, `FAWAdmin.pl`. Add a policy statement such as:

```
ALLOW GROUP FAWAdmin.grp TO MANAGE analytics-warehouse IN COMPARTMENT
FAWServicesCompartment
```

Add policies to grant the non-administrator user permission to create an autonomous data warehouse (ADW) and Oracle Analytics Cloud in the compartment that you created, for example, `FAWServicesCompartment`. Ensure that the compartment in which you grant the manage ADW and Oracle Analytics Cloud permissions is the same as the compartment in which the non-administrator user has a manage permission for Oracle Fusion Analytics Warehouse instances.

Name the ADW-specific policy, for example, `FAWADWAdmin.pl` and add a policy statement such as:

```
ALLOW GROUP FAWAdmin.grp TO MANAGE autonomous-data-warehouse-  
family IN COMPARTMENT  
FAWServicesCompartment
```

Name the Oracle Analytics Cloud-specific policy, for example, `FAWOACAdmin.pl` and add a policy statement such as:

```
ALLOW GROUP FAWAdmin.grp TO MANAGE analytics-instances IN  
COMPARTMENT  
FAWServicesCompartment
```

See [Managing Policies](#).

- If your tenancy uses Oracle Identity Cloud Service to manage user login and password for the Oracle Cloud Infrastructure Console, then to add a user with administrator permissions, see [Managing Oracle Identity Cloud Service Users and Groups in the Oracle Cloud Infrastructure Console](#).

Add an Oracle Cloud Infrastructure Identity and Access Management Policy

Create a policy to enable Oracle to manage your resources without your active intervention.

Use the Oracle Cloud Infrastructure Console to create a policy with the following three statements:

- Allow service `faw` to manage `autonomous-database-family` in compartment.
- Allow service `faw` to manage `analytics-instances` in compartment.
- Allow service `faw` to manage `analytics-warehouses` in compartment.



Note:

In the three statements, specify the compartment name for your Oracle Fusion Analytics Warehouse service.

See "To create a policy" in [Managing Policies](#).

Create a User in Oracle Fusion Cloud Applications to Extract Data

If you want to use the password-based basic authentication to connect to your source system, then you must provide credentials of a user who has the appropriate privileges to extract data from Oracle Fusion Cloud Applications into Oracle Fusion Analytics Warehouse.

In Oracle Fusion Cloud Applications, ensure that you've the Security Manager role and access the Security Console to create a user to extract data into Oracle Fusion Analytics Warehouse. Oracle counts this user as an Oracle Fusion Cloud Applications licensed user. You must assign the appropriate data security privileges to this user for bulk data extraction. Later, specify this user while providing the source details when you're creating your Oracle Fusion Analytics Warehouse instance and updating the source details after creating the instance.

If you're using the password-based basic authentication to connect to your source system, then you won't be able to reset the password for the ready-to-use `FAWService` user in Oracle Fusion Cloud Applications. You can continue to use the `FAWService` user until the existing password expires. The recommendation is to update the connection details with the new user created to extract data, such as `MyFAWExtractUser` before the password for the `FAWService` user expires to ensure continuation of data extraction. See [Update the Data Source Connection Details](#). To provide the user credentials while creating a Oracle Fusion Analytics Warehouse instance, see [Enter Details for an Oracle Fusion Analytics Warehouse Subscription Instance](#).

If you want to use the credentials of the user such as `MyFAWExtractUser` for validating the extracted data, then ensure that you also assign to this user the custom data BI - Abstract Role that was created for data validation; for example, `FAW_CUSTOM_DATA_VALIDATION_ROLE`. See [Create a Custom BI Abstract Role](#). Otherwise, create a user such as `MyFAWValidationUser` and assign the custom data BI - Abstract Role created for data validation. See [Create a User to Validate the Extracted Data](#).

1. Sign in to Oracle Fusion Cloud Applications and in the Navigator, click **Tools**, and then click **Security Console**.
2. In the Console, click the Users tab and create a user that you want to use to extract data into Oracle Fusion Analytics Warehouse; for example, `MyFAWExtractUser`.
See [Add User Accounts](#).
3. Click the Roles tab and then click **Create**.
4. On the Basic Information page, enter `FAW_EXTRACT_ADMIN` in Role Name, `FAW_EXTRACT_ADMIN` in Role Code, and `BI - Abstract Roles` in Role Category.
5. Click **Next** to navigate to the subsequent pages. You can skip entering details on the Function Security Policies and Data Security Policies pages.
6. On the Role Hierarchy page, click **Add Role** and in the Add Role Membership dialog, search for the following roles and click **Add Role Membership** to add them:
 - `ESS Administrator Role`: To create and manage schedules for global data extracts or jobs.
 - `ORA_ASM_APPLICATION_IMPLEMENTATION_ADMIN_ABSTRACT`: To have access to global offerings and data stores or jobs.
7. Close the Add Role Membership dialog and click **Next**.

8. Skip entering details on the Segregation of Duties page and click **Next**.
9. On the Users page, click **Add User** and in the Add User dialog, search for and select the user to whom you want to assign this role; for example, MyFAWExtractUser. Click **Add Selected Users** and close the Add User dialog.
10. Click **Next**. Review the summary and click **Save and Close**.

2

Set Up Oracle Fusion Analytics Warehouse

As the cloud account administrator, create the service instance for Oracle Fusion Analytics Warehouse.

Topics:

- [Typical Workflow to Set Up Oracle Fusion Analytics Warehouse](#)
- [Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On](#)
- [Create an Oracle Fusion Analytics Warehouse Instance](#)
- [Deploy Oracle Fusion Analytics Warehouse with a Private Endpoint](#)
- [Make Preview Features Available](#)
- [Enable Generally Available Features](#)
- [View Work Requests](#)
- [Update the Data Source Connection Details](#)
- [Update Your Subscriptions](#)
- [Update the Administrator Password for Oracle Autonomous Data Warehouse](#)
- [Reset the Password for OAX_USER and Custom Schemas](#)
- [Terminate Instances](#)
- [Move the Oracle Fusion Analytics Warehouse Instance to Another Compartment](#)
- [Update the Notification Email](#)
- [Scale Up Oracle Autonomous Data Warehouse Storage](#)
- [Scale Up Oracle Analytics Cloud Capacity](#)
- [Configure Advanced Options](#)

Typical Workflow to Set Up Oracle Fusion Analytics Warehouse

If you're setting up Oracle Fusion Analytics Warehouse for the first time, then follow these tasks as a guide.

Task	Description	More Information
Set up user access to Oracle Fusion Analytics Warehouse using single sign-on.	You can set up how users from Oracle Fusion Cloud Applications access Oracle Fusion Analytics Warehouse using single sign-on. This setup simplifies how you manage user names and passwords. It enables you to synchronize users and roles in Oracle Fusion Cloud Applications with Oracle Identity Cloud Service and then enable these users to access Oracle Fusion Analytics Warehouse.	Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On
Create an Oracle Fusion Analytics Warehouse instance.	Create a service instance to manage your cloud resources.	Create an Oracle Fusion Analytics Warehouse Subscription Instance
Verify your instance and sign in.	Verify your service instance when you receive an email from Oracle that your Oracle Fusion Analytics Warehouse service instance is ready.	Verify Your Instance and Sign In

Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On

You can set up how users from Oracle Fusion Cloud Applications access Oracle Fusion Analytics Warehouse using single sign-on. This setup simplifies how you manage user names and passwords. You must complete this setup before you create your Oracle Fusion Analytics Warehouse instances except as indicated in scenarios #5 and #6 that require further setup after you create the Oracle Fusion Analytics Warehouse instance.

Topics:

- [About Setting Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On](#)
- [Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #1](#)
- [Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #2](#)

- [Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #3](#)
- [Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #4](#)
- [Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #5](#)
- [Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #6](#)

About Setting Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On

Using single sign-on simplifies managing user access to Oracle Fusion Analytics Warehouse.

Users of Oracle Fusion Analytics Warehouse are mostly Oracle Fusion Cloud Applications users and those whom you create specifically in Oracle Fusion Analytics Warehouse. Setting up access to Oracle Fusion Analytics Warehouse for these users using single sign-on depends on whether identity domains are available in your cloud account or you're using Oracle Identity Cloud Service to manage the users.

Some Oracle Cloud regions use the Oracle Cloud Infrastructure Identity and Access Management (IAM) identity domains. See [Identity Domain Overview](#). It's easy to determine whether or not your cloud account offers identity domains. In Oracle Cloud Infrastructure Console, navigate to **Identity & Security**. Under **Identity**, check for **Domains**.

The way you set up user access to Oracle Fusion Analytics Warehouse using single sign-on is based on when you created the cloud account for Oracle Fusion Cloud Applications and the cloud account in which you activated Oracle Fusion Analytics Warehouse.

Check your cloud account for Oracle Fusion Cloud Applications and Oracle Fusion Analytics Warehouse to know whether identity domains are available and then use these scenarios as applicable to set up user access to Oracle Fusion Analytics Warehouse using single sign-on:

- Scenario 1 - Existing Oracle Fusion Cloud Applications in a cloud account that doesn't offer identity domains and Oracle Fusion Analytics Warehouse activated in the same cloud account as Oracle Fusion Cloud Applications.
- Scenario 2 - New Oracle Fusion Cloud Applications in a cloud account that offers identity domains and Oracle Fusion Analytics Warehouse activated in the same cloud account as Oracle Fusion Cloud Applications.
- Scenario 3 - Existing Oracle Fusion Cloud Applications in a cloud account that doesn't offer identity domains and Oracle Fusion Analytics Warehouse activated in a different pre-existing cloud account that doesn't offer identity domains.
- Scenario 4 - New Oracle Fusion Cloud Applications in a cloud account that offers identity domains and Oracle Fusion Analytics Warehouse activated in a different pre-existing cloud account that doesn't offer identity domains.
- Scenario 5 - Existing Oracle Fusion Cloud Applications in a cloud account that doesn't offer identity domains and Oracle Fusion Analytics Warehouse activated in a different new cloud account that offers identity domains.
- Scenario 6 - New Oracle Fusion Cloud Applications in a cloud account that offers identity domains and Oracle Fusion Analytics Warehouse activated in a different new cloud account that offers identity domains.

Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #1

Scenario #1 applies to a single cloud account for Oracle Fusion Cloud Applications and Oracle Fusion Analytics Warehouse and the cloud account doesn't offer identity domains.

If you're an existing user of Oracle Fusion Cloud Applications with Oracle Fusion Analytics Warehouse activated in the same cloud account as Oracle Fusion Cloud Applications and your cloud account doesn't offer identity domains, then perform these steps:

1. Complete the setup required for provisioning Oracle Fusion Analytics Warehouse with single sign-on.

See [Set Up Provisioning with Single Sign-On](#).

2. In the Oracle Cloud Infrastructure Console, click the **Navigation** menu icon, click **Analytics & AI** and then click **Fusion Analytics Warehouse** to create the Oracle Fusion Analytics Warehouse instance.

See [Create an Oracle Fusion Analytics Warehouse Subscription Instance](#).

Set Up Provisioning with Single Sign-On

Provisioning Oracle Fusion Analytics Warehouse with single sign-on enables you to synchronize users and groups in Oracle Fusion Cloud Applications with Oracle Identity Cloud Service and then enable these users to access Oracle Fusion Analytics Warehouse.

Here's the list of tasks that you must complete in the order that they are listed.

1. Ensure that you've the **FA_GSI_Administrator** role for the applicable Oracle Fusion Cloud Applications environment. You need this role to synchronize users and groups in Oracle Fusion Cloud Applications with the Oracle Identity Cloud Service instance specified in the Identity Cloud account associated with your Oracle Fusion Cloud Applications instance. See [How to add FA_GSI_Administrator role to a user?](#)
2. Write down the Oracle Identity Cloud Service details in the mail notifying you of the Identity Cloud account associated with your Oracle Fusion Cloud Applications instance for later use.
3. Set up synchronization of Oracle Fusion Cloud Applications with the Oracle Identity Cloud Service instance specified in the Identity Cloud account associated with your Oracle Fusion Cloud Applications instance.
4. Federate the Oracle Identity Cloud Service instance specified in the Identity Cloud account associated with your Oracle Fusion Cloud Applications instance to the Oracle Cloud Infrastructure tenancy where Fusion Analytics Warehouse is provisioned.
5. Sign in to the Oracle Cloud Infrastructure tenancy where Fusion Analytics Warehouse is provisioned using the federated Oracle Identity Cloud Service instance.

Copy and Store the Oracle Identity Cloud Service URL

Copy and store the Oracle Identity Cloud Service URL available in the mail notifying you of the Identity Cloud account associated with your Oracle Fusion Cloud Applications instance in a text file. You require this information while setting up the synchronization of Oracle Fusion Cloud Applications with the Oracle Identity Cloud Service instance.

As the administrator of Oracle Fusion Cloud Applications, you would have received emails notifying you of the Identity Cloud account associated with your Oracle Fusion Cloud Applications instance.

1. From the email, copy the Oracle Identity Cloud Service URL for each of the development and production instances for each of the Oracle Fusion Cloud Applications environments and paste them in a text file.
2. If the email isn't available, then you can raise a service request to obtain information about the Identity Cloud account associated with your Oracle Fusion Cloud Applications instances. See [Contact My Oracle Support](#). Alternatively, as the Oracle Cloud account administrator, access the My Services Dashboard to obtain this information; see [About My Services Dashboard](#).

Set Up Synchronization of Oracle Fusion Cloud Applications with Oracle Identity Cloud Service

Set up the synchronization of Oracle Fusion Cloud Applications with the Oracle Identity Cloud Service instance specified in the Identity Cloud account associated with your Oracle Fusion Cloud Applications instance. This synchronization gets the Oracle Fusion Cloud Applications users and groups into the applicable Oracle Identity Cloud Service instance that enables these users to access Oracle Fusion Analytics Warehouse.

To set up this synchronization, you need the client ID and secret from the Identity Cloud account associated with your Oracle Fusion Cloud Applications instance.

1. Sign in to Oracle Identity Cloud Service using the URL that you obtained in [Copy and Store the Oracle Identity Cloud Service URL](#).
2. Navigate to **Home**, click the **Navigator** menu, click **Oracle Cloud Services**, and then click **Oracle Fusion Cloud Applications**.
3. Open a text file, copy the URL from the browser until "identity.oraclecloud.com", and paste it in the text file.

Sample format of the URL is `https://idcs-<Oracle Identity Cloud Service stripe ID>.identity.oraclecloud.com/`. For example, in the url `https://idcs-12ab34c56789.identity.oraclecloud.com:443`, copy `https://idcs-12ab34c56789.identity.oraclecloud.com`.

4. On the Oracle Fusion Cloud Applications page, click **Configuration**, expand **General Information**, copy the client ID and paste it in the text file. Then click **Show Secret**, copy the text, paste it in the text file, and then save the text file.
5. On the Oracle Fusion Cloud Applications page, under **Configuration**, expand **Client Configuration**, scroll down, and click **Add**.
6. In Add App Role, select **Application Administrator** and **Identity Domain Administrator** and then click **Add**.
7. On the Oracle Fusion Cloud Applications page, click **Provisioning**, and then select **Enable Provisioning**.

8. Under **Select Provisioning Operations**, select **Authoritative Sync**, and then select **Enable Synchronization**.
9. Under **Provisioning**, expand **Configure Connectivity**, and click **Test Connectivity**. Then click **Save**.
10. Confirm that the synchronization of Oracle Fusion Cloud Applications with Oracle Identity Cloud Service was set up successfully by viewing the users and groups along with user to groups mappings before and after synchronization.

Federate the Oracle Identity Cloud Service Instance to Your Oracle Cloud Infrastructure Tenancy

Federate the Oracle Identity Cloud Service associated with your Oracle Fusion Cloud Applications instance to the Oracle Cloud Infrastructure tenancy where Oracle Fusion Analytics Warehouse is provisioned to connect them and enable the usage of a single set of sign-in credentials.

Use the text file in which you had previously saved the URL, client ID, and client secret. See [Set Up Synchronization of Oracle Fusion Cloud Applications with Oracle Identity Cloud Service](#). After you've connected the Oracle Identity Cloud Service instance to the Oracle Cloud Infrastructure tenancy, use the new identity provider to sign in to Oracle Cloud Infrastructure.

1. Sign in to your Oracle Cloud account that contains the tenancy where Oracle Fusion Analytics Warehouse is provisioned (in certain cases this can be same as your Oracle Fusion Cloud Applications account).
2. On the Oracle Cloud Home, navigate to **Identity** and then click **Federation**.
3. On the Federation page, click **Add Identity Provider**.
4. On the Add Identity Provider page, use lower case to enter a **Name** and add a description.
5. Select **Oracle Identity Cloud Service**, and enter the URL, client ID, and client secret that you had previously saved in a text file.
6. Scroll down and click **Continue** at the bottom of the Add Identity Provider page.
7. In the next page, map **IDCS Administrators** under **Identity Provider Group** to **Administrators** under **OCI Group** and click **Add Provider**.
8. On the Federation page, view and write down the name of the new identity provider.

Sign in to Oracle Cloud Infrastructure using the Federated Oracle Identity Cloud Service Instance

You must sign in to Oracle Cloud Infrastructure using the federated Oracle Identity Cloud Service instance to create your Oracle Fusion Analytics Warehouse instance.

1. Sign in to the Oracle Cloud Infrastructure by selecting the tenancy where Oracle Fusion Analytics Warehouse is provisioned and under Single Sign-On (SSO), select the identity provider that you added in [Federate the Oracle Identity Cloud Service Instance to Your Oracle Cloud Infrastructure Tenancy](#).
2. In the Oracle cloud account Sign In dialog, click **Oracle Fusion Cloud Applications**.

3. In the Sign In Oracle Fusion Cloud Applications dialog, enter your Oracle Fusion Cloud Applications credentials and click **Sign In**.

You see the Oracle Cloud Infrastructure's Console Home page.

Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #2

Scenario #2 applies to a single cloud account for Oracle Fusion Cloud Applications and Oracle Fusion Analytics Warehouse and the cloud account offers identity domains.

If you're a new user of Oracle Fusion Cloud Applications with Oracle Fusion Analytics Warehouse activated in the same cloud account as Oracle Fusion Cloud Applications and your cloud account offers identity domains, then perform these steps:

1. Copy and paste into a text file the URL of your Oracle Fusion Cloud Applications instance for later use. You specify this URL as the source Oracle Fusion Cloud Applications while creating the Oracle Fusion Analytics Warehouse instance.
2. In Oracle Cloud Infrastructure, sign in to the cloud account where both Oracle Fusion Cloud Applications and Oracle Fusion Analytics Warehouse services have been activated using your cloud account administrator credentials.
3. On the Oracle Cloud Infrastructure Sign-in page, choose the domain that's corresponding to the Oracle Fusion Cloud Applications instance that you want to specify as the source while creating the Oracle Fusion Analytics Warehouse instance.
4. In the Oracle Cloud Infrastructure Console, click the **Navigation** menu icon, click **Analytics & AI** and then click **Fusion Analytics Warehouse** to create the Oracle Fusion Analytics Warehouse instance.

See [Create an Oracle Fusion Analytics Warehouse Subscription Instance](#).

Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #3

Scenario #3 applies to separate cloud accounts for Oracle Fusion Cloud Applications and Oracle Fusion Analytics Warehouse and both the cloud accounts don't offer identity domains.

If you're an existing user of Oracle Fusion Cloud Applications in a cloud account that doesn't offer identity domains with Oracle Fusion Analytics Warehouse activated in a different existing cloud account that doesn't offer identity domains, then perform these steps:

1. Complete the steps listed in [Set Up Provisioning with Single Sign-On](#).
2. In the Oracle Cloud Infrastructure Console, click the **Navigation** menu icon, click **Analytics & AI** and then click **Fusion Analytics Warehouse** to create the Oracle Fusion Analytics Warehouse instance.

See [Create an Oracle Fusion Analytics Warehouse Subscription Instance](#).

Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #4

Scenario #4 applies to separate cloud accounts for Oracle Fusion Cloud Applications and Oracle Fusion Analytics Warehouse with one cloud account offering identity domains and another not offering identity domains.

If you're a new user of Oracle Fusion Cloud Applications in a cloud account that offers identity domains with Oracle Fusion Analytics Warehouse activated in a different existing cloud account that doesn't offer identity domains, then you must federate the identity domain associated with Oracle Fusion Cloud Applications to the Oracle Cloud Infrastructure tenancy where Oracle Fusion Analytics Warehouse is provisioned. During provisioning of Oracle Fusion Cloud Applications in a cloud account that offers identity domains, typically the Oracle Fusion Cloud Applications users and groups are synchronized automatically with the identity domain. In case the Oracle Fusion Cloud Applications users and groups aren't synchronized automatically with the identity domain, then you must manually enable the synchronization before performing the steps listed in this section. See [Synchronize Users from Your Oracle Fusion Cloud Applications Instance with the Identity Domain](#).

1. Copy and store the details of the identity domain associated with the Oracle Fusion Cloud Applications instance.
See [Copy and Store Details of the Identity Domain](#).
2. Federate the identity domain associated with Oracle Fusion Cloud Applications to the Oracle Cloud Infrastructure tenancy where Oracle Fusion Analytics Warehouse is provisioned.
See [Federate the Identity Domain to Your Oracle Cloud Infrastructure Tenancy](#).
3. Sign in to Oracle Cloud Infrastructure using the federated identity domain to create your Oracle Fusion Analytics Warehouse instance.
See [Sign in to Oracle Cloud Infrastructure using the Federated Identity Domain](#).
4. In the Oracle Cloud Infrastructure Console, click the **Navigation** menu icon, click **Analytics & AI** and then click **Fusion Analytics Warehouse** to create the Oracle Fusion Analytics Warehouse instance.
See [Create an Oracle Fusion Analytics Warehouse Subscription Instance](#).

Copy and Store Details of the Identity Domain

Copy and store the client ID, client secret, and the URL of the identity domain associated with the Oracle Fusion Cloud Applications instance in a text file to use while federating the identity domain with the Oracle Cloud Infrastructure tenancy where Oracle Fusion Analytics Warehouse is provisioned.

1. Sign in to the Oracle Cloud Infrastructure Console using the credentials of the cloud account associated with Oracle Fusion Cloud Applications.
2. In the **Navigator** menu, click **Identity & Security** and on the Identity & Security page, click **Domains**.
3. On the Domains page, click the identity domain associated with the Oracle Fusion Cloud Applications instance.

4. On the domain Overview page, in the Domain information section, copy the domain url till *identity.oraclecloud.com*. For example, in the domain url `https://idcs-12ab34c56789.identity.oraclecloud.com:443`, copy `https://idcs-12ab34c56789.identity.oraclecloud.com`.
5. On the domain Overview page, click **Oracle Cloud Services** and then click **Oracle Fusion Cloud Applications**.
6. On the Oracle Fusion Cloud Applications page, click **Configuration**.
7. Under General Information, copy the **Client ID** and paste into a text file.
8. In **Client Secret**, click **Show Secret**, copy the secret, and paste into a text file.

Federate the Identity Domain to Your Oracle Cloud Infrastructure Tenancy

Federate the identity domain associated with your Oracle Fusion Cloud Applications instance to the Oracle Cloud Infrastructure tenancy where Oracle Fusion Analytics Warehouse is provisioned. This federation enables users to sign in to Oracle Fusion Analytics Warehouse using their Oracle Fusion Cloud Applications credentials.

1. Sign in to your Oracle Cloud account that contains the tenancy where Oracle Fusion Analytics Warehouse is provisioned.
2. On the Oracle Cloud Home, navigate to **Identity** and then click **Federation**.
3. On the Federation page, click **Add Identity Provider**.
4. On the Add Identity Provider page, enter a name and description.
5. Select **Oracle Identity Cloud Service** as **Type**.
6. Enter the URL of the identity domain, client ID, and client secret that you had saved in a text file. See [Copy and Store Details of the Identity Domain](#).
7. Scroll down and click **Continue** at the bottom of the Add Identity Provider page.
8. In the next page, map **Domain Administrators** group under **Identity Provider Group** with **Administrators** group under **OCI Group** and click **Add Provider**.

Sign in to Oracle Cloud Infrastructure using the Federated Identity Domain

You must sign in to Oracle Cloud Infrastructure using the federated identity domain associated with your Oracle Fusion Cloud Applications instance to create the Oracle Fusion Analytics Warehouse instance.

1. Sign in to the Oracle Cloud Infrastructure by selecting the tenancy where Oracle Fusion Analytics Warehouse is provisioned and under Single Sign-On (SSO), select the identity provider that you added in [Federate the Identity Domain to Your Oracle Cloud Infrastructure Tenancy](#).
2. In the Oracle Cloud Account Sign In dialog, click **Oracle Fusion Cloud Applications**.
3. In the Sign In Oracle Fusion Cloud Applications dialog, enter your Oracle Fusion Cloud Applications credentials and click **Sign In**.

You see the Oracle Cloud Infrastructure's Console Home page.

Synchronize Users from Your Oracle Fusion Cloud Applications Instance with the Identity Domain

Synchronize users from your Oracle Fusion Cloud Applications instance with the identity domain in the cloud account associated with Oracle Fusion Cloud Applications.

1. Sign in to the Oracle Cloud Infrastructure Console using your Oracle Fusion Cloud Applications credentials.
2. In the Oracle Cloud Infrastructure **Navigator** menu, click **Identity & Security** and then in the Identity & Security pane, under **Identity**, click **Domains**.
3. On the Domains page, navigate to the identity domain associated with the Oracle Fusion Cloud Applications instance that you plan to use while creating the Oracle Fusion Analytics Warehouse instance.
4. Click **Oracle Cloud Services** from the menu options.
5. On the Oracle Cloud Services page, click the **Oracle Fusion Cloud Applications** application.
6. On the application page, click **Provisioning** and turn on the **Enable provisioning** switch.
7. In the Select provisioning operations section, select the **Authoritative Sync** check box and turn on the **Enable synchronization** switch.
8. Click **Save changes**.
9. On the application page, click **Import** to initiate the synchronization process.

After the process finishes, you see the list of users and groups synchronized from Oracle Fusion Cloud Applications in the identity domain.

Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #5

Scenario #5 applies to separate cloud accounts for Oracle Fusion Cloud Applications and Oracle Fusion Analytics Warehouse and one cloud account offers identity domains and another doesn't.

If you're an existing user of Oracle Fusion Cloud Applications in a cloud account that doesn't offer identity domains with Oracle Fusion Analytics Warehouse activated in a different new cloud account that offers identity domains, then perform these steps:

1. Synchronize the Oracle Fusion Cloud Applications users and roles with the Oracle Identity Cloud Service instance associated with it.

See [Copy and Store the Oracle Identity Cloud Service URL](#) and [Set Up Synchronization of Oracle Fusion Cloud Applications with Oracle Identity Cloud Service](#).

2. Create a domain in the cloud account in which you activated Oracle Fusion Analytics Warehouse to control the authentication and authorization of the users who can sign in to Oracle Fusion Analytics Warehouse.

Ensure that you select **Free** domain type but ignore the limits mentioned for the Free domain type because they aren't applicable for Oracle Fusion Analytics

Warehouse. See [Creating Identity Domains](#) and *Creating an Identity Domain* in [Using the Console](#).

3. Configure the GenericSCIM Template in the identity domain that you created in the cloud account in which you activated Oracle Fusion Analytics Warehouse for enabling synchronization of users, groups, and group mappings from the Oracle Identity Cloud Service instance associated with the Oracle Fusion Cloud Applications instance.

While configuring the GenericSCIM template, use the **GenericScim - Client Credentials** template and in **Select Provisioning Operation**, choose **Authoritative Sync**. In the Configure connectivity section, provide these details of the source Oracle Identity Cloud Service or Identity from where the users are going to be synchronized:

- Host Name: For example, (without the https)<idcs-source>.identity.oraclecloud.com or idcs-123456abcde123.identity.oraclecloud.com
- Base URL: /admin/v1
- Client ID: Enter the client ID you made note of from the confidential application.
- Client Secret: Enter the client secret you made note of from the confidential application.
- Scope: urn:opc:idm:__myscopes__
- Authentication Server Url: For example, https://<idcs-source>.identity.oraclecloud.com/oauth2/v1/token or idcs-123456abcde123.identity.oraclecloud.com/oauth2/v1/token

See [Configure the Generic SCIM App Template](#).

4. Configure single sign-on between the Oracle Identity Cloud Service instance associated with Oracle Fusion Cloud Applications and the identity domain associated with Oracle Fusion Analytics Warehouse.

See [Configure Single Sign-on Between Oracle Identity Cloud Service and Identity Domain](#).

5. In the Oracle Cloud Infrastructure Console, create an Oracle Cloud Infrastructure policy to enable a domain user to create the Oracle Fusion Analytics Warehouse instance.

While creating the policy, select the identity domain in which you plan to create the Oracle Fusion Analytics Warehouse instance and enter these policy statements:

- Allow group '<DomainName>/'<GroupName>' to manage analytics-warehouses in tenancy
- Allow group '<DomainName>/'<GroupName>' to manage analytics-instances in tenancy
- Allow group '<DomainName>/'<GroupName>' to manage autonomous-database-family in tenancy

See [To create a policy](#).

6. In the Oracle Cloud Infrastructure Console, click the **Navigation** menu icon to navigate to **Fusion Analytics Warehouse** and create the Oracle Fusion Analytics Warehouse instance.

See [Create an Oracle Fusion Analytics Warehouse Subscription Instance](#).

7. Create an identity provider policy for single sign-on to ensure that the Oracle Fusion Analytics Warehouse sign-in page has an option to sign in with the Oracle Fusion Cloud Applications credentials.

See *Adding an Identity Provider Policy* in [Using the Console](#).

On the Add IdP Rule page, in **Assign identity providers** select the SAML IDP that you created in [Add an SAML Application](#); for example, the FAW-SSO SAML identity provider.

8. Assign the `ANALYTICSAPP_<faw-instance-name>` and `ANALYTICSINST_oax<faw-instance-name>-<id>` analytics apps to the identity provider policy for single sign-on.

When you attempt to authenticate through these apps, the only identity providers that appear in the Sign In page of these apps are the ones you assigned to the identity provider policy for single sign-on. For example, the FAW-SSO SAML identity provider. These apps were created when you created the Oracle Fusion Analytics Warehouse instance. See *Adding Apps to the Policy* in [Using the Console](#).

Configure Single Sign-on Between Oracle Identity Cloud Service and Identity Domain

Configure single sign-on between the Oracle Identity Cloud Service instance associated with Oracle Fusion Cloud Applications and the identity domain associated with Oracle Fusion Analytics Warehouse to ensure that users can sign into Oracle Fusion Analytics Warehouse with their existing Oracle Fusion Cloud Applications credentials.

To configure single sign-on between the Oracle Identity Cloud Service instance associated with Oracle Fusion Cloud Applications and the identity domain associated with Oracle Fusion Analytics Warehouse, you must create a Security Assertion Markup Language (SAML) application in Oracle Identity Cloud Service. You then configure this SAML application with the details from the metadata XML file of the Oracle Fusion Analytics Warehouse identity domain.

Topics:

- [Add an SAML Application](#)
- [Copy Details from the Identity Domain Metadata File](#)
- [Configure the SAML Application](#)

Add an SAML Application

Add a Security Assertion Markup Language (SAML) application in the Oracle Identity Cloud Service associated with your Oracle Fusion Cloud Applications instance to provide a way to authenticate a user once and then communicate that authentication to multiple applications.

1. Sign in to the Console of Oracle Identity Cloud Service associated with your Oracle Fusion Cloud Applications instance.
2. In the **Navigator** menu, click **Applications** and on the Applications page, click **Add**.
3. In Add Application, select **SAML Application**.
4. On the Add SAML Application page, in the Details section, enter a name such as FAW-SSO and select the **User can request access** check box to enable the user to access the app.

5. In the SSO Configuration section, click **Download Identity Provider Metadata** to download the metadata XML file of Oracle Identity Cloud Service associated with your Oracle Fusion Cloud Applications instance and save the metadata XML file to your local machine.
6. Save and pause the configuration of this SAML application temporarily to collect certain values from the metadata XML file of the Oracle Fusion Analytics Warehouse identity domain. Don't sign off from Oracle Identity Cloud Service.

Copy Details from the Identity Domain Metadata File

Copy details from the metadata XML file of the Oracle Fusion Analytics Warehouse identity domain into a text file to use while configuring the SAML Application that you created.

1. Sign in to the Oracle Cloud Infrastructure Console using the credentials of the domain that you created in the cloud account in which you activated Oracle Fusion Analytics Warehouse.
2. In the Oracle Cloud Infrastructure **Navigator** menu, click **Identity & Security** and then in the Identity & Security pane, under **Identity**, click **Domains**.
3. On the Domains page, navigate to the identity domain that you created in this cloud account and on the identity domain details page, click **Security** and then click **Identity Providers**.
4. On the Identity provider (IdP) policies in the identity domain page, click **Add IdP**, and select **Add SAML IdP** from the dropdown list.
5. On the Add SAML identity provider page, in the Add Details section, enter **Name** such as Fusion SSO Login.
6. In the Configure IdP section, select the **Import identity provider metadata** radio button to choose and import the metadata XML file of Oracle Identity Cloud Service associated with your Oracle Fusion Cloud Applications instance that you previously downloaded to your local machine.
7. In the Map Attributes section, select **Unspecified** if the **Username** for Oracle Identity Cloud Service associated with your Oracle Fusion Cloud Applications instance can be email or short name. If the **Username** is email, then select **EmailAddress**.
8. In the Export section, download the metadata XML file of the Oracle Fusion Analytics Warehouse identity domain and its signing certificate.
9. Open the metadata XML file of the Oracle Fusion Analytics Warehouse identity domain in a text editor and copy the values for **entityID**, **AssertionConsumerService**, and **SingleLogoutService** into another text file to use while configuring the SAML Application that you created.
10. Return to configuring the SAML Application in the Console of Oracle Identity Cloud Service associated with your Oracle Fusion Cloud Applications instance.

Configure the SAML Application

Use the details from the metadata XML file of the Oracle Fusion Analytics Warehouse identity domain to configure the SAML Application that you created in the Oracle Identity Cloud Service associated with your Oracle Fusion Cloud Applications instance.

Return to creating the SAML application that you had paused in [Add an SAML Application](#).

1. On the Add SAML Application page, use the metadata XML file of the Oracle Fusion Analytics Warehouse identity domain and the signing certificate to enter values for **Entity ID** and **Assertion Consumer URL** in the General section.
2. In Signing Certificate, click **Upload** to select the signing certificate of the Oracle Fusion Analytics Warehouse identity domain that you had previously downloaded and upload it.
3. In **NameID Format**, select **Unspecified** and in **NameID Value**, select **User Name**.
4. In Advanced Settings section, select the **Include Signing Certificate in Signature** and **Enable Single Logout**. Use the metadata XML file of the Oracle Fusion Analytics Warehouse identity domain and the signing certificate to enter values for **Single Logout URL** and **Logout Response URL**.
5. Expand the Authentication and Authorization section and ensure that the **Enforce Grants as Authorization** option isn't selected.
6. Click **Finish** and then click **Activate**.
7. Navigate to the Oracle Fusion Analytics Warehouse identity domain, click the SAML application that you created to edit it.
8. In Edit SAML identity provider, click **Test Login** to verify that you're able to login successfully.

Set Up User Access to Oracle Fusion Analytics Warehouse Using Single Sign-On in Scenario #6

Scenario #6 applies to separate cloud accounts for Oracle Fusion Cloud Applications and Oracle Fusion Analytics Warehouse and both the cloud accounts offer identity domains.

If you're a new user of Oracle Fusion Cloud Applications in a cloud account that offers identity domains with Oracle Fusion Analytics Warehouse activated in a different new cloud account that offers identity domains, then perform these steps:

1. Copy and paste into a text file the URL of your Oracle Fusion Cloud Applications instance for later use.

You specify this URL as the source Oracle Fusion Cloud Applications while creating the Oracle Fusion Analytics Warehouse instance.

2. Create a domain in the cloud account in which you activated Oracle Fusion Analytics Warehouse to control the authentication and authorization of the users who can sign in to Oracle Fusion Analytics Warehouse.

Ensure that you select **Free** domain type but ignore the limits mentioned for the Free domain type because they aren't applicable for Oracle Fusion Analytics Warehouse. See [Creating Identity Domains](#) and *Creating an Identity Domain in Using the Console*.

3. Configure the GenericSCIM Template in the identity domain that you created in the cloud account in which you activated Oracle Fusion Analytics Warehouse for enabling synchronization of users, groups, and group mappings from the identity domain associated with the Oracle Fusion Cloud Applications instance.

While configuring the GenericSCIM template, use the **GenericScim - Client Credentials** template and in **Select Provisioning Operation**, choose **Authoritative Sync**. In the Configure connectivity section, ensure that the host

name is in this sample format (without the https):

idcs-123456abcde123.identity.oraclecloud.com. See [Configure the Generic SCIM App Template](#).

4. Configure single sign-on between the identity domain associated with Oracle Fusion Cloud Applications and the identity domain associated with Oracle Fusion Analytics Warehouse.

See [Configure Single Sign-on Between Two Identity Domains](#).

5. In Oracle Cloud Infrastructure Console, create an Oracle Cloud Infrastructure policy to enable a domain user to create the Oracle Fusion Analytics Warehouse instance.

While creating the policy, select the identity domain in which you plan to create the Oracle Fusion Analytics Warehouse instance and enter these policy statements:

- Allow group '<DomainName>/'<GroupName>' to manage analytics-warehouses in tenancy
- Allow group '<DomainName>/'<GroupName>' to manage analytics-instances in tenancy
- Allow group '<DomainName>/'<GroupName>' to manage autonomous-database-family in tenancy

See [To create a policy](#).

6. In the Oracle Cloud Infrastructure Console, click the **Navigation** menu icon to navigate to **Fusion Analytics Warehouse** and create the Oracle Fusion Analytics Warehouse instance.

See [Create an Oracle Fusion Analytics Warehouse Subscription Instance](#).

7. Create an identity provider policy for single sign-on to ensure that the Oracle Fusion Analytics Warehouse sign-in page has an option to sign in with the Oracle Fusion Cloud Applications credentials.

See *Adding an Identity Provider Policy* in [Using the Console](#).

On the Add IdP Rule page, in **Assign identity providers** select the SAML IDP that you created in [Add an SAML Application](#); for example, the *FAW-SSO* SAML identity provider.

8. Assign the *ANALYTICSAPP_<faw-instance-name>* and *ANALYTICSINST_oax<faw-instance-name>-<id>* analytics apps to the identity provider policy for single sign-on.

When you attempt to authenticate through these apps, the only identity providers that appear in the Sign In page of these apps are the ones you assigned to the identity provider policy for single sign-on. For example, the *FAW-SSO* SAML identity provider. These apps were created when you created the Oracle Fusion Analytics Warehouse instance. See *Adding Apps to the Policy* in [Using the Console](#).

Configure Single Sign-on Between Two Identity Domains

Configure single sign-on between the the identity domain associated with Oracle Fusion Cloud Applications and the identity domain associated with Oracle Fusion Analytics Warehouse to ensure that users can sign into Oracle Fusion Analytics Warehouse with their existing Oracle Fusion Cloud Applications credentials.

To configure single sign-on between the identity domain associated with Oracle Fusion Cloud Applications and the identity domain associated with Oracle Fusion Analytics Warehouse, you must create a Security Assertion Markup Language (SAML) application using the Oracle Cloud Infrastructure Console. You then configure this SAML application with the details from the metadata XML file of the Oracle Fusion Analytics Warehouse identity domain.

Topics:

- [Add an SAML Application](#)
- [Copy Details from the Identity Domain Metadata File](#)
- [Configure the SAML Application](#)

Add an SAML Application

Add a Security Assertion Markup Language (SAML) application in the identity domain associated with your Oracle Fusion Cloud Applications instance to provide a way to authenticate a user once and then communicate that authentication to multiple applications.

1. Sign in to the Oracle Cloud Infrastructure Console using the credentials of the cloud account associated with Oracle Fusion Cloud Applications.
2. In the **Navigators** menu, click **Applications** and on the Applications page, click **Add**.
3. In Add Application, select **SAML Application**.
4. On the Add SAML Application page, in the Details section, enter a name such as FAW-SSO and select the **User can request access** check box to enable the user to access the app.
5. In the SSO Configuration section, click **Download Identity Provider Metadata** to download the metadata XML file of the identity domain associated with your Oracle Fusion Cloud Applications instance and save the metadata XML file to your local machine.
6. Save and pause the configuration of this SAML application temporarily to collect certain values from the metadata XML file of the Oracle Fusion Analytics Warehouse identity domain.

Copy Details from the Identity Domain Metadata File

Copy details from the metadata XML file of the Oracle Fusion Analytics Warehouse identity domain into a text file to use while configuring the SAML Application that you created.

1. Sign in to the Oracle Cloud Infrastructure Console using your Oracle Fusion Analytics Warehouse service administrator credentials.
2. In the Oracle Cloud Infrastructure **Navigators** menu, click **Identity & Security** and then in the Identity & Security pane, under **Identity**, click **Domains**.
3. On the Domains page, navigate to the identity domain that you created in this cloud account and on the identity domain details page, click **Security** and then click **Identity Providers**.
4. On the Identity provider (IdP) policies in the identity domain page, click **Add IdP**, and select **Add SAML IdP** from the dropdown list.
5. On the Add SAML identity provider page, in the Add Details section, enter **Name** such as Fusion SSO Login.
6. In the Configure IdP section, select the **Import identity provider metadata** radio button to choose and import the metadata XML file of the identity domain

associated with your Oracle Fusion Cloud Applications instance that you previously downloaded to your local machine.

7. In the Map Attributes section, select **Unspecified** if the **Username** for the identity domain associated with your Oracle Fusion Cloud Applications instance can be email or short name. If the **Username** is email, then select **EmailAddress**.
8. In the Export section, download the metadata XML file of the Oracle Fusion Analytics Warehouse identity domain and its signing certificate.
9. Open the metadata XML file of the Oracle Fusion Analytics Warehouse identity domain in a text editor and copy the values for **entityID**, **AssertionConsumerService**, and **SingleLogoutService** into another text file to use while configuring the SAML Application that you created.
10. Return to configuring the SAML Application in the Oracle Cloud Infrastructure Console that you had previously signed into using the credentials of the cloud account associated with Oracle Fusion Cloud Applications.

Configure the SAML Application

Use the details from the metadata XML file of the Oracle Fusion Analytics Warehouse identity domain to configure the SAML Application that you created in the identity domain associated with your Oracle Fusion Cloud Applications instance.

Return to creating the SAML application that you had paused in [Add an SAML Application](#).

1. On the Add SAML Application page, use the metadata XML file of the Oracle Fusion Analytics Warehouse identity domain and the signing certificate to enter values for **Entity ID** and **Assertion Consumer URL** in the General section.
2. In Signing Certificate, click **Upload** to select the signing certificate of the Oracle Fusion Analytics Warehouse identity domain that you had previously downloaded and upload it.
3. In **NameID Format**, select **Unspecified** and in **NameID Value**, select **User Name**.
4. In the Advanced Settings section, select the **Include Signing Certificate in Signature** and **Enable Single Logout**. Use the metadata XML file of the Oracle Fusion Analytics Warehouse identity domain and the signing certificate to enter values for **Single Logout URL** and **Logout Response URL**.
5. Expand the Authentication and Authorization section and ensure that the **Enforce Grants as Authorization** option isn't selected.
6. Click **Finish** and then click **Activate**.
7. Navigate to the Oracle Fusion Analytics Warehouse identity domain, click the SAML application that you created to edit it.
8. In Edit SAML identity provider, click **Test Login** to verify that you're able to login successfully.

Create an Oracle Fusion Analytics Warehouse Instance

As an administrator, create instances for Oracle Fusion Analytics Warehouse to enable your users to start using it.

Topics:

- [About Creating an Instance](#)

- [Create an Oracle Fusion Analytics Warehouse Subscription Instance](#)
- [Create an Integrated Oracle Fusion Analytics Warehouse Instance](#)

About Creating an Instance

You can create an Oracle Fusion Analytics Warehouse instance in either of these ways:

- Use the Create Instance page in Oracle Fusion Analytics Warehouse directly. See [Create an Oracle Fusion Analytics Warehouse Subscription Instance](#).
- Use Integrations in Oracle Fusion Cloud Applications that redirects to the Create Instance page in Oracle Fusion Analytics Warehouse. See [Create an Integrated Oracle Fusion Analytics Warehouse Instance](#).

When you create an instance using the Create Instance page directly, you can:

- Decide which compartment to use.
- Use a tenancy different from the Oracle Fusion Cloud Applications tenancy.
- Point to any Oracle Fusion Cloud Applications instance of your choice, irrespective of the regions of these services.
- Set up the identity provider of your choice.
- Terminate the instance from the instance details page in Oracle Fusion Analytics Warehouse.

When you create an Oracle Fusion Analytics Warehouse instance using the Integrations option in Oracle Fusion Cloud Applications, you automatically get:

- The Oracle Fusion Cloud Applications identity provider and cloud tenancy for the Oracle Fusion Analytics Warehouse instance.
- Pre-filled Oracle Fusion Cloud Applications-specific data on the Create Instance page in Oracle Fusion Analytics Warehouse.
- The Oracle Fusion Cloud Applications instance attached to the Oracle Fusion Analytics Warehouse instance.
- The users, groups, and roles from Oracle Fusion Cloud Applications. Also, you don't have to set up how users from Oracle Fusion Cloud Applications access Oracle Fusion Analytics Warehouse using single sign-on, if single sign-on is already set up in Oracle Fusion Cloud Applications.

After the instance is created, as an administrator, assign the `FAW Service Administrator` group to the applicable users to manage the instances in the tenancy. If your tenancy uses identity domains, see the *Adding Users to Groups* section in [Using the Console](#). To add this group to an existing user in Oracle Identity Cloud Service, see [Assign Groups to the User Account](#). To sign into the instance, a user must have any of the groups mentioned in [System Groups](#) assigned to them.

Create an Oracle Fusion Analytics Warehouse Subscription Instance

Create a service instance to manage your cloud resources.

Prior to creating the instance, you may want to view the service limits of Oracle Autonomous Data Warehouse and Oracle Analytics Cloud using the Limits, Quotas and Usage page in the Oracle Cloud Infrastructure Console. See [Viewing Your Service](#)


[Limits, Quotas and Usage](#). If you're unable to create the instance with an error due to inadequate capacity, then you can either get in touch with the administrator for the tenancy or submit a request to increase your service limits from the Limits, Quotas, and Usage page in the Oracle Cloud Infrastructure Console. See [Requesting a Service Limit Increase](#).

If you're planning to access your instance from a virtual cloud network only, then prior to creating an instance with private network access, you must ensure that the prerequisites are in place. See [Deploy Oracle Fusion Analytics Warehouse with a Private Endpoint](#).


1. Sign in to the Oracle Cloud Infrastructure Console.

If you've provisioned Oracle Fusion Analytics Warehouse with single sign-on, then sign in using the federated Oracle Identity Cloud Service. See [Set Up Provisioning with Single Sign-On](#).


2. In Oracle Cloud Infrastructure Console, click the **Navigation** menu icon.



3. In the Navigation menu, click **Analytics & AI**.



- Under Analytics & AI, click **Fusion Analytics Warehouse**.



- On the Instances page, in **Compartment**, select a compartment if you want to place the service instance in a compartment other than the default root compartment that Oracle created for you.


 **Note:**

Ensure that you have created a compartment before you select it here. See [Managing Compartments](#).

- On the Instances page, click **Create Instance**.

 **Note:**

If you haven't purchased a subscription, then the **Create Instance** button isn't active.



- On the Create Instance page, enter a **Display Name** for the service using alphanumeric and special characters.

☰ ORACLE Cloud

US East (Ashburn) ▾

Create Instance - Fusion Analytics Warehouse

Compartment

Display Name

Name ⓘ

Name must begin with a letter and not contain any special characters.

Description *Optional*

8. Enter a **Name** for the instance that is unique in your tenancy using only alphanumeric characters without spaces or reuse the name of a deleted instance.
9. Optional: Enter a **Description** for the service using up to 255 alphanumeric and special characters.

Follow the steps in *Enter Details for an Oracle Fusion Analytics Warehouse Subscription Instance* to provide further information regarding the instance.

Enter Details for an Oracle Fusion Analytics Warehouse Subscription Instance

After specifying basic details for your instance such as compartment, name, and description, verify your subscriptions and provide details such as whether it is a test or production instance, connection details of your source data, and email to receive notifications regarding your instance.

These details ensure that you have an instance that meets your business requirements. Oracle Fusion Analytics Warehouse automatically displays your subscription details in the Offerings section. For example, if you've subscribed for 20 Oracle Fusion ERP Analytics users, then you see the number of users for the instance automatically configured to 20 Oracle Fusion ERP Analytics users. If you've multiple subscriptions such as Oracle Fusion ERP Analytics and Oracle Fusion HCM Analytics, then you see details of all the subscriptions.

1. On the Create Instance page, under **Offerings**, verify that the displayed subscriptions match your Oracle Fusion Analytics Warehouse order.
2. Select **Development/Test** as your first instance.

Offerings ⓘ

Intended Use ⓘ

Development/Test

Number of Fusion ERP Analytics Users: 20

Number of Fusion HCM Analytics Employees: 1000

Number of Fusion SCM Analytics Users: 20

Number of Fusion CX Analytics Users: 20

Number of Development/Test Environments: 60

Number of Remaining Development/Test Environments: 59

3. In **Fusion Application Connection**, provide the URL of your Oracle Fusion Cloud Applications instance.

Fusion Application Connection

Fusion Application URL ⓘ

Authentication

Choose how to authenticate to Fusion Applications ⓘ

JWT Based

JSON Web Token (Recommended) ✓

Password Based

Upload Files Paste Content

Private Key ⓘ

Drop private key file here. [Or browse.](#)

Public Certificate

Drop public certificate file here. [Or browse.](#)

Keys have been uploaded to Fusion Source ⓘ

Test Connection

4. In **Authentication**, select the type of authentication you want to use: **JWT Based** (recommended) or **Password Based**.
 - If you choose **JWT Based** (JSON web token), then upload or copy and paste the private key and public certificate files. Select **Keys have been uploaded to Fusion Source** to enable **Test Connection**.

 **Note:**

See [Configure JWT Authentication Provider](#). While [configuring the token-based authentication](#), ensure that you enter `FAWServiceJWTIssuer` as the trusted issuer.

Ensure that the generated RSA encryption private key contains at least 2048 characters and that you wait at least 15 minutes for the uploaded public certificate to become effective in your Oracle Fusion Cloud Applications instance.

- If you choose **Password Based**, then enter the credentials of an applicable user, such as `MyFAWExtractUser` from your Oracle Fusion Cloud Applications instance. Prior to entering the user credentials, ensure that the applicable user is created in Oracle Fusion Cloud Applications. See [Create a User in Oracle Fusion Cloud Applications to Extract Data](#).
5. Click **Test Connection** to check the connection to the Oracle Fusion Cloud Applications instance and confirm whether the credentials are valid.
 6. In **Autonomous Data Warehouse Administrator Credentials**, provide an administrator password for the Oracle Autonomous Data Warehouse that's provisioned in your tenancy to store the transformed data.

Autonomous Data Warehouse Administrator Credentials

Username *Read-only*

ADMIN

Password

Create a new password.

Password must be 12 to 30 characters and contain at least one uppercase letter, one lowercase letter, and one number. The password cannot contain the double quote (") character or the username "admin".

Confirm Password

Confirm the new password.

7. In **Network Access**:

- Select **Public** to access the instance from anywhere.

Network Access

Public Access your instance from anywhere. ✓	Private Access your instance from a Virtual Cloud Network only.
--	---

- Select **Private** to access your instance from a virtual cloud network only. Prior to creating an instance with private network access, you must ensure that the prerequisites are in place. See [Deploy Oracle Fusion Analytics Warehouse with a Private Endpoint](#).
8. In **Notification Email**, enter a valid email address if the field doesn't have a value.

Notification Email

Add tags to organize your resources. [What can I do with tagging?](#)

Tag namespace	Tag key	Tag value
None (add a free-form tag) <input type="text"/>	<input type="text"/>	<input type="text"/>

[Cancel](#)

9. Click **Create Instance**.

Oracle sends an email to the designated email address when your service is ready. You can display the Activity page to check the current status. When the status changes from CREATING to ACTIVE, the service is ready to use.

Navigate to the Details page for the new service to access the Oracle Fusion Analytics Warehouse URL and associated Oracle Autonomous Data Warehouse. From here, you can also view or modify details such as the password for your Oracle Fusion Cloud Applications instance and the administrator password for the Oracle Autonomous Data Warehouse. You can also delete the service instance that's no longer required.

If you had set up provisioning of Oracle Fusion Analytics Warehouse with single sign-on, then your service is associated with the federated Oracle Identity Cloud Service instance. If you hadn't set up single sign-on for Oracle Fusion Analytics Warehouse, then your service is associated with the default Oracle Identity Cloud Service instance that you received with your Oracle Cloud account.

After you create an instance, for at least one hour you see the message that system initialization is in progress. During this period, Oracle Fusion Analytics Warehouse runs an initialization process that involves extraction of setup data from the source Oracle Fusion Cloud Applications system. You must wait for the system initialization process to complete before creating data pipelines for the functional areas.

Verify Your Instance and Sign In

Oracle sends an email to the designated email address when your Oracle Fusion Analytics Warehouse service instance is ready.

1. Sign in to the Oracle Cloud Infrastructure Console.
2. In Oracle Cloud Infrastructure Console, click the Navigation menu icon.
3. In the navigation options, click **Analytics & AI**. Under Analytics, click **Fusion Analytics Warehouse**.
4. Navigate to your service instances page.
5. If you've chosen public network, then navigate to the **Analytics Application URL** to verify that your Oracle Fusion Analytics Warehouse service instance is up and running. If you've chosen private network, then contact your networking team for access to the Oracle Fusion Analytics Warehouse url.

Create an Integrated Oracle Fusion Analytics Warehouse Instance

In your Oracle Fusion Cloud Applications service, if you've selected integration with Oracle Fusion Analytics Warehouse, then you can create an integrated Oracle Fusion Analytics Warehouse instance.

See [Self-Service Integration with Fusion Analytics Warehouse](#).

An Oracle Fusion Analytics Warehouse integrated instance is directly attached to your Oracle Fusion Cloud Applications service and uses the same cloud tenancy and identity provider. This enables you to use the Oracle Fusion Cloud Applications resources such as users, groups, roles seamlessly in Oracle Fusion Analytics Warehouse.

Prior to creating the instance, you may want to view the service limits of Oracle Autonomous Data Warehouse and Oracle Analytics Cloud using the Limits, Quotas and Usage page in the Oracle Cloud Infrastructure Console. See [Viewing Your Service Limits, Quotas and Usage](#). If you're unable to create the instance with an error due to inadequate capacity, then you can either get in touch with the administrator for the tenancy or submit a request to increase your service limits from the Limits, Quotas, and Usage page in the Oracle Cloud Infrastructure Console. See [Requesting a Service Limit Increase](#).

1. Sign in to Oracle Fusion Cloud Applications.
2. Navigate to the Environment page and add **Fusion Analytics Warehouse** to an Oracle Fusion Cloud Applications environment.

See [Self-Service Integration with Fusion Analytics Warehouse](#).

After completing this step, you're redirected to the Create Instance page in Oracle Fusion Analytics Warehouse.

3. On the Create Instance page, verify that these are prefilled:
 - **Name** - derived from the name of your Oracle Fusion Cloud Applications instance.
 - **Display Name** - derived from the name of your Oracle Fusion Cloud Applications instance.
 - **Tags** - as applicable.
 - **Notification Email** - pre-filled with the email ID of the current user signed into Oracle Fusion Cloud Applications.
 - **Intended Use** - same as the intended use of your Oracle Fusion Cloud Applications instance.
 - **Offerings** - Subscription related information from your Oracle Fusion Analytics Warehouse subscription order.
 - **Fusion Application Connection** - URL derived from your Oracle Fusion Cloud Applications instance.
 - Oracle Autonomous Data Warehouse **Username** - defaults as ADMIN.

 **Note:**

In **Description**, enter text such as Oracle Fusion Analytics Warehouse instance linked to Oracle Fusion Cloud Applications name.

You can modify these, if required:

- Name
- Display Name
- Tags
- Notification Email

4. In **Authentication**, select the type of authentication you want to use: **JWT Based** (recommended) or **Password Based**.
 - If you choose **JWT Based** (JSON web token), then upload or copy and paste the private key and public certificate files. Select **Keys have been uploaded to Fusion Source** to enable **Test Connection**.

 **Note:**

See [Configure JWT Authentication Provider](#). While [configuring the token-based authentication](#), ensure that you enter `FAWServiceJWTIssuer` as the trusted issuer.

Ensure that the generated RSA encryption private key contains at least 2048 characters and that you wait at least 15 minutes for the uploaded public certificate to become effective in your Oracle Fusion Cloud Applications instance.

- If you choose **Password Based**, then enter the credentials of an applicable user, such as `CustFAWExtractUser` from your Oracle Fusion Cloud Applications instance. Prior to entering the user credentials, ensure that the applicable user is created in Oracle Fusion Cloud Applications. See [Create a User in Oracle Fusion Cloud Applications to Extract Data](#). You must reset the password for the applicable user in Oracle Fusion Cloud Applications prior to entering a new password for this user. See [Reset Passwords](#).
5. Click **Test Connection** to check the connection to the Oracle Fusion Cloud Applications instance and confirm whether the credentials are valid.
 6. In **Autonomous Data Warehouse Administrator Credentials**, provide an administrator password for the Oracle Autonomous Data Warehouse that's provisioned in your tenancy to store the transformed data.

Autonomous Data Warehouse Administrator Credentials

Username *Read-only*

Password

Password must be 12 to 30 characters and contain at least one uppercase letter, one lowercase letter, and one number. The password cannot contain the double quote (") character or the username "admin".

Confirm Password

7. Click **Create Instance**.

Oracle sends an email to the designated email address when your service is ready. If the Oracle Fusion Analytics Warehouse integrated instance creation fails or if the integrated Oracle Fusion Analytics Warehouse instance fails to attach to the Oracle Fusion Cloud Applications instance, then reach out to Oracle Support to get help about the next steps. After the integrated instance is successfully created, the Integrations page in Oracle Fusion Cloud Applications displays the integrated Oracle Fusion Analytics Warehouse instance details such as Service (name that appears here is along the lines of analytics_warehouse_<name of Oracle Fusion Cloud Applications>, Integration status (active), Source (self-service), Type (Fusion Analytics Warehouse), and Application URL (URL of Oracle Fusion Analytics Warehouse). Clicking on "Service" takes you to the Oracle Fusion Analytics Warehouse Oracle Cloud Infrastructure Console for that instance and clicking on the URL launches the Oracle Fusion Analytics Warehouse user interface. The Oracle Fusion Analytics Warehouse Instance details page shows the information of the attached Oracle Fusion Cloud Applications along with the Oracle Fusion Cloud Applications url to help you navigate to Oracle Fusion Cloud Applications.

After you create an instance, for at least one hour you see the message that system initialization is in progress. During this period, Oracle Fusion Analytics Warehouse runs an initialization process that involves extraction of setup data from the source Oracle Fusion Cloud Applications system. You must wait for the system initialization process to complete before creating data pipelines for the functional areas.

Deploy Oracle Fusion Analytics Warehouse with a Private Endpoint

When you set up an Oracle Fusion Analytics Warehouse instance, you have the option to restrict access through a private endpoint.

A private endpoint is accessible through private network traffic and direct public internet access is prohibited. When you deploy Oracle Fusion Analytics Warehouse with a private endpoint, Oracle Autonomous Data Warehouse and Oracle Analytics Cloud use private endpoints in your private subnet. You can provide access to Oracle Fusion Analytics Warehouse from an Oracle Cloud Infrastructure VCN that's deployed in any regions, tenancies, and on-premises too.

About Private Endpoints

Private endpoint refers to a network setup for your Oracle Fusion Analytics Warehouse instance where all network traffic moves through a private endpoint within a virtual cloud network in your tenancy.

Using a private endpoint for Oracle Fusion Analytics Warehouse meets the organization's security requirement that restricts the use of public endpoints. Private endpoint configuration doesn't use public subnets and allows you to keep all traffic to and from your Oracle Fusion Analytics Warehouse instance away from the public internet.

See *About Private Endpoints* in [Private Access](#).

Prerequisites for a Private Endpoint

To provision an Oracle Fusion Analytics Warehouse instance with a private endpoint, you must have the following resources already created:

1. A virtual cloud network (VCN) within the region where you plan to deploy Oracle Fusion Analytics Warehouse and a private subnet in your VCN with availability of /28 (14 IP addresses) IP address or more. You can change this after provisioning.
See [Working with VCNs and Subnets](#).
2. At least one network security group (NSG) within your VCN because the private Oracle Autonomous Data Warehouse requires a network security group as an input. You can't change or edit this after provisioning.
See [Network Security Groups](#).
3. Inbound traffic specified on Port 1522 for Oracle Autonomous Data Warehouse and Port 443 for Oracle Analytics Cloud while entering the security rule information for the network security group. Ensure that the VCN CIDR block allows ingress and egress in the rules to ports 443 and 1522.

See "To create an NSG" in [Network Security Groups](#).

Note:

Both of these ports are required for the functioning of Oracle Fusion Analytics Warehouse instance with a private endpoint.

Create an Oracle Fusion Analytics Warehouse Private Instance

After your Oracle Fusion Analytics Warehouse private access service has been provisioned by Oracle, create an Oracle Fusion Analytics Warehouse private instance.

If you've provisioned Oracle Fusion Analytics Warehouse with single sign-on, then sign in using the federated Oracle Identity Cloud Service strips corresponding to the environment (Test, Production). See [Set Up Provisioning with Single Sign-On](#). Oracle sends an email to the designated email address when your service is ready. When the status changes from creating to active, the service is ready to use.

You must ensure that the prerequisites are in place. See [Prerequisites for a Private Endpoint](#).

1. Sign in to the Oracle Cloud Infrastructure Console.
2. In Oracle Cloud Infrastructure Console, click the **Navigation** menu icon in the top left corner.
3. Click **Analytics & AI**. Under Analytics, click **Fusion Analytics Warehouse**.

4. On the Instances page, in **Compartment**, select a compartment if you want to place the service instance in a compartment other than the default root compartment that Oracle created for you.

 **Note:**

Ensure that you have created a compartment before you select it here. See [Managing Compartments](#).

5. On the Instances page, click **Create Instance**.

 **Note:**

If you haven't purchased a subscription, then the **Create Instance** button isn't active.

6. Enter a **Display Name** for the service using alphanumeric and special characters.
7. Enter a **Name** for the instance that is unique in your tenancy using only alphanumeric characters without spaces or reuse the name of a deleted instance.
8. Optional: Enter a **Description** for the service using up to 255 alphanumeric and special characters.
9. Select **Development/Test** as your first instance.
10. Under Offerings, enable **Subscription Configuration**.

Oracle Fusion Analytics Warehouse automatically configures the offerings based on your subscription details. For example, if you've subscribed for 20 ERP users, then you see the number of users for the instance automatically configured to 20 ERP users.

11. In **Fusion Application Connection**, provide the URL of your Oracle Fusion Cloud Applications instance.
12. In **Authentication**, select the type of authentication you want to use: Oracle recommended **JWT Based** or **Password Based**.
 - If you choose **JWT Based** (JSON web token), then upload or copy and paste the private key and public certificate files. Select **Keys have been uploaded to Fusion Source** to enable **Test Connection**.

 **Note:**

See [Configure JWT Authentication Provider](#).

Ensure that the generated RSA encryption private key contains at least 2048 characters and that you wait at least 15 minutes for the uploaded public certificate to become effective in your Oracle Fusion Cloud Applications instance.

- If you choose **Password Based**, then enter and confirm the password of the default `FAWService` user from your Oracle Fusion Cloud Applications instance. The `FAWService` user is a predefined user provisioned in Oracle Fusion Cloud Applications and is used by the data pipeline functionality in Oracle Fusion Analytics

Warehouse. This user account has the appropriate data security privileges granted on the Oracle Fusion Cloud Applications view objects to bulk extract data from Oracle Fusion Cloud Applications into the data warehouse.

 **Note:**

Ensure that you assign the `BIACM_ADMIN` and `BICC_UCM_CONTENT_ADMIN` roles to the `FAWService` user using the Security Console of Oracle Fusion Cloud Applications. See [Overview of Access Provisioning](#).

Ensure that you have reset the password for the `FAWService` user in Oracle Fusion Cloud Applications prior to entering the new password. See [Reset Passwords](#).

13. Click **Test Connection** to check the connection to the Oracle Fusion Cloud Applications instance and confirm whether the credentials are valid.
14. In **Autonomous Data Warehouse Administrator Credentials**, provide an administrator password for the Oracle Autonomous Data Warehouse that's provisioned in your tenancy to store the transformed data.
15. In Network Access, click **Private**.

Network Access

Public Access your instance from anywhere.	Private Access your instance from a Virtual Cloud Network only. ✓
--	---

Virtual Cloud Network in **FAW** [\(Change compartment\)](#)

Select a Virtual Cloud Network ⇅

Subnet in **FAW** [\(Change compartment\)](#)

Select a Virtual Cloud Network ⇅

Number of IP addresses must be at least 16

Network Security Groups in **FAW** [\(Change compartment\)](#)

Select a Virtual Cloud Network ⇅

16. Select the **Virtual Cloud Network**, **Subnet**, and **Network Security Group** that you had set up and want to use to access Oracle Fusion Analytics Warehouse. See [Prerequisites for a Private Endpoint](#).
17. The email address for notification is pre-populated from the user name. If the user name isn't an email address, then provide a valid email address for notifications. You receive an email notification, for example, when your Oracle Fusion Cloud Applications password is invalid.
18. Optional: Add tags to your instance.
19. Click **Create Instance**.

Navigate to the Details page for the new service to access the Oracle Fusion Analytics Warehouse URL and associated Oracle Autonomous Data Warehouse. From here,

you can also view or modify details such as the password for your Oracle Fusion Cloud Applications instance and the administrator password for the Oracle Autonomous Data Warehouse. You can also delete the service instance that's no longer required.

If you had set up provisioning of Oracle Fusion Analytics Warehouse with single sign-on, then your service is associated with the federated Oracle Identity Cloud Service instance. If you hadn't set up single sign-on for Oracle Fusion Analytics Warehouse, then your service is associated with the default Oracle Identity Cloud Service instance that you received with your Oracle Cloud account.

Make Preview Features Available


As a functional administrator, you can enable the functionality available as a preview feature to try it out.

Preview features allow your organization to explore and try new features before they roll out by default. See [Preview Features](#).


The preview features aren't available by default, but administrators can turn individual preview features on or off at any time. Administrators can find the latest preview features in the Enable Features tile on the Console and switch them on for others to use.

To find out about features currently available for preview, see [Features Available for Preview](#).

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Enable Features** under **Application Administration**.



3. On the Enable Features page, under the Preview Features tab, expand the categories such as **Functional Areas** and select the features that you want to make available for your organization.



4. Navigate to the location of the preview feature you want to use. For example, if you've enabled **AWS S3** in the **Managed Pipeline** category, then navigate to the Create Connections dialog from the Manage Connections page to use this feature.


Enable Generally Available Features

As a functional administrator, you can enable the functionality that is generally available but needs you to enable it to use the specific functionality.

The generally available features aren't available by default, but administrators can turn individual features on or off at any time. Administrators can find the latest generally available features in the Enable Features tile on the Console and switch them on for others to use.

To find out about features that are generally available currently, see Generally Available Features.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Enable Features** under **Application Administration**.



3. On the Enable Features page, under the Generally Available Features tab, expand the categories such as **Pipeline Features** and select the features that you want to make available for your organization.

4. Navigate to the location of the feature you want to use. For example, if you've enabled **Frequent Refresh** in the **Pipeline Features** category, then navigate to the Pipeline Settings page and click Frequent Data Refresh Schedule to use this feature.

View Work Requests

View the actions performed on your instance such as create, update, and terminate an instance as a work request.

Each work request shows when the event was triggered, how much time it took, result (success or failure). If the work request went through successfully, then there is no further action that you can take. However, if it failed, then you can take a look at the error mentioning the cause of the failure.

1. Sign in to the Oracle Cloud Infrastructure Console.
2. In Oracle Cloud Infrastructure Console, click the Navigation menu icon in the top left corner.
3. Click **Analytics & AI**. Under Analytics, click **Fusion Analytics Warehouse**.
4. Navigate to your service instances page.
5. On the Instances page, click the instance for which you want to view the list of actions that have been performed.
6. On the instance details page, under Resources, click **Work Requests**.

Resources		Work Requests				
Patches (0)		Status	Type	OCID	Started	Finished
Work Requests (6)		● Succeeded	UPDATE_SERVICE	...3astlqv2pa Show Copy	Mon, Jun 20, 2022, 04:28:52 UTC	Mon, Jun 20, 2022, 04:29:34 UTC
		● Succeeded	UPDATE_SERVICE	...tlg8y5vcqg Show Copy	Tue, May 24, 2022, 09:39:15 UTC	Tue, May 24, 2022, 09:39:58 UTC
		● Succeeded	UPDATE_SERVICE	...slkuyezwa Show Copy	Tue, May 17, 2022, 05:22:17 UTC	Tue, May 17, 2022, 05:22:48 UTC
		● Succeeded	UPDATE_SERVICE	...u3tufudsq Show Copy	Tue, Apr 12, 2022, 03:47:14 UTC	Tue, Apr 12, 2022, 03:47:52 UTC
		● Succeeded	UPDATE_SERVICE	...2nxsjefehq Show Copy	Tue, Mar 22, 2022, 12:07:10 UTC	Tue, Mar 22, 2022, 12:07:53 UTC

You see the tasks that have been performed on the instance.

Update the Data Source Connection Details

Update your data source connection details such as the URL for the Oracle Fusion Cloud Applications instance that you specified while creating your Oracle Fusion Analytics Warehouse instance and the credentials of an applicable user, such as `MyFAWExtractUser`.

LiveLabs Sprint

See [Create a User in Oracle Fusion Cloud Applications to Extract Data](#).

You can update the source URL to point to another source environment for Oracle Fusion Cloud Applications. You can update the applicable user credentials when your source Oracle Fusion Cloud Applications instance has been refreshed with data from another environment, for example, due to a Production to Test refresh. You also update the user credentials if the passwords differ between environments or if the password for the applicable user has expired. Prior to entering the new password, ensure that you have reset the password for the applicable user, such as `MyFAWExtractUser`, in Oracle Fusion Cloud Applications. See [Reset Passwords](#).

1. Sign in to the Oracle Cloud Infrastructure Console.
2. In Oracle Cloud Infrastructure Console, click the Navigation menu icon in the top left corner.
3. Click **Analytics & AI**. Under Analytics, click **Fusion Analytics Warehouse**.
4. On the Instances page, click the instance for which you want to update the Oracle Fusion Cloud Applications password.
5. On the instance details page, click **Update Fusion Connection**.
6. In Update Fusion Application Credentials, enter the new URL and select the type of authentication you want to use: **JWT Based** or **Password Based**.
 - If you choose **JWT Based**, upload or copy and paste the private key and public certificate files, then select **Keys have been uploaded to Fusion Source**.

Note:

See [Configure JWT Authentication Provider](#). While [configuring the token-based authentication](#), ensure that you enter `FAWServiceJWTIssuer` as the trusted issuer.

Ensure that the generated RSA encryption private key contains at least 2048 characters and that you wait at least 15 minutes for the uploaded public certificate to become effective in your Oracle Fusion Cloud Applications instance.

- If you choose **Password Based**, then enter the credentials of an applicable user, such as `MyFAWExtractUser` from your Oracle Fusion Cloud Applications instance in **Username** and **Password**.

Update Fusion Application Credentials

! After saving changes, you must schedule an initial run for each data pipeline load plan on the Data Configuration page.

Fusion Application URL

Authentication

Choose how to authenticate to Fusion Applications (i)

JWT Based

JSON Web Token (Recommended) ✓

Password Based

Upload Files
 Paste Content
 Download Files

Private Key (i)

📁 Drop private key file here. [Or browse.](#)

Public Certificate

📁 Drop public certificate file here. [Or browse.](#)

Keys have been uploaded to Fusion Source (i)

7. Click **Test Connection** to verify the updated connection details.
8. Click **Save Changes**.

Update Your Subscriptions

You can increase the number of users in an existing Oracle Fusion Analytics Warehouse subscription or add a new subscription to your existing Oracle Fusion Analytics Warehouse subscription by contacting your sales representative.

For example, you can add the Oracle Fusion HCM Analytics service to your existing Oracle Fusion Analytics Warehouse subscription that already has Oracle Fusion ERP Analytics.

After your order for addition or modification of subscriptions is processed, you'll receive an email asking you to activate the "update subscriptions" order.

Note:

Don't use the Activate link in the email to activate your "update subscriptions" order, instead follow these steps to update the subscriptions.

1. Sign in to the Oracle Cloud Infrastructure Console.

ORACLE

2-35

2. In Oracle Cloud Infrastructure Console, click the Navigation menu icon in the top left corner.
3. Click **Analytics & AI**. Under Analytics, click **Fusion Analytics Warehouse**.
4. On the Instances page, click the instance for which you want to update the subscriptions.
5. On the instance details page, click **Update Offerings**.
6. In Offerings, verify that the changes to your subscriptions match the “update subscriptions” order.

Offerings

Current Configuration

Total Number of Users: 40

New Configuration

Number of Fusion ERP Analytics Users: 20

Number of Fusion HCM Analytics Employees: 1000

Number of Fusion SCM Analytics Users: 20

Number of Fusion CX Analytics Users: 20

Type in "UPDATE" to confirm making changes to the offerings.

7. Enter `Update` to confirm the changes and then click **Save Changes**.

Update the Administrator Password for Oracle Autonomous Data Warehouse

Update the `ADMIN` schema password for the Oracle Autonomous Data Warehouse that is provisioned in your tenancy if the password for that `ADMIN` schema has changed.

Prior to updating the `ADMIN` schema password in your Oracle Fusion Analytics Warehouse instance, ensure that you have updated the administrator password in the Oracle Autonomous Data Warehouse instance associated with your Oracle Fusion Analytics Warehouse instance. Both the passwords must be the same. See [Unlock or Change the ADMIN Database User Password](#).

 [LiveLabs Sprint](#)

1. Sign in to the Oracle Cloud Infrastructure Console.

2. In Oracle Cloud Infrastructure Console, click the Navigation menu icon in the top left corner.
3. Click **Analytics & AI**. Under Analytics, click **Fusion Analytics Warehouse**.
4. On the Instances page, click the instance for which you want to update the administrator password for the Oracle Autonomous Data Warehouse that is provisioned in your tenancy.
5. On the instance details page, click the **Name** URL under **Autonomous Data Warehouse**.
6. On the Autonomous Data Warehouse Details page, from the **More actions** drop-down list, select **Administrator password**.
7. On the Administrator password page, enter the new password, confirm, and then click **Change**.
8. Navigate to your Oracle Fusion Analytics Warehouse instance details page and click **Update Admin Password**.
9. In the Update Autonomous Data Warehouse Credentials dialog, enter the same password provided on the Autonomous Data Warehouse Details page, confirm the password, and then click **Save Changes**.

Update Autonomous Data Warehouse Credentials

Username Read-only

Password

Password must be 12 to 30 characters and contain at least one uppercase letter, one lowercase letter, and one number. The password cannot contain the double quote (") character or the username "admin".

Confirm Password

Save Changes
Cancel

Reset the Password for OAX_USER and Custom Schemas

Oracle Fusion Analytics Warehouse provides default schemas (also known as users) such as the ADMIN schema and OAX_USER schema.

You can create custom schemas to meet your customization requirements. The ADMIN schema enables you to access the Oracle Autonomous Data Warehouse instance associated with your Oracle Fusion Analytics Warehouse instance. The OAX_USER schema enables you to run your own SQL queries against the database or sign in and view the data in the tables of the associated Oracle Autonomous Data Warehouse instance. Initially, the password for these default schemas is the same. However, because of the Oracle Autonomous Data Warehouse security policy, the passwords for the default schemas and custom schemas expire every 365 days. You must change the password every year.

 **Note:**


You need to be either an Oracle Cloud Infrastructure administrator or an administrator user with the necessary privileges to sign in and reset the password for the `ADMIN` schema.

You can change the password for the `OAX_USER` and other custom schemas using either SQL Developer or the Oracle Cloud Infrastructure Console. To change the password using SQL Developer, sign in to SQL Developer using the credentials of the `ADMIN` schema and run the command that is suggested to use while changing the password from the Oracle Cloud Infrastructure Console.

To change the password for the `ADMIN` schema, see [Update the Administrator Password for Oracle Autonomous Data Warehouse](#).

1. Sign in to the Oracle Cloud Infrastructure Console.
2. Navigate to your Oracle Fusion Analytics Warehouse instance details page.
3. On the instance details page, click the URL of the Oracle Autonomous Data Warehouse instance.
4. On the Oracle Autonomous Data Warehouse instance details page, click **Database Actions**. At this point, you need to sign in to the database using the `ADMIN` schema credentials.
5. On the Database Actions page, click **SQL** and run the following command to change the password for `OAX_USER`:

```
Alter user OAX_USER identified by <Password>;
```



To change the password for a custom schema, run this command:

```
Alter user <custom schema name> identified by <Password>;
```

Terminate Instances

You can terminate instances that are active or have failed and you don't need them anymore.

When you terminate an active instance, the associated Oracle Analytics Cloud and Oracle Autonomous Data Warehouse instances along with data and customizations get deleted.

1. Sign in to the Oracle Cloud Infrastructure Console.
2. In Oracle Cloud Infrastructure Console, click the Navigation menu icon in the top left corner.
3. Click **Analytics & AI**. Under Analytics, click **Fusion Analytics Warehouse**.
4. On the Instances page, use either of the options:
 - Click the **Actions** icon for an instance with **Failed** status, and then from the **Actions** menu, click **Terminate**.
 - Click the instance with **Failed** status to open the instance details page and then on the instance details page, click **Terminate**.
5. In Confirm Terminate, verify the instance name and click **Terminate Instance**.

Confirm Terminate

Are you sure you want to terminate the instance named "prodmgmtfawdev101"? Terminating the instance permanently deletes it and removes all automatic backups. You cannot recover a terminated instance.

Type in the instance name to confirm the termination.

Terminate Instance [Cancel](#)

Move the Oracle Fusion Analytics Warehouse Instance to Another Compartment


As the cloud account administrator, you can move your Oracle Fusion Analytics Warehouse instance to another Oracle Cloud Infrastructure compartment after you've created the instance.

 [LiveLabs Link](#)


You may want to move the instance from one compartment to another if you're redesigning or modifying the compartment structure. When you move the Oracle Fusion Analytics Warehouse instance to another compartment, the Oracle Analytics Cloud and Oracle Autonomous Data Warehouse instances associated with your Oracle Fusion Analytics Warehouse instance automatically move to the new compartment of your Oracle Fusion Analytics Warehouse instance.

1. Sign in to the Oracle Cloud Infrastructure Console.
2. In Oracle Cloud Infrastructure Console, click the Navigation menu icon.
3. Click **Analytics & AI**. Under Analytics, click **Fusion Analytics Warehouse**.
4. On the Instances page, use either of the options:
 - Click the **Actions** icon for an instance whose compartment you want to move, and then from the **Actions** menu, click **Move Resource**.
 - Click the instance whose compartment you want to move to open the instance details page and then on the instance details page, click **More Actions** and then click **Move**

Resource.



5. In Move Resource, select a compartment in **Destination Compartment** and then click **Move Resource**.



Update the Notification Email

You can view and update the notification email address set for an instance on the instance details page.



1. Sign in to the Oracle Cloud Infrastructure Console.
2. In Oracle Cloud Infrastructure Console, click the Navigation menu icon in the top left corner.
3. Click **Analytics & AI**. Under Analytics, click **Fusion Analytics Warehouse**.
4. On the Instances page, click an instance to open the instance details page.
5. On the instance details page, click **Update Email** to modify the current notification email address.
6. In Update Notification Email, enter the email address and click **Save Changes**.

Update Notification Email

Notification Email

[Save Changes](#) [Cancel](#)


Scale Up Oracle Autonomous Data Warehouse Storage

Oracle Fusion Analytics Warehouse provides the associated Oracle Autonomous Data Warehouse with certain capacities that are within its service limits. If you require additional storage, then you can scale up the storage capacity of Oracle Autonomous Data Warehouse associated with Oracle Fusion Analytics Warehouse.

As a service administrator, you can scale up the default capacities within the service limits. You can view the service limits of Oracle Autonomous Data Warehouse associated with your Oracle Fusion Analytics Warehouse service using the Limits, Quotas and Usage page in the Oracle Cloud Infrastructure Console. See [Viewing Your Service Limits, Quotas and Usage](#). You can submit a request to increase your service limits from **Limits, Quotas, and Usage** page in Oracle Cloud Infrastructure Console. See [Requesting a Service Limit Increase](#).

1. Sign in to the Oracle Cloud Infrastructure Console.
2. In Oracle Cloud Infrastructure Console, click the Navigation menu icon.
3. In the navigation options, click **Analytics & AI**. Under Analytics, click **Fusion Analytics Warehouse**.
4. Navigate to your service instances page.
5. On the Instances page, click the instance for which you want to view the details.
6. On the instance details page, click the **Name** under Autonomous Data Warehouse.

Fusion Analytics Warehouse • Fusion Analytics Warehouse Details



ACTIVE

o[redacted]v1

o[redacted]

[Update Fusion Connection](#) [Update Offerings](#) [Update Admin Password](#) [Update Email](#) [More actions](#)

Instance Information Tags

Name: o[redacted]v1
Created: Mon, Mar 23, 2020, 23:31:37 UTC
Compartment: oaxp[redacted] (root)/oax
Notification Email: a[redacted]le.com

Analytics Application
URL: [https://oax\[redacted\].oax](https://oax[redacted].oax)

Analytics Cloud
Name: o[redacted]v1
URL: [https://oax\[redacted\].oax](https://oax[redacted].oax)

OCID: ...hyecye2hyq [Show](#) [Copy](#)
Intended Use: Development/Test
Subscription Type: Paid
Number of Fusion SCM Analytics Users: 10
Number of Fusion CX Analytics Users: 10
Number of Fusion ERP Analytics Users: 20
Number of Fusion HCM Analytics Employees: 10

Autonomous Data Warehouse
Name: o[redacted]v1

Fusion Application
URL: [https://fa-ep\[redacted\].s.com](https://fa-ep[redacted].s.com)
Username: fav[redacted]st

Network
Access Type: Public

7. On the Oracle Autonomous Data Warehouse instance details page, click **Manage Scaling**.

The screenshot displays the Oracle Autonomous Data Warehouse (ADW) instance details page. On the left, there is a green 'ADW' logo with the status 'AVAILABLE' below it. The main content area is divided into several sections:

- Database Actions:** Database Actions, DB Connection, Performance Hub, **Manage Scaling** (highlighted in red), More actions.
- Autonomous Database information:** Tools, Tags.
- General information:** Database name, Workload type: Data Warehouse, Compartment, OCID, Created: Mon, Mar 23, 2020, 23:13:35 UTC, OCPU count: 1, OCPU auto scaling: Enabled, Storage: 1 TB, Storage auto scaling: Disabled, License type: License included, Database version: 19c, Lifecycle state: Available, Instance type: Paid, Auto Start/Stop schedule: Disabled, Mode: Read/Write.
- Associated Services:** Database Management: Not Enabled, Operation Insights: Not Enabled.
- APEX Instance:** Instance name.
- Infrastructure:** Dedicated infrastructure: No.
- Autonomous Data Guard:** Status: Disabled.
- Backup:** Last automatic backup: Wed, Oct 5, 2022, 13:35:24 UTC, Manual backup store: Not Configured.
- Network:** Access type: Allow secure access from everywhere, Access control list: Disabled, Mutual TLS (mTLS) authentication: Required.
- Maintenance:** Patch level: Regular, Next maintenance: Sun, Oct 9, 2022, 00:00:00 UTC - 02:00:00 UTC, Customer contacts: None.
- Encryption:** Encryption key: Oracle-managed key.

8. In Manage Scaling, for **Storage (TB)** enter a value or click the up arrow to select a value and then click **Apply**.

Manage scaling [Help](#)

OCPU count

1

The number of OCPU cores to enable. Available cores are subject to your tenancy's service limits.

OCPU auto scaling
Allows systems to expand up to three times the provisioned OCPU as workload increases. [Learn more](#) about auto scaling.

Storage (TB)

1

The amount of storage to allocate.

Storage auto scaling
Allows system to expand up to three times the reserved storage.

Allocated storage: 0.268 TB

Shrink Shrink storage manually. Use after deletion of a significant amount of data. [Learn more](#).

Apply [Cancel](#)

Scale Up Oracle Analytics Cloud Capacity

Oracle Fusion Analytics Warehouse provides the associated Oracle Analytics Cloud with certain capacities that are within its service limits. As a service administrator, you can scale up the default capacities within the service limits.

You can view the service limits of Oracle Analytics Cloud associated with your Oracle Fusion Analytics Warehouse service using the Limits, Quotas and Usage page in the Oracle Cloud Infrastructure Console. See [Viewing Your Service Limits, Quotas and Usage](#). You can submit a request to increase your service limits from **Limits, Quotas, and Usage** page in Oracle Cloud Infrastructure Console. See [Requesting a Service Limit Increase](#).

1. Sign in to the Oracle Cloud Infrastructure Console.
2. In Oracle Cloud Infrastructure Console, click the Navigation menu icon.
3. In the navigation options, click **Analytics & AI**. Under Analytics, click **Fusion Analytics Warehouse**.
4. Navigate to your service instances page.
5. On the Instances page, click the instance for which you want to view the details.

6. On the instance details page, click the **Name** under Analytics Cloud.

Fusion Analytics Warehouse • Fusion Analytics Warehouse Details

FAW
ACTIVE

oa: [redacted] 1

Update Fusion Connection Update Offerings Update Admin Password Update Email More actions

Instance Information Tags

Name: oa: [redacted] 1
Created: Mon, Mar 23, 2020, 23:31:37 UTC
Compartment: oa: [redacted] (root)/oax
Notification Email: a: [redacted]@e.com

OCID: ...hyecye2hyq [Show](#) [Copy](#)
Intended Use: Development/Test
Subscription Type: Paid
Number of Fusion SCM Analytics Users: 10
Number of Fusion CX Analytics Users: 10
Number of Fusion ERP Analytics Users: 20
Number of Fusion HCM Analytics Employees: 10

Analytics Application
URL: [https://oax-\[redacted\]-hulicax](https://oax-[redacted]-hulicax)

Analytics Cloud
Name: oa: [redacted] 1
URL: [https://oax-\[redacted\]-hulicax](https://oax-[redacted]-hulicax)

Autonomous Data Warehouse
Name: oax: [redacted] 2

Fusion Application
URL: [https://\[redacted\]-com](https://[redacted]-com)
Username: fa: [redacted]

Network
Access Type: Public

7. On the Oracle Analytics Cloud instance details page, click **Change Capacity**.

OAC Instance for OAX

OAC
ACTIVE

oa: [redacted] 1

Analytics Home Page Resume Pause **Change Capacity** More actions

Instance Details Additional Details Tags

General Information
OCID: ...rucqg76q [Show](#) [Copy](#)
Compartment: oa: [redacted] 2 (root)
Created: Mon, Mar 23, 2020, 23:02:11 UTC
Capacity: 2 OCPUs
Edition: Enterprise Edition
License: License Included
Encryption Key: Oracle-managed key [Assign](#)

Network Access
Access Type: Public ⓘ
Access Control: Not Configured [Edit](#)

Access Information
URL: [https://o-\[redacted\]-om/ui](https://o-[redacted]-om/ui) [Copy](#)
Vanity URL: Not Configured [Create](#)

8. In Change Capacity, select the number of **OCPU Count** you want, and then click **Save Changes**.

Note:

The values available to you depend on how many OCPUs your service currently uses. Remember that you can add or remove capacity within the OCPU range of your service.

Change Capacity

OCPU Count

Configure Advanced Options

You can set several advanced options using the Console.

Topics:

- [About Advanced Configuration](#)
- [Set Advanced Options](#)

About Advanced Configuration

Administrators can set more advanced, service-level options through the Systems Settings page.

Topics:

- [Performance and Compatibility Options](#)
- [Preview Options](#)

Performance and Compatibility Options

You use these options to configure performance and compatibility settings between Oracle BI Enterprise Edition and Oracle Analytics.



Note:

If you change a performance and compatibility setting, you must apply the change for the new value to take effect unless mentioned otherwise.

System Setting	More Information
Enable Auto Insights on Datasets	<p>Specifies whether the Auto Insights feature is available when datasets are created or modified.</p> <ul style="list-style-type: none"> • On — The Enable Insights option is available in the Dataset Inspect dialog and insights are automatically generated and available for workbooks that use datasets with the Enable Insights option selected. • Off — Auto Insights and its related features are disabled. <p>Default: On</p> <p>Apply Change Required: No, but when you change this setting, it may take a few minutes to take effect.</p>

Preview Options


Preview options enable administrators to switch preview features on and off. This way, your organization can evaluate and learn how to use new features before they become generally available.

System Setting	More Information
Preview Excel Export	<p>Enable this option to allow users to export formatted table and pivot table visualizations to Microsoft Excel. Each export can contain up to 25,000 rows. See Export a Visualization or Story.</p> <ul style="list-style-type: none"> • On — Display the Excel (xlsx) format option in the Export File dialog for a table or pivot table visualization. • Off — Hide the Excel (xlsx) format option in the Export File dialog. <p>Default: Off Apply Change Required: No</p>


Set Advanced Options

Use the service instance console to set advanced options for Oracle Fusion Analytics Warehouse.

1. In Oracle Fusion Analytics Warehouse, click **Console**.
2. Under **Service Administration**, click **System Settings**.



3. On the System Settings page, update the toggle option for the applicable advanced option.



3

Configure Oracle Fusion Analytics Warehouse Data

As the cloud account administrator with the Functional Administrator or System Administrator application role, you specify the data load and reporting configuration details, and create data pipelines for functional areas that determine how the source data from Oracle Fusion Cloud Applications is loaded and displayed in the data warehouse.

For example, you might specify the Initial Extract Date as January 1, 2019, specify the global currency as US Dollars (USD), and select the exchange rate to convert transactions to the global currency.



Note:

The times visible in the Console are in local time zone. However, Oracle Fusion Analytics Warehouse stores the values for the **Warehouse Refresh Date Time** and **Scheduled Date** in the Coordinated Universal Time (UTC) in the autonomous data warehouse.

Any data you load into the autonomous data warehouse in Oracle Fusion Analytics Warehouse is subject to the data access controls that may not always match those in the source system. For example, if User1 doesn't have the rights to access some data in your source system, then when you bring that data over to the autonomous data warehouse in Oracle Fusion Analytics Warehouse, this User1 can access that particular data. If you want to have the same controls on the data, then you must ensure that this particular User1 has the same data access rights as your source system in your Oracle Fusion Analytics Warehouse user setup.

Topics:

- [Typical Workflow to Configure Data](#)
- [About Data Pipelines for Functional Areas](#)
- [About Data Refresh Performance](#)
- [About Pipeline Parameters](#)
- [Set Up the Pipeline Parameters](#)
- [Create a Data Pipeline for a Functional Area](#)
- [Edit a Data Pipeline for a Functional Area](#)
- [Activate a Data Pipeline for a Functional Area](#)
- [About Global Parameters](#)
- [Set Up the Global Report Parameters](#)
- [About Reporting Configurations](#)
- [Set Up the Reporting Configurations for Enterprise Resource Planning](#)

- [Set Up the Reporting Configurations for Human Capital Management](#)
- [Deactivate a Data Pipeline for a Functional Area](#)
- [Delete a Data Pipeline for a Functional Area](#)
- [Refresh a Data Pipeline for a Functional Area](#)
- [Reset a Data Pipeline for a Functional Area](#)
- [Reset the Data Warehouse](#)
- [Reset the Cache](#)
- [Reset and Reload the Data Source \(Preview\)](#)
- [View Load Request History](#)
- [View the Audit Log](#)
- [View Records Rejected in Extraction](#)
- [Prioritize Datasets for Incremental Refresh \(Preview\)](#)
- [About Augmenting Your Data](#)
- [Create a Dimension Alias](#)
- [About Managing Data Connections](#)
- [Disable Data Pipeline](#)
- [Schedule Frequent Refreshes of Data](#)
- [Schedule Periodic Full Reload of Functional Area Data](#)
- [Schedule Frequent Refreshes of Warehouse Tables](#)
- [Extend Data with Custom Data Configurations](#)

Typical Workflow to Configure Data

Follow these tasks as a guide to configure Oracle Fusion Analytics Warehouse data.

Task	Description	More Information
Specify the pipeline parameters	Set up the pipeline parameters for your data model file before running your data pipelines for the functional areas.	Set Up the Pipeline Parameters
Create a data pipeline for a functional area	To start analyzing your Oracle Fusion Cloud Applications data, create data pipelines for the functional areas to copy data to the data warehouse.	Create a Data Pipeline for a Functional Area
Edit a data pipeline for a functional area	You can change any details of your data pipelines for the functional areas prior to activating them.	Edit a Data Pipeline for a Functional Area
Activate a data pipeline for a functional area	You must activate the data pipeline for a functional area to run and load data into the data warehouse.	Activate a Data Pipeline for a Functional Area

Task	Description	More Information
Specify the global parameter	As part of the reporting configurations, specify the parameter that you want to use across your Oracle Fusion Analytics Warehouse offerings. You can set up this parameter only after activating a data pipeline for a functional area.	Set Up the Global Report Parameters
Specify the reporting configurations	Set up the reporting configurations for your data model file after activating a data pipeline for a functional area. Based on the functional area for which you've activated a data pipeline, you see the applicable reporting configurations. For example, if you've activated a data pipeline for a functional area in Oracle Fusion ERP Analytics, then you see the reporting configurations applicable for Oracle Fusion ERP Analytics.	Set Up the Reporting Configurations for Enterprise Resource Planning Set Up the Reporting Configurations for Human Capital Management
Deactivate a data pipeline for a functional area	You can deactivate all the incremental set up and ETL jobs of data pipelines for the functional areas.	Deactivate a Data Pipeline for a Functional Area
Delete a data pipeline for a functional area	You can delete data pipelines for the functional areas prior to activating them.	Delete a Data Pipeline for a Functional Area
Reload a data pipeline for a functional area	Perform this action to refresh the data for the selected functional area.	Refresh a Data Pipeline for a Functional Area
Reset a data pipeline for a functional area	You can reset an activated data pipeline for a functional area. Resetting the data pipeline deletes all data from your data warehouse.	Reset a Data Pipeline for a Functional Area
View request history	View the load request history by functional area, load type, and status.	View Load Request History
Augment your data	Augment your reports by using datasets that you create with specific columns from various data stores.	Augment Your Data

About Data Pipelines for Functional Areas

Data pipelines for functional areas load data specific to a functional area into the data warehouse.

These pipelines hold configuration parameters specific to a functional area such as General Ledger functional area under Finance and Sales functional area under NetSuite.

Allowed Actions for Data Pipelines

Here's a list of the actions allowed for data pipelines when they are in various states. This information enables you to know which actions you can and can't perform when a data pipeline is in a particular state.

Pipeline status	Available actions	Additional information
Saved	Edit and Delete	You can activate a data pipeline using the Edit wizard or can delete the data pipeline.
InActive	Edit, Activate, and Delete	You can activate a data pipeline using the Edit wizard or can delete the data pipeline.
Activation Scheduled	Edit and Delete	If you edit a scheduled data pipeline, then the previous data pipeline is unscheduled and a new data pipeline is scheduled.
Activation in Progress	View	You can view the data pipeline in Read-only mode.

Pipeline status	Available actions	Additional information
Activation Complete	Edit, Delete, Reset, Deactivate, and Refresh Data	<p>You can perform these actions:</p> <ul style="list-style-type: none">• Edit only the Attribute Selection, Column Options, Entity Options, Dimension Keys, Schedule, and Save steps.• After the Edit action is completed, the data pipeline is ready for Refresh Data or AdHoc run. View the information icon that is displayed.• Perform a reset that marks the data pipeline for data reset and view the displayed information icon. The next incremental job performs the actual action or you can perform the Refresh Data action to immediately reset the data.• Refresh the data. If an incremental job isn't running, then the Refresh Data action initiates an AdHoc run immediately to refresh the data. It performs a full refresh if you had edited the data pipeline or performed a reset earlier.• Deactivate the data pipeline to change its state to InActive.

About Data Refresh Performance

Oracle strives constantly to improve performance for data loading in pipelines.

The performance of loading data for your instance will vary. The time to complete data processing, both full warehouse loads and incremental data loads, depends on various factors. A data pipeline load includes the following:

- Extracting the data from the Oracle Fusion Cloud Applications.
- Loading the data into Oracle Autonomous Data Warehouse.
- Transforming the data into the prebuilt schema.

The time to complete each of these steps is determined by various factors including:

- The availability of the source system.
- The size and complexity of the source data.

- The activated functional areas.
- Custom SQL queries that impact Oracle Autonomous Data Warehouse.
- Your queries running concurrently.
- Customizations made on the source system objects (which require a full load for those objects).
- The patching of source and target systems.

Data refresh is typically completed daily unless the data pipeline jobs are turned off or stuck. You can observe data loading times for your specific source and warehouse configuration to estimate the time it takes for an incremental daily refresh and for a full warehouse load. This information can help you plan for the optimal time in the day to start your daily data refresh. You may want to schedule the data load to run during off-peak hours, for example, run initial full warehouse loads during weekends and incremental loads during weeknights to ensure that users aren't impacted.

Preview

You can view the estimated refresh completion time for daily pipelines on the Pipeline Settings page in the Estimated Refresh Completion field as a Preview feature. This enables you to plan your tasks in the application.

Data Pipeline

Data Pipeline Status	<input checked="" type="checkbox"/> Enabled
Last Refresh Date	May 26, 2023 10:32:48 AM IST
Estimated Refresh Completion	May 27, 2023 03:30:00 AM IST

About Pipeline Parameters

The pipeline parameters apply to all functional areas.

The pipeline parameters that apply at the functional area levels are currency, exchange rate type, and initial extraction date and time to schedule the incremental job to run.

- **Analytics Language:** Specify the language in which you want the data to be extracted. The language that you can select in the **Analytics Language** parameter is based on the initialized Oracle Fusion Cloud Applications languages. You can only select one language at a time. Changes to this global parameter don't take effect immediately even after next refresh and may cause inconsistent results because the refresh brings in only the incremental data in the selected language. You must reset the warehouse to ensure that the changes are effective.
- **Analytics Currency:** Currency conversions are required because your business might have transactions captured in multiple currencies. To create meaningful enterprise-wide analyses, you must use a common currency. Oracle Fusion Analytics Warehouse allows you to specify an analytics currency to store amounts in the data warehouse using this common currency. The load process checks the specified currency value and determines the corresponding exchange rate to convert the amounts to the analytics currency. For example, if your organization is

a multinational enterprise that has its headquarters in the United States, you probably want to choose **US dollars** (USD) as the analytics currency.

- **Exchange Rate Type:** Specify an exchange rate type that you want to use when converting the transaction amounts to the analytics currency. For example, you may set up **Corporate** as a standard exchange rate across your organization for a stable currency.
- **Initial Extract Date:** Initial extract date is used when you extract data for a full load. Transactional data created after the initial extract date processes and loads to the warehouse. It reduces the initial data load volume. After extracting the data for a functional area, avoid changing the initial extract date. If you need to change the initial extract data, then after changing the date, reset the data warehouse and reactivate the functional areas. See [Reset the Data Warehouse](#).
- **Data Refresh Schedule:** Specify the frequency and when you want the incremental data load to happen. While specifying the timezone, the recommendation is to use city names to handle the daylight savings. For example, instead of selecting timezone such as EST or PST, select Europe/Bucharest or America/Los_Angeles. In this case, the data refresh process calculates the value mentioned in the Time field based on the local time irrespective of daylight savings.

Set Up the Pipeline Parameters

Set up the pipeline parameters for your data model file before running your data pipelines for the functional areas.

 [LiveLabs Sprint: How do I configure the Pipeline Parameters in Fusion Analytics Warehouse \(FAW\)?](#)


 [LiveLabs Sprint: Change Data Refresh Schedule](#)

 [LiveLabs Sprint: Verify Data Refresh Schedule](#)

Oracle Fusion Analytics Warehouse releases application updates at regular intervals that are visible on the Release Updates tile of the Console. See [About Application Updates](#). Some of the application updates involve an upgrade of the underlying data model. If a data model upgrade is available at the time that you specify for the daily incremental refresh, then the data model upgrade overrides the incremental refresh for the day. The data model upgrade is a lengthier process and the data refresh for the specific day may take much longer than the regular daily incremental refresh.


Any country that exercises time change forwards the time by an hour. For example, in the U.S.A., standard time changes to day light saving time on 2nd saturday of March, forwarding the time from 2 am to 3 am. As a result, any refresh schedules set between 2 am to 3 am of a day won't execute on that day. If you need to guarantee daily refresh, then ensure to schedule it either before 2 am or after 3 am.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, under **Configurations**, click **Pipeline Settings**.



- On the Pipeline Settings page, under Global Parameters, from the **Analytics Language** list, select the language in which you want to extract the data.

Global Parameters

Analytics Language	<input type="text" value="American English (US)"/>
Analytics Currency	<input type="text" value="US Dollar (USD)"/>
Use Fusion Default Exchange Rate Type	<input type="text" value="NO (N)"/>
Exchange Rate Type	<input type="text" value="Corporate (Corporate)"/>
Initial Extract Date	<input type="text" value="Jan 1, 2015"/> 

- From the **Analytics Currency** list, select the currency of the transaction data.
- In **Use Fusion Default Exchange Rate Type**, specify whether you want to use the default exchange rate type from Oracle Fusion Cloud Applications.
- From the **Exchange Rate Type** list, select an exchange rate type that you want to use when converting the transaction amounts to the global currency.
- In **Initial Extract Date**, select the date from which to load the transaction data.
- Under Data Refresh Schedule, from the **Interval** list, select the frequency of the data refresh. Depending on the selected interval, specify the time, day, and month when you want the incremental data load to happen.

Data Refresh Schedule

Interval	<input type="text" value="Daily"/>
Time	<input type="text" value="02:00 PM"/>
Timezone	<input type="text" value="GMT"/>

- Click **Save**.


Create a Data Pipeline for a Functional Area

As a functional administrator, create a data pipeline for a functional area to copy data to the data warehouse. Use these steps to select and schedule runs to update the Oracle Autonomous Data Warehouse instance with the latest data.

LiveLabs Sprint

Perform this task only after you have set up the pipeline and report parameters. You can schedule an activation of a functional area even if activation of another functional area is in progress. However, you can't update the activation of a functional area that's in progress.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, click your service. For example, under Applications, click **Enterprise Resource Planning**.



4. On the service page, for example, the Data Configuration: Oracle Financial Analytics page, click **Create**.

Offering	Functional Area	Activated On	Created On	Created By	Updated On
Financial Analytics	Account Reconciliation		Nov 12, 2021 11:47:10 PM IST		Sep 7, 2022 08:16:48 PM IST
Financial Analytics	Accounts Payable	Apr 27, 2022 10:57:11 PM IST	Nov 12, 2021 02:29:13 AM IST		Sep 7, 2022 08:16:48 PM IST
Financial Analytics	Accounts Receivable	Apr 27, 2022 10:57:38 PM IST	Nov 12, 2021 02:29:25 AM IST		Sep 7, 2022 08:16:48 PM IST

- On the Enterprise Resource Planning page, shown as an example, use the wizard to select your application areas to transfer data to the warehouse, and then click **Next**.

Enterprise Resource Planning

Cancel 1 2 3 4 Next >

Select your application areas to transfer data to the warehouse.

Offering:

Functional Area:

- Review the parameters and click one of the options:
 - Cancel:** To cancel the data pipeline for the functional area.
 - Save:** To save the data pipeline for the functional area but not activate it.
 - Activate:** To schedule when to run the data pipeline for the functional area. See [Activate a Data Pipeline for a Functional Area](#).

Oracle Fusion Analytics Warehouse extracts data only from the initial extract date that you specify. For example, if the initial extract date is 10th March and you've added data on 9th March in your source, then the data added on 9th won't be part of this data pipeline activation plan. You can see the data pipeline activation plan listed on the Data Configuration page.

Edit a Data Pipeline for a Functional Area

You can change any details of your data pipeline for a functional area prior to activating it.

- Sign in to your service.
- In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
- On the Data Configuration page, click your service. For example, under Applications, click **Enterprise Resource Planning**.
- On the service page, for example, the Data Configuration: Oracle Financial Analytics page, click the **Action** menu for the data pipeline for a functional area that you want to edit, and click **Edit**.

Offering	Functional Area	Activated On	Created On	Created By	Updated On	Updated By	Status
Financial Analytics	Account Reconciliation		Nov 12, 2021 11:47:10 PM IST	oracle.com	Sep 7, 2022 08:16:48 PM IST		⋮
Financial Analytics	Accounts Payable	Apr 27, 2022 10:57:11 PM IST	Nov 12, 2021 02:29:13 AM IST	oracle.com	Sep 7, 2022 08:16:48 PM IST		⋮
Financial Analytics	Accounts Receivable	Apr 27, 2022 10:57:38 PM IST	Nov 12, 2021 02:29:25 AM IST	oracle.com	Sep 7, 2022 08:16:48 PM IST		⋮
Financial Analytics	Assets	Apr 27, 2022 10:48:26 PM IST	Nov 16, 2021 07:27:58 PM IST	cm	Sep 7, 2022 08:16:48 PM IST		⋮
Financial Analytics	Customer Collections Risk Prediction		Nov 19, 2021 04:07:15 PM IST	am	Sep 7, 2022 08:16:48 PM IST		⋮

5. Make the changes, review the changes, and then click **Save** or **Activate**.

Activate a Data Pipeline for a Functional Area

You must activate the data pipeline for a functional area to run it and load the data into the data warehouse.

Ensure that you don't activate a data pipeline for a functional area in the following situations:

- Load in progress: If an incremental load is in progress.
- An impending load: If an incremental load is scheduled to run in the next hour.
- Exceeded the number of daily refresh requests: The maximum number of ad hoc data refresh requests for the day is four. If you've exceeded this number, then you can submit a request the following day.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, click your service. For example, under Applications, click **Enterprise Resource Planning**.
4. On the service page, for example, the Data Configuration: Oracle Financial Analytics page, click the **Action** menu for the saved data pipeline for the functional area that you want to activate, and click **Edit**.
5. Review the details of the data pipeline for the functional area and then click **Activate**.

Cancel 1 2 3 4 Save **Activate** >

Review your selections and save the functional area activation.

Data Selections:

Global Parameters

Extend Due Date by Days	0
Analytics Currency	US Dollar
Exchange Rate Type	Corporate
Analytics Language	American English
Initial Extract Date	2016-01-01

6. In step 4 of the Data Configuration wizard, select **Scheduled Execution Data** to specify the date and time on which to run the data pipeline for the functional area. Select **Run Immediately** to create and run the data pipeline for the functional area immediately. Click **Finish**.

Oracle Fusion Analytics Warehouse runs the data pipeline for the functional area, loads data into your data warehouse, and displays your data pipeline for the functional area on the Data Configuration page. Once data is successfully loaded, the system updates the status of the data pipeline for the functional area to **Activation Completed**.

About Global Parameters

As part of the reporting configurations, you specify a value for the Enterprise Calendar parameter to configure the reporting calendar used in Oracle Fusion Analytics Warehouse. All time options seen in the reporting layer are based off the calendar that you select as the parameter value.

You must activate a data pipeline for a functional area to be able to set up the reporting configurations.

Set Up the Global Report Parameters

Specify the report parameter that you want to use across your Oracle Fusion Analytics Warehouse offerings.

 [LiveLabs Sprint](#)

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Reporting Configuration** under **Application Administration**.
3. On the Reporting Configuration page, click **Global Parameters**.

4. In the Global Parameters region, select a calendar to configure the reporting calendar used in Oracle Fusion Analytics Warehouse.
5. Click **Save**.

About Reporting Configurations

Set up the reporting configurations to specify how data is presented on the KPI decks, visualizations, dashboards, and reports in Oracle Fusion Analytics Warehouse.

You must activate a data pipeline for a functional area to be able to set up the reporting configurations. Based on the functional area for which you've activated a data pipeline, you see the applicable reporting configurations. For example, if you've activated a data pipeline for a functional area in Oracle Fusion ERP Analytics, then you see the reporting configurations applicable for Oracle Fusion ERP Analytics.

About the Reporting Configuration for Enterprise Resource Planning

Specify a value for the Allow Financial Category Upload parameter as you configure reporting for Enterprise Resource Planning.

This parameter provides the ability to upload the financial category in Oracle Fusion Analytics Warehouse and maintain the mapping independent of Oracle Fusion Cloud Applications. The default value for this parameter is No. If you retain the default value, then Oracle Fusion Analytics Warehouse uses the financial Category mapping defined in Oracle Fusion Cloud Applications.

About the Reporting Configuration for Human Capital Management

You specify values for these parameters as you configure reporting for Human Capital Management:

LiveLabs Sprint

- Human Capital Management Analytics parameters:
 - Worker Age Band: This parameter specifies the grouping of the ages of workers by certain ranges. For example, less than 30, 30 to 50, and greater than 50 years. KPIs and analyses related to the headcount of the workers use these age bands. For example, the percentage of workers who are aged 50 and older.
 - Tenure Band: This parameter specifies the grouping of the service years of workers by certain ranges. For example, less than 5, 5 to 10, and greater than 10 years. KPIs and analyses related to the headcount or diversity factors of the workers use these bands. For example, you can use this parameter to answer a business question such as "Show me the percentage of workers in my organization of various years of service."
 - Months of Service Band: This parameter specifies the grouping of the service months of workers by certain ranges. For example, less than 6 months, 6 to 12 months, and greater than 12 months. Key metrics and analyses related to the headcount or diversity factors of the workers use these bands. For example, you can use this parameter to answer a business question such as "Show me the number of hires grouped by their service months."
 - Performance Band: This parameter specifies the grouping of the performance ratings of workers by certain ranges. For example, high, medium, and low. KPIs and analyses related to the performance rating of the workers use these performance bands. For example, you can use this parameter to answer a business question such as "Who are the top performers for the current review period in my organization."


- Potential Band: This parameter specifies the grouping of potential ratings under various headers. For example, High, Medium, and Low. You can configure the rating ranges under these bands.
- Compa-Ratio Band: This parameter specifies the grouping of worker compa-ratios under various headers. For example, Band 1 with range as 0-80 and Band 2 with range as 81-120.
- Risk of Loss Band: This parameter specifies the grouping of risk of loss ratings under various headers. For example, High, Medium, and Low. You can configure the rating ranges under these bands.
- Impact of Loss Band: This parameter specifies the grouping of impact of loss ratings under various headers. For example, High, Medium, and Low. You can configure the rating ranges under these bands.
- Custom Performance Band: This parameter specifies the grouping of the performance ratings of workers by certain ranges and names defined by you. The other performance band leverages the predefined band names like high, low, and medium. However, in the custom performance band, you can specify custom names and the ranges for the performance ratings. Key metrics and analyses related to the performance rating of the workers can use these custom performance bands. For example, you can use this parameter to answer a business question such as "Who are the outstanding performers for the current review period in my organization." In this example, "Outstanding" could be one of the band names with certain performance rating range.
- Custom Potential Band: This parameter specifies the grouping of the potential ratings of workers by certain ranges and names defined by the customers. The other potential band leverages the predefined band names like high, low, and medium. However, in the custom potential band, you can specify custom names and the ranges for the potential ratings. Key metrics and analyses related to the potential rating of the workers can use these custom potential bands. For example, you can use this parameter to answer a business question such as "What percentage of the workers have been rated as uber high in their potential." In this example, "uber high" could be one of the band names with certain potential rating range.
- Learning Overdue Days Band: This parameter specifies the grouping of the learning records by the number of days that its overdue. For example, you can use this parameter to answer a business question such as "Provide the number of learning enrolments grouped by the number of days that they are overdue for completion."
- Workforce Management parameter specifies the reason for reorganization to compute the headcount gain or losses based on the reorganization factor.
- Succession Management parameter specifies the grouping of readiness levels of worker for their change in career under various headers.

Set Up the Reporting Configurations for Enterprise Resource Planning

Set up the reporting configurations for the Enterprise Resource Planning data model file to specify how the Enterprise Resource Planning-related data is presented on the KPI decks, visualizations, dashboards, and reports.

LiveLabs Sprint

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Reporting Configuration** under **Application Administration**.
3. On the Reporting Configuration page, click **Enterprise Resource Planning**.



4. Optional: On the Enterprise Resource Planning page, in **Allow Financial Category Upload**, select **Yes** to enable the upload of financial categories to the applicable environment.
5. Click **Save**.

Set Up the Reporting Configurations for Human Capital Management

Set up the report parameters for your data model file to specify how the Human Capital Management-related data is presented on the KPI decks, visualizations, dashboards, and reports.

You can use or update the default parameter values where available or set applicable values that meet your business requirements. The Custom Performance and Custom Potential bands don't work with metrics that use the performance ratings in their computation. For example, metrics such as High Performer Turnover, High Performer Retention, and Top Talent Worker Count. Additionally, the 9-box visualization of Performance versus Potential matrix doesn't work with these bands.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Reporting Configuration** under **Application Administration**.
3. On the Reporting Configuration page, click **Human Capital Management**.

Reporting Configurations

Human Capital Management

Human Capital Management Analytics

View Own Context: Yes (Y)

Worker Age Band	Name	Min(Year)	Max(Year)
	00 - 25	0	25
	26 - 40	26	40
	41 - 50	41	50
	51 - 100	51	100

+ Add Band

Tenure Band	Name	Min(Year)	Max(Year)
	ShortTerm	0	2
	Average	3	7
	LongTerm	8	100

+ Add Band

4. On the Human Capital Management page, for **Worker Age Band**, specify the age range of the workers.
5. For **Tenure Band**, specify the range of service years of the workers.
6. For **Months of Service Band**, specify the range of service months of the workers.
7. For **Performance Band**, specify the range of worker performance ratings.
8. For **Potential Band**, specify the range of potential ratings for the workers.
9. For **Compa-Ratio Band**, specify the range of compa-ratio values for the workers.
10. For **Risk of Loss Band**, specify the range of risk of loss ratings for the workers.
11. For **Impact of Loss Band**, specify the range of impact of loss ratings for the workers.
12. For **Custom Performance Band**, specify the custom band names and the range of worker performance ratings.
13. For **Custom Potential Band**, specify the custom band names and the range of worker potential ratings.
14. For **Learning Overdue Days Band**, specify the band names and the range of overdue days.
15. In the Workforce Management region, select one or more reasons for reorganization to compute the headcount gain or losses based on the reorganization factor.
16. In the Succession Management region, select the readiness value for each of the readiness levels of the workers.
17. Click **Save**.

Deactivate a Data Pipeline for a Functional Area


You can deactivate all the incremental setup and jobs of a data pipeline for a functional area.

Deactivating a data pipeline for a functional area ensures that future incremental jobs don't select the specific functional area when the data pipeline runs. You can view the deactivated status of the data pipeline on the Data Configuration page.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, click your service. For example, under Applications, click **Enterprise Resource Planning**.
4. On the service page, for example, the Data Configuration: Oracle Financial Analytics page, click the **Action** menu for the active data pipeline for the functional area that you want to deactivate, and click **Deactivate**.

Offering	Functional Area	Activated On	Created On	Created By	Updated On	Updated By	Status
Financial Analytics	Account Reconciliation		Nov 12, 2021 11:47:30 PM IST		Sep 7, 2022 08:16:48 PM IST		Activation Complete
Financial Analytics	Accounts Payable	Apr 27, 2022 10:57:11 PM IST	Nov 12, 2021 02:29:13 AM IST		Sep 7, 2022 08:16:48 PM IST		Deactivate
Financial Analytics	Accounts Receivable	Apr 27, 2022 10:57:38 PM IST	Nov 12, 2021 02:29:25 AM IST		Sep 7, 2022 08:16:48 PM IST		Deactivate
Financial Analytics	Assets	Apr 27, 2022 10:48:26 PM IST	Nov 16, 2021 07:27:38 PM IST		Sep 7, 2022 08:16:48 PM IST		Deactivate
Financial Analytics	Customer Collections Risk Prediction		Nov 19, 2021 04:07:15 PM IST		Sep 7, 2022 08:16:48 PM IST		Deactivate
Financial Analytics	Employee Expense	Apr 27, 2022 10:48:06 PM IST	Nov 12, 2021 02:29:01 AM IST		Sep 7, 2022 08:16:48 PM IST		Activation Complete

5. Review the warning message and then click **Deactivate**.



Delete a Data Pipeline for a Functional Area

You can delete a data pipeline for a functional area prior to activating it.

Deleting a data pipeline for a functional area permanently removes it, so data refreshes of the warehouse won't occur.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, click your service. For example, under Applications, click **Enterprise Resource Planning**.
4. On the service page, for example, the Data Configuration: Oracle Financial Analytics page, click the **Action** menu for the data pipeline for the functional area that you want to delete, and click **Delete**.

Offering	Functional Area	Activated On	Created On	Created By	Updated On	Updated By	Status
Financial Analytics	Account Reconciliation	Nov 12, 2021 11:47:10 PM IST	Nov 12, 2021 11:47:10 PM IST	scle.com	Sep 7, 2022 08:16:48 PM IST	0	Active
Financial Analytics	Accounts Payable	Apr 27, 2022 10:57:11 PM IST	Nov 12, 2021 02:29:13 AM IST	scle.com	Sep 7, 2022 08:16:48 PM IST	0	Active
Financial Analytics	Accounts Receivable	Apr 27, 2022 10:57:38 PM IST	Nov 12, 2021 02:29:25 AM IST	scle.com	Sep 7, 2022 08:16:48 PM IST	0	Active
Financial Analytics	Assets	Apr 27, 2022 10:48:26 PM IST	Nov 16, 2021 07:27:38 PM IST	tl	Sep 7, 2022 08:16:48 PM IST	0	Active
Financial Analytics	Customer Collections Risk Prediction	Nov 19, 2021 04:07:15 PM IST	Nov 19, 2021 04:07:15 PM IST	tl	Sep 7, 2022 08:16:48 PM IST	0	Active

- Review the warning message and then click **Delete**.

Warning

If you delete this activation, it will be permanently removed along with any existing data copied to the data warehouse. All future data copies to the data warehouse will be discontinued as well.

Cancel Delete

Refresh a Data Pipeline for a Functional Area

Refresh an activated data pipeline for a functional area to bring in new data for the selected functional area.

LiveLabs Sprint

When you refresh the data pipeline, the system executes an incremental load immediately. The next scheduled run could take additional time to complete because of any new data. If you had reset a data pipeline for the functional area before refreshing data, then the system runs a full load immediately for that functional area.

Note:

Executing an on-demand data refresh while working on the data could cause temporary inconsistencies.

- Sign in to your service.
- In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
- On the Data Configuration page, click your service. For example, under Applications, click **Enterprise Resource Planning**.
- On the service page, for example, the Data Configuration: Oracle Financial Analytics page, click the **Action** menu for the data pipeline for the functional area whose data you want to refresh, and then click **Refresh Data**.

Offering	Functional Area	Activated On	Created On	Created By	Updated On	Updated By	Status
Financial Analytics	Account Reconciliation		Nov 12, 2021 11:47:10 PM IST		Sep 7, 2022 08:16:48 PM IST	racle.com	Active
Financial Analytics	Accounts Payable	Apr 27, 2022 10:57:11 PM IST	Nov 12, 2021 02:29:13 AM IST		Sep 7, 2022 08:16:48 PM IST	racle.com	Active
Financial Analytics	Accounts Receivable	Apr 27, 2022 10:57:38 PM IST	Nov 12, 2021 02:29:25 AM IST		Sep 7, 2022 08:16:48 PM IST	racle.com	Active
Financial Analytics	Assets	Apr 27, 2022 10:48:26 PM IST	Nov 16, 2021 07:27:38 PM IST	im	Sep 7, 2022 08:16:48 PM IST	im	Active
Financial Analytics	Customer Collections Risk Prediction		Nov 19, 2021 04:07:15 PM IST	m	Sep 7, 2022 08:16:48 PM IST	m	Active

5. Review the warning message and then click **Refresh Data**.

Warning

Executing an on-demand data refresh while working on the data may cause temporary inconsistencies. Do you want to continue?

Cancel Refresh data

Reset a Data Pipeline for a Functional Area

When you reset a data pipeline for a functional area, you start the process of completely refreshing the data in the data warehouse for the functional area. After you reset the data pipeline for a functional area, the data still exists in the data warehouse related to the functional area.

LiveLabs Sprint

When you issue a request to reset, the Request History page shows that the request is received and accepted. On the next data refresh, Oracle Fusion Analytics Warehouse discards the existing data and loads new data. After resetting the data pipeline, you see the data pipeline for the functional area on the Data Configuration page with the **Reset Completed** status.

In a 24-hour period, you can reset the data pipelines for only 4 functional areas.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, click your service. For example, under Applications, click **Enterprise Resource Planning**.
4. On the service page, for example, the Data Configuration: Oracle Financial Analytics page, click the **Action** menu for the data pipeline for the functional area that you want to reset, and click **Reset**.

Offering	Functional Area	Activated On	Created On	Created By	Updated On	Updated By	Status
Financial Analytics	Account Reconciliation		Nov 12, 2021 11:47:10 PM IST		Sep 7, 2022 08:16:48 PM IST	racle.com	Active
Financial Analytics	Accounts Payable	Apr 27, 2022 10:57:11 PM IST	Nov 12, 2021 02:29:13 AM IST		Sep 7, 2022 08:16:48 PM IST	racle.com	Active
Financial Analytics	Accounts Receivable	Apr 27, 2022 10:57:38 PM IST	Nov 12, 2021 02:29:25 AM IST		Sep 7, 2022 08:16:48 PM IST	racle.com	Active
Financial Analytics	Assets	Apr 27, 2022 10:48:26 PM IST	Nov 16, 2021 07:27:38 PM IST	im	Sep 7, 2022 08:16:48 PM IST	im	Active
Financial Analytics	Customer Collections Risk Prediction		Nov 19, 2021 04:07:15 PM IST	m	Sep 7, 2022 08:16:48 PM IST	m	Active

5. Review the warning message and then click **Reset**.

Warning

Performing this action will reload the data for the selected functional area. The next scheduled run may take additional time to complete. Do you want to continue?



Reset the Data Warehouse

Reset your data warehouse when your data source instance is refreshed from another environment, for example, when the environment is refreshed from production to a test environment. You may also want to reset the data warehouse when the data becomes corrupt.




After resetting the data warehouse, you must activate all of the data pipelines for the functional areas. See [Activate a Data Pipeline for a Functional Area](#)

 **Note:**

Your data isn't available until Oracle Fusion Analytics Warehouse completes all the activations after resetting the data warehouse.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, under **Configurations**, click **Pipeline Settings**.
4. On the Pipeline Settings page, click the **Actions** icon and then click **Reset Data Warehouse**.



5. Review the warning message, provide the details, and then click **Reset**.

Warning

Resetting your data warehouse will delete all your data. This action is irreversible. All the activated functional areas will be moved to Saved state and they need to be reactivated again. Do you want to continue?

Instance

Authorized By

Name

Reset the Cache

The data augmentation source column information is cached in the browser cache and is maintained for a week. If your source has new columns and they don't display in the Data Augmentation wizard, then you can reset the browser cache and retry data augmentation.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, under **Configurations**, click **Pipeline Settings**.
4. On the Pipeline Settings page, click the **Reset Cache** menu option.

Pipeline Settings

Data Pipeline

Data Pipeline Status Enabled

Last Refresh Date Not Available

Global Parameters

Analytics Language

Analytics Currency

Exchange Rate Type

Initial Extract Date


Data Refresh Schedule

Interval

Reset Data Warehouse

Reset cache

You see a message that cache has been cleared successfully.



Reset and Reload the Data Source (Preview)

As a functional administrator, you can reset and reload the data source for several reasons.

For example:

- If you need to change the data source for some reason, then you may want to reset the present data source back to the original state.
- If there is any data issue with the source system and you need to start the entire pipeline all over again.
- Initially if you set up the connection and the pipeline to test some things and then want to start from the beginning again.

You can reset and reload data for all the activated functional areas, augmentations, and custom data configurations. This request may take a long time as it requires all data to be discarded and fetched again. Other requests like the incremental and full load won't start until this request completes.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, under **Configurations**, click **Pipeline Settings**.
4. On the Pipeline Settings page, click the **Actions** icon and then click **Reset & Reload**.

Data Pipeline

Data Pipeline Status Enabled

Last Refresh Date Aug 22, 2023 08:52:30 PM IST

Estimated Refresh Completion Aug 24, 2023 03:30:00 AM IST

Global Parameters

Analytics Language

Analytics Currency

Use Fusion Default Exchange Rate Type

Exchange Rate Type

Initial Extract Date

Data Refresh Schedule

Interval

Time

Timezone

Cancel Save ...

- Reset Data Warehouse
- Reset cache
- Reset & Reload
- Data Source Reset

5. Review the warning message, provide the details, and then click **Submit**.

Reset & Reload ✕

Reset and reload data for all activated functional areas, augmentations and custom data configurations. Note that this request may take a long time as it requires all data discarded and fetched again. Also other requests like Incremental and full load will not be started until this request completes.

▲ Once the request is submitted, it can't be canceled.



Select one or more source data to reload

Datasource

Schedule

Run Immediately

Schedule for later

Time  

Timezone Asia/Calcutta

Notes

Authorized By

Comments

View Load Request History

You can view the data pipeline load request history by functional area, load type, and status along with other details. The request history doesn't display the incremental loads.

LiveLabs Sprint

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, under **Activity History**, click **Request History**.



4. On the Request History page, view the history of loads that have been performed.

About Request Types and Statuses

When you perform tasks on a functional area, you can review the different types of requests involved with those tasks in the Request History area.

Request Types

Request Type	Description
Batch Request	An operation that performs multiple functions such as mapping attributes, or importing and export objects.
Content Patch	A content patch upgrade run.
Full Load (Adhoc)	A full load run that happens immediately upon request.
Full Load (Scheduled)	A request to schedule a full load run.
Module Reset	A request to delete an active functional area or source table.
Refresh Data	The system ran a request to refresh data.
Reset	A request to refresh the data in the data warehouse for the functional area.
Reset Data Warehouse	A request to reset the warehouse. This reset deletes all the customer-added warehouse data.
Target Model Upgrade	A request to upgrade the target model to the latest available version.

Request Statuses


Request Status	Description
Activation Completed	The job ran successfully and is now complete.
Activation in Progress	<ul style="list-style-type: none"> • The job is running. • The job is resolving.
Activation Scheduled	<ul style="list-style-type: none"> • Job is scheduled to run within one minute. • Job is scheduled to run at the specified date and time.
Deactivation Complete	The job is removed from Active status.
InActive	The job isn't saved or scheduled to run.
Received	The job request is submitted.
Saved	Job is saved but not scheduled to run.

View the Audit Log

You can view the data configuration-related actions that were performed such as activation of a data pipeline for a functional area, setting up of reporting parameters, and saving a data augmentation.

LiveLabs Sprint

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, under **Activity History**, click **Audit Log**.




4. On the Audit Log page, view the list of all the performed actions.






View Records Rejected in Extraction

The extraction service stores rejected records in the Warehouse Refresh Statistics dashboard. You can view this dashboard to see which records were rejected and analyze why they were rejected.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse click **Projects**.
3. On the Catalog page, click **Shared Folders**, click **Common**, and then click **Warehouse Refresh Statistics**.



The screenshot shows the Oracle Fusion Analytics Warehouse Catalog page. The 'Shared Folders' and 'Common' tabs are highlighted with red boxes. Below the tabs is a table listing various folders. The 'Warehouse Refresh Statistics' folder is highlighted with a red box.

Type	Name	Description	Owner	Modified
	Usage Tracking		ServiceAd...	Mar 27, 2023
	Custom Data Usage		ServiceAd...	Mar 7, 2023
	Data Validation		ServiceAd...	Mar 27, 2023
	Security Audit		ServiceAd...	Jan 11, 2023
	Warehouse Refresh Statistics	Warehouse Refresh	ServiceAd...	Apr 3, 2023

4. In the Warehouse Refresh Statistics dashboard, click the Related Reject Records tab to view the records that were rejected.

Warehouse Refresh Statistics

Job Identifier Reject Record Description Table Name Year Quarter Month Week Process Description

Related Reject Records

Key Values	Primary Key Columns	Count of Reject Records
0	EvalItemid	2
0 null null 0 null	CandProfileUsageld EffectiveEndDate EffectiveLatestChange EffectiveSequence EffectiveStartDate	2
100000233056497 300000142100870 S-003-10001	InventoryItemid LotNumber Organizationid	2
100000471894766 300000178327892 BBL100000	InventoryItemid LotNumber Organizationid	2
100000471894766 300000178327892 FFL1000000	InventoryItemid LotNumber Organizationid	2
100000471894766 300000178327892 FFL100001	InventoryItemid LotNumber Organizationid	2
100000471894766 300000180500778 BBL10001	InventoryItemid LotNumber Organizationid	2
100000471894766 300000180500778 FFL10001	InventoryItemid LotNumber Organizationid	2
100000471894766 300000180500796 BBL10001	InventoryItemid LotNumber Organizationid	2
100000471894766 300000180500796 FFL10001	InventoryItemid LotNumber Organizationid	2
100000490929546	PROFILE_ITEM_ID	85
100000490929548	PROFILE_ITEM_ID	85
100000490929568	PROFILE_ITEM_ID	85
100000490929570	PROFILE_ITEM_ID	85
100000490929585	PROFILE_ITEM_ID	85


Overview Job Details **Related Reject Records**

Prioritize Datasets for Incremental Refresh (Preview)


As a functional administrator, you can select datasets to prioritize for incremental refresh over others. For example, at the end of the quarter, you want to prioritize some of the datasets that have bookings data over other datasets.

You can search for and choose datasets based on the functional areas. The incremental refresh process automatically selects the dependent datasets. For example, if you select DW_GL_JOURNAL_CF, then the incremental refresh process automatically pulls in DW_GL_JOURNAL_F. The incremental refresh process runs the priority dataset refresh first from end-to-end, followed by the regular incremental refresh. The objects processed in the priority dataset refresh are reprocessed in the regular incremental refresh. The prioritized datasets are automatically available for frequent data refresh. See [Schedule Frequent Refreshes of Data](#).

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, under **Configurations**, click **Pipeline Settings**.



4. On the Pipeline Settings page, click the Prioritized Data Refresh tab.



5. In the Prioritized Data Refresh section, select the datasets that you want for the priority refresh.
6. Click **Save**.

About Augmenting Your Data

Enhance the data used in your analytics with additional data, various calculations, and combinations to enable comprehensive analytics and multi-faceted visualizations. By augmenting the data, you can reduce or even eliminate the manual intervention in developing meaningful insight of the business data.

 [LiveLabs Sprint](#)

Data augmentation enables you to augment the data you bring from Oracle Fusion Cloud Applications and other sources that you can connect to using the Oracle Fusion Analytics Warehouse connectors. See the *Connectors* section in [Features Available for Preview](#). You can add data to your reports from various data stores (Business Intelligence view objects) of the Oracle Fusion Cloud Applications data sources. You can augment your reports with datasets created by extending an existing entity or

group of facts, by adding a new dimension in the target instance, and by adding a new fact in the target instance.

Select the columns from data stores, create an augmentation dataset, and use that dataset to create data pipelines for functional areas. Using an augmentation dataset enables you to seamlessly extract and load data from additional Oracle Fusion Cloud Applications data stores and make the data available to tables in the data warehouse. You can then use the data for visualization and analysis. To find the data stores that are available for extraction using augmentation, see the *Data Stores* section in *Reference for Oracle Fusion SCM Analytics*, *Reference for Oracle Fusion HCM Analytics*, and *Reference for Oracle Fusion ERP Analytics*. Although there is no technical limit, you can create a maximum of hundred data augmentations for a single tenant to ensure optimal performance of all data pipelines. Contact Oracle Support if you have further questions.

Here are a few use cases when augmenting your Oracle Fusion Cloud Applications data with data from several data stores enables in-depth and focused insights:

- Product sales – Add similar product information from different data sources to create a report that compares similar products in a specific region.
- Average of expense invoices – Add various expense invoices to create an average of periodic expenses.

Augment Your Data

You can supplement the data in your reports by using datasets that you create with specific columns from various data stores (Business Intelligence view objects) of the Oracle Fusion Cloud Applications data sources.

Refer to [Review Database Lineage Mappings and View Objects](#) while deciding which view objects to use in the data augmentations.

While creating a data augmentation, you can select these:

- **Augmentation Type:** When you want to create a data augmentation on the data loaded from a connector or from the Oracle Fusion Cloud Applications source, you need to create a dimension with a column identified as "primary key" and then join this dimension table with a fact table where the same column is assigned the Dimension attribute, so that column is your join key. In this drop-down list, you can select the appropriate step.
- **Source Dataset Type:** For a dataset that doesn't require any transform, select Supplemental Data. If transform is required, then select the Transformation option.
- **Pillar:** This option is available if your source is Oracle Fusion Cloud Applications. Select the applicable pillar as the data source. For sources that have only one pillar or don't have any pillars, this option isn't visible.
- **Source Table Type:** You can use the system provided or customer provided source tables. The system provided tables are pre-validated by Oracle Fusion Analytics Warehouse. The customer provided tables are other source tables that are available for extraction but aren't validated by Oracle Fusion Analytics Warehouse. As a user with the functional administrator or system administrator application role, you can allow usage of a particular table that isn't pre-validated by Oracle Fusion Analytics Warehouse. However, Oracle can't ensure the success of processing such custom tables or any performance impacts, such as delays in the daily refreshing of data. For the remote agent sources like on-premises E-Business Suite, PeopleSoft, and JD Edwards, use the system provided source tables option. The extract service can't connect to these remote sources directly to fetch the column list for the customer provided table.

- **Source Table:** You can provide a single table name or a comma separated list of source table names in this field.

While creating a data augmentation, you can change the size of a column. However, you must ensure that the maximum size is within the allowed permission limit for a given datatype in the target database. To determine the maximum permissible size for each data type, see the "Oracle Built-in Data Types" section in the Oracle database documentation. Currently, the allowed datatypes in data augmentation are DATE, NUMBER, TIMESTAMP, and VARCHAR2.

After you create the augmentations, you see them on the Data Augmentation page with one of these statuses:


- **Activation in Progress** - You can't edit, delete, or schedule a data augmentation pipeline job while activation is in progress.
- **Activation Completed** - You can edit the data augmentation to add or delete attributes of the view objects and save the changes. You can't modify the schedule in this status.
- **Activation Scheduled** - You can edit the data augmentation to add attributes of the view objects, save the changes while retaining the existing schedule, reschedule the execution date and time, or execute the plan immediately.

 **Note:**

You can change the names of the columns that you've added from the various data sources in your data augmentation. Later if you delete a data augmentation, then you must wait for the daily incremental run to complete to see the change in the reports, cards, and decks.

When you edit an augmentation, Oracle Fusion Analytics Warehouse submits a request to refresh the data immediately. During this time, you can't perform another edit action.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, under Configurations, click **Data Augmentation**.



4. On the Data Augmentation page, click **Create**.



You can create the following augmentation types:

- [Create a dimension](#).
- [Create a fact](#).
- [Extend an entity](#).

Create Dimension Augmentation Type

You can augment your reports with datasets created by adding a new dimension in the target instance.

Ensure that the custom dimensions that you create in augmentations are used by facts. If they aren't used, then the custom dimensions aren't visible in the subject areas. See [Create Fact Augmentation Type](#).

You must ensure that any column with primary key doesn't have null values, otherwise the extract process rejects the entire dataset or table. If there are multiple columns with primary keys, then you must ensure that none of those columns have null values. If any of them have null values, then Oracle Fusion Analytics Warehouse rejects the entire extraction job. If Oracle Fusion Analytics Warehouse rejects the extraction job, then the corresponding augmentation is also rejected.

1. In step 1 of the Data Augmentation wizard, select **Create Dimension** in **Augmentation Type** to add a new dimension in the target instance.

2. Select **Supplemental Data (Regular)** in **Source Dataset Type**.
3. In **Pillar**, select a product pillar; for example, **Enterprise Resource Planning**.
4. In **Source Table Type**, specify the source table type using either of the options and then click **Next**:
 - Select **System Provided** and then in **Source Table**, select a table to which you want to add the new dimension.
 - Select **Customer Provided** and then in **Source Table**, enter the name of the table to which you want to add the new dimension.
5. In step 2 of the wizard, select the check box for the attributes from the source table that you want in your new dimension, and then click **Next**.
6. In step 3 of the wizard, click **Action** icon for each of the selected attributes to specify the **Type** and **Treat as** settings, and then click **Next**.
7. In step 6 of the wizard, provide the following details and click **Finish** to save and schedule your data augmentation pipeline job:
 - a. Name your augmentation pipeline job; for example, `Customer Class Code`.
 - b. Enter a suffix for the target table name using underscore in place of spaces between words and don't use special characters; for example, `Customer_Class_D`. The augmentation process automatically creates the target table name.
 - c. Provide a description.
 - d. Select the functional area and one or multiple subject areas in which you want to include this augmentation pipeline job.
 - e. Specify the options to save the data augmentation pipeline job without executing it, or schedule the execution date and time, or execute it immediately.

Create Fact Augmentation Type

You can augment your reports with datasets created by adding a new fact in the target instance.

If you've created custom dimensions for augmentations, then you can select such dimensions to map to the column that you identify as the Dimension entity type. This enables the custom dimensions to be visible in the subject areas.

You must ensure that any column with primary key doesn't have null values, otherwise the extract process rejects the entire dataset or table. If there are multiple columns with primary keys, then you must ensure that none of those columns have null values. If any of them have null values, then Oracle Fusion Analytics Warehouse rejects the entire extraction job. If Oracle Fusion Analytics Warehouse rejects the extraction job, then the corresponding augmentation is also rejected.

1. In step 1 of the Data Augmentation wizard, select **Create Fact** in **Augmentation Type** to add a new fact table in the target instance.

← Data Augmentation 20

Cancel 1 2 3 4 5 6 Next →

Source Selection Attribute Selection Column Options Entity Options Dimension Keys Schedule and Save

Select a pillar and a source table to add a data augmentation to the warehouse.

Augmentation Type: Create Fact

Source Dataset Type: Select Source Dataset type

Pillar: Select Pillar

Source Table Type: System Provided

Source Table: Select Source Table

2. Select **Supplemental Data (Regular)** in **Source Dataset Type**.
3. In **Pillar**, select a product pillar; for example, **Enterprise Resource Planning**.
4. In **Source Table Type**, specify the source table type using either of the options and click **Next**:
 - Select **System Provided** and then in **Source Table**, select a table to which you want to add the new dimension.
 - Select **Customer Provided** and then in **Source Table**, enter the name of the table to which you want to add the new dimension.
5. In step 2 of the wizard, select the check box for the attributes from the source table that you want in your new fact, and then click **Next**.
6. In step 3 of the wizard, click **Action** icon for each of the selected attributes to specify the **Type** and **Treat as** settings and then click **Next**.

Ensure that you select at least one attribute as a measure to proceed through the wizard.

7. In step 5 of the wizard, specify the dimension in the data warehouse that you want to map to the column that you identified as the Dimension entity type and then click **Next**.
8. In step 6 of the wizard, provide the following details and click **Finish** to save and schedule your data augmentation pipeline job:
 - a. Name your augmentation pipeline job; for example, AP Distribution.
 - b. Enter a suffix for the target table name using underscore in place of spaces between words and don't use special characters; for example, AP_DISTRIBUTION_F. The augmentation process automatically creates the target table name.
 - c. Provide a description.
 - d. Select the functional area and one or multiple subject areas in which you want to include this augmentation pipeline job.
 - e. Specify the options to save the data augmentation pipeline job without executing it, or schedule the execution date and time, or execute it immediately.

Extend an Entity

You can augment your reports with datasets created by extending an existing entity or group of facts.

While extending an entity or group of facts, ensure that you select Descriptive Flex Field (New) as the source dataset type to select the necessary columns for the augmentation. The existing approach of skipping the column selection is deprecated and won't be available from a future release.

You must ensure that any column with a primary key doesn't have null values, otherwise the extract process rejects the entire dataset or table. If there are multiple columns with primary keys, then you must ensure that none of those columns have null values. If any of them have null values, then Oracle Fusion Analytics Warehouse rejects the entire extraction job. If Oracle Fusion Analytics Warehouse rejects the extraction job, then the corresponding augmentation is also rejected.

1. In step 1 of the Data Augmentation wizard, select **Extend Entity** in **Augmentation Type**.

The screenshot shows the 'Data Augmentation' wizard interface. At the top, there is a navigation bar with a back arrow, the title 'Data Augmentation', and a help icon. Below the navigation bar is a progress indicator with six steps: 1. Source Selection (highlighted with a red circle), 2. Attribute Selection, 3. Column Options, 4. Entity Options, 5. Dimension Keys, and 6. Schedule and Save. A 'Cancel' button is on the left and a 'Next' button with a right arrow is on the right. The main content area has the instruction: 'Select a pillar and a source table to add a data augmentation to the warehouse.' Below this are five dropdown menus: 'Augmentation Type' (set to 'Extend Entity'), 'Source Dataset Type' (set to 'Select Source Dataset type'), 'Pillar' (set to 'Select Pillar'), 'Source Table Type' (set to 'System Provided'), and 'Source Table' (set to 'Select Source Table').

2. Select **Descriptive Flex Field (New)** in **Source Dataset Type**.
3. In **Pillar**, select a product pillar; for example, **Enterprise Resource Planning**.
4. In **Source Table Type**, specify the source table type using either of the options:
 - Select **System Provided** and then in **Source Table**, select a table to which you want to add the new dimension.
 - Select **Customer Provided** and then in **Source Table**, enter the name of the table to which you want to add the new dimension.
5. Select a source table from the list of view objects that support descriptive flex fields and then click **Next**.
6. In step 2 of the wizard, select the check box for the attributes from the source table that you want in your target table, and then click **Next**.
7. In step 3 of the wizard, click the **Action** icon for each of the selected attributes to specify the **Type** and **Treat as** settings, and then click **Next**.
8. In step 4 of the wizard, select the entity or group of fact tables to extend and its primary keys, and then click **Next**. For example, if you select **ARTransaction** as the entity to extend, then this process joins the ready-to-use **InvoiceID** descriptive flex field using the **s_k_5000** primary join key with all the fact tables in the ARTransaction entity.
9. In step 5 of the wizard, choose the primary keys for the attributes that you had specified to be treated as dimensions.
10. In step 6 of the wizard, provide the following details and click **Finish** to save and schedule your data augmentation pipeline job:
 - a. Name your augmentation pipeline job; for example, `AP Invoice Header`.
 - b. Enter a suffix for the target table name using underscore in place of spaces between words and don't use special characters; for example, `AP_Invoice_Header_DFF`. The augmentation process automatically creates the target table name.
 - c. Provide a description.
 - d. Select the functional area and one or multiple subject areas in which you want to include this augmentation pipeline job.
 - e. Specify the options to save the data augmentation pipeline job without executing it, or schedule the execution date and time, or execute it immediately.

Create a Dimension Alias

Dimension alias are alias names on the warehouse dimension tables. You can specify the alias names for the Dimension type augmentations and the data that is in the warehouse already as dimensions. The alias names enable you to reuse the existing warehouse tables with different names in the subject areas.

You create dimension aliases as a type of augmentation. This is useful when you want to reinstate a dimension for analysis. For example, if the Purchase Requisition has columns such as “Requested By”, “Ordered By”, and “Received By”, all of which are different types of employees, and you need to analyze for each type, then you need to join the fact table to the employee table for each type. In this case, the employee dimension is aliased as “Requested By Employee Dim”, “Ordered By Employee Dim” and “Received By Employee Dim” and joined to the fact table using the appropriate keys.

When you create the aliases, Oracle Fusion Analytics Warehouse doesn't copy the data for the dimension aliases. These augmentations don't have a pipeline status, but they are visible in the subject area.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, under **Configurations**, click **Data Augmentation**.
4. On the Data Augmentation page, click **Create**, and select **Dimension Alias**.



5. In the Add Dimension Alias dialog, in **Source Dimension**, select a dimension from the source tables such as Employee.

Add Dimension Alias
✕

Select a source dimension to present with an aliased name in selected Subject Areas.

Source Dimension *

Select a dimension ▼

Dimension alias *

Provide an alias name for display

Table Name *

DW_FA_X_

Subject Areas to expose alias

Select one or more Subject Areas

Description *

Enter dimension alias description

Cancel

Save


6. In **Dimension Alias**, enter a name such as Employee Dim.
In **Table Name**, Oracle Fusion Analytics Warehouse displays the name such as DW_FA_X_EMPLOYEE_DIM.
7. In **Subject Areas to expose alias**, select one or more subject areas from the subject areas where the original source dimension exists.
8. Add a description of the dimension alias.
9. Click **Save**.

About Managing Data Connections

You can connect to a variety of data sources and remote applications to provide the background information for reports. You can blend the additional data from the various data sources with the ready-to-use datasets to enhance business analysis.

Oracle Fusion Analytics Warehouse can connect to other pre-validated data sources such as Oracle Object Storage, cloud applications such as Google Analytics, and on-premises applications such as Oracle E-Business Suite. You'll need to create a data connection type before you create a data connection using that type.

You can view the usage of capacity for custom data that is loaded into Oracle Fusion Analytics Warehouse through the connectors in the Custom Data Usage dashboard available in the Common folder. The dashboard shows data loaded daily and monthly from each of the activated external data sources.



Topics

- [Create a Data Connection Type](#)
- [Edit a Data Connection Type](#)
- [Delete a Data Connection Type](#)
- [Create a Data Connection](#)
- [Test a Data Connection](#)
- [Update a Data Connection](#)
- [Delete a Data Connection](#)
- [Load Data from a Remote Agent into Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from On-premises E-Business Suite into Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from Azure SQL into Oracle Fusion Analytics Warehouse \(Preview\)](#)
- [Connect with Your Oracle Eloqua Data Source](#)


- [Load Data from Enterprise Performance Management into Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from EPM Export Data Instance into Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from On-premises PeopleSoft into Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from Google Analytics into Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from Salesforce into Fusion Analytics Warehouse \(Preview\)](#)
- [Load the Bureau of Labor Statistics Data into Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from Shopify into Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from a Secure FTP Source into Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from Oracle Autonomous Database into Oracle Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from Oracle Object Storage into Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from On-premises JD Edwards into Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from Amazon Simple Storage Service into Oracle Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from Snowflake into Oracle Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from Taleo into Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from Oracle BI Publisher into Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from Oracle Database Using JDBC into Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from QuickBooks Online into Oracle Fusion Analytics Warehouse \(Preview\)](#)
- [Load Data from SQL Server into Oracle Fusion Analytics Warehouse \(Preview\)](#)

Create a Data Connection Type

Connection Type specifies the source to which you are connecting. A connection type can have multiple connections.

You can create a custom data source type for any remote data connection. Be sure to create the data connection type before using it to [Create a Data Connection](#).


1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, click **Manage Connections** under **Configurations**.



- On the Manage Connections page, click **Create** and then click **Connection Type**.



- In the Create Connection Type dialog, enter the **Name**, **Identifier**, and **Prefix for warehouse** for the connection type.



- Click **Add Property** and enter the parameters for each property that defines the connection.
- When you've finished adding the connection properties, you can reorder them as needed.
- Click **Save the Connection Type**.

The new connection is available on the Connections page.

Edit a Data Connection Type

If the properties or parameters for a data connection type change, you can edit them.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, click **Manage Connections** under **Configurations**.
4. On the Manage Connections page, click **Connection Types** and then click or search for the connection type you want to edit.

You can't edit or delete Oracle-managed connections.

5. Click the **Action** button next to the connection type you want to change.
6. In the dialog box for the connection type, edit the details for your connection type, and then click **Save**.

Delete a Data Connection Type

You can delete a data connection type if you don't need it anymore.



Note:

After you delete a connection type, you can't create new data connections to it.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, click **Manage Connections** under **Configurations**.
4. On the Manage Connections page, click **Connections**, then select or search for the connection you want to test.
5. Click the **Action** menu for the connection and select **Delete**.
6. In the Delete Connection dialog box, click **Delete**.


Create a Data Connection

You can create a data connection for any available connection type.

You need a connection type to create a data connection. You can either use a ready-to-use data connection type or [Create a Data Connection Type](#) that meets your business requirements.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, click **Manage Connections** under **Configurations**.

4. On the Manage Connections page, click **Create** and then click **Connection**.
5. In the Create Connection dialog, click or search for the connection type you want to create.



6. In the dialog box for the connection, enter the details for your connection in the fields.
7. Click **Save**.

The new connection is available on the Connections page.

Test a Data Connection

After you create a data connection, you should test it to ensure it works properly.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, click **Manage Connections** under **Configurations**.
4. On the Manage Connections page, click **Connections**, then select or search for the connection you want to test.
5. Click the **Action** menu for the connection and select **Test Connection**.
6. On the Request History page, check the status of the request to test the connection.

Update a Data Connection

When you first make a data connection, or when you make changes, you need to initialize and refresh it.

1. Sign in to the Oracle Cloud Infrastructure Console.
2. In Oracle Cloud Infrastructure Console, click the Navigation menu icon in the top left corner.
3. Click **Analytics & AI**. Under Analytics, click **NetSuite Analytics Warehouse**.
4. Navigate to your service instances page.
5. On the Instances page, click the instance for which you want to update the service.
6. Click **Connections**, then select or search for the connection you want to test.
7. Click the **Action** menu for the connection and select **Initialize/Refresh Connection**.

Delete a Data Connection

You can delete a custom data connections if you don't need it anymore.



Note:

You can't update or load data from deleted data connections to the warehouse.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, click **Manage Connections** under **Configurations**.
4. On the Manage Connections page, click **Connections**, then select or search for the connection you want to test.
5. Click the **Action** menu for the connection and select **Delete**.
6. In the Delete Connection dialog box, click **Delete**.

Connect With On-premises Sources

Connect with your on-premises applications to provide the background information for reports.

You can blend the additional data from these data sources with the ready-to-use datasets to enhance business analysis.

Load Data from a Remote Agent into Fusion Analytics Warehouse (Preview)

As a service administrator, you can use an extract service remote agent to connect to your on-premises systems and use the on-premises data to create data augmentations.

After connecting to your on-premises system, the remote agent extracts the data and loads it into the autonomous data warehouse associated with your Oracle Fusion Analytics Warehouse instance. The remote agent pulls the metadata through the public extract service REST API and pushes data into object storage using the object storage REST API. You can extract and load the on-premises data into Oracle Fusion Analytics Warehouse only once in 24 hours.

Ensure that **Remote Agent** is enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. Download the remote agent docker image from [here](#).
2. Identify a host to deploy the remote agent.

The host that you identify must meet these minimum system requirements for the basic configuration of a single source agent:

- CPU: 4 (CORE/CPU)
- Memory: 8 GB
- Storage: 8 GB

 **Note:**

The host must be able to make a JDBC connection to the JD Edwards database.

3. Copy the docker image to the host and load it using this script:

```
docker load -i <docker image zip>
//List the images docker images
```

4. Create and run the docker container using this script:

```
docker run -d -p 9091:9091 --name remoteagent -v /faw/software/
remoteagent/config:/faw/software/remoteagent/config/ -v /faw/logs/
RemoteAgent:/faw/logs/RemoteAgent <docker image Id>
```

If the remote agent user interface isn't accessible, then run this script:

```
sudo docker run -d -p 9091:9091 --name remoteagent --network host -
v /faw/software/remoteagent/config:/faw/software/remoteagent/
config/ -v /faw/logs/RemoteAgent:/faw/logs/RemoteAgent <docker
image Id>
```


 **Note:**

Ensure that the logs directory in `/faw/logs/RemoteAgent/` has write permissions and the config folder in `/faw/software/remoteagent/config/` is present in case you need to add custom properties.


5. If you've a firewall that prevents you from accessing the remote agent, then ensure that you complete these steps before starting the docker container for the first time:
 - a. Disable the firewall in the Linux host where docker is deployed.
 - b. Start the docker container.
 - c. Check the logs to see if the container is started.
 - d. Enable the firewall.
 - e. Open the port using this script:

```
sudo firewall-cmd --zone=public --add-port=9091/tcp --permanent  
sudo firewall-cmd --reload  
sudo iptables-save | grep 9091
```


6. Verify that the container has started successfully using this script:

```
run '$ docker ps'
```

7. Configure the extract service URL to connect using this information:
 - a. Sign in to the remote agent user interface using `http://<host>:9091/extractservice-remoteagent/index.html`.
 - b. Configure the extract service URL that the remote agent connects to and configure any outgoing proxies if required using the applicable extract service end points. You can form the extract service url based on your Oracle Fusion Analytics Warehouse url by replacing `ui/oax/` with the extract service context path. For example, if your product url is `https://myinstance.example.com/ui/oax/` then the extract service url would be `https://myinstance.example.com/extractservice`.
 - c. Configure the JD Edwards data source outbound proxy in the remote agent user interface. You see the extract service URL. For example, you see `http://<server IP>/extractservice`.
8. In the remote agent user interface, click **Configure** to configure the agent.
9. Copy the configuration details from the text box or download the configuration details. You use it to set up the connection on the Data Configuration page in Oracle Fusion Analytics Warehouse.
10. Configure the remote agent on the Data Configuration page in Oracle Fusion Analytics Warehouse using these instructions:
 - a. On the **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.
 - c. On the Manage Connections page, click **Create** and then click **Connection**.
 - d. In Create Connection, select **Remote Agent** as the connection type.



- e. In the Create Connection Remote Agent dialog, in **Connection Name**, you can modify the default name and verify that **Remote** is displayed in **Connectivity Type**.



- f. Enter an email address to receive notifications in **Notification Email**, provide the **Identifier** and **Host**, in **Public Key**, click **Upload File or Drop Above** to fill in the details of the remote agent, and then click **Save**. You can add the

configuration details file that you had downloaded or use the configuration details that you had copied after configuring the remote agent.

Load Data from On-premises E-Business Suite into Fusion Analytics Warehouse (Preview)

As a service administrator, you can use an extract service remote agent to connect to your on-premises Oracle E-Business Suite system.

After connecting to your on-premises system, the remote agent extracts the data and loads it into the autonomous data warehouse associated with your Oracle Fusion Analytics Warehouse instance. The remote agent pulls the metadata through the public extract service REST API and pushes data into object storage using the object storage REST API. You can extract and load the on-premises data into Oracle Fusion Analytics Warehouse only once a day.

Ensure that **Oracle E-Business Suite On-Prem** is enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. Download the remote agent docker image from [here](#).
2. Identify a host to deploy the remote agent.

The host that you identify must meet these minimum system requirements for the basic configuration of a single source agent:

- CPU: 4 (CORE/CPU)
- Memory: 8 GB
- Storage: 8 GB

Note:

The host must be able to make a JDBC connection to the E-Business Suite database.

3. Copy the docker image to the host and load it using this script:

```
docker load -i <docker image zip>
//List the images docker images
```

4. Create and run the docker container using this script:

```
docker run -d -p 9091:9091 --name remoteagent -v /faw/software/
remoteagent/config:/faw/software/remoteagent/config/ -v /faw/logs/
RemoteAgent:/faw/logs/RemoteAgent <docker image Id>
```

If the remote agent user interface is not accessible, then run this script:

```
sudo docker run -d -p 9091:9091 --name remoteagent --network host -v /faw/
software/remoteagent/config:/faw/software/remoteagent/config/ -v /faw/
logs/RemoteAgent:/faw/logs/RemoteAgent <docker image Id>
```

 **Note:**

Ensure that the “logs” directory in `/faw/logs/RemoteAgent/` has write permissions and the “config” folder in `/faw/software/remoteagent/config/` is present in case you need to add custom properties.

5. Verify that the container has started successfully using this script:

```
run '$ docker ps'
```

6. Configure the extract service URL to connect using this information:
 - a. Sign in to the remote agent user interface using `http://<host>:9091/extractservice-remoteagent/index.html`.
 - b. Configure the extract service URL that the remote agent connects to and configure any outgoing proxies if required using the applicable extract service end points.
 - c. Configure the E-Business Suite data source outbound proxy in the remote agent user interface. You see the extract service URL. For example, you see `http://<server IP>/extractservice`.
7. In the remote agent user interface, click **Configure** to configure the agent.
8. Copy the configuration details from the text box or download the configuration details.


You use it to set up the agent on the Data Configuration page in Oracle Fusion Analytics Warehouse.

9. Configure the remote agent and E-Business Suite data source on the Data Configuration page in Oracle Fusion Analytics Warehouse using these instructions:
 - a. On the **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.
 - c. On the Manage Connections page, click **Create** and then click **Connection**.
 - d. In Create Connection, select **Remote** as the remote agent connection type.


 **Note:**

The “Remote” and “EBS” connection types are ready-to-use.

- e. Click **Add File or drop down** to fill in the details of the remote agent. You can add the configuration details file that you had downloaded or use the configuration details that you had copied after configuring the remote agent. See [Create a Data Connection](#).
- f. In Create Connection, select **Oracle E-Business Suite** as the connection type.



- g. In Create Connection for Oracle E-Business Suite On-Prem, select **Remote** as connectivity type.



- h. In the **Remote Agent** field, select the remote agent connection that you created, for example, **Remote Agent**. Enter an email address to receive notifications in **Notification Email**, provide the credentials and E-Business Suite connection URL, and select the E-Business Suite offerings that you want to load data from.
- i. Confirm that you see the Remote Agent and E-Business Suite connections on the Manage Connections page.
- j. On the Manage Connections page, select the **Actions** menu for the E-Business Suite connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for E-Business Suite unless you perform a metadata extract.

- k. Test both the connections by selecting the **Test Connection** option in the **Actions** menu. You can check the statuses of all these requests on the Data Configuration Request History page.
10. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the E-Business Suite data. Ensure that you select **Regular** as the source dataset type and **EBS** as the pillar. Select the applicable E-Business Suite source tables. See Augment Your Data.

Load Data from On-premises PeopleSoft into Fusion Analytics Warehouse (Preview)

As a service administrator, you can use an extract service remote agent to connect to your on-premises Oracle PeopleSoft system.

After connecting to your on-premises system, the remote agent extracts the data and loads it into the autonomous data warehouse associated with your Oracle Fusion Analytics Warehouse instance. The remote agent pulls the metadata through the public extract service REST API and pushes data into object storage using the object storage REST API. You can extract and load the on-premises data into Oracle Fusion Analytics Warehouse only once in 24 hours.

Ensure that **Remote Agent** and depending on the functional module you want to connect to, the applicable feature is enabled on the Enable Features page prior to creating this connection:

- **Oracle PeopleSoft On-Prem - Campus Solutions**
- **Oracle PeopleSoft On-Prem - Financials**
- **Oracle PeopleSoft On-Prem - Human Resources**
- **Oracle PeopleSoft On-Prem - Learning Management**

See [Make Preview Features Available](#).

1. Download the remote agent docker image from [here](#).
2. Identify a host to deploy the remote agent.

The host that you identify must meet these minimum system requirements for the basic configuration of a single source agent:

- CPU: 4 (CORE/CPU)
- Memory: 8 GB
- Storage: 8 GB

 **Note:**

The host must be able to make a JDBC connection to the PeopleSoft database.

3. Copy the docker image to the host and load it using this script:

```
docker load -i <docker image zip>
//List the images docker images
```

4. Create and run the docker container using this script:

```
docker run -d -p 9091:9091 --name remoteagent -v /faw/software/
remoteagent/config:/faw/software/remoteagent/config/ -v /faw/logs/
RemoteAgent:/faw/logs/RemoteAgent <docker image Id>
```

If the remote agent user interface is not accessible, then run this script:

```
sudo docker run -d -p 9091:9091 --name remoteagent --network host -v /faw/
software/remoteagent/config:/faw/software/remoteagent/config/ -v /faw/
logs/RemoteAgent:/faw/logs/RemoteAgent <docker image Id>
```

 **Note:**

Ensure that the “logs” directory in `/faw/logs/RemoteAgent/` has write permissions and the “config” folder in `/faw/software/remoteagent/config/` is present in case you need to add custom properties.

5. If you've a firewall that is preventing you from accessing the remote agent, then ensure that you complete these steps before starting the docker container for the first time:
 - a. Disable the firewall in the Linux host where docker is deployed.
 - b. Start the docker container.
 - c. Check the logs to see if the container is started.
 - d. Enable the firewall.
 - e. Open the port using this script:


```
sudo firewall-cmd --zone=public --add-port=9091/tcp --permanent
sudo firewall-cmd --reload
sudo iptables-save | grep 9091
```

6. Verify that the container has started successfully using this script:


```
run '$ docker ps'
```

7. Configure the extract service URL to connect using this information:
 - a. Sign in to the remote agent user interface using `http://<host>:9091/extractservice-remoteagent/index.html`.
 - b. Configure the extract service URL that the remote agent connects to and configure any outgoing proxies if required using the applicable extract service end points.
 - c. Configure the PeopleSoft data source outbound proxy in the remote agent user interface. You see the extract service URL. For example, you see `http://<server IP>/extractservice`.
8. In the remote agent user interface, click **Configure** to configure the agent.
9. Copy the configuration details from the text box or download the configuration details.

You use it to set up the connection on the Data Configuration page in Oracle Fusion Analytics Warehouse.
10. Configure the remote agent and PeopleSoft data source on the Data Configuration page in Oracle Fusion Analytics Warehouse using these instructions:
 - a. On the **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.
 - c. On the Manage Connections page, click **Create** and then click **Connection**.
 - d. In Create Connection, select **Remote Agent** as the connection type.
 - e. In the Create Connection Remote Agent dialog, in **Connection Name**, you can modify the default name and verify that **Remote** is displayed in **Connectivity Type**.
 - f. Enter an email address to receive notifications in **Notification Email**, provide the **Identifier** and **Host**, in **Public Key**, click **Upload File or Drop Above** to fill in the details of the remote agent, and then click **Save**. You can add the configuration details file that you had downloaded or use the configuration details that you had copied after configuring the remote agent.
 - g. Navigate to the Manage Connections page, click **Create** and then click **Connection**.
 - h. In Create Connection, select the connection type based on the functional module that you want to connect to. For example, to connect to the "Financials" module, select **Oracle PeopleSoft On-Prem - Financials** as the connection type.



- i. In Create Connection for Oracle PeopleSoft On-Prem - Financials dialog, in **Connectivity Type**, verify that **Remote** is selected automatically.



- j. In **Remote Agent**, select the remote agent connection that you created earlier, for example, **Remote Agent**.
- k. Enter an email address to receive notifications in **Notification Email**, provide credentials for your PeopleSoft source in **User Name** and **Password**, and the URL of your PeopleSoft source in **URL**.
- l. Confirm that you see the Remote Agent and PeopleSoft connections on the Manage Connections page.
- m. On the Manage Connections page, select the **Actions** menu for the PeopleSoft connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for PeopleSoft unless you perform a metadata extract.

- n. Test both the connections by selecting the **Test Connection** option in the **Actions** menu. You can check the statuses of all these requests on the Data Configuration Request History page.
11. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the PeopleSoft data. Ensure that you select **Regular** as the source dataset type and **PSFT** as the pillar. Select the applicable PeopleSoft source tables. See [Augment Your Data](#).

Load Data from On-premises JD Edwards into Fusion Analytics Warehouse (Preview)

As a service administrator, you can use an extract service remote agent to connect to your on-premises JD Edwards system and use the JD Edwards data to create data augmentations.

After connecting to your on-premises system, the remote agent extracts the data and loads it into the autonomous data warehouse associated with your Oracle Fusion Analytics Warehouse instance. The remote agent pulls the metadata through the public extract service REST API and pushes data into object storage using the object storage REST API. You can extract and load the on-premises data into Oracle Fusion Analytics Warehouse only once in 24 hours.

Ensure that **Remote Agent** and **Oracle JD Edwards On-Prem** are enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. Download the remote agent docker image from [here](#).
2. Identify a host to deploy the remote agent.

The host that you identify must meet these minimum system requirements for the basic configuration of a single source agent:

- CPU: 4 (CORE/CPU)
- Memory: 8 GB
- Storage: 8 GB

 **Note:**

The host must be able to make a JDBC connection to the JD Edwards database.

3. Copy the docker image to the host and load it using this script:

```
docker load -i <docker image zip>
//List the images docker images
```

4. Create and run the docker container using this script:

```
docker run -d -p 9091:9091 --name remoteagent -v /faw/software/
remoteagent/config:/faw/software/remoteagent/config/ -v /faw/logs/
RemoteAgent:/faw/logs/RemoteAgent <docker image Id>
```

If the remote agent user interface is not accessible, then run this script:

```
sudo docker run -d -p 9091:9091 --name remoteagent --network host -v /faw/
software/remoteagent/config:/faw/software/remoteagent/config/ -v /faw/
logs/RemoteAgent:/faw/logs/RemoteAgent <docker image Id>
```

 **Note:**

Ensure that the “logs” directory in /faw/logs/RemoteAgent/ has write permissions and the “config” folder in /faw/software/remoteagent/config/ is present in case you need to add custom properties.

5. If you've a firewall that is preventing you from accessing the remote agent, then ensure that you complete these steps before starting the docker container for the first time:
 - a. Disable firewall in the Linux host where docker is deployed.
 - b. Start the docker container.
 - c. Check the logs to see if the container is started.
 - d. Enable the firewall.
 - e. Open the port using this script:

```
sudo firewall-cmd --zone=public --add-port=9091/tcp --permanent
sudo firewall-cmd --reload
sudo iptables-save | grep 9091
```

6. Verify that the container has started successfully using this script:

```
run '$ docker ps'
```


7. Configure the extract service URL to connect using this information:

- a. Sign in to the remote agent user interface using `http://<host>:9091/extractservice-remoteagent/index.html`.


- b. Configure the extract service URL that the remote agent connects to and configure any outgoing proxies if required using the applicable extract service end points.
 - c. Configure the JD Edwards data source outbound proxy in the remote agent user interface. You see the extract service URL. For example, you see `http://<server IP>/extractservice`.
- 8. In the remote agent user interface, click **Configure** to configure the agent.
 - 9. Copy the configuration details from the text box or download the configuration details.

You use it to set up the connection on the Data Configuration page in Oracle Fusion Analytics Warehouse.

- 10. Configure the remote agent and JD Edwards data source on the Data Configuration page in Oracle Fusion Analytics Warehouse using these instructions:
 - a. On the **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.
 - c. On the Manage Connections page, click **Create** and then click **Connection**.
 - d. In Create Connection, select **Remote Agent** as the connection type.
 - e. In the Create Connection Remote Agent dialog, in **Connection Name**, you can modify the default name and verify that **Remote** is displayed in **Connectivity Type**.
 - f. Enter an email address to receive notifications in **Notification Email**, provide the **Identifier** and **Host**, in **Public Key**, click **Upload File or Drop Above** to fill in the details of the remote agent, and then click **Save**. You can add the configuration details file that you had downloaded or use the configuration details that you had copied after configuring the remote agent.
 - g. Navigate to the Manage Connections page, click **Create** and then click **Connection**.
 - h. In Create Connection, select **Oracle JD Edwards On-Prem** as the connection type.



- i. In Create Connection for Oracle JD Edwards On-Prem, in **Connectivity Type**, verify that **Remote** is selected automatically.



- j. In **Remote Agent**, select the remote agent connection that you created earlier, for example, **Remote Agent**.
- k. Enter an email address to receive notifications in **Notification Email**, provide credentials for your JD Edwards source in **User Name** and **Password**, and the URL of your JD Edwards source in **URL**.
- l. Confirm that you see the Remote Agent and JD Edwards connections on the Manage Connections page.
- m. On the Manage Connections page, select the **Actions** menu for the JD Edwards connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for JD Edwards unless you perform a metadata extract.


- n. Test both the connections by selecting the **Test Connection** option in the **Actions** menu. You can check the statuses of all these requests on the Data Configuration Request History page.
11. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the JD Edwards data. Ensure that you select **Regular** as the source dataset type and **JD Edwards** as the pillar. Select the applicable JD Edwards source tables. See *Augment Your Data*.

Load Data from SQL Server into Oracle Fusion Analytics Warehouse (Preview)

As a service administrator, you can use the Oracle Fusion Analytics Warehouse extract service to acquire data from SQL Server and use it to create data augmentations.


Ensure that **SQL Server** is enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. In Oracle Fusion Analytics Warehouse, create the SQL Server data connection using these instructions:
 - a. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.
 - c. On the Manage Connections page, click **Create** and then click **Connection**.
 - d. In Create Connection, select **SQL Server** as the connection type.



- e. In the dialog for the SQL Server connection, enter these details and click **Save**:
- **Connectivity Type:** Select **Standard**.
 - **Notification Email:** Enter an email address to receive notifications.
 - **SQL Server Name:** Enter the SQL server name.
 - **Port Number:** Enter the port number on which your SQL server is available.
 - **Database Name:** Enter the database name in your SQLServer instance.
 - **Schema Name:** Enter the name of the schema for the dataset you want to load to run analytics on.
 - **User Name and Password:** Enter the credentials for your SQL Server instance.
 - **Initial Extract Date Column Pattern:** This is the date format in your initial extract column.
 - **Last Update Date Column Pattern:** Last update date shows when the last update was done in your SQL Server database.

← Create Connection


SQL Server

Connection Name

* Connectivity Type

Notification Email

* SQL Server Name

* Port Number

* Database Name

* Schema Name

* User Name

* Password

- f. Click **Save**.
2. On the Manage Connections page, select the **Actions** menu for the SQL Server connection and then select **Test Connection**.
3. On the Manage Connections page, select the **Actions** menu for the SQL Server connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for SQL Server unless you perform a metadata extract.

4. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the SQL Server data. Ensure that you select **Regular** as the source dataset type and **SQL Server** as the pillar. Select the applicable SQL Server source tables. See *Augment Your Data*.

Connect With Cloud Sources

Connect with your cloud applications to provide the background information for reports.


You can blend the additional data from these data sources with the ready-to-use datasets to enhance business analysis.

Load Data from Azure SQL into Oracle Fusion Analytics Warehouse (Preview)

As a service administrator, you can use the Oracle Fusion Analytics Warehouse extract service to acquire data from Azure SQL and use it to create data augmentations.


Ensure that **Azure SQL** is enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. In Oracle Fusion Analytics Warehouse, create the Azure SQL data connection using these instructions:
 - a. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.
 - c. On the Manage Connections page, click **Create** and then click **Connection**.
 - d. In Create Connection, select **Azure SQL** as the connection type.



- e. In the dialog for the Azure SQL connection, select **Standard** in **Connectivity Type**, enter an email address to receive notifications in **Notification Email**, enter your Azure SQL instance details, and click **Save**.

← Create Connection



Azure SQL

Connection Name

* Connectivity Type

Notification Email

* SQL Server Name

* Port Number

* Database Name

* Schema Name

* User Name

* Password

- f. Click **Save**.
2. On the Manage Connections page, select the **Actions** menu for the Azure SQL connection and then select **Test Connection**.
3. On the Manage Connections page, select the **Actions** menu for the Azure SQL connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for Azure SQL unless you perform a metadata extract.

4. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the Azure SQL data. Ensure that you select **Regular** as the source dataset type and **Azure SQL** as the pillar. Select the applicable Azure SQL source tables. See [Augment Your Data](#).

Connect with Your Oracle Eloqua Data Source

If you've subscribed for Oracle Fusion CX Analytics and want to load data from your Oracle Eloqua source into Fusion Analytics Warehouse, then create a connection using the *Eloqua* connection type.

The Oracle Eloqua data that you load into Fusion Analytics Warehouse enables you to augment the data in your warehouse and create varied customer experience-related analytics. Ensure that **Oracle Eloqua** is enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
2. On the Data Configuration page, click **Manage Connections** under Global Configurations.
3. On the Manage Connections page, click **Create** and then click **Connection**.
4. In Create Connection, select **Eloqua** as the connection type.
5. In the dialog for the Eloqua connection, select **Standard** in **Connectivity Type**, enter an email address to receive notifications in **Notification Email**, and the credentials to connect with the Eloqua source in **User Name** and **Password**.
6. In **URL**, enter the URL for your Eloqua server in this sample format: `https://<your eloqua server>/api/odata/1.0`.

← Create Connection



Connection Name	<input type="text" value="ELOQUA"/>
* Connectivity Type	<input type="text" value="Standard"/>
Notification Email	<input type="text" value="Enter Notification Email"/>
* User Name	<input type="text" value="123sampleuser"/>
* Password	<input type="password"/>
* URL	<input type="text" value="https://r[REDACTED]h/api/odata/1.0"/>


7. Click **Save**.

Load Data from Your Oracle Eloqua Data Source

Create a data pipeline for the Marketing Campaign Analytics functional area to load data from your Oracle Eloqua source into Oracle Fusion Analytics Warehouse.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse, open the **Navigator** menu, click **Console**, and then click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, click your service. For example, under Applications, click **Customer Experience**.
4. On the Customer Experience page, click **Create**.

5. In the wizard, select **Customer Experience Marketing Analytics** in **Offering** and **Marketing Campaign Analytics** in **Functional Area** to transfer the data to the warehouse, and then click **Next**.



6. Review the parameters and click one of the options:
 - **Cancel:** To cancel the data pipeline for the functional area.
 - **Save:** To save the data pipeline for the functional area but not activate it.
 - **Activate:** To schedule when to run the data pipeline for the functional area. See [Activate a Data Pipeline for a Functional Area](#).

Load Data from Enterprise Performance Management into Fusion Analytics Warehouse (Preview)

As a service administrator, you can use the Fusion Analytics Warehouse extract service to acquire data from the Enterprise Performance Management (EPM) SaaS instance and use it to create data augmentations for various Enterprise Resource Planning and Supply Chain Management use cases.

You can connect to these functional modules of EPM:

- Financial Close and Consolidation (FCCS)
- Planning and Budgeting (PBCS)
- Profitability and Cost Management (PCMCS)
- Enterprise Data Management

You can only manually extract the incremental data because, for incremental extraction, you must update the results file in EPM before starting the next extraction for the updated data. Update the results file by running the integration using Data Exchange and then access the new results file from the EPM connector in Fusion Analytics Warehouse.

Depending on the functional module you want to connect to, ensure that the applicable feature is enabled on the Enable Features page prior to creating this connection:

- **Oracle EPM - Financial Close and Consolidation**
- **Oracle EPM - Planning and Budgeting**
- **Oracle EPM - Profitability and Cost Management**
- **Oracle EPM - Enterprise Data Management**

See [Make Preview Features Available](#).

1. In EPM, create an integration, write out the results into a file whose name you provide in **Download File Name**, and then specify that same file name in List of Data Files while creating the connection to EPM in Fusion Analytics Warehouse to extract the data.


Edit Integration: FAWEXPORTNEW Save ▼

General Map Dimensions Map Members Options

Filters Options


<p>General Option</p> <p>Category <input type="text" value="Current"/></p> <p>Source Cube <input type="text" value="Plan1"/></p> <p>Period Mapping Type <input type="text" value="Default"/></p> <p>Calendar <input type="text"/></p> <p>Data Extract Option <input type="text" value="Stored Data only"/></p> <p>Data Precision <input type="text"/></p> <p>Data Number of Decimal <input type="text"/></p>	<p>Target Option</p> <p>Download File Name <input type="text" value="fawdatanew"/></p> <p>Column Delimiter <input type="text" value=","/></p> <p>Decimal Separator <input type="text" value="Decimal Point"/></p> <p>File Character Set <input type="text" value="UTF-8"/></p> <p>End of Line Character <input type="text" value="Linux"/></p> <p>Include Header <input type="text" value="Yes"/></p> <p>Export Attribute Columns <input type="text" value="No"/></p> <p>Accumulate Data <input type="text" value="No"/></p> <p>Sort Data <input type="text" value="No"/></p> <p>Pivot Dimension <input type="text"/></p>
---	--

2. In Fusion Analytics Warehouse, create the EPM data connection using these instructions:
 - a. In Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.
 - c. On the Manage Connections page, click **Create** and then click **Connection**.
 - d. In Create Connection, select the connection type based on the functional module that you want to connect to. For example, to connect to the "Financial Close and Consolidation (FCCS)" module, select **Oracle EPM - Financial Close and Consolidation** as the connection type.



- e. In Create Connection for the EPM source, enter these details and click **Save**:
- **Connectivity Type:** Select **Standard**.
 - **Notification Email:** Enter an email address to receive notifications.
 - **User Name and Password:** Enter the credentials for your EPM source. Prefix the user name with the domain of your EPM source, such as `domain.username`.
 - **URL:** Enter the specific URL of your EPM source. For example, `https://epm7-test-a123456.epm.us6.oraclecloud.com`.
 - **List of Data Files:** Specify the file name that you had entered in **Download File Name** while creating an integration in EPM.
 - **List of Job Names:** Provide the EPM integration job names. If you've multiple job names, then ensure that they are comma separated.
 - **List of Period Names:** Provide the period names for the corresponding job names. Ensure that multiple period names are comma separated. You may leave this blank, in which case the connector uses the global point of view.

← Create Connection



Oracle EPM - Financial Close and Consolidation

Connection Name

* Connectivity Type

Notification Email

* User Name

* Password

* URL

List of Data Files

List of Job Names

List of Period Names

- On the Manage Connections page, select the **Actions** menu for the EPM connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for EPM unless you perform a metadata extract.

- On the Manage Connections page, select the **Actions** menu for the EPM connection and then select **Test Connection**.
- After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the EPM data. Ensure that you select **Regular** as the source dataset type and **EPM** as the pillar. Select the applicable EPM source tables. See *Augment Your Data*.

Load Data from EPM Export Data Instance into Fusion Analytics Warehouse (Preview)

As a service administrator, you can use the Fusion Analytics Warehouse extract service to acquire data from EPM Export Data instance and use it to create data augmentations.

You can connect to these functional modules of EPM:

- Financial Close and Consolidation (FCCS)
- Planning and Budgeting (PBCS)
- Profitability and Cost Management (PCMCS)


You can only manually extract the incremental data because, for incremental extraction, you must update the results file in EPM before starting the next extraction for the updated data. Update the results file by running the integration using Data Exchange and then access the new results file from the EPM connector in Fusion Analytics Warehouse.

Depending on the functional module you want to connect to, ensure that the applicable feature is enabled on the Enable Features page prior to creating this connection:

- **EPM Financial Close and Consolidation Data Export**
- **EPM Planning and Budgeting Data Export**
- **EPM Profitability and Cost Management Data Export**


See [Make Preview Features Available](#).

1. In EPM, create a data exchange job, write out the results into a file whose name you provide in **Download File Name**, and then specify that same file name in List of Data Files while creating the connection to EPM in Fusion Analytics Warehouse to extract the data.
2. In Fusion Analytics Warehouse, create the data connection to the EPM Export Data instance using these instructions:
 - a. In Fusion Analytics Warehouse **Console**, click **Data Configuration** under Application Administration.
 - b. On the Data Configuration page, click **Manage Connections**.
 - c. On the Manage Connections page, click **Create** and then click **Connection**.
 - d. In Create Connection, select the connection type based on the functional module that you want to connect to. For example, to connect to the "Financial Close and Consolidation (FCCS)" module, select **EPM Financial Close and Consolidation Data Export** as the connection type.



- e. In Create Connection for the EPM source, enter these details and click **Save**:
- **Connectivity Type:** Select **Standard**.
 - **Notification Email:** Enter an email address to receive notifications.
 - **URL:** Enter the specific URL of your EPM source. For example, `https://epm7-test-a123456.epm.us6.oraclecloud.com`.
 - **User Name and Password:** Enter the credentials for your EPM source. Prefix the user name with the domain of your EPM source, such as `domain.username`.
 - **EPM Application Name:** Specify the file name that you had entered in **Download File Name** while creating the EPM data exchange job in EPM.
 - **Comma Separated Job Names:** Provide the EPM data exchange job names. If you've multiple job names, then ensure that they are comma separated.

← Create Connection



EPM Financial Close and Consolidation Data Export

Connection Name

* Connectivity Type

Notification Email

* URL

* User Name

* Password

* EPM Application Name

* Comma Separated Job Names

3. On the Manage Connections page, select the **Actions** menu for the EPM connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for EPM unless you perform a metadata extract.

4. On the Manage Connections page, select the **Actions** menu for the EPM connection and then select **Test Connection**.

5. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the EPM data. Ensure that you select **Regular** as the source dataset type and **EPM** as the pillar. Select the applicable EPM source tables. See *Augment Your Data*.

Load Data from Google Analytics into Fusion Analytics Warehouse (Preview)

As a service administrator, you can use the Fusion Analytics Warehouse extract service to acquire data from the Google Analytics SaaS instance and use it to create data augmentations for various Enterprise Resource Planning and Supply Chain Management use cases.

Before connecting with the Google Analytics source, note these:

- Fusion Analytics Warehouse supports Google Analytics extractor for GA4 properties and doesn't support the previous version – Google Universal Analytics (UA) properties.
- DataStores are the list of GA4 properties.
- DataStore columns are the list of Dimensions and Metrics for a GA4 property.
- DataExtract runs the report based on user selection for a GA4 property as DataStore and Dimensions and Metrics as DataStore columns.
- MetaExtract fetches metadata for all the available GA4 properties (DataStores) and its Dimensions and Metrics (DataStoreColumns).

Ensure that **Google Analytics** is enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. In Google Cloud (Analytics) Project, create a service account and download the `credentials.json` file.
See <https://cloud.google.com/docs/authentication/production>.
2. Add the service account to the Google Analytics 4 property.
See <https://developers.google.com/analytics/devguides/reporting/data/v1/quickstart-client-libraries>.
3. Enable Google Analytics APIs using these instructions:
 - a. Using a text editor, open the `credentials.json` file that you had downloaded and search for the `client_email` field to obtain the service account email address.
 - b. Use this email address to add a user to the Google Analytics 4 property you want to access through the Google Analytics Data API v1.

https://developers.google.com/analytics/devguides/reporting/data/v1/quickstart-client-libraries

orting > Google Analytics Data API (GA4)

Step 2. Add service account to the Google Analytics 4 property

Using a text editor, open the `credentials.json` file downloaded in the previous step and search for `client_email` field to obtain the service account email address that looks similar to:

```
quickstart@PROJECT-ID.iam.gserviceaccount.com
```

Click below Add a user to associate the service account to all GA4 Properties

Use this email address to [add a user](#) to the Google Analytics 4 property you want to access via the Google Analytics Data API v1. For this tutorial only [Read & Analyze](#) permissions are needed.

4. Ensure that the Google Analytics Admin API, Google Analytics Data API are available for your Google Analytics instance.

Google Cloud faw-ga


API API Library

Google Analytics

Google Analytics Data API
Google
Accesses report data in Google Analytics.


Google Analytics Admin API
Google

5. In Fusion Analytics Warehouse, create the Google Analytics data connection using these instructions:
 - a. In Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.
 - c. On the Manage Connections page, click **Create** and then click **Connection**.
 - d. In Create Connection, select **Google Analytics** as the connection type.



- e. In the dialog for the Google Analytics connection, select **Standard** as the connectivity type and enter these details:
- **Notification Email:** An email address to receive notifications regarding this connection.
 - **Service Account Credentials Json File:** The Google Cloud Service Account `credentials.json` file that you had downloaded.
 - **Account ID:** Google Analytics account ID.
 - **GA4 List of Property ID:** The GA4 List of Property ID with commas to separate each ID.
 - **Lookback Mode:** Select either Full or Committed.
 - **List of Lookback N days Ago:** Comma separated list of days (integer) values such as 7,21.

← Create Connection



Google Analytics

Connection Name

* Connectivity Type

Notification Email

* Service Account Credentials Json File

Drag and Drop
 Select a file or drop one here.

Account Id

GA4 List of Property Id

Lookback Mode

List of Lookback N days Ago

Note these:

- For the Lookback mode, if you don't provide a value, then the Lookback mode isn't supported. The Full option requires one day value, if you provide multiple values, then the process uses the first value. You can provide multiple values for the Committed option.
- For List Data Stores, the REST API returns a list of GA4 Property IDs either using the Account ID (if provided) or just the source configured or provided list of property.
- For List columns, the REST API returns a list of column metadata for the given GA4 Property ID.

f. Click **Save**.

6. On the Manage Connections page, select the **Actions** menu for the Google Analytics connection and then select **Test Connection**.

 **Note:**

REST API signature is same across sources. Test connection invokes GA Common Metadata API. This returns the default version values and no calls are made to the source.

7. On the Manage Connections page, select the **Actions** menu for the Google Analytics connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for Google Analytics unless you perform a metadata extract.

Metadata extract:

- Retrieves metadata columns for each GA4 Property ID provided in the source configuration.
- Prefixes the GA property columns with `Dimension_` or `Metric_` that Fusion Analytics Warehouse later uses while extracting data to differentiate Dimension and Metric column type.
- Leaves the payload `dataStores` array empty.

8. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the Google Analytics data. Ensure that you select **Regular** as the source dataset type and **Google Analytics** as the pillar. Select the applicable Google Analytics source tables. See Augment Your Data.

When you enable data extraction, you can schedule to run when you choose to do so. For data extraction, note these:

- a. Provide date ranges to run the report and fetch data.
- b. Regular data extract uses the initial or last ExtractDate as *StartDate* and job RunDate as *EndDate*.
- c. Lookback mode includes additional date ranges along with the regular extract date range which fetches additional data set but in a single runReport call.
 - The Full option has a single date range; StartDate=ExtractDate - NdaysAgo, EndDate=RunDate.
 - The Committed option can have multiple date ranges. For each configured GA_LIST_OF_N_DAYS_AGO, StartDate=ExtractDate - NdaysAgo, EndDate=RunDate - NdaysAgo.

Load Data from Salesforce into Fusion Analytics Warehouse (Preview)


As a service administrator, you can use the Fusion Analytics Warehouse extract service to acquire data from the Salesforce SaaS instance and use it to create data augmentations for various Enterprise Resource Planning and Supply Chain Management use cases.

This version of the Salesforce Connector supports version 57.0 of the API from Salesforce.

Ensure that **Salesforce REST** is enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. In Fusion Analytics Warehouse, create the Salesforce data connection using these instructions:
 - a. In Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.

- c. On the Manage Connections page, click **Create** and then click **Connection**.
- d. In Create Connection, select **Salesforce REST** as the connection type.



- e. In the dialog box for the Salesforce connection, select **Standard** in **Connectivity Type** and enter an email address to receive notifications in **Notification Email**.

SRE
Salesforce REST

Connection Name

* Connectivity Type

Notification Email

* URL

Token URL

* Authorization Type

User Name

Password


Client ID

Client Secret


Security Token

Private Key

- f. Enter the URL of your Salesforce source such as <your Salesforce instance name>.my.salesforce.com in **URL**.
- g. Copy and paste the token url from your Salesforce instance in **Token URL**.
- h. Select the type of authorization in **Authorization Type**.
Authorization Type can be one of the following: BASICAUTH or OAUTH. Ensure that you enter these authorization types in uppercase letters without any characters in them. You must provide the corresponding fields for those authorization types. For example, if you select BASICAUTH, then you must provide a valid username, password, security token, url, client ID, and client secret. If you select OAUTH, then you must provide a valid username, token url, client ID, and private key. Remember to update all the authorization fields, since Salesforce may reset or require you to reset them regularly.
- i. Enter the credentials for your Salesforce source in **User Name** and **Password**.
- j. Copy and paste the client ID that is usually a long alpha-numeric code from your Salesforce account in **Client ID**.
- k. Copy and paste the client secret from your Salesforce account in **Client Secret**.
This is an alpha-numeric code and may contain special characters, however, it isn't visible. It is encrypted and shown as



- e. In the dialog for the BLS connection, select **Standard** in **Connectivity Type**, enter an email address to receive notifications in **Notification Email**, and provide the URL for the BLS data in **URL**.



- f. Click **Save**.
2. On the Manage Connections page, select the **Actions** menu for the BLS connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for BLS unless you perform a metadata extract.


3. On the Manage Connections page, select the **Actions** menu for the BLS connection and then select **Test Connection**.
4. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the BLS data. Ensure that you select **Regular** as the source dataset type and **BLS** as the pillar. Select the applicable BLS source tables. See [Augment Your Data](#).

Load Data from Shopify into Fusion Analytics Warehouse (Preview)


As a service administrator, you can use the Fusion Analytics Warehouse extract service to acquire data from the Shopify SaaS instance and use it to create data augmentations for various Enterprise Resource Planning and Supply Chain Management use cases.

Ensure that **Shopify** is enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. In Fusion Analytics Warehouse, create the Shopify data connection using these instructions:
 - a. In Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.
 - c. On the Manage Connections page, click **Create** and then click **Connection**.
 - d. In Create Connection, select **Shopify** as the connection type.



- e. In the dialog for the Shopify connection, select **Standard** in **Connectivity Type**, enter an email address to receive notifications in **Notification Email**, applicable token value in **Access Token**, **Store Name** such as `myfawteststore.myshopify.com`, and `True` in **Bulk Extract**.



- f. Click **Save**.

2. On the Manage Connections page, select the **Actions** menu for the Shopify connection and then select **Test Connection**.
3. On the Manage Connections page, select the **Actions** menu for the Shopify connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for Shopify unless you perform a metadata extract.


4. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the Shopify data. Ensure that you select **Regular** as the source dataset type and **Shopify** as the pillar. Select the applicable Shopify source tables. See [Augment Your Data](#).

Load Data from a Secure FTP Source into Fusion Analytics Warehouse (Preview)

As a service administrator, you can use the Fusion Analytics Warehouse extract service to acquire data from a secure FTP source (SFTP) and use it to create data augmentations.

Ensure that **SFTP** is enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. In Fusion Analytics Warehouse, create the SFTP data connection using these instructions:
 - a. In Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.
 - c. On the Manage Connections page, click **Create** and then click **Connection**.
 - d. In Create Connection, select **SFTP** as the connection type.



- e. In the dialog for the SFTP connection, select **Standard** in **Connectivity Type**, enter an email address to receive notifications in **Notification Email**, and provide applicable values in **Remote Host**, **User Name**, **Private Key**, **Remote Host Extract Files Directory**, **File Type**, **CSV Delimiter**, **CSV Date Format**, and **CSV Timestamp Format**.

Ensure that the private key you provide is in the valid OpenSSH format.

The screenshot shows the SFTP connection configuration dialog. The 'SFT' icon is displayed at the top. The fields are as follows:

- Connection Name: SFTP
- * Connectivity Type: Choose Connectivity Type (dropdown menu)
- Notification Email: Enter Notification Email
- * Remote Host: [Empty text field]
- Remote Port: [Empty text field]
- * User Name: [Empty text field]
- Password: [Empty text field]
- Pass Phrase: [Empty text field]
- * Private Key: [Empty text field]

Buttons at the bottom include 'Cancel', 'Paste from clipboard', 'Upload File or Drop Above', and 'Save'.

- f. Click **Save**.
2. On the Manage Connections page, select the **Actions** menu for the SFTP connection and then select **Test Connection**.
3. On the Manage Connections page, select the **Actions** menu for the SFTP connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for SFTP unless you perform a metadata extract.


4. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the SFTP data. Ensure that you select **Regular** as the source dataset type and the secure FTP source as the pillar. Select the applicable secure FTP source tables. See [Augment Your Data](#).

Load Data from Oracle Autonomous Database into Oracle Fusion Analytics Warehouse (Preview)


As a service administrator, you can use the Oracle Fusion Analytics Warehouse extract service to acquire data from Oracle Autonomous Database and use it to create data augmentations.

You can create connections to five autonomous databases. Depending on the number of connections, ensure that options such as **Oracle Autonomous Database 1**, **Oracle Autonomous Database2** are enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. In Oracle Fusion Analytics Warehouse, create the autonomous database connection using these instructions:
 - a. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.
 - c. On the Manage Connections page, click **Create** and then click **Connection**.
 - d. In Create Connection, depending on the number of connections, select options such as **Oracle Autonomous Database 1**, or **Oracle Autonomous Database2** as the connection type.



- e. In the dialog for the Oracle Autonomous Database connection, select **Standard** in **Connectivity Type**, enter an email address to receive notifications in **Notification Email**, credentials to access the database in **User Name** and **Password**, and the database service details in **Service**. In **Wallet**, drag and drop the database wallet details.



- f. Click **Save**.

2. On the Manage Connections page, select the **Actions** menu for the autonomous database connection and then select **Test Connection**.
3. On the Manage Connections page, select the **Actions** menu for the autonomous database connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for autonomous database unless you perform a metadata extract.

4. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the autonomous database data. Ensure that you select **Regular** as the source dataset type and autonomous database as the pillar. Select the applicable autonomous database source tables. See Augment Your Data.

Load Data from Oracle Object Storage into Fusion Analytics Warehouse (Preview)

As a service administrator, you can use the Fusion Analytics Warehouse extract service to acquire data from Oracle Object Storage Service and use it to create data augmentations.


The recommended approach is to create one augmentation from one source table after acquiring data from Oracle Object Storage Service. After completion of augmentation, Fusion Analytics Warehouse renames the source table in this case and if you create more than one augmentation from the same source, all other augmentations may fail with a message that the source file wasn't found.

Ensure that **Oracle Object Storage Service** is enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. Store the following details in a text file to use while creating the connection to Oracle Object Storage Service in Fusion Analytics Warehouse:
 - a. In Oracle Object Storage Service, create the Remote Host Extract Files directory as the base folder in which you must place all your data files. Note down the name of this directory. See the "To create a folder or subfolder" section in [Using the Console](#).
 - b. Obtain the URL of the Oracle Object Storage Service by signing into the Oracle Cloud Infrastructure Console and navigating to the bucket to get the details of the region, namespace, and bucket name. For example, the URL must be in the `https://objectstorage.<region>.oraclecloud.com/n/<namespace>/b/<name of the bucket>` format. See the "To view bucket details" section in [Using the Console](#).
 - c. Obtain a user's OCID by navigating in the Oracle Cloud Infrastructure Console to **Identity & Security**, and then **Users**. On the Users page, search for a user who has access to the bucket used in the connector and copy the **OCID**. Obtain the tenancy ID by clicking your profile icon and then **Tenancy** in the Oracle Cloud Infrastructure Console. Under Tenancy information, copy the **OCID**. See [Where to Get the Tenancy's OCID and User's OCID](#).
 - d. Obtain the fingerprint for a user from the Oracle Cloud Infrastructure Console. Navigate to **API Keys** under **Resources** on the user page, and then click **Add API Keys**. In the Add API Keys dialog, ensure that **Generate API Key Pair** is selected. Download the private and public keys using the **Download Private Key** and **Download Public Key** options. You must copy the entire text of the private key along

with the comments before and after the actual key. These comments could be as simple as: “-----Begin RSA Private Key -----” and “-----End of RSA Private Key-----”. Don’t copy only the alphanumeric key without the header and footer comments. In the Add API Keys dialog, select **Choose Public Key File** to upload your file, or **Paste Public Key**, if you prefer to paste it into a text box and then click **Add**. Copy the fingerprint that you see after you upload the public key in the Console. It looks something like
this:12:34:56:78:90:ab:cd:ef:12:34:56:78:90:ab:cd:ef.


2. In Fusion Analytics Warehouse, create the Oracle Object Storage connection using these instructions:
 - a. In Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.
 - c. On the Manage Connections page, click **Create** and then click **Connection**.
 - d. In Create Connection, select **Oracle Object Storage Service** as the connection type.



- e. In the dialog for the Oracle Object Storage Service connection, select **Standard** in **Connectivity Type** and enter these details:
 - **Connection Name:** Object Storage
 - **Connection Type:** Standard
 - **Notification Email:** An email address to receive notifications
 - **Remote Host Extract Files Directory:** Name of the base folder in which you must place all your data files in Oracle Object Storage Service
 - **URL:** URL of the Oracle Object Storage Service that you noted down in a text file

- **User ID:** OCID of a user that has access to the applicable bucket in Oracle Object Storage Service
- **Finger Print:** The fingerprint that you saw and copied after you uploaded the public key in the Console. It looks something like this:
12:34:56:78:90:ab:cd:ef:12:34:56:78:90:ab:cd:ef
- **Tenant ID:** Tenancy in the Oracle Infrastructure Cloud Console that you noted down in the text file
- **Private Key:** Paste the private key contents that you previously downloaded
- **File Type:** csv
- **CSV Delimiter:** Delimiter for the data files
- **CSV Date Format:** Date format for the data files
- **CSV Timestamp Format:** Timestamp format for the data files

← Create Connection



Oracle Object Storage Service

Connection Name	Oracle Object Storage Service
* Connectivity Type	Choose Connectivity Type
Notification Email	Enter Notification Email
* Remote Host Extract Files Directory	
* URL	
* User ID	
* Finger Print	
* Tenant ID	
* Private Key	

- f. Click **Save**.
3. In Oracle Object Storage Service:
 - a. Create the folder structure in the Bucket using these guidelines:

Objects

Upload
More Actions ▾


	Name	Last Modified
>	FAW	-

- The base folder in the bucket must match with the details provided in the connection.
- Inside the base folder, ensure to place each file in its own folder.

- Ensure that the Prefix of Data_Store_Name (same as Folder name) and Files in the target folder match exactly.

See the "To create a folder or subfolder" section in [Using the Console](#).

- Inside the base folder, create the metadata file for the Data Store List. This file lists the supported data stores. Each data store is a folder that has the actual file used in data augmentation, for example, ASSETS. Ensure that the file name and folder name match and there aren't any special characters (including space) in the datastore, folder or file names.



- Create the metadata file for each data file under the data store folder using these guidelines:

The META_DATASTORES.csv must have these columns:

- DATA_STORE_NAME - A mandatory column to identify the data store name.
- DATA_STORE_LABEL - A non-mandatory column that identifies the description of the data store.

Each folder must have:

- A data file that has the actual data that gets loaded into Oracle Fusion Analytics Warehouse. This file must have a prefix with the DATA STORE NAME.
- A metadata file for the list of columns contains all the column information on the data. This file must have a Prefix with META_DATASTORES_<DATA_STORE_NAME>_COL.
 - For the columns in this metadata, ensure the following:
 - If column name is ABC, then metadata can be ABC or "ABC" - the double quotes are ignored.
 - If column name is "ABC", then metadata must be ""ABC"" – the first double quotes are ignored.

Example

In the image, the folder name is ACTIVITY_TYPES. Hence, the data store name is ACTIVITY_TYPES. You can confirm this from the META_DATASTORES.csv file. In this example, the file is named ACTIVITY_TYPES.xlsx or ACTIVITY_TYPES.csv. The metadata file must be

META_DATASTORES_ACTIVITY_TYPES_COL.csv.

Objects

Location: FAW/ACTIVITY_TYPES

Upload More Actions ▾

<input type="checkbox"/>	Name
<input type="checkbox"/>	ACTIVITY_TYPES.xlsx
<input type="checkbox"/>	META_DATASTORES_ACTIVITY_TYPES_COL.csv

The META_DATASTORES_ACTIVITY_TYPES_COL.csv has these columns:

- DATA_STORE_NAME - This is a mandatory column.
 - COLUMN_NAME - This is a mandatory column.
 - COLUMN_LABEL - This is a non-mandatory column.
 - DATA_TYPE – This is a mandatory column.
 - WIDTH – This column identifies the string length.
 - PRECISION - This column value must be Numeric data type.
 - SCALE - This column value must be Numeric data type.
 - KEY_SEQUENCE - This is a mandatory column that identifies the Primary Key definition. If you're using the composite primary key, then use column order numbers as values.
4. In Fusion Analytics Warehouse, on the Manage Connections page, select the **Actions** menu for the Oracle Object Storage Service connection and then select **Test Connection**.
 5. On the Manage Connections page, select the **Actions** menu for the Oracle Object Storage Service connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for the Oracle Object Storage Service unless you perform a metadata extract.


6. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the data from the Oracle Object Storage Service. Ensure that you select **Regular** as the source dataset type and Oracle Object Storage Service as the pillar. Select the applicable source tables from the Oracle Object Storage Service data. See Augment Your Data.

Load Data from Amazon Simple Storage Service into Oracle Fusion Analytics Warehouse (Preview)

As a service administrator, you can use the Oracle Fusion Analytics Warehouse extract service to acquire data from Amazon Simple Storage Service (AWS S3) and use it to create data augmentations.


Ensure that **AWS S3** is enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. In Oracle Fusion Analytics Warehouse, create the AWS S3 data connection using these instructions:
 - a. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.
 - c. On the Manage Connections page, click **Create** and then click **Connection**.
 - d. In Create Connection, select **AWS S3** as the connection type.



- e. In the dialog for the AWS S3 connection, select **Standard** in **Connectivity Type**, enter an email address to receive notifications in **Notification Email**, and provide applicable details of your AWS S3.

← Create Connection


 AWS S3

Connection Name

* Connectivity Type

Notification Email

* Access Key

* Secret Key

* Region

* Bucket Name

* Remote Host Extract Files Directory

File Type

- f. Click **Save**.
2. On the Manage Connections page, select the **Actions** menu for the AWS S3 connection and then select **Test Connection**.
3. On the Manage Connections page, select the **Actions** menu for the AWS S3 connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for AWS S3 unless you perform a metadata extract.

4. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the AWS S3 data. Ensure that you select **Regular** as the source dataset type and **AWS S3** as the pillar. Select the applicable AWS S3 source tables. See *Augment Your Data*.


Load Data from Snowflake into Oracle Fusion Analytics Warehouse (Preview)

As a service administrator, you can use the Oracle Fusion Analytics Warehouse extract service to acquire data from a Snowflake instance.

You can later use this data to create data augmentations for various Enterprise Resource Planning and Supply Chain Management use cases. Establish the connection from Fusion Analytics Warehouse to your Snowflake instance to start data acquisition followed by augmentation.

Ensure that **Snowflake** is enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. In Fusion Analytics Warehouse, create the Snowflake data connection:
 - a. In Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.
 - c. On the Manage Connections page, click **Create** and then click **Connection**.
 - d. In Create Connection, select **Snowflake** as the connection type.



- e. In **Create Connection**, enter these details and then click **Save**:
 - **Connectivity Type**: Standard.
 - **Notification Email**: An email address to receive notifications.
 - **Auth Schema**: Enter “BASICAUTH” if you’re using username and password to establish the connection. Enter “PRIVATE_KEY” if you’re using token-based authentication.
 - **User Name**: Enter username only if you’re using the basic authentication.
 - **Password**: Enter password for the username only if you’re using the basic authentication.
 - **Host Name**: Complete host name of your Snowflake instance.
 - **Table Schema**: Your Snowflake table schema such as TPCF_SF1.
 - **Database**: Mentioned in your Snowflake account under **Data**.
 - **Warehouse**: The compute resources in your Snowflake instance that you can find by running SHOW WAREHOUSES [LIKE '<pattern>']. See [SHOW WAREHOUSES](#).
 - **Private Key**: Generate the Private Key in Snowflake, if you don’t have one already, and paste it here. See [Generate the Private Key](#).

← Create Connection

SN
Snowflake

Connection Name: Snowflake

* Connectivity Type: Choose Connectivity Type

Notification Email: Enter Notification Email

Auth Scheme:

* User Name:

Password:

* Host Name:

* Table Schema:

* Database:

* Warehouse:

Private Key:

Cancel Paste from clipboard Upload File or Drop Above Save

2. On the Manage Connections page, select the **Actions** menu for the Snowflake connection, and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for Snowflake unless you perform a metadata extract.

3. On the Manage Connections page, select the **Actions** menu for the Snowflake connection and then select **Test Connection**.
4. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the Snowflake data. Ensure that you select **Regular** as the source dataset type and **Snowflake** as the pillar. Select the applicable Snowflake source tables. See [Augment Your Data](#).


Load Data from Taleo into Fusion Analytics Warehouse (Preview)

As a service administrator, you can use the Fusion Analytics Warehouse extract service to acquire data from the Taleo instance and use it to create data augmentations for various Enterprise Resource Planning and Supply Chain Management use cases.

Ensure that **Taleo** is enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. In Fusion Analytics Warehouse, create the Taleo data connection using these instructions:
 - a. In Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.

- c. On the Manage Connections page, click **Create** and then click **Connection**.
- d. In Create Connection, select **Taleo** as the connection type.



- e. In **Connectivity Type**, select **Standard**, enter an email address to receive notifications in **Notification Email**, host name of your Taleo instance in **Host Name**, and credentials for your Taleo source in **User Name** and **Password**.

The screenshot shows the 'Create Connection' form for the 'TAL' connection type. At the top left is a back arrow and the text 'Create Connection'. Below this is the 'TAL' icon and the text 'TALEO'. The form contains the following fields:

- Connection Name:** A text input field containing 'TALEO'.
- * Connectivity Type:** A dropdown menu with 'Choose Connectivity Type' selected.
- Notification Email:** A text input field with the placeholder text 'Enter Notification Email'.
- * Host Name:** A text input field.
- * User Name:** A text input field.
- * Password:** A text input field.

 At the bottom of the form are five buttons: 'Cancel', 'Paste from clipboard', 'Upload File or Drop Above', and 'Save'.

- f. Click **Save**.
2. On the Manage Connections page, select the **Actions** menu for the Taleo connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for Taleo unless you perform a metadata extract.


3. On the Manage Connections page, select the **Actions** menu for the Taleo connection and then select **Test Connection**.
4. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the Taleo data. Ensure that you select **Regular** as the source dataset type and **Taleo** as the pillar. Select the applicable Taleo source tables. See [Augment Your Data](#).

Load Data from Oracle BI Publisher into Fusion Analytics Warehouse (Preview)

As a service administrator, you can use the Fusion Analytics Warehouse extract service to acquire data from the BI Publisher reports and use it to create data augmentations for various use cases.


Ensure that **BI Publisher Reports** is enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. In BI Publisher, build a comma separated values (CSV) report for the targeted tables. See [Create Reports](#) and [Generate CSV Output](#).
2. In Fusion Analytics Warehouse, create the data connection to the BI Publisher reports using these instructions:
 - a. In Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.
 - c. On the Manage Connections page, click **Create** and then click **Connection**.
 - d. In Create Connection, select **BI Publisher Reports** as the connection type.



- e. In the dialog for the BI Publisher reports connection, provide these details:
- Select **Standard** in **Connectivity Type**.
 - Enter an email address to receive notifications in **Notification Email**.
 - Host name of the BI Publisher in **Host Name**.
 - Credentials to access your BI Publisher in **User Name** and **Password**
 - Enter comma separated reports in **List of Reports**. The report URL format is `https://<server:port>/xmlpserver/<ReportDirectory>/<ReportName>.xdo`. The report path is `<ReportDirectory>/<ReportName>.xdo`.
 - Optionally, in **Reports Configuration** enter `lastUpdateDate` and location `S1 - Chicago`. If you don't enter any parameters and the report has a parameter name defined as "lastUpdateDate", then the value is set as `"__lastUpdateDate__"`.
 - In **CSV Date Format**, enter the expected date format from report; for example, "yyyy-MM-dd".
 - In **CSV Timestamp Format**, enter `yyyy-MM-dd'T'hh:mm:ss`.

← Create Connection



BI Publisher

Connection Name

* Connectivity Type

Notification Email

* Host Name

* User Name

* Password

* List of reports

Reports Configuration

CSV Date Format

- f. Click **Save**.
3. On the Manage Connections page, select the **Actions** menu for the BI Publisher reports connection and then select **Test Connection**.
4. On the Manage Connections page, select the **Actions** menu for the BI Publisher reports connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for the BI Publisher reports unless you perform a metadata extract.

5. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the BI Publisher reports data. Ensure that you select **Regular** as the source dataset type and **BI Publisher reports** as the pillar. Select the applicable BI Publisher source tables. See Augment Your Data.

Load Data from Oracle Database Using JDBC into Fusion Analytics Warehouse (Preview)

As a service administrator, you can use an extract service remote agent to connect to an Oracle database using JDBC and use the data to create data augmentations.

After connecting to an Oracle database using JDBC, the remote agent extracts the data and loads it into the autonomous data warehouse associated with your Oracle Fusion Analytics Warehouse instance. The remote agent pulls the metadata through the public extract service REST API and pushes data into object storage using the object storage REST API. You can

extract and load the data from an Oracle database into Oracle Fusion Analytics Warehouse only once every 24 hours. Ensure that **Remote Agent** and **Oracle JDBC** are enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. Download the remote agent docker image from [here](#).
2. Identify a host to deploy the remote agent.

The host that you identify must meet these minimum system requirements for the basic configuration of a single source agent:

- CPU: 4 (CORE/CPU)
- Memory: 8 GB
- Storage: 8 GB

 **Note:**

The host must be able to make a JDBC connection to the JD Edwards database.

3. Copy the docker image to the host and load it using this script:

```
docker load -i <docker image zip>
//List the images docker images
```

4. Create and run the docker container using this script:

```
docker run -d -p 9091:9091 --name remoteagent -v /faw/software/remoteagent/config:/faw/software/remoteagent/config/ -v /faw/logs/RemoteAgent:/faw/logs/RemoteAgent <docker image Id>
```

If the remote agent user interface is not accessible, then run this script:

```
sudo docker run -d -p 9091:9091 --name remoteagent --network host -v /faw/software/remoteagent/config:/faw/software/remoteagent/config/ -v /faw/logs/RemoteAgent:/faw/logs/RemoteAgent <docker image Id>
```

 **Note:**

Ensure that the “logs” directory in `/faw/logs/RemoteAgent/` has write permissions and the “config” folder in `/faw/software/remoteagent/config/` is present in case you need to add custom properties.

5. If you've a firewall that is preventing you from accessing the remote agent, then ensure that you complete these steps before starting the docker container for the first time:
 - a. Disable firewall in the Linux host where docker is deployed.
 - b. Start the docker container.

- c. Check the logs to see if the container is started.
- d. Enable the firewall.
- e. Open the port using this script:

```
sudo firewall-cmd --zone=public --add-port=9091/tcp --permanent
sudo firewall-cmd --reload
sudo iptables-save | grep 9091
```

6. Verify that the container has started successfully using this script:

```
run '$ docker ps'
```

7. Configure the extract service URL to connect using this information:

- a. Sign in to the remote agent user interface using `http://<host>:9091/extractservice-remoteagent/index.html`.
- b. Configure the extract service URL that the remote agent connects to and configure any outgoing proxies if required using the applicable extract service end points.
- c. Configure the Oracle database data source outbound proxy in the remote agent user interface. You see the extract service URL. For example, you see `http://<server IP>/extractservice`.


8. In the remote agent user interface, click **Configure** to configure the agent.

9. Copy the configuration details from the text box or download the configuration details.


You use it to set up the connection on the Data Configuration page in Oracle Fusion Analytics Warehouse.

10. Configure the remote agent and Oracle database data source on the Data Configuration page in Oracle Fusion Analytics Warehouse using these instructions:

- a. On the **Console**, click **Data Configuration** under **Application Administration**.
- b. On the Data Configuration page, click **Manage Connections**.
- c. On the Manage Connections page, click **Create** and then click **Connection**.
- d. In Create Connection, select **Remote Agent** as the connection type.
- e. In the Create Connection Remote Agent dialog, in **Connection Name**, you can modify the default name and verify that **Remote** is displayed in **Connectivity Type**.
- f. Enter an email address to receive notifications in **Notification Email**, provide the **Identifier** and **Host**, in **Public Key**, click **Upload File or Drop Above** to fill in the details of the remote agent, and then click **Save**. You can add the configuration details file that you had downloaded or use the configuration details that you had copied after configuring the remote agent.
- g. Navigate to the Manage Connections page, click **Create** and then click **Connection**.
- h. In Create Connection, select **Oracle JDBC** as the connection type.



- i. In Create Connection for Oracle JDBC, in **Connectivity Type**, verify that **Remote** is selected automatically.



- j. In **Remote Agent**, select the remote agent connection that you created earlier, for example, **Remote Agent**.

- k. Enter an email address to receive notifications in **Notification Email**, provide credentials for the Oracle database source in **User Name** and **Password**, and the URL of the Oracle database source in **URL**.
- l. Confirm that you see the Remote Agent and Oracle database connections on the Manage Connections page.
- m. On the Manage Connections page, select the **Actions** menu for the Oracle database connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for Oracle database unless you perform a metadata extract.


11. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the Oracle database data. Ensure that you select **Regular** as the source dataset type and **Oracle JDBC** as the pillar. Select the applicable Oracle database source tables. See [Augment Your Data](#).

Load Data from QuickBooks Online into Oracle Fusion Analytics Warehouse (Preview)

As a service administrator, you can use the Oracle Fusion Analytics Warehouse extract service to acquire data from QuickBooks Online and use it to create data augmentations.


Ensure that **QuickBooks Online** is enabled on the Enable Features page prior to creating this connection. See [Make Preview Features Available](#).

1. In Oracle Fusion Analytics Warehouse, create the QuickBooks Online data connection using these instructions:
 - a. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
 - b. On the Data Configuration page, click **Manage Connections**.
 - c. On the Manage Connections page, click **Create** and then click **Connection**.
 - d. In Create Connection, select **QuickBooks Online** as the connection type.



- e. In the dialog for the QuickBooks Online connection, enter these details and click **Save**:
- **Connectivity Type:** Select **Standard**.
 - **Notification Email:** Enter an email address to receive notifications.
 - **URL:** Enter the complete URL of your Quickbooks Online instance.
 - **Client ID:** This is the unique ID on your Quickbooks Online instance.
 - **Client Secret:** Copy and paste the entire "client secret" from your authentication.
 - **Refresh Token:** This token is changed by Quickbooks everyday; enter your refresh token for the day you want to execute this pipeline.
 - **Company ID:** This is your company ID for the Quickbooks Online instance.

← Create Connection



QuickBooks Online

Connection Name

* Connectivity Type

Notification Email

* URL

* Client ID

* Client Secret

* Refresh Token

* Company ID

- f. Click **Save**.
2. On the Manage Connections page, select the **Actions** menu for the QuickBooks Online connection and then select **Test Connection**.
3. On the Manage Connections page, select the **Actions** menu for the QuickBooks Online connection and then select **Refresh Metadata**.

 **Note:**

You can't create augmentations for QuickBooks Online unless you perform a metadata extract.

4. After the connections are successfully established, navigate to the Data Augmentation tile on the Data Configuration page and create a data augmentation using the QuickBooks Online data. Ensure that you select **Regular** as the source dataset type and **QuickBooks Online** as the pillar. Select the applicable QuickBooks Online source tables. See *Augment Your Data*.

Disable Data Pipeline

As the cloud account administrator with the functional administrator or system administrator application role, you can disable the data pipeline and enable it again.

 **LiveLabs Sprint**


You may want to disable the data pipeline in the following scenarios:

- While updating the Oracle Fusion Cloud Applications password or the JWT credentials.


- While upgrading to a new Oracle Fusion Cloud Applications version.
- If you don't want to run pipeline jobs for a particular source.
- If you don't want to run pipeline jobs for a particular duration such as a quiet time in your business activities.

In cases where the pipeline jobs are failing due to issues, Oracle disables the data pipeline from the backend to investigate and resolve. On the Pipeline Parameters page, Oracle provides a reason and action for you, if the resolution needs to be done from your side. You can resolve the issue and as an administrator you can enable the data pipeline yourself using the **Data Pipeline Disabled** toggle.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, under **Configurations**, click **Pipeline Settings**.
4. On the Pipeline Settings page, under Data Pipeline, select the **Data Pipeline Status** toggle to **Disabled** and enter a reason in **Details**.



5. Select the **Data Pipeline Status** toggle again to enable the data pipeline after you've completed the reason for disabling the data pipeline.



Schedule Frequent Refreshes of Data

You can schedule frequent refreshes of the applicable functional areas, prioritized datasets, and warehouse tables to ensure that the incremental data in these is the latest.

If you've enabled the "Prioritized Data Refresh" preview feature and selected datasets for a prioritized incremental refresh, then those specific datasets are available for a frequent data refresh. See [Prioritize Datasets for Incremental Refresh \(Preview\)](#). If you've enabled the "Frequent Refresh Tables" preview feature and saved your selection of the warehouse tables, then the selected tables are available as "Warehouse Tables" for a frequent data refresh. See [Schedule Frequent Refreshes of Warehouse Tables](#).

For Oracle Fusion Analytics Warehouse, you can schedule frequent refreshes for functional areas such as General Ledger and Order Management.

When you select the functional areas for a frequent refresh, you won't be able to refresh the data pipeline for the applicable functional area using the Refresh Data option on the Data Configuration page. The frequent data refresh process doesn't refresh data from external sources through the data augmentation connectors. Oracle Fusion Analytics Warehouse processes the data augmentations as part of the incremental loads.

You may want to frequently refresh the data in these sample scenarios:

- During the last five days of the month or every quarter, general ledger data changes quickly with updated entries more than once a day. In this scenario, a financial analyst wants to ensure taking more recent and accurate data into the analysis and report generation. Since some of the data pipelines can take several hours to execute from end to end, the frequency of refresh needs to be every 4 hours or 6 times in a 24-hour period.
- In this scenario, a retailer that has strict guidelines for returns or refunds on any purchase orders, and needs to bring in the most recent order data for computation and report generation, especially in the beginning of a given fiscal quarter. To cover for time differences between Europe, East Coast, and West Coast of the U.S., a financial analyst needs to refresh data every 8 hours in 24 hours, or 3 times a day.

Ensure that **Frequent Refresh** is enabled in **Pipeline Features** under the Generally Available Features tab on the Enable Features page prior to scheduling frequent data refreshes. See [Enable Generally Available Features](#).

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, under **Configurations**, click **Pipeline Settings**.
4. On the Pipeline Settings page, click **Frequent Refresh**.

Frequent Refresh

Specify the schedule and data that requires frequent refreshes in a day.
Note that Ad Hoc reload or refresh will not be available for frequently refreshed content.
Warning: For functional areas that aren't activated currently, the schedule is applicable when you activate them.

Frequency (in hours)

Last refresh date Not Available

Functional Area ↑	Application ↑↓	Offering ↑↓
General Ledger	Enterprise Resource Planning	Financial Analytics
Accounts Payable	Enterprise Resource Planning	Financial Analytics
Accounts Receivable	Enterprise Resource Planning	Financial Analytics
AR Unaccounted Transactions	Enterprise Resource Planning	Financial Analytics
Order Management	Supply Chain Management	Supply Chain Management Analytics
Warehouse Tables	Frequent Refresh Tables	

5. In the Frequent Refresh tab, in **Frequency (in Hours)**, select the number of hours after which you want the data refresh to happen.
6. Enter a start time.
7. In **Last refresh date**, view the date when the data was last refreshed.
8. Select the check boxes for the functional areas with the data you want refreshed at the specified interval.
9. Click **Save**.

Schedule Periodic Full Reload of Functional Area Data

You can schedule a periodic full reload of the applicable functional areas to ensure that all the data in these functional areas is completely reloaded.

For Oracle Fusion Analytics Warehouse, you can schedule a periodic full reload for functional areas such as General Ledger and Order Management. You can schedule a full reload of maximum three functional areas.

WARNING:

When you schedule a full reload, the incremental loads take a longer time and depending on the initial extract date, the incremental data load may take days to complete the extraction.

You may want to fully reload the data for a functional area in these sample scenarios:

- The Finance department wants to do full reload of the general ledger (GL) data at the beginning of the month to make sure all data is fresh and clean for the monthly GL entries and the analytics and report generation.
- At the beginning of every quarter, all data related to Purchase Orders is updated with returns, refunds, and any adjustments. In this scenario, revenue recognition needs to take all the latest Purchase Order data to compute all numbers and create accurate reports. Hence, a full reload of the order data is required on the 1st of every fiscal quarter that can be different from the calendar quarter.

Ensure that **Scheduled Full Data Reload** is enabled in **Pipeline Features** under the Generally Available Features tab on the Enable Features page prior to scheduling periodic full reload. See [Enable Generally Available Features](#).

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, under **Configurations**, click **Pipeline Settings**.
4. On the Pipeline Settings page, click **Warehouse Full Reload Schedule**.

Scheduled Warehouse Full Reload Cancel Save

Specify the schedule and data to perform a full reload on the warehouse data. Note that this action completely reloads the warehouse data for the selected data and increases the data load times on the specified schedule.

ⓘ Warning: For functional areas that aren't activated currently, the schedule is applicable when you activate them.

Full Reload Frequency:

Timezone: GMT

<input type="checkbox"/>	Functional Area ↑	Application ↑↓	Offering
<input type="checkbox"/>	AR Unaccounted Transactions	Enterprise Resource Planning	Finance
<input type="checkbox"/>	Accounts Receivable	Enterprise Resource Planning	Finance

5. In the Warehouse Full Reload Schedule tab, in **Full Reload Frequency**, select the frequency type such as weekly, monthly, or quarterly.
6. Based on the selected frequency type, select the specific day of the week, month, or the first month of the quarter.
7. Select the check boxes for the functional areas whose data you want reloaded fully at the specified period.
8. Click **Save**.

Schedule Frequent Refreshes of Warehouse Tables

You can select warehouse data tables for frequent data refresh ahead of other data in the regularly scheduled batch. For a table to be eligible for a frequent data refresh, ensure that its supporting functional areas are activated.

After you select the warehouse tables for frequent data refresh and save your selection, the selected tables are available as "Warehouse Tables" under the Frequent Refresh tab. You can set the frequent refresh schedule for these tables in the Frequent Refresh tab. See [Schedule Frequent Refreshes of Data](#).

Ensure that **Frequent Refresh Tables** is enabled in **Pipeline Features** under the Preview Features tab on the Enable Features page prior to scheduling frequent refreshes of the tables. See [Make Preview Features Available](#).

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, under **Configurations**, click **Pipeline Settings**.
4. On the Pipeline Settings page, click **Frequent Refresh Tables**.

Pipeline Parameters Frequent Refresh **Frequent Refresh Tables** Warehouse Full Reload Schedule Functional Area Schedule Override Prioritized Refresh

Warehouse tables for frequent data refresh [Preview](#)

Select warehouse data tables for frequent data refresh ahead of other data in the regularly schedule batch.
For a table to be eligible for frequent data refresh, its supporting functional areas must be activated.

 Show selected tables
 Show all functional areas

<input type="checkbox"/> Warehouse Table Name ↑↓	Functional Areas ↑↓	Updated On ↑↓	Updated By ↑↓	Status ↑↓
<input type="checkbox"/> DW_ACC_TYPE_LKP_TL	⊙ 15 Functional Areas	Aug 22, 2023 03:38:18 PM IST		Scheduled
<input type="checkbox"/> DW_ACTION_D	⊙ 1 Functional Areas	Aug 22, 2023 03:38:18 PM IST		Scheduled
<input type="checkbox"/> DW_ACTION_D_TL	⊙ 1 Functional Areas	Aug 22, 2023 03:38:18 PM IST		Scheduled
<input type="checkbox"/> DW_ACTION_REASON_D	⊙ 1 Functional Areas	Aug 22, 2023 03:38:18 PM IST		Scheduled
<input type="checkbox"/> DW_ACTION_REASON_D_TL	⊙ 1 Functional Areas			Eligible
<input type="checkbox"/> DW_ACTION_TYPE_D_TL	⊙ 1 Functional Areas			Eligible

- In the Frequent Refresh Tables tab, select the check boxes for the applicable warehouse tables and click **Save**.

Extend Data with Custom Data Configurations

As a functional administrator, you can use the available custom data configurations to extend your data for detailed and varied analytics.

Topics:

- [About Extending Data with Custom Data Configurations](#)
- [Select Descriptive Flex Fields and Map Attributes](#)
- [Activate the Descriptive Flex Fields](#)
- [Deactivate the Descriptive Flex Fields](#)

About Extending Data with Custom Data Configurations

Custom data configurations are ready-to-use templates that enable you to create custom functional areas with the data that you bring into the Autonomous Data Warehouse. You later use these custom functional areas to augment the data from the source or enrich the data available in the Autonomous Data Warehouse.

When you start using a custom data configuration for the first time and deploy it, Oracle Fusion Analytics Warehouse assigns the custom data configuration a version number. You can then edit the deployed version, make changes, and save it. This saved version then gets a new version number. While you're changing the definition, the deployed version continues to fetch new data. An example of the currently available custom data configuration is the Descriptive Flex Fields (DFF) Attribute Mapper.

About Extending Data with the Descriptive Flex Fields Attribute Mapper

You can use the Descriptive Flex Fields (DFF) Attribute Mapper custom configuration to select the ready-to-use DFFs with their attributes, generate, and deploy the selected DFFs in the warehouse. The deployed DFFs create a custom functional area that you can use like the ready-to-use functional areas.

The DFF Attribute Mapper supports the following:

- For attribute name, it supports "alphanumeric", "_", and "\$". This is according to the Oracle SQL database restrictions (ADW).
- For display name or label, you can use any unsupported character such as ";".

The DFF Attribute Mapper custom configuration is available with the 22.R3 application update. For tenant instances that you create after upgrading to this application update, as a service or functional administrator, you must navigate to this custom configuration, search for and select the DFFs that you want to move to the warehouse, map the attributes as needed, and deploy the selected DFFs. You can filter based on functional areas such as General Ledger, Accounts Payables, and Accounts Receivables or applications from the source system such as Payables and Receivables to list DFFs that you need to move to the warehouse. If you require a new DFF later, then complete this process again.

For tenant instances already operational before the 22.R3 application update, to ensure backward compatibility, Oracle Fusion Analytics Warehouse automatically copies the DFFs based on the functional areas that are activated. For existing tenant instances, Oracle Fusion Analytics Warehouse also copies the DFFs when you activate a new functional area. Oracle recommends that you start using the DFF Attribute Mapper to select DFFs and map the required attributes yourself.

Select Descriptive Flex Fields and Map Attributes


As a functional administrator, select and add the ready-to-use descriptive flex fields (DFFs) and their attributes to your Autonomous Data Warehouse using the DFF Attribute Mapper.

While selecting and adding the ready-to-use DFFs and their attributes, you must ensure that they are BI-enabled. The BI-enabled DFFs are registered in the database as enabled for Oracle Business Intelligence (BI) and include a BI-enabled setting for each of its segments. When a global, context, or context-sensitive segment is BI-enabled, it's available for use in Oracle Business Intelligence. If you select any attribute that isn't BI-enabled, then your extraction and downstream data augmentation may fail.


After adding the DFFs such as Invoice and Payment Information along with their attributes, you can use the data from the added DFFs to augment the data from the source or enrich the data available in the Autonomous Data Warehouse. The ability to select the attributes that you need enables you to avoid pipeline failures and slow performance.

While searching for the ready-to-use DFFs, filter the DFFs by functional areas or applications from the source system to view a smaller set. View the details of the flex field using the Details tab. You can add selected attributes or add all available attributes using the **Add all attributes** option.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, under **Configurations**, click **Custom Data Configurations**.
4. On the Custom Data Configurations page, click **Create**, and then select **Descriptive Flex Fields**.



5. On the Descriptive Flex Fields page, click the **Actions** icon for a descriptive flex field that you want to add attributes.



6. In the **Actions** menu, click **Edit** to select attributes
7. In the descriptive flex field dialog, select the check box for the attributes that you want to add and then click **Done**.

Invoice
✕

Attributes 25
Details

Show Selected Attributes only (0/25)

<input type="checkbox"/>	Display name ↑↓	Attribute name ↑↓
<input type="checkbox"/>	IBY	TESTER_
<input type="checkbox"/>	RK_LOV_c	RK_LOV_c
<input type="checkbox"/>	KEY_FLEX_CONTEXT_0	KEY_FLEX_CONTEXT_0
<input type="checkbox"/>	cnao field1	CNAO_FIELD1_
<input type="checkbox"/>	LastUpdatedBy	LastUpdatedBy
<input type="checkbox"/>	GoodwillDiscount (Description)	DESC_RK_LOV_NUM_
<input type="checkbox"/>	TESTER_c	TESTER_c
<input type="checkbox"/>	RK_DATE_c	RK_DATE_c

Done

- After adding attributes to the descriptive flex fields that you want, click **Save** on the Descriptive Flex Fields page.


Activate the Descriptive Flex Fields

After selecting the attributes for the descriptive flex fields (DFFs) that you want, you must activate them to enable data load.


Activation involves these two steps:

- The Generate step initializes the custom application for activation. Generate evaluates the selections for the DFFs and prepares the application for deployment. It changes the status to scheduled and after processing, sets the custom application as active.
- After the Generate step is complete, you can deploy the custom application. In the Deploy step, Oracle Fusion Analytics Warehouse connects to the source system and extracts the data for the selected flex fields and their attributes. Once the data is copied to the warehouse, the data is visible for analysis in the subject areas. The subsequent incremental data loads copy the data for the DFFs to the warehouse automatically.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, under **Configurations**, click **Custom Data Configurations**.
4. On the Custom Data Configurations page, click the **Actions** icon for a descriptive flex field that you want to activate.
5. In the **Actions** menu, click **Generate**.



6. On the Custom Data Configurations page, when the status changes to **Completed**, click the **Actions** icon for the applicable descriptive flex field and in the **Actions** menu, select **Deploy**.



Deactivate the Descriptive Flex Fields

You can deactivate the descriptive flex fields (DFFs) if you no longer want to include the data from the DFFs in the incremental data loads.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Configuration** under **Application Administration**.
3. On the Data Configuration page, under **Configurations**, click **Custom Data Configurations**.
4. On the Custom Data Configurations page, click the **Actions** icon for a descriptive flex field that you want to deactivate.
5. In the pop up, click **Deactivate**.

4

Validate Oracle Fusion Analytics Warehouse Data

As the cloud account administrator with the Functional Administrator or System Administrator application role, you validate the data after loading the source data from Oracle Fusion Cloud Applications into your data warehouse.

Topics:

- [About Validating Your Data](#)
- [Create a User to Validate the Extracted Data](#)
- [Create a Custom BI Abstract Role](#)
- [Validate Your Data](#)

About Validating Your Data

As a functional administrator, you can validate a library of metrics between your Oracle Fusion Analytics Warehouse instance and the Oracle Transactional Business Intelligence instance. The library of metrics is part of Oracle Fusion Analytics Warehouse.

To validate data between the source and warehouse, the Oracle Fusion Analytics Warehouse functional administrator and Oracle Fusion Cloud Applications user must have the same privileges. For example, if you're an administrator in Oracle Fusion Analytics Warehouse and Oracle Fusion Cloud Applications, then you can use those user IDs to perform data validation.


Prerequisites for Data Validation

Here's a list of prerequisites for validating your data as an administrator:

- Ensure that you can access the Oracle Transactional Business Intelligence instance and run queries.
- Ensure that you have the same data security privileges in Oracle Fusion Analytics Warehouse instance and the Oracle Transactional Business Intelligence instance.
- Ensure that you're assigned the Integration Specialist Group in Oracle Fusion Analytics Warehouse to access the Common folder in Oracle Analytics Cloud and to view the output of the data validation project.
- Create a user, such as `MyFAWValidationUser`, to validate the extracted data. See [Create a User to Validate the Extracted Data](#).
- Create a custom BI Abstract role and associate it with an applicable user, such as `MyFAWValidationUser`, whose credentials you want to provide for data validation.
- In Oracle Fusion Analytics Warehouse, on the Source Credentials tab of the Data Validation page, provide the credentials of the applicable user, such as `MyFAWValidationUser`.

 **Note:**


If the password has expired, then set the new password using the Source Credentials tab. To navigate to the Source Credentials tab, open the **Navigator** menu, click **Console**, and then click **Data Validation** under **Application Administration**. You see the Scheduled Validation, Detailed Validation, and Source Credentials tabs.




← Data Validation

Scheduled Validation Detailed Validation **Source Credentials**

Username
MyFAWValidationUser

Password
..... 

Confirm Password
..... 

Save

Create a User to Validate the Extracted Data

Data validation in Oracle Fusion Analytics Warehouse uses basic authentication and you must provide credentials of a user who has the appropriate privileges to validate the extracted data.

After you create this user in Oracle Fusion Analytics Warehouse, you must provide this user's credentials in Oracle Fusion Analytics Warehouse for data validation. See [Prerequisites for Data Validation](#).

1. Sign in to Oracle Fusion Cloud Applications and in the Navigator, click **Tools**, and then click **Security Console**.
2. In the Console, click the Users tab and create a user that you want to use to validate the extracted data; for example, MyFAWValidationUser.
3. Click the Roles tab and search for the custom data BI - Abstract Role that was created for data validation; for example, FAW_CUSTOM_DATA_VALIDATION_ROLE. See [Create a Custom BI Abstract Role](#).
4. On the Users page, click **Add User**.

5. In the Add User dialog, search for and select the user to whom you want to assign this role; for example, `MyFAWValidationUser`. Click **Add Selected Users**, close the Add User dialog, and click **Next**.
6. Review the summary and click **Save and Close**.

Create a Custom BI Abstract Role

You create a BI Abstract role and associate it with an applicable user, such as `MyFAWValidationUser`, to validate the extracted data.

Use the Security Console of Oracle Fusion Cloud Applications.

1. Sign in to Oracle Fusion Cloud Applications with your administrator credentials.
2. Navigate to **Tools** and then to **Security Console**.
3. In the Security Console, select the Roles tab, and then click **Create Role**.
4. In the Create Roles wizard, on the Basic Information page, enter a role name such as FAW Custom Data Validation Role and a role code such as `FAW_CUSTOM_DATA_VALIDATION_ROLE`, and select **BI - Abstract Roles** as role category.
5. In the Create Roles wizard, on the Role Hierarchy page, add the BI Impersonator role as a member of the newly created BI Abstract role.
6. In the Create Roles wizard, on the Users page, add the applicable user, such as `MyFAWValidationUser`, to the newly created BI Abstract role.
7. In the Create Roles wizard, on the Summary page, verify the details, save, and then close the wizard.


Validate Your Data

As a functional administrator, validate the data after loading the source data in to your data warehouse.


You can schedule the validation of your data using the ready-to-use validation sets or custom validation sets that you create. You can create a validation set and define the subject area, metrics, and columns that you want to validate and schedule the validation frequency and date. You see the validation sets that you create under Custom Validation Sets in the Scheduled Validation tab.

Based on the schedule and the validation set, Oracle Fusion Analytics Warehouse validates the data and stores the details in the Data Validation workbook available in the Common folder in Oracle Analytics Cloud. Use the report tabs such as **Validate data for ERP Analytics** and **Validate data for HCM Analytics** available in this workbook to view the data validation details.


1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Data Validation** under **Application Administration**.



3. On the Data Validation page, in the Scheduled Validation tab, ensure that the **Run automated Data Validation Reports** toggle is “on” if you want to validate your data using the ready-to-use validation sets or your custom validation sets. Select the check box for the specific validation sets.



4. To create a custom validation set, click **Create New Report**.



5. In Create Validation Set:

- a. Enter a name for your custom validated set.
- b. Select the source pillar.
You see the subject areas for the selected pillars.
- c. Select the validation frequency and the corresponding day, month, and date as required.
- d. For each subject area, select the check box for the measures that you want, and then click the edit icon next to the measure.
- e. In Select Values, select the values that are displayed, or search for values, or click **Show More Values**, and then move them to the **Selected Values** box using the arrows.
- f. Click **Select** to retain the selection.
- g. Click **Save**.

Create Validation Set ✕

Report Name

Validation frequency
 ⓘ After successful pipeline runs

Source pillar

Day

Select Subject Areas and Measures to validate for ERP

- ▶ Financials - AP Aging
- ▶ Financials - AP Invoices
- ▼ Financials - AP Payments
 - Payment Distribution Amount ⚠
 - Payments Amount ⚠
- ▶ Financials - AR Adjustments
- ▼ Financials - AR Credit Memo Applications
 - Credit Memo Applications Amount ⚠
- ▶ Financials - AR Receipts and Applications

6. In Show details for, select the validation set to view the subject area and its measures that would be validated as part of this validation set.
7. On the Data Validation page, in the Detailed Validation tab, select the subject area such as Financials - GL Balance Sheet, a metric related to the selected subject area, and the column set that you want to validate.

You see the columns listed from the selected Column Set.

← Data Validation
🔔
👤

Scheduled Validation
Detailed Validation
Source Credentials

Select a measure and context to compare the data results in warehouse to source

Subject Area

Metric

Column Set

Warehouse Value

Source Value

8. For each column, click the + icon to open the Select Values dialog.

9. In Select Values, select the values that are displayed, or search for values, or click **Show More Values**, and then move them to the **Selected Values** box using the arrows.
10. Click **Select** to retain the selection.
11. In the Detailed Validation tab, click **Run** to show the metric values in the Oracle Fusion Analytics Warehouse instance and the Oracle Transactional Business Intelligence instance.
12. On the Data Validation page, click **Show Summary** to display the detail drill down of the metric values for Oracle Fusion Analytics Warehouse instance and the Oracle Transactional Business Intelligence instance.
13. Select the attribute columns that you would like to pivot the details on in the display.
You see the Summary table with values for these categories:
 - Total Records in Analytics Warehouse
 - Total Records in Oracle Transactional Business Intelligence
 - Records Only in Analytics Warehouse
 - Records Only in Oracle Transactional Business Intelligence
 - Matched Records
 - Mismatched Records
14. On the Data Validation page, click **Show Details** to show the detail drill down of the metric values for the Oracle Fusion Analytics Warehouse instance and the Oracle Transactional Business Intelligence instance. The detail table gives the actual data for the differences between these instances using the pivot columns that you had selected previously.
15. Optional: Use the **Download Details** option to download the detail data into a csv file.
16. Optional: Use the **Change Columns** option to change the columns that you would like to pivot the detail data on.

This regenerates the summary and the detail analysis.

5

Manage Users, Groups, Application Roles, and Data Access

As the service administrator or security administrator, you manage users and their access to subject areas and data.

Topics:

- [About Managing Users, Groups, Application Roles, and Data Access](#)
- [Typical Workflow to Manage Users, Groups, Application Roles, and Data Access](#)
- [Manage Users](#)
- [Manage Groups](#)
- [Manage Application Roles](#)
- [Manage Data Access through Security Assignments](#)
- [Configure Permissions for Metadata and Front-End Objects](#)
- [View Activity History](#)
- [Manage Uploads and Downloads](#)
- [Set Up Custom Security](#)

About Managing Users, Groups, Application Roles, and Data Access

As the service administrator or security administrator, one of your initial tasks is to ensure that users have appropriate access to use Oracle Fusion Analytics Warehouse.

Users need access to objects and data. Access to objects include subject areas or elements of subject areas such as folders and attributes, front-end decks, cards, KPIs, and the legacy Oracle BI Enterprise Edition dashboards and answers. You grant access to the users by assigning groups to them. The groups inherit the permissions from the data and duty roles mapped to them. You can merge your security setup only with the main semantic model.

About Users

Users accessing Oracle Fusion Analytics Warehouse must exist in Oracle Identity Cloud Service.

You can create the users or synchronize them with the Oracle Identity Cloud Service instance associated with your Oracle Fusion Analytics Warehouse instance from different sources:

- You can synchronize the Oracle Fusion Cloud Applications users with the Oracle Identity Cloud Service instance.

- You can manually create users in the Oracle Identity Cloud Service instance directly or create users in the Oracle Identity Cloud Service instance using the Oracle Fusion Analytics Warehouse user interface.
- You can synchronize the users from other 3rd-party systems with the Oracle Identity Cloud Service instance.

Users gain their access to Oracle Fusion Analytics Warehouse based on the Oracle Fusion Analytics Warehouse-specific system groups assigned to them. They gain access to different functionality, objects, and data in Oracle Fusion Analytics Warehouse based on the job-specific groups assigned to them.

You can assign the predefined system groups, groups available in the Oracle Identity Cloud Service instance associated with your Oracle Fusion Analytics Warehouse instance, and custom groups that you create in Oracle Fusion Analytics Warehouse. See [Associate Users and Groups](#).

About Groups

Oracle Fusion Analytics Warehouse uses groups to provide users access to subject areas, objects, and data.

Oracle Fusion Analytics Warehouse uses the following three types of groups:

- System groups created in Oracle Identity Cloud Service specifically for Oracle Fusion Analytics Warehouse. These system groups are associated with system roles that provide a set of privileges to the users to perform system tasks after signing into Oracle Fusion Analytics Warehouse, such as administering system settings, performing functional setup, managing security, and modeling data.
- Job-specific groups such as Vice President of Sales, Human Resources Analyst, and Procurement Buyer. The job-specific groups are job roles from Oracle Fusion Cloud Applications mapped as groups in Oracle Identity Cloud Service. See [Job-Specific Groups](#).
- Other groups that are generic groups created in Oracle Identity Cloud Service not specifically for Oracle Fusion Analytics Warehouse, such as `IDCS Administrators` and `All_Tenant_Users`.

System Groups

Oracle Fusion Analytics Warehouse creates the system groups in Oracle Identity Cloud Service while provisioning your Oracle Fusion Analytics Warehouse instance.

System groups are associated with system roles that provide a set of privileges to users. The system roles serve two purposes:

- Authenticate a user to Oracle Fusion Analytics Warehouse.
- License a user to use Oracle Fusion Analytics Warehouse based on the system group they are assigned.

See [System Roles](#).

You must add the users to the corresponding system groups based on the tasks they perform in Oracle Fusion Analytics Warehouse. See [Assign Users to a Group](#) and [Assign Groups to Users](#). Use the Users or Groups tabs on the Security page to add users to these system groups:

System Group Code	System Group Name	Description	Associated Oracle Fusion Analytics Warehouse System Role*
FAW_FUNCTIONAL_ADMINISTRATORS	FAW Functional Administrator	Fusion Analytics Warehouse Functional Administrators	FunctionalAdmin
FAW_SECURITY_ADMINISTRATORS	FAW Security Administrator	Fusion Analytics Warehouse Security Administrators	SecurityAdmin
FAW_MODELERS	FAW Modeler	Fusion Analytics Warehouse Modelers	Modeler
FAW_MODELER_ADMINISTRATORS	FAW Modeler Administrator	Fusion Analytics Warehouse Modeler Administrators	ModelerAdmin
FAW_SERVICE_ADMINISTRATORS	FAW Service Administrator	Fusion Analytics Warehouse Service Administrators	ServiceAdmin
FAW_LICENSED_ERP_AUTHORS	FAW Licensed ERP Authors	Fusion Analytics Warehouse ERP Licensed Authors	Author
FAW_LICENSED_ERP_CONSUMERS	FAW Licensed ERP Consumers	Fusion Analytics Warehouse ERP Licensed Consumers	Consumer
FAW_LICENSED_HCM_AUTHORS	FAW Licensed HCM Authors	Fusion Analytics Warehouse HCM Licensed Authors	Author
FAW_LICENSED_HCM_CONSUMERS	FAW Licensed HCM Consumers	Fusion Analytics Warehouse HCM Licensed Consumers	Consumer

*See [System Roles](#).

Job-Specific Groups

Job-specific groups are job roles synchronized from Oracle Fusion Cloud Applications into Oracle Identity Cloud Service.

Oracle Fusion Analytics Warehouse uses the following job-specific groups:

- [Common Job-Specific Groups](#)
- Fusion HCM Analytics Job-Specific Groups
- Fusion ERP Analytics Job-Specific Groups
- Fusion SCM Analytics Job-Specific Groups
- Fusion CX Analytics Job-Specific Groups

Common Job-Specific Groups

The common job-specific groups are applicable across the analytics applications that are part of Oracle Fusion Analytics Warehouse such as Oracle Fusion HCM Analytics and Oracle Fusion ERP Analytics.

Job-Specific Group Code	Job-Specific Group Name	Description	Associated Application Roles	Associated Application Role Names	Functional Area
ORA_FND_INTEGRATION_SPECIALIST_JOB	Integration Specialist	Individual responsible for planning, coordinating, and supervising all activities related to the integration of enterprise information systems. Has author privileges.	Author OA4F_COMM ON_DATA_AD MIN_ANALYSIS_DUTY	Not applicable	Common

Other Groups

The Other Groups category refers to groups created in Oracle Identity Cloud Service for purposes such as administrating Oracle Cloud Infrastructure and Oracle Identity Cloud Service.

These groups are not necessarily Oracle Fusion Analytics Warehouse-specific but you can use them in Oracle Fusion Analytics Warehouse. Examples of this category are the "IDCS_Administrators" and "All_Tenant_Users" groups.

About Application Roles

Application roles consist of duty and data roles.

Duty roles define the duties of a job as an entitlement to perform a particular action; for example, access to an AP Transactions subject area. Data roles provide access to the row-level data in the warehouse tables. Data roles group the users based on the functional access they have through a particular job role and a particular dimension of data. For example, a group of users based on invoices relevant only to their business unit.

Duty Roles

The predefined duty roles to secure the predefined subject areas and the predefined front-end objects are:

- [Common Duty Roles](#)
- Fusion HCM Analytics Duty Roles
- Fusion ERP Analytics Duty Roles
- Fusion SCM Analytics Duty Roles
- Fusion CX Analytics Duty Roles

Common Duty Roles

You can select the subject area for each of the Oracle Fusion Analytics Warehouse products and review the data lineage details. This enables you to understand the column and table lineage from the presentation layer to the physical layer.

Duty Role Code	Duty Role Name	Details	Functional Area	Gets access to Subject Area Display Name OR Associated Role
OA4F_COMMON_DATA_ADMIN_ANALYSIS_DUTY	Data Warehouse Refresh Analysis Duty	Object security role to control presentation catalog access to Common - Warehouse Refresh Statistics subject area.	Common	Common - Warehouse Refresh Statistics
OA4F_COMMON_USAGE_TRACKING_DUTY	Usage Tracking Analysis Duty	Object security role to control presentation catalog access to Common - Usage Tracking subject area.	Common	Common - Usage Tracking
OA4F_SECURITY_REPORTING_DUTY	Security Reporting Duty	Object security role to control presentation catalog access to Security Assignment and Security Audit History subject areas.	Common	Common - Security Assignment Common - Security Audit History

Data Roles

The predefined data roles used to secure the predefined objects, custom facts, and custom dimensions are:

- Fusion HCM Analytics Data Roles
- Fusion ERP Analytics Data Roles
- Fusion SCM Analytics Data Roles
- Fusion CX Analytics Data Roles

System Roles

The system roles for Oracle Fusion Analytics Warehouse available in Oracle Identity Cloud Service through provisioning of Oracle Fusion Analytics Warehouse are:

Role Name	Role Description	Purpose	Permissions
Administrator	Tenant administrator for service instances	Creates and manages Oracle Fusion Analytics Warehouse instances and administers Oracle Identity Cloud Service users and roles.	<ul style="list-style-type: none"> • Creates and manages Oracle Fusion Analytics Warehouse instances • Administers Oracle Identity Cloud Service users and roles • Has no access to the Data Pipeline user interface • Has no access to the Data Security user interface • Has no access to the Job Monitoring Console user interface • Has no access to the Console menu • Has no access to user and group administration • Has no access to decks, cards, KPIs, visualizations, projects, and content

Role Name	Role Description	Purpose	Permissions
Service Administrator	Oracle Fusion Analytics Warehouse service administrator	Customer facing (Snapshots, Connections, System Settings) administrator access to Oracle Fusion Analytics Warehouse.	<ul style="list-style-type: none"> • Can't create snapshots or modify the data model file (RPD) • Can access the Data Pipeline user interface • Can access the Data Security user interface • Has no access to the Job Monitoring console • Can access the Console menu • Can access the user and group administration pages • Can access the Semantic Model Extensions user interface • Has read-only access to the ready-to-use Oracle Analytics Cloud objects (visualization projects, dashboards, and analyses) • Requests from Oracle Fusion Analytics Warehouse to Oracle Analytics Cloud are routed through the Service Administrator user • Can create, update, and delete the Oracle Analytics Cloud content • Has read-only access to the ready-to-use KPIs • Can create, update, and delete KPIs • Can create, update, and

Role Name	Role Description	Purpose	Permissions
			<ul style="list-style-type: none">delete decks and cards• Can share decks and cards• Can create Oracle Analytics Publisher reports• Has no access to data modeling• Has access to create Oracle Analytics Cloud connections to other non-Oracle Applications sources, such as Excel files and Google drive• Has access to create Oracle Analytics Cloud datasets

Role Name	Role Description	Purpose	Permissions
Functional Administrator	Oracle Fusion Analytics Warehouse functional administrator	Performs functional configuration (pipeline, reporting) in Oracle Fusion Analytics Warehouse.	<ul style="list-style-type: none"> • Can access the Data Pipeline and Custom Data Configuration user interfaces • Has no access to the Data Security user interface • Has no access to the Job Monitoring console • Can access the Console menu • Has no access to user and role administration • Has no access to the Semantic Model Extensions user interface • Has no access to the ready-to-use Oracle Analytics Cloud objects (visualization projects, dashboards, and analyses) • Has no access to the ready-to-use KPIs • Has no access to decks, KPIs, and Oracle Analytics Cloud projects • Can't create any Oracle Analytics Cloud content and KPIs • Can't create, update, and delete decks and cards • Can't share decks and cards • Has no access to Oracle Analytics Publisher • Has no access to data modeling • Has no access to create Oracle Analytics Cloud connections • Has no access to create Oracle

Role Name	Role Description	Purpose	Permissions
			Analytics Cloud datasets

Role Name	Role Description	Purpose	Permissions
Security Administrator	Oracle Fusion Analytics Warehouse security administrator	Administers system roles and data security.	<ul style="list-style-type: none"> • Has no access to the Data Pipeline user interface • Has access to the Data Security user interface • Has no access to the Job Monitoring console • Can access the Console menu • Has access to user and group administration • Has no access to the Semantic Model Extensions user interface • Has no access to the ready-to-use Oracle Analytics Cloud objects (visualization projects, dashboards, and analyses) • Has no access to the ready-to-use KPIs • Has no access to decks, KPIs, and Oracle Analytics Cloud projects • Can't create any Oracle Analytics Cloud content and KPIs • Can't create, update, and delete decks and cards • Can't share decks and cards • Has no access to Oracle Analytics Publisher and data modeling • Has no access to create Oracle Analytics Cloud connections • Has no access to create Oracle Analytics Cloud datasets

Role Name	Role Description	Purpose	Permissions
Modeler Administrator	Oracle Fusion Analytics Warehouse data model administrator	Promote data model (RPD) customization to the Oracle Analytics Cloud instance.	<ul style="list-style-type: none"> • Has no access to the Data Pipeline user interface • Has no access to the Data Security user interface • Has no access to the Job Monitoring console • Can access the Console menu • Has no access to user and role administration • Can access the Semantic Model Extensions user interface • Can access the ready-to-use Oracle Analytics Cloud objects (visualization projects, dashboards, and analyses) • Can access the ready-to-use KPIs • Can create KPIs • Can create Oracle Analytics Cloud content • Can't create, update, and delete decks and cards • Can't share decks and cards • Can't create Oracle Analytics Publisher reports • Has access to data modeling • Can apply the data model file (repository file) to the Test environment • Can create Oracle Analytics Cloud connections • Can create Oracle Analytics Cloud datasets

Role Name	Role Description	Purpose	Permissions
Modeler	Oracle Fusion Analytics Warehouse modeler	Modify the semantic model to bring in custom dimensions and attributes.	<ul style="list-style-type: none"> • Has no access to the Data Pipeline user interface • Has no access to the Data Security user interface • Has no access to the Job Monitoring console • Can access the Console menu • Has no access to user and role administration • Can access the Semantic Model Extensions user interface • Can access the ready-to-use Oracle Analytics Cloud objects (visualization projects, dashboards, and analyses) • Can access the ready-to-use KPIs • Can create Oracle Analytics Cloud content • Can create KPIs • Can't create, update, and delete decks and cards • Can't share decks and cards • Can't create Oracle Analytics Publisher reports • Has access to data modeling • Can create Oracle Analytics Cloud connections • Can create Oracle Analytics Cloud datasets

Role Name	Role Description	Purpose	Permissions
Author	Oracle Fusion Analytics Warehouse author	Create and edit KPIs, cards, decks, visualization projects, reports, and dashboards.	<ul style="list-style-type: none"> • Has no access to the Data Pipeline user interface • Has no access to the Data Security user interface • Has no access to the Job Monitoring console • Has no access to the Console menu • Has no access to user and role administration • Has no access to the Semantic Model Extensions user interface • Has read-only access to the ready-to-use Oracle Analytics Cloud objects (visualization projects, dashboards, and analyses); if you need a change, then create a copy using "Save As" • Has read-only access to the ready-to-use KPIs • Can edit the custom Oracle Analytics Cloud objects (visualization projects, dashboards, and analyses) • Can edit the custom KPIs • Can change the filter values for existing visualization projects • Can add filters for existing visualization projects • Can create and edit Oracle

Role Name	Role Description	Purpose	Permissions
			Analytics Cloud content, KPIs, decks, and cards <ul style="list-style-type: none"> <li data-bbox="1138 365 1365 443">• Can delete custom KPIs, decks, and cards <li data-bbox="1138 453 1365 646">• Can consume KPIs, cards, and decks created by other users on which they have access permissions <li data-bbox="1138 657 1365 709">• Can share decks and cards <li data-bbox="1138 720 1365 798">• Can create Oracle Analytics Publisher reports <li data-bbox="1138 808 1365 861">• Has no access to data modeling <li data-bbox="1138 871 1365 978">• Has no access to create Oracle Analytics Cloud connections <li data-bbox="1138 989 1365 1094">• Has access to create Oracle Analytics Cloud datasets

Role Name	Role Description	Purpose	Permissions
Consumer	Oracle Fusion Analytics Warehouse consumer	Read access to Oracle Analytics Cloud content and can create cards and decks.	<ul style="list-style-type: none"> • Has no access to the Data Pipeline user interface • Has no access to the Data Security user interface • Has no access to the Job Monitoring console • Has no access to the Console menu • Has no access to user and role administration • Has no access to the Semantic Model Extensions user interface • Has read-only access to the ready-to-use Oracle Analytics Cloud objects (visualization projects, dashboards, and analyses) • Has read-only access to the ready-to-use KPIs • Has read-only access to the custom Oracle Analytics Cloud objects (visualization projects, dashboards, and analyses) • Has read-only access to the custom KPIs • Can change the filter values for the existing visualization projects • Can't add filters for the existing visualization projects • Can't create any Oracle Analytics Cloud content

Role Name	Role Description	Purpose	Permissions
			<ul style="list-style-type: none"> • Can't create any KPIs • Can create, update, and delete decks and cards • Can share decks and cards • Has read-only access to Oracle Analytics Publisher • Has no access to data modeling • Has no access to create Oracle Analytics Cloud connections • Has access to create Oracle Analytics Cloud datasets

Refer to the full list of privileges in [Mapping of System Roles to Permissions in Fusion Analytics Warehouse](#). This document is updated typically for each release of Oracle Fusion Analytics Warehouse. Ensure that you are signed into Cloud Customer Connect prior to viewing this document.

About Data Access through Security Assignments

You grant the data security assignments at the user-level.

Data security assignments apply data filters to display only the data corresponding to the security assignment values assigned to the users. For example, John Smith and Marie Pierce are both Accounts Payable Manager in an organization, but John Smith needs to see only the US business unit-specific data and Marie needs to see only the UK business unit-specific data. Even though both have the same functional role, their data security assignments differ. John is assigned all the US business units and Marie is assigned all the UK business units only.

You ensure data-level security with a combination of data roles, security context, and security assignments assigned to the user. Oracle Fusion Analytics Warehouse maps a security context 1:1 onto a data role. You grant the data security assignments within a security context. The user must have the data role through the group assigned to them in order to have access to the security context and its corresponding list of values to pick from. You assign a user one or more job-specific groups. The groups have data roles mapped to them, and when querying data, the semantic layer applies the data filters.

For Enterprise Resource Planning, the ledger, payables business unit, and receivables business unit values are restricted by the ledgers that you selected while setting up the report parameters. To establish the security permissions, you'd need to map users to security assignments. If a user doesn't have security assignment values mapped, then the user doesn't get to see any datasets corresponding to the job role (and implicitly data role) assigned to them. When you add data security assignments to a user, you ensure that the

user can access specific data within a security context, such as ledger, payables business unit, or receivables business unit. See [Set Up the Reporting Configurations for Enterprise Resource Planning](#).

For Human Capital Management, the data security is based on the line manager hierarchy defined in Oracle Fusion Cloud Applications for the user having the Line Manager role. For Human Capital Management, the data security is based on the talent acquisition hierarchy defined in Oracle Fusion Cloud Applications for the user having the Job Application or Job Requisition roles. All users can see their own records using the HCM Show context. A user with the HR Analyst role has access to all Human Capital Management data and no security restrictions are applied to the Human Capital Management data set. A user with the Hiring Manager role has access to non-restricted job applications, while users with the Recruiter and Recruiting Manager role can view all job applications. The business unit, legal employer, department, country security context, and related data roles are restricted by contexts and assigned predicate values. To establish the security permissions, you'd need to map users to security assignments

Typical Workflow to Manage Users, Groups, Application Roles, and Data Access

Follow these tasks as a guide to manage users, groups, application roles, and data access.

Task	Description	More Information
Create users for Oracle Fusion Analytics Warehouse in Oracle Identity Cloud Service	Users for Oracle Fusion Analytics Warehouse must exist in the Oracle Identity Cloud Service instance associated with your Oracle Fusion Analytics Warehouse instance. You create users in the Oracle Identity Cloud Service instance in several ways.	See Create Users
License the users to access Oracle Fusion Analytics Warehouse	An Oracle Fusion Analytics Warehouse user is an Oracle Fusion Analytics Warehouse licensed user. You license a user in Oracle Fusion Analytics Warehouse when you assign one of the Oracle Fusion Analytics Warehouse system groups to them. You must assign at least one system group to a user to enable them to perform relevant tasks in Oracle Fusion Analytics Warehouse.	See License the Users to Access Oracle Fusion Analytics Warehouse
Create groups	As a security administrator, you can create custom groups to meet your business requirements.	See Create a Group

Task	Description	More Information
Create application roles	Application roles consist of data and duty roles. As a security administrator, you can create custom duty and data roles using the Security pages to secure subject areas and data respectively. However, as a modeler, you configure these custom application roles using the Security Configuration section of the Semantic Model Extensions pages.	See Create an Application Role
Associate groups and application roles	You must map the predefined and custom job-specific groups to the application roles (duty and data roles) to inherit the privileges and permissions to access the objects and data in Oracle Fusion Analytics Warehouse.	See Add Application Roles to a Group and Assign Groups to Application Roles
Associate users and groups	You must associate users and groups as the groups assigned to the users provide them the access to Oracle Fusion Analytics Warehouse.	See Assign Groups to Users and Assign Users to a Group
Add security assignments to a user	Access to data is granted at user level. Within a security context, users get assigned security assignments to filter their data access level. You can grant security assignments to the users for the predefined security contexts currently. For custom data access, the data filters are implicit through the custom data security framework. See Custom Security in Fusion Analytics Warehouse .	See Add Security Assignments to a User and Manage Users for a Data Security Assignment

Manage Users

As a service or security administrator, you must ensure that you add users with applicable permissions to work with Oracle Fusion Analytics Warehouse.

Topics:

- [Create Users](#)
- [License the Users to Access Oracle Fusion Analytics Warehouse](#)
- [Update the User Details](#)
- [Remove a User's Access to Oracle Fusion Analytics Warehouse](#)
- [Assign Licensed Groups to Users](#)

- [Assign Groups to Users](#)
- [Remove Groups Assigned to a User](#)
- [Add Security Assignments to a User](#)
- [Remove Security Assignments Granted to a User](#)
- [Copy Data Security Assignments](#)
- [View the Excluded Data Security Assignments](#)

Create Users

Users for Oracle Fusion Analytics Warehouse must exist in the Oracle Identity Cloud Service instance associated with your Oracle Fusion Analytics Warehouse instance.

You create users in the Oracle Identity Cloud Service instance in the following ways:

- Synchronize users from your Oracle Fusion Cloud Applications instance to the Oracle Identity Cloud Service instance.
- Manually create users in the Oracle Identity Cloud Service instance.
- Manually create users in the Oracle Identity Cloud Service instance using the Oracle Fusion Analytics Warehouse user interface.

Synchronize Users from Your Oracle Fusion Cloud Applications Instance

Synchronize users from your Oracle Fusion Cloud Applications instance to the Oracle Identity Cloud Service instance associated with your Oracle Fusion Analytics Warehouse instance.

See [Set Up Provisioning with Single Sign-On](#).

Create Users in Oracle Identity Cloud Service

Create users in the Oracle Identity Cloud Service instance associated with your Oracle Fusion Analytics Warehouse instance.

See Create User Accounts in *Administering Oracle Identity Cloud Service*.

Create Users in Oracle Fusion Analytics Warehouse

Manually create users in the Oracle Identity Cloud Service instance using the Oracle Fusion Analytics Warehouse user interface.

When you add a user using the Oracle Fusion Analytics Warehouse user interface, the user is available in the Oracle Identity Cloud Service instance associated with your Oracle Fusion Analytics Warehouse instance. You later assign the applicable licensed groups to the user that enable the user to perform certain tasks in Oracle Fusion Analytics Warehouse.

See [System Groups](#).

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, click the Users tab, and then click **Add User**.

4. In Add User, click **Create a New User**.
5. In Add User, provide the user details and click **Next**.
6. Select the check box for each of the licensed groups that you want to assign to the user and click **Finish**.

License the Users to Access Oracle Fusion Analytics Warehouse

You must assign at least one system group to a user to enable them to perform relevant tasks in Oracle Fusion Analytics Warehouse. System groups provide a set of privileges to perform tasks in Oracle Fusion Analytics Warehouse.

Currently, new licensed users with predefined job-specific groups get the Author role by default.

Based on the entitlements and the number of licenses that you purchased, you need to assign the users to either the HCM or ERP Licensed Author and HCM or ERP Licensed Consumer system groups. Additionally, if the users need to perform administrative tasks, you must assign those respective users to the administration-related groups.

See [System Groups](#).

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, click the Users tab, and then click **Add User**.
4. In Add User, search for a user and select the user or select a user from the displayed list of users.
5. Optional: If you don't find a specific user, then click **Create a New User** to create the user and assign the applicable system groups.

See [Create Users in Oracle Fusion Analytics Warehouse](#) .

6. Click **Next**.
7. Select the check box for each of the licensed groups that you want to assign to the user and click **Finish**.

Update the User Details

You can update the user details such as first name, last name, and email but the user name is non-editable after specifying it initially.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, select a user from the users listed under the Users tab or use the Search option and then click **User Profile**.
4. In User Details, update the applicable information and click **Save**.

Remove a User's Access to Oracle Fusion Analytics Warehouse

Remove a user's access to Oracle Fusion Analytics Warehouse by removing their assignment to a system group.

A user assigned to a system group consumes an Oracle Fusion Analytics Warehouse license. When a user no longer needs to consume the Oracle Fusion Analytics Warehouse license according to their entitlement, you can revoke the user's assignment to the applicable system groups. The user won't be able to access Oracle Fusion Analytics Warehouse as the user's access to Oracle Fusion Analytics Warehouse depends on the system group assigned to them. When you remove all system groups from the user, then the user can no longer be authenticated to Oracle Fusion Analytics Warehouse.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, select a user from the displayed users or use the Search option to search for and select a user.
4. Click **Remove User**.

Assign Licensed Groups to Users

You can assign the Oracle Fusion Analytics Warehouse licensed groups to the Oracle Fusion Cloud Applications users when they're synchronized from your Oracle Fusion Cloud Applications instance to the Oracle Identity Cloud Service instance to provide these users immediate access to Oracle Fusion Analytics Warehouse.

When you enable the synchronization of Oracle Fusion Cloud Applications with the Oracle Identity Cloud Service instance associated with your Oracle Fusion Analytics Warehouse instance, all the Oracle Fusion Cloud Applications groups are visible on the Security page in Oracle Fusion Analytics Warehouse. You must map the Oracle Fusion Cloud Applications custom groups to the Oracle Fusion Analytics Warehouse author and consumer licensed groups. Later when you synchronize the users from Oracle Fusion Cloud Applications to Oracle Identity Cloud Service, Oracle Fusion Analytics Warehouse selects those users, checks if the mapped Oracle Fusion Cloud Applications custom groups are assigned to those users, and then assigns the corresponding licensed groups to those users.

You must ensure that the custom roles are available in Oracle Fusion Cloud Applications and that you've assigned these roles to the users in Oracle Fusion Cloud Applications.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, click the Groups tab, and then search for the *FAW Licensed* groups.
4. Select a licensed group, for example FAW Licensed HCM Authors.

You see the Users and Groups tabs for the selected licensed group in the right pane.

5. Click the Groups tab under the licensed group.
6. Click **Add Mapping**.
7. In Add Source System Role Mapping, search for and select the Oracle Fusion Cloud Applications custom groups that you want to map to the licensed group, for example the *FAW Licensed HCM Authors* licensed group.
8. Click **Save**.
9. After mapping the Oracle Fusion Cloud Applications custom groups to the Oracle Fusion Analytics Warehouse author and consumer licensed groups, under the Groups tab, select the frequency of the synchronization of the Oracle Fusion Analytics Warehouse licensed groups with the new Oracle Fusion Cloud Applications users.
10. Optional: Under the Groups tab, click **Apply Changes Now**.

Oracle Fusion Analytics Warehouse adds the Oracle Fusion Analytics Warehouse licensed groups to the new Oracle Fusion Cloud Applications users.

Assign Groups to Users

You can assign one or more users to one or more groups.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, select a user from the displayed users or use the Search option to search for and select a user.
4. In the user details region, click **Assign Groups**.
5. In Assign Groups, search for a group or select from the list of groups displayed in this dialog.
6. Select the check box for one or more groups and click **Assign**.

Remove Groups Assigned to a User

Remove groups assigned to a user if the user no longer requires the authorization to access Oracle Fusion Analytics Warehouse, specific permissions for tasks, and functional access.

After you remove a group from a user, the applicable user may need to logout for the change to take affect. There could be a gap of around 30 seconds for the refresh to happen.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, select a user from the displayed users or use the Search option to search for and select a user.

You see the groups assigned to the user under the Groups tab in the user details region.
4. Under the Groups tab, select the check box for one or more groups and click **Remove Group**.

Add Security Assignments to a User

Data security assignments apply data filters to display only the data corresponding to the security assignment values assigned to the users. You can assign a single user multiple security assignment values.

Before you add a security assignment to a user, you must ensure that:

- The user has the appropriate group assigned to them.
 - The group has the appropriate data role to assign security values.
1. Sign in to your service.
 2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
 3. On the Security page, search for a user or select from the list of users displayed under the Users tab.

You see the security assignments granted to the user under the Security Assignments tab in the user details region.

4. Click **Grant Assignment**.
5. In Assign Security Assignments, select the security context for which you want to add data security assignments to the user. For example, ledgers or specific business units like AP business unit.
6. From the list of security assignments that you see based on the security context that you selected, select the values that you want to add to the selected user.

 **Note:**

The Grant Assignment process appends the values that you selected to the existing assignments.

Remove Security Assignments Granted to a User

As a security administrator, you can remove security assignments that you had previously assigned.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, search for a user or select from the list of users displayed under the Users tab.

You see the security assignments granted to the user under the Security Assignments tab in the user details region.

4. Select the check box for one or more security assignments that you'd like to remove from the selected users and click **Remove Assignment**.
5. In Remove Assignment, click **Remove Assignment**.

Copy Data Security Assignments

As a service or security administrator, you can copy data security assignments from one user to another user.

Copying bulk assignments could take some time to process. Monitor the Activity tab on the Security page.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, select a user from the users listed under the Users tab or search and select a user.
4. Click **Copy Assignments**.
5. In Copy Security Assignments From Another User:
 - a. Under Copy From, search for and select a user to copy access from.
 - b. Under Copy Security Access, you see the context-specific security assignments that would be copied.
6. Click **Copy**.

View the Excluded Data Security Assignments

View the data security assignments that are excluded for a user to know which data the specific user can't access.

When a user is excluded from certain data security assignments, the excluded assignments are visible in the user details section on the Security page. As a service or security administrator, you can set up exclusion rules to exclude certain data security assignments from a user. You can modify the exclusion rules to remove the excluded assignments for a user. See [Set Exclusion Rules for Security Assignments](#).

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, select a user from the users listed under the Users tab or search and select a user.
4. Click **Excluded Assignments**.

Manage Groups

You must ensure to map application roles to groups and add user memberships to groups. This enables users to access the applicable objects and data in Oracle Fusion Analytics Warehouse and perform various tasks.

If you've set up synchronization of Oracle Fusion Cloud Applications with Oracle Identity Cloud Service, then users, job roles, and group memberships in Oracle Fusion Cloud Applications are synchronized as users, groups, and group memberships respectively. If you reassign a user to a different group in Oracle Identity Cloud Service while synchronization

with Oracle Fusion Cloud Applications is enabled, then the synchronization process resets or erases such assignments during its next run.

**Topics:**

- [Create a Group](#)
- [Remove a Group](#)
- [Add Application Roles to a Group](#)
- [Copy Application Roles to a Group](#)
- [Remove Application Roles from a Group](#)
- [Create an Application Role While Mapping](#)
- [Assign Users to a Group](#)
- [Upload and Download User Group Mappings](#)
- [Remove Users from a Group](#)
- [Copy User Mappings to a Group](#)
- [Enable Easy Data Access to People Leaders](#)

Create a Group

As a security administrator, you can create custom groups to meet your business requirements.

You can create custom groups in the following ways:

- If you created custom groups in Oracle Fusion Cloud Applications, then you can synchronize them into the Oracle Identity Cloud Service instance associated with your Oracle Fusion Analytics Warehouse instance and thereby make them available in Oracle Fusion Analytics Warehouse.
 - You can create them manually in the Oracle Identity Cloud Service instance associated with your Oracle Fusion Analytics Warehouse instance using the Security pages in Oracle Fusion Analytics Warehouse.
1. Sign in to your service.
 2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
 3. On the Security page, click the Groups tab, and then click **New Group**.
 4. In Create a New Group , enter a group name and description.
 5. Click **Save**.

Remove a Group

You can remove only the custom groups. When you remove a custom group, Oracle Fusion Analytics Warehouse removes the associated mappings of the application roles.

1. Sign in to your service.

2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, click the Groups tab.
4. In the Groups region, search for a group and select it or select a group from the displayed list of groups.
5. Click **Remove Group**.

Add Application Roles to a Group

As a security administrator, you can map the application roles available for Oracle Fusion Analytics Warehouse with the predefined and custom groups. This enables the groups to inherit the security setup at each application role level.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, click the Groups tab.
4. In the Groups region, search for a group and select it or select a group from the displayed list of groups.
5. In the group details region, click the Application Roles tab, and then click **Add Mapping**.
6. In Add Application Role Mappings, search for an application role and select it or select from the displayed list of application roles.

You can filter the display to view only the data or duty roles or view both role types.

7. Click **Save**.

Copy Application Roles to a Group

As a security administrator, you can copy the application roles available from an existing group to another group.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, click the **Groups** tab.
4. In the Groups list, select the group to which you want to apply the application roles
5. On the Groups tab, click **Copy Role Mappings**.
6. In Copy Role Mappings From Another Group, search for a group that you want to copy roles from.
7. Click the roles in the Copy Roles area to select or deselect them, and then click **Copy**.
8. Click **Save**.

Remove Application Roles from a Group

You can remove capabilities inherited by a group from the application roles mapped to it.

1. Sign in to your service.

2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, under the Groups tab, select a group from the displayed list of groups or search for a group.
4. In the group details region, click the Application Roles tab.
5. Select one or more roles from the displayed list or search for application roles and select the applicable role.
6. Click **Remove Mapping**.
7. In Remove Role Mapping, click **Remove Mapping**.

Create an Application Role While Mapping

While mapping application roles to a group, if you need an application role that isn't available in Oracle Fusion Analytics Warehouse, then you can create an application role.

The new role is mapped onto the specific group. You can map the new application role to other groups too. See [Add Application Roles to a Group](#).

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, under the Groups tab, select a group from the displayed list of groups or search for a group.
4. In the group details region, click the Application Roles tab, and then click **New Application Role**.
5. In Create a New Application Role , enter the application role name and specify the role type as data or duty.
6. Click **Save**.

Assign Users to a Group

When you assign users to a group, you create user memberships for the group. You can assign one or more users to one or more groups.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, click the Groups tab.
4. Search for a group or select from the list of groups displayed under the Groups tab.
5. Click **Assign Users**.
6. In Assign Users, search for a user or select from the list of users displayed in this dialog.
7. Select the check box for one or more users and click **Assign**.

Upload and Download User Group Mappings

You can download user group mapping template files to help you set up user group mappings, and then upload the files to your environment.

LiveLabs Sprint

You can download "Sample" or "Current" files. Sample provides a csv file with relevant headers to help familiarize you with the types of data you can expect. Current provides a list of current data assignments you can download to your test or production environments. Regardless of the file you download, you need to populate the USERNAME and GROUPNAME columns. Use the Operation column to make bulk changes to the user group mappings. Don't change any of the header names in the downloaded files. When you're done updating the files, you can upload them to your environment.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Uploads** under Application Administration.
3. On the Uploads page, click **Download File**, select **User Group Mapping**, and then select the type of file you want to download.
4. Open the csv file you downloaded and complete the fields as required:
 - USERNAME: The username in Oracle Identity Cloud Service.
 - GROUPNAME: The group name in Oracle Identity Cloud Service.
 - OPERATION: Enter ADD or leave it blank to add the user group mappings or enter REMOVE to remove the user group mappings.
5. When you're done updating the security file, save your changes.
6. On the Uploads page, click **Upload File** and then select the applicable file type.
7. Select the file you want to upload and click **Upload File**.
You can review the status of the upload on the **Uploads** tab.
8. Use the **Actions menu** next to the file name to perform actions on a specific upload file:
 - Click **Properties** to check the upload statistics.
 - Click **Download** to download the file you just uploaded in the event you want to upload the file again.
 - Click **Delete** if a file fails to process and you want to remove the file history.

Remove Users from a Group

You can remove one or more users from a group.

After you remove a user from a group, the applicable user may need to logout for the change to take affect. There could be a gap of around 30 seconds for the refresh to happen.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, click the Groups tab.

4. Search for a group or select from the list of groups displayed under the Groups tab.
You see the users assigned to the group under the Users tab in the group details region.
5. Select the check box for one or more users and click **Remove User**.

Copy User Mappings to a Group

As a security administrator, you can copy the users mapped to an existing group to a custom group to quickly add users to the new custom group.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, click the Groups tab.
4. In the Groups list, search for a group or select the group to which you want to copy the users.
5. On the Groups tab, click **Copy User Mappings**.
6. In Copy User Mappings From Another Group, search for a group that you want to copy users from.
7. Under Copy Users, verify all the users who'll be copied to the custom group, and then click **Copy**.
8. Click **Save**.

Enable Easy Data Access to People Leaders

As a security administrator, you can provide data access to people leaders such as line managers. This access enables line managers to create indepth analytics that influence and guide finance and human resource related decisions.

You can provide easy access by mapping the custom line manager groups from Oracle Fusion Cloud Applications to the ready-to-use line manager group available in Oracle Fusion Analytics Warehouse. This mapping ensures that the ready-to-use line manager group inherits the capabilities of the custom line manager groups.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, click the Groups tab, and then search for the ready-to-use **Line Manager** group.

The screenshot shows the Oracle Security console interface. At the top, there's a navigation bar with 'Security' and a search icon. Below it, a menu bar includes 'Users', 'Groups', 'Application Roles', 'Security Assignments', and 'Activity'. The 'Groups' tab is active. A search bar contains the text 'line'. To the right of the search bar are buttons for 'New Group', 'Remove Group', 'Copy Role Mappings', and 'Copy User Mappings'. Below these are 'Apply Changes Now' and a dropdown menu set to 'Never'. The main content area is titled 'Line Manager' and has three tabs: 'Users', 'Application Roles', and 'Custom Line Manager Groups'. The 'Custom Line Manager Groups' tab is selected. Below the tabs, there's a text instruction: 'If Custom Groups are used to represent Line Managers, map them to the Line Manager Group to inherit capabilities'. At the bottom of this section, there's a search bar labeled 'Search Groups', a 'Map Groups' button, and an 'Apply Changes' button.

4. Select the ready-to-use **Line Manager** group and click the **Custom Line Manager Groups** tab.
5. In the **Custom Line Manager Groups** tabbed section, click **Map Groups**.
6. In the Map Custom Line Manager Groups dialog, select the custom groups and click **Assign Group Mapping**.


Map Custom Line Manager Groups

The screenshot shows the 'Map Custom Line Manager Groups' dialog box. At the top, there's a search bar labeled 'Search Groups' with a magnifying glass icon. Below the search bar is a table with two columns: 'Group' and 'Description'. The table contains the following rows:

Group	Description
<input type="checkbox"/>	Accounts Payable Custom Group
<input checked="" type="checkbox"/>	Accounts Payable Manager
<input type="checkbox"/>	Accounts Payable Specialist
<input type="checkbox"/>	Accounts Payable Supervisor
<input checked="" type="checkbox"/>	Accounts Receivable Manager
<input type="checkbox"/>	Accounts Receivable Specialist

At the bottom right of the dialog, there are two buttons: 'Cancel' and 'Assign Group Mapping'.

7. In the **Custom Line Manager Groups** tabbed section, for a selected custom line manager group, click the Access Level dropdown arrow and select the appropriate access level such as **Author (edit capabilities)** or **Consumer (read-only)**.



8. In the **Custom Line Manager Groups** tabbed section, click **Apply Changes**.

Manage Application Roles

Application roles consist of duty roles for objects security and data roles for data access. You can create, update, and delete application roles and add or remove groups mapped to an application role.

You can map the ready-to use or custom application roles to groups to define the permissions associated with the group. You can configure a custom application role using the Security Configuration section on the Semantic Model Extensions page. See [Configure Data Security](#).

Topics:

- [Create an Application Role](#)
- [Delete an Application Role](#)
- [Assign Groups to Application Roles](#)
- [Remove a Group Mapped to an Application Role](#)

Create an Application Role

You can create custom duty and data roles to secure subject areas, front-end objects, and row-level data respectively when the predefined application roles don't meet your business needs.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, click the Application Roles tab and then click **New Application Role**.

4. In Create a New Application Role, enter the application role name and specify the role type as data or duty.
5. Click **Save**.

Delete an Application Role

You can delete the custom application roles. Upon deletion of the custom application roles, Oracle Fusion Analytics Warehouse deletes the mappings to the groups.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, click the Application Roles tab.
4. Search for an application role or select from the displayed list of application roles.
5. Click **Remove Application Role**.
6. In the Delete Application Role? dialog, click **Delete Role**.

Assign Groups to Application Roles

Use these instructions to map application roles to groups.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, click the Application Roles tab.
4. Search for an application role or select from the displayed list of application roles.
5. In the application role details region, click **Assign Groups**.
6. In Add Group Mappings, search for a group and select it or select from the displayed list of groups.
7. Click **Save**.

Remove a Group Mapped to an Application Role

Use these instructions to remove a group mapped to an application role.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
3. On the Security page, click the Application Roles tab.
4. Search for an application role or select from the displayed list of application roles.
5. In the application role details region, select the check box for a displayed group or search for a group and select it, and then click **Remove Group**.
6. In the Remove Group Mapping? dialog, click **Remove Group**.

Manage Data Access through Security Assignments

As a security administrator, you need to map data security assignments to users to enable data level access.

Use the Security Assignments tab on the Security page to search for the currently set up data security assignments. You may either search for all records or narrow your search to a specific security context, security value, or user. You can remove a security assignment that you had set up or add new security assignments to a user.

Topics:

- [Create a Security Assignment](#)
- [Delete a Security Assignment](#)
- [Remove Users from a Security Assignment](#)
- [Manage Users for a Security Assignment](#)
- [Set Exclusion Rules for Security Assignments](#)
- [Update Security Assignments Automatically](#)

Create a Security Assignment

Use these instructions to create a security assignment in a specific security context.

Security contexts are categories that contain values that you can secure a user for. For example, you can define which users have access to which "ledgers" or "departments". In this example, "ledgers" and "departments" are security contexts. Within "ledgers", you can have "ledger A", ledger B", or "ledger C" as values. You first select "ledger", then select a value such as "ledger A", and then select the users to secure for "ledger A". The selected users can access "ledger A".

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
You see the Security page.
3. On the Security page, click the Security Assignments tab.
You see all users who have been granted the security assignments in a specific security context.
4. Click **New Assignment**.
5. In New Security Assignment, under **Select Security Assignments**, select a security context, and then search for a security value or select from the displayed list. Move the selected security assignments to the column on the right.
6. Under **Select Users**, search for a user and select the user and move the user to the column on the right.
Users are filtered based on the role associated with that context.
7. Click **Add to Cart** and then click **View Cart**.
8. In Security Assignments, click **Apply Assignments**.

You can grant this security assignment to other users as required. Bulk assignments may take some time to process. See the Security Activity tab for details.

Delete a Security Assignment

Use these instructions to delete a security assignment. When you delete a security assignment, Oracle Fusion Analytics Warehouse removes all users associated with the security assignment.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
You see the Security page.
3. On the Security page, click the Security Assignments tab.
4. Select a security assignment from the displayed list of assignments or search for a security assignment and select it.
5. Click **Delete Assignment**.

Remove Users from a Security Assignment

You can revoke the security assignment granted to one or more users.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
You see the Security page.
3. On the Security page, click the Security Assignments tab.
4. Select a security assignment from the displayed list of assignments or search for a security assignment and select it.
5. In the security assignment details region, select the users from the displayed list of users or search for and select the users.
6. Click **Remove User**.
7. In Revoke User Assignment, click **Revoke Assignment**.

Manage Users for a Security Assignment

As a security administrator, you can manage users for existing data security assignments. In the Manage Users dialog, you can revoke users for an existing assignment or add new users for that assignment.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.
You see the Security page.
3. On the Security page, click the Security Assignments tab.
4. Select a security assignment from the displayed list of assignments or search for a security assignment and select it.

5. In the security assignment details region, click **Manage Users**.
6. In Manage Users:
 - a. Under **Add User**, search for a user and select the user.
 - b. Under **User**, click the **Delete** icon to revoke the user from the assignment.
7. Click **Save**.

Set Exclusion Rules for Security Assignments

You can set up data security to exclude access for specific users within a security context for specific security assignments.

For example, you can grant access to all security assignments but the business unit ABC. This enables you to have a single rule for a single user within a security context. You can also remove the indirectly derived security assignments of the specific user. Ensure that the users for whom you want to exclude assignments are members of a group related to the security context. You can automate the application of the security exclusion rules by downloading the DataSecurityExclusionAssignments_csv.zip, making changes, and then uploading it; see [Download and Upload Data Security Exclusion Rules](#).

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under Service Administration.
3. On the Security page, click **Security Assignments**, and then click **Exclusion Rules**.
4. On the Set Exclusion Rules for Security Assignments page, select the security context such as Ledgers in **Security Context**, select a user to exclude security assignments in **Users**, and then in **Security Values**, select the assignments that you want to exclude from the selected user within the selected security context.

← Set Exclusion Rules for Security Assignments

Exclude security assignments using a security context and users, then select the Assignments that needs to be excluded. Users must first be members of a group related to the context to receive an assignment. Cancel Save

Security Context
 ⓘ Changing the context updates the users and assignments displayed below

Users
 ⓘ Select user to exclude security assignments.

Security Values (0 Selected)
 Select values from the selected security context to assign

>

5. Click **Save**.

Update Security Assignments Automatically

As a security administrator, automate the updating of security assignments to effectively manage the regular security assignment changes in your organization.

If you want to automate the insertion and deletion of data in the format of USERNAME, SEC_OBJ_CODE, SEC_OBJ_MEMBER_VAL, Operation (to add or to remove the mapping), then configure the changes in the security assignments to be updated automatically and regularly.

To ensure that the changes in security assignment are updated automatically, you must create a table for the OAX_USER schema in Oracle Autonomous Data Warehouse associated with your Oracle Fusion Analytics Warehouse instance. Ensure that you name the table "CUSTOMER_FAW_CONTENT_AUTOSYNC_ASSIGNMENT". You must seed data into this table regularly with the timestamp in universal time (UTC) format in the "CREATION_DATE" column of the table. The CREATION_DATE column ensures that the same records aren't processed repeatedly and no record is missed. Oracle Fusion Analytics Warehouse periodically scans the synonym (2 hours once), pick up the values, and based on the "CREATION_DATE" criteria, populates the FAW_CONTENT_AUTOSYNC_ASSIGNMENT table in the OAX\$INFRA schema in Oracle Autonomous Data Warehouse. Later, Oracle Fusion Analytics Warehouse processes the data and uploads the security assignments as per the FAW_CONTENT_AUTOSYNC_ASSIGNMENT table.

- In Oracle Autonomous Data Warehouse associated with your Oracle Fusion Analytics Warehouse instance, create the CUSTOMER_FAW_CONTENT_AUTOSYNC_ASSIGNMENT table in OAX_USER schema using the following script:

```
CREATE TABLE CUSTOMER_FAW_CONTENT_AUTOSYNC_ASSIGNMENT (
  "USERNAME"          VARCHAR2(256 CHAR),
  "SEC_OBJ_CODE"      VARCHAR2(256 CHAR),
  "SEC_OBJ_MEMBER_VAL" VARCHAR2(4000 CHAR),
  "OPERATION_TYPE"    VARCHAR2(65 CHAR),
  "CREATION_DATE"     TIMESTAMP(6)
);

-- Grant access from the schema OAX_USER

GRANT SELECT ON CUSTOMER_FAW_CONTENT_AUTOSYNC_ASSIGNMENT TO OAX$INFRA;
COMMIT;
```

Configure Permissions for Metadata and Front-End Objects

Configure the permissions for metadata objects such as subject areas and its elements and front-end objects such as KPIs and decks with the ready-to-use or the custom-created duty roles.

You secure the subject areas and their elements through "Configure Object Permissions", a ready-to-use single step. See [Configure Object Permissions](#).

For the front-end objects such as KPIs and decks, set the permissions individually for each object by adding the applicable duty role and the corresponding access. See [Inspect a KPI](#) and [Inspect a Deck](#).

View Activity History

View all the security-related activities or filter them by object type and by date for security audit purposes.

The status icon next to each action shows whether it is in progress, in a warning state (if items in a bulk action failed), failed (and therefore incomplete), or completed successfully. You can also hover over error icons to read the full error message that might assist with troubleshooting.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Security** under **Service Administration**.

You see the Security page.

3. On the Security page, click the **History** tab.

You see all the activities by object type and date, by default. You can organize the display by sorting columns, searching for descriptive text, selecting a specific object type, or selecting the number of days from the drop-down lists.

Manage Uploads and Downloads

As the cloud account administrator with security administrator or functional administrator or service administrator role, you can upload and download data to your data warehouse using the Upload tile on the Console.

Topics:

- [About Uploading and Downloading Your Data](#)
- [Upload and Download Data Security Assignments](#)
- [Upload and Download Financial Categories](#)
- [Upload and Download Financial Category Assignments](#)
- [Upload and Download User Group Mappings](#)
- [Download and Upload Area of Responsibility Data](#)
- [Download and Upload Custom Job Roles Mappings](#)
- [Download and Upload Data Security Exclusion Rules](#)

About Uploading and Downloading Your Data

The Upload tile in the Console enables the cloud account administrators to upload and download the following:

- Data security assignments
- Financial categories
- Financial category assignments

- User to group associations

You can upload and download only csv files.

Upload and Download Data Security Assignments

You can download security assignment template files to help you set up security assignments, and then upload the files to your environment.

You can download **Sample** or **Current** files. Sample provides a csv file with relevant headers to help familiarize you with the types of data you can expect. Current provides a list of current data assignments you can download to your test or production environments. If you need to filter your options to show specific data security contexts, use the Filter option. Regardless of the file you download, you need to populate these columns: USERNAME, SEC_OBJ_CODE, and SEC_OBI_MEMBER_VAL. Don't change any of the header names in the downloaded files. When you are done updating the files, you can upload them to your environment. You can also download data security assignment files using the **Download File** button available from the Security Assignments tab on the Security page. In this case, you don't need to specifically select **Data Security Assignments**. Click **Download File**, select the type of file you want to download, and proceed with the remaining steps. You can also upload data security assignment files using the **Upload** button available from the Security Assignments tab on the Security page. In this case, you don't need to specifically select **Data Security Assignments**. Click **Upload** and then proceed with the remaining steps.



Note:

Replace existing configuration settings deletes existing data security assignments.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Uploads** under Application Administration.
3. On the Uploads page, click **Download File**, select **Data Security Assignments** and then select the type of file you want to download.
4. Open the csv file you downloaded and complete the fields as required:
 - USERNAME: The user name and user display name.
 - SEC_OBJ_CODE: The object code for which you are adding the data security assignment.
 - SEC_OBJ_MEMBER_VAL: The security assignment member for each context. See [Security Object Tables](#).
5. When you are done updating the file, save your changes.
6. On the Uploads page, click **Upload File** and the applicable file type.
7. Select whether you want to **Merge to the existing settings** or **Replace existing configuration settings**.
8. Select the file you want to upload and click **Upload File**.
You can review the status of the upload on the **Uploads** tab.
9. Use the **Actions menu** next to the file name to perform actions on a specific upload file:

- Click **Properties** to check the upload statistics.
- Click **Download** to download the file you just uploaded in the event you want to upload the file again.
- Click **Delete** if a file fails to process and you want to remove the file history.

Security Object Tables

Use these security object codes and associated SQL to access the assignment member for each context.

Security Objects

Table 5-1 Security Object Codes

Security Object	Code
AP Business Units	OA4F_SEC_FIN_AP_BUSINESSUNIT_LIST
AR Business Units	OA4F_SEC_FIN_AR_BUSINESSUNIT_LIST
Cost Organizations	OA4F_SEC_CST_COST_ORG_LIST
FA Asset Book	OA4F_SEC_FIN_FA_ASSET_BOOK_LIST
HCM Business Units	OA4F_SEC_HCM_BUSINESSUNIT_LIST
HCM Country List	OA4F_SEC_HCM_COUNTRY_LIST
HCM Departments	OA4F_SEC_HCM_DEPARTMENT_LIST
HCM Legal Employers	OA4F_SEC_HCM_LEGAL_EMPLOYER_LIST
HCM Show Self Record	OA4F_SEC_HCM_SEE_SELF_RECORD
Inventory Business Units	OA4F_SEC_INV_BUSINESSUNIT_LIST
Inventory Organizations	OA4F_SEC_INV_ORG_TRANSACTIONS_LIST
Ledgers	OA4F_SEC_FIN_LEDGER_LIST
Order Management Business Units	OA4F_SEC_OM_BUSINESS_UNIT_LIST
Project Business Units	OA4F_SEC_PPM_PROJECT_BUSINESSUNIT_LIST
Project Expenditure Business Units	OA4F_SEC_PPM_EXPENDITURE_BUSINESSUNIT_LIST
Project Organizations	OA4F_SEC_PPM_PROJECT_ORGANIZATION_LIST
Requisition Business Units	OA4F_SEC_PROC_REQ_BUSINESSUNIT_LIST
Spend Procurement Business Units	OA4F_SEC_PROC_SPEND_PRC_BUSINESSUNIT_LIST

Assignment Member SQL**Table 5-2 Assignment Member SQL**

Security Object Code	SQL Code
OA4F_SEC_CST_COST_ORG_LIST	<pre>SELECT DISTINCT TL.ORGANIZATION_NAME AS NAME, TL.ORGANIZATION_ID AS VALUE FROM DW_CST_COST_ORG_BOOKS_D D, DW_INTERNAL_ORG_D_TL TL WHERE D.COST_ORG_ID = TL.ORGANIZATION_ID AND TL.LANGUAGE = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAW_LANG UAGES') AND D. COST_ORG_ID <>-99999</pre>

Table 5-2 (Cont.) Assignment Member SQL

Security Object Code	SQL Code
OA4F_SEC_FIN_AP_BUSINESSUNIT_LIST	<pre> SELECT TL.ORGANIZATION_NAME AS NAME, TL.ORGANIZATION_ID AS VALUE FROM DW_LEDGER_D L, DW_INTERNAL_ORG_D D, DW_INTERNAL_ORG_D_TL TL, DW_CONTENT_PARAM_CONFIG PARAM WHERE (D.PAYABLES_INVOICING_BU_FLAG = 'Y' OR D.PAYABLES_PAYMENT_BU_FLAG = 'Y') AND D.ORGANIZATION_ID = TL.ORGANIZATION_ID AND TL.LANGUAGE = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAW_LANG UAGES') AND D.PRIMARY_LEDGER = L.LEDGER_NAME AND TO_CHAR(L.LEDGER_ID)=PARAM.PARAMETER_ VALUE AND PARAM.PARAMETER_CODE='PARAM_ERP_FINAN CIALS_LEDGER_ID_LIST_REPORT' AND PARAM.PARAMETER_VALUE<>'ALL' AND D.ORGANIZATION_ID<>-99999 UNION SELECT TL.ORGANIZATION_NAME AS NAME, TL.ORGANIZATION_ID AS VALUE FROM DW_LEDGER_D L, DW_INTERNAL_ORG_D D, DW_INTERNAL_ORG_D_TL TL, DW_CONTENT_PARAM_CONFIG PARAM WHERE (D.PAYABLES_INVOICING_BU_FLAG = 'Y' OR D.PAYABLES_PAYMENT_BU_FLAG = 'Y') AND D.ORGANIZATION_ID = TL.ORGANIZATION_ID AND TL.LANGUAGE = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAW_LANG UAGES') AND D.PRIMARY_LEDGER = L.LEDGER_NAME AND PARAM.PARAMETER_CODE='PARAM_ERP_FINAN CIALS_LEDGER_ID_LIST_REPORT' AND PARAM.PARAMETER_VALUE='ALL' </pre>

Table 5-2 (Cont.) Assignment Member SQL

Security Object Code	SQL Code
	<pre> AND (TO_CHAR(L.LEDGER_CHART_OF_ACCOUNTS_ID) IN (SELECT PARAM.PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG PARAM WHERE PARAM.PARAMETER_CODE='PARAM_ERP_FINANCIALS_CHART_OF_ACCOUNT_ID') OR EXISTS (SELECT 1 FROM dw_content_param_config param WHERE param.parameter_code = 'PARAM_ERP_FINANCIALS_CHART_OF_ACCOUNT_ID' AND param.parameter_value = 'ALL')) AND D.ORGANIZATION_ID<>-99999 UNION SELECT tl.organization_name AS name, tl.organization_id AS value FROM dw_ledger_set_assignments_d assignments, dw_ledger_d l, dw_internal_org_d d, dw_internal_org_d_tl tl, dw_content_param_config param WHERE param.PARAMETER_VALUE = 'ALL' AND param.parameter_code = 'PARAM_ERP_FINANCIALS_LEDGER_SET_ID_LIST_REPORT' AND assignments.ledger_id = l.ledger_id AND d.primary_ledger = l.ledger_name AND (d.payables_invoicing_bu_flag = 'Y' OR d.PAYABLES_PAYMENT_BU_FLAG = 'Y') AND d.organization_id = tl.organization_id AND tl.language = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAU_LANGUAGES') AND </pre>

Table 5-2 (Cont.) Assignment Member SQL

Security Object Code	SQL Code
	<pre> (TO_CHAR(L.LEDGER_CHART_OF_ACCOUNTS_ID) IN (SELECT PARAM.PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG PARAM WHERE PARAM.PARAMETER_CODE='PARAM_ERP_FINANCIALS_CHART_OF_ACCOUNT_ID') OR EXISTS (SELECT 1 FROM dw_content_param_config param WHERE param.parameter_code = 'PARAM_ERP_FINANCIALS_CHART_OF_ACCOUNT_ID' AND param.parameter_value = 'ALL')) AND d.organization_id <> -99999 UNION SELECT tl.organization_name AS name, tl.organization_id AS value FROM dw_ledger_set_assignments_d assignments, dw_ledger_d l, dw_internal_org_d d, dw_internal_org_d_tl tl, dw_content_param_config param WHERE TO_CHAR(assignments.ledger_set_id) = param.parameter_value AND param.PARAMETER_VALUE <> 'ALL' AND param.parameter_code = 'PARAM_ERP_FINANCIALS_LEDGER_SET_ID_LIST_REPORT' AND assignments.ledger_id = l.ledger_id AND d.primary_ledger = l.ledger_name AND (d.payables_invoicing_bu_flag = 'Y' OR d.PAYABLES_PAYMENT_BU_FLAG = 'Y') AND d.organization_id = tl.organization_id AND tl.language = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE </pre>

Table 5-2 (Cont.) Assignment Member SQL

Security Object Code	SQL Code
	PARAMETER_CODE='PARAM_GLOBAL_FAW_LANG UAGES') AND d.organization_id <> -99999 ORDER BY NAME

Table 5-2 (Cont.) Assignment Member SQL

Security Object Code	SQL Code
OA4F_SEC_FIN_AR_BUSINESSUNIT_LIST	<pre> SELECT TL.ORGANIZATION_NAME AS NAME, TL.ORGANIZATION_ID AS VALUE FROM DW_LEDGER_D L, DW_INTERNAL_ORG_D D, DW_INTERNAL_ORG_D_TL TL, DW_CONTENT_PARAM_CONFIG PARAM WHERE (D.BILLING_REVENUE_MNG_BU_FLAG = 'Y' OR D.CUSTOMER_PAYMENTS_BU_FLAG = 'Y') AND D.ORGANIZATION_ID = TL.ORGANIZATION_ID AND TL.LANGUAGE = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAW_LANG UAGES') AND D.PRIMARY_LEDGER = L.LEDGER_NAME AND TO_CHAR(L.LEDGER_ID)=PARAM.PARAMETER_ VALUE AND PARAM.PARAMETER_CODE='PARAM_ERP_FINAN CIALS_LEDGER_ID_LIST_REPORT' AND PARAM.PARAMETER_VALUE<>'ALL' AND D.ORGANIZATION_ID<>-99999 UNION SELECT TL.ORGANIZATION_NAME AS NAME, TL.ORGANIZATION_ID AS VALUE FROM DW_LEDGER_D L, DW_INTERNAL_ORG_D D, DW_INTERNAL_ORG_D_TL TL, DW_CONTENT_PARAM_CONFIG PARAM WHERE (D.BILLING_REVENUE_MNG_BU_FLAG = 'Y' OR D.CUSTOMER_PAYMENTS_BU_FLAG = 'Y') AND D.ORGANIZATION_ID = TL.ORGANIZATION_ID AND TL.LANGUAGE = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAW_LANG UAGES') AND D.PRIMARY_LEDGER = L.LEDGER_NAME AND </pre>

Table 5-2 (Cont.) Assignment Member SQL

Security Object Code	SQL Code
	<pre> PARAM.PARAMETER_CODE='PARAM_ERP_FINAN CIALS_LEDGER_ID_LIST_REPORT' AND PARAM.PARAMETER_VALUE='ALL' AND (TO_CHAR(L.LEDGER_CHART_OF_ACCOUNTS_I D) IN (SELECT PARAM.PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG PARAM WHERE PARAM.PARAMETER_CODE='PARAM_ERP_FINAN CIALS_CHART_OF_ACCOUNT_ID') OR EXISTS (SELECT 1 FROM dw_content_param_config param WHERE param.parameter_code = 'PARAM_ERP_FINANCIALS_CHART_OF_ACCOUN T_ID' AND param.parameter_value = 'ALL')) AND D.ORGANIZATION_ID<>-99999 UNION SELECT tl.organization_name AS name, tl.organization_id AS value FROM dw_ledger_set_assignments_d assignments, dw_ledger_d l, dw_internal_org_d d, dw_internal_org_d_tl tl, dw_content_param_config param WHERE param.parameter_code = 'PARAM_ERP_FINANCIALS_LEDGER_SET_ID_L IST_REPORT' AND param.PARAMETER_VALUE = 'ALL' AND assignments.ledger_id = l.ledger_id AND d.primary_ledger = l.ledger_name AND(d.billing_revenue_mng_bu_flag = 'Y' OR d.CUSTOMER_PAYMENTS_BU_FLAG = 'Y') AND d.organization_id = tl.organization_id AND tl.language = (SELECT PARAMETER_VALUE FROM </pre>

Table 5-2 (Cont.) Assignment Member SQL

Security Object Code	SQL Code
	<pre> DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAW_LANG UAGES') AND (TO_CHAR(L.LEDGER_CHART_OF_ACCOUNTS_I D) IN (SELECT PARAM.PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG PARAM WHERE PARAM.PARAMETER_CODE='PARAM_ERP_FINAN CIALS_CHART_OF_ACCOUNT_ID') OR EXISTS (SELECT 1 FROM dw_content_param_config param WHERE param.parameter_code = 'PARAM_ERP_FINANCIALS_CHART_OF_ACCOUN T_ID' AND param.parameter_value = 'ALL')) AND d.organization_id <> -99999 UNION SELECT tl.organization_name AS name, tl.organization_id AS value FROM dw_ledger_set_assignments_d assignments, dw_ledger_d l, dw_internal_org_d d, dw_internal_org_d_tl tl, dw_content_param_config param WHERE TO_CHAR(assignments.ledger_set_id) = param.parameter_value AND param.parameter_code = 'PARAM_ERP_FINANCIALS_LEDGER_SET_ID_L IST_REPORT' AND param.PARAMETER_VALUE <> 'ALL' AND assignments.ledger_id = l.ledger_id AND d.primary_ledger = l.ledger_name AND(d.billing_revenue_mng_bu_flag = 'Y' OR d.CUSTOMER_PAYMENTS_BU_FLAG = 'Y') </pre>

Table 5-2 (Cont.) Assignment Member SQL

Security Object Code	SQL Code
	<pre>AND d.organization_id = tl.organization_id AND tl.language = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAW_LANG UAGES') AND d.organization_id <> -99999 ORDER BY NAME</pre>
OA4F_SEC_FIN_FA_ASSET_BOOK_LIST	<pre>SELECT BOOK_TYPE_CODE AS name, BOOK_TYPE_CODE AS value FROM DW_FA_BOOK_CONTROLS_D</pre>

Table 5-2 (Cont.) Assignment Member SQL

Security Object Code	SQL Code
OA4F_SEC_FIN_LEDGER_LIST	<pre> SELECT ledger.ledger_name AS name, ledger.ledger_id AS value FROM dw_ledger_d ledger, dw_content_param_config param WHERE param.parameter_code = 'PARAM_ERP_FINANCIALS_LEDGER_ID_LIST_ REPORT' AND param.parameter_value = 'ALL' AND (TO_CHAR(ledger.ledger_chart_of_accoun ts_id) IN (SELECT param.parameter_value FROM dw_content_param_config param WHERE param.parameter_code = 'PARAM_ERP_FINANCIALS_CHART_OF_ACCOUN T_ID') OR EXISTS (SELECT 1 FROM dw_content_param_config param WHERE param.parameter_code = 'PARAM_ERP_FINANCIALS_CHART_OF_ACCOUN T_ID' AND param.parameter_value = 'ALL')) AND ledger.ledger_id <> - 99999 UNION SELECT ledger.ledger_name AS name, ledger.ledger_id AS value FROM dw_ledger_d ledger, dw_content_param_config param WHERE TO_CHAR(ledger.ledger_id) = param.parameter_value AND param.parameter_code = 'PARAM_ERP_FINANCIALS_LEDGER_ID_LIST_ REPORT' AND param.parameter_value <> 'ALL' AND (TO_CHAR(ledger.ledger_chart_of_accoun ts_id) IN (SELECT param.parameter_value FROM dw_content_param_config param WHERE param.parameter_code = 'PARAM_ERP_FINANCIALS_CHART_OF_ACCOUN T_ID') OR EXISTS (SELECT 1 FROM dw_content_param_config param WHERE param.parameter_code = 'PARAM_ERP_FINANCIALS_CHART_OF_ACCOUN T_ID' AND param.parameter_value = 'ALL')) </pre>

Table 5-2 (Cont.) Assignment Member SQL

Security Object Code	SQL Code
	<pre> AND ledger.ledger_id <> - 99999 UNION SELECT ledger.ledger_name AS name, ledger.ledger_id AS value FROM dw_ledger_set_d ledgerset, dw_content_param_config param, dw_ledger_set_assignments_d assignments, dw_ledger_d ledger WHERE ledgerset.ledger_set_id = assignments.ledger_set_id AND assignments.ledger_id = ledger.ledger_id AND param.parameter_code = 'PARAM_ERP_FINANCIALS_LEDGER_SET_ID_L IST_REPORT' AND param.parameter_value = 'ALL' AND (TO_CHAR(ledger.ledger_chart_of_accou nts_id) IN (SELECT param.parameter_value FROM dw_content_param_config param WHERE param.parameter_code = 'PARAM_ERP_FINANCIALS_CHART_OF_ACCOUN T_ID') OR EXISTS (SELECT 1 FROM dw_content_param_config param WHERE param.parameter_code = 'PARAM_ERP_FINANCIALS_CHART_OF_ACCOUN T_ID' AND param.parameter_value = 'ALL')) AND ledgerset.ledger_set_id <> - 99999 AND ledger.ledger_id <> - 99999 UNION SELECT ledger.ledger_name AS name, ledger.ledger_id AS value FROM dw_ledger_set_d ledgerset, dw_content_param_config param, dw_ledger_set_assignments_d assignments, dw_ledger_d ledger WHERE TO_CHAR(ledgerset.ledger_set_id) = param.parameter_value AND ledgerset.ledger_set_id = assignments.ledger_set_id AND assignments.ledger_id = ledger.ledger_id </pre>

Table 5-2 (Cont.) Assignment Member SQL

Security Object Code	SQL Code
	<pre> AND param.parameter_code = 'PARAM_ERP_FINANCIALS_LEDGER_SET_ID_L IST_REPORT' AND param.parameter_value <> 'ALL' AND (TO_CHAR(ledger.ledger_chart_of_accou unts_id) IN (SELECT param.parameter_value FROM dw_content_param_config param WHERE param.parameter_code = 'PARAM_ERP_FINANCIALS_CHART_OF_ACCOUN T_ID') OR EXISTS (SELECT 1 FROM dw_content_param_config param WHERE param.parameter_code = 'PARAM_ERP_FINANCIALS_CHART_OF_ACCOUN T_ID' AND param.parameter_value = 'ALL')) AND ledgerset.ledger_set_id <> - 99999 AND ledger.ledger_id <> - 99999 </pre>
OA4F_SEC_HCM_BUSINESSUNIT_LIST	<pre> SELECT TL.BUSINESS_UNIT_NAME AS NAME, TL.BUSINESS_UNIT_ID AS VALUE FROM DW_BUSINESS_UNIT_D_TL TL WHERE TL.LANGUAGE = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAW_LANG UAGES') </pre>
OA4F_SEC_HCM_COUNTRY_LIST	<pre> SELECT TL.COUNTRY_NAME AS NAME, TL.COUNTRY AS VALUE FROM DW_COUNTRY_D_TL TL WHERE TL.LANGUAGE = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAW_LANG UAGES') </pre>

Table 5-2 (Cont.) Assignment Member SQL

Security Object Code	SQL Code
OA4F_SEC_HCM_DEPARTMENT_LIST	<pre>SELECT TL.BUSINESS_UNIT_NAME AS NAME, TL.BUSINESS_UNIT_ID AS VALUE FROM DW_BUSINESS_UNIT_D_TL TL WHERE TL.LANGUAGE = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAW_LANG UAGES')</pre>
OA4F_SEC_HCM_LEGAL_EMPLOYER_LIST	<pre>SELECT TL.LEGAL_EMPLOYER_NAME AS NAME, TL.LEGAL_EMPLOYER_ID AS VALUE FROM DW_LEGAL_EMPLOYER_D_TL TL WHERE LANGUAGE = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAW_LANG UAGES')</pre>
OA4F_SEC_HCM_SEE_SELF_RECORD	<pre>SELECT YESNO_LKP_CODE AS VALUE, NAME AS NAME FROM DW_YESNO_LKP_TL WHERE CODE_TYPE LIKE 'FA_YESNO' AND LANGUAGE = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAW_LANG UAGES') AND YESNO_LKP_CODE IN ('NO')</pre>
OA4F_SEC_INV_BUSINESSUNIT_LIST	<pre>SELECT TL.BUSINESS_UNIT_NAME AS NAME, TL.BUSINESS_UNIT_ID AS VALUE FROM DW_BUSINESS_UNIT_D_TL TL WHERE TL.BUSINESS_UNIT_ID IN (SELECT DISTINCT(INV_BUSINESS_UNIT_ID) FROM DW_INV_ORGANIZATION_D) AND TL.LANGUAGE = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAW_LANG UAGES') AND TL.BUSINESS_UNIT_ID <> '-99999'</pre>

Table 5-2 (Cont.) Assignment Member SQL

Security Object Code	SQL Code
OA4F_SEC_INV_ORG_TRANSACTIONS_LIST	<pre>SELECT INV_ORGANIZATION_NAME AS NAME, INV_ORGANIZATION_ID AS VALUE FROM DW_INV_ORGANIZATION_D_TL TL WHERE TL.LANGUAGE = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAW_LANG UAGES') AND TL.INV_ORGANIZATION_ID <> '-99999'</pre>
OA4F_SEC_OM_BUSINESS_UNIT_LIST	<pre>SELECT TL.BUSINESS_UNIT_NAME AS NAME, TL.BUSINESS_UNIT_ID AS VALUE FROM DW_BUSINESS_UNIT_D_TL TL WHERE TL.LANGUAGE = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAW_LANG UAGES') AND TL.BUSINESS_UNIT_ID<>-99999</pre>
OA4F_SEC_PPM_EXPENDITURE_BUSINESSU NIT_LIST	<pre>SELECT TL.ORGANIZATION_NAME AS NAME, TL.ORGANIZATION_ID AS VALUE FROM DW_INTERNAL_ORG_D D, DW_INTERNAL_ORG_D_TL TL WHERE (D.PROJECT_ACCOUNTING_BU_FLAG = 'Y' AND D.BUSINESS_UNIT_FLAG = 'Y') AND D.ORGANIZATION_ID = TL.ORGANIZATION_ID AND TL.LANGUAGE = USERENV('LANG') AND D.ORGANIZATION_ID<>-99999</pre>

Table 5-2 (Cont.) Assignment Member SQL

Security Object Code	SQL Code
OA4F_SEC_PPM_PROJECT_BUSINESSUNIT_LIST	<pre> SELECT TL.ORGANIZATION_NAME AS NAME, TL.ORGANIZATION_ID AS VALUE FROM DW_INTERNAL_ORG_D D, DW_INTERNAL_ORG_D_TL TL WHERE (D.PROJECT_ACCOUNTING_BU_FLAG = 'Y' AND D.BUSINESS_UNIT_FLAG = 'Y') AND D.ORGANIZATION_ID = TL.ORGANIZATION_ID AND TL.LANGUAGE = USERENV('LANG') AND D.ORGANIZATION_ID<>-99999 </pre>
OA4F_SEC_PPM_PROJECT_ORGANIZATION_LIST	<pre> SELECT TL.ORGANIZATION_NAME AS NAME, TL.ORGANIZATION_ID AS VALUE FROM DW_INTERNAL_ORG_D D, DW_INTERNAL_ORG_D_TL TL WHERE (D.PROJECT_ORGANIZATION_FLAG = 'Y') AND D.ORGANIZATION_ID = TL.ORGANIZATION_ID AND TL.LANGUAGE = USERENV('LANG') AND D.ORGANIZATION_ID<>-99999 </pre>
OA4F_SEC_PROC_REQ_BUSINESSUNIT_LIST	<pre> SELECT TL.ORGANIZATION_NAME AS NAME, TL.ORGANIZATION_ID AS VALUE FROM DW_INTERNAL_ORG_D D, DW_INTERNAL_ORG_D_TL TL WHERE (D.REQUISITION_BU_FLAG = 'Y' AND D.BUSINESS_UNIT_FLAG = 'Y') AND D.ORGANIZATION_ID = TL.ORGANIZATION_ID AND TL.LANGUAGE = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAW_LANGUAGES') AND D.ORGANIZATION_ID<>-99999 </pre>

Table 5-2 (Cont.) Assignment Member SQL

Security Object Code	SQL Code
OA4F_SEC_PROC_SPEND_PRC_BUSINESSUNIT_LIST	<pre> SELECT TL.ORGANIZATION_NAME AS NAME, TL.ORGANIZATION_ID AS VALUE FROM DW_INTERNAL_ORG_D D, DW_INTERNAL_ORG_D_TL TL WHERE (D.PROCUREMENT_BU_FLAG = 'Y' AND D.BUSINESS_UNIT_FLAG = 'Y') AND D.ORGANIZATION_ID = TL.ORGANIZATION_ID AND TL.LANGUAGE = (SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE PARAMETER_CODE='PARAM_GLOBAL_FAW_LANGUAGES') AND D.ORGANIZATION_ID<>-99999 </pre>

Upload and Download Financial Categories

You can download financial category template files to help you set up financial categories, and then upload the files to your environment.

You can download **Sample** or **Current** files. Sample provides a csv file with relevant headers to help familiarize you with the types of data you can expect. Current provides a list of current data assignments you can download to your test or production environments. Regardless of the file you download, you need to populate the `FINANCIAL_CATEGORY` column. Don't change any of the header names in the downloaded files. When you are done updating the files, you can upload them to your environment.



Note:

Replace existing configuration settings deletes existing data security assignments.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Uploads** under Application Administration.
You see the Uploads page.
3. On the Uploads page, click **Download File**, select **Financial Categories** and then select the type of file you want to download.
4. Open the csv file you downloaded and populate the fields as required:
 - `FINANCIAL_CATEGORY`: The financial category code.

5. When you are done updating the file, save your changes.
6. On the Uploads page, click **Upload File** and the applicable file type.
7. Select whether you want to **Merge to the existing settings** or **Replace existing configuration settings**.
8. Select the file you want to upload and click **Upload File**.
You can review the status of the upload on the **Uploads** tab.
9. Use the **Actions menu** next to the file name to perform actions on a specific upload file:
 - Click **Properties** to check the upload statistics.
 - Click **Download** to download the file you just uploaded in the event you want to upload the file again.
 - Click **Delete** if a file fails to process and you want to remove the file history.

Upload and Download Financial Category Assignments

You can download financial category assignment template files to help you set up financial categories, and then upload the files to your environment.

You can download **Sample** or **Current** files. Sample provides a csv file with relevant headers to help familiarize you with the types of data you can expect. Current provides a list of current data assignments you can download to your test or production environments. Prior to download a file, you must select the segment combination you want to use to map your financial categories in the Select Columns dialog. The list prepopulates the segments defined in your chart of accounts that are BI enabled. Regardless of the file you download, you need to populate the FINANCIAL_CATEGORY column. Don't change any of the header names in the downloaded files. When you are done updating the files, you can upload them to your environment.



Note:

Replace existing configuration settings deletes existing data security assignments.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Uploads** under Application Administration.
You see the Uploads page.
3. On the Uploads page, click **Download File**, select **Financial Category Assignments** and then select the type of file you want to download.
4. Open the csv file you downloaded and populate the fields as required:
 - CHART_OF_ACCOUNTS – Name of your chart of accounts.
 - Actual segment values.
 - FINANCIAL_CATEGORY: The financial category code. This can be a predefined category or a custom category defined using the Financial Categories upload option.
5. When you are done updating the file, save your changes.

6. On the Uploads page, click **Upload File** and the applicable file type.
7. Select whether you want to **Merge to the existing settings** or **Replace existing configuration settings**.

 **Note:**

If you want to change the segment combination for your financial category definition, then ensure to provide the data for all chart of accounts and use the replace option. The data is completely replaced. Different segment combinations for different chart of accounts is NOT supported.

8. Select the file you want to upload and click **Upload File**.
You can review the status of the upload on the **Uploads** tab.
9. Use the **Actions menu** next to the file name to perform actions on a specific upload file:
 - Click **Properties** to check the upload statistics.
 - Click **Download** to download the file you just uploaded in the event you want to upload the file again.
 - Click **Delete** if a file fails to process and you want to remove the file history.

Upload and Download User Group Mappings

You can download user group mapping template files to help you set up user group mappings, and then upload the files to your environment.

 [LiveLabs Sprint](#)

You can download "Sample" or "Current" files. Sample provides a csv file with relevant headers to help familiarize you with the types of data you can expect. Current provides a list of current data assignments you can download to your test or production environments. Regardless of the file you download, you need to populate the USERNAME and GROUPNAME columns. Use the Operation column to make bulk changes to the user group mappings. Don't change any of the header names in the downloaded files. When you're done updating the files, you can upload them to your environment.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Uploads** under Application Administration.
3. On the Uploads page, click **Download File**, select **User Group Mapping**, and then select the type of file you want to download.
4. Open the csv file you downloaded and complete the fields as required:
 - USERNAME: The username in Oracle Identity Cloud Service.
 - GROUPNAME: The group name in Oracle Identity Cloud Service.
 - OPERATION: Enter ADD or leave it blank to add the user group mappings or enter REMOVE to remove the user group mappings.

5. When you're done updating the security file, save your changes.
6. On the Uploads page, click **Upload File** and then select the applicable file type.
7. Select the file you want to upload and click **Upload File**.

You can review the status of the upload on the **Uploads** tab.

8. Use the **Actions menu** next to the file name to perform actions on a specific upload file:
 - Click **Properties** to check the upload statistics.
 - Click **Download** to download the file you just uploaded in the event you want to upload the file again.
 - Click **Delete** if a file fails to process and you want to remove the file history.

Download and Upload Area of Responsibility Data

If you use Oracle Fusion HCM Analytics, then you can manage the area of responsibility (AOR) data in the Oracle Autonomous Data Warehouse associated with the Oracle Fusion Analytics Warehouse instance for security setups.

You can use the AOR-related data in custom security setups and for mass assignment. You can download the latest AOR data security assignment files to make changes to the existing data and upload it back. This enables you to avoid using other methods to get the AOR data into Oracle Autonomous Data Warehouse.

The downloaded AOR data security assignment file supports only the ready-to-use security contexts. For custom contexts, you can utilize the AOR data available in the DW_ASG_RESPONSIBILITY_D table while configuring custom security. The format of the AOR file that you download is different from the data security assignment file that you can upload, hence you must copy the required columns from the AOR file to the security assignment file prior to uploading it as the AOR-related security assignment file. For example, the AOR file has additional columns like AOR TYPE, which is for your reference only.

When you run the data pipeline for the Area of Responsibility functional area after activating it, Oracle Fusion Analytics Warehouse loads the AOR-related data from the DW_ASG_RESPONSIBILITY_D view, transforms it, and uses this data to populate the AOR file. The data in the AOR-related downloadable file is formatted as per the current data security assignment .csv file and pertains to the ready-to-use security contexts of business unit, country, legal entity, and organization.

After uploading the security assignments data to Oracle Autonomous Data Warehouse, if the AOR assignment ends, then you must download the AOR and data security assignment files, compare mismatches between the two files, and take necessary actions of adding or removing contexts from the data security context and upload the correct data as and when required. The AOR file has only the current effective records; hence any end-dated record won't be available in this file.




Note:

Replace existing configuration settings deletes existing data security assignments.

1. Sign in to your service.

- In Oracle Fusion Analytics Warehouse **Console**, click **Uploads** under Application Administration.
- On the Uploads page, click **Download File** and select **Area of Responsibility**.



- Unzip the DataSecurityAssignmentAOR_csv.zip file you downloaded and edit the csv file as required.

When you are done updating the file, save your changes.

- On the Uploads page, click **Upload File** and select **Data Security Assignments** in **File Type**.

Upload a File

File Type

Merge to the existing settings
 Replace existing configuration settings

Upload a .csv file

Drag and Drop

Select a file or drop one here.

- Select whether you want to **Merge to the existing settings** or **Replace existing configuration settings**.

- Select the file you want to upload and click **Upload File**.

You can review the status of the upload on the Uploads tab.

- Use the **Actions** menu next to the file name to perform actions on a specific upload file:

- Click **Properties** to check the upload statistics.
- Click **Download** to download the file you just uploaded in the event you want to upload the file again.
- Click **Delete** if a file fails to process and you want to remove the file history.

Download and Upload Data Security Exclusion Rules

If you want to automate the application of the security exclusion rules, then download the file to make the changes and upload it.



Note:

Replace existing configuration settings deletes existing data security assignments.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Uploads** under Application Administration.
3. On the Uploads page, click **Download File** and select **Data Security Exclude Assignments**, and then select the sample or current type of file that you want to download.

The screenshot shows the 'Uploads' page in the Oracle Fusion Analytics Warehouse Console. The page has a dark header with a back arrow, a refresh icon, and the text 'Uploads'. Below the header, there are two tabs: 'Uploads' (selected) and 'Activity'. The main content area has a search bar labeled 'Search Uploads' with a magnifying glass icon, a dropdown menu labeled 'All Uplo...' with a downward arrow, and two buttons: 'Download File' with a downward arrow and 'Upload File'. Below these elements is a table with columns 'Uploaded File', 'Type', and 'Uploaded By'. The table is currently empty, displaying 'No data to display.' To the right of the table, a dropdown menu is open, showing a list of file types: 'Custom Job Roles Mapping', 'Area of Responsibility', 'Data Security Assignments', 'Data Security Exclude Assignments' (highlighted with a red box), 'Financial Categories', 'Financial Category Assignments', and 'User Group Mapping'. Each item in the dropdown menu has a right-pointing arrow.

4. Unzip the DataSecurityExclusionAssignments_csv.zip file you downloaded and edit the csv file as required.
When you are done updating the file, save your changes.
5. On the Uploads page, click **Upload File** and select **Data Security Exclude Assignments** in **File Type**.

Upload a File

File Type Data Security Exclude Assignments ▼

Merge to the existing settings
 Replace existing configuration settings

Upload a .csv file

Drag and Drop
Select a file or drop one here.

6. Select whether you want to **Merge to the existing settings** or **Replace existing configuration settings**.
7. Select the file you want to upload and click **Upload File**.
You can review the status of the upload on the Uploads tab.
8. Use the **Actions** menu next to the file name to perform actions on a specific upload file:
 - Click **Properties** to check the upload statistics.
 - Click **Download** to download the file you just uploaded in the event you want to upload the file again.
 - Click **Delete** if a file fails to process and you want to remove the file history.

Download and Upload Custom Job Roles Mappings

If you've custom job roles in Oracle Fusion Cloud Applications and want to use them as data and duty roles in Oracle Fusion ERP Analytics, then you can map the job roles to the data and duty roles, and upload the mappings.

Oracle Fusion Analytics Warehouse uses the mappings to apply the security assignments to the applicable Oracle Fusion Cloud Applications users in Oracle Fusion Analytics Warehouse during the automatic synchronization of the data security assignment configurations between Oracle Fusion Cloud Applications and Oracle Fusion Analytics Warehouse.

During the next data pipeline run, Oracle Fusion Analytics Warehouse applies this mappings.




Note:

Replace existing configuration settings deletes the existing custom role mappings.

1. Sign in to your service.

- In Oracle Fusion Analytics Warehouse **Console**, click **Uploads** under Application Administration.
- On the Uploads page, click **Download File** and select **Custom Job Roles Mapping**, and then select the sample or current type of file that you want to download.



- Unzip the CustomRoleMapping_csv file you downloaded and create the mapping by entering the Oracle Fusion Cloud Applications job role in the FA_JOB_ROLE column and a corresponding Oracle Fusion Analytics Warehouse data or duty role in the FAW_ROLE column.

When you are done updating the file, save your changes.

- On the Uploads page, click **Upload File** and select **Custom Job Roles Mapping** in **File Type**.

Upload a File

File Type Custom Job Roles Mapping ▼

Merge to the existing settings
 Replace existing configuration settings

Upload a .csv file

Drag and Drop

Select a file or drop one here.

- Select whether you want to **Merge to the existing settings** or **Replace existing configuration settings**.
- Select the file you want to upload and click **Upload File**.

You can review the status of the upload on the Uploads tab.

8. Use the **Actions** menu next to the file name to perform actions on a specific upload file:
 - Click **Properties** to check the upload statistics.
 - Click **Download** to download the file you just uploaded in the event you want to upload the file again.
 - Click **Delete** if a file fails to process and you want to remove the file history.

Set Up Custom Security

You can set up custom security to meet your business requirements.

Setting up custom security involves:

- Creation of job-specific custom groups. See [Create a Group](#)
- Creation of custom duty and data roles. See [Create an Application Role](#).
- Mapping of custom application roles to either the predefined or custom job-specific groups. See [Add Application Roles to a Group](#) and [Assign Groups to Application Roles](#).
- Configure the custom application roles. See [Custom Security in Fusion Analytics Warehouse](#). Ensure that you are signed into Cloud Customer Connect prior to viewing this document.

6

Customize Oracle Fusion Analytics Warehouse

You can customize the semantic model and groups to extend it for your business requirements.

As a modeler or modeler administrator, you can customize your semantic model. Customization enables you to make the data that you moved into the analytics warehouse more useful for reporting. As a security administrator, you can create, configure, and assign custom groups to users. See [Assign Users to a Group](#) and [Assign Groups to Users](#).

Topics:

- [About Semantic Model Customization](#)
- [About Best Practices and Tips to Extend the Semantic Model](#)
- [Create a Branch](#)
- [Edit a Branch](#)
- [Add a Step to a Branch](#)
- [Edit or Delete a Branch Step](#)
- [Reapply a Branch Step](#)
- [Disable and Enable the Disabled Steps](#)
- [Copy Steps from One Branch to Another](#)
- [View Details of Failed Branch Steps](#)
- [Merge the Customization Branches with the Main Branch](#)
- [Reorder Steps of Customization Branches](#)
- [Delete a Main Branch Step](#)
- [Tag the Main Branch's Steps](#)
- [Add Security Configurations](#)
- [View Activity History of Semantic Model Extensions](#)
- [Publish the Model](#)
- [Load Customization Data to the Autonomous Data Warehouse](#)
- [Promote Your Customizations to the Production Environment](#)
- [View Promotion History](#)
- [Republish Your Customizations](#)

About Semantic Model Customization

You can customize the semantic model to extend it for your business requirements. You extend the semantic model to make the data that you moved into the warehouse more useful for reporting.

You customize your semantic model in the non-production environments such as development or test by creating branches and adding steps to those branches. You use a branch or version to publish your changes to the model. You can apply the model from the branch to a local service instance for testing. When the changes are correct, you can merge that branch with the main branch. You can merge multiple branches with the main branch over time. When you have a set of changes finalized, you can version the main branch and promote that branch to the production environment. After promoting the customizations to the production environment, you can't directly add further customizations to the semantic model in the production environment.

You can customize the model by extending ready-to-use dimensions with additional attributes from another data source, by adding a fact to an existing subject area, and by reorganizing the ready-to-use subject areas to create a new subject area to name a few.

The semantic model consists of these components:

- Oracle Content: This is the base model provided by Oracle. Your customizations are layered on this.
- System Extensions: Your descriptive flexfield and data augmentation changes are available in this component. See [View Activity History of Semantic Model Extensions](#) to know about the scenarios in which Oracle Fusion Analytics Warehouse applies the system extensions.
- User Extensions: Your customization branches and versions are available in this component.
- Security Configurations: You can secure the objects of all the other components against the application roles in this component.

About Best Practices and Tips to Extend the Semantic Model

Before extending your semantic model, review the best practices and tips to ensure that your extensions work as expected.

Recommended naming conventions: Ensure that you follow these naming conventions to avoid loss of customizations after an upgrade and to easily identify the custom objects:

- Prefix a custom object with `x_ddd_` where `ddd` is an abbreviation of your organization.
- Suffix different objects as:
 - `_A` = Aggregate
 - `_D` = Dimension

- `_DH` = Dimension Hierarchy
- `_F` = Fact
- `_H` = Helper
- `_M` = Map Dimension
- `_MD` = Mini Dimension

Best practices applicable across the types of extensions:

- Perform all development activities in one environment that you consider as the master development environment. Subsequently, you must move the extensions from that environment to other non-production or production environments.
- When you need to create a star schema (custom dimensions and custom facts), always create the custom dimensions first followed by the custom facts.
- When you define joins in any customization wizard, ensure that the join columns are of compatible data types.

Best practices while adding a dimension:

- While defining the joins, you can choose to skip the joins and proceed to the next action. This results in the step ending up in a warning state but the process adds the custom facts. Oracle Fusion Analytics Warehouse clears the warning when you define the joins later.
- Always specify the primary key and display attribute when you define the hierarchies for the custom dimension.

Best practice while extending a dimension is to combine multiple extensions for the same dimension in the database. Same dimension extensions always join to the base dimension on the same columns. Hence, in the database, combine the extensions into one object and then extend all columns using that object.



Note:

Multiple steps defined for the same dimension eventually lead to a constraint causing the extensions to fail. Combining the extensions into one database object and then defining all extensions using one step is highly recommended.

Best practice while adding a fact is to always set the content levels for the custom dimensions that are joining to the custom fact.

Create a Branch

To begin customizing your semantic model, create a branch of the main semantic model.

You can add customizations to a test instance only. After you have added and tested your customizations, you can promote them to the production environment. See [Promote Your Customizations to the Production Environment](#).

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.

3. On the Semantic Model Extensions page, click **User Extensions**.
You see the main and existing customization branches.
4. In the User Extensions region, for Customization Branches, click **Create Branch** to create a branch as an empty container.
5. In Create a Branch, enter a name for your branch, for example, Add Cost Center.
6. Optional: Add a description and click **Done**.
You see the Add Step dialog. You can continue to add the steps or you can add steps to the new branch container later using the **Add Step** button. See [Add a Step to a Branch](#). You see the new branch on the Semantic Model Extensions page under **Customization Branches**.

Edit a Branch

Before you apply a branch to the main branch of your semantic model, you can edit the branch description to make it more meaningful.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
4. In the User Extensions region, under Customization Branches, hover over a branch to view the **Actions menu**.
You see the actions that are applicable to the branch.
5. From the **Actions menu**, click **Edit Description** to update the branch description, and then click **Done**.

Add a Step to a Branch

You can add customization types such as "Extend a Dimension" as a step to an existing unapplied branch or a new branch that you create.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
You see the main and existing customization branches.
4. In the User Extensions region, under Customization Branches, click a branch to open the Branch page.
5. On the Branch page, click **Add Step**.
6. In Add Step, select a customization type such as **Extend a Dimension**.
You see the wizard sequence to add details for the selected customization type.

Add a Dimension

You can create a custom dimension, join it to the ready-to-use or custom facts, and add the custom dimension to any subject area to meet your business requirements.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
You see the main and existing customization branches.
4. In the User Extensions region, under Customization Branches, click a branch to open the Branch page.
5. On the Branch page, click **Add Step**.
6. In Add Step, select **Add a Dimension**.
You see the wizard sequence to add a dimension.
7. In step 1 of the wizard, enter a name for your customization step, for example, `Add Point of Sale Dimension` and add a brief description.
8. In step 2 of the wizard, select the schema, and then select the dimension table in **Object**. For example, `COST_CENTER_VIEW1`.

 **Note:**

If you don't see the schema or table, then ensure that you have granted select permission to the OAX\$OAC schema in the autonomous data warehouse. For example, `grant select on <schema>.<table> to OAX$OAC`. See [Load Customization Data to the Autonomous Data Warehouse](#).

You see the attributes available in the selected dimension table. You can use the **Search** and **Filter** fields to limit the attributes displayed for the dimension table.

9. Select the attributes that you want to use from the dimension table and indicate an attribute to be used as the key for joining with a fact table in the target subject area.
10. If any of the selected attributes have been removed or modified in the source table since the last refresh, then you see such columns highlighted and a message asking whether you want to update the table. Select **OK** in the message to reload the source columns. If you want to review the changes to the source columns, then click **Cancel** in the message, and later click **Refresh** to reload the source columns. If any of the attributes that you haven't selected have been removed or modified in the source table, then you see the refreshed list of source columns. If any of the custom columns fail validation during the refresh, then you see a message asking you to resolve the cause of failure and revalidate.
11. Optional: Click **Create Column** to add another column to your dimension table in the target subject area using these instructions:
 - a. In Create Column, enter a display name.
 - b. Under **Data Elements**, search for a data element from the physical table of the selected dimension table.

- c. From the search results, double-click the data element to place it in the text pane.
 - d. Under **Functions**, search for a function to construct a column using expressions. For example, search for functions like "substring" or "concatenate" to construct new expression-based columns. From the search results, double-click the applicable result to add it to the central text pane.
 - e. Click **Validate**, and then click **Save**.
12. In step 3 of the wizard, select, drag, and drop available data elements into the Selected Data elements pane to design a hierarchy for the dimension and then click **Next**. In the Selected Data Elements pane, click a level to update its primary key and set its display attribute in the Properties pane.

You can add multiple levels in your hierarchy by right-clicking at a level and selecting Add Child or Add 'n' Child Levels. For example, your Region Hierarchy can have Region Total at Level 1, Region at Level 2, Country at Level 3, State at Level 4, and City at Level 5.

13. In step 4 of the wizard, select **Skip Joins** if you don't want to join the selected dimension table to any facts. To join the selected dimension table to a fact, select the fact table, fact key, and join type. Click **Content Level** to specify the content level for your fact.

You can join a single fact key column to multiple dimension keys.

 **Note:**

Ensure that the data types of the join key pairs match. If your data types don't match but you want to proceed, then click Yes in the message. However, if the data types can't be absolutely matched, then the server-side validation rejects that join completely and you must change the data type of custom key column to match the factory data type.

14. Optional: Click **Add Fact Table** to select another fact table to link your dimension to and define the join.
15. Click **Next**.
16. Optional: In step 5 of the wizard, select the subject areas to include the new dimension and click **Finish**.

You see a message that your step is being applied to the customization branch. After it's applied, you see the new customization step in the customization branch. You can now apply the customization branch to the main branch or edit it to add more steps.

 **Note:**

If you've created Add a Dimension steps using the previous functionality, you can still edit and reapply through the Edit option.

Add a Fact Table

Add a fact table to an existing subject area.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
You see the main and existing customization branches.
4. In the User Extensions region, under Customization Branches, click a branch to open the Branch page.
5. On the Branch page, click **Add Step**.
6. In Add Step, select **Add a Fact**.
You see the wizard sequence to add a fact.
7. In step 1 of the wizard, enter a name for your customization step, for example, `Add Travel Expense` and add a brief description.
8. Select a target subject area to which you want to add the fact. For example, `Financials - AP Expense`.
You see the details of the selected subject area.
9. Click **Next**.
10. In step 2 of the wizard, select the schema, and then select a view or table or synonym as the object. For example, `FCT_CALC_Extensions`.
You see the fact table for the selected object.
11. In the details of the fact table for the selected source table, click the **Select Fact** and **Use for Key** check boxes for the source columns that you want to add to your new fact table in the target subject area.
12. Optional: In the details of the fact table for the selected source table, under **Select Degenerate Attribute**, click the check boxes for the attributes for which you need the degenerate dimension to be created.
13. If any of the selected attributes have been removed or modified in the source table since the last refresh, then you see such columns highlighted and a message asking whether you want to update the table. Select **OK** in the message to reload the source columns. If you want to review the changes to the source columns, then click **Cancel** in the message, and later click **Refresh** to reload the source columns. If any of the attributes that you haven't selected have been removed or modified in the source table, then you see the refreshed list of source columns. If any of the custom columns fail validation during the refresh, then you see a message asking you to resolve the cause of failure and revalidate.
14. Optional: Click **Create Column** to add a new column to your new fact table in the target subject area using these instructions:
 - a. In Create Column, enter a display name.
 - b. Under **Data Elements**, search for a data element from the physical table of the selected dimension table.
 - c. From the search results, double-click the data element to place it in the text pane.
 - d. Under **Functions**, search for a function to construct a column using expressions. For example, search for functions like "substring" or "concatenate" to construct new expression-based columns. From the search results, double-click the applicable result to add it to the central text pane.

- e. Click **Validate**, and then click **Save**.
15. Click **Next**.
 16. In step 3 of the wizard, use the Diagram or Tabular tabs to specify the joins to link your new fact table to the dimensions in the selected subject area.

Follow these instructions to specify the joins using the Diagram tab:

- a. Click **Add Table**.
- b. In Add Table, select the dimensions to add and click **OK**.
- c. Drag from the dimension's port (dark green circle) to the fact table's port (brown circle) to create a join link. You see the Join dialog.
- d. In the Join dialog, select the type of join, the fact table column, and the dimension key column. Click **Add Join Condition** to add multiple join conditions and then click **Join**. If you want to provide expressions as join conditions, then click **Complex Join** and in Create Joins, click **Add Joins**, select the target and source logical tables, enter the join condition as an expression, and click **OK**.

Follow these instructions to specify the joins using the Tabular tab:

- a. Click **Add Join**.
 - b. In Add Table, select the dimension to add and click **OK**. You see the Join dialog.
 - c. In the Join dialog, select the type of join, the fact table column, and the dimension key column. Click **Add Join Condition** to add multiple join conditions and then click **Join**. If you want to provide expressions as join conditions, then click **Complex Join** and in Create Joins, click **Add Joins**, select the target and source logical tables, enter the join condition as an expression, and click **OK**.
17. Optional: Click **Skip Joins** if you don't want to join a dimension now.
 18. Click **Next**.
 19. In step 4 of the wizard, select the aggregation rule for each fact column to set the aggregation behaviors.
 20. Optional: You can set the time-balanced aggregation rule for a time dimension and hierarchy level-based aggregation rule for a dimension using these steps:
 - a. For a fact column, click the Time-Balanced Aggregation icon.
 - b. In the Time-Balanced Aggregation dialog, click **Add Time Dimension**, adjust the aggregation rule, and then click **OK**.
 - c. For a fact column, click the Hierarchy Level-Based Aggregation icon, select the dimension and level. Click **Add Dimension** to add more dimensions. Click **OK**.

Use a time-balanced aggregation when the added measure mustn't be "aggregated" by default across a time dimension. Oracle Fusion Analytics Warehouse supports non-aggregation types like "Last" or "First" in place of the "SUM" aggregation type when required. Use a level-based aggregation when the underlying measure must always be calculated to a specific level of a predefined dimensional hierarchy. For example, in a product hierarchy that has the Product Total, Product Category, Product Sub-Category, and Product Details levels, you add a new measure called "Revenue" and need this "Product Category Revenue" measure to be aggregated to Product Category, then you must use the level-

based aggregation and choose the right level of the Product Dimension. This setting enables Oracle Fusion Analytics Warehouse to always aggregate and show the value of the measure at the Product Category level. This is useful when you need to calculate Product Revenue as a % of Category Revenue.

21. Click **Next**.
22. Optional: Select additional subject areas to add the fact.
23. Click **Finish**.

You see a message that your step is being applied to the customization branch. After it's applied, you see the new customization step in the customization branch. You can now apply the customization branch to the main branch or edit it to add more steps.

Add a Hierarchy

Add a hierarchy to a dimension table in an existing subject area.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
You see the main and existing customization branches.
4. In the User Extensions region, under Customization Branches, click a branch to open the Branch page.
5. On the Branch page, click **Add Step**.
6. In Add Step, select **Add a Hierarchy**.
You see the wizard sequence to add a hierarchy.
7. In step 1 of the wizard, enter a name for your customization step, for example, `Add Region Hierarchy` and add a brief description.
8. Select the subject area, the folder of the dimension table, and the dimension table to which you want to add a hierarchy.
You see the existing hierarchies and the hierarchy levels in the selected dimension. If there aren't any hierarchies, then you see a message informing you that there are no hierarchies in the selected dimension.
9. Click **Next**.
10. In step 2 of the wizard, assemble the product hierarchy using the attributes from this dimension table with these instructions:
 - a. Enter a hierarchy name. For example, `Region Hierarchy`.
 - b. Select, drag, and drop available data elements into the Selected Data elements pane to design a hierarchy that you want. You can add multiple levels in your hierarchy by right-clicking at a level and selecting **Add Child** or **Add 'n' Child Levels**. For example, your `Region Hierarchy` can have `Region Total` at Level 1, `Region` at Level 2, `Country` at Level 3, `State` at Level 4, and `City` at Level 5.
 - c. In the Selected Data Elements pane, click a level to update its primary key and set its display attribute in the Properties pane.
11. Click **Next**.

12. Optional: In step 3 of the wizard, select additional subject areas to include the new hierarchy.
13. Click **Finish**.

You see a message that your step is being applied to the customization branch. After it's applied, you see the new customization step in the customization branch. You can now apply the customization branch to the main branch or edit it to add more steps.

Add Session Variables

Add custom session variables that you can include in the analyses.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
You see the main and existing customization branches.
4. In the User Extensions region, under Customization Branches, click a branch to open the Branch page.
5. On the Branch page, click **Add Step**.
6. In Add Step, select **Add Session Variables**.
You see the wizard sequence to add the session variables and a list of existing session variables.
7. In step 1 of the wizard, check if any of the existing session variables serve your purpose.
If yes, then you can exit the wizard and use the applicable existing session variables in your analyses. If no, then continue with the next steps to create the session variables that you require.
8. Enter a name for your customization step, for example, `Add a Session variable using Invoice Received Date` and add a brief description. Click **Row-wise Initialization** to configure cache settings.
9. Click **Next**.
10. In step 2 of the wizard, define the SQL query and create the initialization block using these instructions:
 - a. Enter a name and description for the initialization block.
 - b. Select a preceding initialization block.
 - c. Enter the SQL query that would be executed in the autonomous data warehouse and return a value that you can use in the reports. For example, if you want to get the Exchange Rate Type that is defined in Oracle Fusion Analytics Warehouse into a session variable, then you can use the following SQL script:

```
SELECT PARAMETER_VALUE FROM DW_CONTENT_PARAM_CONFIG WHERE
PARAMETER_CODE='PARAM_GLOBAL_EXCHANGE_RATE_TYPE'
```
 - d. Click **Preview Data** to view the data that is returned by the SQL query.

11. Click **Next**.
12. In step 3 of the wizard, create the session variables using the output of the initialization block created in step 2 of the wizard.
13. Click **Finish**.

You see a message that your step is being applied to the customization branch. After it's applied, you see the new customization step in the customization branch. You can now apply the customization branch to the main branch or edit it to add more steps.

Extend a Dimension

Extend ready-to-use dimensions with additional attributes from another data source.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
You see the main and existing customization branches.
4. In the User Extensions region, under Customization Branches, click a branch to open the Branch page.
5. On the Branch page, click **Add Step**.
6. In Add Step, select **Extend a Dimension**.
You see the wizard sequence to extend a dimension.
7. Enter a name for your customization step, for example, `Add Cost Center Type`.
8. Select a target subject area, for example, `Financials GL Profitability`.
9. In **Folder**, select a dimension that you want to extend, for example, `Cost Center`.
10. Select a logical table, for example, `Dim - Cost Center`.
You see the available attributes in the table.
11. Click **Next**.
12. Select a schema and table from the database.
You see the available attributes in the table.
13. Select the columns that you want to expose or use as a key for creating the join.
14. Click in the **Display Name** table field to enter a new name for the column or to edit an existing one and then click **Enter** to accept or click **Esc** to cancel.
15. If any of the selected attributes have been removed or modified in the source table since the last refresh, then you see such columns highlighted and a message asking whether you want to update the table. Select **OK** in the message to reload the source columns. If you want to review the changes to the source columns, then click **Cancel** in the message, and later click **Refresh** to reload the source columns. If any of the attributes that you haven't selected have been removed or modified in the source table, then you see the refreshed list of source columns. If any of the custom columns fail validation during the refresh, then you see a message asking you to resolve the cause of failure and revalidate.
16. Optional: Click **Create Column** to create a new column in the selected dimension table using these instructions:

- a. In Create a new column, enter a display name, for example, `Cost Type`.
 - b. Under **Data Elements**, search for a data element from the physical table of the selected dimension table.
 - c. From the search results, double-click the data element to place it in the text pane.
 - d. Under **Functions**, search for a function to construct a column using expressions. For example, search for functions like "case" to construct new expression-based columns. From the search results, double-click the applicable result to add it to the text pane.
 - e. Click **Validate**, and then click **Save**.
17. Click **Save**.
 18. Click in the **Source Column** table field to edit the column definition.
 19. Click **Save**.

You see the new column in the Data preview section in a highlighted color.
 20. Click **Next**.
 21. Select a join key to pair with the source column. If you want to provide expressions as join conditions, then click **Complex Join** and in Create Joins, click **Add Joins**, select the target and source logical tables, enter the join condition as an expression, and click **OK**.
 22. Click **Next**.
 23. Select the subject areas that should use this customization.

 **Note:**

The Subject Area that you initially selected is selected by default and is read-only. By default, all additional subject areas are selected. Deselect the additional subject areas that shouldn't use this customization.

24. Click **Finish**.

You see the new customization step in the customization branch. You can now apply the customization branch to the main branch or edit it to add more steps.

Add Derived Columns

Add a derived column to an existing subject area.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.

You see the main and existing customization branches.

4. In the User Extensions region, under Customization Branches, click a branch to open the Branch page.
5. On the Branch page, click **Add Step**.

6. In Add Step, select **Add a Column**.
You see the wizard sequence to add a column.
7. In step 1 of the wizard, enter a name for your customization step, for example, *Regional Revenue* and add a brief description.
8. Select a target subject area to which you want to add the column. For example, *Profitability*.
You see the details of the selected subject area.
9. Select the presentation folder within the selected subject area and the logical table to which you want to add the column.
10. Click **Next**.
You see the Create Column dialog in step 2 of the wizard.
11. In step 2 of the wizard, define your new column using these instructions:
 - a. In Create Column, enter a display name.
 - b. Under **Data Elements**, search for a data element from the subject area that you had selected previously.
 - c. From the search results, double-click the data element to place it in the text pane.
 - d. Under **Functions**, search for a function to construct a column using expressions. From the search results, double-click the applicable result to add it to the central text pane. For example, search for functions like "Filter" or "Avg" to construct expression-based columns. A sample expressions to derive the average supplier payment days is `avg(ROUND(((CASE WHEN Invoice Received Date is not null THEN (Financials - AP Payments.Payment Date.Payment Date - Invoice Received Date) ELSE (Financials - AP Payments.Payment Date.Payment Date - Financials - AP Invoices.Invoice Date.Invoiced Date) END)/Financials - AP Payments.Facts - Analytics Currency.Total Payment Count),0))`.
 - e. Click **Validate**, and then click **Save**.
12. Optional: If you want the underlying measure of the column to be calculated to a specific level of a predefined dimensional hierarchy, then complete these steps:
 - a. Click the **Hierarchy Level-Based Aggregation** icon.
 - b. In the Hierarchy Level-Based Aggregation dialog, select the dimension, level, and then click **OK**.
 - c. Click **Add Dimension** to add more dimensions.
13. Click **Next**.
14. Optional: Select additional subject areas to add the fact.
15. Click **Finish**.
You see a message that your step is being applied to the customization branch. After it's applied, you see the new customization step in the customization branch. You can now apply the customization branch to the main branch or edit it to add more steps.

Create a Subject Area

You can create a subject area as a container and later add dimensions and facts to your new subject area or create a subject area based on an existing one.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
You see the main and existing customization branches.
4. In the User Extensions region, under Customization Branches, click a branch to open the Branch page.
5. On the Branch page, click **Add Step**.
6. In Add Step, select **Create a Subject Area**.
You see the wizard sequence to create a subject area.
7. In step 1 of the wizard, enter a name for your customization step, for example, `Custom Profitability` and add a brief description.
8. Create a subject area using one of the methods:
 - a. Select **Create a Subject Area** to create a subject area container, provide a name, add a description, and then click **Next**. You see step 4 of the wizard. Click **Finish** to create the subject area.
 - b. Select **Create a Subject Area based on an existing one** to create a subject area using an existing one in the system and provide these details:
 - i. Select an existing subject area, name your subject area, and then click **Next**.
 - ii. In step 2 of the wizard, select the data elements that you want in your new subject area.
 - iii. Click **Add Subject Area** to select and add data elements from multiple subject areas.
 - iv. In step 3 of the wizard, organize and rename the data elements in your new subject area.
 - v. Click **Next**.
 - vi. In step 4 of the wizard, review your new subject area and click **Finish** to create it.

You see a message that your step is being applied to the customization branch. After it's applied, you see the new customization step in the customization branch. You can now merge the customization branch with the main branch or edit it to add more steps.

Modify a Subject Area

Modify a custom subject area using these instructions.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
You see the main and existing customization branches.

4. In the User Extensions region, under Customization Branches, click a branch to open the Branch page.
5. On the Branch page, click **Add Step**.
6. In Add Step, select **Modify a Subject Area**.
You see the wizard sequence to modify a subject area.
7. In step 1 of the wizard, enter a name for your customization step, for example, `Custom AP Invoices` and add a brief description.
8. Select a subject area that you had created using the instructions in [Create a Subject Area](#).
You see the details of the selected subject area.
9. Click **Next**.
10. In step 2 of the wizard, from the Available Data Elements pane, select or deselect the data elements that you want to use or don't want in the selected subject area.
11. Optional: Click **Add Subject Area** to select and add data elements from multiple subject areas.
12. Click **Next**.
13. In step 3 of the wizard, organize and rename the data elements in your modified subject area.
14. Optional: Click the **Advanced Properties** icon next to the custom subject area to select an implicit fact that allows dimensions to be used for analytic queries even when not joined to a logical fact table.
15. Click **Next**.
16. In step 4 of the wizard, review your modified subject area and click **Finish**.

Edit or Delete a Branch Step

As the owner of the branch or an user with the Modeler Administrator role, you can edit a step to modify the details or delete it if it's no longer required. You can delete multiple steps together.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
4. In the User extensions region, under Customization Branches, click a branch to display the steps.
5. Hover over a step to view the **Actions menu**.
6. Click **Edit** and update the details.
7. Click **Delete** to remove it from the branch.

Reapply a Branch Step

As the owner of a branch or a user with the Modeler Administrator role, you can reapply a failed step after resolving any issues that might have occurred with tables or columns in the autonomous data warehouse.

You can reapply the steps from the Branch details page without opening the steps.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
You see the main and existing customization branches.
4. In the User Extensions region, under Customization Branches, click a branch to display the steps.
5. Hover over a step to view the **Actions menu**.
6. Click **Reapply**.

Disable and Enable the Disabled Steps

You can disable and enable the disabled steps in the main and customization branches in the development and production environments. This helps you in troubleshooting issues in the branches.

You can perform these actions on the steps in the User Extensions and Security Configurations regions. You can disable and enable individual steps or select multiple steps using the **Manage Steps**, **Enable**, and **Disable** buttons on the branch details page. You can't disable a published step.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
You see the main and existing customization branches.
4. In the User Extensions region, click **Main** to view the details.
5. On the Main branch page, hover over a step to display the options.
6. Click **Disable**.
7. In Confirm Disable Steps, click **Disable**.
8. On the Main branch page, click **Manage Steps**, select the check box for the disabled steps, and then click **Enable**.
9. In Confirm Enable Steps, click **Enable**.
10. Perform these actions for steps in the customization branches.

Copy Steps from One Branch to Another

Use these instructions to copy steps from a customization branch to another customization branch.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
You see the main and existing customization branches.
4. In the User extensions region, under Customization Branches, click a branch whose steps you want to copy.
5. On the Branch page, click **Manage Steps**.
6. Select the check box for the steps that you want to copy and click **Copy**.
7. In Copy Steps, select the target branch to which you want to copy the selected steps and click **OK**.

Alternately, you can create a branch using the "Create Branch" option available in the Copy Steps dialog and copy the steps into this new branch in a single action.

You see a confirmation message that the steps have been successfully copied.

View Details of Failed Branch Steps

You can view the reasons why a branch step had failed and then correct the errors.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
You see the main and existing customization branches.
4. In the User extensions region, under Customization Branches, click the branch with the **Failed** icon to view the details.
5. On the Branch page, click the **Failed** status for a step that has failed and view the error details.

Merge the Customization Branches with the Main Branch

Merge the customization branches with the main branch to use the customization steps as the sequence of steps.

The main branch lives in the test environment. When you edit a branch, the system automatically locks it to prevent another user from simultaneously editing the same branch. As you complete each step or reorder the steps, the system unlocks the branch, saves it, and notes the change in the change log tab.

1. Sign in to your service.

2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
You see the main and existing customization branches.
4. In the User Extensions region, under Customization Branches, hover over a branch to view the **Actions menu**.
5. From the **Actions menu**, click **Merge to Main Branch**, and then click **Ok**.
When a branch gets merged into Main, the other branches go out of synchronization and you must resynchronize them with the Main branch.

Reorder Steps of Customization Branches

You can reorder the steps in a branch that has been applied or is yet to be applied to the main branch.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
You see the main and existing customization branches.
4. In the User Extensions region, under Customization Branches, click a branch to display the steps.
5. On the Branch page, click **Manage Steps**.
6. Select the check box for the steps that you want to reorder and click **Reorder**.
7. In Reorder Steps, use the drag handles to drag and drop the steps in the new order that you want, and then click **Reorder**.

Delete a Main Branch Step

As a modeler administrator, you can delete all steps of a main branch that have been either applied or have failed. With modeler permissions, you can delete only failed steps of a main branch.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
4. In the User Extensions region, click **Main** to view the details.
5. On the Main Branch page, hover over a step to display the options.
6. Click **Delete** to remove it from the main branch.

Tag the Main Branch's Steps

You can create tags on the "Applied" steps of the Main branch as a snapshot at a given point in time.

When you have a set of customizations ready for promotion and merged them with the Main branch, you can tag the Main branch's steps with "Applied" status using the **Create Tag** option for the Main branch or tag any of its steps with "Applied" status directly on the Main branch detail page using the **Tag** option. When you tag a step directly on the Main branch details page or include a step while tagging using the **Create Tag** option for the Main branch, the steps prior to the selected step are included in the tag too. You can untag the tags that you create for the Main branch's steps using the **Untag** option.

You later promote the tagged steps of the Main branch to the production environment. See [Promote Your Customizations to the Production Environment](#).

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
You see the main and existing customization branches.
4. To create a tag for a step in the Main branch, in the User Extensions region, click **Create Tag**.
5. In Create a Tag, enter a name for the tag and a description.
6. Select a merged step that you want to include in this tag.
7. Click **Done**.
8. To tag a step directly, hover over the Main branch to view the **Actions menu** and then click **View Details**.
9. On the Main branch details page, hover over a step to view the **Actions menu** and then click **Tag**.
10. In Create a Tag, enter a name for the tag and a description.
11. Click **Done**.
12. To untag a tag for the Main branch and the step included in the Tag, on the Main branch details page, hover over a step to view the **Actions menu** and then click **Untag**.
13. In Confirm Untag, click **Untag**.

 **Note:**

If there're multiple tags on the same step, then you can select the check boxes for the applicable tags in the Confirm Untag dialog.

Add Security Configurations

Add security configurations to secure the subject areas and data with ready-to-use and custom duty and data type of application roles.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **Security Configurations**.
4. In the Security Configurations region, click **Add Configure Data Security** to secure your data with the data type of application roles.
See [Configure Data Security](#).
5. In the Security Configurations region, search for the ready-to-use "Configure Object Permissions" to configure permissions for objects such as subjects areas and their elements with duty type of application roles.
See [Configure Object Permissions](#).
6. Optional: In the Security Configurations region, click **Reapply Steps** to validate the security configuration-related steps against the current state of the model.

Configure Data Security

As a security administrator, provide users with access to data using the custom-created data type application roles.

You can add filters to data retrieved from logical or presentation objects based on the data roles assigned to users. You can add one customization step for each data role. The elements that you can secure are from the Main branch of the semantic model. Hence, if you need a newly added object to be secured, then you must ensure that the customization branch containing the newly added object is merged with the Main branch before configuring the security. If any of the custom-created role is no longer available, then the security configuration for that role is removed from the "Configure Data Security" step.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **Security Configurations**.
You see the existing security configurations, if any.
4. In the Security Configurations region, click **Add Configure Data Security Step**.
5. In step 1 of the wizard, enter a name for your step, select a data type application role, and then click **Next**.
6. In step 2 of the wizard, from the **Available Objects** drop-down list, click either Presentation Objects or Logical Objects to select the objects that you want to secure with the selected data type application role.

If you are viewing the presentation objects, then expand the subject area folders and double-click the objects. If you are viewing the logical objects, then double-click the logical table folders or expand the table folders and double-click the objects. You see the selected objects under **Object to be secured** in the right pane.

7. Optional: Specify the functional group to combine the data filters using the OR and AND operators.

Oracle Fusion Analytics Warehouse combines all the filters in the same functional group using the OR operator and combines all sets of filters in different functional groups using the AND operator.

8. Click the **Function** icon to define how the data filter gets applied.

Use the Expression Editor to enter the filter, based on the session variables that you had created previously. To view an example, see [Custom Security in Fusion Analytics Warehouse](#).

9. Click **Next**.
10. Click **Finish**.
11. Optional: In the Security Configurations region, click **Reapply Steps** to validate the security configuration-related steps against the current state of the model.

Configure Object Permissions

Configure the permissions for objects such as subject areas and its elements with the ready-to-use or the custom-created duty roles.

You secure the subject areas and their elements using the **Configure Object Permissions**, a ready-to-use single step. You edit this single step to specify the subject areas, their elements, and the duty roles to secure these with. The elements that you can secure are from the Main branch. Hence, if you need a newly added object to be secured, then you must ensure that the branch containing the newly added object is merged with the Main branch before configuring the security. If a custom-created role is no longer available, then the security configuration for that role is automatically updated in the existing Configure Object Permissions step.

For the front-end objects such as KPIs and decks, set the permissions individually for each object by adding the applicable duty role and the corresponding access. See [Inspect a KPI](#) and [Inspect a Deck](#).

By default, the list of permissions by duty role displays the explicit permissions set for the subject area or the elements of the selected subject area. If you want to add more permissions, then select the duty role from the list and set the required permission. Permission levels that you can set are:

- Default (inherited from the parent element).
- No Access (deny access to the respective subject area or its elements)
- Read-only (access to read the respective subject area or its elements).

Repeat the operation for all the subject areas or the subject area elements that you need to secure.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **Security Configurations**.

You see your existing security configurations and the ready-to-use object permissions-related step.

4. In the Security Configurations region, search for the ready-to-use "Configure Object Permissions", and hover over it to view the Actions menu, and then click **Edit**.
5. In step 1 of the wizard, click **Next**.

6. In step 2 of the wizard, select the subject areas or elements and set the corresponding desired permission to the duty role selected from the list, and then click **Next**.
7. Review your changes and click **Finish**.

View Activity History of Semantic Model Extensions

View an audit of all activities performed on the semantic model.

Amongst the activities, you may see that the system steps have been applied. Oracle Fusion Analytics Warehouse applies the system steps in the following scenarios:

- Any changes to augmentations and new augmentations. A new augmentation replays all the steps in the Main branch because of implicit dependencies.
 - New module activations. Module activations can run augmentations related to that module, but the Main branch steps are always replayed.
 - Any changes done to flexfields (like DFFs) in your Oracle Fusion Cloud Applications instance such as deletion or addition. It doesn't matter where the DFF's are. If they are deleted in the source, then they get deleted in the ready-to-use subject area. Hence, the custom subject area also must be modified to remove it. In this case, augmentation won't fail but the Main branch fails as it's custom and needs to be modified.
 - Application update such as the Oracle Fusion Analytics Warehouse version upgrade also runs the Apply System Steps.
1. Sign in to your service.
 2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
 3. On the Semantic Model Extensions page, click **Activity History** to view an audit of all activities performed on the semantic model.
 4. Hover over an activity to view details of the activity.

Publish the Model

You can publish the versions on the main development branch and the other branches in the non-production environments such as development or test to ensure that there are no errors.

While publishing the data model, you can select the user extensions and security configurations that you added as part of customizing the semantic model. If you select the security configurations, then Oracle Fusion Analytics Warehouse applies them on the user extensions that you selected. If the security configurations refer to elements in the model that aren't part of the user extensions, then Oracle Fusion Analytics Warehouse excludes them at the time of publishing the model.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic model Extensions page, click **Publish Model**.
4. In Publish Model, select the user extensions and security configurations that you want to publish.

5. Click **Publish**.

Load Customization Data to the Autonomous Data Warehouse

You can load your customization data to the autonomous data warehouse provisioned with your Oracle Fusion Analytics Warehouse instance.

You need the autonomous data warehouse wallet and credentials of the administrator. The credentials of the administrator are same as what you had mentioned for the autonomous data warehouse resource while creating the Oracle Fusion Analytics Warehouse instance. See [Create an Oracle Fusion Analytics Warehouse Subscription Instance](#) .

1. Connect to the autonomous data warehouse corresponding to your Oracle Fusion Analytics Warehouse instance.

See [Connect to Autonomous Database](#).

2. Create a custom schema to store the customization data.

Syntax: `create user <custom_schema-name> identified by <custom_schema-password>;`

Example: `create user example_schema identified by abcDEF123654;`

3. Create one or more tables in the custom schema that you created.

Syntax: `CREATE TABLE <custom_schema-name>.<custom_extent_table_name> (<parameters>);`

Example: `CREATE TABLE example_schema.ABC_EXTN ("DATE" DATE, "CATEGORY" VARCHAR2(1024 BYTE) , "MANAGER" VARCHAR2(1024 BYTE));`

4. Populate the required data and grant select permissions to the OAX\$OAC schema in the autonomous data warehouse using this script:

Syntax: `grant select on <custom_schema-name> to OAX$OAC;`

Example: `grant select on example_schema.ABC_EXTN to OAX$OAC;`

5. Commit the changes to the autonomous data warehouse and disconnect.

Promote Your Customizations to the Production Environment

When you have a set of changes to the semantic model, security configurations, and customized KPIs ready for promotion, you can tag the Applied steps of the Main branch as a snapshot at a given point in time, and then promote the tags to the production environment.

While promoting customizations from the source to the target instance, Oracle Fusion Analytics Warehouse removes the customizations in the target instance and overwrites it with the one from the source instance. After promoting the customizations to the production environment, you can't directly add further customizations to the semantic model in the production environment.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Promote Objects** under **Application Administration**.
3. On the Promote Objects page, select the target environment to which you want to publish your customizations.
4. Select the customized objects that you want to promote to the target environment.

For example:

- Select the **Semantic Model Extensions** check box. Select the applicable tag to promote the tagged steps. Select **Reset All** to promote the original main branch to the target environment without any tags.
- Select the **KPIs** check box. Select the **Promote All** option to promote all the KPIs or click **Choose KPIs**, search for and select the customized KPIs that you want to promote, and then click **OK**.

 **Note:**

If you delete a KPI from the development instance that was previously promoted to the production instance and you later use the **Promote All** option to promote all the KPIs to the production instance, then you need to explicitly delete the “applicable” KPI from the production instance. For example, if you had promoted KPIs A, B, and C and later deleted KPI B in the development instance and again promoted using the **Promote All** option, then Oracle Fusion Analytics Warehouse promotes only A and C without deleting KPI B in the production instance. You must explicitly delete KPI B in the production instance.

- Under **Security Configurations**, select **Roles and Mappings**, **Object Security**, and **Data Security** independently. Complete these actions:
 - a. For **Roles and Mappings**, select the **Promote All** option or **Select roles to promote** option and then click **Choose Roles and Mappings**. In the Choose Roles and Mappings dialog, select the roles and mappings to promote to your target environment, and then click **Save**.
 - b. For Object Security and Data security, select the **Promote All** option to promote all the security configurations for the applicable elements to the target environment. Select the **Reset All** option to remove all the security configurations done on the target system for the applicable elements.

 **Note:**

For data and duty security, ensure that you select the dependent elements too. If you don't select the roles or the correct repository file version, then the promotion of the data and duty security configurations may fail or the promotion process may silently ignore the missing elements.

5. On the Promote Objects page, click **Promote**.
6. Click **Check Status** to view the progress.

View Promotion History

View an audit of all artifacts promoted to another environment.

1. Sign in to your service.

2. In Oracle Fusion Analytics Warehouse **Console**, click **Promote Objects** under **Application Administration**.
3. On the Promote Objects page, click **Activity History** to view the promoted artifacts.

Republish Your Customizations

As the owner of a branch or a user with the Modeler Administrator role, you can republish your user extensions, security configurations, and tagged steps of the Main branch if you've modified them after publishing them initially.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Semantic Model Extensions** under **Application Administration**.
3. On the Semantic Model Extensions page, click **User Extensions**.
You see the main and existing customization branches.
4. In the User Extensions region, under Customization Branches, you see a warning icon for a published branch that has been modified and the **Republish** button on the Semantic Model Extensions page.
5. Click **Republish** to publish the branch with the latest details.

7

Manage Oracle Fusion Analytics Warehouse

As the cloud account administrator with the functional administrator or system administrator application role, you can manage your Oracle Fusion Analytics Warehouse instance to ensure that you have the latest application updates, backups to restore in case of emergencies, and snapshots of your application artifacts.

Topics:

- [Manage Application Updates](#)
- [Bundle Your Application Artifacts](#)
- [Configure a Virus Scanner](#)
- [Migrate Your Content](#)
- [About Backup and Restore](#)
- [About Disaster Recovery](#)

Manage Application Updates

As a service administrator, you can decide when to apply the application updates except the emergency patches that are deployed automatically.

 [LiveLabs Sprint](#)

Topics:

- [About Application Updates](#)
- [Update Your Application](#)
- [View Release Update Activity](#)

About Application Updates

Application updates are available for major releases (quarterly basis), patches (monthly basis), and emergency fixes (as needed).

Except the emergency patches, you can decide when to apply the application updates. You can schedule the update for current and major releases to occur by a deadline. After the deadline, Oracle automatically updates your application. These updates have zero downtime. The auto-update process updates the data model and immediately after the data model update, this process updates the content. You can view the application updates and plan accordingly using the Release updates tile under Service Administration on the Console. You also see a notification on the Data Configuration page when an application update is available. You can then plan to uptake using the Release Updates tile.

The application upgrade adds new pillars, modules, data models (facts and dimension tables), KPIs, cards, and decks. The data pipelines for functional areas that have been activated are preserved during the upgrade. The data pipelines in Saved or Scheduled status

are reset to Saved status. To activate these data pipelines, you must set them to Activated status. You can skip an upgrade for one release. However, you must upgrade when the next patch is available. The application upgrade adds new and replaces existing modified content with the latest version.


See [About Oracle Fusion Analytics Warehouse Releases](#).

Update Your Application

As the service administrator, you can view available application updates and schedule a date to accept the update.

Oracle Fusion Analytics Warehouse provides automatic updates of the application to ensure you're using the most current software. You can schedule the update earlier than the predefined date and time. If you do nothing, the application upgrade automatically runs on the date shown on the Release Updates page.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Release Updates** under **Service Administration**.



3. On the Release Updates page, select an application update under **Update**, and then in **Schedule**, select the date on which you want to apply it.



4. Click **Save**.

View Release Update Activity

You can view the actual date when a release was deployed for the instance and any service administrator actions like date selections for release or patch uptake.

1. Sign in to your service.

2. In Oracle Fusion Analytics Warehouse **Console**, click **Release Updates** under **Service Administration**.
3. On the Release Updates page, click **Activity**.
4. In the Activity section, view the release update details.

Bundle Your Application Artifacts

As a service administrator, you can manage snapshots of your application artifacts as bundles.

 [LiveLabs Sprint: How do I migrate DV workbooks from my test environment to my production environment in Fusion Analytics Warehouse \(FAW\)?](#)

 [LiveLabs Sprint: How do I backup and restore my environment using bundles in Fusion Analytics Warehouse \(FAW\)?](#)

 [LiveLabs Sprint: How do I create and deploy security bundles in FAW?](#)

 [LiveLabs Sprint: How do I generate content bundles in Fusion Analytics Warehouse \(FAW\)?](#)

 [LiveLabs Sprint: How do I create and deploy semantic model bundles in FAW?](#)

 [LiveLabs Sprint: How do I migrate KPIs from test to production in Fusion Analytics Warehouse?](#)

Topics:

- [About Bundles](#)
- [Create a Bundle](#)
- [Edit a Bundle](#)
- [Publish a Bundle](#)
- [Export a Bundle](#)
- [Import a Bundle](#)
- [Deploy a Bundle](#)
- [Delete a Bundle](#)
- [View Activity History of Bundles](#)

About Bundles

Bundles are snapshots of your application artifacts such as configurations and customizations at a certain point in time.

Bundles work on environments where the source and target are at the same level or the source is at a lower version and the target is at a higher version. For example, a bundle generated from a previous content version works on the latest content version.

Bundles enable you to:

- Package custom development by defining a bundle that represents a subset of application artifacts in an environment such as development, test, or production.
- Migrate custom development and deploy the bundle on a target environment.
- Synchronize instances by promoting changes from one environment to another such as production to test.
- Restore the system when something goes wrong with an environment and you need to do a complete system restore.
- Create a backup of the environment or subset of application to save current state of the artifacts.
- Restore artifacts by importing from a bundle to restore state of the relevant artifacts to what was in the bundle.

You can bundle your application artifacts as:

- **Data Config bundle:** This includes pipeline parameters, activation metadata, data augmentations, and custom data configurations. You can install this bundle in an existing environment after a hard data reset. This is useful to leave content as-is and reset the data pipeline.
- **Semantic Model bundle:** This includes main branch, tags, custom branch, duty and data roles for semantic extension.
- **Security bundle:** This includes custom groups, custom application roles, and custom security.
- **Content bundle:** This includes snapshots of Oracle Analytics Cloud folders, projects, dataset definitions, KPIs, decks, duty roles for content, and report parameters. The content bundle always merges the catalog content from source to target. While merging, if any conflicts are found, it replaces the content. It doesn't track the deleted content.
- **Composite bundle:** This includes one or more of the other bundles.
- **Environment bundle:** This includes all artifacts of a specific environment to revert to a known state of system. For example, at the end of every week, the service administrator can create a bundle called DevEnv_Yymmdd to maintain a backup of the environment. You must first deploy the data configuration bundle or manually activate your data pipelines before deploying the environment bundle.

 **Note:**

Ensure that you've activated the functional areas and data is available prior to working with the semantic models or content. Either manually configure and activate your data pipelines in the target environment, or deploy a Data Config bundle to ensure that configurations and activations are at the same level as the source environment. Only then, it makes sense to deploy an Environment bundle, Semantic bundle, or Composite bundle since they depend on data.

Create a Bundle


Create a snapshot of your application artifacts to save their current state. You can view the bundles that you created on the Bundles page.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Bundles** under **Application Administration**.
3. On the Bundles page, click **Create**.




4. In Create Bundles, select the type of bundle that you want to create. For example, Content Bundle.

Create Bundle



5. Enter a name and description for your bundle.
6. Depending on the type of bundle, select the applicable option and then click **Save**:
 - For a content bundle, select the **Include All Content** check box, or select the applicable Oracle Analytics Cloud content, decks, and KPIs using the corresponding toggles and buttons. You can select the **Include Users Security** and **Include Reporting Parameters** check boxes.



- For a data config bundle, select the **Include all data configuration settings** check box, or select the applicable modules, augmentations, and custom data configurations using the corresponding toggles and buttons.

- For a semantic extensions bundle, select the **Include all semantic extensions** check box, or select the **Publish a branch or tag in the target environment** check box and select the applicable option from the dropdown list, or select applicable tags and branches using the corresponding toggles and buttons.

- For a security bundle, select the **Include all security settings** check box, or select either the groups or application roles or both using the corresponding toggles and buttons.

The screenshot shows the 'Security Bundle' configuration interface. At the top, there is a navigation bar with a back arrow, a search icon, the title 'Security Bundle', a notification bell, and 'Cancel' and 'Save' buttons. The main area is divided into three columns. The first column has a 'Name' field with the placeholder 'Give your bundle a name' and a 'Description' text area with the placeholder 'Enter Description'. Below these is a checkbox labeled 'Include all security settings'. The second column has a 'Groups' section with a toggle for 'All Groups' and a 'Select Groups' button. The third column has an 'Application Roles' section with a toggle for 'All Application Roles' and a 'Select Application Roles' button.

- For an environment bundle, provide a name.

The screenshot shows the 'Environment Bundle' configuration interface. At the top, there is a navigation bar with a back arrow, a folder icon, the title 'Environment Bundle', a notification bell, and 'Cancel' and 'Save' buttons. The main area has a 'Name' field with the placeholder 'Enter Name' and a 'Description' text area with the placeholder 'Enter Description'. Below these is a checkbox labeled 'Include groups'.


- For a composite bundle, select any of the other bundles.

The screenshot shows the 'Composite Bundle' configuration interface. At the top, there is a navigation bar with a back arrow, a gift icon, the title 'Composite Bundle', a notification bell, 'Cancel' and 'Save' buttons, and a refresh icon. The main area is divided into two columns. The left column has a 'Name' field with the placeholder 'Give your bundle a name' and a 'Description' text area with the placeholder 'Enter Description'. The right column has a 'Bundle Components' section with four dropdown menus: 'Content' (placeholder: 'Choose a content bundle'), 'Data Configuration' (placeholder: 'Choose a data config bundle'), 'Semantic Extensions' (placeholder: 'Choose a semantic model bundle'), and 'Security' (placeholder: 'Choose a security bundle').

Edit a Bundle

Edit a bundle if you need to change the application artifacts captured in the bundle.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Bundles** under **Application Administration**.
3. On the Bundles page, hover over the bundle that you created and click under **Actions**.
4. From **Actions**, select **Edit**.




5. On the applicable bundles page, make your changes and then click **Update**.

Publish a Bundle

Publish a bundle from the source environment. This action generates a snapshot of the application artifacts and saves the snapshot to a repository. You can download this bundled artifact and take to different instances.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Bundles** under **Application Administration**.
3. On the Bundles page, hover over the bundle that you created and click under **Actions**.
4. From **Actions**, select **Generate** to create and publish the bundle.




You see the bundle with Generated status on the Bundles page.

Export a Bundle

Export the bundle .aab file from your source system to a repository or your local machine.



1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Bundles** under **Application Administration**.
3. On the Bundles page, hover over the bundle that you created and click under **Actions**.
4. From **Actions**, select **Export**.



Import a Bundle


Import the bundle .aab file into the target environment from your computer to restore the state of the application to the checkpoint represented by the bundle.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Bundles** under **Application Administration**.
3. On the Bundles page, click **Import**.



4. In the Import Bundle dialog, click in Drag and Drop, and then select the applicable .aab file from your local machine.

Import Bundle




5. Click **Import**.

Deploy a Bundle

You can deploy a generated bundle in the target environment to revert to state of artifacts represented by the bundle. Oracle Fusion Analytics Warehouse validates the bundle before attempting any deployment to ensure software and model versions and any other dependencies are met.

For example, if you have a bundle A (created in instance A) and then later made some changes but want to revert those changes, then use the Deploy option. This option restores the artifacts to an older version by deploying the previous bundle in the system.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Bundles** under **Application Administration**.
3. On the Bundles page, hover over the bundle that you created and click under **Actions**.
4. From **Actions**, select **Deploy**.




5. In the Deploy Bundle dialog, ensure that you see the bundle that you have selected.
6. Click **Deploy**.

Delete a Bundle

Delete a bundle if you no longer require the snapshot of your application artifacts captured in the bundle.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Bundles** under **Application Administration**.
3. On the Bundles page, hover over the bundle that you created and click under **Actions**.
4. From **Actions**, select **Delete**.



View Activity History of Bundles

View all the bundles-related activities to understand the changes made to your instance, which bundles to use, and whether the existing bundles are still current. This information enables you to make informed decisions about creating updated bundles or deploying an existing bundle.

You see all the activities by bundle-related action, bundle names, bundle type, status, user who performed the activity, and date. You can organize the display by sorting columns, searching for activities, and filtering by action, bundle type, or status.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Bundles** under **Application Administration**.
3. On the Bundles page, click the **Activity** tab.

Action	Bundle Name	Bundle Type	Status	User	Date
Generate Bundle	Amit_semantic		Completed		August 11,
Update Bundle	Amit_semantic		Completed		August 11,
Update Bundle	Amit_semantic		Completed		August 11,
Deploy Bundle	Amit_content		Completed		August 11,

Configure a Virus Scanner

To keep Oracle Fusion Analytics Warehouse virus-free, Oracle highly recommends that you set up the virus scanning servers used by your organization running on either 443 or 1708 ports only, to scan any files that are uploaded to Oracle Fusion Analytics Warehouse.

When you configure virus scanning, the scanner checks all uploaded files including data files from the data pipeline and snapshots that you upload to restore content or to migrate content from another environment.

1. Sign in to your service.
2. In Oracle Fusion Analytics Warehouse **Console**, click **Virus Scanner** under **Service Administration**.
3. On the Virus Scanner page, enter the host and port of the virus scanning server. For example, `my.virus.scanning.serverexample.com`.
4. Click **Save**.
5. To remove the current virus scanner configuration, click **Delete**.

About Backup and Restore

Oracle Fusion Analytics Warehouse relies on Oracle Autonomous Data Warehouse as the data store and Oracle Analytics Cloud for its semantic models and reports.

Use these database backup options:

- Oracle Autonomous Data Warehouse has automated daily backups for the last 60 days. Use these backups to restore the database within a region. See [About Backup and Recovery on Autonomous Database](#).
- Oracle Data Pump is an option to export Oracle Autonomous Data Warehouse to a resilient file store like Oracle Storage Service. In the case of a region-wide failure,

you can import these files into a database in another region. See [Overview of Oracle Data Pump](#).

Oracle Analytics Cloud traditionally provides snapshots as a mechanism to backup artifacts. However, Oracle Fusion Analytics Warehouse doesn't have the ability to use the Oracle Analytics Cloud snapshots. Use Bundles to backup Oracle Analytics Cloud artifacts and Oracle Fusion Analytics Warehouse customizations and configurations. For example, you can export an Oracle Fusion Analytics Warehouse environment bundle periodically (for example, weekly) to a resilient file store like Oracle Storage Service. When something goes wrong with one of your environments, you can import the bundle into another Oracle Fusion Analytics Warehouse environment and deploy it. See [Bundle Your Application Artifacts](#).

About Disaster Recovery

Oracle Fusion Analytics Warehouse is built upon Oracle Cloud Infrastructure and leverages the Oracle PaaS services for disaster recovery.

For the Oracle Fusion Analytics Warehouse ready-to-use content, you can provision a fresh Oracle Fusion Analytics Warehouse environment with the latest software and perform the data activation steps. Oracle Fusion Cloud Applications provides the data for Oracle Fusion Analytics Warehouse. Use a data reset to populate Oracle Fusion Analytics Warehouse with historical data from the Oracle Fusion Cloud Applications source at any time. Customizations to Oracle Fusion Analytics Warehouse and any custom ETL and schemas are the key concerns in case of a region-wide disaster recovery event.

If you need a disaster recovery strategy for region-wide failures keeping in view the customizations and custom objects, then here are two suggestions. For an active solution, you can purchase another Oracle Fusion Analytics Warehouse subscription and provision it in a region other than production Oracle Fusion Analytics Warehouse. You can still connect this secondary environment to the same Oracle Fusion Cloud Applications source as the primary and refresh data just like the primary environment. Maintain the secondary environment in synchrony with the primary production environment by repeating any action taken in the primary environment. You can switch business users to the secondary environment any time. For a passive solution, you can provision an Oracle Fusion Analytics Warehouse Additional Test Environment (ATE) in a different region than the production environment and maintain it in synchrony with the primary production environment in terms of all the customizations. In the case of a disaster event, scale-up the ATE instance, refresh data to production level, and switch business users to using this environment.

Migrate Your Content

You can migrate your custom content to transform your custom KPIs, decks, and cards to Oracle Analytics Cloud workbooks and visualizations.

Topics:

- [About Migrating Custom Content](#)
- [Migrate Custom Content](#)
- [Troubleshoot Content Migration](#)

About Migrating Custom Content

You can migrate your custom content to transform your custom KPIs, cards, and decks to Oracle Analytics Cloud workbooks and visualizations.

When you migrate your custom KPIs, cards, and decks to Oracle Analytics Cloud-compatible workbooks and visualizations, Oracle Fusion Analytics Warehouse maps key elements of your analyses in specific ways. To reduce the number of issues or errors during the migration, ensure all cards, decks, and KPIs work as expected in Oracle Fusion Analytics Warehouse prior to migrating them. Prebuilt content in Oracle Fusion Analytics Warehouse is automatically migrated to Oracle Analytics Cloud for you.

If there's an issue with the source content, the Migration Utility shows Migration Details which describe the failure and basic guidelines of how to resolve it. See [Troubleshoot Content Migration](#).

The table below describes how Oracle Fusion Analytics Warehouse elements are mapped to Oracle Analytics Cloud during migration. Use these guidelines to ensure your source KPIs, cards, decks, and associated elements behave as you expect after migration.

Oracle Fusion Analytics Warehouse Element	Oracle Analytics Cloud Element	Notes
Deck	Workbook	NA
Deck name	Workbook name	NA
Deck filter	Dashboard filter	Time-level columns are added to dashboard filters.
Deck time filter	Dashboard filter	Time-level columns are added to dashboard filters.
Deck permissions	Workbook permissions	NA
Deck ownership	Directory and workbook ownership	The default owner is Service Administrator
Card	Visualization	NA
Card name	Visualization title	NA
Card summary	Visualization primary column	NA
Card visualization type	Visualization type	NA
Card detail metric	Visualization measurement	NA
Card dimensions and detail metrics	Visualization measurements and dimensions	NA
Card filters	Visualization filters	NA
KPI	Key metric in a subject area or dataset	If a KPI belongs to more than one subject area or dataset, the resulting key metric is created in the subject area or dataset of the base metric.
KPI name	Key metric name	If two KPIs have the same name, the person who created the KPI is appended to the key metric name. If the same person created the KPIs, then the word "copy" is appended to the second key metric.

Oracle Fusion Analytics Warehouse Element	Oracle Analytics Cloud Element	Notes
KPI description	Key metric description	NA
KPI base measure	Key metric primary measure	NA
KPI related measures	Key metric related columns	NA
KPI targets	Key metric related columns	NA
KPI time levels	Key metric related columns	NA
KPI dimensions	Key metric related columns	NA
KPI thresholds	Key metric conditional formatting rules	NA
KPI filters	Workbook hidden visualization-level filters	NA
KPI navigation links	Workbook data actions	NA
KPI number formatting	Workbook number formatting	NA
KPI data blending	Workbook data blending	NA
KPI number format	Workbook number format	NA
KPI navigation targets	Workbook data actions	NA
KPI navigation URLs	Workbook data actions	NA

Key Metric Migration Guidelines

When you migrate your content, some original configurations might not be set up as you expect. Refer to these guidelines to ensure your key metrics include the same functions as the original KPIs.

- Ensure the KPIs, cards, and decks work properly before migrating your content.
- Recreate joins between subject areas and datasets in the workbook to create visualizations that reflect the blended data on the workbook canvas.
- Configure KPIs to reference datasets and workbooks in Oracle Fusion Analytics Warehouse.
- Adjust orphan columns in KPIs referencing a workbook or dataset that isn't in Oracle Fusion Analytics Warehouse to reference a dataset or workbook in Oracle Fusion Analytics Warehouse.
- In KPIs based on both a subject area and dataset that use a column of a data source type that's different from the base metric data source type, adjust the column so the data source types match.
- Set thresholds to decimals values.
- Ensure KPIs don't have empty subject areas or datasets, or joins between subject areas and datasets in the original KPI.

Hidden Columns

If you have a KPI based on a deprecated or hidden column, the migrated key metric will fail. Refer to the table for the list of deprecated columns and their replacements. To address this issue, ensure columns in the original KPIs reference the New Column Location and re-run the Migration Utility. You can also fix the key metric in Oracle Analytics Cloud after migration.

Subject Area	Presentation Table	Presentation Column	New Column Location	Comments
Common - Warehouse Refresh Statistics	Refresh Summary Details	Source Refresh Date Time	NA	This column is deprecated in the presentation layer.
Financials - AP Aging	Facts - Analytics Currency	AP Due up to 30 Days	NA	This column is deprecated in the presentation layer.
Financials - AP Liabilities	GL Account	Chart Of Account Name	Ledger/Chart of Account Name	NA
Financials - AP Payments	Facts - Analytics Currency	Payments to Invoice Amount %	NA	You can create this same metric using a calculation. CASE WHEN <code>""Financials - AP Invoices""."</code> <code>Facts - Analytics Currency""."</code> <code>Total Transaction Amount"" = 0</code> <code>THEN 0 ELSE</code> <code>""Financials - AP Payments""."</code> <code>Facts - Analytics Currency""."</code> <code>Payments Amount"" /</code> <code>""Financials - AP Invoices""."</code> <code>Facts - Analytics Currency""."</code> <code>Total Transaction Amount"" *</code> <code>100 END"</code>
Financials - GL Balance Sheet	GL Account	Chart Of Account Name	Ledger/Chart of Account Name	NA
Financials - GL Detail Transactions	Document Details	Journal Header ID	Journal Header Identifier	NA

Subject Area	Presentation Table	Presentation Column	New Column Location	Comments
Financials - GL Detail Transactions	GL Account	Chart Of Account Name	Ledger/Chart of Account Name	NA
Financials - GL Detail Transactions	Natural Account	Account Type Code	NA	Use Account Type Name as a workaround. If Account Type Code is used in an expression such as Account Type Code = 'R', rewrite it with display names such as Account Type Name = 'Revenue'. This is language dependent. The possible values are in DW_ACC_TYPE_LKP_TL.
HCM - Workforce Core	Assignment Information	Country	Common/ Location/ Country	NA
HCM - Workforce Core	Diversity	Ethnicity	Worker/ Diversity/ Ethnicity/ Ethnicity	NA
HCM - Workforce Core	Diversity	Ethnicity Code	Worker/ Diversity/ Ethnicity/ Ethnicity Code	NA
HCM - Workforce Gains and Losses	Diversity	Ethnicity	Worker/ Diversity/ Ethnicity/ Ethnicity	NA
HCM - Workforce Gains and Losses	Diversity	Ethnicity Code	Worker/ Diversity/ Ethnicity/ Ethnicity Code	NA
PPM - Project Commitments	Expenditure Type	Expenditure Category	Expenditure Category/ Expenditure Category	NA
PPM - Project Costs	Expenditure Type	Expenditure Category	Expenditure Category/ Expenditure Category	NA

Subject Area	Presentation Table	Presentation Column	New Column Location	Comments
Procurement - Agreements	Facts - Agreements	Buyer Count	Buyers Count	NA
Procurement - Agreements	Facts - Agreements	Supplier Count	Suppliers Count	NA
Procurement - Purchase Orders	Facts - Analytics Currency	Closed PO Amount	Closed Purchase Order Amount	NA
Procurement - Purchase Orders	Facts - Analytics Currency	Open PO Amount	Open Purchase Order Amount	NA
Procurement - Purchase Orders	Facts - Document Currency	Closed PO Amount	Closed Purchase Order Amount	NA
Procurement - Purchase Orders	Facts - Document Currency	Open PO Amount	Open Purchase Order Amount	NA
Procurement - Purchase Orders	Facts - Purchase Orders	Closed PO Count	Closed Purchase Order Count	NA
Procurement - Purchase Orders	Facts - Purchase Orders	Open PO Count	Open Purchase Order Count	NA
Procurement - Spend	Ledger	Ledger Type Code	NA	This column is deprecated in the presentation layer.
Procurement - Spend	Purchase Item	Purchasing Category	Purchasing Category/ Purchasing Category	NA
Procurement - Spend	Purchase Item	Purchasing Category Description	Purchasing Category/ Purchasing Category Description	NA
SCM - Sales Orders	Fulfillment Details	Quantity Ordered	Facts - Sales Orders/ Quantity Ordered	NA
SCM - Sales Orders	Fulfillment Details	Shipped Quantity	Facts - Sales Orders/ Shipped Quantity	NA

Migrate Time Filters and Levels

Decks use a special time filter that doesn't directly translate to workbook time filters. Use the migration rules below as a guideline for calendar and enterprise calendars (known as role-playing cases). You can select values as needed after migration.

Initial Values of the Time Levels

For role-playing cases, the initial value is always set for all time levels: Year, Quarter, and Period. The timeframe always contains the current year according to the fiscal calendar selected for the workbook.

For Non-Role Playing Cases

Deck Timeframe	Deck Time Level	Workbook Timeframe	Workbook Time Level
Current	Period	Current	Period Year and Quarter are set to Current
Last	Period	Current	Year
Last N	Period	Current	Year
Current	Quarter	Current	Quarter Year is set to Current
Last	Quarter	Current	Year
Last N	Quarter	Current	Year
	Varies by Card	Current	Year
Current	Year	Current	Year
Last	Year	Current	Year
Last N	Year	Current	Year

The following KPI attributes and features aren't migrated from Oracle Fusion Analytics Warehouse to Oracle Analytics Cloud. See [Build Analytical Applications](#).

- Owner
- Tags
- Target goals
- Trend goals
- Diff view
- Site-level personalization
- Aliased dimension filters
- Notification emails for cards
- Site-level deck personalization
- Special time filters
- Favorites
- Drill-down actions
- Joins between subject areas and datasets

Migrate Custom Content

Learn how to migrate your custom content to transform your custom KPIs, decks, and cards to workbooks and visualizations.

You can review the migration results in the Migration Details, which helps you troubleshoot the KPIs or cards and decks which might have had migration issues. You can fix these problems in the source KPIs or cards and decks and re-run the migration until all data migrates successfully.

1. In the Oracle Fusion Analytics Warehouse Console, click **Migrate Custom Content** under Application Administration.
2. On the Migrate Custom Content page, under Run Migration, enter the name of the destination Custom Content folder you want to use.
3. Click **Migrate Content** to convert your content. It can take 10 minutes or more for the process to complete.

When migration is complete, you see a success message and the migration shows in the Migration History list.

4. Click the migration history link to see the Migration Details where you can troubleshoot individual KPIs, cards, and decks that didn't migrate properly.
5. Optional: To download the migration details as an HTML file, click **Export Details**.

Troubleshoot Content Migration

These topics provide troubleshooting tips and guidelines when migrating Oracle Fusion Analytics Warehouse content to Oracle Analytics Cloud.

Troubleshoot Issues in Migration Output

Migration Status	Migration Note	Issue Cause	Issue Resolution
Fail	Inconsistent KPI metadata	References to empty subject areas in KPI	Ensure KPI references valid subject area
Fail	Inconsistent KPI metadata	References to empty datasets in KPI	Ensure KPI references valid datasets
Fail	Inconsistent KPI metadata	Errors with joins between subject areas and datasets	Ensure joins between subject areas and datasets are valid
Fail	Migrated key metric with hidden columns fails (unspecified reason)	KPI is based on deprecated or hidden columns	Ensure columns in original KPI reference correct new column locations and re-run migration utility
Fail	Migrated key metric with hidden columns fails (unspecified reason)	Original KPI doesn't work due to: <ul style="list-style-type: none"> • Missing subject area • Missing dataset • Column issue 	Correct KPI and re-run migration utility
Fail	Migrated card or deck with hidden columns fails (unspecified reason)	Original card or deck doesn't work	Correct the card or deck and re-run the migration utility
Needs Attention	Some columns in the KPI weren't migrated	Missing calculated column objects	Populate all calculated column objects
Needs Attention	Some columns in the KPI weren't migrated	Non-numeric values in thresholds	Ensure values in thresholds are numeric

Migration Status	Migration Note	Issue Cause	Issue Resolution
Needs Attention	Some columns in the KPI weren't migrated	Mismatch of datasource type for KPI based on joins between subject areas and datasets	Ensure datasource types match
Needs Attention	Some columns in the KPI weren't migrated	Joins between subject areas and datasets aren't supported by key metrics	Recreate joins in the workbook used to create visualizations based on blended data on the workbook canvas
Needs Attention	<ul style="list-style-type: none"> • Cards didn't migrate • Card permissions didn't migrate. 	Some or all cards in the original deck didn't migrate due to underlying KPI to key metric conversion failing on which card was built	<ul style="list-style-type: none"> • Address access control list issues and re-run migration utility • Recreate the card
Needs Attention	<ul style="list-style-type: none"> • Cards didn't migrate • Card permissions didn't migrate 	One or more workbook time filters failed to migrate	<ul style="list-style-type: none"> • Address access control list issues and re-run migration utility • Recreate the card

Revise Workbooks and Visualizations after Migration

Workbok Canvases

You can't migrate deck background colors to workbooks or visualizations to workbook canvases, but you can reproduce them after migration in the canvas properties.

1. Navigate to **Canvas Properties**.
2. Change the **Background** from Auto to Custom.
3. Set the **Fill Color** to #E8E7E7.

Visualization Background Colors

You can correct visualization background color in the visualization properties.

1. Click a visualization and navigate to the **Properties**.
2. Change the **Background** from Auto to Custom, which should automatically set the background color to white (FFFFFF).

Visualization Borders and Corners

You can correct border and rounded corners for visualizations in the visualization properties.

1. Click a visualization and navigate to the **Properties**.
 - Set **Border** to Round.
 - Set **Shadow** to Center.

8

Frequently Asked Questions

Here are answers to common questions asked by administrators of Oracle Fusion Analytics Warehouse.

Topics:

- [Top FAQs for Activation](#)
- [Top FAQs for Instance Creation](#)
- [Top FAQs for Data Configuration](#)
- [Top FAQs for Security Setup](#)
- [Top FAQs for Customization and Data Augmentation](#)
- [Top FAQs for Managing Oracle Fusion Analytics Warehouse](#)

Top FAQs for Activation

The top FAQs for Oracle Fusion Analytics Warehouse activation are identified in this topic.

Do I need to activate my UCC subscription before activating Oracle Fusion Analytics Warehouse?

Yes, UCC activation is a prerequisite for Oracle Fusion Analytics Warehouse. Ensure you activate UCC prior to activating Oracle Fusion Analytics Warehouse.

My UCC order has expired and is preventing Oracle Fusion Analytics Warehouse activation. What should I do?

Contact your Oracle Sales representative for assistance with UCC.

Do I need to activate my Oracle Fusion Analytics Warehouse subscription for production and non-production environments separately?

No, your Oracle Fusion Analytics Warehouse subscription activation is applicable to all currently subscribed environments.

Can I request an additional Oracle Fusion Analytics Warehouse test environment?

Yes, you can request an additional test environment (ATE), which must be contracted for a minimum of 12 months.

Can I activate Oracle Fusion Analytics Warehouse into a cloud account different from the one used by Oracle Fusion Cloud Applications?

The recommended guideline is to activate Oracle Fusion Analytics Warehouse into the same cloud account as Oracle Fusion Cloud Applications.

Top FAQs for Instance Creation

The top FAQs for Oracle Fusion Analytics Warehouse instance creation are identified in this topic.

Oracle Fusion Analytics Warehouse instance creation has failed. What should I do?

Reach out to Oracle Support by creating a service request against “Fusion Analytics Warehouse” in My Oracle Support.

Do I need to create a compartment before creating an Oracle Fusion Analytics Warehouse instance?

Compartments provide logical separation of instances. The best practice is to create a compartment and then create the Oracle Fusion Analytics Warehouse instance in the said compartment.

Can I configure Oracle Fusion Analytics Warehouse with private endpoints?

Yes, you can configure Oracle Fusion Analytics Warehouse with private endpoints. Refer to [Deploy Oracle Fusion Analytics Warehouse with a Private Endpoint](#), [Overview of Private Fusion Analytics](#), and [Preparing Private Oracle Fusion Analytics](#) for additional details.

After creating the Oracle Fusion Analytics Warehouse instance, why can't I sign into the instance?

You created the Oracle Fusion Analytics Warehouse instance as an administrator but to sign into the instance, you must have any of the groups mentioned in [System Groups](#) assigned to you. See [About Creating an Instance](#).

Top FAQs for Data Configuration

The top FAQs for Oracle Fusion Analytics Warehouse data configuration are identified in this topic.

What should I specify as the initial extract date in the pipeline parameters?

The initial extract date determines how far back the data will be loaded into the autonomous data warehouse as part of the initial load or after a warehouse reset is performed. This is specific to your business and reporting needs and data retention policies.

I activated a functional area. Where can I check the status?

Navigate to the **Console**, click **Data Configuration**, and then click **Request History**.

What's the difference between refresh and reset?

Refresh loads incremental data only, whereas reset reloads all data as of the initial extract date.

Can I reset and refresh the data warehouse?

Yes, you can reset and refresh the data warehouse. See [Reset the Data Warehouse](#).

Can I reset and refresh a data pipeline for a functional area?

Yes, you can reset and refresh a data pipeline for a functional area. See [Reset a Data Pipeline for a Functional Area](#) and [Refresh a Data Pipeline for a Functional Area](#).

Where do I check the data load status?

Navigate to the **Console**, click **Data Configuration**, then click **Pipeline Settings**, and view **Last Refresh Date**.

How do I increase the frequency of data refresh?

See [Schedule Frequent Refreshes of Data](#).

Can I load external data into the autonomous data warehouse?

Yes, you can load external data into the autonomous data warehouse from external sources and build your own augmentations using connectors. See [About Managing Data Connections](#).

Is there a limitation on external data volume that's extracted into the autonomous data warehouse?

By default, custom data is limited to 50GB in the autonomous data warehouse associated with Oracle Fusion Analytics Warehouse. For any storage of custom data beyond 50GB, you must scale up through the Oracle Cloud Infrastructure Console. This is charged to your cloud account accordingly. See [Scale Up Oracle Autonomous Data Warehouse Storage](#).

Can I extract Oracle Fusion Analytics Warehouse data and export it to external storage systems?

Yes, you can extract Oracle Fusion Analytics Warehouse data to export into an external storage system. However, care must be taken to ensure an adequate number of user licenses are available to access Oracle Fusion Analytics Warehouse data through the external system.

Top FAQs for Security Setup

The top FAQs for Oracle Fusion Analytics Warehouse security setup are identified in this topic.

I can't sign in to Oracle Fusion Analytics Warehouse; what am I missing?

Ensure that the Oracle Fusion Analytics Warehouse licensed groups are assigned to your user account.

Can I automatically assign Oracle Fusion Analytics Warehouse licensed groups to Oracle Fusion Cloud Applications users?

Yes, you can automatically assign the Oracle Fusion Analytics Warehouse licensed groups. See [Auto Assign Licensed Groups](#).

Do I need duty or data roles?

Data and duty roles serve different purposes. You need duty roles to access objects such as key metrics, dashboards, and subject areas whereas data roles are required to view the data.

Should I assign groups or application roles to users?

Assign the application roles (duty and data) to groups and groups to users.

Can I apply data filters to users based on their security assignments?

Yes, you can apply data filters to users' security assignments. See [About Data Access through Security Assignments](#).

Can I configure custom data security?

Yes, you can configure custom data security. See [Custom Data Security](#) for additional details.

Can I configure custom duty roles?

Yes, you can configure custom duty roles. See [Custom Duty Role Use Case](#) for additional details.

Top FAQs for Customization and Data Augmentation

The top FAQs for Oracle Fusion Analytics Warehouse customization and data augmentation are identified in this topic.

Can I customize the ready-to-use Oracle content?

Yes, you can customize the ready-to-use Oracle content through semantic model customization.

Does Oracle Fusion Analytics Warehouse extract all data from Oracle Fusion Cloud Applications?

Oracle Fusion Analytics Warehouse comes with a base semantic model with ready-to-use metadata. Data pipelines extract data and load the ready-to-use tables for all the activated functional areas. Data augmentation enables you to bring any custom data into Oracle Fusion Analytics Warehouse.

Where can I find the semantic model customization best practices?

See [About Best Practices and Tips to Extend the Semantic Model](#).

Can I extend Oracle Fusion Analytics Warehouse with custom public view objects (PVOs)?

Yes, you can extend Fusion Analytics with custom PVOs. Refer to [Fusion Analytics Extension with Custom PVOs](#) for additional details.

Can I create custom data models with the semantic model framework?

Yes, you can create custom data models using the semantic model framework. Refer to [Custom Data Model Use Case](#) for additional details.

Does Oracle Fusion Analytics Warehouse provide all descriptive flex fields (DFFs)?

Oracle Fusion Analytics Warehouse data pipelines don't bring in all DFFs for performance reasons. Ensure that you configure the DFF mapper that provides the ability to select only the DFFs and attributes that are required for reporting purposes. See [Enabling Descriptive Flexfields in Oracle Fusion Analytics Warehouse](#) for more information on configuring the DFF mapper.

When I use the DFF mapper, do I get custom DFFs too?

Yes, you get custom DFFs as long as they are BI Enabled as outlined in [Enabling Descriptive Flexfields in Oracle Fusion Analytics Warehouse](#).

Do I get access to the repository file?

The semantic model in Oracle Fusion Analytics Warehouse doesn't expose the repository file. However, you can use the Oracle Fusion Analytics Warehouse Console to define the external connections to the repository file.

Top FAQs for Managing Oracle Fusion Analytics Warehouse

The top FAQs for managing Oracle Fusion Analytics Warehouse are identified in this topic.

Where can I find release updates?

Navigate to the **Console**, and click **Release Updates** under **Service Administration**.

Can I take snapshots of application artifacts such as configurations and customizations?

Yes, you can take snapshots of application artifacts using bundles. Refer to [Bundle Your Application Artifacts](#), [Content Bundles](#), and [Data Augmentation Migration](#) for additional details.

Can I import my Oracle Business Intelligence Enterprise Edition reports created in a different Oracle Analytics Server or Oracle Analytics Cloud environment into Oracle Fusion Analytics Warehouse?

Yes, you can import Oracle Analytics Server or Oracle Analytics Cloud reports into Oracle Fusion Analytics Warehouse if the versions are compatible.

Where do I see the number of Oracle Compute Units (OCPU) used?

Oracle Fusion Analytics Warehouse includes Oracle Analytics Cloud Enterprise Edition and Oracle Autonomous Data Warehouse. Navigate as follows:

- Oracle Analytics Cloud OCPUs – Sign in to the Oracle Cloud Infrastructure Console, click **Navigator**, click **Analytics & AI**, click **Analytics Cloud** (identify the instance used by Oracle Fusion Analytics Warehouse), and then click **General Information**.
- Oracle Autonomous Data Warehouse OCPUs – Sign in to the Oracle Cloud Infrastructure Console, click **Navigator**, click **Oracle Database**, click **Autonomous Database** (identify the instance used by Oracle Fusion Analytics Warehouse), and then click **General Information**.

Does the autonomous data warehouse have automated daily backup configured?

Yes, the autonomous data warehouse has automated daily backups for the last 60 days.

Can I backup and restore Oracle Fusion Analytics Warehouse?

Yes, you can backup and restore Oracle Fusion Analytics Warehouse in another region. See [About Backup and Restore](#) and [About Disaster Recovery](#).

9

Troubleshooting

When I log in, Oracle Fusion Analytics Warehouse doesn't load properly.

When you log out, be sure to close all Oracle Fusion Analytics Warehouse sessions and close your browser before logging in as another user. You can have one session of Oracle Fusion Analytics Warehouse open at a time within the same browser.

I see a performance decrease when using Mozilla Firefox.

If you use Mozilla Firefox and notice a decrease in the performance of the cloud service, then ensure that the Remember History option is enabled. When Firefox is set to not remember the history of visited pages, then web content caching is also disabled, which greatly affects the performance of the service. See Firefox documentation for details on setting this option.

After I complete a production to test refresh of my source (for example, Oracle Fusion Cloud Applications), why isn't the data in Oracle Autonomous Data Warehouse associated with my Oracle Fusion Analytics Warehouse instance synchronized with the source?

When you complete a production to test refresh on Oracle Fusion Cloud Applications, the data in Oracle Autonomous Data Warehouse associated with your Oracle Fusion Analytics Warehouse instance may be different than what is in Oracle Fusion Cloud Applications. To ensure that the data in Oracle Autonomous Data Warehouse and Oracle Fusion Cloud Applications is synchronized, you must:

1. Reset the warehouse.
2. Activate the functional areas.
3. Activate the data augmentations.
4. Activate the custom data configurations created using the Descriptive Flex Fields (DFF) Attribute Mapper.
5. If you're using a custom user from Oracle Fusion Cloud Applications to extract the data into Oracle Fusion Analytics Warehouse, then ensure that the password for this user is accurate. Typically, the password gets replaced in Oracle Fusion Cloud Applications after the production to test refresh.

10

Certification Information

This appendix contains certification information for Oracle Fusion Analytics Warehouse.

Topics

- [Certification - Supported Browsers](#)

Certification - Supported Browsers

Oracle Fusion Analytics Warehouse supports these web browsers:

- **Google Chrome:** Support for the most current major stable channel release only. Visit the Google Chrome FAQ for a description of the Chrome support policy: <https://support.google.com/chrome/a/answer/188447?hl=en>.
- **Microsoft Edge:** Support for the latest major version of Microsoft Edge Chromium. Beginning in Microsoft Edge v77, Microsoft has decoupled Edge from the Windows operating system and shifted to a Chromium-based browser technology and deployment model that follows a continuous 6-week update pattern, similar to Chrome and Firefox. Visit the Microsoft Edge FAQ for a description of the Edge support policy: <https://docs.microsoft.com/en-au/deployedge/microsoft-edge-support-lifecycle>.
- **Mozilla Firefox:** Support for the most current major Extended Support Release (ESR) version and above, in production only. Visit the Mozilla FAQ for a description of the Firefox support policy: <https://www.mozilla.org/en-US/firefox/organizations/faq/>.

11

Build Analytical Applications

The Oracle Fusion Analytics Warehouse applications currently leverage a smaller number of Overview Dashboards that provide high-level summary information. These can drill down to a larger number of Detail Dashboards. Each of the Detail Dashboards provide more in-depth analysis on facets of the business.

This section describes details of how you can construct Oracle applications and may be useful for building new content that looks similar and can extend the ready-to-use content.

Topics:

Overview Dashboards

- [About Overview Dashboards](#)
- [Use Filters in Overview Dashboards](#)
- [Use Parameters in Overview Dashboards](#)

Detail Dashboards

- [About Detail Dashboards](#)
- [Create a Detail Dashboard](#)
- [Use Parameters in Detail Dashboards](#)
- [Add Filters to Detail Dashboard](#)


Tracking Status with Key Metrics

- [Add Targets to Key Metrics](#)
- [Add Conditional Formatting for Metric Status](#)

About Overview Dashboards

The Overview Dashboards typically present a limited number of metrics centered on a business topic that show the state of the business.

Composite visualizations on these depict an aggregate number for a specific business metric alongside a more detailed visualization that further illuminates that metric usually over time. These metrics are underpinned by their respective key metrics contained in a subject area or dataset. Key metrics are reusable across content and provide an opportunity for a common, shared business understanding.




- Key Metrics
 - Inventory
 - Total Liabilities
 - Days Cash in Hand
 - Capex
 - Payables
 - Adjustment Period Flag
 - Ledger Name
 - Balancing Segment Name
 - Balancing Segment Description
 - Balancing Segment Code
 - Fiscal Year
 - Fiscal Quarter
 - Fiscal Period
 - Ledger Set Name
 - Chart Of Account Name
 - Net Working Capital
 - Receivables
 - Total Cash
 - Retained Earnings
 - Inventory Turnover Ratio
 - Current Assets
 - Total Assets
 - Fixed Assets Turnover Ratio
 - Net Working Capital - Demo

Use Filters in Overview Dashboards

In the Overview Dashboards, you can create the filters that are meant to be seen and used by end users as Dashboard Filters.

The Overview Dashboards use Workbook Filters (seen in the top Filter Bar) behind the scenes.



To simplify consumption of business content, you can hide the Workbook Filters by turning the Filter Bar off in the Present Mode for the end user.




The Dashboard Filters may use their default behavior to show the values of the subject area column or may be populated by parameters.

Use Parameters in Overview Dashboards

The Overview Dashboards use parameters to populate variables using data referenced in the subject areas.

Beyond the default set of parameters provided, specific parameters in the ready-to-use content have been built to dynamically request values for columns like “Fiscal Calendar” or “Fiscal Year.” This allows the Overview Dashboards to avoid defaults and retrieve appropriate values for users.



Dynamic custom parameters on the Overview Dashboards are populated with logical SQL code. For example:

- Fiscal Calendar

```
SELECT "Financials - GL Balance Sheet"."Time"."Fiscal Calendar Name"
from "Financials - GL Balance Sheet" FETCH FIRST 1
      ROWS ONLY
```

- Fiscal Year

```
SELECT "Financials - GL Balance Sheet"."Time"."Fiscal Year" FROM
"Financials -
      GL Balance Sheet" WHERE ("Financials - GL Balance
Sheet"."Time"."Trailing Year Number" = 0 AND "Financials - GL Balance
      Sheet"."Time"."Fiscal Calendar Name" IN (@parameter("Fiscal
Calendar")('')) )
```

The 'Edit Parameter' dialog box shows the following configuration for the 'Fiscal Calendar' parameter:

- Name:** Fiscal Calendar
- Description:** (Empty text area)
- Data Type:** Text
- Allow Multi Select:** Disabled
- Alias:** Disabled
- Available Values:** Any
- Enforce Validation:** Disabled
- Initial Value:** Logical SQL Query
- SQL Query:**

```
select "Financials - GL Balance Sheet"."Time"."Fiscal Calendar Name" from "Financials - GL Balance Sheet" FETCH FIRST 1 ROWS ONLY
```

Buttons: Cancel, OK

These parameters are then used to populate filters and default values on the Overview Dashboards.

Parameter Binding

A dashboard filter can be bound to a parameter. In this case, the “Fiscal Calendar Name” dashboard filter is then populated by the “Fiscal Calendar” parameter.

The screenshot shows a dashboard filter for 'Fiscal Calendar Name' with the following settings:


- Fiscal Calendar Name:** AccountingMMYY
- Fiscal Year:** 2023
- Fiscal Quarter:** 2023Q3
- Fiscal Period:** All

The filter is currently set to 'List' view. A context menu is open over the filter, showing options: None, Display Name, User Name, **Fiscal Calendar** (selected), and Create Parameter. The filter's current value is 'AccountingMMYY'.

Role-playing Parameters

Usually a filter affects only one column, but in the case of role-playing parameters the filter effectively "impersonates" multiple columns. In some cases an Overview Dashboard is built so that the values selected in a single dashboard filter can be propagated to more than one subject area column. This works best if each of these columns has the same set of values. For this use case, a Workbook Filter is used to map multiple columns to a parameter. For example, in this case the “Accounting Calendar Name” columns will be populated by the “Fiscal Calendar” parameter. As mentioned in the "Parameter Binding" section, the “Fiscal Calendar” parameter also

populates “Fiscal Calendar Name.” Using this dashboard filter would update both columns. Here’s the Workbook Filter where the mapping is specified:



Accounting Calendar Mapping

Accounting Calendar Mapping

Label

Accounting Calendar Mapping

Description

Expression

Accounting Calendar Name = @parameter("Fiscal Calendar")('')

f(x)

Validate

Apply

About Detail Dashboards

The Detail Dashboards are targeted from the Overview Dashboards.

They typically extend workflows that begin as high-level analysis in the Overview Dashboards and provide more analytical detail on a particular topic. For example a “Payables” tile might drill down to a “Payables Analysis,” or a “Headcount” tile might drill to a “Workforce Composition” or “Turnover” Analysis.

Create a Detail Dashboard

Data Actions describe the linkages between Overview and Detail Dashboards and they are built to designate the desired context to be shared between workbooks.

You can also create links that ignore any context from the parent Overview Dashboard.

Use Parameters in Detail Dashboards

You can duplicate the parameters from an Overview Dashboard and use them as a channel to pass context between the workbooks.

Ensure that you use the same parameter name and data type while duplicating. Also, ensure that the data action specifies the parameters that should be included in the context.

Pinning Parameters to Dashboard Filters

To maintain the value of a dashboard filter across canvases within a workbook, you can use the parameters to replicate a “pinning” behavior seen in Workbook Filters. In essence, the “pinning” behavior creates an empty parameter and then each of the dashboard filters use “Parameter Binding” to shuttle that value across the dashboard filters on multiple canvases.

Edit Parameter

Name:

Description:

Data Type:

Allow Multi Select:

Alias:

Available Values:

Enforce Validation:

Initial Value:


Add Filters to Detail Dashboard

Like the Overview Dashboards, you can create end-user-oriented filters on the Detail Dashboard as Dashboard Filters and hide the Workbook Filters at run-time.


Add Targets to Key Metrics

The Migration Utility might populate targets in key metrics and you can add them manually.


All users will see a shared target that exists as a column in a key metric; and it will abide by user and data-level security rules. Typically, this target metadata references a column directly or a calculation based on data.



*Related columns/calculations for
Target and % of Target*



***Target and % of Target as
referenced in the Grammar Pane***




As seen in the Composite Viz.

Add Conditional Formatting for Metric Status

Conditional formatting set on the key metric column and persisted at the dataset level is portable with the key metric. This means it can be shown whenever you use the key metric.

In this example, three statuses are described for Payables that are saved with the dataset.



The ready-to-use tiles use these hexadecimal colors to show status:

- #d63b25 = Critical
- #ac630c = Warning
- #508223 = Good

You may adopt these for consistency with the ready-to-use content. You can extend this scheme or create your own.