

Oracle

# Talent Acquisition Cloud Implementing Deep Linking

---

**17 (update 17.4)**

## Implementing Deep Linking

Part Number: E93799-01

Copyright © 2018, Oracle and/or its affiliates. All rights reserved

Authors: OTAC Information Development Team

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display in any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

The business names used in this documentation are fictitious, and are not intended to identify any real companies currently or previously in existence.

# Contents

<b>Preface</b>	<b>i</b>
<hr/>	
<b>1 Deep Linking Configuration</b>	<b>1</b>
Deep Linking	1
Supported Action URLs	1
Supported Product URLs	3



# Preface

This preface introduces information sources that can help you use the application and this guide.

## Using Oracle Applications

To find guides for Oracle Applications, go to the Oracle Help Center at <http://docs.oracle.com/>.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the [Oracle Accessibility Program website](#).

## Contacting Oracle

### Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit [My Oracle Support](#) or visit [Accessible Oracle Support](#) if you are hearing impaired.

### Comments and Suggestions

Please give us feedback about Oracle Applications Help and guides! You can send an e-mail to: [talent\\_acquisition\\_doc\\_feedback\\_ww\\_grp@oracle.com](mailto:talent_acquisition_doc_feedback_ww_grp@oracle.com).



# 1 Deep Linking Configuration

## Deep Linking

Oracle Talent Acquisition Cloud (OTAC) supports certain URLs that provide a direct access to OTAC products. OTAC also supports certain URLs to get access to specific actions within a OTAC product.

Users can click on a hyperlink in an email, portal or other environments outside OTAC's application and navigate directly to a screen in the application.

Using the deep linking feature, system administrators can provide URLs to users that directly place the users on the Recruiting Center home page, directly into the create requisition process, or directly into a specific job requisition or candidate file.

If single sign-on (SSO) is used, users are directed directly where the URL points to, without having to go through the User Sign In page. If SSO is not used, users are first prompted to enter their credentials in the User Sign In page before being able to access the page defined by the URL.

To create a URL that directs users to a specific action, specific parameters are required. For example, the following URL directs users to a specific requisition:

<https://taleo.taleo.net/enterprise/publicurl/viewRequisition?requisitionNumber=8765&language=en>

Parameter	Description	Value
<Product URL>	Taleo product identifier URL.	taleo.taleo.net
<action>	Action available for the product.	viewRequisition
<parameter1>	Parameter identifier.	requisitionNumber
<value1>	Key value.	8765
<parameter2>	Language (fixed string).	language
<value2>	Language for users to view the page. If no language is specified, the browser language is used. If no language is specified by the browser, the default language used is English.	en

System administrators should evaluate how users are using the product. If specific URLs are appropriate for some audiences, they should implement them to provide easier product or action access.

## Supported Action URLs

Oracle supports certain URLs to get access to specific actions within a Oracle Talent Acquisition Cloud (OTAC) product.

### Supported Action URLs

Create a requisition

<http://client.taleo.net/enterprise/publicurl/createRequisition>

Open a specific requisition

<http://client.taleo.net/enterprise/publicurl/viewRequisition?requisitionNumber=8765>

Note: Instead of requisitionNumber you can also specify the contest number: <http://client.taleo.net/enterprise/publicurl/viewRequisition?contestNumber=TOR0000334>

Open a candidate list specific to a requisition

<http://client.taleo.net/enterprise/publicurl/viewCandidates?requisitionNumber=8765>

Open a candidate file

<http://client.taleo.net/enterprise/publicurl/viewProfile?candidateNumber=5159>

Open a candidate submission

<http://client.taleo.net/enterprise/publicurl/viewApplication?applicationNumber=35097>

Open a candidate list for managers

<http://client.taleo.net/enterprise/publicurl/viewRequisitions>

View recruiting tasks

<http://client.taleo.net/enterprise/publicurl/tasks>

Approve a requisition

<http://client.taleo.net/enterprise/publicurl/tasks?type=approveRequisition&requisitionNumber=7317>

Extend posting

<http://client.taleo.net/enterprise/publicurl/tasks?type=posting&requisitionNumber=8178>

Amend an approval path

<http://client.taleo.net/enterprise/publicurl/tasks?type=amendApprovalPath&requisitionNumber=7498>

Confirm employee presence

<http://client.taleo.net/enterprise/publicurl/tasks?type=confirmEmployeePresence&applicationNumber=7322>

Complete selection process

<http://client.taleo.net/enterprise/publicurl/tasks?type=completeSelectionProcess&applicationNumber=7347>

Ready for sourcing

<http://client.taleo.net/enterprise/publicurl/tasks?type=readyForSourcing&requisitionNumber=5300>

Contribute

<http://client.taleo.net/enterprise/publicurl/tasks?type=contribute&requisitionNumber=7517>

Sourcing strategy to be defined

<http://client.taleo.net/enterprise/publicurl/tasks?type=sourcingStrategyToBeDefined&requisitionNumber=7537>

To be completed

<http://client.taleo.net/enterprise/publicurl/tasks?type=toBeCompleted&requisitionNumber=7483>

#### Supported Action URLs

To be filled

<http://client.taleo.net/enterprise/publicurl/tasks?type=toBeFilled&requisitionNumber=6477>

Duplicate check

<http://client.taleo.net/enterprise/publicurl/tasks?type=verify>

## Supported Product URLs

Oracle supports certain URLs that provide a direct access to Oracle Talent Acquisition Cloud (OTAC) products.

Change the "client.taleo.net" with the actual zone name.

#### Supported Product URLs

Central Configuration

<https://client.taleo.net/smartorg/index.jsf>

Note: Users are redirected to the central configuration menu.

Table of Contents page

<https://client.taleo.net/smartorg/smartorg/common/toc.jsf>

Sign Out

<https://client.taleo.net/smartorg/iam/accessmanagement/globalLogout.jsf>

Recruiting Center - Home Page

<https://client.taleo.net/enterprise/enterprise/flex.jsf>

Career Section - Internal

<https://client.taleo.net/careersection/x/jobsearch.ftl?lang=en>

Note: x must be replaced by the ID of the internal career section.

Career Section - Job Application

[https://client.taleo.net/careersection/<cs\\_no>/jobapply.ftl?lang=<language>&job=<contest\\_no\\_OR\\_req\\_id>](https://client.taleo.net/careersection/<cs_no>/jobapply.ftl?lang=<language>&job=<contest_no_OR_req_id>)

Note: <cs\_no> needs to be the number of the career section. <language> needs to be replaced with the language abbreviation code. <contest\_no\_OR\_req\_id> needs to be replaced with the requisition number or the requisition identification ID.

Career Section - Job Details

[https://client.taleo.net/careersection/<cs\\_no>/jobdetail.ftl?lang=<language>&job=<contest\\_no\\_OR\\_req\\_id>](https://client.taleo.net/careersection/<cs_no>/jobdetail.ftl?lang=<language>&job=<contest_no_OR_req_id>)

Note: <language> needs to be replaced with the language abbreviation code. <contest\_no\_OR\_req\_id> needs to be replaced with the requisition number or the requisition identification ID.

Career Section - Job Referral

[https://client.taleo.net/careersection/<cs\\_no>/jobrefer.ftl?lang=<language>&job=<contest\\_no\\_OR\\_req\\_id>](https://client.taleo.net/careersection/<cs_no>/jobrefer.ftl?lang=<language>&job=<contest_no_OR_req_id>)

### Supported Product URLs

Note: <cs\_no> needs to be the number of the career section. <language> needs to be replaced with the language abbreviation code. <contest\_no\_OR\_req\_id> needs to be replaced with the requisition number or the requisition identification ID.

#### Career Section - Urgent Jobs Only

<https://client.taleo.net/careersection/<url code>/jobsearch.ftl?lang=<language>&urgent =<true>>

#### Career Section - OLF Criteria

<https://client.taleo.net/careersection/<url code>/jobsearch.ftl?lang=<language>&location=<location's ID>>

<https://client.taleo.net/careersection/<url code>/jobsearch.ftl?lang=<language>&organization =<organization's ID>>

<https://client.taleo.net/careersection/<url code>/jobsearch.ftl?lang=<language>&jobfield=<job field's ID>>

#### Career Section - Keyword

<https://client.taleo.net/careersection/<url code>/jobsearch.ftl?lang=<language>&keyword=<keyword criteria>>

#### Career Section - Expanded Search Panel

<https://client.taleo.net/careersection/<url code>/jobsearch.ftl?lang=<language>&searchExpanded=<true or false>>

#### Career Section - Radius Search

<https://client.taleo.net/careersection/<url code>/jobsearch.ftl?lang=<language>&radiusType=<K or M, for metric/imperial>& radius=<radius value>& locationRad=<ID of the location used for radius search>>

#### Career Section - Study Level

<https://client.taleo.net/careersection/<url code>/moresearch.ftl?lang=<language>&studylevel=<ID>>

#### Career Section - Employee Status

<https://client.taleo.net/careersection/<url code>/moresearch.ftl?lang=<language>&employeestatus=<ID>>

#### Career Section - Schedule

<https://client.taleo.net/careersection/<url code>/moresearch.ftl?lang=<language>&jobschedule=<ID>>

#### Career Section - Will Travel

<https://client.taleo.net/careersection/<url code>/moresearch.ftl?lang=<language>&travel=<ID>>

#### Career Section - Job Type

<https://client.taleo.net/careersection/<url code>/moresearch.ftl?lang=<language>&jobtype=<ID>>

#### Career Section - Shift

<https://client.taleo.net/careersection/<url code>/moresearch.ftl?lang=<language>&jobshift=<ID>>

#### Career Section - Job Level

<https://client.taleo.net/careersection/<url code>/moresearch.ftl?lang=<language>&joblevel=<ID>>

Supported Product URLs

---

Legacy Onboarding - New Hire Portal

---

<https://client.taleo.net/newhireportal/index.jsp>

---

Legacy Onboarding

---

<https://client.taleo.net/onboarding/index.jsf>

---

Onboarding (Transitions)

---

<https://client.taleo.net/transition/index.jsf>

---

Performance

---

<https://client.taleo.net/orion/flex.jsf?lang=en>

---

