

Oracle Fusion Cloud Transportation and Global Trade Management

Getting Started Guide

Release 23B



Oracle Fusion Cloud Transportation and Global Trade Management
Getting Started Guide

Release 23B

F76516-01

Copyright © 2014, 2023, Oracle and/or its affiliates.

Author: Paul Hamill

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.


Contents

Get Help	i
<hr/>	
2 Getting Started	3
Setting Up Oracle Transportation and Global Trade Management Cloud	3
Access Requirements	6
System Requirements	7
Domains	7
3 User Management	9
<hr/>	
Default Application Administrator	9
Single Sign-On (SSO)	9
User Provisioning	10
Federated Single Sign-On	10
4 Configuration	11
<hr/>	
Configuration	11

Get Help

There are a number of ways to learn more about your product and interact with Oracle and other users.

Get Help in the Applications

Use help icons  to access help in the application.

Get Support

You can get support at [My Oracle Support](#). For accessible support, visit [Oracle Accessibility Learning and Support](#).

Join Our Community

Use [Cloud Customer Connect](#) to get information from industry experts at Oracle and in the partner community. You can join forums to connect with other customers, post questions, and watch events.

Learn About Accessibility

For information about Oracle's commitment to accessibility, visit the [Oracle Accessibility Program](#). (if videos) Videos included in this guide are provided as a media alternative for text-based topics also available in this guide.

Share Your Feedback

We welcome your feedback about Oracle Applications user assistance. If you need clarification, find an error, or just want to tell us what you found helpful, we'd like to hear from you.

You can email your feedback to otm-doc_us@oracle.com.

Thanks for helping us improve our user assistance!

2 Getting Started

Setting Up Oracle Transportation and Global Trade Management Cloud

Overview

The purpose of this document is to help you get started with implementing and using the Transportation and Global Trade Management Cloud Services. This guide does not include all of the tasks that are required for a full implementation of the Oracle Transportation and Global Trade Management Cloud offering. The guide describes how to perform the initial setup required for creating or importing items. More detailed documentation on particular topics is available in the form of online help and documents. For more details on configuring/integrating with the Transportation and Global Trade Management cloud service and other complementary services, refer to the *Transportation and Global Trade Management Cloud Administration Guide*. Help and guides are found at the *Transportation and Global Trade Cloud Library*. Additional documents and help are found on *My Oracle Support* in Doc ID 796594.1.

Provisioning Overview

Provisioning is self-service so please use the step by step instructions below to guide you through the process. Provisioning of your order consists of two parts that you will be guided through, step by step, in the following pages:

Roles

Your Role	Activity	Description
Buyer OR Service Administrator	Order Activation	<p>Activate your order via your Oracle Account. You will be guided to create a new Oracle Account as part of the activation process. Once your new Oracle Account is created you will be sent a temporary password. This password expires in 60 days, so we recommend you change it as soon as possible, even if you aren't ready to set up your new environments yet.</p> <p>If you have received an order activation email and are in the purchasing or procurement department of your company, you will be given the opportunity to assign a different Service Administrator for the day to day administration of the service, during the activation process. Please follow the steps in Part 1 below.</p>
Service Administrator	Environment Activation	<p>Accessing the Oracle Cloud Account (formerly My Services) console to create your new environments. This step provisions your new environments. You can do this at a time</p>

Your Role	Activity	Description
		convenient to you, but we recommend you complete this 24 hours before you need the environment to be available.

Activation of Your Order

After your Cloud Service order has been placed with Oracle, you will receive an email entitled "Action Required: Welcome to New Oracle Cloud Service Subscriptions". This means you have been designated as the activator of the services. The activator only kicks off the provisioning process and can select a different Service Administrator to manage the day to day administration of the service during the activation process if required. Carefully review the details of your subscription in the email and follow the instructions below to begin the activation process.

An important decision needs to be made at this time. You will need to choose whether to **"Create new cloud account"** or to **"Add to existing cloud account"**. Your Cloud Account is where you will manage Transportation and Global Trade Management, but also all other Oracle Cloud Services that you purchase.

If you have previously subscribed to other Oracle Cloud Services, you will already have a Cloud Account. If you choose **"Add to existing cloud account"**, you will be prompted to provide the name of that Cloud Account and log in. Once this is complete, you can proceed to the next step **"Environment Activation"**.

If you have not previously subscribed to other Oracle Cloud Services, you will need to create a new Cloud Account. Even if you have an existing Cloud Account, you can still choose to create a new Cloud Account for Transportation and Global Trade Management Service.

Note:

- This Cloud Account Name will also be used to create the URLs to access all your Cloud services (not just Oracle Transportation Management and Global Trade Management) and it is not possible to change it, so please choose carefully. For example, if you call your Oracle account "ABCCorp" your OTM Application URL will look something like: <https://otmgtm-ABCCorp.otmgtm.us-phoenix-1.ocs.oraclecloud.com>.
- The Cloud Account Name must be unique, it must start with a lowercase letter and can have up to 25 lowercase letters and numbers. You cannot use spaces or any special characters.
- Provide the Name and Email Address of the person that will be the Service Administrator. This person will receive an email with instructions and the Cloud Portal login for creating the Cloud Service Environments.

The value you provide in the **"Tenancy Name"** field will be used as the name of your Cloud Account and your Cloud Infrastructure Tenancy. A Tenancy is a secure and isolated partition within Oracle Cloud Infrastructure where you can create, organize, and administer your cloud resources. In addition to the Tenancy Name, you will need to provide the Name, Email Address, and Default Password for the Service Administrator.

You will also need to specify the "Home Region." Your Home Region is the geographic location where your cloud account and identity resources will be created. It is not changeable after sign-up. For SaaS application(s) the Home Region does not indicate the provisioning location. Your SaaS application(s) will be provisioned in the geo-region specified on your order. After creating a cloud account to add your subscription, the Home Region is where your primary Identity Domain will be located. Depending on SaaS applications the application user credentials may also be stored at the same Home Region Identity Domain location.

Once you have entered all of the required fields, please read the Terms of Service and click the **Create Tenancy** button.

Environment Activation

Once your Cloud Account is ready, you will receive an email. After clicking the Sign In link, you will be prompted to login using the Email Address and default password specified during the Order Activation Step. If you chose to use an Existing Cloud Account, the Service Administrator will be able to login after they approve adding the new service to the Cloud Account.

My Applications

After you have signed into your Oracle Cloud Tenancy, you will see the My Applications screen. The My Applications landing page is where you manage your Oracle Application Cloud Services. There is also a tab for administering Oracle Cloud Infrastructure services such as Compute, Database, etc.

Click the **Create Environment** button to begin the process of creating instances of your Oracle Transportation Management and Global Trade Management service.

Create Environment

For the first environment you create, you will need to select the **Region** where the service is to be deployed. Note: In most geographic regions, there is only one option. You will need to provide a **Name** for each environment. This name is only used to uniquely identify your instances in the Cloud Portal. It does not affect the URL of the instance you are about to create.

Note: The text "-test" will be appended to the Name you specify when creating the Production instance.

Select the **Type** of OTMGTM Instance you would like to create.

- **Production:** will implicitly create a Test instance at the same time as Production.
- **Development:** will create an Additional Test Instance. The number of Additional Test Instances is limited by your contract.
- **LNM:** will create an instance of Logistics Network Modeler if allowed by your contract.

You will need to initiate the creation of each type of instance individually.

Advanced Options

Under the Advanced Options you will have the option to specify a Compartment for your instance and Tags. Both of these can be modified after the instances is created. Assigning Tags facilitates searching for your Cloud Resources. Compartments are the primary building blocks you use to organize your cloud resources.

You use compartments to organize and isolate your resources to make it easier to manage and secure access to them. When your tenancy is provisioned, a root compartment is created for you. Your root compartment holds all of your cloud resources. You can think of the root compartment like a root folder in a file system.

You can create compartments under your root compartment to organize your cloud resources in a way that aligns with your resource management goals. As you create compartments, you control access to them by creating policies that specify what actions groups of users can take on the resources in those compartments.

Environments

After you click the **Create** button, you will return to a list of the Environments. The **State** of the new Environment will be **Creating** until the process is complete. It will take some time before the implicitly created "Test" Environment appears in the Cloud Portal. If you attempt to create an Environment that you have not licensed, the Environment creation process will fail.

When Provisioning of an Environment is complete, the **State** will change to **Active**.

Clicking on an Environment will take you to a screen like the following. From here, you can click on the **Open service console** button to launch the Oracle Trade and Transportation Management service instance or copy the URL from the **Service Console** field. We recommend copying the URL and creating a bookmark to allow for direct access.

This completes the environment activation process. You are now ready to add users and begin to configure your environments.

Identify the Type of Cloud Server on which Your Service is Provisioned

Oracle is in the process of transitioning all cloud services to a new cloud infrastructure. Initially only new customers will be provisioned to the new tenancy, which is referred to as Oracle Generation 2 Cloud Infrastructure (Gen2). In the near future, existing customers will also be migrated from the current tenancy, referred to as Oracle Public Cloud (OPC). As a new customer in Gen2, it is very important to understand that you are responsible for creating the instances of Oracle Trade and Transportation Management. The Service Administrator should have received a welcome email which provided them the URL for the My Service Cloud Portal. It is important that you retain this URL even after the Oracle Global Trade and Transportation Management instances are created.

Only Service Administrators are impacted by the differences between these tenancies. There are no perceivable differences for end users beyond the Single Sign-On page. For Service Administrators, the differences are in regards to managing users in the Single Sign-On and Email Notification. For Oracle Public Cloud, Single Sign-On is provided by a cloud service referred to as Identity Management. Please refer to the corresponding instructions in this document for administrating users in the SSO depending on the type of your tenancy.

The second difference is in regards to sending email, referred to as Notifications in Oracle Trade and Transportation Management. The email provider in Gen2 is more strict in regards to commercial email compliance initiatives such as CAN-SPAM and CASL. For instance, registering your Email Senders via a new user interface is required and it is also mandatory that the domain of the Email Sender has a proper Send Policy Framework (SPF) record. Please refer to the "Avoid Receiving Notifications as Spam" section of the Administrator's Guide for more details on this subject. Failure to comply with these instructions will lead to failed delivery, delays or interruption of your email sent from the cloud service. Note: Currently Gen2 has a limit on email attachments of 2MB. The email provider is working on increasing this limit to 5MB as it is in Oracle Public Cloud.

Access Requirements

To get started with Oracle Transportation and Global Trade Management Cloud implementation, you need access to the Oracle Identity Manager (OIM) and the Oracle Transportation and Global Trade Management Cloud application.

Before you begin, make sure you have the following information:

- URLs for Oracle Transportation and Global Trade Management Cloud application and OIM. For example, the URL for the Oracle Transportation and Global Trade Management Cloud application is `https://<servicename>-<identity-domain-name>.otm.<data-center>.oraclecloud.com`, where `<servicename>` and `<identity-domain-name>` are the values that were specified during provisioning. If you do not know the URLs, contact the person who installed the systems at your company. When the Oracle Transportation and Global Trade Management Cloud provisioning process completes, these URLs are shown on the summary page.

- The user name and password of the Oracle Transportation and Global Trade Management Cloud super user. For Oracle cloud application services, you specify the default user name of the Oracle Transportation and Global Trade Management Cloud super user. For all other implementations, the default user name of the Oracle Transportation and Global Trade Management Cloud super user is DBA.ADMIN.

Note: HTTPS is required. If needed the port for SSL is 443 and it is not configurable.

System Requirements

Please refer to the *System Requirements for Oracle Applications Cloud* for the latest information on system requirements, including web browser support.

Domains

One of the first steps in configuring the Transportation and Global Trade Management Cloud Service is to create a domain. Creating separate Domains allows you to keep data separate and secure in a shared web-based environment. The Domain manager enables administrators to organize and manage the domain structure of their provisioned instances.

There is considerable flexibility in the domain structure; you can configure the service to the particular needs of many types of organizations. Stand alone top-level domains with or without sub-domains, along with a variety of different access grants, can be created depending on the required needs. Deleting Domains requires a service request so carefully plan domains and names prior to actual creation.

You can use domains for many different purposes, e.g. modeling business units within a company. However, at a minimum, a single domain must be created to contain all customer specific data. Data should not be created in the PUBLIC domain unless explicitly instructed to do so by Oracle product documentation.

Domains are created via **Configuration and Administration > Domain Management > Add Domain**. For more details, see the "Add Domain" and "Domain Name Rules" help topics.

All provisioned instances of Oracle Transportation and Global Trade Management Cloud include several included domains that are intended to facilitate different implementations. Each of these domains includes a Domain Administrator user. See the Business Domain ADMIN User section for more information about Business Domain ADMIN users. See the Oracle Transportation Management Service Default Users section about default Domain Admin Users. Remember that every new domain created also creates a Domain ADMIN user which is disabled from login and these users should never be removed from the system.

Default Domains

Domain	Description	Required	Can Be Deleted
SERVPROV	Domain for service provider users	Yes	No
PUBLIC	Global Data Domain	Yes	No

Domain	Description	Required	Can Be Deleted
DBA	Domain for super user and configuration users	Yes	No
GUEST	Sample Domain	Yes	No
EBS	Domain for sample E-Business Suite (EBS) integration.	No	Yes
E1	Domain for sample JD Edwards Enterprise 1 (E1) integration.	No	Yes
GLOG	Not used.	Yes	No
STAGE	Internal Global Data Domain template	Yes	No
FA	Domain for sample Fusion Application integration.	No	Yes

3 User Management

Default Application Administrator

All Oracle Transportation and Global Trade Management Cloud Services automatically provision one user referred to as the Application Administrator. The Application Administrator has the responsibility of creating any additional users. By default, the Application Administrator is associated with the "DBA.ADMIN" user within Transportation and Global Trade Management Cloud. Certain application functions are restricted to users such as the Application Administrator, which have the User Role "DBA.ADMIN". It is strongly advised that you create at least one additional user that has the "DBA.ADMIN" User Role in the event that the Application Administrator is not available.

It is important to note that the "DBA.ADMIN" user is a reserved user. This means that editing of this user, other than changing the password, is prohibited. However, it is possible to change what user is associated with "DBA.ADMIN". When logged into Transportation and Global Trade Management Cloud as the Application Administrator, you can edit the "DBA.ADMIN" user and change the Username to a different email address.

Note: This user must already exist in the SSO (see Single Sign-On for more details). If you are unable to login as the Application Administrator, you will need to open a Service Request to have the password reset or to change the Application Administrator.

If you do change the Application Administrator, it is important to note that you may also want to change the email address associated with the following Properties.

- **glog.workflow.notify.advisor.email:** Defines the sender for all emails from the system and the recipient of workflow notifications.
- **glog.odi.email.to.address:** Defines recipient of TI/GTI data extraction errors.
- **glog.properties.log.email.recipients:** Defines recipients of Property Set changes.

See the "Property Set" section for more details on changing Properties or on-line Help for more details on these properties. Also see Chapter 2 of the Cloud Administration Guide in the Notifications Settings section for more details about restrictions on what sender email addresses you can use in Transportation and Global Trade Management Cloud.

Single Sign-On (SSO)

All Oracle Transportation and Global Trade Management Cloud services are provisioned with Oracle Single Sign-On enabled. The Oracle Single Sign-On capability provides end user the ability to sign-in once across multiple Oracle Cloud services. Oracle Single Sign-On is provided by the Oracle Public Cloud Identity Management service. In order to log in to an Oracle Cloud service with Single Sign-On enabled, the user must exist in the Identity Management service. The user must also exist in the Oracle Transportation and Global Trade Management Cloud service. For the Gen2 Cloud Infrastructure, there is an optional capability to synchronize users between these systems. See the Configuring Oracle Identity Cloud Service User Synchronization topic in the online help for instructions on configuring user synchronization for Transportation and Global Trade Management Cloud. The Identity Management service provides a batch import capability. For more information on this topic, use the Help link provided on the User Creation screen in the Identity Management service.

It is important to note that Inbound Integration does not use Single Sign-On. These capabilities require the user to login with the password defined in the Logistics User Manager. A user that is only used for Integration does not need to exist in the Identity Management Service.

User Provisioning

At a high level, there are two types of users: Application Administrators and Application Users. The recommended process for creating new users depends on the type of user. However, it is always necessary that the user be created in both the Single Sign-On solution as well as the Transportation and Global Trade Management user interface. It is recommended that you create the user in the Transportation and Global Trade Management user interface first since an email with default credentials will be sent to the user when they are created in the Single Sign-On solution. Refer to the Users section of the Transportation and Global Trade Management Security Guide for more details on User Management.

Federated Single Sign-On

The Oracle Identity Management service supports Federated Single Sign-On (SSO). Federated SSO provides the ability to propagate user authentication to an SSO system outside of the Oracle Cloud. For more details on this topic, please refer to the **Federated Single Sign-On** section of the **Transportation and Global Trade Management Cloud Administration Guide**.

4 Configuration

Configuration

For more details on configuring/integrating with the Transportation and Global Trade Management cloud service and other complementary services, please refer to the *Transportation and Global Trade Management Cloud Administration Guide*. Topics in the Cloud Administration Guide include, but are not limited to:

- Configuring the application
 - Setting properties
 - Using diagnostic tools
- Configuring Business Intelligence
- Complimentary products
- Integrating with Other Systems
- Data management

