

Oracle® Tuxedo

Platform Data Sheet



F73622-11
January 2024



Oracle Tuxedo Platform Data Sheet,

F73622-11

Copyright © 1996, 2024, Oracle and/or its affiliates.

Primary Author: Preeti Gandhe

Contributing Authors: Tulika Das

Contributors: Maggie Li

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1 Oracle Tuxedo Certified Platform Tables

1.1	Platform Support Policy	1-1
1.2	Certified Platforms	1-2
1.2.1	HP-UX	1-2
1.2.2	IBM AIX	1-2
1.2.3	Linux	1-2
1.2.4	Microsoft Windows	1-3
1.2.5	Solaris	1-4
1.3	Supported Weblogic Servers	1-4
1.4	End of Life Platforms	1-4
1.5	End of Life Weblogic Servers	1-12

2 Oracle SALT Certified Platform Tables

2.1	Certified Platforms for SALT 12cR2 (12.1.3) or Higher	2-1
2.2	Certified Platforms for SALT 12cR1 (12.1.1) or Earlier	2-1
2.2.1	HP-UX	2-1
2.2.2	IBM AIX	2-2
2.2.3	Microsoft Windows	2-3
2.2.4	Linux	2-4
2.2.5	Solaris	2-6
2.2.6	Others	2-7

3 Oracle TSAM Plus Certified Platform Tables

3.1	Certified Platforms	3-1
3.1.1	HP-UX	3-1
3.1.2	IBM AIX	3-2
3.1.3	Linux	3-2
3.1.4	Microsoft Windows	3-3
3.1.5	Solaris	3-3

4 Oracle TSAM Certified Platform Tables

4.1	Certified Platforms	4-1
4.1.1	HP-UX	4-1
4.1.2	IBM AIX	4-2
4.1.3	Linux	4-2
4.1.4	Microsoft Windows	4-5
4.1.5	Solaris	4-6
4.1.6	Others	4-6

5 Oracle Tuxedo JCA Adapter Certified Platform Tables

5.1	Certified Application Servers	5-1
-----	-------------------------------	-----

6 Oracle MessageQ Certified Platforms

6.1	Platform Support Policy	6-1
6.2	Certified Platforms	6-2
6.2.1	IBM AIX	6-2
6.2.2	HP-UX	6-2
6.2.3	Microsoft Windows	6-2
6.2.4	Open VMS	6-3
6.2.5	Linux	6-3
6.2.6	Oracle Solaris	6-3
6.2.7	End of Life Platforms	6-4

7 Oracle Tuxedo Message Queue Certified Platform Tables

7.1	Certified Platforms	7-1
7.1.1	HP-UX	7-1
7.1.2	IBM AIX	7-1
7.1.3	Linux	7-1
7.1.4	Microsoft Windows	7-2
7.1.5	Solaris	7-2

8 Oracle Tuxedo Application Runtime for CICS and Batch Certified Platform Tables

8.1	Certified Platforms	8-1
8.1.1	HP-UX	8-1
8.1.2	IBM AIX	8-1
8.1.3	Linux	8-2

9 Oracle Tuxedo Application Runtime for Batch Certified Platform Tables

9.1	Certified Platforms	9-1
9.1.1	IBM AIX	9-1
9.1.2	Linux	9-1
9.1.3	Solaris	9-2

10 Oracle Tuxedo Application Rehosting Workbench Certified Platform Tables

10.1	Certified Platforms	10-1
10.1.1	Linux	10-1

11 Oracle Tuxedo Application Runtime for IMS Certified Platform Tables

11.1	Certified Platforms	11-1
11.1.1	IBM AIX	11-1
11.1.2	Linux	11-1
11.1.3	Solaris	11-2

12 Oracle Tuxedo Mainframe Adapter for OSITP Certified Platform Tables

12.1	Certified Platforms	12-1
12.1.1	HP-UX	12-1
12.1.2	IBM AIX	12-1
12.1.3	Microsoft Windows	12-1
12.1.4	Sun Solaris	12-2

13 Oracle Tuxedo Mainframe Adapter for SNA Certified Platform Tables

13.1	Supported Platforms	13-1
13.1.1	HP-UX	13-1
13.1.2	IBM AIX	13-2
13.1.3	Linux	13-2
13.1.4	Microsoft Windows	13-4
13.1.5	Oracle Solaris	13-4
13.1.6	z/OS	13-5

14 Oracle Tuxedo Mainframe Adapter for TCP Certified Platform Tables

14.1	Supported Platforms	14-1
14.1.1	HP-UX	14-1
14.1.2	IBM AIX	14-1
14.1.3	Linux	14-2
14.1.4	Microsoft Windows	14-3
14.1.5	Oracle Solaris	14-3
14.1.6	z/OS	14-3
14.1.6.1	CICS	14-5
14.1.6.2	IMS	14-5

Index

1

Oracle Tuxedo Certified Platform Tables



Note:

In the Tuxedo release columns, “xx-bit” stands for the Tuxedo binary.

- [Platform Support Policy](#)
- [Certified Platforms](#)
- [Supported Weblogic Servers](#)
- [End of Life Platforms](#)
- [End of Life Weblogic Servers](#)

1.1 Platform Support Policy

The Oracle policy of operating system platform support for Oracle Tuxedo and related products is as follows:

- x86 or x86-64 denotes various CPUs based on x86 or x86-64 architecture.
- Oracle Tuxedo 32-bit binaries are supported on 64-bit operating systems, such as on Solaris, AIX and Windows. This support is based on OS vendor compatibility assurance that 32-bit applications can run on 64-bit OS without any changes. For more 32-bit application support on 64-bit OS information, please refer to respective OS vendor documentation.
- The virtualization software environments provided by Oracle including OVM, OVM for SPARC (aka LDOMS) and VirtualBox are supported. Oracle Tuxedo is also considered supported in virtualization software environments provided by the operating system vendor (such as AIX6 WPARs). Even though Oracle has performed limited testing in these environments, the support is based on the OS vendor compatibility statement that software applications will run in a virtualization software environment without any changes.

Other virtualization software environments such as VMware, are also considered supported, provided that the virtualization software environment is supported by the operating system vendor and the support criteria specified in the operating system data sheets are met.
- The Oracle policy is that when the operating system provider discontinues supporting a specific release, Oracle support is also discontinued.
- Oracle cannot notify customers and users when support for a specific operating system release is discontinued. As a user of the operating system release, we expect you to find out from the operating system provider of discontinued support and plan accordingly.
- All minor releases higher than the certified OS version are supported with the assumption that OS vendor maintains binary compatibility. For example, if Tuxedo 12.2.2 is certified on Red Hat Enterprise Linux 6.2, Red Hat Enterprise Linux 6.x (x>2) are supported with

the assumption that Red Hat will maintain binary compatibility among all minor versions of release 6.

- Tuxedo supports both Standard and Enterprise editions for a Windows server if a certification has been done on one of the platforms. It's based on the assumption that Microsoft maintains binary compatibility between the editions.
- An operating system platform that is binary-compatible with a Tuxedo-supported platform is also considered a Tuxedo-supported platform. Tuxedo supports Alma Linux 8 since it is binary-compatible with Red Hat Enterprise Linux 8, which is already supported by Tuxedo.

1.2 Certified Platforms

- [HP-UX](#)
- [IBM AIX](#)
- [Linux](#)
- [Microsoft Windows](#)
- [Solaris](#)

1.2.1 HP-UX

Platforms	Tuxedo 12cR2 (12.2.2)	Tuxedo 22cR1 (22.1.0.0.0)
HP-UX 11iv3 (B.11.31) (64-bit OS) on Itanium	32-bit, 64-bit	64-bit

1.2.2 IBM AIX

Platforms	Tuxedo 12cR2 (12.2.2)	Tuxedo 22cR1 (22.1.0.0.0)
IBM AIX 7.1 (64-bit OS) on IBM PowerPC	32-bit, 64-bit	-
IBM AIX 7.2 or 7.3	32-bit, 64-bit	64-bit

Note:

Tuxedo releases supported on IBM AIX 7.1 also support AIX Versions 7.3 and 7.2, as per IBM's assurance of binary compatibility.

1.2.3 Linux

Platforms	Tuxedo 12cR2 (12.2.2)	Tuxedo 22cR1 (22.1.0.0.0)
Novell SUSE Linux Enterprise Server 12 (64-bit OS) on x86-64	SP2 (64-bit) 12.5 (SP5) (32-bit)	12.5 (SP5) (64-bit)

Platforms	Tuxedo 12cR2 (12.2.2)	Tuxedo 22cR1 (22.1.0.0.0)
Novell SUSE Linux Enterprise Server 15 (64-bit OS) on x86-64	SP2 (64-bit)	-
Oracle Linux 6 (64-bit OS) on x86-64	6.2 (64-bit)	-
Oracle Linux 6 (32-bit OS) on x86	6.7 (32-bit)	-
Oracle Linux 7 (64-bit OS) on x86-64	7.0 (64-bit)	64-bit
Oracle Linux 8 (64-bit OS) on x86-64	8.0 (32-bit, 64-bit)	64-bit
Oracle Linux 9 (64-bit OS) on x86-64	-	64-bit
Red Hat Enterprise Linux 6 (64-bit OS) on x86-64	6.3 (32-bit), 6.2 (64-bit)	-
Red Hat Enterprise Linux 6 (32-bit OS) on x86	6.7 (32-bit)	-
Red Hat Enterprise Linux 7 (64-bit OS) on x86-64	7.0 (32-bit, 64-bit)	64-bit
Red Hat Enterprise Linux 8 (64-bit OS) on x86-64	8.0 (32-bit, 64-bit)	64-bit
Red Hat Enterprise Linux 9 (64-bit OS) on x86-64	-	64-bit
Alma Linux 8 (64-bit OS) on x86-64	-	8.6 (64-bit)

**Note:**

For Oracle 6.5 UEK3 kernel, patch UEK 3.8.13-32 or above must be installed.

1.2.4 Microsoft Windows

Platforms	Tuxedo 12cR2 (12.2.2)	Tuxedo 22cR1(22.1.0.0.0)
Windows 10 on x86 with VS 2015	32-bit (Client Only)	-
Windows 10 on x86-64 with VS 2015	32-bit (Client Only), 64-bit (Client Only)	-
Windows 10 on x86-64 with VS 2017	64-bit (Client Only)	-
Windows 10 on x86-64 with VS 2022	-	32-bit (Client Only)
Windows 11 on x86-64 with VS 2022	-	32-bit (Client Only)
Windows Server 2012 R2 on x86-64 with VS 2015	32-bit (Client Only), 64-bit	-
Windows Server 2012 R2 on x86-64 with VS 2017	64-bit	-
Windows Server 2016 on x86-64 with VS 2015	64-bit	-
Windows Server 2019 on x86-64 with VS 2017	64-bit	-
Windows Server 2016 on x86-64 with VS 2017	64-bit	-

Platforms	Tuxedo 12cR2 (12.2.2)	Tuxedo 22cR1(22.1.0.0.0)
Windows Server 2022 on x86-64 with VS 2017	64-bit	-
Windows Server 2019 on x86-64 with VS 2022	-	32-bit (Client Only), 64-bit
Windows Server 2022 on x86-64 with VS 2022	-	64-bit

1.2.5 Solaris

Platforms	Tuxedo 12cR2 (12.2.2)	Tuxedo 22cR1 (22.1.0.0.0)
Oracle Solaris 10 (64-bit OS) on SPARC	32-bit, 64-bit	-
Oracle Solaris 11 (64-bit OS) on SPARC	32-bit, 64-bit	64-bit

1.3 Supported Weblogic Servers

Platforms	Tuxedo 12cR2 (12.2.2)	Tuxedo 22cR1 (22.1.0.0.0)
WebLogic Server 11gR1 (10.3.x) (x>0)	Yes	Yes
WebLogic Server 12cR2 (12.2.1)	Yes	Yes
WebLogic Server 14c (14.1.1)	Yes	Yes

1.4 End of Life Platforms

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1.1.0	11.1.1.2.0	11.1.1.3.0			
IBM AIX 5.3 (32-bit OS) on IBM PowerPC	32-bit	-	-	-	-	-	-
IBM AIX 5.3 (64-bit OS) on IBM PowerPC	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	-	-	-	-
IBM AIX 6.1 (64-bit OS) on IBM PowerPC	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	-	32-bit, 64-bit	32-bit, 64-bit	-
IBM AIX 7.1 (64-bit OS) on IBM PowerPC	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	-
IBM AIX 7.2 or 7.3	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	-

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1.1.0	11.1.1.2.0	11.1.1.3.0			
HP OpenVMS V8.3-1H1 (64-bit OS) on IA64	64-bit	-	64-bit	-	-	-	-
HP OpenVMS V8.4 (64-bit OS) on IA64	-	-	64-bit	-	-	-	-
GreatTurbo Linux Enterprise Server 11 (64-bit OS) on x86-64	11.2 (32-bit)	-	-	-	-	-	-
Novell SUSE Linux Enterprise Server 10 (32-bit OS) on x86	32-bit	32-bit	32-bit	-	-	32-bit (10/10SP2)	-
Novell SUSE Linux Enterprise Server 10 (64-bit OS) on x86-64	64-bit	64-bit	64-bit	-	-	-	-
Novell SUSE Linux Enterprise Server 10 (64-bit OS) on s390x	-	-	64-bit	-	-	-	-
Novell SUSE Linux Enterprise Server 11 (32-bit OS) on x86	-	32-bit	32-bit	-	-	-	-
Novell SUSE Linux Enterprise Server 11 (64-bit OS) on x86-64	64-bit	32-bit 64-bit	64-bit	64-bit	64-bit	32-bit	-
Novell SUSE Linux Enterprise Server 12 (64-bit OS) on x86-64	-	-	-	64-bit	64-bit	64-bit	-

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1.1.0	11.1.1.2.0	11.1.1.3.0			
Oracle Enterprise Linux 5 (32-bit OS) on x86	5.0 (32-bit)	5.0 (32-bit)	5.0 (32-bit)	-	-	-	-
Oracle Enterprise Linux 5 (64-bit OS) on x86-64	5.0 (64-bit)	5.0 (64-bit)	5.0 (64-bit)	-	-	-	-
Oracle Linux 5 (32-bit OS) on x86	-	-	-	-	5.6 (32-bit)	-	-
Oracle Linux 5 (64-bit OS) on x86-64	-	-	-	5.6 (64-bit)	5.6 (32-bit) 5.4 (64-bit)	5.8 (32-bit) 5.6 (64-bit)	-
Oracle Linux 5.5 (64-bit OS) on ExaLogic X2-2	-	-	64-bit	-	-	-	-
Oracle Linux 5.6 (64-bit OS) on Exalogic 2.0	32-bit 64-bit	-	-	64-bit	64-bit	64-bit	-
Oracle Linux 5.8 (64-bit OS) on Exalogic 2.0	32-bit 64-bit	-	-	64-bit	64-bit	64-bit	-
Oracle Linux 6 (64-bit OS) on x86-64	6.1 (64-bit)	6.1 (64-bit)	6.1 (32-bit, 64-bit)	6.1 (64-bit)	6.5 (32-bit) 6.0 (64-bit)	6.5 (32-bit) 6.0 (64-bit)	-
Oracle Linux 6 (32-bit OS) on x86	-	-	6.3 (32-bit)	-	6.5 (32-bit)	-	-
Oracle Linux 6.0 (64-bit OS) on Exalogic 2.0	-	-	-	-	-	64-bit	-
Oracle Linux 7 (64-bit OS) on x86-64	-	-	-	7.0 (64-bit)	7.0 (64-bit)	7.0 (32-bit, 64-bit)	-
Red Hat Enterprise Linux 5 (64-bit OS) on s390x	-	-	64-bit	-	-	-	-
Red Hat Enterprise Linux 5 (32-bit OS) on x86	5.0 (32-bit)	5.0 (32-bit)	5.4 (32-bit)	-	5.6 (32-bit)	-	-

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1.1.0	11.1.1.2.0	11.1.1.3.0			
Red Hat Enterprise Linux 5 (64-bit OS) on x86-64	5.0 (32-bit, 64-bit)	5.0 (64-bit)	5.4 (64-bit)	5.6 (64-bit)	5.6 (32-bit) 5.4 (64-bit)	5.4 (32-bit) 5.6 (64-bit)	-
Red Hat Enterprise Linux 6 (64-bit OS) on x86-64	6.1 (32-bit, 64-bit)	6.1 (64-bit)	6.1 (32-bit, 64-bit)	6.1 (64-bit)	6.5 (32-bit), 6.0 (64-bit)	6.5 (32-bit), 6.0 (64-bit)	-
Red Hat Enterprise Linux 6 (32-bit OS) on x86	6.3 (32-bit)	-	6.3 (32-bit)	-	6.5 (32-bit)	-	-
Red Hat Enterprise Linux 6 (64-bit OS) on s390x	-	-	6.3 (32-bit)	-	6.3 (64-bit)	6.3 (64-bit)	-
Red Hat Enterprise Linux 7 (64-bit OS) on x86-64	-	-	7.0 (64-bit)	7.0 (64-bit)	-	7.0 (32-bit, 64-bit)	-
NeoKylin Linux 6 (64-bit OS) on x86-64	-	-	-	-	-	6.5 (64-bit)	-
NeoKylin Linux 7 (64-bit OS) on x86-64	-	-	-	-	-	7.2 (64-bit)	-
IBM i 6.1 on IBM PowerPC	32-bit	-	32-bit	-	-	-	-
IBM i 7.1 on IBM PowerPC	-	-	32-bit	-	-	-	-
IBM i 7.2 on IBM PowerPC	-	-	32-bit	-	-	-	-
Windows XP on x86 with VS 2005	32-bit (Client Only)	-	-	-	-	-	-
Windows XP on x86 with C++ Builder 2007	32-bit (CORBA Client Only)	-	-	-	-	-	-
Windows XP on x86 with VS 2008	-	32-bit (Client Only)	32-bit (Client Only)	-	-	-	-

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1.1.0	11.1.1.2.0	11.1.1.3.0			
Windows XP on x86 with VS 2010	-	-	32-bit (Client Only)	-	-	-	-
Windows 8.1 on x86-64 with VS 2012	-	-	-	-	-	64-bit (Client Only)	-
Windows 8 on x86-64 with VS 2008	32-bit	-	-	-	-	-	-
Windows 8 on x86 with VS 2010	-	-	32-bit (Client Only)	-	-	-	-
Windows 8 on x86-64 with VS 2010	-	-	64-bit (Client Only)	-	64-bit (Client Only)	-	-
Windows 8 on x86-64 with VS 2012	-	-	-	-	64-bit (Client Only)	64-bit (Client Only)	-
Windows 8.1 on x86-64 with VS 2010	-	-	-	-	-	32-bit (Client Only)	-
Windows 7 on x86 with VS 2005	32-bit (Client Only)	-	-	-	-	-	-
Windows 7 on x86-64 with VS 2005	32-bit (Client Only)	-	-	-	-	-	-
Windows 7 on x86 with VS 2008	-	32-bit (Client Only)	32-bit (Client Only)	-	-	-	-
Windows 7 on x86-64 with VS 2008	-	-	32-bit (Client Only), 64-bit (Client Only)	-	-	-	-
Windows 7 on x86-64 with VS 2010	-	-	32-bit (Client Only), 64-bit (Client Only)	-	64-bit (Client Only)	-	-
Windows 7 on x86-64 with VS 2012	-	-	-	-	64-bit (Client Only)	64-bit (Client Only)	-
Windows 7 on x86 with VS 2010	-	-	-	-	32-bit (Client Only)	-	-

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1.1.0	11.1.1.2.0	11.1.1.3.0			
Windows Server 2003 on x86 with VS 2005	32-bit	-	-	-	-	-	-
Windows Server 2003 R2 on x86 with VS 2005	32-bit	-	-	-	-	-	-
Windows Server 2003 R2 on x86-64 with VS 2005	32-bit	-	-	-	-	-	-
Windows Server 2008 on x86 with VS 2005	32-bit	-	-	-	-	-	-
Windows Server 2008 on x86-64 with VS 2005	32-bit	-	-	-	-	-	-
Windows Server 2008 R2 on x86-64 with VS 2005	32-bit	-	-	-	-	-	-
Windows Server 2008 on x86 with VS 2008	32-bit	32-bit	32-bit	-	-	-	-
Windows Server 2008 on x86-64 with VS 2008	64-bit	64-bit	64-bit	-	-	-	-
Windows Server 2008 on x86 with VS 2010	-	-	32-bit	-	-	-	-
Windows Server 2008 on x86-64 with VS 2010	-	-	64-bit	-	-	-	-
Windows Server 2008 R2 on x86-64 with VS 2008	64-bit	64-bit	32-bit 64-bit	-	-	-	-

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1.1.0	11.1.1.2.0	11.1.1.3.0			
Windows Server 2008 R2 on x86-64 with VS 2010	-	-	32-bit 64-bit	-	32-bit (Client Only), 64-bit	32-bit (Client Only), 64-bit	-
Windows Server 2008 R2 on x86-64 with VS 2012	-	-	-	-	64-bit	64-bit	-
Windows Vista on x86 with VS 2005	32-bit (Client Only)	-	-	-	-	-	-
Windows 10 on x86-64 with VS 2012	-	-	-	-	-	64-bit (Client Only)	-
Windows 10 on x86 with VS 2013	-	-	-	-	-	32-bit (Client Only)	-
Windows 10 on x86-64 with VS 2013	-	-	-	-	-	32-bit (Client Only)	-
Windows Server 2008 on x86 with VS 2005	32-bit	-	-	-	-	-	-
Windows Server 2008 on x86-64 with VS 2005	32-bit	-	-	-	-	-	-
Windows Server 2008 on x86 with VS 2008	32-bit	32-bit	32-bit	-	-	-	-
Windows Server 2012 R2 on x86-64 with VS 2012	-	-	-	-	-	64-bit	-
Windows Server 2016 on x86-64 with VS 2012	-	-	-	-	-	64-bit	-

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1.1.0	11.1.1.2.0	11.1.1.3.0			
HP-UX 11iv2 (B.11.23) (64-bit OS) on Itanium	32-bit, 64-bit	32-bit, 64-bit	32-bit,64-bit	-	-	-	-
HP-UX 11iv2 (B.11.23) (64-bit OS) on PA-RISC	64-bit	-	-	-	-	-	-
HP-UX 11iv3 (B.11.31) (64-bit OS) on Itanium	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	-
HP-UX 11iv3 (B.11.31) (64-bit OS) on PA-RISC	64-bit	-	-	-	-	-	-
Oracle Solaris 10 (64-bit OS) on SPARC	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	-
Oracle Solaris 10 (64-bit OS) on x86-64	64-bit	64-bit	64-bit	-	64-bit	-	-
Oracle Solaris 11 (64-bit OS) on x86-64	64-bit	-	64-bit	-	64-bit	-	-
Oracle Solaris 11 Express (64-bit OS) on x86-64	-	-	-	-	64-bit	-	-
Oracle Solaris 11 (64-bit OS) on SPARC	32-bit, 64-bit	-	-	-	32-bit, 64-bit	32-bit, 64-bit	-
Oracle Solaris 11 Express x86 (64-bit OS) on Exalogic	-	-	64-bit	-	-	-	-
Red Hat Enterprise Linux 5 (32-bit OS) on x86	-	-	-	-	-	-	32-bit

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1.1.0	11.1.1.2.0	11.1.1.3.0			
Oracle Enterprise Linux 5 (32-bit OS) on x86-64	-	-	-	-	-	-	32-bit, 64-bit
SuSE Linux Enterprise Server 9 (32-bit OS) on x86 i586.	-	-	-	-	-	-	32-bit
OpenVMS 6.2 (32-bit OS) on Alpha	-	-	-	-	-	-	32-bit
Windows 7 on x86 with VS 2015	-	-	-	-	-	-	32-bit (Client Only)
Windows Server 2008 R2 on x86-64 with VS 2015	-	-	-	-	-	-	64-bit



Note:

Lifetime support policy for all Oracle Tuxedo releases can be found in [Oracle Documentation](#).

1.5 End of Life Weblogic Servers

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)
		11.1.1.1.0	11.1.1.2.0	11.1.1.3.0		
WebLogic Server 7.0	Yes	Yes	Yes	-	-	-
WebLogic Server 8.1	Yes	Yes	Yes	-	-	-
WebLogic Server 9.0	Yes	Yes	Yes	Yes	Yes	Yes
WebLogic Server 9.1	Yes	Yes	Yes	Yes	Yes	Yes
WebLogic Server 9.2	Yes	Yes	Yes	Yes	Yes	Yes
WebLogic Server 10.0	Yes	Yes	Yes	Yes	Yes	Yes
WebLogic Server 10.3.0	Yes	Yes	Yes	Yes	Yes	Yes

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)
		11.1.1.1.0	11.1.1.2.0	11.1.1.3.0		
WebLogic Server 11gR1 (10.3.x) (x>0)	Yes	Yes	Yes	Yes	Yes	Yes
WebLogic Server 12cR1 (12.1.1)	-	-	Yes	Yes	Yes	Yes
WebLogic Server 12cR1 (12.1.2)	-	-	Yes	-	-	Yes
WebLogic Server 12cR1 (12.1.3)	-	-	Yes	-	Yes	Yes
WebLogic Server 12cR2 (12.2.1)	-	-	-	-	-	Yes
WebLogic Server 14c (14.1.1)	-	-	-	-	-	Yes



Note:

Lifetime support policy for all Oracle WebLogic Server releases can be found in [Oracle Documentation](#). Please consider the above information only for your reference. Kindly verify with the vendor for detailed information.

2

Oracle SALT Certified Platform Tables



Note:

In the SALT release columns, “xx-bit” stands for the Tuxedo binary.

- [Certified Platforms for SALT 12cR2 \(12.1.3\) or Higher](#)
- [Certified Platforms for SALT 12cR1 \(12.1.1\) or Earlier](#)

2.1 Certified Platforms for SALT 12cR2 (12.1.3) or Higher

For SALT 12c Release 2 (12.1.3) or higher, SALT Installation is part of Oracle Tuxedo Installation, and SALT supports the same platforms as Oracle Tuxedo. See [Oracle Tuxedo Certified Platform Tables](#) for Oracle Tuxedo supported platforms.

2.2 Certified Platforms for SALT 12cR1 (12.1.1) or Earlier

For SALT 12c Release 1 (12.1.1) or earlier, see the following tables for SALT supported platforms.

- [HP-UX](#)
- [IBM AIX](#)
- [Microsoft Windows](#)
- [Linux](#)
- [Solaris](#)
- [Others](#)

2.2.1 HP-UX

Platforms	SALT 1.1 for Tuxedo 9.1	SALT 2.0 for Tuxedo 9.1	SALT 2.0 for Tuxedo 10.0	SALT 10gR3 for Tuxedo 10gR3 (10.3)	SALT 11gR1 for Tuxedo 11gR1		SALT 12cR1 for Tuxedo 12cR1 (12.1.1)
					11.1.1.1.0	11.1.1.2	
HP-UX 11iv2 (B.11.23) (32-bit OS) on Itanium	-	-	-	-	32-bit	32-bit	-

Platforms	SALT 1.1 for Tuxedo 9.1	SALT 2.0 for Tuxedo 9.1	SALT 2.0 for Tuxedo 10.0	SALT 10gR3 for Tuxedo 10gR3 (10.3)	SALT 11gR1 for Tuxedo 11gR1		SALT 12cR1 for Tuxedo 12cR1 (12.1.1)
					11.1.1.1.0	11.1.1.2	
HP-UX 11iv2 (B.11.23) (64-bit OS) on Itanium	32-bit	32-bit 64-bit	64-bit	64-bit	64-bit	64-bit	-
HP-UX 11iv2 (B.11.23) (64-bit OS) on PA-RISC	32-bit	32-bit	64-bit	-	-	-	-
HP-UX 11iv3 (B.11.31) (64-bit OS) on Itanium	-	64-bit	64-bit	64-bit	-	32-bit 64-bit	32-bit 64-bit
HP-UX 11iv3 (B.11.31) (64-bit OS) on PA-RISC	-	-	64-bit	-	-	-	-

2.2.2 IBM AIX

Platforms	SALT 1.1 for Tuxedo 9.1	SALT 2.0 for Tuxedo 9.1	SALT 2.0 for Tuxedo 10.0	SALT 10gR3 for Tuxedo 10gR3 (10.3)	SALT 11gR1 for Tuxedo 11gR1			SALT 12cR1 for Tuxedo 12cR1 (12.1.1)
					11.1.1.1.0	11.1.1.2	11.1.1.2.2	
IBM AIX 5.2 (32-bit OS) on IBM PowerPC	32-bit	-	-	-	32-bit	32-bit	-	-
IBM AIX 5.3 (32-bit OS) on IBM PowerPC	32-bit	32-bit	32-bit	32-bit	32-bit	32-bit	-	-
IBM AIX 5.3 (64-bit OS) on IBM PowerPC	-	32-bit	32-bit 64-bit	32-bit 64-bit	32-bit 64-bit	32-bit 64-bit	-	-
IBM AIX 6.1 (64-bit OS) on IBM PowerPC	-	-	64-bit	64-bit	-	64-bit	64-bit*	64-bit

Platforms	SALT 1.1 for Tuxedo 9.1	SALT 2.0 for Tuxedo 9.1	SALT 2.0 for Tuxedo 10.0	SALT 10gR3 for Tuxedo 10gR3 (10.3)	SALT 11gR1 for Tuxedo 11gR1			SALT 12cR1 for Tuxedo 12cR1 (12.1.1)
					11.1.1.1.0	11.1.1.2	11.1.1.2.2	
IBM AIX 7.1 (64-bit OS) on IBM PowerPC	-	-	-	32-bit	-	-	-	64-bit



Note:

*To get IBM AIX 6.1 (64-bit OS) on IBM PowerPC support for SALT 11gR1 (11.1.1.2.2) for Tuxedo 11gR1, install Oracle SALT 11g Release 1 (11.1.1.2.2) RP10 or later on Oracle SALT 11g Release 1 (11.1.1.2).

2.2.3 Microsoft Windows

Platforms	SALT 1.1 for Tuxedo 9.1	SALT 2.0 for Tuxedo 9.1	SALT 2.0 for Tuxedo 10.0	SALT 10gR3 for Tuxedo 10gR3 (10.3)	SALT11gR1 for Tuxedo 11gR1	
					11.1.1.1.0	11.1.1.2
Windows Server 2003 on x86 With VS 2003	32-bit	32-bit	-	-	-	-
Windows Server 2003 on x86 With VS 2005	-	32-bit	32-bit	32-bit	-	-
Windows Server 2008 on 32-bit x86 with VS 2008	-	-	-	-	32-bit	32-bit
Windows Server 2008 on 64-bit x86-64 with VS 2010	-	-	-	-	32-bit 64-bit	32-bit 64-bit

2.2.4 Linux

Platforms	SALT 1.1 for Tuxedo 9.1	SALT 2.0 for Tuxedo 9.1	SALT 2.0 for Tuxedo 10.0	SALT 10gR3 for Tuxedo 10gR3 (10.3)	SALT 11gR1 for Tuxedo 11gR1			SALT 12cR1 for Tuxedo 12cR1 (12.1.1)
					11.1.1.1.0	11.1.1.2	11.1.1.2.2	
Asianux 3.0 (32-bit OS) on x86	-	-	32-bit	-	-	-	-	-
Asianux 3.0 (64-bit OS) on x86-64	-	-	64-bit	-	-	-	-	-
Novell SUSE Linux Enterprise Server 9 (32-bit OS) on x86	32-bit	32-bit	-	-	-	-	-	-
Novell SUSE Linux Enterprise Server 9 (64-bit OS) on x86-64	64-bit	-	-	-	-	-	-	-
Novell SUSE Linux Enterprise Server 10 (32-bit OS) on x86	-	-	32-bit	-	32-bit	32-bit	-	-
Novell SUSE Linux Enterprise Server 10 (64-bit OS) on x86-64	-	-	64-bit	64-bit	64-bit	64-bit	-	-
Novell SUSE Linux Enterprise Server 10 SP1 (64-bit OS) on Itanium	-	-	64-bit	-	-	-	-	-

Platforms	SALT 1.1 for Tuxedo 9.1	SALT 2.0 for Tuxedo 9.1	SALT 2.0 for Tuxedo 10.0	SALT 10gR3 for Tuxedo 10gR3 (10.3)	SALT 11gR1 for Tuxedo 11gR1			SALT 12cR1 for Tuxedo 12cR1 (12.1.1)
					11.1.1.1.0	11.1.1.2	11.1.1.2.2	
Novell Suse Linux Enterprise Server 11 on 32-bit x86	-	-	-	32-bit	32-bit	-	-	-
Novell Suse Linux ES 11 on 64-bit x86-64	-	-	-	-	-	-	-	64-bit
Oracle Enterprise Linux 5 (32-bit OS) on x86	-	-	-	5.0 (32-bit)	5.0 (32-bit)	5.0 (32-bit)	5.0 (32-bit)	-
Oracle Enterprise Linux 5 (64-bit OS) on x86-64	-	-	-	-	5.0 (64-bit)	5.0 (64-bit)	5.0 (64-bit)	5.6 (64-bit)
Oracle Linux 5.5 (64-bit OS) on ExaLogic X2-2	-	-	-	-	-	64-bit	-	-
Oracle Linux 5.6 (64-bit OS) on Exalogic 2.0	-	-	-	-	-	-	-	64-bit
Oracle Linux 6 (64-bit OS) on x86-64	-	-	-	6.1 (64-bit)	-	-	6.1 (64-bit)	-
Oracle Linux 9 (64-bit OS) on x86-64	-	-	-	-	-	-	-	64-bit
Red Hat Enterprise Linux 4 (32-bit OS) on x86	4.0 (32-bit)	4.0 (32-bit)	-	-	-	-	-	-
Red Hat Enterprise Linux 5 (32-bit OS) on x86	-	-	5.0 (32-bit)	-	5.0 (32-bit)	5.0 (32-bit)	-	-

Platforms	SALT 1.1 for Tuxedo 9.1	SALT 2.0 for Tuxedo 9.1	SALT 2.0 for Tuxedo 10.0	SALT 10gR3 for Tuxedo 10gR3 (10.3)	SALT 11gR1 for Tuxedo 11gR1			SALT 12cR1 for Tuxedo 12cR1 (12.1.1)
					11.1.1.1.0	11.1.1.2	11.1.1.2.2	
Red Hat Enterprise Linux 5 (64-bit OS) on Itanium	-	-	5.0 (64-bit)	-	-	-	-	-
Red Hat Enterprise Linux 5 (64-bit OS) on x86-64	-	-	5.0 (64-bit)	-	-	-	-	-
Red Hat Enterprise Linux 5 (64-bit OS) on x86	-	-	-	-	-	-	-	5.6 (64-bit)
Red Hat Enterprise Linux Server release 6 (Santiago)	-	-	-	6.1 (64-bit)	-	-	6.1 (64-bit)	-
Red Hat Enterprise Linux 9 (64-bit OS) on x86-64	-	-	-	-	-	-	-	64-bit

2.2.5 Solaris

Platforms	SALT 1.1 for Tuxedo 9.1	SALT 2.0 for Tuxedo 9.1	SALT 2.0 for Tuxedo 10.0	SALT 10gR3 for Tuxedo 10gR3 (10.3)	SALT 11gR1 for Tuxedo 11gR1			SALT 12cR1 for Tuxedo 12cR1 (12.1.1)
					11.1.1.1.0	11.1.1.2	11.1.1.2.2	
Sun Solaris 9 (32-bit OS) on SPARC	32-bit	32-bit	32-bit	-	-	-	-	-
Sun Solaris 9 (64-bit OS) on SPARC	32-bit	32-bit	32-bit 64-bit	-	-	-	-	-
Oracle Solaris 10 (64-bit OS) on SPARC	32-bit	32-bit	32-bit 64-bit	32-bit	32-bit 64-bit	32-bit 64-bit	32-bit 64-bit	64-bit

Platforms	SALT 1.1 for Tuxedo 9.1	SALT 2.0 for Tuxedo 9.1	SALT 2.0 for Tuxedo 10.0	SALT 10gR3 for Tuxedo 10gR3 (10.3)	SALT 11gR1 for Tuxedo 11gR1			SALT 12cR1 for Tuxedo 12cR1 (12.1.1)
					11.1.1.1.0	11.1.1.2	11.1.1.2.2	
Oracle Solaris 10 (64-bit OS) on x86_64	-	-	-	64-bit	64-bit	64-bit	-	64-bit
Oracle Solaris 11 (32-bit OS) on SPARC	-	-	-	-	-	32-bit	-	-
Oracle Solaris 11 (64-bit OS) on SPARC	-	-	-	-	-	64-bit	-	64-bit
Oracle Solaris 11 (64-bit) on x86-64	-	-	-	-	-	-	-	64-bit
Oracle Solaris 11 Express x86 (64-bit OS) on Exalotic	-	-	-	-	-	64-bit	-	-

2.2.6 Others

Platforms	SALT 11gR1 for Tuxedo 11gR1 (11.1.1.2)
OpenVMS V8.3-1H1 (64-bit) on IA64	64-bit
IBM i 6.1 on PowerPC	32-bit
IBM i 7.1 on PowerPC	32-bit

3

Oracle TSAM Plus Certified Platform Tables



Note:

In the TSAM Plus release columns, “xx-bit” stands for the Tuxedo binary.

- [Certified Platforms](#)

3.1 Certified Platforms

- [HP-UX](#)
- [IBM AIX](#)
- [Linux](#)
- [Microsoft Windows](#)
- [Solaris](#)

3.1.1 HP-UX

Platforms	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 9.1 (EM Console Only)	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 10.3	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 11.1.1.2.0	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 12cR1 (12.1.1)	TSAM Plus 12cR2 (12.1.3) for Tuxedo 12cR2 (12.1.3)	TSAM Plus 12cR2 (12.2.2) for Tuxedo 12cR2 (12.2.2)
HP-UX 11iv2 (B.11.23) (64-bit OS) on Itanium	-	64-bit	64-bit	-	-	-
HP-UX 11i v2 (B.11.23) (32-bit OS) on PA-RISC	32-bit	-	-	-	-	-
HP-UX 11iv3 (B.11.31) (64-bit OS) on Itanium	-	-	64-bit	32-bit 64-bit	64-bit	64-bit
HP-UX 11i v3 (B.11.31) (32-bit OS) on Itanium	-	32-bit	-	-	-	-

3.1.2 IBM AIX

Platforms	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 10.3	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 11.1.1.2.0	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 12cR1 (12.1.1)	TSAM Plus 12cR2 (12.1.3) for Tuxedo 12cR2 (12.1.3)	TSAM Plus 12cR2 (12.2.2) for Tuxedo 12cR2 (12.2.2)
IBM AIX 5.3 (64-bit) on IBM PowerPC	64-bit	-	-	-	-
IBM AIX 6.1 (64-bit) on IBM PowerPC	-	32-bit 64-bit	64-bit	64-bit	-
IBM AIX 7.1 (64-bit) on IBM PowerPC	-	-	64-bit	-	64-bit

3.1.3 Linux

Platforms	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 9.1 (EM Console Only)	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 10.3	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 11.1.1.2.0	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 11.1.1.3.0	TSAM Plus 12cR1 (12.1.1) for Tuxedo 12cR1 (12.1.1)	TSAM Plus 12cR2 (12.1.3) for Tuxedo 12cR2 (12.1.3)	TSAM Plus 12cR2 (12.2.2) for Tuxedo 12cR2 (12.2.2)
Novell SUSE Linux Enterprise Server 9 (32-bit) on x86	9.0 (32-bit)	-	-	-	-	-	-
Novell SUSE Linux Enterprise Server 11 (64-bit) on x86-64	-	-	-	-	64-bit	-	-
Oracle Enterprise Linux 5 (64-bit) on x86-64	-	5.0 (64-bit)	5.6 (64-bit)	5.6 (64-bit)	5.6 (64-bit)	5.6 (64-bit)	-
Oracle Linux 6 (64-bit) on X86-64	-	-	-	-	-	6.4 (64-bit)	6.7 (64-bit)

Platforms	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 9.1 (EM Console Only)	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 10.3	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 11.1.1.2.0	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 11.1.1.3.0	TSAM Plus 12cR1 (12.1.1) for Tuxedo 12cR1 (12.1.1)	TSAM Plus 12cR2 (12.1.3) for Tuxedo 12cR2 (12.1.3)	TSAM Plus 12cR2 (12.2.2) for Tuxedo 12cR2 (12.2.2)
Oracle Linux 5.6 (64-bit) on Exalogic 2.0	-	-	-	64-bit	64-bit	-	-
Red Hat Enterprise Linux 5 (64-bit) on x86-64	-	-	-	-	5.6 (64-bit)	-	-
Red Hat Enterprise Linux 6 (64-bit) on x86-64	-	-	6.2 (64-bit)	-	6.2 (64-bit; TASM Plus Console only)	6.4 (64-bit)	6.7 (64-bit)
Red Hat Enterprise Linux 6 (64-bit) on s390x	-	-	-	-	6.3 (64-bit)	6.5 (64-bit)	-

3.1.4 Microsoft Windows

Platforms	TSAM Plus 12cR2 (12.1.3) for Tuxedo 12cR2 (12.1.3)	TSAM Plus 12cR2 (12.2.2) for Tuxedo 12cR2 (12.2.2)
Windows Server 2008 R2 on x86-64 with VS 2010	64-bit	64-bit

3.1.5 Solaris

Platforms	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 10.3	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 11.1.1.2.0	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 12cR1 (12.1.1)	TSAM Plus 12cR2 (12.1.3) for Tuxedo 12cR2 (12.1.3)	TSAM Plus 12cR2 (12.2.2) for Tuxedo 12cR2 (12.2.2)
Oracle Solaris 10 (64-bit) on x86-64	-	64-bit	64-bit	-	-
Oracle Solaris 10 (32-bit) on SPARC	-	-	32-bit	-	-

Platforms	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 10.3	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 11.1.1.2.0	TSAM Plus 12cR1 (12.1.1.1) for Tuxedo 12cR1 (12.1.1)	TSAM Plus 12cR2 (12.1.3) for Tuxedo 12cR2 (12.1.3)	TSAM Plus 12cR2 (12.2.2) for Tuxedo 12cR2 (12.2.2)
Oracle Solaris 10 (64-bit) on SPARC	32-bit 64-bit	64-bit	64-bit	64-bit	-
Oracle Solaris 11 (64-bit) on x86-64	-	-	64-bit	-	-
Oracle Solaris 11 (64-bit) on SPARC	-	-	64-bit	-	64-bit

4

Oracle TSAM Certified Platform Tables

 **Note:**

In the TSAM release columns, “xx-bit” stands for the Tuxedo binary. For TSAM 11gR1, 11.1.1.2.X stands for 11.1.1.2.0, 11.1.1.2.1, and 11.1.1.2.2.

- [Certified Platforms](#)

4.1 Certified Platforms

- [HP-UX](#)
- [IBM AIX](#)
- [Linux](#)
- [Microsoft Windows](#)
- [Solaris](#)
- [Others](#)

4.1.1 HP-UX

Platforms	TSAM Manager 1.1	TSAM Agent 1.1 for Tuxedo 9.1	TSAM Agent 1.1 for Tuxedo 10.0	TSAM Manager 10gR3	TSAM Agent 10gR3	TSAM 11gR1	
						11.1.1.1.0	11.1.1.2.X
HP-UX 11iv2 (B.11.23) (64-bit OS) on Itanium	64-bit	32-bit 64-bit	64-bit	64-bit	32-bit 64-bit	32-bit 64-bit	32-bit 64-bit
HP-UX 11iv2 (B.11.23) (64-bit OS) on PA-RISC	64-bit	32-bit 64-bit	64-bit	64-bit	64-bit	-	-
HP-UX 11iv3 (B.11.31) (64-bit OS) on Itanium	64-bit	-	64-bit	-	-	-	32-bit 64-bit
HP-UX 11iv3 (B.11.31) (64-bit OS) on PA-RISC	-	-	64-bit	-	-	-	-

4.1.2 IBM AIX

Platforms	TSAM Manager 1.1	TSAM Agent 1.1 for Tuxedo 9.1	TSAM Agent 1.1 for Tuxedo 10.0	TSAM Manager 10gR3	TSAM Agent 10gR3	TSAM 11gR1		TSAM 12cR1
						11.1.1.1.0	11.1.1.2.X	
IBM AIX 5.3 (32-bit OS) on IBM PowerPC	32-bit	32-bit	32-bit	32-bit	32-bit	-	-	-
IBM AIX 5.3 (64-bit OS) on IBM PowerPC	-	32-bit 64-bit	32-bit 64-bit	32-bit 64-bit	32-bit 64-bit	32-bit 64-bit	32-bit 64-bit	-
IBM AIX 6.1 (64-bit OS) on IBM PowerPC	-	-	32-bit 64-bit	32-bit 64-bit	32-bit 64-bit	-	-	64-bit
IBM AIX 7.1 (64-bit) on IBM PowerPC	-	-	-	-	-	-	-	64-bit

4.1.3 Linux

Platforms	TSAM Manager 1.1	TSAM Agent 1.1 for Tuxedo 9.1	TSAM Agent 1.1 for Tuxedo 10.0	TSAM Manager 10gR3	TSAM Agent 10gR3	TSAM 11gR1		TSAM 12cR1
						11.1.1.1.0	11.1.1.2.X	
Asianux 3.0 (32-bit OS) on x86	-	-	32-bit	-	-	-	-	-
Asianux 3.0 (64-bit OS) on x86-64	-	-	64-bit	-	-	-	-	-
Novell SUSE Linux Enterprise Server 9 (32-bit OS) on x86	-	32-bit	-	-	-	-	-	-

Platforms	TSAM Manager 1.1	TSAM Agent 1.1 for Tuxedo 9.1	TSAM Agent 1.1 for Tuxedo 10.0	TSAM Manager 10gR3	TSAM Agent 10gR3	TSAM 11gR1		TSAM 12cR1
						11.1.1.1.0	11.1.1.2.X	
Novell SUSE Linux Enterprise Server 9 (64-bit OS) on Itanium	-	64-bit	-	-	-	-	-	-
Novell SUSE Linux Enterprise Server 10 (32-bit OS) on x86	-	-	32-bit	-	-	32-bit	32-bit	-
Novell SUSE Linux Enterprise Server 10 (64-bit OS) on x86-64	64-bit	64-bit	64-bit	64-bit	64-bit	64-bit	64-bit	-
Novell SUSE Linux Enterprise Server 10 SP1 (64-bit OS) on Itanium	-	-	64-bit	-	-	-	-	-
Novell SUSE Linux Enterprise Server 11 (32-bit) on x86	-	-	-	-	-	32-bit	32-bit	-
Novell SUSE Linux Enterprise Server 11 (64-bit) on x86-64	-	-	-	-	-	-	-	64-bit
Oracle Enterprise Linux 5.0 (32-bit OS) on x86	-	-	-	-	32-bit	32-bit	32-bit	-

Platforms	TSAM Manager 1.1	TSAM Agent 1.1 for Tuxedo 9.1	TSAM Agent 1.1 for Tuxedo 10.0	TSAM Manager 10gR3	TSAM Agent 10gR3	TSAM 11gR1		TSAM 12cR1
						11.1.1.1.0	11.1.1.2.X	
Oracle Enterprise Linux 5.0 (64-bit OS) on x86-64	-	-	-	64-bit	64-bit	64-bit	64-bit	-
Oracle Enterprise Linux 5.2 (64-bit OS) on x86-64	-	-	-	-	32-bit 64-bit	-	-	-
Oracle Enterprise Linux 5.6 (64-bit) on x86-64	-	-	-	-	-	-	-	64-bit
Oracle Linux 5.5 (64-bit) on ExaLogic X2-2	-	-	-	-	-	-	64-bit	-
Oracle Linux 5.6 (64-bit) on Exalogic 2.0	-	-	-	-	-	-	-	64-bit
Red Hat Linux Enterprise AS 5 (32-bit OS) on x86	-	-	32-bit	-	-	32-bit	32-bit	-
Red Hat Linux Enterprise AS 5 (64-bit OS) on x86-64	64-bit	-	64-bit	64-bit	64-bit	-	64-bit	-
Red Hat Linux Enterprise AS 5 (64-bit OS) on Itanium	-	-	64-bit	-	-	-	-	-
Red Hat Enterprise Linux 5.6 (64-bit) on x86-64	-	-	-	-	-	-	-	64-bit

4.1.4 Microsoft Windows

Platforms	TSAM Manager 1.1	TSAM Agent 1.1 for Tuxedo 9.1	TSAM Agent 1.1 for Tuxedo 10.0	TSAM Manager 10gR3	TSAM Agent 10gR3	TSAM 11gR1	
						11.1.1.1.0	11.1.1.2.X
Windows Server 2000 on x86 with VS 2003	-	32-bit (Client Only)	-	-	-	-	-
Windows Server 2003 on x86	32-bit	-	-	-	-	-	-
Windows Server 2003 on x86 with VS 2003	-	32-bit	-	-	-	-	-
Windows Server 2003 on x86 with VS 2005	-	-	32-bit	32-bit	32-bit	-	-
Windows Server 2003 on x86 with VS 2005	-	32-bit	-	-	-	-	-
Windows Server 2003 on x86 with VS 2005	-	32-bit	-	-	-	-	-
Windows Server 2008 on x86 with VS 2008	-	-	-	-	-	32-bit	32-bit
Windows Server 2008 on x86-64 with VS 2008	-	-	-	-	-	64-bit	64-bit
Windows Server 2008 R2 on x86-64 with VS 2008	-	-	-	-	-	-	64-bit
Windows Vista on x86 with VS 2005	-	32-bit	-	-	32-bit (Client Only)	-	-
Windows XP on x86 with VS 2005 (Client Only)	-	-	32-bit	-	32-bit	-	-

4.1.5 Solaris

Platforms	TSAM Manager 1.1	TSAM Agent 1.1 for Tuxedo 9.1	TSAM Agent 1.1 for Tuxedo 10.0	TSAM Manager 10gR3	TSAM Agent 10gR3	TSAM 11gR1		TSAM 12cR1
						11.1.1.1.0	11.1.1.2.X	
Sun Solaris 9 (32-bit OS) on SPARC	32-bit	32-bit	32-bit	-	-	-	-	-
Sun Solaris 9 (64-bit OS) on SPARC	-	32-bit 64-bit	32-bit 64-bit	-	-	-	-	-
Oracle Solaris 10 (64-bit OS) on x86-64	-	64-bit	-	64-bit	32-bit 64-bit	64-bit	64-bit	64-bit
Oracle Solaris 10 (64-bit OS) on SPARC	32-bit	-	32-bit 64-bit	32-bit 64-bit	64-bit	32-bit 64-bit	32-bit 64-bit	64-bit
Oracle Solaris 11 (64-bit) on x86-64	-	-	-	-	-	-	-	64-bit
Oracle Solaris 11 (64-bit OS) on SPARC	-	-	-	-	-	-	32-bit 64-bit	64-bit
Oracle Solaris 11 Express x86 (64-bit) on Exalogic	-	-	-	-	-	-	64-bit	-

4.1.6 Others

Platforms	TSAM 11gR1
	11.1.1.2.0
HP OpenVMS V8.3-1H1 (64-bit) on IA64	¹ 64-bit
IBM i 6.1 on IBM PowerPC	² 32-bit

 **Note:**

1. Only for TSAM Agent
2. Only for TSAM Agent

5

Oracle Tuxedo JCA Adapter Certified Platform Tables

 **Note:**

In the release columns, "Yes" stands for the supported release.

- [Certified Application Servers](#)

5.1 Certified Application Servers

Application Server	11gR1 (11.1.1.x)	12cR1 (12.1.1)
Oracle WebLogic Server 10.3.x	Yes	Yes ¹
Oracle WebLogic Server 12.1.1	-	Yes
JDeveloper SOA 11gR1 (11.1.1.4.0) (for JCA & Jdev Integration)	-	Yes
IBM WebSphere 6.1	Yes ²	-
IBM WebSphere 7.0	Yes	Yes
IBM WebSphere 8.0	-	Yes
IBM WebSphere 8.5	-	Yes
JBoss AS 5.1.0.GA	Yes	Yes
JBoss AS 6.0.0.Final	Yes ³	Yes
RedHat JBoss Enterprise Application Platform 7.0	-	Yes ⁴
WildFly 8.2.0.Final	-	Yes ⁵
Oracle SOA Suite 12c (12.1.3.0.0)	-	Yes

 **Note:**

1. For Oracle WebLogic Server 10.3.6 only
2. For JCA 11.1.1.0 only.
3. For JCA 11.1.1.2 only.
4. Oracle Tuxedo JCA Adapter Rolling Patch 008 or later must be installed.
5. Oracle Tuxedo JCA Adapter Rolling Patch 006 or later must be installed.

6

Oracle MessageQ Certified Platforms



Note:

In the MQ release columns, “xx-bit” stands for the Oracle MessageQ binary.

- [Platform Support Policy](#)
- [Certified Platforms](#)

6.1 Platform Support Policy

The Oracle policy regarding operating system platform support for Oracle MessageQ is as follows:

- x86 or x86-64 denotes various CPUs based on x86 or x86-64 architecture.
- Oracle MessageQ 32-bit binaries are supported on 64-bit operating systems, such as on 64-bit versions of HP-UX, Solaris, AIX and Linux. This support is based on OS vendor compatibility assurance that 32-bit applications can run on 64-bit OS without any changes. For more 32-bit application support on 64-bit OS information, please refer to respective OS vendor documentation.
- The platform data sheets list the service pack or maintenance pack level that was used to certify Oracle MessageQ on an OS version. For the OS version, any subsequent service packs or maintenance packs are considered supported for the same OS version, provided the vendor maintains binary compatibility between the certified and new service pack or maintenance pack level. This support is based on OS vendor compatibility assurance.
- Oracle MessageQ is considered supported in virtualization software environments provided by the operating system vendor (such as Solaris Containers, HP-UX VM and AIX6 WPARs). Even though Oracle has performed limited testing in these environments, the support is based on the OS vendor compatibility statement that software applications will run in a virtualization software environment without any changes. Other virtualization software environments (such as VMWare), are also considered supported, provided that the virtualization software environment is supported by the operating system vendor and the support criteria specified in the operating system data sheets are met. For more information, see Supported Platform Data Sheets.
- The Oracle policy is that when the operating system provider discontinues supporting a specific release, Oracle support is also discontinued.
- Oracle will not be able to notify customers and users when support for a specific operating system release is discontinued. As a user of the operating system release, we expect you to find out from the operating system provider of discontinued support and plan accordingly.
- All minor releases higher than the certified OS version are supported with the assumption that OS vendor maintains binary compatibility. For example, if Oracle MessageQ 5.0 is certified on Red Hat Enterprise Linux 6.2, Red Hat Enterprise Linux 6.x (x>2) are

supported with the assumption that Red Hat will maintain binary compatibility among all minor versions of release 6.

- An operating system platform that is binary-compatible with a Tuxedo-supported platform is also considered a Tuxedo-supported platform. Tuxedo supports Alma Linux 8 since it is binary-compatible with Red Hat Enterprise Linux 8, which is already supported by Tuxedo.

6.2 Certified Platforms

- [IBM AIX](#)
- [HP-UX](#)
- [Microsoft Windows](#)
- [Open VMS](#)
- [Linux](#)
- [Oracle Solaris](#)
- [End of Life Platforms](#)

6.2.1 IBM AIX

Platforms	MQ 5
IBM AIX 5.3 (32-bit OS) on PowerPC	32-bit

6.2.2 HP-UX

Platforms	MQ 5
HP-UX 11.11 (32-bit OS) on PA-RISC	32-bit
HP-UX 11i	32-bit
HP-UX 11iv2 B.11.23 (32-bit OS) on PA-RISC	32-bit
HP-UX B.11.23 (64-bit OS) on Itanium	32-bit, 64-bit
HP-UX B.11.31 (64-bit OS) on Itanium	32-bit, 64-bit

6.2.3 Microsoft Windows

Platforms	MQ 5
Windows Server 2000 on x86	32-bit
Windows Server 2003 on x86	32-bit
Windows XP on x86	32-bit
Windows Server 2008 on x86	32-bit
Windows Vista Business on x86	32-bit
Windows 7 on x86-64	32-bit
Windows 7 on x86	32-bit
Windows Server 2008 R2 on x86	32-bit
Windows Server 2012 on x86	32-bit

Platforms	MQ 5
Windows Server 2012 R2 on x86	32-bit

6.2.4 Open VMS

Platforms	MQ 5
OpenVMS 7.3-2 (64-bit OS) on Alpha	32-bit
OpenVMS 8.2 (64-bit OS) on Alpha	32-bit
OpenVMS 8.2-1 (64-bit OS) on Itanium	32-bit
OpenVMS 8.3 (64-bit OS) on Alpha	32-bit
OpenVMS 8.3 (64-bit OS) on Itanium	32-bit
OpenVMS 8.3-1H1 (64-bit OS) on Itanium	32-bit
OpenVMS 8.4 (64-bit OS) on Alpha	32-bit
OpenVMS 8.4 (64-bit OS) on Itanium	32-bit
OpenVMS 8.4-1H1 (64-bit OS) on Itanium	32-bit
OpenVMS 8.4-2 (64-bit OS) on Itanium	32-bit
OpenVMS 8.4-2L1(64-bit OS) on Itanium	32-bit

6.2.5 Linux

Platforms	MQ 5
Red Hat Enterprise Linux 6 (64-bit OS) on x86-64 ^{1*}	32-bit (OMQ 5.0 binary for SuSE 9 32-bit), 64-bit (OMQ 5.0 binary for RHEL 6.5 64-bit)
Red Hat Enterprise Linux 7 (64-bit OS) on x86-64 ^{2**}	32-bit (OMQ 5.0 binary for SuSE 9 32-bit), 64-bit (OMQ 5.0 binary for RHEL 6.5 64-bit)
Red Hat Enterprise Linux 8.1 (64-bit OS) on x86-64	32-bit (OMQ 5.0 binary for SuSE 9 32-bit), 64-bit (OMQ 5.0 binary for RHEL 6.5 64-bit)
Oracle Enterprise Linux 7 (64-bit OS) on x86-64	32-bit (OMQ 5.0 binary for SuSE 9 32-bit), 64-bit (OMQ 5.0 binary for RHEL 6.5 64-bit)
Oracle Enterprise Linux 8.1 (64-bit OS) on x86-64	32-bit (OMQ 5.0 binary for SuSE 9 32-bit), 64-bit (OMQ 5.0 binary for RHEL 6.5 64-bit)

 **Note:**

^{1*} `libncurses.so.5` must be in the system library path. ^{2**} `libncurses.so.5` must be in the system library path.

6.2.6 Oracle Solaris

Platforms	MQ 5
Oracle Solaris 9 (32-bit OS) on SPARC	32-bit
Oracle Solaris 10 (32-bit OS) on SPARC	32-bit
Oracle Solaris 10 (32-bit OS) on x86	32-bit

Platforms	MQ 5
Oracle Solaris 10 (64-bit OS) on SPARC	32-bit, 64-bit
Oracle Solaris 10 (64-bit OS) on x86	32-bit
Oracle Solaris 11 (64-bit OS) on SPARC	32-bit, 64-bit

6.2.7 End of Life Platforms

Platforms	MQ 5
IBM AIX 5.2 (32-bit OS) on PowerPC	32-bit
OpenVMS 8.2 (32-bit OS) on Itanium	32-bit
Red Hat Linux Advanced Server 2.1 (32-bit OS) on x86	32-bit
Red Hat Linux WS 2.1 (32-bit OS) on x86	32-bit
Solaris 8 (32-bit OS) on SPARC	32-bit
Red Hat Enterprise Linux 3.0 (32-bit OS) on x86	32-bit
Red Hat Enterprise Linux 4.0 (32-bit OS) on x86	32-bit
MP-RAS 3.02 (32-bit OS)	32-bit
Tru 64 5.1b-4 (64-bit OS) on Alpha	64-bit
Red Hat Enterprise Linux 5 (32-bit OS) on x86	32-bit
Oracle Enterprise Linux 5 (32-bit OS) on x86-64 MQ5	32-bit
SuSE Linux Enterprise Server 9 (32-bit OS) on x86 i586	32-bit
OpenVMS 6.2 (32-bit OS) on Alpha	32-bit



Note:

Please consider the above information only for your reference. Kindly verify with the vendor for detailed information.

7

Oracle Tuxedo Message Queue Certified Platform Tables



Note:

In the release columns, “xx-bit” stands for the Oracle Tuxedo Message Queue (OTMQ) binary.

- [Certified Platforms](#)

7.1 Certified Platforms

- [HP-UX](#)
- [IBM AIX](#)
- [Linux](#)
- [Microsoft Windows](#)
- [Solaris](#)

7.1.1 HP-UX

Platforms	12cR2 (12.1.3)
HP-UX 11i v3 (64-bit OS) on Itanium	64-bit

7.1.2 IBM AIX

Platforms	12cR1 (12.1.1)	12cR2 (12.1.3)
IBM AIX 6.1 (64-bit OS) on IBM PowerPC	64-bit	32-bit, 64-bit
IBM AIX 7.1 (64-bit OS) on IBM PowerPC	64-bit	64-bit

7.1.3 Linux

Platforms	12cR1 (12.1.1)	12cR2 (12.1.3)
Novell SUSE Linux Enterprise Server 10 (64-bit OS) on x86-64	-	32-bit
Novell SUSE Linux Enterprise Server 11 (64-bit OS) x86-64	64-bit	-

Platforms	12cR1 (12.1.1)	12cR2 (12.1.3)
Oracle Linux 5 (64-bit OS) on x86-64	5.6 (64-bit)	5.6 (32-bit), 5.6 (64-bit)
Oracle Linux 6 (64-bit OS) on x86-64	-	6.0 (64-bit)
Oracle Linux 5.6 (64-bit OS) on Exalogic 2.0	64-bit	64-bit
Oracle Linux 5.8 (64-bit OS) on Exalogic 2.0	-	64-bit
Red Hat Enterprise Linux 5 (64-bit OS) on x86-64	5.6 (64-bit)	5.6 (64-bit)
Red Hat Enterprise Linux 6 (64-bit OS) on x86-64	-	5.6 (64-bit)

7.1.4 Microsoft Windows

Platforms	12cR1 (12.1.1)	12cR2 (12.1.3)
Windows Server 2008 R2 on x86-64 with VS 2010	64-bit	-
Windows Server 2008 R2 on x86-64 with VS 2013	-	64-bit

7.1.5 Solaris

Platforms	12cR1 (12.1.1)	12cR1 (12.1.3)
Oracle Solaris 10 (64-bit) on SPARC	64-bit	64-bit
Oracle Solaris 10 (64-bit) on x86-64	64-bit	-
Oracle Solaris 11 (64-bit) on x86-64	64-bit	-
Oracle Solaris 11 (64-bit) on SPARC	64-bit	64-bit

8

Oracle Tuxedo Application Runtime for CICS and Batch Certified Platform Tables



Note:

In the release columns, "Yes" stands for the supported release.

- [Certified Platforms](#)

8.1 Certified Platforms

- [HP-UX](#)
- [IBM AIX](#)
- [Linux](#)
- [Solaris](#)

8.1.1 HP-UX

Platforms	11gR1	
	11.1.1.2	11.1.1.3.0
HP-UX 11i v2 (64-bit OS) on Itanium	Yes	Yes

8.1.2 IBM AIX

Platforms	11gR1			12cR1 (12.1.1)	12cR2 (12.1.3)	12cR2 (12.2.2)
	11.1.1.1.0	11.1.1.2	11.1.1.3.0			
IBM AIX 5.3 (64-bit OS) on IBM PowerPC	Yes	Yes	Yes	-	-	-
IBM AIX 6.1 (64-bit OS) on IBM PowerPC	-	Yes	Yes	Yes	Yes	-
IBM AIX 7.1 (64-bit OS) on IBM PowerPC	-	-	-	Yes	Yes	Yes

8.1.3 Linux

Platforms	11gR1			12cR1 (12.1.1)	12cR2 (12.1.3)	12cR2 (12.2.2)
	11.1.1.1.0	11.1.1.2	11.1.1.3.0			
Oracle Linux 5 (64-bit OS) on x86-64	-	5.4 (Yes)	5.4 (Yes)	5.6 (Yes)	5.6 (Yes)	-
Oracle Linux 6 (64-bit OS) on x86-64	-	-	-	6.2 (Yes)	6.0 (Yes)	6.2 (Yes)
Oracle Linux 5.5 (64-bit OS) on Exalogic 2.0	-	Yes	-	-	-	-
Oracle Linux 5.6 (64-bit OS) on Exalogic 2.0	-	-	Yes	Yes	Yes	-
Red Hat Enterprise Linux 5 (64-bit OS) on x86-64	5.4 (Yes)	5.4 (Yes)	5.4 (Yes)	5.6 (Yes)	5.6 (Yes)	-
Red Hat Enterprise Linux 6 (64-bit OS) on x86-64	-	-	-	6.2 (Yes)	6.0 (Yes)	6.2 (64-bit)
Red Hat Enterprise Linux 6 (64-bit OS) on s390x	-	-	-	6.3 (Yes)	6.3 (Yes)	-
Novell SUSE Linux Enterprise Server 11 (64-bit OS) on x86-64	-	Yes	Yes	Yes	-	-

8.1.4 Solaris

Platforms	11gR1		12cR1 (12.1.1)	12cR2 (12.1.3)	12cR2 (12.2.2)
	11.1.1.2	11.1.1.3.0			
Oracle Solaris 10 (64-bit OS) on SPARC	Yes	Yes	Yes	Yes	-
Oracle Solaris 11 (64-bit OS) on SPARC	-	-	Yes	Yes	Yes

9

Oracle Tuxedo Application Runtime for Batch Certified Platform Tables



Note:

In the release columns, "Yes" stands for the supported release.

- [Certified Platforms](#)

9.1 Certified Platforms

- [IBM AIX](#)
- [Linux](#)
- [Solaris](#)

9.1.1 IBM AIX

Platforms	12cR1 (12.1.1)	12cR2 (12.1.3)	12cR2 (12.2.2)
IBM AIX 6.1 (64-bit) on IBM PowerPC	Yes	Yes	-
IBM AIX 7.1 (64-bit) on IBM PowerPC	Yes	Yes	Yes

9.1.2 Linux

Platforms	12cR1 (12.1.1)	12cR2 (12.1.3)	12cR2 (12.2.2)
Oracle Linux 5 (64-bit OS) on x86-64	5.6 (Yes)	5.6 (Yes)	-
Oracle Linux 6 (64-bit OS) on x86-64	-	-	6.2 (Yes)
Oracle Linux 5.6 (64-bit) on Exalogic 2.0	Yes	Yes	-
Red Hat Enterprise Linux 5 (64-bit OS) on x86-64	5.6 (Yes)	5.6 (Yes)	-
Red Hat Enterprise Linux 6 (64-bit OS) on x86-64	-	6.0 (Yes)	6.2 (Yes)
Red Hat Enterprise Linux 6 (64-bit OS) on s390x	-	6.3 (Yes)	-
Novell SUSE Linux Enterprise Server 11 (64-bit) on x86-64	Yes	-	-

9.1.3 Solaris

Platforms	12cR1 (12.1.1)	12cR2 (12.1.3)	12cR2 (12.2.2)
Oracle Solaris 10 (64-bit) on SPARC	Yes	Yes	-
Oracle Solaris 11 (64-bit) on SPARC	Yes	Yes	Yes

10

Oracle Tuxedo Application Rehosting Workbench Certified Platform Tables



Note:

In the release columns, “xx-bit” stands for the Oracle Tuxedo Application Rehosting Workbench binary.

- [Certified Platforms](#)

10.1 Certified Platforms

- [Linux](#)

10.1.1 Linux

Platforms	11gR1			12cR1 (12.1.1)	12cR2 (12.1.3)	12cR2 (12.2.2)
	11.1.1.1.0	11.1.1.2	11.1.1.3.0			
Oracle Linux 5 (32-bit OS) on x86	-	5.4 (32-bit)	5.4 (32-bit)	-	-	-
Oracle Linux 5 (64-bit OS) on x86-64	-	5.4 (64-bit)	5.4 (64-bit)	5.6 (64-bit)	5.6 (64-bit)	-
Oracle Linux 6 (64-bit OS) on x86-64	-	-	-	6.2 (64-bit)	6.0 (64-bit)	6.2 (64-bit)
Red Hat Enterprise Linux 5 (32-bit OS) on x86	5.0 (32-bit)	5.0 (32-bit)	5.0 (32-bit)	5.0 (32-bit)	-	-
Red Hat Enterprise Linux 5 (64-bit OS) on x86-64	5.0 (64-bit)	5.0 (64-bit)	5.0 (64-bit)	5.0 (64-bit)	5.6 (64-bit)	-
Red Hat Enterprise Linux 6 (64-bit OS) on x86-64	-	-	-	-	6.0 (64-bit)	6.2 (64-bit)

11

Oracle Tuxedo Application Runtime for IMS Certified Platform Tables



Note:

In the release columns, "Yes" stands for the supported release.

- [Certified Platforms](#)

11.1 Certified Platforms

- [IBM AIX](#)
- [Linux](#)
- [Solaris](#)

11.1.1 IBM AIX

Platforms	11gR1 (11.1.1.3.0)	12cR1 (12.1.1)	12cR2 (12.1.3)	12cR2 (12.2.2)
IBM AIX 6.1 (64-bit) on IBM PowerPC	Yes	Yes	Yes	-
IBM AIX 7.1 (64-bit) on IBM PowerPC	-	Yes	Yes	Yes

11.1.2 Linux

Platforms	11gR1 (11.1.1.3.0)	12cR1 (12.1.1)	12cR2 (12.1.3)	12cR2 (12.2.2)
Oracle Linux 5 (64-bit OS) on x86-64	5.4 (Yes)	5.6 (Yes)	5.6 (Yes)	-
Oracle Linux 6 (64-bit OS) on x86-64	-	-	6.0 (Yes)	6.2 (Yes)
Oracle Linux 5.6 (64-bit) on Exalogic 2.0	Yes	Yes	Yes	-
Red Hat Enterprise Linux 5 (64-bit OS) on x86-64	5.4 (Yes)	5.6 (Yes)	5.6 (Yes)	-
Red Hat Enterprise Linux 6 (64-bit OS) on x86-64	-	-	6.0 (Yes)	6.2 (Yes)
Red Hat Enterprise Linux 6 (64-bit OS) on s390x	-	6.3 (Yes)	6.3 (Yes)	-

Platforms	11gR1 (11.1.1.3.0)	12cR1 (12.1.1)	12cR2 (12.1.3)	12cR2 (12.2.2)
Novell SUSE Linux Enterprise Server 10 SP2 (64-bit) on s390x	-	Yes	-	-
Novell SUSE Linux Enterprise Server 11 (64-bit) on x86-64	-	Yes	-	-

11.1.3 Solaris

Platforms	11gR1 (11.1.1.3.0)	12cR1 (12.1.1)	12cR2 (12.1.3)	12cR2 (12.2.2)
Oracle Solaris 10 (64-bit) on SPARC	Yes	Yes	Yes	-
Oracle Solaris 11 (64-bit) on SPARC	-	Yes	Yes	Yes

12

Oracle Tuxedo Mainframe Adapter for OSITP Certified Platform Tables

 **Note:**

In the Oracle Tuxedo release columns, “xx-bit” stands for the product binary.

- [Certified Platforms](#)

12.1 Certified Platforms

- [HP-UX](#)
- [IBM AIX](#)
- [Microsoft Windows](#)
- [Sun Solaris](#)

12.1.1 HP-UX

Platforms	OSITP 9.1
HP-UX 11i v2 (64-bit OS) PA-RISC	32-bit

12.1.2 IBM AIX

Platforms	OSITP 9.1	OSITP 10gR3 (10.3)	OSITP 11gR1 (11.1.1.2.0)
IBM AIX 5.3 (32-bit OS) Power	32-bit	32-bit	32-bit
IBM AIX 6.1 (64-bit OS) Power	-	-	32-bit

12.1.3 Microsoft Windows

Platforms	OSITP 9.1	OSITP 10gR3 (10.3)	OSITP 11gR1 (11.1.1.2.0)
Windows Server 2003 x86 with VS 2003	32-bit	-	-
Windows Server 2003 x86 with VS 2005	-	32-bit	-
Windows Server 2008 x86 with VS 2008	-	-	32-bit

12.1.4 Sun Solaris

Platforms	OSITP 9.1	OSITP 10gR3 (10.3)	OSITP 11gR1 (11.1.1.2.0)
Sun Solaris 9 (32-bit OS) SPARC	32-bit	32-bit	32-bit
Sun Solaris 10 (64-bit OS) SPARC	32-bit	32-bit	32-bit

13

Oracle Tuxedo Mainframe Adapter for SNA Certified Platform Tables



Note:

In the Tuxedo release columns, “xx-bit” stands for the product binary.

- [Supported Platforms](#)

13.1 Supported Platforms

- [HP-UX](#)
- [IBM AIX](#)
- [Linux](#)
- [Microsoft Windows](#)
- [Oracle Solaris](#)
- [z/OS](#)

13.1.1 HP-UX

Platforms	SNA 9.1		SNA 10gR3 (10.3)		SNA 11gR1 (11.1.1.2.0)		SNA 12cR1 (12.1.1)	SNA 12cR2 (12.1.3)		SNA 12cR2 (12.2.2)	
	Gateway	CRM	Gateway	CRM	Gateway	CRM	Gateway	Gateway	CRM	Gateway	CRM
HP-UX 11i v2 (64-bit OS) PA-RISC	32-bit	32-bit	-	-	-	-	-	-	-	-	-
HP-UX 11i v2 (64-bit OS) Itanium	32-bit, 64-bit	-	64-bit	64-bit	64-bit	64-bit	64-bit	-	-	-	-
HP-UX 11i v3 (64-bit OS) Itanium	-	-	64-bit	64-bit	64-bit	64-bit	-	64-bit	64-bit	64-bit	64-bit

13.1.2 IBM AIX

Platforms	SNA 9.1	SNA 10gR3 (10.3)	SNA 11gR1 (11.1.1.2.0)	SNA 12cR1 (12.1.1)	SNA 12cR2 (12.1.3)	SNA 12cR2 (12.2.2)
	Gateway	Gateway	Gateway	Gateway	Gateway	Gateway
IBM AIX 5.3 (64-bit OS) on IBM PowerPC	32-bit	32-bit	32-bit, 64-bit	-	-	-
IBM AIX 6.1 (64-bit OS) on IBM PowerPC	-	-	32-bit, 64-bit	64-bit	64-bit	-
IBM AIX 7.1 (64-bit) on IBM PowerPC	-	-	-	-	-	64-bit

13.1.3 Linux

Platforms	SNA 9.1	SNA 10gR3 (10.3)	SNA 11gR1 (11.1.1.2.0)	SNA 12cR1 (12.1.1)		SNA 12cR2 (12.1.3)	SNA 12cR2 (12.2.2)	SNA 22cR1 (22.1.0)	
	Gateway	Gateway	Gateway	Gateway	CRM	Gateway	Gateway	Gateway	CRM
Novell SUSE Linux Enterprise Server 9 (32-bit OS) x86	32-bit	-	-	-	-	-	-	-	-
Novell SUSE Linux Enterprise Server 10 (32-bit OS) x86	-	32-bit	-	-	-	32-bit	-	-	-
Novell SUSE Linux Enterprise Server 10 (64-bit OS) x86	-	-	64-bit	-	-	-	-	-	-
Novell SUSE Linux Enterprise Server 10 (64-bit OS) Itanium	-	64-bit	-	-	-	-	-	-	-

Platforms	SNA 9.1	SNA 10gR3 (10.3)	SNA 11gR1 (11.1.1.2.0)	SNA 12cR1 (12.1.1)		SNA 12cR2 (12.1.3)	SNA 12cR2 (12.2.2)	SNA 22cR1 (22.1.0)	
	Gateway	Gateway	Gateway	Gateway	CRM	Gateway	Gateway	Gateway	CRM
Novell SUSE Linux Enterprise Server 10 (64-bit OS) on s390x	-	-	-	64-bit	-	-	-	-	-
Red Hat Enterprise Linux 5 (64-bit OS) on x86-64	-	-	5.4 (64-bit)	5.5 (64-bit)	-	-	-	-	-
Red Hat Enterprise Linux 5 (64-bit OS) Itanium	-	5.2 (64-bit)	-	-	-	-	-	-	-
Red Hat Enterprise Linux 6 (64-bit OS) on x86-64	-	-	6.4 (64-bit)	6.2 (64-bit)	-	-	-	-	-
Red Hat Enterprise Linux 7 (64-bit OS) on x86-64	-	-	7.0 (64-bit)	-	-	-	7.3 (64-bit)	-	-
Red Hat Enterprise Linux 6 (64-bit OS) on s390x	-	-	-	-	64-bit	6.3 (64-bit)	-	-	-
Red Hat Enterprise Linux 7 (64-bit OS) on x86-64	-	-	-	-	64-bit	-	-	64-bit	-
Red Hat Enterprise Linux 8 (64-bit OS) on x86-64	-	-	-	-	-	-	-	64-bit	64-bit
Oracle Linux 5 (64-bit OS) on x86-64	-	-	5.4 (64-bit)	5.5 (64-bit)	-	5.6 (64-bit)	-	-	-

Platforms	SNA 9.1	SNA 10gR3 (10.3)	SNA 11gR1 (11.1.1.2.0)	SNA 12cR1 (12.1.1)		SNA 12cR2 (12.1.3)	SNA 12cR2 (12.2.2)	SNA 22cR1 (22.1.0)	
	Gateway	Gateway	Gateway	Gateway	CRM	Gateway	Gateway	Gateway	CRM
Oracle Linux 5.8 (64-bit OS) on Exalogic 2.0	-	-	64-bit	64-bit	-	-	-	-	-
Oracle Linux 5.9 (64-bit OS) on Exalogic 2.0	-	-	-	-	-	64-bit	-	-	-
Oracle Linux 6 (64-bit OS) on x86-64	-	-	-	6.2 (64-bit)	64-bit	6.7 (64-bit)	6.4 (64-bit)	-	-
Oracle Linux 7 (64-bit OS) on x86-64	-	-	-	64-bit	64-bit	-	-	64-bit	-
Oracle Linux 8 (64-bit OS) on x86-64	-	-	-	-	-	-	-	64-bit	64-bit

13.1.4 Microsoft Windows

Platforms	SNA 9.1	SNA 10gR3 (10.3)	SNA 11gR1 (11.1.1.2.0)
	Gateway	Gateway	Gateway
Windows Server 2003 x86 with VS 2003	32-bit	-	-
Windows Server 2003 x86 with VS 2005	-	32-bit	-
Windows Server 2008 x86 with VS 2008	-	-	32-bit

13.1.5 Oracle Solaris

Platforms	SNA 9.1	SNA 10gR3 (10.3)	SNA 11gR1 (11.1.1.2.0)	SNA 12cR1 (12.1.1)	SNA 12cR2 (12.1.3)	SNA 12cR2 (12.2.2)
	Gateway	Gateway	Gateway	Gateway	Gateway	Gateway
Oracle Solaris 9 (32-bit OS) SPARC	32-bit	32-bit	32-bit	-	-	-

Platforms	SNA 9.1	SNA 10gR3 (10.3)	SNA 11gR1 (11.1.1.2.0)	SNA 12cR1 (12.1.1)	SNA 12cR2 (12.1.3)	SNA 12cR2 (12.2.2)
	Gateway	Gateway	Gateway	Gateway	Gateway	Gateway
Oracle Solaris 10 (64-bit OS) SPARC	32-bit	32-bit	32-bit, 64-bit	64-bit	64-bit	-
Oracle Solaris 11 (64-bit OS) SPARC	-	-	32-bit	-	-	64-bit

13.1.6 z/OS

Platforms	SNA 9.1	SNA 10gR3 (10.3)	SNA 11gR1 (11.1.1.2.0)	SNA 12cR1 (12.1.1)	SNA 12cR2 (12.1.3)	SNA 12cR2 (12.2.2)	SNA 22cR1 (22.1.0)
	CRM	CRM	CRM	CRM	CRM	CRM	CRM
z/OS V1R8 (31 and 64-bit OS) (MVS)	31-bit	31-bit	-	-	-	-	-
z/OS V1R9 (31 and 64-bit OS) (MVS)	-	31-bit	31-bit	-	-	-	-
z/OS V1R10 (31 and 64-bit OS) (MVS)	-	-	31-bit	-	-	-	-
z/OS V1R11 (31 and 64-bit OS) (MVS)	-	-	31-bit	31-bit	31-bit	31-bit	-
z/OS V1R12 (31 and 64-bit OS) (MVS)	-	-	31-bit	31-bit	31-bit	31-bit	-
z/OS V1R13 (31 and 64-bit OS) (MVS)	-	-	31-bit	31-bit	31-bit	31-bit	-
z/OS V2R1 (31 and 64-bit OS) (MVS)	-	-	-	31-bit	31-bit	31-bit	-
z/OS V2R2 (31 and 64-bit OS) (MVS)	-	-	31-bit	-	-	-	-
z/OS V2R4 (31 and 64-bit OS) (MVS)	-	-	-	-	-	-	31-bit

Platforms	SNA 9.1	SNA 10gR3 (10.3)	SNA 11gR1 (11.1.1.2.0)	SNA 12cR1 (12.1.1)	SNA 12cR2 (12.1.3)	SNA 12cR2 (12.2.2)	SNA 22cR1 (22.1.0)
	CRM	CRM	CRM	CRM	CRM	CRM	CRM
z/OS V2R5 (31 and 64-bit OS) (MVS)	-	-	-	-	-	-	31-bit

 **Note:**

To support SNA 11gR1 (11.1.1.2.0) on z/OS V2R2 (31 and 64-bit OS) (MVS), you must install z/OS patch APAR PI62318.

14

Oracle Tuxedo Mainframe Adapter for TCP Certified Platform Tables



Note:

In the Tuxedo release columns, “xx-bit” stands for the product binary.

- [Supported Platforms](#)

14.1 Supported Platforms

- [HP-UX](#)
- [IBM AIX](#)
- [Linux](#)
- [Microsoft Windows](#)
- [Oracle Solaris](#)
- [z/OS](#)

14.1.1 HP-UX

Platforms	TCP 9.1	TCP 12cR2 (12.1.3)	TCP 12cR2 (12.2.2)
	Gateway	Gateway	Gateway
HP-UX 11i v2 (64-bit OS) PA-RISC	32-bit	-	-
HP-UX 11i v2 (64-bit OS) Itanium	32-bit, 64-bit	-	-
HP-UX 11i v3 (64-bit OS) Itanium	-	64-bit	64-bit

14.1.2 IBM AIX

Platforms	TCP 9.1	TCP 10.0	TCP 11gR1 (11.1.1.2.0)	TCP 12cR1 (12.1.1)	TCP 12cR2 (12.1.3)	TCP 12cR2 (12.2.2)
	Gateway	Gateway	Gateway	Gateway	Gateway	Gateway
IBM AIX 5.3 (64-bit OS) on IBM PowerPC	32-bit	32-bit	32-bit	-	-	-

Platforms	TCP 9.1	TCP 10.0	TCP 11gR1 (11.1.1.2.0)	TCP 12cR1 (12.1.1)	TCP 12cR2 (12.1.3)	TCP 12cR2 (12.2.2)
	Gateway	Gateway	Gateway	Gateway	Gateway	Gateway
IBM AIX 6.1 (64-bit OS) on IBM PowerPC	-	-	32-bit, 64-bit	64-bit	64-bit	-
IBM AIX 7.1 (64-bit) on IBM PowerPC	-	-	-	-	-	64-bit

14.1.3 Linux

Platforms	TCP 9.1	TCP 11gR1 (11.1.1.2.0)	TCP 12cR1 (12.1.1)	TCP 12cR2 (12.1.3)	TCP 12cR2 (12.2.2)	TCP 22cR1 (22.1.0)
	Gateway	Gateway	Gateway	Gateway	Gateway	Gateway
Novell SUSE Linux Enterprise Server 9 (32- bit OS) x86	32-bit	32-bit	-	-	-	-
Novell SUSE Linux Enterprise Server 10 (32- bit OS) on x86	32-bit	-	-	-	-	-
Red Hat Enterprise Linux 5 (64-bit OS) x86	-	5.4 (64-bit)	5.5 (64-bit)	-	-	-
Red Hat Enterprise Linux 7 (64-bit OS) on x86-64	-	-	-	-	-	64-bit
Red Hat Enterprise Linux 8 (64-bit OS) on x86-64	-	-	-	-	-	64-bit
Oracle Linux 5 (64-bit OS) on x86	-	-	-	5.6 (64-bit)	-	-
Oracle Linux 5.9 (64-bit OS) on Exalogic 2.0	-	-	-	64-bit	-	-
Oracle Linux 6.4 (64-bit) on x86-64	-	-	-	-	64-bit	-
Oracle Linux 7 (64-bit OS) on x86-64	-	-	-	-	-	64-bit

Platforms	TCP 9.1	TCP 11gR1 (11.1.1.2.0)	TCP 12cR1 (12.1.1)	TCP 12cR2 (12.1.3)	TCP 12cR2 (12.2.2)	TCP 22cR1 (22.1.0)
	Gateway	Gateway	Gateway	Gateway	Gateway	Gateway
Oracle Linux 8 (64-bit OS) on x86-64	-	-	-	-	-	64-bit

14.1.4 Microsoft Windows

Platforms	TCP 9.1	TCP 10.0	TCP 11gR1 (11.1.1.2.0)
	Gateway	Gateway	Gateway
Windows Server 2003 x86 with VS 2003	32-bit	-	-
Windows Server 2003 x86 with VS 2005	-	32-bit	-
Windows Server 2008 x86 with VS 2008	-	-	32-bit

14.1.5 Oracle Solaris

Platforms	TCP 9.1	TCP 10.0	TCP 11gR1 (11.1.1.2.0)	TCP 12cR1 (12.1.1)	TCP 12cR2 (12.1.3)	TCP 12cR2 (12.2.2)
	Gateway	Gateway	Gateway	Gateway	Gateway	Gateway
Oracle Solaris 9 (32-bit OS) SPARC	32-bit	32-bit	32-bit	-	-	-
Oracle Solaris 10 (64-bit OS) SPARC	32-bit	32-bit	32-bit, 64-bit	64-bit	64-bit	-
Oracle Solaris 11 (64-bit OS) SPARC	-	-	-	-	-	64-bit

14.1.6 z/OS

Platforms	TCP 9.1		TCP 10.0		TCP 11gR1 (11.1.1.2.0)		TCP 12cR1 (12.1.1)		TCP 12cR2 (12.1.3)		TCP 12cR2 (12.2.2)		TCP 22cR1 (22.1.0)	
	CICS	IMS	CICS	IMS	CICS	IMS	CICS	IMS	CICS	IMS	CICS	IMS	CICS	IMS
z/OS V1R8 (31 and 64-bit OS) (MVS)	31-bit	31-bit	31-bit	31-bit	-	-	-	-	-	-	-	-	-	-

Platf orms	TCP 9.1		TCP 10.0		TCP 11gR1 (11.1.1.2.0)		TCP 12cR1 (12.1.1)		TCP 12cR2 (12.1.3)		TCP 12cR2 (12.2.2)		TCP 22cR1 (22.1.0)	
	CICS	IMS	CICS	IMS	CICS	IMS	CICS	IMS	CICS	IMS	CICS	IMS	CICS	IMS
z/OS V1R9 (31 and 64-bit OS) (MVS)	-	-	31-bit	31-bit	31-bit	31-bit	-	-	-	-	-	-	-	-
z/OS V1R1 0 (31 and 64-bit OS) (MVS)	-	-	31-bit	31-bit	31-bit	31-bit	-	-	-	-	-	-	-	-
z/OS V1R1 1 (31 and 64-bit OS) (MVS)	-	-	-	31-bit	31-bit	31-bit	31-bit	31-bit	31-bit	31-bit	31-bit	31-bit	-	-
z/OS V1R1 2 (31 and 64-bit OS) (MVS)	-	-	-	31-bit	31-bit	31-bit	31-bit	31-bit	31-bit	31-bit	31-bit	31-bit	-	-
z/OS V1R1 3 (31 and 64-bit OS) (MVS)	-	-	-	31-bit	31-bit	31-bit	31-bit	31-bit	31-bit	31-bit	31-bit	31-bit	-	-
z/OS V2R1 (31 and 64-bit OS) (MVS)	-	-	-	-	-	-	-	-	31-bit	31-bit	31-bit	31-bit	-	-

Platf orms	TCP 9.1		TCP 10.0		TCP 11gR1 (11.1.1.2.0)		TCP 12cR1 (12.1.1)		TCP 12cR2 (12.1.3)		TCP 12cR2 (12.2.2)		TCP 22cR1 (22.1.0)	
	CICS	IMS	CICS	IMS	CICS	IMS	CICS	IMS	CICS	IMS	CICS	IMS	CICS	IMS
z/OS V2R4 (31 and 64-bit OS) (MVS)	-	-	-	-	-	-	-	-	-	-	-	-	31-bit	31-bit
z/OS V2R5 (31 and 64-bit OS) (MVS)	-	-	-	-	-	-	-	-	-	-	-	-	31-bit	31-bit

 **Note:**

Support of TMA on higher releases of z/OS and its subsystems depends on IBM's warranty for the specific upper release's backward compatibility to the release that TMA formally supports. If IBM warrants such backward compatibility to the formally supported release, then support for the new release is available.

- CICS
- IMS

14.1.6.1 CICS

Platforms	TCP 9.1	TCP 10.0	TCP 11gR1 (11.1.1.2.0)	TCP 12cR1 (12.1.1)	TCP 12cR2 (12.1.3)	TCP 12cR2 (12.2.2)	TCP 22cR1 (22.1.0)
CICS 2.3	X	-	-	-	-	-	-
CICS 3.1	X	X	X	-	-	-	-
CICS 3.2	X	X	X	X	X	X	-
CICS 4.1	-	-	-	X	X	X	-
CICS 4.2	-	-	-	X	X	X	-
CICS 5.6	-	-	-	-	X	X	X
CICS 6.1	-	-	-	-	-	X	X

14.1.6.2 IMS

Platforms	TCP 9.1	TCP 10.0	TCP 11gR1 (11.1.1.2.0)	TCP 12cR1 (12.1.1)	TCP 12cR2 (12.1.3)	TCP 22cR1 (22.1.0)
IMS V9	X	X	X	X	-	-

Platforms	TCP 9.1	TCP 10.0	TCP 11gR1 (11.1.1.2.0)	TCP 12cR1 (12.1.1)	TCP 12cR2 (12.1.3)	TCP 22cR1 (22.1.0)
IMS V10	-	X	X	X	-	-
IMS V11	-	X	X	X	-	-
IMS V12	-	X	X	X	-	-
IMS V13	-	X	X	X	X	X
IMS V15	-	-	-	-	X	X

Glossary

Index