

Oracle® Communications Billing and Revenue Management

Compatibility Matrix



Release 12.0

F20136-19

May 2024

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Copyright © 2019, 2024, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Audience	v
Documentation Accessibility	v
Diversity and Inclusion	v

1 BRM Suite Compatibility

Billing and Revenue Management (BRM) 12.0 Compatibility Matrix	1-1
Elastic Charging Engine (ECE) 12.0 Compatibility Matrix	1-2
Pricing Design Center (PDC) 12.0 Compatibility Matrix	1-3

2 Supported Upgrades

Supported BRM Upgrades	2-1
Supported Business Operations Center Upgrades	2-1
Supported ECE Upgrades	2-2
Supported PDC Upgrades	2-2

3 Non-Cloud Native Operating System Compatibility

Windows	3-1
Linux	3-1
About Critical Patch Updates	3-2

4 Common Database Compatibility

Database Compatibility	4-1
------------------------	-----

5 BRM Software Compatibility

Database Clients	5-1
Web Browsers	5-2
Additional BRM Software Requirements	5-3

	About Critical Patch Updates	5-6
6	ECE Software Compatibility	
	Additional ECE Software Requirements	6-1
7	PDC Software Compatibility	
	Additional PDC Software Requirements	7-1
8	Billing Care Software Compatibility	
	Additional Software Requirements	8-1
9	Business Operations Center Software Compatibility	
	Additional Business Operations Center Software Requirements	9-1
	List of Additional Required Software	9-2
	List of Additional Required Software for Production Installations	9-3
10	PCC Software Compatibility	
	Additional PCC Software Requirements	10-1
11	BRM Cloud Native Deployment Software Compatibility	
	Third-Party Platforms	11-1
	Additional BRM Cloud Native System Requirements	11-1

Preface

This guide describes the compatibility considerations and software and hardware requirements you should review when installing or upgrading the following Oracle Communications Billing and Revenue Management (BRM) Suite components:

- BRM server and clients
- Oracle Communications Billing Care
- Oracle Communications Business Operations Center
- Oracle Communications Pricing Design Center (PDC)
- Oracle Communications Billing and Revenue Management Elastic Charging Engine (ECE)
- Oracle Communications Offline Mediation Controller
- Oracle Communications Billing and Revenue Management Pipeline Configuration Center (PCC)
- Oracle Communications Billing and Revenue Management (BRM) cloud native deployment

Audience

This document is intended for system administrators responsible for product installations, upgrade planning, and patch set installations.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

1

BRM Suite Compatibility

Learn about the compatibility between the different Oracle Communications Billing and Revenue Management (BRM) 12.0 Suite components. Review this information before installing or upgrading BRM.

Topics in this document:

- [Billing and Revenue Management \(BRM\) 12.0 Compatibility Matrix](#)
- [Elastic Charging Engine \(ECE\) 12.0 Compatibility Matrix](#)
- [Pricing Design Center \(PDC\) 12.0 Compatibility Matrix](#)



Note:

The BRM compatibility information is also applicable for Billing Care, Business Operations Center, and Pipeline Configuration Center.

Billing and Revenue Management (BRM) 12.0 Compatibility Matrix

[Table 1-1](#) shows the compatibility between BRM 12.0 and Elastic Charging Engine (ECE).

Table 1-1 Compatibility Matrix for BRM 12.0 and ECE

BRM Version	ECE 11.3 Patch Set 4	ECE 11.3 Patch Set 5	ECE 11.3 Patch Set 6	ECE 11.3 Patch Set 7	ECE 11.3 Patch Set 8	ECE 11.3 Patch Set 9	ECE 12.0/12.0 Patch Set 1	ECE 12.0 Patch Set 2 and Later Patch Sets
BRM 12.0	Yes	Yes	Yes	Yes	Yes	No	No	No
BRM 12.0 Patch Set 1	No	No	No	No	No	Yes	Yes	No
BRM 12.0 Patch Set 2 and Later Patch Sets	No	No	No	No	No	No	No	Yes ⁽¹⁾

Notes:

1. BRM and ECE must use the same 12.0 Patch Set version. For example, BRM 12.0 Patch Set 2 is compatible with only ECE 12.0 Patch Set 2, BRM 12.0 Patch Set 3 is compatible with only ECE 12.0 Patch Set 3, and so on.

[Table 1-2](#) shows the compatibility between BRM 12.0 and Pricing Design Center (PDC).

Table 1-2 Compatibility Matrix for BRM 12.0 and PDC

BRM Version	PDC 11.1 Patch Sets	PDC 11.2 Patch Set 1	PDC 12.0	PDC 12.0 Patch Set 1 and Later Patch Sets
BRM 12.0	No	No	Yes	No
BRM 12.0 Patch Set 1 and Later Patch Sets	No	No	No	Yes ⁽¹⁾

Notes:

1. BRM and PDC must use the same 12.0 Patch Set version. For example, BRM 12.0 Patch Set 1 is compatible with only PDC 12.0 Patch Set 1, BRM 12.0 Patch Set 2 is compatible with only PDC 12.0 Patch Set 2, and so on.

Elastic Charging Engine (ECE) 12.0 Compatibility Matrix

Table 1-3 shows the compatibility between ECE 12.0 and PDC.

Table 1-3 Compatibility Matrix for ECE 12.0 and PDC

Product Version	BRM 7.5 Patch Set 22	PDC 11.1 Patch Sets	PDC 11.2 Patch Set 1	PDC 12.0	PDC 12.0 Patch Set 1	PDC 12.0 Patch Set 2 and Later Patch Sets
ECE 12.0/12.0 Patch Set 1	Yes	No	Yes	No	Yes	No
ECE 12.0 Patch Set 2 and Later Patch Sets	No	No	No	No	No	Yes ⁽¹⁾

Notes:

1. ECE and PDC must use the same 12.0 Patch Set version. For example, ECE 12.0 Patch Set 2 is compatible with only PDC 12.0 Patch Set 2, ECE 12.0 Patch Set 3 is compatible with only PDC 12.0 Patch Set 3, and so on.

Table 1-4 shows the compatibility between ECE 12.0 and Oracle Communications Offline Mediation Controller.

Table 1-4 Compatibility Matrix for ECE 12.0 and Offline Mediation Controller

Product Version	Offline Mediation Controller 12.0	Offline Mediation Controller 6.0 Patch Sets	Offline Mediation Controller 12.0 Patch Set 1	Offline Mediation Controller 12.0 Patch Set 2 and Later Patch Sets
ECE 12.0/12.0 Patch Set 1	No	No	Yes	No
ECE 12.0 Patch Set 2 and Later Patch Sets	No	No	No	Yes ⁽¹⁾

Notes:

1. ECE and Offline Mediation Controller must use the same 12.0 Patch Set version. For example, ECE 12.0 Patch Set 2 is compatible with only Offline Mediation Controller 12.0

Patch Set 2, ECE 12.0 Patch Set 3 is compatible with only Offline Mediation Controller 12.0 Patch Set 3, and so on.

Pricing Design Center (PDC) 12.0 Compatibility Matrix

Table 1-5 shows the compatibility between PDC 12.0 and BRM.

Table 1-5 Compatibility Matrix for PDC 12.0 and BRM

PDC Version	BRM 7.5 Patch Set 22	BRM 12.0	BRM 12.0 Patch Set 1 and Later Patch Sets
PDC 12.0	No	Yes	No
PDC 12.0 Patch Set 1 and Later Patch Sets	No	No	Yes ⁽¹⁾

Notes:

1. PDC and BRM must use the same 12.0 Patch Set version. For example, PDC 12.0 Patch Set 1 is compatible with only BRM 12.0 Patch Set 1, PDC 12.0 Patch Set 2 is compatible with only BRM 12.0 Patch Set 2, and so on.

Table 1-6 shows the compatibility between PDC 12.0 and ECE.

Table 1-6 Compatibility Matrix for PDC 12.0 and ECE

PDC Version	ECE 11.3 Patch Set 4	ECE 11.3 Patch Set 5	ECE 11.3 Patch Set 6	ECE 11.3 Patch Set 7	ECE 11.3 Patch Set 8	ECE 11.3 Patch Set 9	ECE 12.0/12.0 Patch Set 1	ECE 12.0 Patch Set 2 and Later Patch Sets
PDC 12.0	Yes	Yes	Yes	Yes	Yes	No	No	No
PDC 12.0 Patch Set 1	No	No	No	No	Yes	Yes	Yes	No
PDC 12.0 Patch Set 2 and Later Patch Sets	No	No	No	No	No	No	No	Yes ⁽¹⁾

Notes:

1. PDC and ECE must use the same 12.0 Patch Set version. For example, PDC 12.0 Patch Set 2 is compatible with only ECE 12.0 Patch Set 2, PDC 12.0 Patch Set 3 is compatible with only ECE 12.0 Patch Set 3, and so on.

2

Supported Upgrades

Learn about the commonly supported upgrade paths for Oracle Communications Billing and Revenue Management (BRM) 12.0 Suite components.

Topics in this document:

- [Supported BRM Upgrades](#)
- [Supported Business Operations Center Upgrades](#)
- [Supported ECE Upgrades](#)
- [Supported PDC Upgrades](#)

Supported BRM Upgrades

[Table 2-1](#) lists the supported BRM upgrade paths. This includes Billing Care and Pipeline Configuration Center.

Table 2-1 BRM Upgrade Path

Product Version	BRM 12.0	BRM 12.0 Patch Set 1	BRM 12.0 Patch Set 2	BRM 12.0 Patch Set 3 and Later Patch Sets
BRM 7.5	Yes	Yes	Yes	Yes
BRM 7.5 Patch Set 1 through BRM 7.5 Patch Set 12	Yes	Yes	Yes	Yes
BRM 7.5 Maintenance Patch Set 1 through BRM 7.5 Patch Set 19	Yes	Yes	Yes	Yes
BRM 7.5 Patch Set 20 through BRM 7.5 Patch Set 22	No	No	Yes	Yes
BRM 7.5 Patch Set 23	No	No	No	Yes
BRM 12.0	N/A	Yes	Yes	Yes

Supported Business Operations Center Upgrades

[Table 2-2](#) lists the supported upgrade paths for Business Operations Center (BOC).

Table 2-2 Business Operations Center Upgrade Path

Product Version	BOC 12.0	BOC 12.0 Patch Set 1	BOC 12.0 Patch Set 2	BOC 12.0 Patch Set 3 and Later Patch Sets
BOC 7.5	No	No	No	Yes
BOC 7.5 Patch Set 1 through BOC 7.5 Patch Set 12	No	No	No	Yes
BOC 7.5 Maintenance Patch Set 1 through BOC 7.5 Patch Set 19	No	No	No	Yes
BOC 7.5 Patch Set 20 through BOC 7.5 Patch Set 23	No	No	No	Yes
BOC 12.0	N/A	No	No	Yes

Supported ECE Upgrades

Table 2-3 lists the supported upgrade paths for Elastic Charging Engine (ECE).

Table 2-3 ECE Upgrade Path

Product Version	ECE 12.0	ECE 12.0 Patch Set 1	ECE 12.0 Patch Set 2	ECE 12.0 Patch Set 3	ECE 12.0 Patch Set 4 and Later Patch Sets
ECE 11.3.0.9.x	No	No	No	Yes	No
ECE 12.0	N/A	Yes	Yes	Yes	Yes

Supported PDC Upgrades

Table 2-4 lists the supported upgrade paths for Pricing Design Center (PDC).

Table 2-4 PDC Upgrade Path

Product Version	PDC 12.0	PDC 12.0 Patch Set 1	PDC 12.0 Patch Set 2 and Later Patch Sets
PDC 11.1 Patch Set 12 ⁽¹⁾	Yes	Yes	Yes
PDC 11.2 Patch Set 1 ⁽²⁾	No	No	Yes
PDC 12.0	N/A	Yes	Yes

Notes:

1. To upgrade from a lower PDC 11.1 Patch Set, you must first upgrade to PDC 11.1 Patch Set 12 before upgrading to PDC 12.0 Patch Set 1 or later.

2. To upgrade from PDC 11.2, you must first upgrade to PDC 11.2 Patch Set 1 before upgrading to PDC 12.0 Patch Set 2 or later.

3

Non-Cloud Native Operating System Compatibility

Learn about the operating systems supported by the Oracle Communications Billing and Revenue Management (BRM) non-cloud native software.

Topics in this document:

- [Windows](#)
- [Linux](#)

Windows

This section lists software compatible with BRM clients on Windows.

Operating System Versions

- Windows 8.1 Enterprise
- Windows 10
- Windows 11

Linux

This section lists software compatible with a BRM implementation on Linux.

Operating System Versions

- Oracle Linux 7.2 and higher 7.x updates (with critical patch updates)
- Oracle Linux 8.4 and higher 8.x updates (with critical patch updates)
- Red Hat Enterprise Linux (RHEL) 7.2 and higher 7.x updates
- Red Hat Enterprise Linux (RHEL) 8.4 and higher 8.x updates

Compilers

- gcc version 4.8.x
For Oracle Linux 7 and RHEL 7.



Note:

Linux 7 is required along with gcc version 4.8.x when compiling code for BRM 12.0.

About Critical Patch Updates

You should install all critical patch updates as soon as possible. To download critical patch updates, find out about security alerts, and enable email notifications about critical patch updates, see [Critical Patch Updates, Security Alerts and Bulletins](#) on the Oracle website.

4

Common Database Compatibility

Learn about the database servers that are compatible with the Oracle Communications Billing and Revenue Management (BRM) Suite.

Topics in this document:

- [Database Compatibility](#)

Database Compatibility

Oracle Database Enterprise Edition:

- 12c (Oracle 12.2.0 and later patch levels)
- 18c (Oracle 18.1.0 and later patch levels)
- 19c (Oracle 19.3.0 and later patch levels)

5

BRM Software Compatibility

Learn about the software that is compatible with Oracle Communications Billing and Revenue Management (BRM) 12.0 server and client systems and 12.0 patch sets.

Topics in this document:

- [Database Clients](#)
- [Web Browsers](#)
- [Additional BRM Software Requirements](#)
- [About Critical Patch Updates](#)

For hardware and information requirements, see "System Requirements" in *BRM Installation Guide*.

Note:

- BRM 12.0 server components do not support any 32-bit server operating systems.
- Character Sets: BRM 12.0 supports AL32UTF8 as its default character set. It also continues to support the UTF8 character set for backward compatibility. The Unicode character set AL32UTF8 is recommended for all new BRM 12.0 deployments.
- All BRM clients are supported on Solaris and Linux in addition to Windows.

Database Clients

This section lists the database clients that are compatible with a BRM implementation on Solaris and Linux.

Note:

Only 64-bit versions of the database client are supported.

- Oracle Database 12c Release 2 Client (12.2.0.1.0)
- Oracle Database 19c Client (19.3.0 and later patch levels)
Support added in BRM 12.0 Patch Set 4.
- Oracle Database 19c Client (19.13.0 and later patch levels)
Support added in BRM 12.0 Patch Set 5.
- Oracle Database 19c Client (19.15.0 and later patch levels)

- Support added in BRM 12.0 Patch Set 7.
- Oracle Database 19c Client (19.17.0 and later patch levels)
 - Support added in BRM 12.0 Patch Set 8.

Web Browsers

Table 5-1 lists the web browsers that are compatible with BRM.

Table 5-1 Supported Web Browsers

Web Browser	Version
Mozilla Firefox	54.0.1+ and later patch levels – Support added in BRM 12.0 58.0+ and later patch levels – Support added in BRM 12.0 Patch Set 1 65.0+ and later patch levels – Support added in BRM 12.0 Patch Set 2 78.10+ and later patch levels – Support added in BRM 12.0 Patch Set 4 83.0+ and later patch levels – Support added in BRM 12.0 Patch Set 5 96.0+ and later patch levels – Support added in BRM 12.0 Patch Set 6 99.0+ and later patch levels – Support added in BRM 12.0 Patch Set 7 106+ and later patch levels – Support added in BRM 12.0 Patch Set 8
Microsoft Internet Explorer	11 and later patch sets Note: Starting in Patch Set 8, Internet Explorer is not supported
Microsoft Edge	Default version with operating system
Google Chrome	72.0+ and later patch levels – Support added in BRM 12.0 90.0+ and later patch levels – Support added in BRM 12.0 Patch Set 4 92.0+ and later patch levels – Support added in BRM 12.0 Patch Set 5 97.0+ and later patch levels – Support added in BRM 12.0 Patch Set 6 104+ and later patch levels – Support added in BRM 12.0 Patch Set 8
Apple Safari	12.0+ and later patch levels – Support added in BRM 12.0 14.1+ and later patch levels – Support added in BRM 12.0 Patch Set 4 15.2+ and later patch levels – Support added in BRM 12.0 Patch Set 6 15.4+ and later patch levels – Support added in BRM 12.0 Patch Set 7 16+ and later patch levels – Support added in BRM 12.0 Patch Set 8

Additional BRM Software Requirements

Table 5-2 provides the compatibility information for other applications you need in order to create a complete customer management and billing system for your business.

▲ Caution:

Oracle does not provide support for any prerequisite third-party software installation or configuration. Any installation or configuration issues related to non-Oracle prerequisite software needs to be handled by the customer.

Table 5-2 Required Third-Party Software for BRM

Product	Version	Notes
Apache Kafka Client	2.7.0 – Support added in BRM 12.0 Patch Set 4 2.8.1 – Support added in BRM 12.0 Patch Set 5 3.0.0 – Support added in BRM 12.0 Patch Set 7 3.3.1 – Support added in BRM 12.0 Patch Set 8	N/A
Apache Tomcat	8.5.16 – Support added in BRM 12.0 Patch Set 1 8.5.32 – Support added in BRM 12.0 Patch Set 1 8.5.38 – Support added in BRM 12.0 Patch Set 2 9.0.37 – Support added in BRM 12.0 Patch Set 3 9.0.46 – Support added in BRM 12.0 Patch Set 4 9.0.54 – Support added in BRM 12.0 Patch Set 5 9.0.68 – Support added in BRM 12.0 Patch Set 8	Supported only for Web Services Manager.
Prometheus JMX Exporter Java Agent	0.15.0 – Support added in BRM 12.0 Patch Set 4 0.16.1 – Support added in BRM 12.0 Patch Set 5 0.17.2 – Support added in BRM 12.0 Patch Set 8	N/A
Oracle Identity and Access Management	12.2.1.3 – Support added in BRM 12.0 Patch Set 3 12.2.1.4 – Support added in BRM 12.0 Patch Set 4	N/A

Table 5-2 (Cont.) Required Third-Party Software for BRM

Product	Version	Notes
Oracle Business Intelligence Publisher	12.2.1.2.0 – Support added in BRM 12.0 12.2.1.4.0 – Support added in BRM 12.0 Patch Set 1	Supported only for BRM reports and invoices. Supported on Solaris and Linux. Note: Running reports and generating invoices with BI Publisher 12c running on Windows is not supported.
Oracle Analytics Publisher	5.5 – Support added in BRM 12.0 Patch Set 3 with Interim Patch 31848465 5.9 – Support added in BRM 12.0 Patch Set 5	N/A
Oracle Java Platform, Standard Edition (Java SE)	8 (1.8.0_144) – Support added in BRM 12.0 8 (1.8.0_221) – Support added in BRM 12.0 Patch Set 2 8 (1.8.0_241) – Support added in BRM 12.0 Patch Set 3 8 (1.8.0_261) – Support added in BRM 12.0 Patch Set 3 with Interim Patch 31848465 8 (1.8.0_291) – Support added in BRM 12.0 Patch Set 4 8 (1.8.0_301) – Support added in BRM 12.0 Patch Set 5 8 (1.8.0_321) – Support added in BRM 12.0 Patch Set 6 8 (1.8.0_341) – Support added in BRM 12.0 Patch Set 7 8 (1.8.0_351) – Support added in BRM 12.0 Patch Set 8	Obtain Java SE containing Java Development Kit (JDK) and Java Runtime Environment (JRE).
Oracle Remote Diagnostic Agent (RDA)	8.10 or later 20.4 or later – Support added in BRM 12.0 Patch Set 6 22.2 or later – Support added in BRM 12.0 Patch Set 7	Oracle RDA was removed from the BRM package in BRM 12.0 Patch Set 7
Oracle WebLogic Operator	3.3.2 – Support added in BRM 12.0 Patch Set 5 3.3.7 – Support added in BRM 12.0 Patch Set 6 3.4.0 – Support added in BRM 12.0 Patch Set 7 3.4.4 – Support added in BRM 12.0 Patch Set 8	N/A
Oracle WebLogic Server	BRM 12.0 up to Patch Set 1 requires WebLogic 12c R2 (12.2.1.2.0) BRM 12.0 up to Patch Set 2 and 3 requires Weblogic 12c R2 (12.2.1.3.0) BRM 12.0 Patch Set 4 or later requires WebLogic 12c R2 (12.2.1.4.0)	Supported only for Web Services Manager.

Table 5-2 (Cont.) Required Third-Party Software for BRM

Product	Version	Notes
Oracle Unified Directory	11.1.2.3.0	Supported only for LDAP Manager.
Oracle Unified Directory	12.2.1.4.0 – Support added in BRM 12.0 Patch Set 3	Supported only for BRM REST Services Manager.
Paymentech 120-Byte Batch Processing Format Specification	3.0.0 Revision 4.2 – Support added in BRM 12.0 3.0.0 Revision 12.4 – Support added in BRM 12.0 Patch Set 1 3.0.0 Revision 13.3 – Support added in BRM 12.0 Patch Set 2 3.0.0 Revision 14.3 – Support added in BRM 12.0 Patch Set 3 3.0.0 Revision 15.3 – Support added in BRM 12.0 Patch Set 3 with Interim Patch 31848465	Requires Paymentech Manager. The certification for CUP and RUP (feature specific) was done using Paymentech 120-Byte Batch Processing Format Specification 3.0.0 Revision 14.3. The certification for CTI (feature specific) was done using Paymentech 120-Byte Batch Processing Format Specification 3.0.0 Revision 15.3.
Paymentech Online Processing Format Specification	Version 7.4 Revision 5 – Support added in BRM 12.0 Version 7.4 Revision 12.4 – Support added in BRM 12.0 Patch Set 1 Version 7.4 Revision 13.3 – Support added in BRM 12.0 Patch Set 2 Version 7.4 Revision 14.4 – Support added in BRM 12.0 Patch Set 3 Version 7.4 Revision 15.3 – Support added in BRM 12.0 Patch Set 3 with Interim Patch 31848465	Requires Paymentech Manager. The certification for CUP and RUP (feature specific) was done using Paymentech Online Processing Format Specification Version 7.4 Revision 14.4. The certification for CTI (feature specific) was done using Paymentech Online Processing Format Specification Version 7.4 Revision 15.3.
Perl (32-bit)	5.24.0 – Support added in BRM 12.0 5.28.1 – Support added in BRM 12.0 Patch Set 1 with Interim Patch 29947745 5.28.1 – Support added in BRM 12.0 Patch Set 2 5.30.1 – Support added in BRM 12.0 Patch Set 3 5.32.0 – Support added in BRM 12.0 Patch Set 3 with Interim Patch 31848465 5.32.1 – Support added in BRM 12.0 Patch Set 4 5.36.0 – Support added in BRM 12.0 Patch Set 8	N/A
Vertex Communications Tax Q Series	Vertex CTQ 3.01.04 – Support added in BRM 12.0 Patch Set 3 with Interim Patch 31848465 Vertex CTQ 3.01.05 – Support added in BRM 12.0 Patch Set 4	3.01.04 is supported on 32-bit Solaris and Linux. It supports Oracle Database 12c (12.2). 3.01.05 is supported on 64-bit Solaris and Linux. It supports both Oracle Database 12c (12.2) and Oracle Database 19c. Note: Starting in Patch Set 4, only 64-bit versions of Vertex CTQ are supported.

Table 5-2 (Cont.) Required Third-Party Software for BRM

Product	Version	Notes
Vertex Sales Tax Q Series	4.0.6 – Support added in BRM 12.0 Patch Set 3 9.0 – Support added in BRM 12.0 Patch Set 4	4.0.6 is supported on 32-bit Solaris and Linux. It supports Oracle Database 12c (12.2). 9.0 is supported on 64-bit Linux only. It supports both Oracle Database 12c (12.2) and Oracle Database 19c. Note: Starting in Patch Set 4, only 64-bit versions of Vertex STQ are supported.

About Critical Patch Updates

You should install all critical patch updates as soon as possible. To download critical patch updates, find out about security alerts, and enable email notifications about critical patch updates, see Critical Patch Updates, Security Alerts and Bulletins on the Oracle website.

6

ECE Software Compatibility

Learn about the software that is compatible with Oracle Communications Billing and Revenue Management Elastic Charging Engine (ECE) 12.0 and 12.0 patch sets.

Topics in this document:

- [Additional ECE Software Requirements](#)

For hardware and information requirements, see "ECE System Requirements" in *ECE Installation Guide*.

Additional ECE Software Requirements

Table 6-1 lists the required third-party software for ECE 12.0.

Table 6-1 Required Third-Party Software for ECE 12.0

Product	Version	Notes
Groovy	2.4.11 2.4.21 – Support added in ECE 12.0 Patch Set 4	The ECE software package does not include Groovy. Installing Groovy is a prerequisite for running ECE monitoring tools.
Groosh	0.3.6 Not used in ECE 12.0 Patch Set 3 and later	The ECE 12.0/12.0 Patch Set 1 and Patch Set 2 software packages include Groosh.
Oracle Java Platform, Standard Edition (Java SE) (32-bit or 64-bit)	8 (1.8.0_144) – Support added in ECE 12.0 8 (1.8.0_221) – Support added in ECE 12.0 Patch Set 2 8 (1.8.0_241) – Support added in ECE 12.0 Patch Set 3 8 (1.8.0_291) – Support added in ECE 12.0 Patch Set 4 8 (1.8.0_321) – Support added in ECE 12.0 Patch Set 6 8 (1.8.0_341) – Support added in ECE 12.0 Patch Set 7 8 (1.8.0_351) – Support added in ECE 12.0 Patch Set 8	Obtain Java SE containing Java Development Kit (JDK) and Java Runtime Environment (JRE). Important: To protect from security vulnerabilities, ensure you apply the latest critical patch updates. See Critical Patch Updates . ECE is certified on JDK8 and you should regularly apply the latest patch set for JDK8 to ensure that JDK has the latest security fixes.
Oracle Coherence for Java libraries	12.2.1.3.2 – Support added in ECE 12.0/12.0 Patch Set 1 12.2.1.3.3 – Support added in ECE 12.0 Patch Set 2 12.2.1.3.6 – Support added in ECE 12.0 Patch Set 3 12.2.1.4.8 – Support added in ECE 12.0 Patch Set 4	The ECE software package does not include Oracle Coherence libraries.

Table 6-1 (Cont.) Required Third-Party Software for ECE 12.0

Product	Version	Notes
Perl	5.28.1 – Support added in ECE 12.0 Patch Set 2 5.30.1 – Support added in ECE 12.0 Patch Set 3 5.32.1 – Support added in ECE 12.0 Patch Set 4 5.36.0 – Support added in ECE 12.0 Patch Set 8	Installing Perl is a prerequisite for running ECE monitoring tools.
Oracle NoSQL Database, Enterprise Edition	20.3.27	N/A

Table 6-2 lists the additional software required for running ECE in an integrated, end-to-end test or production system. Network mediation software is required for ECE to communicate with network-facing applications of the charging system.

For a production system, Oracle recommends that you install the other products in the same system on which you install ECE and ensure that the other products use the same operating system as ECE. However, the other products can use a different operating system for a test system.

Table 6-2 Required Software for an Integrated ECE System

Product	Version	Notes
Oracle WebLogic Server 12c R2 Enterprise Edition	12.2.1.2.0 – Support added in ECE 12.0 12.2.1.3.0 – Support added in ECE 12.0 Patch Set 2 12.2.1.4.0 – Support added in ECE 12.0 Patch Set 4	Installing Oracle WebLogic Server is a prerequisite for PDC. ECE also uses Oracle WebLogic Server in an integrated system.
Oracle Communications Billing and Revenue Management (BRM)	For ECE 12.0/12.0 Patch Set 1: BRM 12.0 with Patch Set 1 (28630668) with interim patch 29250057 For later patch sets, the BRM patch set version is the same as the ECE patch set version	N/A
Oracle Communications Pricing Design Center (PDC)	For ECE 12.0/12.0 Patch Set 1: BRM 12.0 with Patch Set 1 (28630301) with interim patch 29204584 For later patch sets, the PDC patch set version is the same as the ECE patch set version	N/A
Oracle Communications Offline Mediation Controller	The same version as ECE	ECE supports Offline Mediation Controller on Linux x86 or x86-64 or Solaris SPARC (64bit).

Table 6-2 (Cont.) Required Software for an Integrated ECE System

Product	Version	Notes
Apache Kafka Clients	2.4.0 – Support added in BRM 12.0 Patch Set 3 2.7.0 – Support added in BRM 12.0 Patch Set 4 2.8.1 – Support added in BRM 12.0 Patch Set 5 3.0.0 – Support added in BRM 12.0 Patch Set 7 3.3.1 – Support added in BRM 12.0 Patch Set 8	N/A

Table 6-3 lists the software that you can optionally use with ECE 12.0.

Table 6-3 Optional Software for ECE 12.0

Product	Version	Notes
Oracle Application Management Pack for Oracle Communications	12.1.0.1 – Support added in ECE 12.0/12.0 Patch Set 1.	For monitoring ECE nodes.

Table 6-4 lists the JAR files that are required during ECE installation.

Table 6-4 Required JAR Files

File	Description
ojdbc8.jar	Download this file from the following page: https://www.oracle.com/database/technologies/appdev/jdbc-downloads.html
xdb6.jar	Download this file from the following page: https://www.oracle.com/database/technologies/appdev/jdbc-downloads.html
wlthint3client.jar	This file is available in the Oracle WebLogic Server client package. Note: If you choose to use two JMS providers, both WebLogic Server and another provider, ensure that you do the following after installation on the driver machine: <ul style="list-style-type: none"> • Copy the other JMS provider's client JARs to the <i>ECE_home/occeserver/lib</i> directory. • Rename the other JMS provider JAR file wlthint3client.jar. • (When using the other JMS provider to publish ECE notification events) Update the <i>ECE_home/occeserver/JMSQueueConfiguration.xml</i> file to specify the InitialContextFactory and protocol information of the other JMS provider.
com.oracle.weblogic.beangen.general.api.jar	This file is available in the Oracle WebLogic Server client package.
groovy-all-2.4.11.jar groovy-all-2.4.12.jar	Download this file from the following page on Apache Groovy website in the "Maven Repository" section: http://groovy-lang.org/install.html

Table 6-4 (Cont.) Required JAR Files

File	Description
coherence.jar	This file is available in the Oracle Coherence package.
coherence-login.jar	This file is available in the Oracle Coherence package.
coherence-work.jar	This file is available in the Oracle Coherence package.
kvclient-18.3.21.jar	(Optional) You need this file only if you are using Oracle NoSQL Database. This file is available in the Oracle NoSQL Database package.

7

PDC Software Compatibility

Learn about the software that is compatible with Oracle Communications Pricing Design Center (PDC) 12.0 and 12.0 patch sets.

Topics in this document:

- [Additional PDC Software Requirements](#)

For hardware and information requirements, see "Pricing Design Center System Requirements" in *PDC Installation Guide*.

Additional PDC Software Requirements

[Table 7-1](#) lists the software required for running PDC.

Table 7-1 PDC Software Requirements

Product	Version	Notes
Oracle WebLogic Server 12c Standard Edition or Enterprise Edition	12c Release 2 (12.2.1.2.0) with the 22066172 patch – Support added in PDC 12.0 12c Release 2 (12.2.1.3.0) – Support added in PDC 12.0 Patch Set 2 12c Release 2 (12.2.1.4.0) – Required by PDC 12.0 Patch Set 4	Requires 1 GB disk space. PDC 12.0 Patch Set 4 was certified with WebLogic 12c Release 2 (12.2.1.4.0)
Oracle Database 12c Enterprise Edition	12c (12.2.0. and later patch levels) – Support added in PDC 12.0 18c (18.1.0 and later patch levels) – Support added in PDC 12.0 Patch Set 1 19c (19.3.0 or later patch levels) – Support added in PDC 12.0 Patch Set 2 19c (19.13.0 or later patch levels) – Support added in PDC 12.0 Patch Set 5 19c (19.15.0 or later patch levels) – Support added in PDC 12.0 Patch Set 7 19c (19.17.0 or later patch levels) – Support added in PDC 12.0 Patch Set 8	Requires 1.2 GB disk space.

Table 7-1 (Cont.) PDC Software Requirements

Product	Version	Notes
Oracle Java Platform, Standard Edition (Java SE)	8 (1.8.0_144) – Support added in PDC 12.0 8 (1.8.0_221) – Support added in PDC 12.0 Patch Set 2 8 (1.8.0_241) – Support added in PDC 12.0 Patch Set 3 8 (1.8.0_291) – Support added in PDC 12.0 Patch Set 4 8 (1.8.0_321) – Support added in PDC 12.0 Patch Set 6 8 (1.8.0_341) – Support added in PDC 12.0 Patch Set 7 8 (1.8.0_351) – Support added in PDC 12.0 Patch Set 8	Obtain Java SE containing Java Development Kit (JDK) and Java Runtime Environment (JRE).
Oracle Identity and Access Management	11.1.2.3.0 – Support added in PDC 12.0 12.2.1.3.0 – Support added in PDC 12.0 Patch Set 2 12.2.1.4.0 – Support added in PDC 12.0 Patch Set 4	For supporting user authorization and authentication.
Internet Browser	The same versions as BRM. See " Web Browsers ".	N/A
Security Assertion Markup Language (SAML)	2.0 – Support added in PDC 12.0 Patch Set 2	Optional. For single sign-on configuration.
Oracle Communications Billing and Revenue Management (BRM)	The same version as PDC.	BRM server: Requires 300 MB disk space. BRM database: Requires 2 to 5 GB per 10,000 customers per year. This requirement varies greatly with the number of accounts and the amount of activity.

For BRM Suite compatibility, see "[BRM Suite Compatibility](#)".

8

Billing Care Software Compatibility

Learn about the software that is compatible with Oracle Communications Billing Care 12.0 and 12.0 patch sets.

Topics in this document:

- [Additional Software Requirements](#)

For hardware and information requirements, see "Billing Care System Requirements" in *Billing Care Installation Guide*.

Billing Care is supported only on the software listed in this chapter. You must install and connect all required software components for a secure installation.

Additional Software Requirements

[Table 8-1](#) lists the software required for running Billing Care.

Table 8-1 Required Third-Party Software for Billing Care

Product	Version	Notes
Oracle WebLogic Server 12c R2 Enterprise Edition	12c Release 2 (12.2.1.2.0) – Support added in Billing Care 12.0 12c Release 2 (12.2.1.3.0) – Support added in Billing Care 12.0 Patch Set 2 12c Release 2 (12.2.1.4.0) – Support added in Billing Care 12.0 Patch Set 4	Install using Fusion Middleware Infrastructure installer.
Oracle Identity and Access Management	12.2.1.3.0 (12c R2) 12.2.1.4.0 (12c R2) – Support added in Billing Care 12.0 Patch Set 4	N/A
Oracle Communications Billing and Revenue Management (BRM)	The same version as Billing Care	N/A
Internet Browser	The same versions as BRM. See " Web Browsers ".	N/A

Table 8-1 (Cont.) Required Third-Party Software for Billing Care

Product	Version	Notes
Oracle Java Development Kit (JDK) 64-bit	1.8.0_144 – Support added in Billing Care 12.0 1.8.0_221 – Support added in Billing Care 12.0 Patch Set 2 1.8.0_241 – Support added in Billing Care 12.0 Patch Set 3 1.8.0_291 – Support added in Billing Care 12.0 Patch Set 4 1.8.0_301 – Support added in Billing Care 12.0 Patch Set 5 1.8.0_321 – Support added in Billing Care 12.0 Patch Set 6 1.8.0_341 – Support added in Billing Care 12.0 Patch Set 7 1.8.0_351 – Support added in Billing Care 12.0 Patch Set 8	N/A
Oracle WebLogic Monitoring Exporter	2.0.2 – Support added in Billing Care 12.0 Patch Set 4 2.0.3 – Support added in Billing Care 12.0 Patch Set 5 2.0.4 – Support added in Billing Care 12.0 Patch Set 6 2.0.5 – Support added in Billing Care 12.0 Patch Set 7 2.1.0 – Support added in Billing Care 12.0 Patch Set 8	Optional. For monitoring.
Grafana	7.5.6 – Support added in Billing Care 12.0 Patch Set 4 8.2.1 – Support added in Billing Care 12.0 Patch Set 5 8.3.5 – Support added in Billing Care 12.0 Patch Set 6 9.2.4 – Support added in Billing Care 12.0 Patch Set 8	Optional. For monitoring.
Prometheus	2.27.1 – Support added in Billing Care 12.0 Patch Set 4 2.40.0 – Support added in Billing Care 12.0 Patch Set 8	Optional. For monitoring.
Security Assertion Markup Language (SAML)	2.0 – Support added in Billing Care 12.0 Patch Set 2	Optional. For single sign-on configuration.

For BRM Suite compatibility, see "[BRM Suite Compatibility](#)".

The Billing Care installer validates the JDK version and checks for a running OPSS JRF-enabled domain before deploying Billing Care. Detected errors, any missing or unavailable components, or any connectivity-related issues are displayed in the Billing Care installer.

For production installations, you must install the required software listed in [Table 8-1](#) and perform the required pre-installation procedures before running the Billing Care installer. Test installations can be done on a basic WebLogic domain.

9

Business Operations Center Software Compatibility

Learn about the software compatible with Oracle Communications Business Operations Center 12.0 and 12.0 patch sets.

Topics in this document:

- [Additional Business Operations Center Software Requirements](#)

For hardware and information requirements, see "Business Operations Center Requirements" in *Business Operations Center Installation Guide*.

Business Operations Center is supported only on the software listed in this chapter. You must install and connect all required software components for a secure installation.

Additional Business Operations Center Software Requirements

Business Operations Center is deployed on an Oracle WebLogic Server domain configured as an Oracle Platform Security Services (OPSS) client domain. See *Oracle Platform Security Services* or *OPSS in Fusion Middleware Identity Management* documentation for more information.

For Business Operations Center installation, you require the following components:

- Oracle Enterprise Database for storing authentication and authorization policies and user information.
- Oracle WebLogic Server installed using the Fusion Middleware Infrastructure installer.
- OPSS-enabled JRF domain for deploying Business Operations Center.



Note:

The OPSS installation depends on WebLogic and database installations. No specific installation is required for OPSS.

Optionally, you can install the following Oracle Identity and Access Management (IAM) components for authentication and authorization based on your requirements:

- Oracle Access Manager (OAM) for single sign-on (SSO) configuration.
- Oracle Unified Directory (OUD) for user directory management.
- Oracle Identity Governance for connecting to OUD and managing users.

For more information, see:

- [List of Additional Required Software](#)
- [List of Additional Required Software for Production Installations](#)

List of Additional Required Software

Table 9-1 lists the software required for running Business Operations Center.

Table 9-1 Required Third-Party Software for Business Operations Center

Product	Version	Notes
Oracle WebLogic Server 12c R2 Enterprise Edition	12c Release 2 (12.2.1.2.0) – Support added in Business Operations Center 12.0 12c Release 2 (12.2.1.3.0) – Support added in Business Operations Center 12.0 Patch Set 2 12c Release 2 (12.2.1.4.0) – Support added in Business Operations Center 12.0 Patch Set 4	Install using Fusion Middleware Infrastructure installer.
Oracle Identity and Access Management Repository Creation Utility	12.2.1.3.0 (12c R2) 12.2.1.4.0 (12c R2) – Support added in Business Operations Center 12.0 Patch Set 4	N/A
Oracle Communications Billing and Revenue Management (BRM)	The same version as Business Operations Center.	N/A
Internet Browser	The same versions supported by BRM. See " Web Browsers ".	N/A
Oracle Java Development Kit (JDK) 64-bit	8 (1.8.0_144) – Support added in Business Operations Center 12.0 8 (1.8.0_221) – Support added in Business Operations Center 12.0 Patch Set 2 8 (1.8.0_241) – Support added in Business Operations Center 12.0 Patch Set 3 8 (1.8.0_291) – Support added in Business Operations Center 12.0 Patch Set 4 8 (1.8.0_301) – Support added in Business Operations Center 12.0 Patch Set 5 8 (1.8.0_321) – Support added in Business Operations Center 12.0 Patch Set 6 8 (1.8.0_341) – Support added in Business Operations Center 12.0 Patch Set 7 8 (1.8.0_351) – Support added in Business Operations Center 12.0 Patch Set 8	N/A

Table 9-1 (Cont.) Required Third-Party Software for Business Operations Center

Product	Version	Notes
Oracle WebLogic Monitoring Exporter	2.0.2 – Support added in Business Operations Center 12.0 Patch Set 4 2.0.3 – Support added in Business Operations Center 12.0 Patch Set 5 2.0.4 – Support added in Business Operations Center 12.0 Patch Set 6 2.0.5 – Support added in Business Operations Center 12.0 Patch Set 7 2.1.0 – Support added in Business Operations Center 12.0 Patch Set 8	Optional. For monitoring.
Grafana	7.5.6 – Support added in Business Operations Center 12.0 Patch Set 4 8.3.5 – Support added in Business Operations Center 12.0 Patch Set 6 9.2.4 – Support added in Business Operations Center 12.0 Patch Set 8	Optional. For monitoring.
Prometheus	2.27.1 – Support added in Business Operations Center 12.0 Patch Set 4 2.40.0 – Support added in Business Operations Center 12.0 Patch Set 8	Optional. For monitoring.
Security Assertion Markup Language (SAML)	2.0 – Support added in Business Operations Center 12.0 Patch Set 3	Optional. For single sign-on configuration.

For BRM Suite compatibility, see "[BRM Suite Compatibility](#)".

The Business Operations Center installer validates the JDK version and checks for a running OPSS JRF-enabled domain before deploying Business Operations Center. Detected errors, any missing or unavailable components, or any connectivity-related issues are displayed in the Business Operations Center installer.

For production installations, you must install the required software listed in Table 9-1 and perform the required pre-installation procedures before running the Business Operations Center installer. Test installations can be done on a basic WebLogic domain.

List of Additional Required Software for Production Installations

[Table 9-2](#) lists additional third-party software required for production installations of Business Operations Center.

Obtain the required software versions from the listed vendors and ensure that the packages are installed on your Business Operations Center host according to third-party documentation before running the installer.

Table 9-2 Required Third-Party Software for Business Operations Center Production Installations

Product	Version	Notes
Jersey	2.27 – Support added in Business Operations Center 12.0 2.28 – Support added in Business Operations Center 12.0 Patch Set 3 2.35 – Support added in Business Operations Center 12.0 Patch Set 5	https://eclipse-ee4j.github.io/jersey/

Table 9-2 (Cont.) Required Third-Party Software for Business Operations Center Production Installations

Product	Version	Notes
<p>Apache Log4j</p>	<p>Support added in Business Operations Center 12.0:</p> <ul style="list-style-type: none"> • log4j-api-2.11.1.jar • log4j-core-2.11.1.jar • log4j-web-2.11.1.jar <p>Support added in Business Operations Center 12.0 Patch Set 2:</p> <ul style="list-style-type: none"> • log4j-api-2.12.0.jar • log4j-core-2.12.0.jar • log4j-web-2.12.0.jar <p>Support added in Business Operations Center 12.0 Patch Set 3:</p> <ul style="list-style-type: none"> • log4j-api-2.13.0.jar • log4j-core-2.13.0.jar • log4j-web-2.13.0.jar • log4j-slf4j-impl-2.13.0.jar <p>Support added in Business Operations Center 12.0 Patch Set 3 with Interim Patch 31426340:</p> <ul style="list-style-type: none"> • log4j-api-2.13.3.jar • log4j-core-2.13.3.jar • log4j-web-2.13.3.jar • log4j-slf4j-impl-2.13.3.jar <p>Support added in Business Operations Center 12.0 Patch Set 4:</p> <ul style="list-style-type: none"> • log4j-api-2.14.1.jar • log4j-core-2.14.1.jar • log4j-web-2.14.1.jar • log4j-slf4j-impl-2.14.1.jar <p>Support added in Business Operations Center 12.0 Patch Set 5:</p> <ul style="list-style-type: none"> • log4j-api-2.16.0.jar • log4j-core-2.16.0.jar • log4j-web-2.16.0.jar • log4j-slf4j-impl-2.16.0.jar <p>Support added in Business Operations Center 12.0 Patch Set 6:</p> <ul style="list-style-type: none"> • log4j-api-2.17.1.jar • log4j-core-2.17.1.jar • log4j-web-2.17.1.jar • log4j-slf4j-impl-2.17.1.jar 	<p>http://logging.apache.org/log4j/2.x/</p> <p>For 12.0 Patch Set 3 and later releases, the log4j-slf4j-impl-2.x.x.jar libraries must be located in the <i>Domain_home/lib</i> directory.</p>

Table 9-2 (Cont.) Required Third-Party Software for Business Operations Center Production Installations

Product	Version	Notes
Jackson	<p>Support added in Business Operations Center 12.0:</p> <ul style="list-style-type: none"> • jackson-core-2.9.6.jar • jackson-databind-2.9.6.jar • jackson-jaxrs-base-2.9.6.jar • jackson-jaxrs-json-provider-2.9.6.jar • jackson-annotations-2.9.6.jar <p>Support added in Business Operations Center 12.0 Patch Set 2:</p> <ul style="list-style-type: none"> • jackson-core-2.9.9.jar • jackson-databind-2.9.9.3.jar • jackson-jaxrs-base-2.9.9.jar • jackson-jaxrs-json-provider-2.9.9.jar • jackson-annotations-2.9.9.jar <p>Support added in Business Operations Center 12.0 Patch Set 3:</p> <ul style="list-style-type: none"> • jackson-core-2.10.2.jar • jackson-databind-2.10.2.jar • jackson-jaxrs-base-2.10.2.jar • jackson-jaxrs-json-provider-2.10.2.jar • jackson-annotations-2.10.2.jar <p>Support added in Business Operations Center 12.0 Patch Set 4:</p> <ul style="list-style-type: none"> • jackson-core-2.12.2.jar • jackson-databind-2.12.2.jar • jackson-jaxrs-base-2.12.2.jar • jackson-jaxrs-json-provider-2.12.2.jar • jackson-annotations-2.12.2.jar <p>Support added in Business Operations Center 12.0 Patch Set 6:</p> <ul style="list-style-type: none"> • jackson-core-2.13.2.jar • jackson-databind-2.13.2.jar • jackson-jaxrs-base-2.13.2.jar • jackson-jaxrs-json-provider-2.13.2.jar 	<p>https://github.com/FasterXML/jackson</p>

Table 9-2 (Cont.) Required Third-Party Software for Business Operations Center Production Installations

Product	Version	Notes
	<ul style="list-style-type: none"> • jackson-annotations-2.13.2.jar <p>Support added in Business Operations Center 12.0 Patch Set 8:</p> <ul style="list-style-type: none"> • jackson-core-2.14.0.jar • jackson-databind-2.14.0.jar • jackson-jaxrs-base-2.14.0.jar • jackson-jaxrs-json-provider-2.14.0.jar • jackson-annotations-2.14.0.jar 	
Quartz Scheduler	<p>Support added in Business Operations Center 12.0:</p> <ul style="list-style-type: none"> • quartz-2.3.0.jar • quartz-jobs-2.3.0.jar (along with its dependencies) <p>Support added in Business Operations Center 12.0 Patch Set 2:</p> <ul style="list-style-type: none"> • quartz-2.3.1.jar • quartz-jobs-2.3.1.jar (along with its dependencies) <p>Support added in Business Operations Center 12.0 Patch Set 3:</p> <ul style="list-style-type: none"> • quartz-2.3.2.jar • quartz-jobs-2.3.2.jar (along with its dependencies) 	http://www.quartz-scheduler.org/

10

PCC Software Compatibility

Learn about the software that is compatible with Oracle Communications Pipeline Configuration Center (PCC) 12.0 and 12.0 patch sets.

Topics in this document:

- [Additional PCC Software Requirements](#)

For hardware and information requirements, see "PCC System Requirements" in *BRM Installation Guide*.

PCC is deployed on an Oracle WebLogic Server domain. You must install and connect all required software for optimal performance. PCC is supported only on software listed in this chapter.

Additional PCC Software Requirements

[Table 10-1](#) lists the software required for running PCC.

Table 10-1 Required Third-Party Software for PCC

Product	Version	Notes
Oracle WebLogic Server 12c Enterprise Edition	12c Release 2 (12.2.1.2.0) – Support added in PCC 12.0 12c Release 2 (12.2.1.3.0) – Support added in PCC 12.0 Patch Set 2 12c Release 2 (12.2.1.4.0) – Support added in PCC 12.0 Patch Set 4	N/A
Oracle Fusion Middleware 12c Application Development Framework	12c Release 2 (12.2.1.2.0) – Support added in BRM 12.0 12c Release 2 (12.2.1.3.0) – Support added in BRM 12.0 Patch Set 2 12c Release 2 (12.2.1.4.0) – Support added in BRM 12.0 Patch Set 4	N/A
Oracle Communications Billing and Revenue Management (BRM)	The same version as PCC.	N/A
Internet Browser	The same versions supported by BRM. See " Web Browsers ".	N/A

Table 10-1 (Cont.) Required Third-Party Software for PCC

Product	Version	Notes
Oracle Java Platform, Standard Edition (Java SE)	JDK 1.8.0_144 or above with minimum heap size of 500 MB – Support added in BRM 12.0 JDK 1.8.0_221 or above with minimum heap size of 500 MB – Support added in BRM 12.0 Patch Set 2 JDK 1.8.0_241 or above – Support added in BRM 12.0 Patch Set 3 JDK 1.8.0_291 or above – Support added in BRM 12.0 Patch Set 4 JDK 1.8.0_301 or above – Support added in BRM 12.0 Patch Set 5 JDK 1.8.0_321 or above – Support added in BRM 12.0 Patch Set 6 JDK 1.8.0_341 or above – Support added in BRM 12.0 Patch Set 7 JDK 1.8.0_351 or above – Support added in BRM 12.0 Patch Set 8	JDK with minimum heap size of 500 MB

The PCC Installer checks for all required software and displays errors if it detects any missing or unavailable components, or if there are any connectivity-related issues.

For BRM Suite compatibility, see "[BRM Suite Compatibility](#)".

11

BRM Cloud Native Deployment Software Compatibility

Learn about the software that is compatible with the Oracle Communications Billing and Revenue Management (BRM) cloud native deployment package. This package uses Docker, Kubernetes, Helm, and Linux for containerization and orchestration.

Topics in this document:

- [Third-Party Platforms](#)
- [Additional BRM Cloud Native System Requirements](#)

Caution:

- It is the responsibility of the system administrator to ensure that all installed software dependencies are kept up to date wherever possible. Oracle supports versions of the software where the software vendor declares backward compatibility to the version certified with BRM and where the upgrade is a minor version increment (that is, A.B.C to A.B.D).

It is particularly important for system administrators to adopt this policy for software dependencies for which upgrades are generally related to security rather than focused on functionality.

- Oracle does not provide support for any prerequisite third-party software installation or configuration. Any installation or configuration issues related to non-Oracle prerequisite software needs to be handled by the customer.

Third-Party Platforms

- BRM cloud native is designed to be agnostic of the underlying cloud infrastructure. It relies on standard APIs, objects and configuration functions from the software products listed in this document. As such, BRM cloud native is certified on any container platform based on a CNCF-certified Kubernetes, provided the version requirements listed in this document are satisfied.

Additional BRM Cloud Native System Requirements

The Docker images were validated with the software listed in **Additional BRM Cloud Native System Requirements**.



Note:

Oracle does not provide any of the third-party software mentioned in the table below. The product cannot be used until you have separately obtained and installed the required third-party software.

Table 11-1 Additional BRM Cloud Native System Requirements

Software	Version	Notes
Kubernetes	For Patch Set 3: <ul style="list-style-type: none"> • 1.14.8 For Patch Set 3 with Interim Patch 32078710: <ul style="list-style-type: none"> • 1.16.x • 1.17.x For Patch Set 4: <ul style="list-style-type: none"> • 1.18.x • 1.19.x For Patch Set 5: <ul style="list-style-type: none"> • 1.20.x For Patch Set 6: <ul style="list-style-type: none"> • 1.21.x For Patch Set 7: <ul style="list-style-type: none"> • 1.23.x, where x is 4 or higher For Patch Set 8: <ul style="list-style-type: none"> • 1.24.x, where x is 6 or higher • 1.26.x, where x is 2 or higher • 1.27.x • 1.28.x 	N/A
Helm	For Patch Set 3: <ul style="list-style-type: none"> • 3.0.1 For Patch Set 3 with Interim Patch 31857207: <ul style="list-style-type: none"> • 3.2.x For Patch Set 4: <ul style="list-style-type: none"> • 3.3.x • 3.5.x For Patch Set 5: <ul style="list-style-type: none"> • 3.6.x For Patch Set 8: <ul style="list-style-type: none"> • 3.10.x, where x is 3 or higher using Kubernetes version 1.24 • 3.11.x, when using Kubernetes version 1.26 • 3.12.x, when using Kubernetes version 1.27 • 3.13.x, when using Kubernetes version 1.28 	N/A

Table 11-1 (Cont.) Additional BRM Cloud Native System Requirements

Software	Version	Notes
Fluentd	For Patch Set 3: <ul style="list-style-type: none"> • 1.8 For Patch Set 4: <ul style="list-style-type: none"> • 1.12.3 or higher For Patch Set 7: <ul style="list-style-type: none"> • 1.14.6 or higher 	N/A
WebLogic Kubernetes Operator	For Patch Set 3: <ul style="list-style-type: none"> • 2.5.0 For Patch Set 3 Interim Patch 31848465: <ul style="list-style-type: none"> • 3.0.0 For Patch Set 4: <ul style="list-style-type: none"> • 3.2.3 For Patch Set 5: <ul style="list-style-type: none"> • 3.3.2 For Patch Set 6: <ul style="list-style-type: none"> • 3.3.7 For Patch Set 7: <ul style="list-style-type: none"> • 3.4.0 For Patch Set 8: <ul style="list-style-type: none"> • 3.4.4, when using Kubernetes version 1.24 • 4.0.6, when using Kubernetes version 1.26 • 4.1.4, when using Kubernetes version 1.27 • 4.1.8, when using Kubernetes version 1.28 	Steps for downloading and installing WebLogic Kubernetes Operator are available at: https://oracle.github.io/weblogic-kubernetes-operator/
WebLogic Monitoring Exporter	For Patch Set 4: <ul style="list-style-type: none"> • 2.0.2 For Patch Set 5: <ul style="list-style-type: none"> • 2.0.3 For Patch Set 6: <ul style="list-style-type: none"> • 2.0.4 For Patch Set 7: <ul style="list-style-type: none"> • 2.0.5 For Patch Set 8: <ul style="list-style-type: none"> • 2.1.4 	N/A
Prometheus	For Patch Set 4: <ul style="list-style-type: none"> • 2.27.1 For Patch Set 8: <ul style="list-style-type: none"> • 2.40.0 	N/A

Table 11-1 (Cont.) Additional BRM Cloud Native System Requirements

Software	Version	Notes
Prometheus Operator	For Patch Set 4: <ul style="list-style-type: none"> • 0.47.1 For Patch Set 6: <ul style="list-style-type: none"> • 0.54.0 For Patch Set 8: <ul style="list-style-type: none"> • 0.60.1 	N/A
Prometheus Alert Manager	For Patch Set 4: <ul style="list-style-type: none"> • 0.21.0 For Patch Set 7: <ul style="list-style-type: none"> • 0.24.0 	N/A
Prometheus JMX Exporter Java Agent	For Patch Set 4: <ul style="list-style-type: none"> • 0.15.0 For Patch Set 5: <ul style="list-style-type: none"> • 0.16.1 For Patch Set 8: <ul style="list-style-type: none"> • 0.17.2 	N/A
Grafana	For Patch Set 4: <ul style="list-style-type: none"> • 7.5.6 For Patch Set 5: <ul style="list-style-type: none"> • 8.2.2 or higher For Patch Set 6: <ul style="list-style-type: none"> • 8.3.5 or higher For Patch Set 8: <ul style="list-style-type: none"> • 9.2.4 or higher 	N/A