### **Oracle® Communications Convergence**

**Release Notes** 

Release 3.0.3 F99831-01 August 2024

# **New Features**

This chapter provides an overview of the new features introduced in Oracle Communications Convergence 3.0.3.0.0.

## New Features Delivered in Convergence 3.0.3.0.0

This section lists the new features released in Convergence 3.0.3.0.0.

# Multi-factor Authentication (MFA) Using Oracle Mobile Authenticator (OMA)

Convergence supports Multi-factor Authentication during login using Oracle Mobile Authenticator from Convergence 3.0.3.4.0. This enhances security by adding an additional layer of authentication beyond just a username and password. It restricts unauthorized individuals to gain access to sensitive information.

By default this feature is disabled. When this feature is enabled, you can enter the username, password and then the OTP generated by Mobile Authenticator to login to Convergence.

Directory Server setup 6.4.0.29.0 or above is required for this feature to work.

For more information, see "Configuring Multifactor Authentication using Oracle Mobile Authenticator" in *System Administrator Guide*.

### Support for Arabic Language

Support for Arabic language is introduced in Convergence 3.0.3.2.0.

### Default RMI Listener is localhost from Convergence 3.0.3.2.0 Onwards

The default RMI listener is set to localhost in Convergence 3.0.3.2.0. By default, only the locallhost option is enabled. A new parameter, **rmi.uselocalhost** is introduced in the **adminservice.properties** file under the **config** folder. You can set this parameter



to true or false. This configuration parameter requires a server restart for the changes to take effect. The default value for **rmi.uselocalhost** is true.

For information about Tuning Iwcadmin Configuration Management Connectivity Login Required, see My Oracle Support article 2637365.1 at: https://support.oracle.com/knowledge/More%20Applications%20and%20Technologies/2637365\_1.html.

### Forgot Password

You can reset the password using the **Forgot Password** feature available from Convergence 3.0.3.1.0.

By default, this option is disabled. You can enable it by running the following command:

```
./iwcadmin -o base.enableforgotpassword -v true
```

When the option is enabled, you can change password by clicking on the 'Forgot Password' link provided in the Convergence login page. Password reset is protected by two factor authentication. For more information on enabling two-factor authentication, see *Oracle Communication Convergence System Administration Guide*.

### JDK 8 Support

Convergence 3.0.3.0.0 and beyond is supported on JDK 8 and above. Support for JDK 7 is removed.

### Support for Oracle Unified Directory

Convergence 3.0.3.0.0 release supports Oracle Unified Directory Server 12.2.1.4. For Oracle Unified Directory support, you must install and run DS setup 6.4.0.30.0.

For more information, see "Preparing the Directory Server" and "rundssetup Reference" in *Convergence Installation and Configuration Guide*.

### New Convergence Configurator Utility

Convergence 3.0.3.0.0 provides a rewritten initial configuration utility (**init-config**). Prior to Convergence 3.0.3.0.0, **init-config** was built using the InstallSDK framework, that has been obsoleted. The **init-config** utility in Convergence 3.0.3.0.0 is a simpler Perl-based command-line utility that removes the InstallSDK dependency. The new utility also makes it easier to support silent configuration in following releases.

# **Fixes in This Release**

This chapter lists the bugs that were fixed in Oracle Communications Convergence 3.0.3.0.0 and subsequent patches.



Note:

For the list of bugs that have been fixed in 3.0.3.X.0 patches, refer to the patch Readme documents on My Oracle Support (MOS).

# Fixes in Release 3.0.3.0.0

Table 2-1 lists and describes the bugs fixed in this release of Convergence.

Table 2-1 Fixes in Release 3.0.3.0.0

| Reference       | Description   |
|-----------------|---|
| Bug #: 33003005 | Convergence upgrade over LDAPS is now working on OL7, using openIdap.   |
| Bug #: 33109545 | The IWC init-config configuration was failing with JDK 1.8.0_291 due to a JNI error caused by a dependency on installsdk libraries.                                       |
|                 | This has been fixed in Convergence 3.0.3.0.0. For any version prior to that, JDK8 versions jdk 1.8.0_271 or below should be used as a workaround.                         |
| Bug #: 33563575 | Convergence Build and Installer supports JDK 1.8 now.   |
| Bug #: 33589870 | The legacy setupJDK installer used by Convergence has been replaced with a Perl-based installer for JDK 8 support in Convergence 3.0.3.0.0.                               |
| Bug #: 33605762 | The OWASP html sanitizer jars have been upgraded to the latest version.   |
| Bug #: 33703121 | Third party jars for Convergence have been upgraded to the latest version.  |
| Bug #: 12305572 | Third Party jar upgrade for Convergence: remove http-bind, jso.jar, collab-api.jar, xp.jar, saxpath.jar, jaxen-core.jar.  |
| Bug #: 35561683 | The user can restrict attachment types for end users in Convergence.  |
| Bug #: 35639870 | You can configure the Convergence deployment to restrict the number of emails that can be sent to recipients within a defined time period.                                |
| Bug #: 35688083 | Email signatures with an apostrophe were being returned with a backslash when composing an email. This issue is now resolved.   |
| Bug #: 35908369 | Some localized characters in the message body were being replaced<br>with a replacement character when accessed from Convergence. This<br>issue is now resolved.          |
| Bug #: 36031577 | You can restrict end users from sending emails with modified <b>From</b> addresses.   |
| Bug #: 36138933 | Convergence supports multi-factor authentication using Oracle Mobile Authenticator when logging in.   |
| Bug #: 36228951 | Autocomplete can display more than 10 corporate directory users in Convergence using customization.   |
| Bug #: 13084765 | The 160-character limit for a single SMS has been removed in the SMS UI because messages with a mix of ASCII and non-ASCII characters can be sent beyond character limit. |



| Reference       | Description  |
|-----------------|--|
| Bug #: 34818478 | Convergence now supports the Arabic language.  |
| Bug #: 34850101 | Convergence supports email forwarding addresses up to 63 characters after @ and .  |
| Bug #: 34871810 | The spacing issue seen for module names and dropdown fields in RTL mode is now resolved.   |
| Bug #: 35249020 | The httpClient, httpCore, and httpmime jars have been upgraded to the latest version.  |
| Bug #: 35263940 | When the Forgot Password option is enabled, users can send OTP and verify it in the LDAP schema 1.   |
| Bug #: 33737756 | <ul> <li>The following third-party jars have been removed from Convergence:</li> <li>jso.jar</li> <li>collab-api.jar</li> <li>xp.jar</li> <li>saxpath.jar</li> <li>jaxen-core.jar</li> </ul>   |
| Bug #: 35513179 | <ul> <li>The following third-party jars have been upgraded in Convergence (3.0.3.2.0):</li> <li>commons-cli.jar</li> <li>json.jar</li> <li>log4j jars</li> <li>owasp library jar</li> </ul>  |
| Bug #: 35524533 | Convergence now allows attachment downloads with a hash special character.   |
| Bug #: 28089615 | The issue of the base.sslport configuration getting lost after a Convergence upgrade is now resolved.  |
| Bug #: 30679290 | A 'Forgot Password' link has been added to Convergence login page allowing users to reset their passwords on their own.  |
| Bug #: 33968355 | The <b>ObjectClass: sunUCPreferences</b> attribute is added to a user's LDAP entry upon their first login to Convergence using an <b>add</b> operation instead of a <b>replace</b> operation.  |
| Bug #: 34351809 | When a group was selected in Convergence, it performed the search against the UID of the users instead of their email ID, causing similar UIDs to be included in the group listing. This issue is now resolved.  |
| Bug #: 34644720 | The init-config script for Convergence assumed the bind DN would start with cn=, leading to errors when the DN started with something else, for example, uid=. This issue is now resolved.   |
| Bug #: 34644883 | Ownership of iwc.appsrv.DocumentRootDirectory folder was set<br>incorrectly during init_config and it results in root ownership instead of<br>the intended<br><iwc.webcontaineruserid>:<iwc.webcontainergroupid>.</iwc.webcontainergroupid></iwc.webcontaineruserid> |
| Bug #: 34647898 | In Convergence, the issue with mailto links not working in plain text emails has been fixed.   |

 Table 2-1
 (Cont.) Fixes in Release 3.0.3.0.0



# **Known Problems**

This chapter describes the known problems and workarounds in Oracle Communications Convergence 3.0.3.0.0.

- General and Installation Issues
- Messaging Issues
- Calendar Issues
- Address Book Issues
- Options Issues
- Oracle WebLogic Server Issues
- Advertising Issues
- Customization Issues

## General and Installation Issues

This section groups together the general known issues for Convergence.

### No Support for Smart Phones

Release: 3.0.3.0.0

Bug number: NA

This release of Convergence does not include support for smart phones.

### After Reloading UI, the Mail Tab Is Displayed

Release: 3.0.3.0.0

Bug number: 12213298

When you reload Convergence in the browser, the **Mail** tab appears, even if you were viewing a different tab before reloading Convergence.

## Messaging Issues

This section groups together the known issues pertaining to the messaging service in Convergence.

Convergence Mail Attachment Search does not Work with Messaging Server 8.1

Patch set: 3.0.3.0.0

Bug number: 29960010



When you configure Convergence with Messaging Server 8.1, Mail Attachment search does not work from **Mail > Attachments**.

To work around this issue, use elastic search. If elastic search is not configured, by default, **bruteforce** is used.

Error displayed in Tablet While Moving a Message in Two-Pane Layout

Release: 3.0.3.0.0

Bug number: 28625579

This issue is seen with tablets only. In the two-pane layout, when a user moves email messages across folders, an error is displayed in the **Move Message** dialog box on clicking **OK**. However, the message is moved to the selected folder and the error can be ignored.

### Email List is Not Automatically Refreshed in Tablet After Deleting an Email in Two-Pane Layout

Release: 3.0.3.0.0

Bug number: 28643608

This issue is seen with tablets only. In the two-pane layout, when a user deletes an email, the email list is not automatically refreshed. However, the email list is getting refreshed when a user clicks on the **Get Mail** icon.

### SMIME Feature is Not Working in Convergence 3.0.3.0.0

Patch sets: 3.0.3.0.0

Bug number: 35104338

SMIME functionalities in Convergence can only be run on browsers that support Java Applet. Since the latest browsers do not support Java Applet, SMIME features are not working in Convergence 3.0.3.X.0.

### Calendar Issues

This section groups together the known issues pertaining to the calendar service in Convergence.

Yahoo Event Invitations Do Not Properly Display

Release: 3.0.3.0.0

Bug number: 18760552



When a user receives an iMIP/iTIP event notification email from Yahoo, the details are not properly displayed. The UI message format is broken, and RSVP options are not correctly displayed. In addition, the event isn't added to the calendar.

To work around this issue, add the channel option **wrapsmtplonglines** to control the Message Transfer Agent (MTA) behavior when it sees illegally long lines in incoming SMTP messages as per Editing MTA Channel Options. Also, manually add the event to your calendar.

See the Oracle wiki for more information:

https://wikis.oracle.com/display/CommSuite/Editing+MTA+Channel+Options

### Yahoo Event Responses Are Not Displayed Properly

Release: 3.0.3.0.0

Bug number: 17388807, 16773937

When a Yahoo user has been invited to an event and that Yahoo user has replied to the invitation, the organizer of the event is likely to have problems viewing the Yahoo user's response in the calendar event.

To work around this issue, refer to the email with the Yahoo user's response to the invitation.

### Cannot Invite a User to an Event if User Display Name Includes Double Quotes

Release: 3.0.3.0.0

Bug number: 17386456

If a user display name includes double quotes (for example, *display"name*), that user cannot be added to an invitation.

There is no workaround for this issue.

Calendar Properties Labels Incorrectly Aligned for Japanese Locale

Release: 3.0.3.0.0

Bug number: 13495595

When using Convergence in Japanese, Simplified Chinese, Traditional Chinese and Korean languages, some labels for Calendar properties are incorrectly aligned.

### Address Book Issues

This section groups together the known issues pertaining to the address book service in Convergence.



# Convergence Login Fails if User Has Large Number of piStore Entries

Release: 3.0.3.0.0

Bug number: 12813939

Convergence login fails if user has large number of piStore entries.

To work around this issue, reset following convergence parameters to accommodate long LDAP command delay:

- ugldap.timeout
- ab.storeentrieslimit
- ab.pstore.lookthrulimit

Wait for ugldap.timeout to expire then refresh the Convergence login screen.

## **Options Issues**

There are no known issues pertaining to Convergence user options.

### Oracle WebLogic Server Issues

This section groups together the known issues for Convergence Oracle WebLogic Server.

### Oracle WebLogic Server does not Support Oracle Solaris 10

Patch set: 3.0.3.0.0

Bug number: 29719615

When you use Oracle WebLogic Server, Convergence configuration script fails to deploy Convergence on Solaris 10. Oracle Solaris 10 is not a certified platform for Oracle WebLogic Server 12.2.1.3.0.

### Context path of static files is fixed to iwc\_static for Convergence Deployed on Oracle WebLogic Server

Patch set: 3.0.3.0.0

Bug number: 31028618

When you configure Convergence on Oracle WebLogic Server, it deploys two applications, **Convergence** and **Convergence\_Client**. By default, the context root for Convergence is *liwc*. You can modify this context root during the initial configuration.

The context root for **Convergence\_Client** is *liwc\_static* and you cannot modify this option during the initial configuration.



# Advertising Issues

There are no known issues pertaining to the advertising module in Convergence.

### **Customization Issues**

This section groups together the known issues for Convergence customizations.

### Default IWCP Command Format in XML and Invalid Commands Return XML Only

Release: 3.0.3.0.0

Bug number: 12807684

Response of invalid commands with explicit fmt-out=text/json only return XML.

### Convergence Does Not Display Right-to-Left Languages Properly

SR number: 1-473996841, 1-584006005, 1-622051802

Bug number: 12247522 (SUNBT6745772)

This issue occurs if you enable customization and perform the steps to add a custom language to Convergence, then log in as a user created in LDAP with a language preference set to the custom language (for example, Arabic). The UI displays text and aligns widgets left-to-right instead of right-to-left.

### Convergence Hangs After Adding New Language

Release: 3.0.3.0.0

Bug number: 12247514 (SUNBT6745757)

This issue occurs if you enable customization and perform the steps to add a custom language to Convergence, creating a directory structure as shown in this example:

#### c11n\_HomelallDomain/nls/new\_language/resources.js

Convergence does not load the directory and the Convergence UI never appears.

To work around this issue, create an empty **resources.js** file in the *c11n\_Homel* **allDomain/nls** directory (in addition to the **resources.js** file in the *new\_language* directory).

# **Documentation Updates**

This chapter lists any important documentation updates in this release of Oracle Communications Convergence.



# **Convergence Glossary**

A glossary is included as an appendix to Convergence System Administrator's Guide.

# **New Appendices**

Convergence Installation and Configuration Guide is enhanced with:

- An appendix containing reference information about the Unified Communications Suite installer and the **commpkg** command.
- An appendix containing reference information about preparing the directory server and the **rundssetup** script.
- An appendix containing reference information about scripts used in Convergence.
- An appendix containing reference information about Migrating ODSEE deployment to OUD deployment.

# **Deprecated and Removed Features**

This chapter lists any features deprecated or removed from Oracle Communications Convergence.

## **Deprecated Features**

Convergence no longer supports social add-on services.

## **Removed Features**

There are no removed features in this release of Convergence.

# **Documentation Accessibility**

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup? ctx=acc&id=docacc.

# Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.



Oracle Communications Convergence Release Notes, Release 3.0.3

F99831-01

Copyright © 2008, 2024, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software, any programs, ediplat, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs, including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of thirdparty content, products, or services, except as set forth in an applicable agreement between you and Oracle.

