

# Oracle® Unified Topology for Inventory and Automation

## Asynchronous Events Guide



Release 7.6.0

F95173-01

June 2024

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Copyright © 2023, 2024, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

## Preface

---

Audience	iv
Documentation Accessibility	iv
Diversity and Inclusion	iv

## 1 About UTIA Asynchronous Events

---

## 2 UTIA Events and Definitions

---

TopologyEdgeCreate	2-1
TopologyEdgeDelete	2-2
TopologyEdgeUpdate	2-3
TopologyNodeCreate	2-4
TopologyNodeDelete	2-5
TopologyNodeUpdate	2-5
TopologyProfileCreate	2-6
TopologyProfileDelete	2-8
TopologyProfileUpdate	2-9

## 3 Performance and Fault Events and Definitions

---

TopologyFaultEventCreate	3-1
TopologyFaultEventUpdate	3-2
TopologyPerformanceEventCreate	3-3
TopologyPerformanceEventUpdate	3-4

## 4 Schemas, Valid Values, and Authorization

---

# Preface

This document outlines the events available in the Unified Topology for Inventory and Automation (UTIA) service for asynchronous processing.

## Audience

This document is for system administrators, database administrators, and developers who install and configure Unified Inventory and Topology.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

### **Access to Oracle Support**

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

## Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

# 1


## About UTIA Asynchronous Events

Unified Topology for Inventory and Automation (UTIA) uses the Oracle Communications Unified Operations Message Bus (UOMB) for processing these events.

The UOMB service is a distributed event store and stream-processing platform service. The Message Bus client sends/receives events (or messages) to/from the Message Bus service from a specific channel called a Topic, so that the source and target clients (or services) are loosely coupled and asynchronous. The Message Bus uses Apache Kafka in its platform to support the event store and stream-processing.

Apache Kafka is a distributed publish-subscribe messaging system that receives data from disparate source systems and makes the data available to target systems in real time. Similar to other message brokers systems, Kafka facilitates the asynchronous data exchange between processes, applications and servers.

The following figure illustrates the architecture diagram of Apache Kafka.



# 2

## UTIA Events and Definitions

The types of events in UTIA are Topology events and Performance or Fault events. The Topology events provide an event-driven architecture for creating, updating, and deleting Topology Vertices and Edges. The Topology events are listed as follows and are available as messages in the **ora-uim-topology** topic.

**Table 2-1 Topology Events**

Topology Event	Definition
<b>TopologyEdgeCreate</b>	This event supports the creation of all types of Topology Edges except Profile Edges.
<b>TopologyEdgeDelete</b>	This event supports the deletion of all types of Topology Edges except Profile Edges.
<b>TopologyEdgeUpdate</b>	This event supports updates of all types of Topology Edge except Profile Edges.
<b>TopologyNodeCreate</b>	This event supports the creation of all types of Topology Vertices except Profile Vertices.
<b>TopologyNodeDelete</b>	This event supports the deletion of all types of Topology Vertices except Profile Vertices.
<b>TopologyNodeUpdate</b>	This event supports updates of all types of Topology Vertices except Profile Vertices.
<b>TopologyProfileCreate</b>	This event supports the creation of Topology Profiles which represent an end-to-end trail of nodes and edges. For example, Service Topology is a Topology profile.
<b>TopologyProfileDelete</b>	This event supports the deletion of Topology Profiles.
<b>TopologyProfileDelete</b>	This event supports the deletion of Topology Profiles.
<b>TopologyProfileUpdate</b>	This event supports updates Topology Profiles.

### TopologyEdgeCreate

The following table provides the TopologyEdgeCreate event details and the corresponding values:

**Table 2-2 TopologyEdgeCreate**

Event Details	Value
Summary	Receives messages for creating Topology Edges.
Message Header (with examples)	eventType: "TopologyEdgeCreate" sourceSystemId: "UIM" transactionId: "uim-topology-nnnnnn"
Topic	ora-uim-topology
Producer	UIM, any External System, typically an Inventory System.

Table 2-2 (Cont.) TopologyEdgeCreate

Event Details	Value
Consumer	UTIA
URL	Provided during the deployment.
Schemas	Edge

**Example Payload:**

```
{
  "businessObjectClass": "PacketConnectivityDAO",
  "inventoryStatus": "INSTALLED",
  "name": "ELCN01PR.SR-1 / WSHN01DC.SR-1 / 40GigE / GE10 / 1",
  "referenceId": 1579678,
  "specName": "INNI Connectivity",
  "technology" : "Ethernet",
  "ratecode" : "10GigE",
  "fromNodeReferenceId" : "655350",
  "fromNodeBusinessObjectClass" : "LogicalDeviceDAO",
  "toNodeReferenceId" : "218472",
  "toNodeBusinessObjectClass" : "LogicalDeviceDAO",
  "edgeType" : "COMMUNICATES_WITH"
}
```

## TopologyEdgeDelete

The following table provides the TopologyEdgeDelete event details and the corresponding values:

Table 2-3 TopologyEdgeDelete

Event Details	Value
Summary	Receives messages for deleting Topology Edges.
Message Header (with examples)	eventType: "TopologyEdgeDelete" sourceSystemId: "UIM" transactionId: "uim-topology-nnnnnn"
Topic	ora-uim-topology
Producer	UIM, any External System, typically an Inventory System.
Consumer	UTIA
URL	Provided during the deployment.
Schemas	Edge

**Example Payload (using Edge entityID):**

```
{
  "entityId" : 1356
}
```

**Example Payload (using businessObjectClass, referenceId and edgeType):**

```
{
    "businessObjectClass": "PacketConnectivityDAO",
    "referenceId": 1579678,
    "edgeType" : "COMMUNICATES_WITH"
}
```

**Example Payload (using fromNode, toNode and edgeType):**

```
{
    "businessObjectClass": "TopologyOnly",
    "fromNode" : 1354,
    "toNode" : 1355,
    "edgeType" : "PARENT_DEVICE"
}
```

## TopologyEdgeUpdate

The following table provides the TopologyEdgeUpdate event details and the corresponding values:

**Table 2-4 TopologyEdgeUpdate**

Event Details	Value
Summary	Receives messages for updating Topology Edges.
Message Header (with examples)	eventType: "TopologyEdgeUpdate" sourceSystemId: "UIM" transactionId: "uim-topology-nnnnnn"
Topic	ora-uim-topology
Producer	UIM, any External System, typically an Inventory System.
Consumer	UTIA
URL	Provided during the deployment.
Schemas	Edge

**Example Payload (Communication Edge):**

```
{
    "entityId" : 1356,
    "businessObjectClass": "PacketConnectivityDAO",
    "inventoryStatus": "INSTALLED",
    "name": " ELCN01PR.SR-1 / WSHN01DC.SR-1 / 40GigE / GE10 / 1",
    "referenceId": 1579678,
    "specName": "INNI Connectivity",
    "technology" : "Ethernet",
    "ratecode" : "10GigE",
    "fromNode" : 4889,
    "fromNodeBusinessObjectClass" : "LogicalDeviceDAO",
    "toNode" : 6584,
```



```

        "toNodeBusinessObjectClass" : "LogicalDeviceDAO",
        "edgeType" : "COMMUNICATES_WITH"
    }

```

#### Example Payload (Topological Edge with Edge Label = PARENT\_DEVICE):

```

{
    "businessObjectClass": "TopologyOnly",
    "inventoryStatus": "INSTALLED",
    "name": "EquipmentShelfI-PhysicalDeviceI",
    "fromNodeReferenceId" : "675001",
    "fromNodeBusinessObjectClass" : "EquipmentDAO",
    "toNodeReferenceId" : "600001",
    "toNodeBusinessObjectClass" : "PhysicalDeviceDAO",
    "edgeType" : "PARENT_DEVICE",
    "properties" : {
        "propertyOne" : "newValueOne",
        "propertyTwo" : "newValueTwo"
    }
}

```

## TopologyNodeCreate

The following table provides the TopologyNodeCreate event details and the corresponding values:

**Table 2-5 TopologyNodeCreate**

Event Details	Value
Summary	Receives messages for creating Topology Nodes and Vertices.
Message Header (with examples)	eventType: "TopologyNodeCreate" sourceSystemId: "UIM" transactionId: "uim-topology-nnnnnn"
Topic	ora-uim-topology
Producer	UIM, any External System, typically an Inventory System.
Consumer	UTIA
URL	Provided during the deployment.
Schemas	Vertex

#### Example Payload:

```

{
    "businessObjectClass": "LogicalDeviceDAO",
    "inventoryStatus": "INSTALLED",
    "name": "BDFR01TX.T-1.LD",
    "id" : "BDFR01TX.T-1",
    "referenceId": 3375004,
    "specName": "Cisco ASR 920 LD"
}

```

## TopologyNodeDelete

The following table provides the TopologyNodeDelete event details and the corresponding values:

**Table 2-6 TopologyNodeDelete**

Event Details	Value
Summary	Receives messages for deleting Topology Nodes or Vertices.
Message Header (with examples)	eventType: "TopologyNodeDelete" sourceSystemId: "UIM" transactionId: "uim-topology-nnnnnn"
Topic	ora-uim-topology
Producer	UIM, any External System, typically an Inventory System.
Consumer	UTIA
URL	Provided during the deployment.
Schemas	Vertex

**Example Payload (using entityID):**

```
{
    "entityId" : 1354
}
```

**Example Payload (using businessObjectClass, referenceId):**

```
{
    "businessObjectClass": "LogicalDeviceDAO",
    "referenceId": 999997
}
```

## TopologyNodeUpdate

The following table provides the TopologyNodeUpdate event details and the corresponding values:

**Table 2-7 TopologyNodeUpdate**

Event Details	Value
Summary	Receives messages for updating Topology Nodes and Vertices.
Message Header (with examples)	eventType: "TopologyNodeUpdate" sourceSystemId: "UIM" transactionId: "uim-topology-nnnnnn"
Topic	ora-uim-topology
Producer	UIM, any External System, typically an Inventory System.

Table 2-7 (Cont.) TopologyNodeUpdate

Event Details	Value
Consumer	UTIA
URL	Provided during the deployment.
Schemas	Vertex

**Example Payload:**

```
{
    "businessObjectClass": "LogicalDeviceDAO",
    "inventoryStatus": "INSTALLED",
    "name": "BDFR01TX.T-1.LD",
    "nodeCategory": "Access",
    "id" : "BDFR01TX.T-1",
    "referenceId": 3375004,
    "specName": "Cisco ASR 920 LD"
}
```

## TopologyProfileCreate

The following table provides the TopologyProfileCreate event details and the corresponding values:

Table 2-8 TopologyProfileCreate

Event Details	Value
Summary	Receives messages for creating Topology Profiles.
Message Header (with examples)	eventType: "TopologyProfileCreate" sourceSystemId: "UIM" transactionId: "uim-topology-nnnnnn"
Topic	ora-uim-topology
Producer	UIM, any External System, typically an Inventory System.
Consumer	UTIA
URL	Provided during the deployment.
Schemas	Profile, ProfileEdge, ProfileVertex

**Example Payload:**

```
{
    "entityId": 0,
    "entityVersion": 0,
    "businessObjectClass": "ServiceConfigurationVersionDAO",
    "id": "5100001:1",
    "name": "dev_service:dev_service - 1",
    "referenceId": 118500001,
    "zoomLevel": 0,
    "refresh": false,
}
```

```
"profileVertices": [
  {
    "entityId": 0,
    "entityVersion": 0,
    "businessObjectClass": "LogicalDeviceDAO",
    "id": "5475001",
    "exclude": false,
    "device": 100155338,
    "name": "dev_device",
    "imageName":
"oracle.communications.platform.entity.impl.MediaDAO-1381575223.png",
    "xPos": 0,
    "yPos": 0,
    "profile": 0,
    "createdDate": "2023-03-06T15:41:17.076Z",
    "lastModifiedDate": "2023-03-06T15:41:17.076Z"
  },
  {
    "entityId": 0,
    "entityVersion": 0,
    "businessObjectClass": "LogicalDeviceDAO",
    "id": "5475003",
    "exclude": false,
    "device": 100155343,
    "name": "dev_zdevice",
    "imageName":
"oracle.communications.platform.entity.impl.MediaDAO-1381575223.png",
    "xPos": 0,
    "yPos": 0,
    "profile": 0,
    "createdDate": "2023-03-06T15:41:17.076Z",
    "lastModifiedDate": "2023-03-06T15:41:17.076Z"
  },
  {
    "entityId": 0,
    "entityVersion": 0,
    "businessObjectClass": "LogicalDeviceDAO",
    "id": "5475002",
    "exclude": false,
    "device": 100155341,
    "name": "dev_ydevice",
    "imageName":
"oracle.communications.platform.entity.impl.MediaDAO-1381575223.png",
    "xPos": 0,
    "yPos": 0,
    "profile": 0,
    "createdDate": "2023-03-06T15:41:17.076Z",
    "lastModifiedDate": "2023-03-06T15:41:17.076Z"
  }
],
"profileEdges": [
  {
    "entityId": 0,
    "entityVersion": 0,
    "businessObjectClass": "PacketConnectivityDAO",
    "id": "5250001",
```

```

    "communication": 100155339,
    "name": "YYY / ZZZ / 1GigE / GE1 / 23",
    "exclude": false,
    "profileNode": {
      "entityId": 0,
      "entityVersion": 0,
      "businessObjectClass": "LogicalDeviceDAO",
      "id": "5475002",
      "exclude": false,
      "device": 100155341,
      "name": "dev_ydevice",
      "imageName":
"oracle.communications.platform.entity.impl.MediaDAO-1381575223.png",
      "xPos": 0,
      "yPos": 0,
      "profile": 0,
      "createdDate": "2023-03-06T15:41:17.076Z",
      "lastModifiedDate": "2023-03-06T15:41:17.076Z"
    },
    "toProfileNode": {
      "entityId": 0,
      "entityVersion": 0,
      "businessObjectClass": "LogicalDeviceDAO",
      "id": "5475003",
      "exclude": false,
      "device": 100155343,
      "name": "dev_zdevice",
      "imageName":
"oracle.communications.platform.entity.impl.MediaDAO-1381575223.png",
      "xPos": 0,
      "yPos": 0,
      "profile": 0,
      "createdDate": "2023-03-06T15:41:17.076Z",
      "lastModifiedDate": "2023-03-06T15:41:17.076Z"
    },
    "profile": 0,
    "createdDate": "2023-03-06T15:41:17.161Z",
    "lastModifiedDate": "2023-03-06T15:41:17.161Z"
  }
},
"createdDate": "2023-03-06T15:41:16.865Z",
"lastModifiedDate": "2023-03-06T15:41:16.865Z"
}

```

## TopologyProfileDelete

The following table provides the TopologyProfileDelete event details and the corresponding values:

**Table 2-9 TopologyProfileDelete**

Event Details	Value
Summary	Receives messages for deleting Topology Profiles.

Table 2-9 (Cont.) TopologyProfileDelete

Event Details	Value
Message Header (with examples)	eventType: "TopologyProfileDelete" sourceSystemId: "UIM" transactionId: "uim-topology-nnnnnn"
Topic	ora-uim-topology
Producer	UIM, any External System, typically an Inventory System.
Consumer	UTIA
URL	Provided during the deployment.
Schemas	Profile, ProfileEdge, ProfileVertex

**Example Payload:**

```
{
  "entityId": 100155358
}
```

## TopologyProfileUpdate

The following table provides the TopologyProfileUpdate event details and the corresponding values:

Table 2-10 TopologyProfileUpdate

Event Details	Value
Summary	Receives messages for updating Topology Profiles.
Message Header (with examples)	eventType: "TopologyProfileUpdate" sourceSystemId: "UIM" transactionId: "uim-topology-nnnnnn"
Topic	ora-uim-topology
Producer	UIM, any External System, typically an Inventory System.
Consumer	UTIA
URL	Provided during the deployment.
Schemas	Profile, ProfileEdge, ProfileVertex

**Example Payload:**

```
{
  "businessObjectClass": "ServiceConfigurationVersionDAO",
  "createdDate": "2023-03-06T15:55:47.892Z",
  "entityId": 100155358,
  "entityVersion": 0,
  "id": "5100001:3",
  "lastModifiedDate": "2023-03-06T15:55:47.892Z",
  "name": "dev_service:dev_service - 3",
}
```

```
"profileEdges": [
  {
    "businessObjectClass": "PacketConnectivityDAO",
    "communication": 100155339,
    "createdDate": "2023-03-06T15:55:48.180Z",
    "entityId": 100155362,
    "entityVersion": 0,
    "exclude": false,
    "id": "5250001",
    "lastModifiedDate": "2023-03-06T15:55:48.180Z",
    "name": "YYY / ZZZ / 1GigE / GE1 / 23",
    "profile": 100155358,
    "profileNode": {
      "businessObjectClass": "LogicalDeviceDAO",
      "device": 100155341,
      "entityId": 100155350,
      "entityVersion": 1,
      "exclude": false,
      "id": "5475002",
      "imageName":
"oracle.communications.platform.entity.impl.MediaDAO-1381575223.png",
      "location": 0,
      "name": "dev_ydevice",
      "nec": 0,
      "network": 0,
      "profile": 100155347,
      "xPos": 0,
      "yPos": 0
    },
    "toProfileNode": {
      "businessObjectClass": "LogicalDeviceDAO",
      "device": 100155343,
      "entityId": 100155349,
      "entityVersion": 1,
      "exclude": false,
      "id": "5475003",
      "imageName":
"oracle.communications.platform.entity.impl.MediaDAO-1381575223.png",
      "location": 0,
      "name": "dev_zdevice",
      "nec": 0,
      "network": 0,
      "profile": 100155347,
      "xPos": 0,
      "yPos": 0
    }
  }
],
"profileVertices": [
  {
    "businessObjectClass": "LogicalDeviceDAO",
    "createdDate": "2023-03-06T15:55:48.105Z",
    "device": 100155338,
    "entityId": 100155359,
    "entityVersion": 0,
    "exclude": false,
```

```
        "id": "5475001",
        "imageName":
"oracle.communications.platform.entity.impl.MediaDAO-1381575223.png",
        "lastModifiedDate": "2023-03-06T15:55:48.105Z",
        "name": "dev_device",
        "profile": 100155358,
        "xPos": 0,
        "yPos": 0
    },
    {
        "businessObjectClass": "LogicalDeviceDAO",
        "createdDate": "2023-03-06T15:55:48.107Z",
        "device": 100155343,
        "entityId": 100155360,
        "entityVersion": 0,
        "exclude": false,
        "id": "5475003",
        "imageName":
"oracle.communications.platform.entity.impl.MediaDAO-1381575223.png",
        "lastModifiedDate": "2023-03-06T15:55:48.107Z",
        "name": "dev_zdevice",
        "profile": 100155358,
        "xPos": 0,
        "yPos": 0
    },
    {
        "businessObjectClass": "LogicalDeviceDAO",
        "createdDate": "2023-03-06T15:55:48.108Z",
        "device": 100155341,
        "entityId": 100155361,
        "entityVersion": 0,
        "exclude": false,
        "id": "5475002",
        "imageName":
"oracle.communications.platform.entity.impl.MediaDAO-1381575223.png",
        "lastModifiedDate": "2023-03-06T15:55:48.108Z",
        "name": "dev_ydevice",
        "profile": 100155358,
        "xPos": 0,
        "yPos": 0
    }
],
"referenceId": 118500005,
"refresh": false,
"zoomLevel": 0,
"status": "CANCELLED"
}
```



# 3

## Performance and Fault Events and Definitions

The Performance and Fault events provide an event-driven architecture for creating, updating, and deleting Alarms and Performance Threshold Violations on the devices that are maintained in the Topology model. The Performance and Fault events are listed as follows and are available as messages in the **ora-fault-topology** topic.

**Table 3-1 Topology Events**

Event	Definition
<b>TopologyFaultEventCreate</b>	This event supports the creation of a Fault (Alarm) on a Device, Port or Interface that is maintained in the Topology model.
<b>TopologyFaultEventUpdate</b>	This event supports updates of a Fault (Alarm) maintained in the Topology model.
<b>TopologyPerformanceEventCreate</b>	This event supports the creation of a Performance Threshold Violation on a Device, Port or Interface that is maintained in the Topology model.
<b>TopologyPerformanceEventUpdate</b>	This event supports updates of a Performance Threshold Violation on a Device, Port or Interface that is maintained in the Topology model.

### TopologyFaultEventCreate

The following table provides the TopologyFaultEventCreate event details and the corresponding values:

**Table 3-2 TopologyFaultEventCreate**

Event Details	Value
Summary	Receives messages for creating Faults (Alarms) for devices, ports, and interfaces.
Message Header (with examples)	eventType: "TopologyFaultEventCreate" sourceSystemId: "XXX" (must be unique) transactionId: "xxx-topology-nnnnnn"
Topic	ora-fault-topology
Producer	Any Assurance System or Alarm Management System
Consumer	UTIA
URL	Provided during the deployment.
Schemas	Event

**Example Payload:**

```

{
    "businessObjectClass" : "EventDAO",
    "eventDate" : "2023-01-19T03:32:17.235Z",
    "eventStatus" : "raised",
    "alarmType" : "deviceAlarm",
    "perceivedSeverity" : "major",
    "probableCause" : "port malfunction",
    "specificProblem" : "indeterminate",
    "sourceSystemID" : "tel.mad.mob.id_10_211_55_10",
    "alarmDetails" : "voltage=95",
    "referenceId" : 300040,
    "href" : "/alarmManagement/v4/alarm/300040",
    "relationships" : {
        "device" : 4949
    }
}

```

**Valid Relationships (for finding the device):****Table 3-3 Valid Relationships**

Name	Definition
<b>device</b>	The entityId of the device
<b>deviceId</b>	The ID of the device
<b>deviceIdIdentifier</b>	The deviceIdIdentifier of the device
<b>ipv4</b>	The IPV4 address of the device, can also include zoneId to find the unique device.
<b>name</b>	The name of the device, can also include zoneId to find the unique device.

## TopologyFaultEventUpdate

The following table provides the TopologyFaultEventUpdate event details and the corresponding values:

**Table 3-4 TopologyFaultEventUpdate**

Event Details	Value
Summary	Receives messages for updating Faults (Alarms) for devices, ports, and interfaces.
Message Header (with examples)	eventType: "TopologyFaultEventUpdate" sourceSystemId: "XXX" (must be unique) transactionId: "xxx-topology-nnnnnn"
Topic	ora-fault-topology
Producer	Any Assurance System or Alarm Management System
Consumer	UTIA

Table 3-4 (Cont.) TopologyFaultEventUpdate

Event Details	Value
URL	Provided during the deployment.
Schemas	Event

**Example Payload:**

```
{
    "entityId" : "1369",
    "eventStatus" : "updated"
}
```

**Note:**

The entityId is the entityId of the Event.

## TopologyPerformanceEventCreate

The following table provides the TopologyPerformanceEventCreate event details and the corresponding values:

Table 3-5 TopologyPerformanceEventCreate

Event Details	Value
Summary	Receives messages for creating Performance Threshold violations for devices, ports, and interfaces.
Message Header (with examples)	eventType: "TopologyPerformanceEventCreate" sourceSystemId: "XXX" (must be unique) transactionId: "xxx-topology-nnnnnn"
Topic	ora-fault-topology
Producer	Any Assurance System or Alarm Management System
Consumer	UTIA
URL	Provided during the deployment.
Schemas	Event

**Example Payload:**

```
{
    "businessObjectClass" : "EventDAO",
    "eventStatus" : "RAISED",
    "thresholdName" : "Latency High",
    "perceivedSeverity" : "MAJOR",
    "thresholdTypeName" : "Standard Threshold",
    "thresholdMessage" : "Performance threshold violation: Latency
High",
```

```

        "sourceSystemID" : "tel.mad.mob.id_10_211_55_10",
        "measurement" : "metrictype_Interface_Latency_High",
        "thresholdSeverity" : 3,
        "thresholdTimeRange" : 900,
        "metricValue" : 85.240994544,
        "thresholdOperator" : ">=",
        "thresholdValue" : 50,
        "referenceId" : 300051,
        "href" : "/alarmManagement/v4/alarm/300051",
        "relationships" : {
            "device" : 5179
        }
    }
}

```

### Valid Relationships (for finding the device):

**Table 3-6 Valid Relationships**

Name	Definition
<b>device</b>	The entityId of the device
<b>deviceld</b>	The ID of the device
<b>deviceIdentifier</b>	The deviceIdentifier of the device
<b>ipv4</b>	The IPV4 address of the device, can also include zoneId to find the unique device.
<b>name</b>	The name of the device, can also include zoneId to find the unique device.

## TopologyPerformanceEventUpdate

The following table provides the TopologyPerformanceEventUpdate event details and the corresponding values:

**Table 3-7 TopologyPerformanceEventUpdate**

Event Details	Value
Summary	Receives messages for updating Performance Threshold violations for devices, ports, and interfaces.
Message Header (with examples)	eventType: "TopologyPerformanceEventUpdate" sourceSystemId: "XXX" (must be unique) transactionId: "xxx-topology-nnnnnn"
Acknowledgement Strategy	Manual
Accepts	KafkaMessage<String, String>
Returns	java.util.concurrent.CompletionStage
Topic	ora-fault-topology
Producer	Any Assurance System or Alarm Management System
Consumer	UTIA
URL	Provided during the deployment.
Schemas	Event

**Example Payload:**

```
{  
    "entityId" : "1373",  
    "eventStatus" : "updated"  
}
```



**Note:**

The entityId is the entityId of the Event.

# 4

## Schemas, Valid Values, and Authorization

### Schemas

For more information on the Vertex, Edge, Event, Profile, ProfileEdge, and ProfileVertex schemas, see *UTIA REST API Guide*.

### Valid Values

For more information on data valid values, see *UTIA Model Documentation*.

### Authorization

For more information on Client Access, see the **Client Access** section in *Unified Inventory and Topology Deployment Guide*.