

Primavera Unifier

DocuSign Configuration Guide



G30274-01
April 2026



Primavera Unifier DocuSign Configuration Guide,

G30274-01

Copyright © 1998, 2026, Oracle and/or its affiliates.

Primary Author: Oracle Corporation

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1	Overview
2	DocuSign Setup
3	Creating an Integrator App in a Demo DocuSign Site
4	Promoting an Integrator App from a Demo DocuSign Site to a Production Site
5	Collecting Updated Integrator App Information for the Production Site
6	Using DocuSign Envelope Email settings

1

Overview

Note

The information provided in this document is subject to change.

The DocuSign admin must complete steps to assist in the initial setup and configuration of DocuSign as a delivery option within the Unifier Stage Environment (also known as the Development Environment). These steps include the DocuSign admin taking the following actions in DocuSign:

- Creating an integrator app.
- Collecting the **Account ID**, **Client Secret**, and **Integrator Key** (also known as Client ID) for the integration user to provide to Technical Support or to the Unifier Production Environment administrator.
- Logging in as the integration user to accept the permission for that user to create and send envelopes.

Note

DocuSign documentation is the most accurate reflection of the DocuSign software. The DocuSign searchable knowledge base is available at <https://support.docusign.com/>. It includes resources like the New DocuSign Experience - API & Keys article.

Specific setup instructions for the DocuSign integration with the Unifier Stage Environment are provided in this document and are subject to change. Contact your Unifier Production Environment administrator or Technical Support with any questions about the DocuSign and Unifier Stage Environment integration.

Note

Documents sent to DocuSign or Acrobat Sign are done over Secured Socket Layer (SSL), which is an encryption-based Internet security protocol.

2

DocuSign Setup

The DocuSign setup process includes three stages:

1. Creating an integrator app in your demo DocuSign site.
2. Promoting the integrator app to your production DocuSign site.
3. Collecting updated integrator app information from your production site.

3

Creating an Integrator App in a Demo DocuSign Site

To collect the information needed to set up a demo integration between DocuSign and Unifier, the admin must create and activate an integrator app within the demo DocuSign site.

To create an integrator app and collect the information that Unifier will need to set up the integration:

1. Sign in to the DocuSign admin demo site at <https://admindemo.docusign.com>.
2. Select the portrait icon in the upper-right corner, and then select **Go to Admin**. Depending on your account type in DocuSign, you may see a page with multiple options displayed as boxes, or you may see the organization overview page including **Organization Name** and **Description**.
 - If you see options displayed as boxes, select **Accounts**, select the **Account Name** of your account, and proceed to the next step.
 - If you see the organization overview page, proceed to the next step.
3. To retrieve the **Account ID** and set up the **Integrator Key**, complete the following steps:
 - a. Select the profile image in the upper-right corner of the console. The **Account ID** will be under Name, or Organization name, on the drop-down menu.
 - b. On the left side menu, locate the Integrations section, and select **API and Keys**.
 - c. Under the **My Apps / Integrator Keys** heading, select **Add App / Integrator Key**, add a name for the key in the **App Description** field, and select **Add**. The pop-up window automatically refreshes and provides additional options.
 - d. Under the **Authentication** section, select the **Authorization Code Grant** option, and select **ADD SECRET KEY**.
 - e. Copy the generated secret key, and enter it in the **Client Secret** field of the company home page.
 - f. Under the **Redirect URIs** section, select **Add URI**.
 - g. Enter the Unifier Stage Environment return URL: `https://<stage-serverhost>/bluedoor/esign/redirect`
 - h. Select **OK**.
 - i. Select **Save**.
 - j. Copy the **Integrator Key** from the **Information** page, and enter it in the Unifier Stage Environment.
 - k. Log out of DocuSign.
4. Sign in to the Unifier Stage Environment as Company Administrator.
5. Go to the **Company Workspace** tab, and switch to **Admin** mode.
6. In the left Navigator, select **Integrations**, and then select **DocuSign**.

7. Enter the DocuSign demo **URL** (<https://demo.docusign.net>), **Account ID**, **Client ID** (also known as Integrator Key), and **Client Secret**.
8. To open a new DocuSign login window, select **Connect**.
9. Sign in using the DocuSign demo account credentials.
The window closes after successful login and a new token will be generated. The generated token will be automatically copied to **Unifier Token** field.
10. Select **Test Connection**.
If testing connection is successful, configuration of DocuSign in the Unifier Stage Environment is done, and everything is ready for sending E-Signature requests.

4

Promoting an Integrator App from a Demo DocuSign Site to a Production Site

After the demo integration between DocuSign and Unifier Stage Environment has been set up, the integration must be tested within Unifier. DocuSign requires users to make at least 20 API calls with an integrator app / integrator key to promote the integrator app from a demo DocuSign account to a production DocuSign account. After required testing has been completed, the integrator app can be promoted to your production DocuSign site.

To complete testing and submit your integrator app for promotion to your production DocuSign site:

1. After your DocuSign integration has been set up, make 20 API calls (Signing Requests) in one day by sending 20 test offers through DocuSign via Unifier Stage Environment. Ensure that any testing is done with your DocuSign demo account. Do not test with your production DocuSign account, as this may incur costs on the DocuSign side.
2. Sign in to the DocuSign admin demo site at <https://admindemo.docusign.com>.
3. Select the portrait icon in the upper-right corner, and then select **Go to Admin**. Depending on your account type in DocuSign, you may see a page with multiple options displayed as boxes, or you may see the organization overview page including **Organization Name** and **Description**.
 - If you see options displayed as boxes, select **Accounts**, select the **Account Name** of your account, and proceed to the next step.
 - If you see the organization overview page, proceed to the next step.
4. To request a review and to promote the integrator app from demo to production, complete the following steps:
 - a. On the left side menu, locate the **Integrations** section, and select **API and Keys**.
 - b. Locate the **App Description** for the integrator app you are using with the Unifier Stage Environment.
 - c. To the right side of the app description row, select the **Actions** drop-down list, and then select **Review Transactions**. A **Review API Transactions** pop-up window appears that describes the rules to promote this integrator app.
 - d. Use the date field to specify the date when you ran at least 20 API calls with your demo account, and then select **Review**. The pop-up window closes and a success message displays to indicate that the integrator app has been submitted for review.
 - e. Wait for approximately 20 minutes for your API calls to pass review, and then return to the page. When the page refreshes, the status updates to indicate that the integrator app is still under review, or that the review passed or did not pass.

If the review does not pass, the **Actions** drop-down list for the integrator app will provide the options to **Review Results** and **Resubmit for Review**. Select **Review**

Results to determine why the review did not pass (in the **API Transaction Review Results** window).

Review the reason that the review did not pass and determine how to address the issue. After you have made any additional API calls or other necessary actions, return to the **API and Keys** page, locate the correct app, select the **Actions** drop-down list, select **Resubmit for Review**, and wait approximately 20 minutes for your API calls to pass review.

- f. If the status displayed is **Review Passed**, select the **Actions** drop-down list, and select **Go Live**.
- g. When the **Terms and Conditions** pop-up window displays, review the terms, select the checkbox, and select **Submit**.
A pop-up window displays that prompts you to sign in to your production DocuSign site at <https://account.docusign.com>.
 - If the pop-up window does not display, review your pop-up blocker settings.
 - If you do not have access to the production DocuSign site, contact your DocuSign user admin for assistance.

Note

After the Integrator Key is promoted to the DocuSign production account, it can be used only in the Unifier Production Environment.

5

Collecting Updated Integrator App Information for the Production Site

Some information about your integrator app changes when you promote the app to your production DocuSign site. The DocuSign admin must also set up a new keypair and activate the app, and then send updated information to the Unifier Production Environment.

To review your integrator app information and activate the app:

1. If you are not signed in, sign in to the DocuSign admin production site at <https://account.docusign.com>.
2. Select the portrait icon in the upper-right corner, and then select **Go to Admin**. Depending on your account type in DocuSign, you may see a page with multiple options displayed as boxes, or you may see the organization overview page including **Organization Name** and **Description**.
 - If you see options displayed as boxes, select **Accounts**, select the **Account Name** of your account, and proceed to the next step.
 - If you see the organization overview page, proceed to the next step.
3. To review information for the **API Account ID**, **Integrator Key**, and **Client Secret** in production, complete the following steps:
 - a. On the left side menu of the production DocuSign site, locate the **Integrations** section, and select **API and Keys**.
 - b. Under the **My Account Information** heading, review the **API Account ID**. If the value has changed, copy the **API Account ID** to send to your Unifier Production Environment.
 - c. Locate the **App Description** for the integrator app you are using with Unifier Stage Environment.
 - d. Review the **Integrator Key** in the app description row. If the value has changed, copy the **Integrator Key** to send it to your Unifier Production Environment.
 - e. To the right side of the app description row, select the **Actions** drop-down list, and then select **Edit**.
 - f. Review the **Redirect URIs** field. Add the Unifier Production Environment redirect URL: `https://<production-serverhost>/bluedoor/esign/redirect`
4. Generate DocuSign Production Account URL using steps mentioned in: <https://developers.docusign.com/esign-rest-api/guides/authentication/user-info-endpoints>.
5. Log out of DocuSign.
6. Sign in to the Unifier Production Environment.
7. Go to the **Company Workspace** tab, and switch to **Admin** mode.
8. In the left Navigator, select **Integrations**, and then select **DocuSign**.

9. Enter the generated DocuSign production account **URL**, **Account ID**, **Client ID** (also known as Integrator Key), and **Client Secret**.
10. To open a new DocuSign login window, select **Connect**.
11. Sign in using DocuSign production account credentials.
The window closes after successful login and a new token will be generated. The generated token will be automatically copied to **Unifier Token** field.
12. Select **Test Connection**.
If testing connection is successful, configuration of DocuSign in the Unifier Production Environment is done.

6

Using DocuSign Envelope Email settings

Unifier users can use e-signature requests when sending documents to other Unifier users or to external users. Other Unifier users receive a request that lets them complete the e-signature request within Unifier, while external users receive an email with a link that lets them sign the document in DocuSign. After the document is signed, it is revised in the Document Manager for the applicable Business Process, and the updated status is visible in the E-signature Requests log, which is available from the left Navigator while in User mode from the Company Workspace tab or shell tab in Unifier.

The Unifier user who initiates the request for an e-signature can receive notifications from DocuSign after an e-signature task is completed in Unifier if the envelope email settings are enabled in DocuSign for the initiator. (E-signature tasks can also be completed outside Unifier by external users.) For detailed information on configuring DocuSign envelope email settings, refer to your DocuSign documentation. The following steps provide a high-level explanation of how to enable notifications.

1. Sign in to your DocuSign account.
2. In the upper-right corner, select your user icon, and select **My Preferences**.
3. In the **SIGNING AND SENDING** section, select **Notifications**.
4. In the **Notify me when I am the sender and** section, select the **An envelope is complete** option, and select **SAVE**.