

# Oracle® Construction and Engineering Sync P6 Project Details with Primavera Cloud



F72316-03  
February 2025





Oracle Construction and Engineering Sync P6 Project Details with Primavera Cloud,

F72316-03

Copyright © 2023, 2025, Oracle and/or its affiliates.

Primary Author: Oracle Corporation

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.



# Contents

## 1 About This Recipe

---

Overview	1-1
System and Access Requirements	1-1

## 2 Before You Install the Recipe

---

Configure Oracle Primavera P6 EPPM	2-1
Configure Oracle Primavera Cloud	2-1

## 3 Install and Configure the Recipe

---

Configure the Oracle Primavera P6 EPPM Connection	3-1
Configure the Oracle Primavera Cloud Connection	3-2
Update Integration Properties	3-2
Review the Lookup Table	3-3

## 4 Run the Integration

---



# Preface

This document describes how to install, configure, and run this recipe in Oracle Integration 3.

## Topics:

- [Documentation Accessibility](#)
- [Diversity and Inclusion](#)
- [Related Resources](#)
- [Conventions](#)

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility/>.

### Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <https://support.oracle.com/portal/> or visit [Oracle Accessibility Learning and Support](#) if you are hearing impaired.

## Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

## Related Resources

For more information, see these Oracle resources:

- Oracle Cloud at <http://cloud.oracle.com>
- *Using Integrations in Oracle Integration 3*
- [Using the SOAP Adapter with Oracle Integration 3](#)
- *Using the Oracle Primavera Cloud Adapter with Oracle Integration 3*
- *Sync Primavera Cloud Project Details with P6*
- Oracle Integration documentation
- [Oracle Primavera Cloud documentation](#)



# Conventions

The following text conventions are used in this document.

Convention	Meaning
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.



# 1

## About This Recipe

Use this recipe to synchronize Oracle Primavera P6 EPPM project details, including user-defined fields (UDFs) and codes, with Oracle Primavera Cloud.



### Note:

This recipe is available as **P6 EPPM — Oracle Primavera Cloud | Sync Project Details** in Oracle Integration. Oracle provides this recipe as a sample only. The recipe is meant only for guidance, and is not warranted to be error-free. No support is provided for this recipe.

## Overview

This recipe delivers a project that contains one integration and two connections.

To use this recipe, you must:

- Ensure the UDFs/configured fields and codes are defined in both the source and target applications.
- Install the recipe and configure the delivered connections in Oracle Integration.
- Activate the integration and update the property values to specify the integration parameters.
- Run the integration manually, or specify an integration schedule.

Running the integration obtains the project object data, including UDFs and codes, from Oracle Primavera P6 EPPM, and then synchronizes that data with Oracle Primavera Cloud. Based on the parameters you provide, synchronization either updates an existing project or creates a new project.



### Note:

UDFs in Oracle Primavera P6 EPPM are called *Configured Fields* in Oracle Primavera Cloud.

## System and Access Requirements

- Oracle Integration Version 3
- Oracle Primavera P6 EPPM Version 20.0 or higher with Web Services installed
- Oracle Primavera Cloud
- An account in Oracle Primavera P6 EPPM with view access for projects
- An account in Oracle Primavera Cloud with view, create, and edit privileges for a project and workspace



# 2

## Before You Install the Recipe

You must perform some configuration tasks on your Oracle Primavera P6 EPPM and Oracle Primavera Cloud environments to connect to these external systems using Oracle Integration and synchronize projects between these two applications.

### Configure Oracle Primavera P6 EPPM

To access Oracle Primavera P6 EPPM from Oracle Integration and synchronize Oracle Primavera Cloud project details, you must log in as an administrator and complete the following configuration tasks on your Oracle Primavera P6 EPPM instance.

- **Create an Integration User Account:** You can create an integration user account in Oracle Primavera P6 EPPM to connect with Oracle Integration and manage integrations with Oracle Primavera Cloud. Creating an integration account is optional but recommended to keep track of the data modified through integrations, receive run-time notifications, and to avoid issues related to using a standard user account, such as account lockouts or the employee leaving the organization. See [Creating User Accounts for P6 EPPM](#).
- **Create an EPS Location:** Enterprise project structure (EPS) elements represent the hierarchical positions of all the projects in your database. You can create sibling EPSs to represent those that are hierarchically equal, or child EPSs to represent those that are subordinate. You must create the EPS structure before synchronizing P6 and Primavera Cloud projects. See [Creating EPS Elements](#).
- **Add a Project:** You must add at least one project in Oracle Primavera P6 EPPM before synchronizing Oracle Primavera P6 EPPM project details with Oracle Primavera Cloud. See [Creating Projects](#).
- **Create User-Defined Fields:** User-defined fields (UDFs) allow you to create and maintain data specific to your organization. Create project UDFs before synchronizing Oracle Primavera P6 EPPM project details with Oracle Primavera Cloud. See [About User Defined Fields](#) and [Creating Project UDFs](#).
- **Create and Assign Codes:** Codes help you track different projects based on attributes they share. You must create and assign codes to your Oracle Primavera P6 EPPM projects before synchronizing project details with Oracle Primavera Cloud. See [Creating Project Codes](#) and [Assigning Project Codes](#).

### Configure Oracle Primavera Cloud

To configure Oracle Primavera Cloud, complete the initial setup outlined below:

- **Create an Integration User Account:** You can create an integration user account in Oracle Primavera Cloud to connect with Oracle Integration and manage integrations. Specify the integration account email address in the integration properties to receive integration notifications. Creating an integration account is optional but recommended to keep track of the data modified through integrations and to avoid issues related to using a standard user account, such as account lockouts or the employee leaving the organization. For details, see [Setting up an Integration User Account](#).



- **Create or Use an Existing Workspace:** Workspaces represent the hierarchical structure of your organization's businesses, projects, or processes. Create a new workspace or use an existing one to integrate Oracle Primavera Cloud activities, assignments, roles, and resources with Primavera Unifier. For details, see [Add a Workspace](#).
- **Create or Use an Existing Project:** A project is a formalized plan undertaken to create a service, product, or result. Projects may consist of various other details, including activities and assignments. Create a new project or use an existing one to integrate its activities, assignments, roles, and resources with Primavera Unifier. For details, see [Add a Project](#).



# 3

## Install and Configure the Recipe


On your Oracle Integration instance, install the recipe to deploy and configure the integration and associated resources.

1. On the Oracle Integration Home page, in the **Get Started** section, click **Browse store**.
2. Search for this recipe:

### **P6 EPPM — Oracle Primavera Cloud | Sync Project Details**

3. After you find the recipe, click **Get** on the recipe card.

A message confirms that the recipe was successfully installed, and the recipe card shows **In use**.

4. Click **Configure**  on the recipe to configure its resources.

The project workspace opens, displaying all the resources of the recipe. Configure the following resources before you activate and run the recipe.

The project workspace opens, displaying all the resources of the recipe.

Configure the following resources before you run the integration:


1. [Configure the Oracle Primavera P6 EPPM Connection](#)
2. [Configure the Oracle Primavera Cloud Connection](#)
3. [Update Integration Properties](#)
4. [Review the Lookup Table](#)

## Configure the Oracle Primavera P6 EPPM Connection


1. In the **Connections** section, click the connection name: **P6 EPPM Connection**
2. In the **Properties** section, in the **WSDL URL** field, enter the URL of the Oracle Primavera P6 EPPM Web Service WSDL.  
For example: `https://<hostname>/p6ws/services/SyncServiceV1?wsdl`.
3. In the **Security** section, do the following:
  - a. In the **Security Policy** field, select **Username Password Token**.
  - b. In the **User Name** field, enter the user name of the integration user account.
  - c. In the **Password** field, enter the password of the integration user account.
4. In the **Access type** section, select **Public gateway**.
5. Click **Save**. If prompted, click **Save** again.
6. Click **Test** to ensure that your connection is successfully configured. In the resulting dialog, click **Test** again.

A message confirms if your test is successful.





7. To return to the project workspace, click **Go back** .

## Configure the Oracle Primavera Cloud Connection

1. In the **Connections** section, click the connection name: **Oracle Primavera Cloud Adapter Connection**
2. In the **Properties** section, in the **Connection URL** field, enter the URL of your Oracle Primavera Cloud instance.  
For example: `https://primavera.oraclecloud.com`
3. In the **Security** section, do the following:
  - a. From the **Security Policy** list, select **Oracle Primavera Cloud Login**.
  - b. In the **User Name** field, enter the user name of your Oracle Primavera Cloud or integration account.
  - c. In the **Password** field, enter the password of your Oracle Primavera Cloud or integration account.
4. In the **Access type** section, select **Public gateway**.
5. Click **Save**. If prompted, click **Save** again.
6. Click **Test** to ensure that your connection is successfully configured. In the resulting dialog, click **Test** again.  
A message confirms if your test is successful.
7. To return to the project workspace, click **Go back** .

## Update Integration Properties

In order to synchronize project details, you must activate the integration and then define the following integration properties.

1. Go to the **Integrations** section of the project workspace.
2. Activate the integration.
  - a. Click **Actions**  next to the integration, then select **Activate**.
  - b. In the **Activate integration** panel, select the appropriate tracing level, then click **Activate**.
3. Update the integration property values.
  - a. Click **Actions**  next to the integration, then select **Update property values**.
  - b. In the **Update property values** panel, do the following:
    - i. Click to expand the **ProjectId** property, then in the **New value** field, enter the project ID of the Oracle Primavera P6 EPPM project that you want to synchronize.
    - ii. Click to expand the **WorkspaceId** property, then in the **New value** field, enter the workspace ID of the Oracle Primavera Cloud workspace where the needs to be synchronized.
    - iii. Click to expand the **EmailAddress** property, then in the **New value** field, enter the email address of the user running the integration. Any integration notifications will be sent to this email address.



- c. Click **Submit**.


You get a confirmation message that the integration properties have been updated successfully.

## Review the Lookup Table

Review the **ORCL\_P6\_PRIMAVERA\_CLOUD\_PROJECT\_STATUS** lookup table to view the field mappings between your Oracle Primavera Cloud and Oracle Primavera P6 EPPM instances.

1. Go to the **Lookups** section of the project workspace.
2. Click the lookup named **ORCL\_P6\_PRIMAVERA\_CLOUD\_PROJECT\_STATUS** and review the field mappings.

Oracle Primavera P6 EPPM	Oracle Primavera Cloud
Active	ACTIVE
Inactive	INACTIVE
Planned	PLANNED
Requested	PROPOSAL
What-if	PLANNED

3. To return to the project workspace, click **Go back** .



# 4

## Run the Integration

After you have configured the connections, activated the integration, and updated the integration properties, you can run the integration.

1. Run the recipe.
  - a. In the **Integrations** section of the project workspace, click **Actions** ■■■ next to the integration, then select **Run**.

The Configure and run page is displayed with the following parameters. Update the parameters with appropriate values.

    - **Run as:** Select the user name of the user running the recipe.
    - **Request Type:** Select the **Ad hoc request** option to run the integration independent of a schedule.
  - b. On the Configure and run page, click **Run**.

You've now successfully submitted the integration for execution.

### **Note:**

You can also schedule this integration to run at a date, time, and frequency of your choosing. See Define the Integration Schedule.

2. Monitor the running of the integration flow in Oracle Integration.
  - a. In the project workspace, click **Observe**. You'll see the integration flow being triggered and running successfully.
  - b. To manage errors in your project, see Manage Errors in a Project.
3. Log in to your Oracle Primavera Cloud instance to verify the project was successfully synchronized.