

**Oracle Utilities Work and Asset Cloud
Service Integration to Oracle Fusion
Procurement Cloud**

Data Mapping Guide

Release 22C

F73649-01

December 2022

Oracle Utilities Work and Asset Cloud Service Integration to Oracle Fusion Procurement Cloud Data Mapping
Guide, Release 22C

Copyright © 2021, 2022 Oracle and/or its affiliates.

Contents

Preface	i
Audience	ii
Documentation and Resources	ii
Documentation Accessibility	iii
Conventions.....	iii
Acronyms.....	iii
Chapter 1	
Data Mapping	1-1
Blanket Contract Synchronization Process Mapping (Oracle Fusion Procurement Cloud Initiated).....	1-2
Invoke WACS Health Check	1-2
Invoke WACS Blanket Contract Synchronization.....	1-3
Rename File in UCM.....	1-11
Get File from UCM	1-11
Invoke UOM Conversion Rest.....	1-12
Stage Write XML String.....	1-14
Search Blanket Contract File.....	1-14
Vendor/Vendor Location Synchronization Process (Oracle Fusion Procurement Cloud Initiated).....	1-16
Rename File in UCM.....	1-16
Invoke Health Check.....	1-17
Get File from UCM	1-17
Search Vendor Location File.....	1-18
Invoke WACS Vendor Location Synchronization.....	1-19
Purchase Requisition Synchronization Process (Oracle Utilities Work and Asset Cloud Service Initiated).....	1-27
Purchase Requisition Approval.....	1-27
Create Purchase Requisition	1-28
Synchronizing Purchase Requisition	1-44
Purchase Requisition Approve Process Mapping (Oracle Utilities Work and Asset Cloud Service Initiated)	1-45
Submit Purchase Requisition for Approval.....	1-45
Purchase Order Synchronization Process (Oracle Fusion Procurement Cloud Initiated).....	1-46
WACS Purchase Order Synchronization.....	1-46
Invoice Validated Synchronization (Oracle Fusion Procurement Cloud Initiated)	1-56
Get Invoice Information.....	1-56
Get Invoice Distribution.....	1-57
Get Invoice Transaction Tax Lines.....	1-58
WACS Invoice Synchronization	1-58
Get Invoice Transactions Tax Lines 2.....	1-61
WACS Invoice Synchronization 1	1-62
WACS Invoice Synchronization 2.....	1-66
Invoice Payments Synchronization Mapping (Oracle Fusion Procurement Cloud Initiated).....	1-75
Get Invoice Distribution DFF.....	1-75
Get Invoice.....	1-76
WACS Invoice Synchronization Payment.....	1-76
Get Related Invoice Payment.....	1-84

Invoice Payments Voided Mapping (Oracle Fusion Procurement Cloud Initiated).....	1-85
Get Invoice Distribution DFF.....	1-85
Get Related Invoice Payment.....	1-86
WACS Invoice Synchronization Payment.....	1-86
Get Invoice.....	1-93
Invoice Cancelled Synchronization Mapping (Oracle Fusion Procurement Cloud Initiated).....	1-95
Get Invoice Information.....	1-95
Get Invoice Distribution DFF.....	1-96
Returns Synchronization Process Mapping (Oracle Utilities Work and Asset Cloud Service Initiated)	1-97
Get Line Store Turn	1-97
Return Request	1-98
Return Receipt.....	1-98
Get Process Errors.....	1-104
Return Request 1	1-105
Return Request 2.....	1-106
Return Request 3.....	1-107
Receipts Synchronization Process (Oracle Utilities Work and Asset Cloud Service Initiated)	1-109
Receipts.....	1-109
Create Receipt.....	1-110
Close Purchase Order Lines	1-116
Receipts 1	1-117
FPRC Line Store Turn	1-117
FPRC Line Store Turn	1-119
Get Receiving Receipt Transaction Processing Error.....	1-120
Invoke Receipts Transaction Request.....	1-120
Get Processing Error.....	1-126
Get Receipt Error.....	1-126

Preface

Welcome to the Oracle Utilities Work and Asset Cloud Service Integration to Oracle Fusion Procurement Cloud Data Mapping Guide.

The preface includes the following:

- [Audience](#)
- [Documentation and Resources](#)
- [Documentation Accessibility](#)
- [Conventions](#)
- [Acronyms](#)

Audience

This document is intended for anyone implementing the integration of the following products with Oracle Fusion Procurement Cloud:

- Oracle Utilities Work and Asset Cloud Service

Documentation and Resources

For more information regarding this integration, foundation technology and the edge applications, refer to the following documents:

Product Documentation

Resource	Location
Oracle Utilities Work and Asset Cloud Service Integration to Oracle Fusion Procurement Cloud documentation	https://docs.oracle.com/en/industries/energy-water/integrations-index.html
Oracle Utilities Work and Asset Cloud Service documentation	https://docs.oracle.com/en/industries/energy-water/work-asset-cloud-service/index.html
Oracle Fusion Procurement Cloud documentation	https://docs.oracle.com/en/cloud/saas/procurement/21c/index.html

Additional Documentation

Resource	Location
Oracle Integration Cloud Service documentation	Refer to the OIC documentation at: https://docs.oracle.com/en/cloud/paas/integration-cloud/index.html
Oracle Support	<p>Visit My Oracle Support at https://support.oracle.com regularly to stay informed about updates and patches.</p> <p>Refer to the <i>Certification Matrix for Oracle Utilities Products (Doc ID 1454143.1)</i> on My Oracle Support to determine if support for newer versions of the listed products is included.</p> <p>For more information, refer to the Oracle Utilities Integrations page at http://my.oracle.com/site/tugbu/productsindustry/productinfo/utilities/integration/index.htm</p>
Oracle Technology Network (OTN) latest versions of documents	http://www.oracle.com/technetwork/index.html
Oracle University for training opportunities	http://education.oracle.com/

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers have access to electronic support for the hearing impaired. Visit: <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs>

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Acronyms

The following terms are used in this document:

Term	Expanded Form
FPRC	Oracle Fusion Procurement Cloud
Oracle UCM	Oracle's Universal Content Management or Oracle Webcenter Content Server
WACS	Oracle Utilities Work and Asset Cloud Service
OIC	Oracle Integration Cloud
PR	Purchase Requisition
PO	Purchase Order

Chapter 1

Data Mapping

This chapter provides the mapping details for each integration point:

- [Blanket Contract Synchronization Process Mapping \(Oracle Fusion Procurement Cloud Initiated\)](#)
- [Vendor/Vendor Location Synchronization Process \(Oracle Fusion Procurement Cloud Initiated\)](#)
- [Purchase Requisition Synchronization Process \(Oracle Utilities Work and Asset Cloud Service Initiated\)](#)
- [Purchase Requisition Approve Process Mapping \(Oracle Utilities Work and Asset Cloud Service Initiated\)](#)
- [Purchase Order Synchronization Process \(Oracle Fusion Procurement Cloud Initiated\)](#)
- [Invoice Validated Synchronization \(Oracle Fusion Procurement Cloud Initiated\)](#)
- [Invoice Payments Synchronization Mapping \(Oracle Fusion Procurement Cloud Initiated\)](#)
- [Invoice Payments Voided Mapping \(Oracle Fusion Procurement Cloud Initiated\)](#)
- [Invoice Cancelled Synchronization Mapping \(Oracle Fusion Procurement Cloud Initiated\)](#)
- [Returns Synchronization Process Mapping \(Oracle Utilities Work and Asset Cloud Service Initiated\)](#)
- [Receipts Synchronization Process \(Oracle Utilities Work and Asset Cloud Service Initiated\)](#)

Blanket Contract Synchronization Process Mapping (Oracle Fusion Procurement Cloud Initiated)

This table shows the following Invoice Cancelled Synchronization mapping details:

- [Invoke WACS Health Check](#)
- [Invoke WACS Blanket Contract Synchronization](#)
- [Rename File in UCM](#)
- [Get File from UCM](#)
- [Invoke UOM Conversion Rest](#)
- [Stage Write XML String](#)
- [Search Blanket Contract File](#)

Invoke WACS Health Check

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
		Outermo sttag			Outermos ttag			

Invoke WACS Blanket Contract Synchronization

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermosttag	syncBlanketContract		Outermosttag				
			components.schemas.SYNCBLANKETCONTRACT_request	syncBlanketContract	Group				
			W1BlnktSyn	components.schemas.SYNCBLANKETCONTRACT_request	Group				
			input	W1BlnktSyn	Group				
			externalSystem	input	String	OUTL-BRT-WACS_FPRC_ConfigProps	PropertyName: wacs.externalsystem	Value:	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
			\$currentSegment		Group				
			G_BPA_CPA_HEADER	\$currentSegment	Group				
			PO_HEADER_ID	G_BPA_CPA_HEADER	Integer	externalReferenceId			

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
			blanketContract	input	Group				
			header	blanketContract	Group				
PO_HEADER_ID	G_BPA_CPA_HEADER	Integer	blanketContractHeaderExternalId	header	String				
DOCUMENT_NUMBER	G_BPA_CPA_HEADER	Field	blanketContractNumber	header	String				
PO_REVISION_NUMBER	G_BPA_CPA_HEADER	Field	revisionNumber	header	Decimal				
			\$currentSegment		Group				
G_BPA_CPA_HEADER			\$currentSegment		Group				
DOCUMENT_STATUS	G_BPA_CPA_HEADER	Field	status	header	String	OUTL-BRT-WACS_FPRC_BC Status	FPRC_BC_Status	WACS_BC_Status	Maps Blanket Contract status code between Oracle Procurement Cloud(FPRC) and Work and Asset Cloud Service(WACS)

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
TYPE_LOOKUP_CODE	G_BPA_CPA_HEADER	Field	blanketCategory	header	Blanketcategory	OURL-BRT-WACS_FPRC_BC Category	FPRC_BC_Category	WACS_BC_Category	Maps Blanket Contract Category between Oracle Procurement Cloud(FPRC) and Work and Asset Cloud Service(WACS)
CREATION_DATE	G_BPA_CPA_HEADER	String	creationDate	header	Datetime				
BLANKET_TOTAL_AMOUNT	G_BPA_CPA_HEADER	Field	limitAmount	header	Decimal				"When (\$currentSegment/nsmpr3:G_BPA_CPA_HEADER/nsmpr3:BLANKET_TOTAL_AMOUNT)"
						OURL-BRT-WACS_FPRC_ConfigProps	PropertyName: wacs.default.limit.amount	Value:	Otherwise

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
START_DATE	G_BPA_CPA_HEADER	Field	initiationDate	header	Date			"When (\$currentSegment/nsmpr3:G_BPA_CPA_HEADER/nsmpr3:START_DATE) Function : substring-before (\$currentSegment/nsmpr3:G_BPA_CPA_HEADER/nsmpr3:START_DATE, ""T")"
CREATION_DATE	G_BPA_CPA_HEADER	String						Otherwise Function : substring-before (\$currentSegment/nsmpr3:G_BPA_CPA_HEADER/nsmpr3:CREATION_DATE, "T")

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
END_DATE	G_BPA_CPA_HEADER	Field	expirationDate	header	Date			When (\$currentSegment/nsmpr3:G_BPA_CPA_HEADER/nsmpr3:END_DATE) Function: substring-before (\$currentSegment/nsmpr3:G_BPA_CPA_HEADER/nsmpr3:END_DATE, ""T"")	
						OURL-BRT-WACS_FPRC_ConfigProps	PropertyName: wacs.default.bc.endDate	Value:	Otherwise
VENDOR_SITE_ID	G_BPA_CPA_HEADER	Field	vendorLocationExternalId	header	String				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
CURRENCY_CODE	G_BPA_CPA_H EADER	Field	currency	header	String	OUTL- BRT- WACS_F PRC_Cur rencyCod e	FPRC_Currency Code	WACS_ CurrencyCode	Maps Currency code between Oracle Procurement Cloud(FPRC) and Work and Asset Cloud Service (WACS)
FOB_LOOKUP_CODE	G_BPA_CPA_H EADER	Field	fob	header	String	OUTL- BRT- WACS_F PRC_FOB	FPRC_FOB	WACS_FOB	Maps FOB values between Oracle Procurement Cloud (FPRC) and Work and Asset Cloud Service (WACS).
TERMS_ID	G_BPA_CPA_H EADER	Field	paymentTerms	header	String	OUTL- BRT- WACS_F PRC_Pay mentTer m	FPRC_PaymentT erm	WACS_Payme ntTerm	Maps Payment Term values between Oracle Procurement Cloud (FPRC) and Work and Asset Cloud Service (WACS)
G_BPA_CPA_LINES	G_BPA_CPA_H EADER	Field	lines	blanketContract	Lines				
			_data	lines	Group				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
PO_LINE_ID		Integer	blanketContractLineExternalId	_data	String			
CREATION_DATE	G_BPA_CPA_HEADER	String	creationDate	_data	Datetime			
ITEM_DESCRIPTION		String	description	_data	String			
ITEM_ID		Integer	resourceTypeExternalId	_data	String			
LINE_NUM		Integer	lineNumber	_data	Decimal			
			allowOnPo	_data	Allowonpo			When (((nsmpr3:LINE_STATUS = ""CANCELED"")) or (((nsmpr3:LINE_STATUS = ""FINALLY CLOSED"")) or (nsmpr3:LINE_STATUS = ""ON HOLD"")))) Hardcoded as ""W1NA""
								Otherwise Hardcoded as ""W1AL""
			requisitionInfo	_data	Group			

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
LINE_LEVEL_PRICE		Integer	unitPrice	requisitionInfo	Decimal				
AGREEMENT_UOM_NAME		Field	unitOfPurchase	requisitionInfo	String	OUTL-BRT-WACS_FPRC_UOM	FPRC_UOMName	WACS_UOMCode	Maps UOM Code between Oracle ERP Procurement Cloud (FPRC) and Work and Asset Cloud Service (WACS).
			purchaseToIssueRatio	requisitionInfo	Decimal				Function: \$UOMVals_XML/nsmpr1:ReadResponse/ns26:root/ns26:UOMConversionVals[ns26:ItemId = current()/nsmpr3:ITEM_ID and ns26:lineNum = current()/nsmpr3:LINE_NUM]/ns26:ConversionFactor

Rename File in UCM

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermos sttag	OutboundSOAP RequestDocument		Outermos ttag				
			Body	OutboundSOAPRe questDocument	Group				
			GenericRequest	Body	Group				
			Service	GenericRequest	Group				
			Document	Service	Group				
\$docID		Field	Field[1]	Document	Field				
\$docName		Field	Field[2]	Document	Field				
\$updatedDocTitle		Field	Field[3]	Document	Field				

Get File from UCM

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermos sttag	OutboundSOAPRe questDocument		Outermos ttag				
			Body	OutboundSOAPRe questDocument	Group				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
			GenericRequest	Body	Group				
			Service	GenericRequest	Group				
			Document	Service	Group				
\$docID		Field	Field	Document	Field				

Invoke UOM Conversion Rest

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
\$currenBCLine		Outermosttag	create	Outermosttag					
G_BPA_CPA_LINES	\$currenBCLine	Group	UnitOfMeasureConversions	create	Group				
AGREEMENT_UOM_CODE	G_BPA_CPA_LINES	String	FromUOM	UnitOfMeasureConversions	String				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
ITEM_PUR_UNIT_OF_ISSUE_CODE	G_BPA_CPA_LINES	String	ToUOM	UnitOfMeasureConversions	String			When (fn:exists(\$currentBLine / nsmpr2:G_BPA_CPA_LINE S/ nsmpr2:ITEM_PUR_UNIT_OF_ISSUE_CODE) and (\$currentBLine / nsmpr2:G_BPA_CPA_LINE S/ nsmpr2:ITEM_PUR_UNIT_OF_ISSUE_CODE != ""))
ITEM_PRI_UOM_CODE	G_BPA_CPA_LINES	String						Otherwise
ITEM_ID	G_BPA_CPA_LINES	Integer	ItemId	UnitOfMeasureConversions	String			

Stage Write XML String

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermos sttag	Write		Outermos ttag				
			Response	Write	Group				
			root	Response	Group				
\$UOMConvResCol		Field	a	root	String				

Search Blanket Contract File

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermos sttag	OutboundSOAPRequestDocument		Outermos ttag				
			Body	OutboundSOAPRequestDocument	Group				
			GenericRequest	Body	Group				
			Service	GenericRequest	Group				
			Document	Service	Group				
\$searchQuery		Field	Field[1]	Document	Field				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
			Field[2]	Document	Field				Hardcoded as 'dInDate'
			Field[3]	Document	Field				Hardcoded as "Asc"

Vendor/Vendor Location Synchronization Process (Oracle Fusion Procurement Cloud Initiated)

This section describes data mapping for the Vendor/Vendor Location Synchronization process initiated by Oracle Fusion Procurement Cloud.

- [Rename File in UCM](#)
- [Invoke Health Check](#)
- [Get File from UCM](#)
- [Search Vendor Location File](#)
- [Invoke WACS Vendor Location Synchronization](#)

Rename File in UCM

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
		Outermosttag	OutboundSOAPRequestDocument		Outermosttag			
			Body	OutboundSOAPRequestDocument	Group			
			GenericRequest	Body	Group			
			Service	GenericRequest	Group			
			Document	Service	Group			
\$docId		Field	Field[1]	Document	Field			
\$docName		Field	Field[2]	Document	Field			
\$updatedDocTitle		Field	Field[3]	Document	Field			

Invoke Health Check

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
		Outermosttag			Outermosttag			

Get File from UCM

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
		Outermosttag	OutboundSOAPRequestDocument		Outermosttag			
			Body	OutboundSOAPRequestDocument	Group			
			GenericRequest	Body	Group			
			Service	GenericRequest	Group			
			Document	Service	Group			
\$docId		Field	Field	Document	Field			

Search Vendor Location File

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
		Outermosttag	OutboundSOAPRequestDocument		Outermosttag			
			Body	OutboundSOAPRequestDocument	Group			
			GenericRequest	Body	Group			
			Service	GenericRequest	Group			
			Document	Service	Group			
			Field[1]	Document	Field			Hardcoded as 'dInDate'
\$searchQuery		Field	Field[2]	Document	Field			
			Field[3]	Document	Field			Hardcoded as 'Asc'

Invoke WACS Vendor Location Synchronization

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
		Outermosttag	syncVendorLocation		Outermosttag			
			components.schema.SYNCVENDORLOCATION_request	syncVendorLocation	Group			
			W1VndLocSyn	components.schema.SYNCVENDORLOCATION_request	Group			
			input	W1VndLocSyn	Group			
\$externalSystem		Field	externalSystem	input	String			
\$currentVendorLoc		Group						
vendorLocation	\$currentVendorLoc	Group						
VENDORSITEID	vendorLocation	String	externalReferenceId	input	String			
			initialLoad	input	String			Hardcoded as 'F1IC'
			vendorLocation	input	Group			
SUPPLIERVENDORID	vendorLocation	String	vendorExternalId	vendorLocation	String			
SUPPLIERSEGMENT1	vendorLocation	String	vendor	vendorLocation	String			

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
SUPPPARTYPARTY NAME	vendorLocation	String	vendorName	vendorLocation	String			
SUPPLIERCORPOR ATEWEBSITE	vendorLocation	String	website	vendorLocation	String			
			status	vendorLocation	String			"When (((\$currentVend orLoc/ nsmpr2:vendor Location/ nsmpr2:SUPP LIERENDDA TEACTIVE = "")) and (\$currentVend orLoc/ nsmpr2:vendor Location/ nsmpr2:SUPP LIERSITEIN ACTIVEDAT E = "")) Hardcoded as 'ACTIVE'"
								Otherwise Hardcoded as 'INACTIVE'
VENDORSITEID	vendorLocation	String	vendorLocationExt ernalId	vendorLocation	String			
SUPPLIERSITEVEN DORSITECODE	vendorLocation	String	locationName	vendorLocation	String			

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
			creationDate	vendorLocation	Date			concat (substring-before(\$currentVendorLoc/nsmpr2:vendorLocation/nsmpr2:SUPPLIERSITECREATIONDATE, " "), "T", substring-after(\$currentVendorLoc/nsmpr2:vendorLocation/nsmpr2:SUPPLIERSITECREATIONDATE, " "))
			location	vendorLocation	Group			
LOCATIONADDRESS1	vendorLocation	String	address1	location	String			
LOCATIONADDRESS2	vendorLocation	String	address2	location	String			
LOCATIONADDRESS3	vendorLocation	String	address3	location	String			
LOCATIONADDRESS4	vendorLocation	String	address4	location	String			

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
LOCATIONCITY	vendorLocation	String	city	location	String				
LOCATIONCOUNTY	vendorLocation	String	county	location	String				
LOCATIONSTATE	vendorLocation	String	state	location	String	OUTL-BRT-WACS_FPRC_State	FPRC_State	WACS_State	"When (\$currentVendorLoc/nsmpr2:vendorLocation/nsmpr2:LOCATIONSTATE != "")"
LOCATIONPROVINCE	vendorLocation	String				OUTL-BRT-WACS_FPRC_State	FPRC_State	WACS_State	Otherwise
LOCATIONPOSTALCODE	vendorLocation	String	postal	location	String				
LOCATIONCOUNTRY	vendorLocation	String	country	location	String	OUTL-BRT-WACS_FPRC_Country	FPRC_Country	WACS_Country	Maps Country values between Oracle Procurement Cloud (FPRC) and Work and Asset Cloud Service (WACS)

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
			orderFromFlag	vendorLocation	Orderformflag			"When (\$currentVendorLoc/nsmpr2:vendorLocation/nsmpr2:SUPPLIERSITEPURCHASINGSITEFLAG = ""Y"") Hardcoded as "W1AL"
								Otherwise Hardcoded as 'W1NA'
			payToFlag	vendorLocation	Paytoflag			"When (\$currentVendorLoc/nsmpr2:vendorLocation/nsmpr2:SUPPLIERSITEPAYSITEFLAG = ""Y"") Hardcoded as "W1AL"
								Otherwise Hardcoded as 'W1NA'
SUPPLIERSITEDEF AULTPAYSITEID	vendorLocation	String	payToVendorLocationExternalId	vendorLocation	String			

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
SUPPLIERSTEINVOICECURRENCYCODE	vendorLocation	String	currency	vendorLocation	String	OUTL-BRT-WACS_FPRC_CurrencyCode	FPRC_CurrencyCode	WACS_CurrencyCode	Maps Currency code between Oracle Procurement Cloud(FPRC) and Work and Asset Cloud Service (WACS)
SUPPLIERSETERMMSID	vendorLocation	String	paymentTerm	vendorLocation	String	OUTL-BRT-WACS_FPRC_PaymentTerm	FPRC_PaymentTerm	WACS_PaymentTerm	Maps Payment Term values between Oracle Procurement Cloud (FPRC) and Work and Asset Cloud Service (WACS)
SUPPLIERMINORDERAMOUNT	vendorLocation	String	minimumOrderAmount	vendorLocation	Decimal				"When (\$currentVendorLoc/nsmpr2:vendorLocation/nsmpr2:SUPPLIERMINORDERAMOUNT != "")"
		Field							Otherwise
\$autoPayValue		Field	autoPay	vendorLocation	String				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
SUPPLIERSITEFOB LOOKUPCODE	vendorLocation	String	fob	vendorLocation	String	OUTL-BRT- WACS_FPR C_FOB	FPRC_FOB	WACS_FOB	Maps FOB values between Oracle Procurement Cloud (FPRC) and Work and Asset Cloud Service (WACS)
			emailPoFlag	vendorLocation	Emailp oflag				"When (\$currentVendorLoc/ nsmpr2:vendorLocation/ nsmpr2:SUPPLIERITESU PPLIERNOTIFMETHOD = "EMAIL") Hardcoded as "W1AL"
									Otherwise Hardcoded as 'W1NA'
SUPPLIERSITEEMAILADDRESS	vendorLocation	String	poEmailAddress	vendorLocation	String				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
			payTaxToVendor	vendorLocation	Paytax ovend or			"When (\$currentVend orLoc/ nsmpr2:vendor Location/ nsmpr2:SUPP LIERALLOW AWTFLAG = ""Y") Hardcoded as 'W1NO'"
								Otherwise Hardcoded as 'W1YS'

Purchase Requisition Synchronization Process (Oracle Utilities Work and Asset Cloud Service Initiated)

This section describes data mapping for the Purchase Requisition Synchronization process initiated by Oracle Utilities Work and Asset Cloud Service.

- [Purchase Requisition Approval](#)
- [Create Purchase Requisition](#)
- [Synchronizing Purchase Requisition](#)

Purchase Requisition Approval

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
		Outermosttag	PUT		Outermosttag			
			Template Parameters	PUT	Group			
\$Var_ FPRCPRHeaderId		Field	FPRCRequisitionHeaderId	Template Parameters	String			
			components.schemas.request-wrapper	PUT	Group			
\$Var_ FPRCPRNumber		Field	FPRC_ReqNumber	components.schemas.request-wrapper	String			
\$Var_ WACSPRNumber		Field	WACS_ReqNumber	components.schemas.request-wrapper	String			

Create Purchase Requisition

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermosttag	create		Outermosttag				
			PurchaseRequisitions	create	Group				
			RequisitioningBUId	Purchase Requisitions	Int	OUTL-BRT-WACS_FPR C_ConfigProps	PropertyName: fprc.businessunit.id	Value: Empty_RequisitionBUId	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
			PreparerId	Purchase Requisitions	Int	OUTL-BRT-WACS_FPR C_Config Props	PropertyName : fprc.pr.preparer.id	Value : Empty_PreparerId	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
ERP_W1-PREQIMSG		Group							
components.schemas.endDetails_request	ERP_W1-PREQIMSG	Group							

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
sendDetails	components.schemas.sendDetails_request	Group							
integrationDetails	sendDetails	Group							
headerInfo	integrationDetails	Group							
description	headerInfo	String	Description	Purchase Requisitions	String				
			InterfaceSource Code	Purchase Requisitions	String	OUTL-BRT-WACS_FPR C_Config Props	PropertyName : fprc.interface.sour cecode	Value: WACS	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
lineInfoList	lineInfo	Lineinfo list	ExternallyManaged Flag	Purchase Requisitions	Purchaserequisitions	OUTL-BRT-WACS_FPR C_Config Props	PropertyName: fprc.pr.externally manage.flag	Value: true	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
requisitionInfo		Group	lines	Purchase Requisitions	Group				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
itemNumber	requisitionInfo	Decimal	LineNumber	lines	Float				
itemType	requisitionInfo	String	LineTypeCode	lines	String	OUTL-BRT-WACS_FPRC_ItemTypeCode	WACS_ItemTypeCode	FPRC_LineTypeCode	Maps ERP Line Type Code to WACS Item Type Code and vice versa
itemType	requisitionInfo	String	CategoryName	lines	String	OUTL-BRT-WACS_FPRC_ItemTypeCode	WACS_ItemTypeCode	FPRC_CategoryName	Only if (((ns40:resourceTypeExternalId = "") or not (ns40:resourceTypeExternalId)))
description		String	ItemDescription	lines	String				
resourceTypeExternalId		String	ItemId	lines	Int				
quantity	requisitionInfo	Decimal	Quantity	lines	Float				
\$Var_WACSCurrencyCode		Field	CurrencyCode	lines	String				
unitOfPurchase	requisitionInfo	String	UOM	lines	String	OUTL-BRT-WACS_FPRC_UOM	WACS_UOMCode	FPRC_UOMName	"When (ns40:requisitionInfo/ns36:unitOfPurchase)"

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
						OUTL-BRT-WACS_FPR C_ConfigPros	PropertyName : fprc.default.uom	Value:	Otherwise
unitPrice	requisitionInfo	Decimal	Price	lines	Float				
initiatingBlanketContractHeaderExternalId	headerInfo	String	SourceAgreementHeaderId	lines	Int				"When (/nssrcmpr:ERP_W1-PREQIMSG/nssrcmpr:components.schemas.sendDetails_request/ns38:sendDetails/ns42:integrationDetails/ns28:headerInfo/ns30:initiatingBlanketCategory = ""CPA"")"

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
			NegotiatedByPreparerFlag	lines	Boolean			Only if ("cpa.negotiated config") = dvm:lookupValue ("tenant/resources/dvms/OUTL-BRT-WACS_FPRC_ConfigProps", "PropertyName", "cpa.negotiated config", "Value", "true")) Hardcoded as "true"

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
initiatingBlanketContractHeaderExternalId	headerInfo	String			Int			<pre> "When (((/ nssrcmpr:ERP _W1- PREQIMSG/ nssrcmpr:com ponents.schem as.sendDetails_ request/ ns38:sendDetai ls/ ns42:integratio nDetails/ ns28:headerInf o/ ns30:initiatingB lanketCategory = ""BPA"") and (ns40:blanketC ontractLineExt ernalId != "")))))" </pre>

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
					Boolean			Only if ("bpa.negotiated config") = dvm:lookupValue ("tenant/resources/dvms/OUTL-BRT-WACS_FPRC_ConfigProps", "PropertyName", "bpa.negotiated config", "Value", "true")) Hardcoded as "true"

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
blanketContractLineExternalId		String	SourceAgreementLineId	lines	Int			Only if (((/nssrcmpr:ERP_W1-PREQIMSG/nssrcmpr:components.schemas.sendDetails_request/ns38:sendDetails/ns42:integrationDetails/ns28:headerInfo/ns30:initiatingBlanketCategory="BPA") and (ns40:blanketContractLineExternalId != "")))
vendorLocation	headerInfo	Group						

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
vendorExternalId	vendorLocation	String	SupplierId	lines	Int			Only if (/nssrcmpr:ERP_W1-PREQIMSG/nssrcmpr:components.schemas.sendDetails_request/ns38:sendDetails/ns42:integrationDetails/ns28:headerInfo/ns30:vendorLocation/ns31:vendorExternalId or (/nssrcmpr:ERP_W1-PREQIMSG/nssrcmpr:components.schemas.sendDetails_request/ns38:sendDetails/ns42:integrationDetails/ns28:headerInfo/ns30:vendorLocation/ns31:vendorExternalId!=""))

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
vendorLocationExternalId	vendorLocation	String	SupplierSiteId	lines	Int			Only if (/nssrcmpr:ERP_W1-PREQIMSG/nssrcmpr:components.schemas.sendDetails_request/ns38:sendDetails/ns42:integrationDetails/ns28:headerInfo/ns30:vendorLocation/ns31:vendorLocationExternalId or (/nssrcmpr:ERP_W1-PREQIMSG/nssrcmpr:components.schemas.sendDetails_request/ns38:sendDetails/ns42:integrationDetails/ns28:headerInfo/ns30:vendorLocation/ns31:vendorLocationExternalId != ""))

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
vendorPartNumber	requisitionInfo	String	SupplierItemNumber	lines	String			Only if (ns40:requisitionInfo/ns36:vendorPartNumber or (ns40:requisitionInfo/ns36:vendorPartNumber != ""))
requisitionInfo	headerInfo	Group						

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
initiatorEmployeeExternalId	requisitionInfo	String	RequesterId	lines	Int			"When (/nssrcmpr:ERP_W1-PREQIMSG/nssrcmpr:components.schemas.sendDetails_request/ns38:sendDetails/ns42:integrationDetails/ns28:headerInfo/ns30:requisitionInfo/ns37:initiatorEmployeeExternalId or (/nssrcmpr:ERP_W1-PREQIMSG/nssrcmpr:components.schemas.sendDetails_request/ns38:sendDetails/ns42:integrationDetails/ns28:headerInfo/ns30:requisitionInfo/ns37:initiatorEmployeeExternalId != ""))"

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
						OUTL-BRT-WACS_FPR C_ConfigPros	PropertyName : fprc.pr.preparer.id	Value: Empty_PreparerId	Otherwise
requiredByDate	requisitionInfo	Date	RequestedDelivery Date	lines	String				"When (ns40:requisitionInfo/ns36:requiredByDate)"
requiredByDate	requisitionInfo	Date			String				"When (not (ns40:requisitionInfo/ns36:requiredByDate) and /nssrcmpr:ERP_W1-PREQIMSG/nssrcmpr:components.schemas.sendDetails_request/ns38:sendDetails/ns42:integrationDetails/ns28:headerInfo/ns30:requisitionInfo/ns37:requiredByDate)"

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping				Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud		
										urrent-date() + xsd:dayTimeDuration ("P7D")
			DestinationTypeCode	lines	String	OUTL-BRT-WACS_FPRC_ConfigProfiles	PropertyName: fprc.destinationtype.code	Value: EXPENSE		Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
			DestinationOrganizationCode	lines	String	OUTL-BRT-WACS_FPRC_ConfigProfiles	PropertyName: fprc.destination.organization.code	Value:		Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
shipToLocation	requisitionInfo	String	DeliverToLocationCode	lines	String	OUTL-BRT-WACS_FPRC_DeliverToLocation	WACS_ShipToLocation	FPRC_DeliverToLocationCode	"When (/nssrcmpr:ERP_W1-PREQIMSG/nssrcmpr:components.schemas.sendDetails_request/ns38:sendDetails/ns42:integrationDetails/ns28:headerInfo/ns30:requisitionInfo/ns37:shipToLocation)"
						OUTL-BRT-WACS_FPRC_ConfigProps	PropertyName: fprc.default.deliverlocation.code	Value:	Otherwise
			DFP[2]	lines	Group				
\$Var_WACSPRNumber		Field	wacsPrNumC	DFP[2]	String				
\$Var_WACSPRHeaderId		Field	wacsPrHdrIdC	DFP[2]	String				
costCenterList	accountingInfo	Costcenterlist	wacsPrLineIdC	DFP[2]	Lines				Hardcoded as 'WACS'

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
accountingInfo		Group	distributions	lines	Group				
quantity		Field	Quantity	distributions	Float				
			DistributionNumber	distributions	Float				Function : position ()
glAccount		String	ChargeAccount	distributions	String				
			DFP[2]	distributions	Field				Hardcoded as 'WACS'
			itngSourceSeg	DFP[2]	String	OUTL-BRT-WACS_FPR C_ConfigPros	PropertyName: fprc.interface.sourcecode	Value: WACS	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.

Synchronizing Purchase Requisition

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
		Outermosttag	ERP_W1-PREQIMSG Response		Outermosttag			
			components.schema.responseDetails_response	ERP_W1-PREQIMSG Response	Group			
			responseDetails	components.schema.responseDetails_response	Group			
\$Var_FPRCPRNumber		Field	externalId	responseDetails	String			

Purchase Requisition Approve Process Mapping (Oracle Utilities Work and Asset Cloud Service Initiated)

This section describes data mapping for the Purchase Requisition Synchronization process initiated by Oracle Utilities Work and Asset Cloud Service.

- [Submit Purchase Requisition for Approval](#)

Submit Purchase Requisition for Approval

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
execute		Outermosttag	submitRequisition		Outermosttag			
TemplateParameters	execute	Group	TemplateParameters	submitRequisition	Group			
FPRCRequisitionHeaderId	TemplateParameters	String	id	TemplateParameters	String			
			actionRequest	submitRequisition	Group			
			name	actionRequest	String			Hardcoded as 'submitRequisition'

Purchase Order Synchronization Process (Oracle Fusion Procurement Cloud Initiated)

This section describes data mapping for the Purchase Order Synchronization process initiated from Oracle Fusion Procurement Cloud.

- [WACS Purchase Order Synchronization](#)

WACS Purchase Order Synchronization

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermosttag	syncPurchaseOrder		Outermosttag				
			components.schema.SYNCPURCHASEORDER_request	syncPurchaseOrder	Group				
			W1PurOrdSync	components.schema.SYNCPURCHASEORDER_request	Group				
		input		W1PurOrdSync	Group				
		externalSystem	input		String	OUTL-BRT-WACS_FPR C_ConfigPros	PropertyName: wacs.externalsystem	Value:	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
onEvent		Group							
getPurchaseOrderResponse	onEvent	Group							
result	getPurchaseOrderResponse	Group							
Value	result	Group							
POHeaderId	Value	Long	externalReferenceId	input	String				
			purchaseOrder	input	Group				
			header	purchaseOrder	Group				
POHeaderId	Value	Long	purchaseOrderHeaderExternalId	header	String				
DocumentStatusCode	Value	String	status	header	String	OUTL-BRT-WACS_FPRC_POStatus	FPRC_POStatusCode	WACS_POStatusCode	Maps PO Status Code between Oracle ERP Procurement Cloud (FPRC) and Work and Asset Cloud Service (WACS)
OrderNumber	Value	String	purchaseOrderNumber	header	String				
OrderRevision	Value	Decimal	revisionNumber	header	Decimal				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
DocumentDescription	Value	String	description	header	String				
CreationDate	Value	Datetime -times tamp	creationDateTime	header	Dateti me				
BuyerId	Value	Field	buyerEmployeeExt ernalId	header	String				
			issueDate	header	Date				Function: fn:current-date ()
PurchaseOrderLine	Value	Group							
PurchaseOrderSchedule	PurchaseOrder Line	Group							
PurchaseOrder Distribution	PurchaseOrderSc hedule	Group							
DeliverToLocationCode	PurchaseOrder Distribution	String	shipToLocation	header	String	OUTL-BRT- WACS_FPR C_DeliverTo Location	FPRC_DeliverTo LocationCode	WACS_ShipTo Location	Maps ERP Procurement Cloud Deliver To Location Code to WACS Ship To Location or vice versa. In WACS,ShipTo Location is a storeroom.
SupplierSiteId	Value	Long	vendorLocationExt ernalId	header	String				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping				Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud		
CurrencyCode	Value	String	currency	header	String	OUTL-BRT-WACS_FPRC_CurrencyCode	FPRC_CurrencyCode	WACS_CurrencyCode		Maps Currency code between Oracle Procurement Cloud(FPRC) and Work and Asset Cloud Service (WACS)

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
ConversionRate	Value	Field	exchangeRate	header	Decimal			Only if (/nssrcmpr:onEvent/inp1:getPurchaseOrderResponse/inp1:result/ns31:Value/ns31:ConversionRate != "") Function : number (fn:format-number (number (/nssrcmpr:onEvent/inp1:getPurchaseOrderResponse/inp1:result/ns31:Value/ns31:ConversionRate), "#.#####"))

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
FOBCode	Value	String	freeOnBoard	header	String	OUTL-BRT-WACS_FPRC_FOB	FPRC_FOB	WACS_FOB	Only if (/nssrcmpr:otionEvent/inp1:getPurchaseOrderResponse/inp1:result/ns31:Value/ns31:FOBCode)
PaymentTermsId	Value	Long	paymentTerms	header	String	OUTL-BRT-WACS_FPRC_PaymentTerm	FPRC_PaymentTerm	WACS_PaymentTerm	Only if (/nssrcmpr:otionEvent/inp1:getPurchaseOrderResponse/inp1:result/ns31:Value/ns31:PaymentTermsId)
PurchaseOrderLine	Value	Purchase orderline	lines	purchaseOrder	Lines				
			_data	lines	Group				
POLineId		Long	purchaseOrderLine ExternalId	_data	String				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
LineStatusCode		String	status	_data	String	OUTL-BRT-WACS_FPRC_POLineStatus	FPRC_POLineStatus	WACS_POLineStatus	Maps PO Line Status Code between Oracle ERP Procurement Cloud (FPRC) and Work and Asset Cloud Service (WACS).
ItemDescription		String	description	_data	String				
LineNumber		Decimal	lineNumber	_data	Decimal				
xmlns.oracle.com		Group							
apps	xmlns.oracle.com	Group							
prc	apps	Group							
po	prc	Group							
viewDocument	po	Group							
publicFlex	viewDocument	Group							
purchasingDocumentLine	publicFlex	Group							

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
'Wacs	'purchasingDocumentLine	Field	purchaseRequisitionLineId	_data	String				Function: ns31:LineFlexfield[(fn:resolve-QName(@xsi:type, .) = fn:QName('http://xmlns.oracle.com/apps/prc/po/viewDocument/publicFlex/purchasingDocumentLine/', 'Wacs'))]/ns30:wacsPrLineIdC
SourceAgreementNumber		String	blanketContractNumber	_data	String				
SourceAgreementLine		Decimal	blanketContractLineNumber	_data	Decimal				
LineType		String	itemType	_data	Itemtype	OUTL-BRT-WACS_FPRC_ItemTypeCode	FPRC_LineTypeCode	WACS_ItemTypeCode	Maps ERP Line Type Code to WACS Item Type Code and vice versa
Quantity		Measuretype	quantity	_data	Decimal				Only if (ns31:Quantity != 0)

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
Price		Field	unitPrice	_data	Decimal				Function : number (fn:format- number (number (ns31:Price), "#.#####"))
UnitOfMeasure		String	unitOfPurchase	_data	String	OUTL-BRT- WACS_FPR C_UOM	FPRC_UOMName	WACS_UOMC ode	Maps UOM Code between Oracle ERP Procurement Cloud (FPRC) and Work and Asset Cloud Service (WACS)
PurchaseOrderSchedule [1]		Group							
NeedByDate	PurchaseOrderSc hedule[1]	Date-date	requiredDate	_data	Date				
PromisedDate	PurchaseOrderSc hedule[1]	Date-date	promiseDate	_data	Date				
SupplierItem		String	vendorPartNumber	_data	String				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
OrderedAmount		Field	lineAmount	_data	Decimal			Only if (ns31:OrderedAmount != 0) Function : number (fn:format-number (number (ns31:OrderedAmount), "#.###"))

Invoice Validated Synchronization (Oracle Fusion Procurement Cloud Initiated)

This section describes data mapping for the Invoice Validated Synchronization process initiated by Oracle Fusion Procurement Cloud.

- [Get Invoice Information](#)
- [Get Invoice Distribution](#)
- [Get Invoice Transaction Tax Lines](#)
- [WACS Invoice Synchronization](#)
- [Get Invoice Transactions Tax Lines 2](#)
- [WACS Invoice Synchronization 1](#)
- [WACS Invoice Synchronization 2](#)

Get Invoice Information

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
onEvent		Outermosttag	get		Outermosttag			
ApInvoiceValidatedInfo	onEvent	Group	Template Parameters	get	Group			
InvoiceId	ApInvoiceValidatedInfo	Group						
newValue	InvoiceId	Group						
@value	newValue	Field	id	Template Parameters	String			
			QueryParameters	get	Group			

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
			expand	QueryParameters	String				Hardcoded as 'invoiceInstallments,invoiceLines.invoiceDistributions'

Get Invoice Distribution

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
\$CurrInvoiceDistributionLink		Outermosttag	getAll		Outermosttag			
links	\$CurrInvoiceDistributionLink	Group	ConnectivityProperties	getAll	Group			
			RestAPI	ConnectivityProperties	Group			
href	links	Field	AbsoluteEndpointURI	RestAPI	Anyuri			

Get Invoice Transaction Tax Lines

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermosttag	getAll		Outermosttag				
			QueryParameters	getAll	Group				
			onlyData	QueryParameters	Boolean				Hardcoded as 'true'
\$GV_Limit_TaxLinesReturned			limit	QueryParameters	Int				
\$Var_QueryParm_GetAllTaxLines			query	QueryParameters	String				
			totalResults	QueryParameters	Boolean				Hardcoded as 'true'

WACS Invoice Synchronization

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
\$GetInvoiceTransTaxLines		Outermosttag	syncInvoice	Outermosttag					
getAllResponse	\$GetInvoiceTransTaxLines	Group	components.schema.SYNCINVOICE_request	syncInvoice	Group				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
			W1InvoiceSyn	components.schema s.SYNCINVOICE_ request	Group			
			input	W1InvoiceSyn	Group			
			invoice	input	Group			
items	getAllResponse	Transacti ontaxline s	lines	invoice	Lines			
			_data	lines	Group			
		Field	invoiceLineExterna lId	_data	String			concat (ns42:TaxLineI d, "-", ns42:TrxLineN umber)
		Field	purchaseOrderNu mber	_data	String			Function : \$GV_Invoice/ nsmpr1:getRes ponse/ nsmpr1:Invoic es/ ns42:invoiceLi nes[ns37:Line Number=curre nt]/ ns42:TrxLineN umber]/ ns37:Purchase OrderNumber

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
			purchaseOrderLine Number	_data	Decimal			Function : \$GV_Invoice/ nsmpr1:getRes ponse/ nsmpr1:Invoic es/ ns42:invoiceLi nes[ns37:Line Number=curre nt()/ ns42:TrxLineN umber]/ ns37:Purchase OrderLineNu mber
			description	_data	String			concat (ns42:Tax, "-", ns42:TaxRegim eName)
			itemType	_data	Itemtype			Hardcoded as 'W1TX'
1		Field	quantity	_data	Decimal			
TaxAmount, "#.#####"		Field	unitPrice	_data	Decimal			Function : number (fn:format- number (ns42:TaxAmo unt, "#.#####" ""))

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
TaxAmount, "#.###"		Field	lineAmount	_data	Decimal				Function : number (fn:format-number (ns42:TaxAmount, "#.###"))

Get Invoice Transactions Tax Lines 2

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermos ttag	getAll		Outermos ttag				
			QueryParameters	getAll	Group				
			onlyData	QueryParameters	Boolean				Hardcoded as 'true'
\$GV_Limit_TaxLinesReturned		Field	limit	QueryParameters	Int				
\$GV_Offset_TaxLines		Field	offset	QueryParameters	Int				
\$Var_QueryParm_GetAllTaxLines		Field	query	QueryParameters	String				

WACS Invoice Synchronization 1

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
\$GetInvoiceTransTaxLines2		Outermosttag	syncInvoice	Outermosttag					
getAllResponse	\$GetInvoiceTransTaxLines2	Group	components.schemas.SYNCINVOICE_E_request	syncInvoice	Group				
			W1InvoiceSyn	components.schemas.SYNCINVOICE_request	Group				
			input	W1InvoiceSyn	Group				
			invoice	input	Group				
items	getAllResponse	Transactions	lines	invoice	Lines				
			_data	lines	Group				
		Field	invoiceLineExternalId	_data	String				concat (ns43:TaxLineId, "-", ns43:TrxLineNumber)

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
		Field	purchaseOrderNumber	_data	String			Only if (ns43:TaxAmount != 0) Function : \$GV_Invoice/nsmpr1:getResponse/nsmpr1:Invoices/ns43:invoiceLines[ns38:LineNumber=current()/ns43:TrxLineNumber]/ns38:PurchaseOrderNumber

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
			purchaseOrderLine Number	_data	Decimal			Only if (ns43:TaxAmount != 0) Function : \$GV_Invoice/ nsmpr1:getResponse/ nsmpr1:Invoices/ ns43:invoiceLines[ns38:Line Number=current()/ ns43:TrxLineNumber]/ ns38:PurchaseOrderLineNu mber
			description	_data	String			concat (ns43:Tax, "-", ns43:TaxRegimeName)
			itemType	_data	Itemtype			Hardcoded as 'W1TX'
1		Field	quantity	_data	Decimal			Only if (ns43:TaxAmount != 0)

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
TaxAmount, "#.#####"		Field	unitPrice	_data	Decimal			Only if (ns43:TaxAmount != 0) Function : number (fn:format-number (ns43:TaxAmount, "#.#####"))
TaxAmount, "#.###"		Field	lineAmount	_data	Decimal			Only if (ns43:TaxAmount != 0) Function: number (fn:format-number (ns43:TaxAmount, "#.###"))

WACS Invoice Synchronization 2

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermosttag	syncInvoice	Outermosttag					
			components.schemas.SYNCINVOICE_E_request	syncInvoice	Group				
			W1InvoiceSyn	components.schemas.SYNCINVOICE_request	Group				
			input	W1InvoiceSyn	Group				
			externalSystem	input	String	OURL-BRT-WACS_FPRC_ConfigProps	PropertyName: wacs.externalSystem	Value:	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
onEvent		Group							
ApInvoiceValidatedInfo	onEvent	Group							
InvoiceId	ApInvoiceValidatedInfo	Group							
newValue	InvoiceId	Group							

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
@value	newValue	Field	externalReferenceId	input	String				
			invoice	input	Group				
			header	invoice	Group				
@value	newValue	Field	invoiceHeaderExternalId	header	String				
InvoiceNum	ApInvoiceValidatedInfo	Group							
newValue	InvoiceNum	Group							
@value	newValue	Field	invoiceNumber	header	String				
\$GV_Invoice		Group							
getResponse	\$GV_Invoice	Group							
Invoices	getResponse	Group							
Description	Invoices	String	description	header	String				
VendorSiteId	ApInvoiceValidatedInfo	Group							
newValue	VendorSiteId	Group							
@value	newValue	Field	vendorLocationExternalId	header	String				
@value	newValue	Field	payToVendorLocationExternalId	header	String				
\$GV_Invoice		Group							

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
getResponse	\$GV_Invoice	Group							
PaymentTerms	Invoices	String	paymentTerms	header	String	OUTL-BRT-WACS_FPRC_PaymentTerm	FPRC_PaymentTerm	WACS_PaymentTerm	Maps Payment Term values between Oracle Procurement Cloud (FPRC) and Work and Asset Cloud Service (WACS)
PaymentTerms	Invoices	String	numberOfDays	header	Decimal	OUTL-BRT-WACS_FPRC_PaymentTerm	FPRC_PaymentTerm	FPRC_NumberOfDays	Maps Payment Term values between Oracle Procurement Cloud (FPRC) and Work and Asset Cloud Service (WACS)
InvoiceDate	Invoices	String	vendorDate	header	Date				
invoiceInstallments[1]	Invoices	Group							
DueDate	invoiceInstallments[1]	String	invoiceDueDate	header	Date				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
InvoiceReceivedDate	Invoices	String	invoiceReceivedDate	header	Date				Only if (\$GV_Invoice/nsmpr2:getResponse/nsmpr2:Invoices/ns46:InvoiceReceivedDate != "")
CreationDate	Invoices	String	invoiceEnteredDate	header	Date				Function: substring-before (\$GV_Invoice/nsmpr2:getResponse/nsmpr2:Invoices/ns46:CreationDate, "T")
PaymentCurrency	Invoices	String	currency	header	String	OUTL-BRT-WACS_FPRC_CurrencyCode	FPRC_CurrencyCode	WACS_CurrencyCode	Maps Currency code between Oracle Procurement Cloud(FPRC) and Work and Asset Cloud Service (WACS)

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
ConversionRate	Invoices	Field	exchangeRate	header	Decimal			"When (\$GV_Invoice / nsmpr2:getResponse/nsmpr2:Invoices/ns46:ConversionRate != "") Function : number (fn:format-number (number (\$GV_Invoice / nsmpr2:getResponse/nsmpr2:Invoices/ns46:ConversionRate), "#.##### #"))"
1		Field						Otherwise
invoiceLines	Invoices	Invoicelines	lines	invoice	Lines			
			_data	lines	Group			

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
			invoiceLineExternalId	_data	String			concat (\$GV_Invoice / nsmpr2:getResponse/nsmpr2:Invoices/ns46:InvoiceNumber, "-", ns40:LineNumber)
PurchaseOrderNumber		String	purchaseOrderNumber	_data	String			Only if (ns40:PurchaseOrderNumber != "" and ns40:LineType != "Tax")
PurchaseOrderLineNumber		Float	purchaseOrderLineNumber	_data	Decimal			Only if (ns40:PurchaseOrderLineNumber != "" and ns40:PurchaseOrderNumber != "")
Description		String	description	_data	String			Only if (ns40:PurchaseOrderLineNumber != "")

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
			itemType	_data	Itemtype				Only if (ns40:PurchaseOrderLineNumber != "") Hardcoded as 'W1CR'
LineType		String				OUTL-BRT-WACS_FPRC_InvoiceLineType	FPRC_InvoiceLineType	WACS_InvoiceItemType	Only if (ns40:PurchaseOrderLineNumber != "")
Quantity		Float	quantity	_data	Decimal				Only if (ns40:PurchaseOrderLineNumber != "")
1		Field							Only if (ns40:PurchaseOrderLineNumber != "")

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
UnitPrice		Field	unitPrice	_data	Decimal			Only if (ns40:PurchaseOrderLineNumber != "") Function : number (fn:format-number (number (ns40:UnitPrice), "#.#######"))
LineAmount		Field						Only if (ns40:PurchaseOrderLineNumber != "") Function : number (fn:format-number (number (ns40:LineAmount), "#.#####"))

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
LineAmount		Field	lineAmount	_data	Decimal			Only if (ns40:PurchaseOrderLineNumber != "") Function : number (fn:format-number (number (ns40:LineAmount), "#.###"))

Invoice Payments Synchronization Mapping (Oracle Fusion Procurement Cloud Initiated)

This table shows the following Invoice Payments Synchronization mapping details:

- [Get Invoice Distribution DFF](#)
- [Get Invoice](#)
- [WACS Invoice Synchronization Payment](#)
- [Get Related Invoice Payment](#)

Get Invoice Distribution DFF

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
\$CurrentInvDistLink		Outermosttag	getAll	Outermosttag					
links	\$CurrentInvDistLink	Group	ConnectivityProperties	getAll	Group				
			RestAPI	ConnectivityProperties	Group				
href	links	String	AbsoluteEndpointURI	RestAPI	Anyuri				

Get Invoice

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
	\$CurrentRelatedInv	Outermosttag	get		Outermosttag				
relatedInvoices	\$CurrentRelatedInv	Group	TemplateParameters	get	Group				
InvoiceId	relatedInvoices	Int	id	TemplateParameters	String				
			QueryParameters	get	Group				
			expand	QueryParameters	String				Hardcoded as "invoiceLines.invoiceDistributions"

WACS Invoice Synchronization Payment

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermosttag	syncInvoice	Outermosttag					
			components.schemas.SYNCINVOICE_request	syncInvoice	Group				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
			W1InvoiceSyn	components.schema s.SYNCINVOICE_ request	Group				
			input	W1InvoiceSyn	Group				
			externalSystem	input	String	OUTL- BRT- WACS_F PRC_Co nfigProps	PropertyName: wacs.external system	Value: wacs.externalsy stem.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
\$GetInvoiceResp_GV		Group							
getResponse	\$GetInvoiceResp_GV	Group							
Invoices	getResponse	Group							
InvoiceId	Invoices	Int	externalReferenceId	input	String				
			invoice	input	Group				
			header	invoice	Group				
InvoiceId	Invoices	Int	invoiceHeaderExternalId	header	String				
InvoiceNumber	Invoices	String	invoiceNumber	header	String				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
\$GetRelatedInvPymntResp_GV		Group							
getResponse	\$GetRelatedInvPymntResp_GV	Group							
PayablesPayments	getResponse	Group							
SupplierSiteVVO[1]	PayablesPayments	Group							
VendorSiteId	SupplierSiteVVO[1]	Int	vendorLocationExternalId	header	String				
VendorSiteId	SupplierSiteVVO[1]	Int	payToVendorLocationExternalId	header	String				
\$GetInvoiceResp_GV		Group							
getResponse	\$GetInvoiceResp_GV	Group							
PaymentTerms	Invoices	String	paymentTerms	header	String	OUTL-BRT-WACS_FPRC_PaymentTerm	FPRC_PaymentTerm	WACS_PaymentTerm	Maps Payment Term values between Oracle Procurement Cloud (FPRC) and Work and Asset Cloud Service (WACS)

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
PaymentTerms	Invoices	String	numberOfDays	header	Decimal	OURL-BRT-WACS_FPRC_PaymentTerm	FPRC_PaymentTerm	FPRC_NumberOfDays	Maps Payment Term values between Oracle Procurement Cloud (FPRC) and Work and Asset Cloud Service (WACS)
InvoiceDate	Invoices	String	vendorDate	header	Date				
PaymentCurrency	Invoices	String	currency	header	String	OURL-BRT-WACS_FPRC_CurrencyCode	FPRC_CurrencyCode	WACS_CurrencyCode	Maps Currency code between Oracle Procurement Cloud(FPRC) and Work and Asset Cloud Service (WACS)

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
ConversionRate	Invoices	Field	exchangeRate	header	Decimal			"When (\$GetInvoiceResp_GV/nsmpr1:getResponse/nsmpr1:Invoices/ns40:ConversionRate != "") Function : number (fn:format-number (number (\$GetInvoiceResp_GV/nsmpr1:getResponse/nsmpr1:Invoices/ns40:ConversionRate), "#.##### #"))"
1		Field						Otherwise
onEvent		Group						
ApPaymentCreatedInfo	onEvent	Group						
CheckDate	ApPaymentCreatedInfo	Group						
newValue	CheckDate	Group						

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
@value	newValue	Field	paymentDate	header	Date				Function : substring-before (/ nssrcmpr:otionEvent/ nssrcdf:ApPaymentCreatedInfo/ nssrcdf:CheckDate/ nssrcdf:newValue/@value, "T")
CheckNumber	ApPaymentCreatedInfo	Group							
newValue	CheckNumber	Group							
@value	newValue	Field	paymentNumber	header	String				
PaymentTypeFlag	ApPaymentCreatedInfo	Group							
newValue	PaymentTypeFlag	Group							
@value	newValue	Field	paymentType	header	Paymenttype	OURL-BRT-WACS_FPRC_Payment Type	FPRC_Payment Type	WACS_Check Type	Maps ERP Payment type flag to WACS Check type and vice versa
\$CurrentRelatedInv		Group							

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
relatedInvoices	\$CurrentRelatedInv	Group						
AmountPaidPaymentCurrency	relatedInvoices	Field	paymentAmount	header	Decimal			Function : number (fn:format-number (number (\$CurrentRelatedInv/ns40:relatedInvoices/ns48:AmountPaidPaymentCurrency), "#.###"))
			lines	invoice	Group			
			_data	lines	Group			
InvoicePaymentId	relatedInvoices	Int	invoiceLineExternalId	_data	String			Only if (\$CurrentRelatedInv/ns40:relatedInvoices/ns48:DiscountTaken != 0)
			description	_data	String			Hardcoded as 'Discount'
			itemType	_data	Itemtype			Hardcoded as 'W1DS'

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
1		Field	quantity	_data	Decimal			Only if (\$CurrentRelatedInv/ns40:relatedInvoices/ns48:DiscountTaken != 0)
0 - \$CurrentRelatedInv		Group						
relatedInvoices	0 - \$CurrentRelatedInv	Group						
DiscountTaken	relatedInvoices	Float	unitPrice	_data	Decimal			Only if (\$CurrentRelatedInv/ns40:relatedInvoices/ns48:DiscountTaken != 0)
DiscountTaken	relatedInvoices	Float	lineAmount	_data	Decimal			Only if (\$CurrentRelatedInv/ns40:relatedInvoices/ns48:DiscountTaken != 0)

Get Related Invoice Payment

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
onEvent		Outermos ttag	get		Outermos ttag				
ApPaymentCreatedInfo	onEvent	Group	Template Parameters	get	Group				
CheckId	ApPaymentCreatedInfo	Group							
newValue	CheckId	Group							
@value	newValue	Field	id	Template Parameters	String				
			QueryParameters	get	Group				
			expand	QueryParameters	String				Hardcoded as 'relatedInvoices,SupplierSiteVO'
			onlyData	QueryParameters	Boolean				Hardcoded as 'true'

Invoice Payments Voided Mapping (Oracle Fusion Procurement Cloud Initiated)

This table shows the following Invoice Payments Synchronization mapping details:

- [Get Invoice Distribution DFF](#)
- [Get Related Invoice Payment](#)
- [WACS Invoice Synchronization Payment](#)
- [Get Invoice](#)

Get Invoice Distribution DFF

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
\$CurrInvoiceDistLink		Outermosttag	getAll	Outermosttag					
links	\$CurrInvoiceDistLink	Group	Connectivity Properties	getAll	Group				
			RestAPI	Connectivity Properties	Group				
href	links	String	AbsoluteEndpoint URI	RestAPI	Anyuri				

Get Related Invoice Payment

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
onEvent		Outermos ttag	get		Outermos ttag				
ApPaymentVoidedInfo	onEvent	Group	Template Parameters	get	Group				
CheckId	ApPayment VoidedInfo	String	id	Template Parameters	String				
			QueryParameters	get	Group				
			expand	QueryParameters	String				concat ("relatedInvoices,", "SupplierSiteVO")
			onlyData	QueryParameters	Boolean				Hardcoded as 'true'

WACS Invoice Synchronization Payment

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermos ttag	syncInvoice		Outermos ttag				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
			components.schema. as.SYNCINVOICE E_request	syncInvoice	Group				
			W1InvoiceSyn	components.schema s.SYNCINVOICE_ request	Group				
			input	W1InvoiceSyn	Group				
			externalSystem	input	String	OURL- BRT- WACS_F PRC_Co nfigProps	PropertyName: wacs.externalsyste m	Value: wacs.externalsyste m.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
\$GetInvoice_GV		Group							
getResponse	\$GetInvoice_GV	Group							
Invoices	getResponse	Group							
InvoiceId	Invoices	Int	externalReference Id	input	String				
			invoice	input	Group				
			header	invoice	Group				
InvoiceId	Invoices	Int	invoiceHeader ExternalId	header	String				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
InvoiceNumber	Invoices	String	invoiceNumber	header	String				
\$GetRelatedInvoicePayment_GV		Group							
getResponse	\$GetRelatedInvoicePayment_GV	Group							
PayablesPayments	getResponse	Group							
SupplierSiteVVO[1]	PayablesPayments	Group							
VendorSiteId	SupplierSiteVVO[1]	Int	vendorLocationExternalId	header	String				
VendorSiteId	SupplierSiteVVO[1]	Int	payToVendorLocationExternalId	header	String				
\$GetInvoice_GV		Group							
getResponse	\$GetInvoice_GV	Group							
PaymentTerms	Invoices	String	paymentTerms	header	String	OUTL-BRT-WACS_FPRC_PaymentTerm	FPRC_PaymentTerm	WACS_PaymentTerm	Maps Payment Term values between Oracle Procurement Cloud (FPRC) and Work and Asset Cloud Service (WACS)
InvoiceDate	Invoices	String	vendorDate	header	Date				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
PaymentCurrency	Invoices	String	currency	header	String	OURL-BRT-WACS_FPRC_CurrencyCode	FPRC_CurrencyCode	WACS_CurrencyCode	Maps Currency code between Oracle Procurement Cloud(FPRC) and Work and Asset Cloud Service (WACS)
ConversionRate	Invoices	Field	exchangeRate	header	Decimal				"When (\$GetInvoice_GV/nsmpr1:getResponse/nsmpr1:Invoices/ns26:ConversionRate != "") Function : number (fn:format-number (number (\$GetInvoice_GV/nsmpr1:getResponse/nsmpr1:Invoices/ns26:ConversionRate), "#.##### #"))"

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
"1"		Field						Otherwise Function : number ("1")
onEvent		Group						
ApPaymentVoidedInfo	onEvent	Group						
CheckDate	ApPaymentVoidedInfo	String	paymentDate	header	Date			Function : substring-before (/ nssrcmpr:onEvent/ nssrcdf:ApPaymentVoidedInfo/ nssrcdf:CheckDate, "T")
CheckNumber	ApPaymentVoidedInfo	String	paymentNumber	header	String			
PaymentTypeFlag	ApPaymentVoidedInfo	String	paymentType	header	Paymenttype			Maps ERP Payment type flag to WACS Check type and vice versa
\$CurrentRelatedInv		Group						
relatedInvoices	\$CurrentRelatedInv	Group						

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
AmountPaidPaymentCurrency	relatedInvoices	Field	paymentAmount	header	Decimal			Function : number (fn:format-number (-(number (\$CurrentRelatedInv/ ns26:relatedInvoices/ ns39:AmountPaidPaymentCurrency)), "###.###"))
			lines	invoice	Group			
			_data	lines	Group			
			invoiceLineExternalId	_data	String			concat ("V-", \$CurrentRelatedInv/ ns26:relatedInvoices/ ns39:InvoicePaymentId)
			description	_data	String			Hardcoded as 'Discount Voided'
			itemType	_data	Itemtype			Hardcoded as 'W1DS'

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
"1"		Field	quantity	_data	Decimal			Only if (number (\$CurrentRelatedInv/ns26:relatedInvoices/ns39:DiscountTaken) != 0) Function : number ("1")
DiscountTaken	relatedInvoices	Field	unitPrice	_data	Decimal			Only if (number (\$CurrentRelatedInv/ns26:relatedInvoices/ns39:DiscountTaken) != 0) Function : number (fn:format-number (number (\$CurrentRelatedInv/ns26:relatedInvoices/ns39:DiscountTaken), "#.###"))

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
DiscountTaken	relatedInvoices	Field	lineAmount	_data	Decimal				Only if (number (\$CurrentRelatedInv/ns26:relatedInvoices/ns39:DiscountTaken) != 0) Function : number (fn:format-number (number (\$CurrentRelatedInv/ns26:relatedInvoices/ns39:DiscountTaken), "#.###"))

Get Invoice

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
\$CurrentRelatedInv		Outermosttag	get		Outermosttag				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
relatedInvoices	\$CurrentRelatedInv	Group	Template Parameters	get	Group			
InvoiceId	relatedInvoices	Field	id	Template Parameters	String			
			QueryParameters	get	Group			
			expand	QueryParameters	String			Hardcoded as "invoiceLines.invoiceDistributions"
			onlyData	QueryParameters	Boolean			"Set Default value to "" "" "" ""

Invoice Cancelled Synchronization Mapping (Oracle Fusion Procurement Cloud Initiated)

This table shows the following Invoice Cancelled Synchronization mapping details:

- [Get Invoice Information](#)
- [Get Invoice Distribution DFF](#)

Get Invoice Information

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
onEvent		Outermosttag	get	Outermosttag					
ApInvoiceCancelledInfo	onEvent	Group	Template Parameters	get	Group				
InvoiceId	ApInvoiceCancelledInfo	Group							
newValue	InvoiceId	Group							
@value	newValue	Field	id	Template Parameters	String				
			QueryParameters	get	Group				
			expand	QueryParameters	String				Hardcoded as 'invoiceLines.invoiceDistributions'

Get Invoice Distribution DFF

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
\$CurrInvoiceDistLink		Outermosttag	getAll	Outermosttag					
links	\$CurrInvoiceDistLink	Group	ConnectivityProperties	getAll	Group				
			RestAPI	ConnectivityProperties	Group				
href	links	String	AbsoluteEndpointURI	RestAPI	Anyuri				

Returns Synchronization Process Mapping (Oracle Utilities Work and Asset Cloud Service Initiated)

This section describes data mapping for the Returns Synchronization process initiated by Oracle Utilities Work and Asset Cloud Service. The following are included:

- [Get Line Store Turn](#)
- [Return Request](#)
- [Return Receipt](#)
- [Get Process Errors](#)
- [Return Request 1](#)
- [Return Request 2](#)
- [Return Request 3](#)

Get Line Store Turn

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
			getAll		Outermost tag				
			QueryParameters	getAll	Group				
			onlyData	QueryParameters	Boolean				Hardcoded as "true"
			orderBy	QueryParameters	String				Hardcoded as 'TransactionDate:desc'
			finder	QueryParameters	String	findLines	;bindOrganizationCode=		

Return Request

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermosttag	ERP_W1-RTNOUTMSResponse		Outermosttag				
			components.schemas.responseDetails_response	ERP_W1-RTNOUTMSResponse	Group				
			responseDetails	components.schemas.responseDetails_response	Group				
\$POLineId		Field	externalId	responseDetails	String				

Return Receipt

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermosttag	create	Outermosttag					
			ReceivingReceiptTransactionRequests	create	Group				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
			TransactionType	ReceivingReceiptTransactionRequests	String	OURL-BRT-WACS_F_PRC_ConfigProps	PropertyName : fprc.returns.transactiontype	Value: fprc.returns.transactiontype.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
			OrganizationCode	ReceivingReceiptTransactionRequests	String	OURL-BRT-WACS_F_PRC_ConfigProps	PropertyName : fprc.destination.organization.code	Value: fprc.destination.organization.code.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
ERP_W1-RTNOUTMS		Group							
components.schemas.sendDetails_request	ERP_W1-RTNOUTMS	Group							
sendDetails	components.schemas.sendDetails_request	Group							
return	sendDetails	Group							

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
resourceTypeExternalId	return	String	ItemId	ReceivingReceiptTransactionRequests	Int				When (/nssrcmpr:ERP_W1-RTNOUTMS/nssrcmpr:components.schemas.sendDetails_request/ns27:sendDetails/ns54:return/ns55:resourceTypeExternalId != "")
			ReceiptSourceCode	ReceivingReceiptTransactionRequests	String	OUTL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.source.code	Value : fprc.source.code.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
			SourceDocumentCode	ReceivingReceiptTransactionRequests	String	OURL-BRT-WACS_FPRC_ConfigProps	PropertyName: fprc.source.doccode	Value: fprc.source.doccode.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
purchaseOrderNumber	return	String	DocumentNumber	ReceivingReceiptTransactionRequests	String				
			SoldtoLegalEntityId	ReceivingReceiptTransactionRequests	Int	OURL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.soldtolegalentityid	Value : fprc.soldtolegalentityid.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
			DestinationTypeCode	ReceivingReceiptTransactionRequests	String	OURL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.destinationtype.code	Value : fprc.destinationtype.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
\$currentRcptReturnQuantity		Field	Quantity	ReceivingReceiptTransactionRequests	Float				
unitOfPurchase	return	String	UnitOfMeasure	ReceivingReceiptTransactionRequests	String	OURL-BRT-WACS_FPRC_UOM	WACS_UOMCode	FPRC_UOMName	Maps UOM Code between Oracle ERP Procurement Cloud (FPRC) and Work and Asset Cloud Service (WACS).
employeeExternalId	return	String	EmployeeId	ReceivingReceiptTransactionRequests	Int				When (/nssrcmpr:ERP_W1-RTNOUTMS/nssrcmpr:components.schemas.sendDetails_request/ns27:sendDetails/ns54:return/ns55:employeeExternalId != ""))
						OURL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.emp.id	Value: fprc.emp.id.error	Otherwise
\$currentRcptTransaction		Group							

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
items	\$currentRcptTransaction	Group							
ParentTransactionId	items	Field	ParentTransactionId	ReceivingReceiptTransactionRequests	Int				
			InterfaceSourceCode	ReceivingReceiptTransactionRequests	String	OURL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.interface.sourcecode	Value: fprc.interface.sourcecode.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
			BusinessUnitId	ReceivingReceiptTransactionRequests	Int	OURL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.businessunit.id	Value: fprc.businessunit.id.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
			CreateDebitMemoFlag	ReceivingReceiptTransactionRequests	Boolean	OURL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.returns.debitmemo.flg	Value: fprc.returns.debitmemo.flg.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
returnLineId	return	String	ExternalSystemTransactionReference	ReceivingReceiptTransactionRequests	String				
			DFP	ReceivingReceiptTransactionRequests	Dff				Hardcoded as 'WACS'
returnLineId	return	String	wacsReturnLineId	DFP	String				

Get Process Errors

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermossttag	getAll		Outermossttag				
			TemplateParameters	getAll	Group				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
\$interfaceTransactionId		Field	id	Template Parameters	String				

Return Request 1

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermosttag	APIInvocationError	Outermosttag					
			detail	APIInvocationError	String				Hardcoded as 'Returns cannot be made on any receipt transactions'
400		Field	errorCode	APIInvocationError	String				
\$self		Group	errorDetails	APIInvocationError	Group				
metadata	\$self	Group							
runtime	metadata	Group							
instanceId	runtime	Field	instance	errorDetails	String				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
			errorCode	errorDetails	String			
								Hardcoded as '400'

Return Request 2

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
		Outermosttag	APIInvocationError		Outermosttag			
			title	APIInvocationError	String			Hardcoded as 'Bad Request Error'
			detail	APIInvocationError	String			Hardcoded as 'There are no required receipt quantity to return'
			errorCode	APIInvocationError	String			Hardcoded as '400'
\$self		Group	errorDetails	APIInvocationError	Group			
metadata	\$self	Group						
runtime	metadata	Group						

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
instanceId	runtime	Field	instance	errorDetails	String				
400		Field	errorCode	errorDetails	String				

Return Request 3

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermos ttag	APIInvocation Error		Outermos ttag				
			title	APIInvocation Error	String				Hardcoded as 'Bad Request Error'
			detail	APIInvocation Error	String				Hardcoded as 'There are no required receipt quantity to return'
			errorCode	APIInvocation Error	String				Hardcoded as '400'
\$self		Group	errorDetails	APIInvocation Error	Group				
metadata	\$self	Group							

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
runtime	metadata	Group						
instanceId	runtime	Field	instance	errorDetails	String			
400		Field	errorCode	errorDetails	String			

Receipts Synchronization Process (Oracle Utilities Work and Asset Cloud Service Initiated)

This section describes data mapping for the Receipts Order Synchronization process initiated from Oracle Utilities Work and Asset Cloud Service.

Receipts

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermosttag	APIInvocationError		Outermosttag				
			errorCode	APIInvocationError	String				Hardcoded as '400'
			errorDetails	APIInvocationError	Group				
\$Var_ProcessingErrorCollection		Field	instance	errorDetails	String				
			errorCode	errorDetails	String				Hardcoded as '400'

Create Receipt

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
Outermosttag			create		Outermosttag				
			ReceivingReceiptRequests	create	Group				
			ReceiptSourceCode	ReceivingReceiptRequests	String	OURL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.source.code	Value : fprc.source.code.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
ERP_W1-RCPTOUTMS		Group							
components.schemas.sendDetails_request	ERP_W1-RCPTOUTMS	Group							
sendDetails	components.schemas.sendDetails_request	Group							
receipt	sendDetails	Group							
header	receipt	Group							
vendorExternalId	header	String	VendorId	ReceivingReceiptRequests	Int				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
vendorLocationExternalId	header	String	VendorSiteId	ReceivingReceiptRequests	Int				
			BusinessUnitId	ReceivingReceiptRequests	Int	OURL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.businessunit.id	Value : fprc.businessunit.id.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
			OrganizationCode	ReceivingReceiptRequests	String	OURL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.destination.organization.code	Value : fprc.destination.organization.code.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
description	header	String	Comments	ReceivingReceiptRequests	String				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
receivedByEmployeeExternalId	header	String	EmployeeId	ReceivingReceiptRequests	Int				When (/nssrcmpr:ERP_W1-RCPTOUTMS /nssrcmpr:components.schemas.sendDetails_request/ns25:sendDetails/ns93:receipt/ns91:header/ns90:receivedByEmployeeExternalId != "")
						OURL-BRT-WACS_FPRC_ConfigProps	PropertyName: fprc.emp.id	Value: fprc.emp.id.error	Otherwise
receiptHeaderId	header	String	ExternalSystemTransactionReference	ReceivingReceiptRequests	String				
			DFP	ReceivingReceiptRequests	Dff				Hardcoded as "WACS"
purchaseOrderHeaderId	header	String	wacsPoHeaderId	DFP	String				
_data	lines	_data	wacsRcptHeaderId	DFP	ReceivingReceiptRequests				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
lines	receipt	Group	lines	ReceivingReceiptRequests	Group				
			TransactionType	lines	String	OUTL-BRT-WACS_F_PRC_ConfigProps	PropertyName : fprc.receipt.transactiontype	Value : fprc.receipt.transactiontype.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
			AutoTransactCode	lines	String	OUTL-BRT-WACS_F_PRC_ConfigProps	PropertyName : fprc.receipt.autotransactcode	Value : fprc.receipt.autotransactcode.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
resourceTypeExternalId		String	ItemId	lines	Int				Only if (ns94:resourceTypeExternalId != "")

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
			SourceDocumentCode	lines	String	OURL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.source.doccode	Value : fprc.source.doccode.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
purchaseOrderNumber	header	String	DocumentNumber	lines	String				
purchaseOrderHeaderExternalId	header	String	POHeaderId	lines	Int				
purchaseOrderLineExternalId		String	POLineId	lines	Int				
			SoldtoLegalEntityId	lines	Int	OURL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.soldtolegalentityid	Value : fprc.soldtolegalentityid.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
			DestinationTypeCode	lines	String	OURL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.destinationtype.code	Value : fprc.destinationtype.code.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
returnQuantity		Decimal	Quantity	lines	Float				
unitOfPurchase		String	UnitOfMeasure	lines	String	OURL-BRT-WACS_FPRC_UOM	WACS_UOMCode	FPRC_UOMName	Maps UOM Code between Oracle ERP Procurement Cloud (FPRC) and Work and Asset Cloud Service (WACS).
			InterfaceSourceCode	lines	String	OURL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.interface.sourcecode	Value : fprc.interface.sourcecode.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
description		String	Comments	lines	String				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
receiptLineId		String	ExternalSystemTransactionReference	lines	String				

Close Purchase Order Lines

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermosttag	close		Outermosttag				
			Template Parameters	close	Group				
\$Var_WACS_POHeaderId		Field	id0	Template Parameters	String				
\$Var_WACS_POLineId		Field	id1	Template Parameters	String				
			actionRequest	close	Group				
			name	actionRequest	String				Hardcoded as 'close'
			parameters	actionRequest	Group				
			closeAction	parameters	String				Hardcoded as "closeForReceiving"

Receipts 1

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
\$FPRC_Receipts_Response		Outermos sttag	ERP_W1-RCPTOUTMSResponse		Outermos ttag				
createResponse	\$FPRC_Receipts_Response	Group	components.schema.responseDetails_response	ERP_W1-RCPTOUTMSResponse	Group				
ReceivingReceiptRequests	createResponse	Group	responseDetails	components.schema.responseDetails_response	Group				
ReceiptNumber	ReceivingReceiptRequests	String	externalId	responseDetails	String				

FPRC Line Store Turn

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermos sttag	getAll		Outermos ttag				
			QueryParameters	getAll	Group				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
			finder	QueryParameters	String			concat ("findLines;bindOrganizationCode=", \$Var_OrgCode , ",bindSourceDocumentCode=" ", \$Var_SrcDocCode, ",bindPOLineId=" \$Var_WACS_POLineId, ",bindPOHeaderId=" \$Var_WACS_POHeaderId, ",bindReceiptNumber=" \$Var_WACS_ReceiptNum)

FPRC Line Store Turn

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
		Outermos sttag	getAll		Outermos ttag			
			QueryParameters	getAll	Group			
			finder	QueryParameters	String			concat ("findLines;bindOrganizationCode=", \$Var_OrgCode , ",bindSourceDocumentCode=", \$Var_SrcDocCode, ",bindPOLineId=", \$Var_WACS_POLineId, ",bindPOHeaderId=", \$Var_WACS_POHeaderId, ",bindReceiptNumber=", \$Var_WACS_ReceiptNum)

Get Receiving Receipt Transaction Processing Error

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermosttag	getAll		Outermosttag				
			Template Parameters	getAll	Group				
\$Var_ReceiptTxnReqIntTxnId		Field	id	Template Parameters	String				

Invoke Receipts Transaction Request

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermosttag	create		Outermosttag				
			ReceivingReceiptTransactionRequests	create	Group				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
			TransactionType	ReceivingReceiptTransactionRequests	String	OURL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.returns.transactiontype	Value : fprc.returns.transactiontype.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
			OrganizationCode	ReceivingReceiptTransactionRequests	String	OURL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.destination.organization.code	Value : fprc.destination.organization.code.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
\$CurrentWAMRecLine		Group							
_data	\$CurrentWAMRecLine	Group							
resourceTypeExternalId	_data	String	ItemId	ReceivingReceiptTransactionRequests	Int				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
			ReceiptSourceCode	ReceivingReceiptTransactionRequests	String	OURL-BRT-WACS_F_PRC_ConfigProps	PropertyName : fprc.source.code	Value : fprc.source.code.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
			SourceDocumentCode	ReceivingReceiptTransactionRequests	String	OURL-BRT-WACS_F_PRC_ConfigProps	PropertyName : fprc.source.doccode	Value : fprc.source.doccode.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
ERP_W1-RCPTOUTMS		Group							
components.schemas.sendDetails_request	ERP_W1-RCPTOUTMS	Group							
sendDetails	components.schemas.sendDetails_request	Group							
receipt	sendDetails	Group							
header	receipt	Group							

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
purchaseOrderNumber	header	String	DocumentNumber	ReceivingReceiptTransactionRequests	String				
			SoldtoLegalEntityId	ReceivingReceiptTransactionRequests	Int	OUTL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.soldtolegalentityid	Value : fprc.soldtolegalentityid.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
			DestinationTypeCode	ReceivingReceiptTransactionRequests	String	OUTL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.destinationtype.code	Value : fprc.destinationtype.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
returnQuantity	_data	Decimal	Quantity	ReceivingReceiptTransactionRequests	Float				
\$CurrentWAMRecLine		Group							
_data	\$CurrentWAMRecLine	Group							

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
unitOfPurchase	_data	String	UnitOfMeasure	ReceivingReceiptTransactionRequests	String	OURL-BRT-WACS_FPRC_UOM	WACS_UOMCode	FPRC_UOMName	Maps UOM Code between Oracle ERP Procurement Cloud (FPRC) and Work and Asset Cloud Service (WACS).
receivedByEmployeeExternalId	header	String	EmployeeId	ReceivingReceiptTransactionRequests	Int				When (\$FPRC_LinesToReturn_Resp_G/nsmpr3:getAllResponse/nsmpr3:items/ns45:EmployeeId)
		Group							
\$FPRC_LinesToReturn_Resp_G		Group							
getAllResponse	\$FPRC_LinesToReturn_Resp_G	Group							
items	getAllResponse	Group							
ParentTransactionId	items	Int	ParentTransactionId	ReceivingReceiptTransactionRequests	Int				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments	
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
			InterfaceSourceCode	ReceivingReceiptTransactionRequests	String	OUTL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.interface.sourcecode	Value : fprc.interface.sourcecode.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
			BusinessUnitId	ReceivingReceiptTransactionRequests	Int	OUTL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.businessunit.id	Value : fprc.businessunit.id.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.
			CreateDebitMemoFlag	ReceivingReceiptTransactionRequests	Boolean	OUTL-BRT-WACS_FPRC_ConfigProps	PropertyName : fprc.returns.debitmemo.flg	Value : fprc.returns.debitmemo.flg.error	Maps PropertyName column to the respective Value Column. Do not change the values under PropertyName column.

Get Processing Error

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermosttag	getAll		Outermosttag				
			Template Parameters	getAll	Group				
\$Var_HeaderInterfaceId		Field	id0	Template Parameters	String				
\$Var_InterfaceTransactionId			id1	Template Parameters	String				

Get Receipt Error

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping			Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud	
		Outermosttag	getAll		Outermosttag				
			Template Parameters	getAll	Group				
\$Var_HeaderInterfaceId		Field	id0	Template Parameters	String				
\$Var_InterfaceTransactionId			id1	Template Parameters	String				

Oracle Utilities Work and Asset Cloud Service			Oracle Fusion Procurement Cloud			DVM Mapping		Comments
Element Name	Parent Element	Type	Element Name	Parent Element	Type	DVM Name	Oracle Utilities Work and Asset Cloud Service	Oracle Fusion Procurement Cloud
			QueryParameters	getAll	Group			
			onlyData	QueryParameters	Boolean			Hardcoded as 'true'