Enterprise Manager for Oracle Utilities Technical Reference Paper: Service Pack Compliance

G20093-02 April 2025

This document describes the structures and packaging procedures required for support of OUAF-based product service packs in Enterprise Manager for Oracle Utilities.

Abbreviations/Acronyms Used in This Document


- OEM. Oracle Enterprise Manager.
- OUAF. Oracle Utilities Application Framework (a.k.a "Framework").
- SP. Service pack.

Comparing Typical and OEM-Compliant Packaging

OUAF-based service packs available on Oracle Support are typically packaged in the format pBUG_NUMBER_VERSION.zip. The package includes the Framework installer and application installer. A Framework rollup installer may also be packaged with it.

Each installation has two parts: the database installation and the application installation. Separate installers are therefore available for each type of installation.

The following image illustrates the structure of a typical OUAF service pack:



Filename	Contents	Description
*Oracle-Database-Multi- platForm.zip	*Oracle-Database-Multi- platForm	Contains framework and application in- staller for database
*FW-PREREQ- Multiplat- Form.zip	*FW-PREREQ- Multiplat- Form.jar	Contains the Frame- work application rollup installer
<application>-<version>- MultiplatForm.zip</version></application>	<application>-<version>- MultiplatForm.jar</version></application>	Contains application installer
FW- <version>- Multiplat- Form.zip</version>	FW- <version>- Multiplat- Form.jar</version>	Contains the Framework application installer


OEM-Compliant Packaging Structure

A service pack must be packaged in a different way to enable installation by the Enterprise Manager for Oracle Utilities plugin.

Structurally, it must include the following three top-level items:

- **App folder**. This folder contains application installers, e.g., the edge product installer, the Framework installer, and the Framework rollup installer (if any).
- **DB folder**. This folder contains database installers for OUAF and the edge product.
- **Metadata.xml**. This file contains the sequence of execution of the installers. This needs to be created separately and then included in the final Service Pack zip file.

The following image illustrates a compliant service pack structure:




The next topic describes the steps involved in repackaging an existing Service Pack to make it OEM compliant.

Creating an OEM-Compliant Service Pack

There are two high-level steps to creating an OEM-compliant service pack: repackage the existing service pack, then create and add a Metadata.xml file. The following topics describe these two steps and their substeps in detail.

Repackaging a Service Pack for OEM Compliance


- 1. Download the existing service pack zip from My Oracle Support site.
- 2. Create a new structure with two new folders, App and DB, in the root of the structure.
- 3. From the downloaded existing service pack, extract the contents of *Oracle-Database-MultiplatForm.zip to your /DB folder.



The contents of *Oracle-Database-MultiplatForm.zip contain all database installers.

4. The application installers, which will be copied into your /App folder, can be broadly divided into three categories: Framework installer, Framework rollup, and application installer. All the application and Framework installers are packaged as cproduct>-<version>.MultiplatForm.zip. If a Framework rollup installer is also present, it will be packaged as cproduct>-<version>-FW-PREREQ-MultiplatForm.zip. Each of these zip files contain a jar file with the same name.

- a. Unzip all such zip files, followed by the jar files contained within them.
- b. Copy the folders after unzipping the jar files to your /App folder.



5. Create the new compliant service pack zip file from your /App and /DB folders. The new zip file must have the same name as the original downloaded service pack name. The following image illustrates the structure of the new compliant zip.



Follow the steps in the next topic to create and add the required Metadata.xml file to the final compliant zip.

Adding Metadata.xml

The final step in creating an OEM-compliant service pack is to create a Metadata.xml file and include it in the new service pack zip.



Important:

These steps need to be carried out on the host on which the OEM agent has been installed and on which the Enterprise Manager for Oracle Utilities plugin is deployed.

1. Set JAVA_HOME to the location on which the Java Development Kit (JDK) is installed. Note that the JDK must be release 1.7.0_79 or later.

Example:

```
export JAVA_HOME=/scratch/software/java/jdk1.7.0_79
```

Example:

```
export CLASSPATH=<SPLEBASE>/etc/lib /commons-cli-1.1.jar:<PLUGIN_ROOT>/archives/OraDBI.jar
```

3. Run the CreateMetadata class to create the Metadata.xml in the current directory:

```
java -Xmx1500M com.oracle.ouaf.oem.sp.CreateMetadata -f <SP_full_path> -o ./
```

Output should be similar to the following (see notes regarding script prompts at the end of the sample output):

```
Enter Post Install File (postInstall.sh) for FW/Edge Product

Enter Rollup for FW/Edge Product

(installSFgroup.sh/cmd) /App/FW-V4.3.0.2.0-Rollup/Application/installSFgroup.sh

Do you want to add another edge product (App) ? Y/N ? Y

Enter Install File (installSP or install.sh/cmd) for FW/Edge Product /App/PRODUCT.V2.5.0.2.0/install.sh

Enter Post Install File (postInstall.sh) for FW/Edge Product

Enter Rollup for FW/Edge Product (installSFgroup.sh/cmd)

Do you want to add another edge product (App) ? Y/N ? N

END
```

Notes on the script prompts:

- Pass the location of the service pack along with the zip file name for parameter 'f' while calling the CreateMetadata class.
- All installer paths that are provided as input should start from the /DB/App folder for DB/Application installers, respectively.
- ∘ Use only a forward-slash (/) in all paths.
- If an installer (e.g., postinstall.sh) is not required or not available for the service pack, press ENTER and proceed.
- The rollup installer can be <code>ouafDatabasePatch.sh</code> or <code>cdxPatch.exe</code>, depending on the OUAF version. Please check for the appropriate file name before entering.

The resulting Metadata.xml file should be similar to the following:


```
<BPName/>
                </FW>
                <FW-Rollup>
                                 <InstallFile>/DB/FW/FW43020/FW43020-HFix/CDXPatch.exe</InstallFile>
                </FW-Rollup>
</DBPackage>
 <DBPackage>
                <EdgeProduct>
                                 <InstallFile>/DB/CCB/Upgrade/Install-Upgrade/OraDBI.exe</InstallFile>
                                 <OraGenSec/>
                                 <BPName/>
                </EdgeProduct>
                <EdgeRollup>
                                 <InstallFile/>
                </EdgeRollup>
</DBPackage>
<AppPackage>
                <InstallFile>/APP/FW-V4.3.0.2.0-SP2/installSP.sh</InstallFile>
                <postInstallFile/>
                < rollupInstallFile>/APP/FW-V4.3.0.2.0-Rollup/Application/installSFgroup.sh</rollupInstallFile>/APP/FW-V4.3.0.2.0-RollupInstallFile>/APP/FW-V4.3.0.2.0-RollupInstallFile>/APP/FW-V4.3.0.2.0-RollupInstallFile>/APP/FW-V4.3.0.2.0-RollupInstallFile>/APP/FW-V4.3.0.2.0-RollupInstallFile>/APP/FW-V4.3.0.2.0-RollupInstallFile>/APP/FW-V4.3.0.2.0-RollupInstallFile>/APP/FW-V4.3.0.2.0-RollupInstallFile>/APP/FW-V4.3.0.2.0-RollupInstallFile>/APP/FW-V4.3.0.2.0-RollupInstallFile>/APP/FW-V4.3.0.0.2.0-RollupInstallFile>/APP/FW-V4.3.0.0.2.0-RollupInstallFile>/APP/FW-V4.3.0.0.2.0-RollupInstallFile>/APP/FW-V4.3.0.0.2.0-RollupInstallFile>/APP/FW-V4.3.0.0.2.0-RollupInstallFile>/APP/FW-V4.3.0.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.3.0.0-RollupInstallFile>/APP/FW-V4.0.0-RollupInstallFile>/APP/FW-V4.0.0-RollupInstallFile>/APP/FW-V4.0.0-RollupInstallFile>/APP/FW-V4.0.0-RollupInstallFile>/APP/FW-V4.0.0-RollupInstallFile>/APP/FW-V4.0.0-RollupInstal
</AppPackage>
<AppPackage>
                <InstallFile>/APP/CCB.V2.5.0.2.0/install.sh</InstallFile>
                <postInstallFile/>
                <rollupInstallFile/>
</AppPackage>
```

4. Add the resulting Metadata.xml file to your final compliant service pack zip file (created using the procedure in the previous topic):

```
jar -uf <SP_FULL_PATH> ./Metadata.xml
```

The following image illustrates the contents of the final compliant service pack zip:

Technical Paper: Service Pack Compliance



Documentation Accessibility

Our goal is to make Oracle products, services, and supporting documentation accessible to all users, including users that are disabled. To that end, our documentation includes features that make information available to users of assistive technology.

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Accessibility of Code Examples in Documentation

Screen readers may not always correctly read the code examples in this document. The conventions for writing code require that closing braces should appear on an otherwise empty line; however, some screen readers may not always read a line of text that consists solely of a bracket or brace.

Accessibility of Links to External Web Sites in Documentation

This documentation may contain links to Web sites of other companies or organizations that Oracle does not own or control. Oracle neither evaluates nor makes any representations regarding the accessibility of these Web sites.

Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info or visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing impaired.

Notices

Enterprise Manager for Oracle Utilities

Technical Paper: Service Pack Compliance

Technical Paper: Service Pack Compliance

Release 24.1.1.0.0

Part number G20093-01

December 2024

Copyright © 2024, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and

other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Third-party licenses relating to Enterprise Manager and this plug-in are available for viewing online at: Enterprise Manager Licensing Information (http://docs.oracle.com/cd/E24628_01/doc.121/e24474/title.htm).

NOTE: Prior versions of this product were released as Application Management Pack for Oracle Utilities. Please note that any references to Application Management Pack for Oracle Utilities that may occur within this document or in images within this document refer instead to the product's new name, Enterprise Manager for Oracle Utilities.