

Oracle Utilities Testing Accelerator
Reference Guide for Oracle Utilities Work and
Asset Management V2.4.0.0.0

Release 7.0.0.0.0

F54351-01

April 2022

Oracle Utilities Testing Accelerator Reference Guide for Oracle Utilities Work and Asset Management
V2.4.0.0.0

Copyright © 2019, 2021 Oracle and/or its affiliates.

Contents

Preface	i
Audience	ii
Related Documents	ii
Updates to the Documentation	ii
Documentation Accessibility	ii
Conventions.....	iii
Abbreviations	iii
Chapter 1	
Component Reference	1-1
Overview	1-2
Oracle Utilities Work and Asset Management Components.....	1-2
Oracle Utilities Operational Device Management Components.....	1-98
Appendix A	
Inbound Web Services	A-1
Pre-requisites	A-2
List of Inbound Web Services	A-2
Appendix B	
Identifying Fields For a Web Service Request	B-1
Debug Mode in the Application.....	B-2
IE Development Tool Bar	B-5
SOAP UI.....	B-8

Preface

Welcome to the Oracle Utilities Testing Accelerator Reference Guide for Oracle Utilities Work and Asset Management V2.4.0.0.0.

This guide describes the Oracle Utilities Work and Asset Management and Oracle Utilities Operational Device Management components and the function libraries used to create those components in Oracle Utilities Testing Accelerator.

The preface includes the following sections:

- [Audience](#)
- [Related Documents](#)
- [Updates to the Documentation](#)
- [Documentation Accessibility](#)
- [Conventions](#)
- [Abbreviations](#)

Audience

This guide is intended for QA/Test Engineers and Automation Developers to understand the various components and libraries available for them to automate the business test flows for Oracle Utilities Work and Asset Management/Oracle Utilities Operational Device Management using Oracle Utilities Testing Accelerator for Oracle Utilities Work and Asset Management/Oracle Utilities Operational Device Management.

Related Documents

For more information, refer to the following Oracle resources.

Release Notes

- [Oracle Utilities Testing Accelerator Release Notes](#)

Installation and Administration Guide

- [Oracle Utilities Testing Accelerator Installation and Administration Guide](#)

User and Reference Guides

- [Oracle Utilities Testing Accelerator Security Guide](#)
- [Oracle Utilities Testing Accelerator User's Guide](#)
- [Oracle Utilities Testing Accelerator Upgrade Guide](#)
- [Oracle Utilities Testing Accelerator Licensing Information User Manual](#)

See also:

- [Oracle Utilities Work and Asset Management Documentation Library](#)
- [Oracle Utilities Operational Device Management Documentation Library](#)

Updates to the Documentation

Documentation updates are posted on the [Oracle Help Center](#) page as they become available.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the [Oracle's Accessibility Program](#) website.

Access to Oracle Support

Oracle customers have access to electronic support through [My Oracle Support](#). If you are hearing impaired, visit the [Oracle Accessibility Learning and Support](#) website for more information.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Abbreviations

The following terms are used in this document:

Term	Definition
WAM	Oracle Utilities Work and Asset Management
ODM	Oracle Utilities Operational Device Management
OUTA	Oracle Utilities Testing Accelerator

Chapter 1

Component Reference

This chapter lists the Oracle Utilities Work and Asset Management/Oracle Utilities Operational Device Management starter components available to create flows in Oracle Utilities Testing Accelerator for testing the Oracle Utilities Work and Asset Management/Oracle Utilities Operational Device Management applications.

The chapter includes the following sections:

- [Overview](#)
- [Oracle Utilities Work and Asset Management Components](#)
- [Oracle Utilities Operational Device Management Components](#)

Overview

Oracle Utilities Testing Accelerator for Oracle Utilities Work and Asset Management/Oracle Utilities Operational Device Management is a test starter pack built on top of Oracle Utilities Testing Accelerator that generates test automation scripts using Oracle Utilities Testing Accelerator Workbench.

Oracle Utilities Testing Accelerator for Oracle Utilities Work and Asset Management/Oracle Utilities Operational Device Management contains out-of-the-box product-specific components used to build new test flows in Oracle Utilities Testing Accelerator Workbench to test the Oracle Utilities Work and Asset Management/Oracle Utilities Operational Device Management applications. These components correspond to specific business entities, such as business objects, service scripts, or business services used for interfacing with the application. Users can use these components as available or can extend them. Users can also create new components to be used to create flows. This starter pack also contains a set of function libraries that can be used for creating custom components.

Consider this pack to be a starter kit which can be expanded and built upon. A few sample flows are included as an example.

For more information about creating components and flows see *Oracle Utilities Testing Accelerator User's Guide* included in this release.

Oracle Utilities Work and Asset Management Components

This section lists the starter components available in Oracle Utilities Work and Asset Management.

Prerequisites: The Inbound Web Service using the respective business object should be available in the application.

Additional Notes: Failure while creating, reading, or updating the component is logged to the test execution report, facilitating debugging/analysis of the problem.

The components are categorized under the following functional areas:

- [Administration Data](#)
- [Asset Management](#)
- [General](#)
- [Inventory Management](#)
- [Purchasing](#)
- [Work Management](#)
- [Resource Management](#)
- [Invoicing](#)
- [Integration](#)
- [Construction Work Management](#)

Administration Data

Component	Description
W1-AccountingCalendar	<p>Used to create, update, read, or delete AccountingCalendar in the WAM application.</p> <p>This component calls the W1-AccountingCalendar business object using the Inbound Web Service.</p>
W1-StatusReason	<p>Used to create, update, read, or delete StatusReason in the WAM application.</p> <p>This component calls the W1-StatusReason business object using the Inbound Web Service.</p>
W1-PERMITCLS	<p>Used to create, update, read, or delete PERMITCLS in the WAM application.</p> <p>This component calls the W1-PERMITCLS business object using the Inbound Web Service.</p>
W1-NormalizationDeficiency	<p>Used to create, update, read, or delete NormalizationDeficiency in the WAM application.</p> <p>This component calls the W1-NormalizationDeficiency business object using the Inbound Web Service.</p>
W1-MDMIntegrationMasterConfig	<p>Used to create, update, read, or delete MDMIntegrationMasterConfig in the WAM application.</p> <p>This component calls the W1-MDMIntegrationMasterConfig business object using the Inbound Web Service.</p>
F1-EsriMapMasterConfig	<p>Used to create, update, read, or delete EsriMapMasterConfig in the WAM application.</p> <p>This component calls the F1-EsriMapMasterConfig business object using the Inbound Web Service.</p>
F1-EsriWebMap	<p>Used to create, update, read, or delete EsriWebMap in the WAM application.</p> <p>This component calls the F1-EsriWebMap business object using the Inbound Web Service.</p>
W1-CCBIntegrationMasterConfig	<p>Used to create, update, read, or delete CCBIntegrationMasterConfig in the WAM application.</p> <p>This component calls the W1-CCBIntegrationMasterConfig business object using the Inbound Web Service.</p>

Component	Description
W1-ConfigClass	<p>Used to create, update, read, or delete ConfigClass in the WAM application.</p> <p>This component calls the W1-ConfigClass business object using the Inbound Web Service.</p>
W1-DSIIDentifierMap	<p>Used to create, update, read, or delete DSIIIdentifierMap in the WAM application.</p> <p>This component calls the W1-DSIIDentifierMap business object using the Inbound Web Service.</p>
W1-ErasureScheduleContact	<p>Used to create, update, read, or delete ErasureScheduleContact in the WAM application.</p> <p>This component calls the W1-ErasureScheduleContact business object using the Inbound Web Service.</p>
W1-EsriWAMIntegMasterConfig	<p>Used to create, update, read, or delete EsriWAMIntegMasterConfig in the WAM application.</p> <p>This component calls the W1-EsriWAMIntegMasterConfig business object using the Inbound Web Service.</p>
W1-ExternalPermitTemplate	<p>Used to create, update, read, or delete ExternalPermitTemplate in the WAM application.</p> <p>This component calls the W1-ExternalPermitTemplate business object using the Inbound Web Service.</p>
W1-FailureDowntimeSHTCmpEvtTyp	<p>Used to create, update, read, or delete FailureDowntimeSHTCmpEvtTyp in the WAM application.</p> <p>This component calls the W1-FailureDowntimeSHTCmpEvtTyp business object using the Inbound Web Service.</p>
W1-FailureProfFailureRepair	<p>Used to create, update, read, or delete FailureProfFailureRepair in the WAM application.</p> <p>This component calls the W1-FailureProfFailureRepair business object using the Inbound Web Service.</p>
W1-GISProjectedCoordinateSys	<p>Used to create, update, read, or delete GISProjectedCoordinateSys in the WAM application.</p> <p>This component calls the W1-GISProjectedCoordinateSys business object using the Inbound Web Service.</p>

Component	Description
W1-GISToWAMSyncMapping	<p>Used to create, update, read, or delete GISToWAMSyncMapping in the WAM application.</p> <p>This component calls the W1-GISToWAMSyncMapping business object using the Inbound Web Service.</p>
W1-GaugeRdWtThresholdMsrType	<p>Used to create, update, read, or delete GaugeRdWtThresholdMsrType in the WAM application.</p> <p>This component calls the W1-GaugeRdWtThresholdMsrType business object using the Inbound Web Service.</p>
W1-GaugeReadRange	<p>Used to create, update, read, or delete GaugeReadRange in the WAM application.</p> <p>This component calls the W1-GaugeReadRange business object using the Inbound Web Service.</p>
W1-HomepageMasterConfig	<p>Used to create, update, read, or delete HomepageMasterConfig in the WAM application.</p> <p>This component calls the W1-HomepageMasterConfig business object using the Inbound Web Service.</p>
W1-InspectionTypeGenrlWeighted	<p>Used to create, update, read, or delete InspectionTypeGenrlWeighted in the WAM application.</p> <p>This component calls the W1-InspectionTypeGenrlWeighted business object using the Inbound Web Service.</p>
W1-InternalPermitTemplate	<p>Used to create, update, read, or delete InternalPermitTemplate in the WAM application.</p> <p>This component calls the W1-InternalPermitTemplate business object using the Inbound Web Service.</p>
W1-InventoryLocationType	<p>Used to create, update, read, or delete InventoryLocationType in the WAM application.</p> <p>This component calls the W1-InventoryLocationType business object using the Inbound Web Service.</p>

Component	Description
W1-MeterRdWithRollOverMeasType	<p>Used to create, update, read, or delete MeterRdWithRollOverMeasType in the WAM application.</p> <p>This component calls the W1-MeterRdWithRollOverMeasType business object using the Inbound Web Service.</p>
W1-MeteredReadRollover	<p>Used to create, update, read, or delete MeteredReadRollover in the WAM application.</p> <p>This component calls the W1-MeteredReadRollover business object using the Inbound Web Service.</p>
W1-MsrmtNumericGaugeReason	<p>Used to create, update, read, or delete MsrmtNumericGaugeReason in the WAM application.</p> <p>This component calls the W1-MsrmtNumericGaugeReason business object using the Inbound Web Service.</p>
W1-MsrmtNumericMeterReason	<p>Used to create, update, read, or delete MsrmtNumericMeterReason in the WAM application.</p> <p>This component calls the W1-MsrmtNumericMeterReason business object using the Inbound Web Service.</p>
W1-MsrtQuckEntryCmplEvtType	<p>Used to create, update, read, or delete MsrtQuckEntryCmplEvtType in the WAM application.</p> <p>This component calls the W1-MsrtQuckEntryCmplEvtType business object using the Inbound Web Service.</p>
W1-NormalizationGenrlWeighted	<p>Used to create, update, read, or delete NormalizationGenrlWeighted in the WAM application.</p> <p>This component calls the W1-NormalizationGenrlWeighted business object using the Inbound Web Service.</p>
W1-NormalizationPercentOfNew	<p>Used to create, update, read, or delete NormalizationPercentOfNew in the WAM application.</p> <p>This component calls the W1-NormalizationPercentOfNew business object using the Inbound Web Service.</p>

Component	Description
W1-PermitOnlyChecklistType	<p>Used to create, update, read, or delete PermitOnlyChecklistType in the WAM application.</p> <p>This component calls the W1-PermitOnlyChecklistType business object using the Inbound Web Service.</p>
W1-SeederSyncReqMasterConfig	<p>Used to create, update, read, or delete SeederSyncReqMasterConfig in the WAM application.</p> <p>This component calls the W1-SeederSyncReqMasterConfig business object using the Inbound Web Service.</p>
W1-SrvHistFromActTyCmplEvtType	<p>Used to create, update, read, or delete SrvHistFromActTyCmplEvtType in the WAM application.</p> <p>This component calls the W1-SrvHistFromActTyCmplEvtType business object using the Inbound Web Service.</p>
W2-ServicePointWarning	<p>Used to create, update, read, or delete ServicePointWarning in the WAM application.</p> <p>This component calls the W2-ServicePointWarning business object using the Inbound Web Service.</p>
W2-Key	<p>Used to create, update, read, or delete Key in the WAM application.</p> <p>This component calls the W2-Key business object using the Inbound Web Service.</p>
W2-SynchronizationAddSP	<p>Used to create, update, read, or delete SynchronizationAddSP in the WAM application.</p> <p>This component calls the W2-SynchronizationAddSP business object using the Inbound Web Service.</p>
W1-ActivityCompletionEventType	<p>Used to create, update, read, or delete ActivityCompletionEventType in the WAM application.</p> <p>This component calls the W1-ActivityCompletionEventType business object using the Inbound Web Service.</p>

Component	Description
W1- AssetCompletionEventType	<p>Used to create, update, read, or delete AssetCompletionEventType in the WAM application.</p> <p>This component calls the W1-AssetCompletionEventType business object using the Inbound Web Service.</p>
W1- AssetDposCmpEvtType	<p>Used to create, update, read, or delete AssetDposCmpEvtType in the WAM application.</p> <p>This component calls the W1-AssetDposCmpEvtType business object using the Inbound Web Service.</p>
W1- AssetLocationType	<p>Used to create, update, read, or delete AssetLocationType in the WAM application.</p> <p>This component calls the W1- AssetLocationType business object using the Inbound Web Service.</p>
W1- AssetType	<p>Used to create, update, read, or delete AssetType in the WAM application.</p> <p>This component calls the W1-AssetType business object using the Inbound Web Service.</p>
W1- ComponentType	<p>Used to create, update, read, or delete ComponentType in the WAM application.</p> <p>This component calls the W1-ComponentType business object using the Inbound Web Service.</p>
W1- DataAreaCmpEvtType	<p>Used to create, update, read, or delete DataAreaCmpEvtType in the WAM application.</p> <p>This component calls the W1-DataAreaCmpEvtType business object using the Inbound Web Service.</p>
W1- GeneralCompletionEventType	<p>Used to create, update, read, or delete GeneralCompletionEventType in the WAM application.</p> <p>This component calls the W1-GeneralCompletionEventType business object using the Inbound Web Service.</p>
W1-OrganizationType	<p>Used to create, update, read, or delete OrganizationType in the WAM application.</p> <p>This component calls the W1-OrganizationType business object using the Inbound Web Service.</p>

Component	Description
W1- ReplicationComplEventType	<p>Used to create, update, read, or delete ReplicationComplEventType in the WAM application.</p> <p>This component calls the W1-ReplicationComplEventType business object using the Inbound Web Service.</p>
W1-AmtBasedAppvlProf	<p>Used to create, update, read, or delete AmtBasedAppvlProf in the WAM application.</p> <p>This component calls the W1-AmtBasedAppvlProf business object using the Inbound Web Service.</p>
W1-AssessmentClass	<p>Used to create, update, read, or delete AssessmentClass in the WAM application.</p> <p>This component calls the W1-AssessmentClass business object using the Inbound Web Service.</p>
W1-AssessmentGroup	<p>Used to create, update, read, or delete AssessmentGroup in the WAM application.</p> <p>This component calls the W1-AssessmentGroup business object using the Inbound Web Service.</p>
W1-AssetTypeAverageCost	<p>Used to create, update, read, or delete AssetTypeAverageCost in the WAM application.</p> <p>This component calls the W1-AssetTypeAverageCost business object using the Inbound Web Service.</p>
W1-BillableRate	<p>Used to create, update, read, or delete BillableRate in the WAM application.</p> <p>This component calls the W1-BillableRate business object using the Inbound Web Service.</p>
W1-BusinessUnit	<p>Used to create, update, read, or delete BusinessUnit in the WAM application.</p> <p>This component calls the W1-BusinessUnit business object using the Inbound Web Service.</p>
W1-Buyer	<p>Used to create, update, read, or delete Buyer in the WAM application.</p> <p>This component calls the W1-Buyer business object using the Inbound Web Service.</p>
W1-CalendarAnniversary	<p>Used to create, update, read, or delete CalendarAnniversary in the WAM application.</p> <p>This component calls the W1-CalendarAnniversary business object using the Inbound Web Service.</p>

Component	Description
W1-CalendarInterval	<p>Used to create, update, read, or delete CalendarInterval in the WAM application.</p> <p>This component calls the W1-CalendarInterval business object using the Inbound Web Service.</p>
W1-CapabilityType	<p>Used to create, update, read, or delete CapabilityType in the WAM application.</p> <p>This component calls the W1-CapabilityType business object using the Inbound Web Service.</p>
W1-Circle	<p>Used to create, update, read, or delete Circle in the WAM application.</p> <p>This component calls the W1-Circle business object using the Inbound Web Service.</p>
W1-Color	<p>Used to create, update, read, or delete Color in the WAM application.</p> <p>This component calls the W1-Color business object using the Inbound Web Service.</p>
W1-CommodityCategory	<p>Used to create, update, read, or delete CommodityCategory in the WAM application.</p> <p>This component calls the W1-CommodityCategory business object using the Inbound Web Service.</p>
W1-CommodityName	<p>Used to create, update, read, or delete CommodityName in the WAM application.</p> <p>This component calls the W1-CommodityName business object using the Inbound Web Service.</p>
W1-CommodityType	<p>Used to create, update, read, or delete CommodityType in the WAM application.</p> <p>This component calls the W1-CommodityType business object using the Inbound Web Service.</p>
W1-ComponentTypeAverageCost	<p>Used to create, update, read, or delete ComponentTypeAverageCost the in WAM application.</p> <p>This component calls the W1-ComponentTypeAverageCost business object using the Inbound Web Service.</p>
W1-ContactType	<p>Used to create, update, read, or delete ContactType in the WAM application.</p> <p>This component calls the W1-ContactType business object using the Inbound Web Service.</p>

Component	Description
W1-CostCategory	<p>Used to create, update, read, or delete CostCategory in the WAM application.</p> <p>This component calls the W1-CostCategory business object using the Inbound Web Service.</p>
W1-CostCenter	<p>Used to create, update, read, or delete CostCenter in the WAM application.</p> <p>This component calls the W1-CostCenter business object Inbound Web Service.</p>
W1-Course	<p>Used to create, update, read, or delete Course in the WAM application.</p> <p>This component calls the W1-Course business object using the Inbound Web Service.</p>
W1-CrewType	<p>Used to create, update, read, or delete CrewType in the WAM application.</p> <p>This component calls the W1-CrewType business object using the Inbound Web Service.</p>
W1-DailyScheduleType	<p>Used to create, update, read, or delete DailyScheduleType in the WAM application.</p> <p>This component calls the W1-DailyScheduleType business object using the Inbound Web Service.</p>
W1-DistributionCode	<p>Used to create, update, read, or delete DistributionCode in the WAM application.</p> <p>This component calls the W1-DistributionCode business object using the Inbound Web Service.</p>
W1-DocActType	<p>Used to create, update, read, or delete DocActType in the WAM application.</p> <p>This component calls the W1-DocActType business object using the Inbound Web Service.</p>
W1-DocCmplEvtType	<p>Used to create, update, read, or delete DocCmplEvtType in the WAM application.</p> <p>This component calls the W1-DocCmplEvtType business object using the Inbound Web Service.</p>
W1-DocumentType	<p>Used to create, update, read, or delete DocumentType in the WAM application.</p> <p>This component calls the W1-DocumentType business object using the Inbound Web Service.</p>

Component	Description
W1-EmployeeType	Used to create, update, read, or delete EmployeeType in the WAM application. This component calls the W1-EmployeeType business object using the Inbound Web Service.
W1-Equipment	Used to create, update, read, or delete Equipment in the WAM application. This component calls the W1-Equipment business object using the Inbound Web Service.
W1-ExpenseCode	Used to create, update, read, or delete ExpenseCode in the WAM application. This component calls the W1-ExpenseCode business object using the Inbound Web Service.
W1-Factor	Used to create, update, read, or delete Factor in the WAM application. This component calls the W1-Factor business object using the Inbound Web Service.
W1-FactorValue	Used to create, update, read, or delete FactorValue in the WAM application. This component calls the W1-FactorValue business object using the Inbound Web Service.
W1-FailureComponent	Used to create, update, read, or delete FailureComponent in the WAM application. This component calls the W1-FailureComponent business object using the Inbound Web Service.
W1-FailureMode	Used to create, update, read, or delete FailureMode in the WAM application. This component calls the W1-FailureMode business object using the Inbound Web Service.
W1-FailureProfile	Used to create, update, read, or delete FailureProfile in the WAM application. This component calls the W1-FailureProfile business object using the Inbound Web Service.
W1-FailureProfileFailureComp	Used to create, update, read, or delete FailureProfileFailureComp in the WAM application. This component calls the W1-FailureProfileFailureComp business object using the Inbound Web Service.

Component	Description
W1-FailureProfileFailureMode	<p>Used to create, update, read, or delete FailureProfileFailureMode in the WAM application.</p> <p>This component calls the W1-FailureProfileFailureMode business object using the Inbound Web Service.</p>
W1-FailureProfileFailureRepair	<p>Used to create, update, read, or delete FailureProfileFailureRepair in the WAM application.</p> <p>This component calls the W1-FailureProfileFailureRepair business object using the Inbound Web Service.</p>
W1-FailureProfileFailureType	<p>This component can be used to create/update/read/delete FailureProfileFailureType in WAM application.</p> <p>This component calls the business object W1-FailureProfileFailureType using the Inbound Web Service.</p>
W1-FailureRepair	<p>Used to create, update, read, or delete FailureRepair in the WAM application.</p> <p>This component calls the W1-FailureRepair business object using the Inbound Web Service.</p>
W1-FailureType	<p>Used to create, update, read, or delete FailureType in the WAM application.</p> <p>This component calls the W1-FailureType business object using the Inbound Web Service.</p>
W1-FinancialMasterConfig	<p>Used to create, update, read, or delete FinancialMasterConfig in the WAM application.</p> <p>This component calls the W1-FinancialMasterConfig business object using the Inbound Web Service.</p>
W2-SynchronizationAddSP	<p>Used to create, update, read, or delete SynchronizationAddSP in the WAM application.</p> <p>This component calls the W2-SynchronizationAddSP business object using the Inbound Web Service.</p>
W2-ServicePointWarning	<p>Used to create, update, read, or delete ServicePointWarning in the WAM application.</p> <p>This component calls the W2-ServicePointWarning business object using the Inbound Web Service.</p>

Component	Description
W2-Key	<p>Used to create, update, read, or delete Key in the WAM application.</p> <p>This component calls the W2-Key business object using the Inbound Web Service.</p>
W1-Fob	<p>Used to create, update, read, or delete Fob in the WAM application.</p> <p>This component calls the W1-Fob business object using the Inbound Web Service.</p>
W1-Function	<p>Used to create, update, read, or delete Function in the WAM application.</p> <p>This component calls the W1-Function business object using the Inbound Web Service.</p>
W1-FunctionType	<p>Used to create, update, read, or delete FunctionType in the WAM application.</p> <p>This component calls the W1-FunctionType business object using the Inbound Web Service.</p>
W1-GaugeReadWithThresholdMeasType	<p>Used to create, update, read, or delete GaugeReadWithThresholdMeasType in the WAM application.</p> <p>This component calls the W1-GaugeReadWithThresholdMeasType business object using the Inbound Web Service.</p>
W1-GeneralAssetLocationType	<p>This component can be used to create/update/read/delete GeneralAssetLocationType in WAM application. This component calls the business object Inbound Web Service.</p>
W1-GeneralCompletionEventType	<p>Used to create, update, read, or delete GeneralCompletionEventType in the WAM application.</p> <p>This component calls the W1-GeneralCompletionEventType business object using the Inbound Web Service.</p>
W1-InventoryMgmtMasterConfig	<p>Used to create, update, read, or delete InventoryMgmtMasterConfig in the WAM application.</p> <p>This component calls the W1-InventoryMgmtMasterConfig business object using the Inbound Web Service.</p>

Component	Description
W1-LaborEarningType	<p>Used to create, update, read, or delete LaborEarningType in the WAM application.</p> <p>This component calls the W1-LaborEarningType business object using the Inbound Web Service.</p>
W1-LeaveType	<p>Used to create, update, read, or delete LeaveType in the WAM application.</p> <p>This component calls the W1-LeaveType business object using the Inbound Web Service.</p>
W1-Line	<p>Used to create, update, read, or delete Line in the WAM application.</p> <p>This component calls the W1-Line business object using the Inbound Web Service.</p>
W1-LinearAssetLocationType	<p>Used to create, update, read, or delete LinearAssetLocationType in the WAM application.</p> <p>This component calls the W1-LinearAssetLocationType business object using the Inbound Web Service.</p>
W1-MeasurementUOM	<p>Used to create, update, read, or delete MeasurementUOM in the WAM application.</p> <p>This component calls the W1-MeasurementUOM business object using the Inbound Web Service.</p>
W1-MeterReadWithRollOverMeasType	<p>Used to create, update, read, or delete MeterReadWithRollOverMeasType in the WAM application.</p> <p>This component calls the W1-MeterReadWithRollOverMeasType business object using the Inbound Web Service.</p>
W1-MsrtQuickEntryCmplEvtTyp	<p>Used to create, update, read, or delete MsrtQuickEntryCmplEvtTyp in the WAM application.</p> <p>This component calls the W1-MsrtQuickEntryCmplEvtTyp business object using the Inbound Web Service.</p>
W1-MTBFMTTRBuckets	<p>Used to create, update, read, or delete MTBFMTTRBuckets in the WAM application.</p> <p>This component calls the W1-MTBFMTTRBuckets business object using the Inbound Web Service.</p>

Component	Description
W1-NoAppvlRequiredProf	<p>Used to create, update, read, or delete NoAppvlRequiredProf in the WAM application.</p> <p>This component calls the W1-NoAppvlRequiredProf business object using the Inbound Web Service.</p>
W1-NonAmtBasedAppvlProf	<p>Used to create, update, read, or delete NonAmtBasedAppvlProf in the WAM application.</p> <p>This component calls the W1-NonAmtBasedAppvlProf business object using the Inbound Web Service.</p>
W1-NumericGauge	<p>Used to create, update, read, or delete NumericGauge in the WAM application.</p> <p>This component calls the W1-NumericGauge business object using the Inbound Web Service.</p>
W1-NumericMeter	<p>Used to create, update, read, or delete NumericMeter in the WAM application.</p> <p>This component calls the W1-NumericMeter business object using the Inbound Web Service.</p>
W1-OrganizationType	<p>Used to create, update, read, or delete OrganizationType in the WAM application.</p> <p>This component calls the W1-OrganizationType business object using the Inbound Web Service.</p>
W1-OutboundActivityType	<p>Used to create, update, read, or delete OutboundActivityType in the WAM application.</p> <p>This component calls the W1-OutboundActivityType business object using the Inbound Web Service.</p>
W1-Planner	<p>Used to create, update, or delete Planner in the WAM application.</p> <p>This component calls W1-Planner business object using the Inbound Web Service ATW1Planner.</p>
W1-OvertimeType	<p>Used to create, update, read, or delete OvertimeType in the WAM application.</p> <p>This component calls the W1-OvertimeType business object using the Inbound Web Service.</p>
W1-PaymentTerm	<p>Used to create, update, read, or delete PaymentTerm in the WAM application.</p> <p>This component calls the W1-PaymentTerm business object using the Inbound Web Service.</p>

Component	Description
W1-PersonWAM	<p>Used to create, update, read, or delete PersonWAM in the WAM application.</p> <p>This component calls the W1-PersonWAM business object using the Inbound Web Service.</p>
W1-PlantAssetLocationType	<p>Used to create, update, read, or delete PlantAssetLocationType in the WAM application.</p> <p>This component calls the W1-PlantAssetLocationType business object using the Inbound Web Service.</p>
W1-ProjectCategory	<p>Used to create, update, read, or delete ProjectCategory in the WAM application.</p> <p>This component calls the W1-ProjectCategory business object using the Inbound Web Service.</p>
W1-PurchaseCommodity	<p>Used to create, update, read, or delete PurchaseCommodity in the WAM application.</p> <p>This component calls the W1-PurchaseCommodity business object using the Inbound Web Service.</p>
W1-PurchasingMasterConfig	<p>Used to create, update, read, or delete PurchasingMasterConfig in the WAM application.</p> <p>This component calls the W1-PurchasingMasterConfig business object using the Inbound Web Service.</p>
W1-Question	<p>Used to create, update, read, or delete Question in the WAM application.</p> <p>This component calls the W1-Question business object using the Inbound Web Service.</p>
W1-ReadLogEntry	<p>Used to read ReadLogEntry in the WAM application.</p> <p>This component uses the W1-ReadLogEntry business Service using the Inbound Web Service.</p>
W1-ReadWithNoEvaluateMeasType	<p>Used to create, update, read, or delete ReadWithNoEvaluateMeasType in the WAM application.</p> <p>This component calls the W1-ReadWithNoEvaluateMeasType business object using the Inbound Web Service.</p>
W1-ResourceUOM	<p>Used to create, update, read, or delete ResourceUOM in the WAM application.</p> <p>This component calls the W1-ResourceUOM business object using the Inbound Web Service.</p>

Component	Description
W1-ScheduledActivityType	<p>Used to create, update, read, or delete ScheduledActivityType in the WAM application.</p> <p>This component calls the W1-ScheduledActivityType business object using the Inbound Web Service.</p>
W1-ScheduledActivityTypeWAM	<p>Used to create, update, read, or delete ScheduledActivityTypeWAM in the WAM application.</p> <p>This component calls the W1-ScheduledActivityTypeWAM business object using the Inbound Web Service.</p>
W1-SchedulePlanType	<p>Used to create, update, read, or delete SchedulePlanType in the WAM application.</p> <p>This component calls the W1-SchedulePlanType business object using the Inbound Web Service.</p>
W1-ServHistFromActTypeCmplEvntType	<p>Used to create, update, read, or delete ServHistFromActTypeCmplEvntType in the WAM application.</p> <p>This component calls the W1-ServHistFromActTypeCmplEvntType business object using the Inbound Web Service.</p>
W1-ServiceArea	<p>Used to create, update, read, or delete ServiceArea in the WAM application.</p> <p>This component calls the W1-ServiceArea business object using the Inbound Web Service.</p>
W1-ServiceClass	<p>Used to create, update, read, or delete ServiceClass in the WAM application.</p> <p>This component calls the W1-ServiceClass business object using the Inbound Web Service.</p>
W1-ShiftPlanTemplate	<p>Used to create, update, or delete Shift Plan Template in the WAM application.</p> <p>This component calls the business object W1-ShiftPlanTemplate using the Inbound Web Service.</p>
W1-ServiceHistoryType	<p>Used to create, update, read, or delete ServiceHistoryType in the WAM application.</p> <p>This component calls the W1-ServiceHistoryType business object using the Inbound Web Service.</p>

Component	Description
W1-ServiceHistTypeCmpEvtType	Used to create, update, read, or delete ServiceHistTypeCmpEvtType in the WAM application. This component calls the W1-ServiceHistTypeCmpEvtType business object using the Inbound Web Service.
W1-StorageLocationType	Used to create, update, read, or delete StorageLocationType in the WAM application. This component calls the W1-StorageLocationType business object using the Inbound Web Service.
W1-TaxRateSchedule	Used to create, update, read, or delete TaxRateSchedule in the WAM application. This component calls the W1-TaxRateSchedule business object using the Inbound Web Service.
W1-TimePeriod	Used to create, update, read, or delete TimePeriod in the WAM application. This component calls the W1-TimePeriod business object using the Inbound Web Service.
W1-WorkCalendar	Used to create, update, read, or delete WorkCalendar in the WAM application. This component calls the W1-WorkCalendar business object using the Inbound Web Service.
W1-WorkManagementMasterConfig	Used to create, update, read, or delete WorkManagementMasterConfig in the WAM application. This component calls the W1-WorkManagementMasterConfig business object using the Inbound Web Service.
W1-WorkPriorityBuckets	Used to create, update, read, or delete WorkPriorityBuckets in the WAM application. This component calls the W1-WorkPriorityBuckets business object using the Inbound Web Service.
W1-WorkReqCompletionEventType	Used to create, update, read, or delete WorkReqCompletionEventType in the WAM application. This component calls the W1-WorkReqCompletionEventType business object using the Inbound Web Service.

Component	Description
W1-WAssetInstallAgeBuckets	<p>Used to create, update, read, or delete WAssetInstallAgeBuckets in the WAM application.</p> <p>This component calls the W1-WAssetInstallAgeBuckets business object using the Inbound Web Service.</p>
W1-WAssetAgeBuckets	<p>Used to create, update, read, or delete WAssetAgeBuckets in the WAM application.</p> <p>This component calls the W1-WAssetAgeBuckets business object using the Inbound Web Service.</p>
W1-WAMBIExtractParameters	<p>Used to create, update, read, or delete WAMBIExtractParameters in the WAM application.</p> <p>This component calls the W1-WAMBIExtractParameters business object using the Inbound Web Service.</p>
W1-QuestionnaireSvcHistType	<p>Used to create, update, read, or delete QuestionnaireSvcHistType in the WAM application.</p> <p>This component calls the W1-QuestionnaireSvcHistType business object using the Inbound Web Service.</p>
W1-NumberOfCyclesOverdueBucket	<p>Used to create, update, read, or delete NumberOfCyclesOverdueBucket in the WAM application.</p> <p>This component calls the W1-NumberOfCyclesOverdueBucket business object using the Inbound Web Service.</p>
W1-AssetCriticalityBuckets	<p>Used to create, update, read, or delete AssetCriticalityBuckets in the WAM application.</p> <p>This component calls the W1-AssetCriticalityBuckets business object using the Inbound Web Service.</p>
W1-AssetConditionScoreBuckets	<p>Used to create, update, read, or delete AssetConditionScoreBuckets in the WAM application.</p> <p>This component calls the W1-AssetConditionScoreBuckets business object using the Inbound Web Service.</p>

Component	Description
W1-GeneralCompletionEventType	<p>Used to create, update, read, or delete GeneralCompletionEventType in the WAM application.</p> <p>This component calls the W1-GeneralCompletionEventType business object using the Inbound Web Service.</p>
W1- ResourceMgmtMasterConfig	<p>Used to create, update, read, or delete ResourceMgmtMasterConfig in the WAM application.</p> <p>This component calls the W1-ResourceMgmtMasterConfig business object using the Inbound Web Service.</p>
W1-NUMGAUGESQL	<p>Used to read/retrieve an Asset ID using Measurement ID.</p> <p>This component calls the CM-NUMGAUGE business service using the ATW1NUMGAUGESQL Inbound Web Service.</p>
W1-NUMMETERSQL	<p>Used to read/retrieve Measurement ID by using Measurement Type and Asset ID.</p> <p>This component calls the CM- NUMMETER business service using the ATW1NUMMETERSQL Inbound Web Service.</p>
W1-SVCHSTWAMSQL	<p>Used to read/retrieve Service History ID using Act ID.</p> <p>This component calls the CM-SVCHSTWAM business service using the ATW1SVCHSTWAMSQL Inbound Web Service.</p>
W2-SmartMeterConfiguration	<p>Used to create, update, read, or delete SmartMeterConfiguration in the WAM application.</p> <p>This component calls the W2-SmartMeterConfiguration business object using the Inbound Web Service.</p>
W2-SiteLocation	<p>Used to create, update, read, or delete SiteLocation in the WAM Application.</p> <p>This component calls the W2-SiteLocation business object using the Inbound Web Service.</p>
W2-ServicePointInstruction	<p>Used to create, update, read, or delete ServicePointInstruction in the WAM application.</p> <p>This component calls the W2-ServicePointInstruction business object using the Inbound Web Service.</p>

Component	Description
W2-ManualMeterConfiguration	<p>Used to create, update, read, or delete ManualMeterConfiguration in the WAM application.</p> <p>This component calls the W2-ManualMeterConfiguration business object using the Inbound Web Service.</p>
W2-CommunicationComponentCfg	<p>Used to create, update, read, or delete CommunicationComponentCfg in the WAM application.</p> <p>This component calls the W2-CommunicationComponentCfg business object using the Inbound Web Service.</p>
W1-WAMToGISSyncMapping	<p>Used to create, update, read, or delete WAMToGISSyncMapping in the WAM application.</p> <p>This component calls the W1-WAMToGISSyncMapping business object using the Inbound Web Service.</p>
W1-SOMActivityType	<p>Used to create, update, read, or delete SOMActivityType in the WAM Application</p> <p>This component calls the W1-SOMActivityType business object using the Inbound Web Service.</p>
W1- PlannerWOSummary	<p>Used to create, update, read, or delete PlannerWOSummary in the WAM application.</p> <p>This component calls the W1-PlannerWOSummary business object using the Inbound Web Service.</p>
W1- AdjustmentType	<p>Used to create, update, read, or delete AdjustmentType in the WAM application.</p> <p>This component calls the W1-AdjustmentType business object using the Inbound Web Service.</p>
W1- BatchLoaderRequestType	<p>Used to create, update, read, or delete BatchLoaderRequestType in the WAM application.</p> <p>This component calls the W1-BatchLoaderRequestType business object using the Inbound Web Service.</p>
W1- ChangeRequestType	<p>Used to create, update, read, or delete ChangeRequestType in the WAM application.</p> <p>This component calls the W1- ChangeRequestType business object using the ATW1ChangeRequestType Inbound Web Service.</p>

Component	Description
W1- ChangeRequestRelatedObject	<p>Used to create, update, read, or delete ChangeRequestRelatedObject in the WAM application.</p> <p>This component calls the W1-ChangeRequestRelatedObject business object using the ATW1 ChangeRequestRelatedObject Inbound Web Service.</p>
W1-AccessGroupTables	<p>Used to create, update, read, or delete AccessGroupTables in the WAM application.</p> <p>This component calls the W1-AccessGroupTables business object using the ATW1AccessGroupTables Inbound Web Service.</p>
W1-AssetDisposition	<p>Used to create, update, read, or delete AssetDisposition in the WAM application.</p> <p>This component calls the W1- AssetDisposition business object using the ATW1AssetDisposition Inbound Web Service.</p>
W1-ERPIntegrationMasterConfig	<p>Used to create, update, read, or delete ERPIntegrationMasterConfig in the WAM application.</p> <p>This component calls the W1-ERPIntegrationMasterConfig business object using the ATW1ERPIntegrationMasterConfig Inbound Web Service.</p>
W1-HCMIntegrationMasterConfig	<p>Used to create, update, read, or delete HCMIntegrationMasterConfig in the WAM application.</p> <p>This component calls the W1-HCMIntegrationMasterConfig business object using the ATW1HCMIntegrationMasterConfigInbound Web Service.</p>
W1-TimShtQuickEntryCmplEvtType	<p>Used to create, update, read, or delete Time Sheet Quick Entry Completion Event Types in the WAM application.</p> <p>This component calls the W1-TimShtQuickEntryCmplEvtType business object using the ATW1TimShtQuickEntryCmplEvtType Inbound Web Service.</p>

Component	Description
W1-InspectionTypeDeficiency	<p>Used to create, update, read, or delete InspectionTypeDeficiency in the WAM application.</p> <p>This component calls the W1-InspectionTypeDeficiency business object using the ATW1InspectionTypeDeficiency Inbound Web Service.</p>
W1-InspectionTypePercentOfNew	<p>Used to create, update, read, or delete InspectionTypePercentOfNew in the WAM application.</p> <p>This component calls the W1-InspectionTypePercentOfNew business object using the ATW1InspectionTypePercentOfNew Inbound Web Service.</p>
W1-ResetAssetConditionRatinSHT	<p>Used to create, update, read, or delete ResetAssetConditionRatinSHT in the WAM application.</p> <p>This component calls the W1-ResetAssetConditionRatinSHT business object using the ATW1ResetAssetConditionRatinSHT Inbound Web Service.</p>
W1- ItemConfiguration	<p>Used to create, update, read, or delete ItemConfiguration in the WAM application.</p> <p>This component calls the W1-ItemConfiguration business object using the ATW1ItemConfiguration Inbound Web Service.</p>
W1-Timekeeper	<p>Used to create, update, read, or delete Timekeeper in the WAM application.</p> <p>This component calls the W1-Timekeeper business object using the ATW1Timekeeper Inbound Web Service.</p>

Asset Management

Component	Description
W1-CalendarWarranty	<p>Used to create, update, read, or delete CalendarWarranty in the WAM application.</p> <p>This component calls the W1-CalendarWarranty business object using the Inbound Web Service.</p>
W1-CalendarWarrantyTerm	<p>Used to create, update, read, or delete CalendarWarrantyTerm in the WAM application.</p> <p>This component calls the W1-CalendarWarrantyTerm business object using the Inbound Web Service.</p>
W2-CommunicationComponent	<p>Used to create, update, read, or delete CommunicationComponent in the WAM application.</p> <p>This component calls the W2-CommunicationComponent business object using the Inbound Web Service.</p>
W2-CommunicationRelay	<p>Used to create, update, read, or delete CommunicationRelay in the WAM application.</p> <p>This component calls the W2-CommunicationRelay business object using the Inbound Web Service.</p>
W2-ServicePoint	<p>Used to create, update, read, or delete ServicePoint in the WAM application.</p> <p>This component calls the W2-ServicePoint business object using the Inbound Web Service.</p>
W2-SmartMeter	<p>Used to create, update, read, or delete SmartMeter in the WAM application.</p> <p>This component calls the W2-SmartMeter business object using the Inbound Web Service.</p>
W2-CommunicationComponentSpec	<p>Used to create, update, read, or delete CommunicationComponentSpec in the WAM application.</p> <p>This component calls the W2-CommunicationComponentSpec business object using the Inbound Web Service.</p>
W2-CommunicationRelaySpec	<p>Used to create, update, read, or delete CommunicationRelaySpec in the WAM application.</p> <p>This component calls the W2-CommunicationRelaySpec business object using the Inbound Web Service.</p>

Component	Description
W1-FailureServiceHistory	<p>Used to create, update, read, or delete FailureServiceHistory in the WAM application.</p> <p>This component calls the W1-FailureServiceHistory business object using the Inbound Web Service.</p>
W2-FirmwareSpecification	<p>Used to create, update, read, or delete FirmwareSpecification in the WAM application.</p> <p>This component calls the W2-FirmwareSpecification business object using the Inbound Web Service.</p>
W1-FirmwareVersion	<p>Used to create, update, read, or delete FirmwareVersion in the WAM application.</p> <p>This component calls the W1-FirmwareVersion business object using the Inbound Web Service.</p>
W1-GeneralAssetLocation	<p>Used to create, update, read, or delete GeneralAssetLocation in the WAM application.</p> <p>This component calls the W1-GeneralAssetLocation business object using the Inbound Web Service.</p>
W1-InOutofServiceGeneralAsset	<p>Used to create, update, read, or delete InOutofServiceGeneralAsset in the WAM application.</p> <p>This component calls the W1-InOutofServiceGeneralAsset business object using the Inbound Web Service.</p>
W1-IOSvcGeneralComponent	<p>Used to create, update, read, or delete InOutofServiceGeneralComponent in the WAM application.</p> <p>This component calls the W1-IOSvcGeneralComponent business object using the Inbound Web Service.</p>
W1-IOSvcFleetAsset	<p>Used to create, update, read, or delete IOSvcFleetAsset in the WAM application.</p> <p>This component calls the W1-IOSvcFleetAsset business object using the Inbound Web Service.</p>
W1-IOSvcInfrastructureAsset	<p>Used to create, update, read, or delete IOSvcInfrastructureAsset in the WAM application.</p> <p>This component calls the W1-IOSvcInfrastructureAsset business object using the Inbound Web Service.</p>

Component	Description
W1-IOSvcITAsset	<p>Used to create, update, read, or delete IOSvcITAsset in WAM the application.</p> <p>This component calls the W1-IOSvcITAsset business object using the Inbound Web Service.</p>
W1-InOutSvcAsset	<p>Used to create, update, read, or delete W1-InOutSvcAsset in WAM the application.</p> <p>This component calls the W1-InOutSvcAsset business object using the Inbound Web Service.</p>
W1-InOutSvcComponent	<p>Used to create, update, read, or delete W1-InOutSvcComponent in WAM the application.</p> <p>This component calls the W1-InOutSvcComponent business object using the Inbound Web Service.</p>
W1-AssetLocation	<p>Used to create, update, read, or delete W1-AssetLocation in WAM the application.</p> <p>This component calls the W1-AssetLocation business object using the Inbound Web Service.</p>
W1-ServiceHistory	<p>Used to create, update, read, or delete ServiceHistory in the WAM application.</p> <p>This component calls the W1-ServiceHistory business object using the Inbound Web Service.</p>
W1-ServiceHistoryWAM	<p>Used to create, update, read, or delete ServiceHistory in the WAM application.</p> <p>This component calls the W1-ServiceHistory(Deficiency/General Weighted/Percent of New)business object using the Inbound Web Service.</p>
W1-StoreroomInventoryMgmt	<p>Used to create, update, read, or delete StoreroomInventoryMgmt in the WAM application.</p> <p>This component calls the W1-StoreroomInventoryMgmt business object using the Inbound Web Service.</p>
W1-TrackedFleetSpecification	<p>Used to create, update, read, or delete TrackedFleetSpecification in the WAM application.</p> <p>This component calls the W1-TrackedFleetSpecification business object using the Inbound Web Service.</p>

Component	Description
W1-TrackedITSpecification	<p>Used to create, update, read, or delete TrackedITSpecification in the WAM application.</p> <p>This component calls the W1-TrackedITSpecification business object using the Inbound Web Service.</p>
W1-TrackedInfrastructureSpec	<p>Used to create, update, read, or delete TrackedInfrastructureSpec in the WAM application.</p> <p>This component calls the W1-TrackedInfrastructureSpec business object using the Inbound Web Service.</p>
W1-MsrmtQuickEntryCmplEvt	<p>Used to create, update, read, or delete MsrmtQuickEntryCmplEvt in the WAM application.</p> <p>This component calls the W1-MsrmtQuickEntryCmplEvt business object using the Inbound Web Service.</p>
W1-IOsvITComponent	<p>Used to create, update, read, or delete IOsvITComponent in the WAM application.</p> <p>This component calls the W1-IOsvITComponent business object using the Inbound Web Service.</p>
W1-LinearAssetLocation	<p>Used to create, update, read, or delete LinearAssetLocation in the WAM application.</p> <p>This component calls the W1-LinearAssetLocation business object using the Inbound Web Service.</p>
W2-ManualMeterSpecification	<p>Used to create, update, read, or delete ManualMeterSpecification in the WAM application.</p> <p>This component calls the W2-ManualMeterSpecification business object using the Inbound Web Service.</p>
W1-Manufacturer	<p>Used to create, update, read, or delete Manufacturer in the WAM application.</p> <p>This component calls the W1-Manufacturer business object using the Inbound Web Service.</p>
W1-MsrmtQuickEntryActivity	<p>Used to create, update, read, or delete MsrmtQuickEntryActivity in the WAM application.</p> <p>This component calls the W1-MsrmtQuickEntryActivity business object using the Inbound Web Service.</p>

Component	Description
W1-Organization	<p>Used to create, update, read, or delete Organization in the WAM application.</p> <p>This component calls the W1-Organization business object using the Inbound Web Service.</p>
W1-PlantAssetLocation	<p>Used to create, update, read, or delete PlantAssetLocation in the WAM application.</p> <p>This component calls the W1-PlantAssetLocation business object using the Inbound Web Service.</p>
W1-QuestionnaireSvcHist	<p>Used to create, update, read, or delete QuestionnaireSvcHist in the WAM application.</p> <p>This component calls the W1-QuestionnaireSvcHist business object using the Inbound Web Service.</p>
W1-RuntimeAnniversary	<p>Used to create, update, read, or delete RuntimeAnniversary in the WAM application.</p> <p>This component calls the W1-RuntimeAnniversary business object using the Inbound Web Service.</p>
W1-RuntimeInterval	<p>Used to create, update, read, or delete RuntimeInterval in the WAM application.</p> <p>This component calls the W1-RuntimeInterval business object using the Inbound Web Service.</p>
W1-RuntimeWarranty	<p>Used to create, update, read, or delete RuntimeWarranty in the WAM application.</p> <p>This component calls the W1-RuntimeWarranty business object using the Inbound Web Service.</p>
W1-RuntimeWarrantyTerm	<p>Used to create, update, read, or delete RuntimeWarrantyTerm in the WAM application.</p> <p>This component calls the W1- RuntimeWarrantyTerm business object using the Inbound Web Service.</p>
W2-ServicePoint	<p>Used to create, update, read, or delete ServicePoint in the WAM application.</p> <p>This component calls the W2-ServicePoint business object using the Inbound Web Service.</p>
W2-SmartMeterSpecification	<p>Used to create, update, read, or delete SmartMeterSpecification in the WAM application.</p> <p>This component calls the W2- SmartMeterSpecification business object using the Inbound Web Service.</p>

Component	Description
W1-StorageLocation	<p>Used to create, update, read, or delete StorageLocation in the WAM application.</p> <p>This component calls the W1-StorageLocation business object using the Inbound Web Service.</p>
W1-TrackedGeneralAsset	<p>Used to create, update, read, or delete TrackedGeneralAsset in the WAM application.</p> <p>This component calls the W1-TrackedGeneralAsset business object using the Inbound Web Service.</p>
W1-TrackedGeneralComponent	<p>Used to create, update, read, or delete TrackedGeneralComponent in the WAM application.</p> <p>This component calls the W1-TrackedGeneralComponent business object using the Inbound Web Service.</p>
W1-TrackedGeneralSpecification	<p>Used to create, update, read, or delete TrackedGeneralSpecification in the WAM application.</p> <p>This component calls the W1-TrackedGeneralSpecification business object using the Inbound Web Service.</p>
W1-TrackedITAsset	<p>Used to create, update, read, or delete TrackedITAsset in the WAM application.</p> <p>This component calls the W1-TrackedITAsset business object using the Inbound Web Service.</p>
W1-TrackedITComponent	<p>Used to create, update, read, or delete TrackedITComponent in the WAM application.</p> <p>This component calls the W1-TrackedITComponent business object using the Inbound Web Service.</p>
W2-Vehicle	<p>Used to create, update, read, or delete Vehicle in the WAM application.</p> <p>This component calls the W2-Vehicle business object using the Inbound Web Service.</p>
W1-ServiceCondition	<p>Used to create, update, read, or delete ServiceCondition in the WAM Application.</p> <p>This component calls the W1-ServiceCondition business object using the ATW1ServiceCondition Inbound Web Service.</p>

Component	Description
W1- AssetTypePerformance	<p>Used to update or read, AssetTypePerformance in the WAM application.</p> <p>This component calls the W2- AssetTypePerformance business object using the Inbound Web Service.</p>
W1- AssetPerformance	<p>Used to update, read, or delete AssetPerformance in the WAM application.</p> <p>This component calls the W1- AssetPerformance business object using the ATW1 AssetPerformance Inbound Web Service.</p>
W2- ManualMeter	<p>Used to update, read, or delete ManualMeter in the WAM application.</p> <p>This component calls the W2- ManualMeter business object using the ATW2ManualMeter Inbound Web Service.</p>
W1- Specification	<p>Used to update, read, or delete Specification in the WAM application.</p> <p>This component calls the W1- Specification business object using the ATW2ManualMeter Inbound Web Service.</p>
W1- SiteLocation	<p>Used to update, read, or delete SiteLocation in the WAM application.</p> <p>This component calls the W1- SiteLocation business object using the ATW1SiteLocation Inbound Web Service.</p>
W1-ResetAssetConditionRatingSH	<p>Used to update, read, or delete ResetAssetConditionRatingServiceHistory in the WAM application.</p> <p>This component calls the W1- ResetAssetConditionRatingSH business object using the ATW1ResetAssetConditionRatingSH Inbound Web Service.</p>
W1- Item	<p>Used to update, read, or delete Item in the WAM application.</p> <p>This component calls the W1-Item business object using the ATW1Item Inbound Web Service.</p>
W1- AssetDownTime	<p>Used to update, read, or delete AssetDownTime in the WAM application.</p> <p>This component calls the W1-AssetDownTime business object using the ATW1AssetDownTime Inbound Web Service.</p>

Component	Description
W1-InspectionDeficiency	<p>Used to update, read, or delete InspectionDeficiency in the WAM application.</p> <p>This component calls the W1-InspectionDeficiency business object using the ATW1InspectionDeficiency Inbound Web Service.</p>
W1-InspectionPercentOfNew	<p>Used to update, read, or delete InspectionPercentOfNew in the WAM application.</p> <p>This component calls the W1-InspectionPercentOfNew business object using the ATW1InspectionPercentOfNew Inbound Web Service.</p>
W1- ItemSpecification	<p>Used to update, read, or delete ItemSpecification in the WAM application.</p> <p>This component calls the W1-ItemSpecification business object using the ATW1ItemSpecification Inbound Web Service.</p>
W1- ProcessType	<p>Used to update, read, or delete ProcessType in the WAM application.</p> <p>This component calls the W1- ProcessType business object using the ATW1 ProcessType Inbound Web Service.</p>
W1- MobileUpdWorkedAssetCmpEvt	<p>Used to update, read, or delete MobileUpdWorkedAssetCmpEvt in the WAM application.</p> <p>This component calls the W1-MobileUpdWorkedAssetCmpEvt business object using the ATW1MobileUpdWorkedAssetCmpEvt Inbound Web Service.</p>
W1- Process	<p>Used to update, read, or delete Process in the WAM application.</p> <p>This component calls the W1- Process business object using the ATW1Process Inbound Web Service.</p>
W1- ASTATTT	<p>Used to update, read, or delete ASTATTT in the WAM application.</p> <p>This component calls the W1- ASTATTT business Service using the ATW1ATATT Inbound Web Service.</p>

Component	Description
W1- ItemServicePoint	<p>Used to update, read, or delete ItemServicePoint in the WAM application.</p> <p>This component calls the W1-ItemServicePoint business Service using the ATW1ItemServicePoint Inbound Web Service.</p>
W1-CMAssetInformation	<p>Used to search asset details through Asset information in the WAM application.</p> <p>This component calls the CM-ASSETQ1 business process using Inbound Web Service.</p>
W1-CMAssetIdentifier	<p>Used to search asset details using asset identifier in the WAM application.</p> <p>This component calls the CM-ASSETQ2 business Service using Inbound Web Service.</p>
W1-CMAssetDisposition	<p>Used to search asset using asset disposition details in the WAM application.</p> <p>This component calls the CM-ASSETQ3 business service using Inbound Web Service.</p>
W1-CMAssetSpecification	<p>Used to search asset using asset specification details in the WAM application.</p> <p>This component calls the CM-ASSETQ4 business service using Inbound Web Service.</p>
W1-CMEmployeeInformation	<p>Used to search asset using employee information details in the WAM application.</p> <p>This component calls the CM-ASSETQ5 business service using Inbound Web Service.</p>
W1-CMInstallDate	<p>Used to search asset using install date details in the WAM application.</p> <p>This component calls the CM-ASSETQ6 business service using Inbound Web Service.</p>
W1-CMAssetMaintenanceSpecification	<p>Used to search asset using asset maintenance specification details in the WAM application.</p> <p>This component calls the CM-ASSETQ7 business service using Inbound web service.</p>
W1-CMAssetAttribute	<p>Used to search asset using asset attributes details in the WAM application.</p> <p>This component calls the CM-ASSETQ8 business service using Inbound web service.</p>

Component	Description
W1- CMAssetLocationByAssetLocation Information	Used to search asset location details using asset location Information in the WAM application. This component calls the CM-ASLOQ1 business Service using Inbound Web Service.
W1-AssetComponentHistory	Used to fetch asset component history using system information in the WAM application. This component calls the CM-ASTCMPHST business service using Inbound web service.
W1- CMAssetLocationByContactName	Used to search asset location using contact information in the WAM application. This component calls the CM-ASLOQ3 business service using Inbound web service.
W1-CMAssetLocationByLatitudeand Longitude	Used to search asset location using latitude and longitude information in the WAM application. This component calls the CM-ASLOQ5 business service using Inbound web service.
W1-CMAssetLocationBySystem	Used to search asset location details using system information in the WAM application. This component calls the CM-ASLOQ6 business service using Inbound web service.
W1- GeneralProcess	Used to update, read, or delete GeneralProcess in the WAM application. This component calls the W1-GeneralProcess business Service using the ATW1GeneralProcess Inbound Web Service.

General

Component	Description
W1-ApprovalRequest	<p>Used to create, update, read, or delete ApprovalRequest in the WAM application.</p> <p>This component calls the W1-ApprovalRequest business object using the Inbound Web Service.</p>
W1-CreLocationDocumentCmpEvt	<p>Used to create, update, read, or delete CreLocationDocumentCmpEvt in the WAM application.</p> <p>This component calls the W1-CreLocationDocumentCmpEvt business object using the Inbound Web Service.</p>
W1-DocAttachment	<p>Used to create, update, read, or delete DocAttachment in the WAM application.</p> <p>This component calls the W1-DocAttachment business object using the Inbound Web Service.</p>
W1-CreDocumentPayCmpEvt	<p>Used to create, update, read, or delete CreDocumentPayCmpEvt in the WAM application.</p> <p>This component calls the W1-CreDocumentPayCmpEvt business object using the Inbound Web Service.</p>
W1-DocUrl	<p>Used to create, update, read, or delete DocUrl in the WAM application.</p> <p>This component calls the W1-DocUrl business object using the Inbound Web Service.</p>
W1-FinancialTransaction	<p>Used to create, update, read, or delete FinancialTransaction in the WAM application.</p> <p>This component calls the W1-FinancialTransaction business object using the Inbound Web Service.</p>
W1-StandardNote	<p>Used to create, update, read, or delete StandardNote in the WAM application.</p> <p>This component calls the W1-StandardNote business object using the Inbound Web Service.</p>
W1-ARSQL	<p>Used to read an Approval Request ID using an External ID.</p> <p>This component calls the CM-ARSQL business service using the ATW1ARSQL Inbound Web Service.</p>

Component	Description
W1-FTSQL	<p>Used to read an FT ID using TimeSheet Detail ID.</p> <p>This component calls the CM-FTSQL business service using the ATW1FTSQL Inbound Web Service.</p>
W1-Fact	<p>Used to create, update, read, or delete a fact in the WAM application.</p> <p>This component calls the W1-Fact business object using the ATW1FACT Inbound Web Service.</p>
W1- OnlineLoaderReq	<p>Used to create, update, read, or delete OnlineLoaderReq in the WAM application.</p> <p>This component calls the W1- OnlineLoaderReq business object using the ATWLOnlineLoaderReq Inbound Web Service.</p>
W1- OnlineLoaderRequestType	<p>Used to create, update, read, or delete OnlineLoaderRequestType in the WAM application.</p> <p>This component calls the W1- OnlineLoaderRequestType business object using the ATW1OnlineLoaderRequestType Inbound Web Service.</p>
W1-GenericAttachmentLite	<p>Used to create, update, read, or delete GenericAttachmentLite in the WAM application.</p> <p>This component calls the W1- GenericAttachmentLite business object using the ATW1 GenericAttachmentLite Inbound Web Service.</p>
W1-Adjustment	<p>Used to create, update, read, or delete Adjustment in the WAM application.</p> <p>This component calls the W1-Adjustment business object using the ATW1Adjustment Inbound Web Service.</p>
W1-RETCEVT	<p>Used to retrieve completion events for a measurement in the WAM application.</p> <p>This component calls the W1-RETCEVT business service using the ATW1RETCEVT Inbound Web service.</p>
W1-AttachmentUrl	<p>Used to create, update, read, or delete AttachmentUrl in the WAM application.</p> <p>This component calls the W1-AttachmentUrl business object using the ATW1AttachmentUrl Web Service.</p>

Inventory Management

Component	Description
W1-AcceptLineMaterial	<p>Used to create, update, read, or delete AcceptLineMaterial in the WAM application.</p> <p>This component calls the W1-AcceptLineMaterial business object using the Inbound Web Service.</p>
W1-PhysicalInvCountMaster	<p>Used to create, update, read, or delete PhysicalInvCountMaster in the WAM application.</p> <p>This component calls the W1-PhysicalInvCountMaster business object using the Inbound Web Service.</p>
W1-InventoryAdjustmentILM	<p>Used to create, update, read, or delete Inventory Adjustment Lot Management in the WAM application.</p> <p>This component calls the W1-InventoryAdjustmentILM business object using the Inbound Web Service.</p>
W1-MaterialReturnLine	<p>Used to create, update, read, or delete MaterialReturnLine in the WAM application.</p> <p>This component calls the W1-MaterialReturnLine business object using the Inbound Web Service.</p>
W1-IsSPASLn	<p>Used to execute IsSPASLn in the WAM application.</p> <p>This component calls the W1-IsSPASLn service script using the Inbound Web Service.</p>
W1-GenericDataLoaderSync	<p>Used to create, update, read, or delete GenericDataLoaderSync in the WAM application.</p> <p>This component calls the W1-GenericDataLoaderSync business object using the Inbound Web Service.</p>
W1-CMUpdCntLin	<p>Used to execute CMUpdCntLin in the WAM application.</p> <p>This component calls the W1-CMUpdCntLin service script using the Inbound Web Service.</p>
W1-CMRETCNTLIN	<p>Used to read CMRETCNTLIN in the WAM application.</p> <p>This component calls the W1-CMRETCNTLIN business service using the Inbound Web Service.</p>

Component	Description
W1-AddSPAIsLn	Used to execute AddSPAIsLn in the WAM application. This component calls the W1-AddSPAIsLn service script using the Inbound Web Service.
W1-AcceptlineSQL	Used to create, update, read, or delete AcceptlineSQL in the WAM application. This component calls the W1-AcceptlineSQL business object using the Inbound Web Service.
W1-AcceptLineCraft	Used to create, update, read, or delete AcceptLineCraft in the WAM application. This component calls the W1-AcceptLineCraft business object using the Inbound Web Service.
W1-StockTransaction	Used to create, update, read, or delete StockTransaction in the WAM application. This component calls the W1-StockTransaction business object using the Inbound Web Service.
W1-BOMGenStockItem	Used to create, update, read, or delete BOMGenStockItem in the WAM application. This component calls the W1-BOMGenStockItem business object using the Inbound Web Service.
W1-IndependentPartBOM	Used to create, update, read, or delete IndependentPartBOM in the WAM application. This component calls the W1-IndependentPartBOM business object using the Inbound Web Service.
W1-BOMGENSISQL	Used to read a BOM Part ID using Resource Type ID. This component calls the CM-BOMGENSI business service using the ATW1BOMGENSISQL Inbound Web Service.
W1-ReorderReviewSQL	Used to read/retrieve the ReviewReorder ID using Stock Item Detail ID. This component calls the CM- RRSQL business service using the ATW1RRSQL Inbound Web Service.
W1-InvAdjustInvTracked	Used to create, update, read, or delete InvAdjustInvTracked in the WAM application. This component calls the W1-InvAdjustInvTracked business object using the Inbound Web Service.

Component	Description
W1-InvAdjLotManaged	Used to create, update, read, or delete InvAdjLotManaged in the WAM application. This component calls the W1-InvAdjLotManaged business object using the Inbound Web Service.
W1-InvAdjRegularInventory	Used to create, update, read, or delete InvAdjRegularInventory in the WAM application. This component calls the W1-InvAdjRegularInventory business object using the Inbound Web Service.
W1-MaterialRequestHeader	Used to create, update, read, or delete MaterialRequestHeader in the WAM application. This component calls the W1-MaterialRequestHeader business object using the Inbound Web Service.
W1-MaterialRequestLine	Used to create, update, read, or delete MaterialRequestLine in the WAM application. This component calls the W1-MaterialRequestLine business object using the Inbound Web Service.
W1-MaterialRequestTemplate	Used to create, update, read, or delete MaterialRequestTemplate in the WAM application. This component calls the W1-MaterialRequestTemplate business object using the Inbound Web Service.
W1-MaterialReturnHeader	Used to create, update, read, or delete MaterialReturnHeader in the WAM application. This component calls the W1-MaterialReturnHeader business object using the Inbound Web Service.
W1-PhysicalInventoryCountLine	Used to create, update, read, or delete PhysicalInventoryCountLine in the WAM application. This component calls the W1-PhysicalInventoryCountLine business object using the Inbound Web Service.
W1-PhysicalInventoryCountMaster	Used to create, update, read, or delete PhysicalInventoryCountMaster in the WAM application. This component calls the W1-PhysicalInventoryCountMaster business object using the Inbound Web Service.

Component	Description
W1-PhysicalInventoryHeader	<p>Used to create, update, read, or delete PhysicalInventoryHeader in the WAM application.</p> <p>This component calls the W1-PhysicalInventoryHeader business object using the Inbound Web Service.</p>
W1-ReceiptHeader	<p>Used to create, update, read, or delete ReceiptHeader in the WAM application.</p> <p>This component calls the W1-ReceiptHeader business object using the Inbound Web Service.</p>
W1-ReceiptLine	<p>Used to create, update, read, or delete ReceiptLine in the WAM application.</p> <p>This component calls the W1-ReceiptLine business object using the Inbound Web Service.</p>
W1-ReceiptLineCraft	<p>Used to create, update, read, or delete ReceiptLineCraft in the WAM application.</p> <p>This component calls the W1-ReceiptLineCraft business object using the Inbound Web Service.</p>
W1-ReorderReview	<p>Used to create, update, read, or delete ReorderReview in the WAM application.</p> <p>This component calls the W1-ReorderReview business object using the Inbound Web Service.</p>
W1-ReturnLine	<p>Used to create, update, read, or delete ReturnLine in the WAM application.</p> <p>This component calls the W1-ReturnLine business object using the Inbound Web Service.</p>
W1-SIDDirectPurchase	<p>Used to create, update, read, or delete SIDDirectPurchase in the WAM application.</p> <p>This component calls the W1-SIDDirectPurchase business object using the Inbound Web Service.</p>
W1-SIDSpecifiDirectPurchase	<p>Used to create, update, read, or delete SIDSpecifiDirectPurchase in the WAM application.</p> <p>This component calls the W1-SIDSpecifiDirectPurchase business object using the Inbound Web Service.</p>
W1-SIDExpensedAtReceipt	<p>Used to create, update, read, or delete SIDExpensedAtReceipt in the WAM application.</p> <p>This component calls the W1-SIDExpensedAtReceipt business object using the Inbound Web Service.</p>

Component	Description
W1-SIDInventory	<p>Used to create, update, read, or delete SIDInventory in the WAM application.</p> <p>This component calls the W1-SIDInventory business object using the Inbound Web Service.</p>
W1-SIDSpecificLot	<p>Used to create, update, read, or delete SIDSpecificLot in the WAM application.</p> <p>This component calls the W1-SIDSpecificLot business object using the Inbound Web Service.</p>
W1-StockItem	<p>Used to create, update, read, or delete StockItem in the WAM application.</p> <p>This component calls the W1-StockItem business object using the Inbound Web Service.</p>
W1-StockTransferHeader	<p>Used to create, update, read, or delete StockTransferHeader in the WAM application.</p> <p>This component calls the W1-StockTransferHeader business object using the Inbound Web Service.</p>
W1-StockTransferIssueLine	<p>Used to create, update, read, or delete StockTransferIssueLine in the WAM application.</p> <p>This component calls the W1-StockTransferIssueLine business object using the Inbound Web Service.</p>
W1-StockTransferReceiptHeader	<p>Used to create, update, read, or delete StockTransferReceiptHeader in the WAM application.</p> <p>This component calls the W1-StockTransferReceiptHeader business object using the Inbound Web Service.</p>
W1-StockTransferReceiptLine	<p>Used to create, update, read, or delete StockTransferReceiptLine in the WAM application.</p> <p>This component calls the W1-StockTransferReceiptLine business object using the Inbound Web Service.</p>
W1-StockTransferRequestLine	<p>Used to create, update, read, or delete StockTransferRequestLine in the WAM application.</p> <p>This component calls the W1-StockTransferRequestLine business object using the Inbound Web Service.</p>

Component	Description
W1-AcceptLineSQL	<p>Used to read Acceptline from the receipt line.</p> <p>This component calls the ACPT_LINE_ID business service using the (ATW1AcceptLineSQL) Inbound Web Service.</p>
W1-TransferShippingMemo	<p>Used to create, update, read, or delete TransferShippingMemo in the WAM application.</p> <p>This component calls the W1-TransferShippingMemo business object using the Inbound Web Service.</p>
W1-TrackedStockShippingLine	<p>Used to create, update, read, or delete TrackedStockShippingLine in the WAM application.</p> <p>This component calls the W1-TrackedStockShippingLine Business object using the Inbound Web Service.</p>
W1-StockShippingLine	<p>Used to create, update, read, or delete StockShippingLine in the WAM application.</p> <p>This component calls the W1-StockShippingLine Business object using the Inbound Web Service.</p>
W1-TransferShippingMemo	<p>Used to create, update, read, or delete TransferShippingMemo in the WAM application.</p> <p>This component calls the W1-TransferShippingMemo business object using the Inbound Web Service.</p>
W1-ReturnShippingMemo	<p>Used to create, update, read, or delete ReturnShippingMemo in the WAM application.</p> <p>This component calls the W1-ReturnShippingMemo business object using the Inbound Web Service.</p>
W1- RepairShippingMemo	<p>Used to create, update, read, or delete RepairShippingMemo the WAM application.</p> <p>This component calls the W1-ReturnShippingMemo Business object using the Inbound Web Service.</p>
W1-LotStockShippingLine	<p>Used to create, update, read, or delete LotStockShippingLine the WAM application.</p> <p>This component calls the W1-LotStockShippingLine Business object using the Inbound Web Service.</p>
W1- MaterialIssueLine	<p>Used to create, update, read, or delete MaterialIssueLine in the WAM application.</p> <p>This component calls the W1- MaterialIssueLine Business object using the Inbound Web Service.</p>

Component	Description
W1- GeneralShippingMemo	<p>Used to create, update, read, or delete GeneralShippingMemo in the WAM application.</p> <p>This component calls the W1-GeneralShippingMemo Business object using the Inbound Web Service.</p>
W1- ShipmentDeficiencyType	<p>Used to create, update, read, or delete ShipmentDeficiencyType in the WAM application.</p> <p>This component calls the W1-ShipmentDeficiencyType Business object using the Inbound Web Service.</p>
W1-CMStockItemInformation	<p>Used to search stock item information with all search parameters like Stock Item search screen in WAM application.</p> <p>This component calls the CM-STKITMQ1 business service using the Inbound Web Service.</p>
W1-CMStockItemIdentifier	<p>Used to search stock item information based on stock item identifier like Stock identifier search screen in WAM application.</p> <p>This component calls the CM-STKITMQ2 business service using the Inbound Web Service.</p>
W1- CMStockItemDetailByStockItemDetailInfo	<p>Used to search stock item details using various parameters like WAM application.</p> <p>This component calls the CM-SIDQ1 business service using the Inbound Web Service.</p>
W1- CMStockItemDetailByStockItemDetailID	<p>Used to search stock item details using various parameters like WAM application.</p> <p>This component calls the CM-SIDQ2 business service using the Inbound Web Service.</p>
W1- CMStockItemDetailByStockItemInfo	<p>Used to search stock item details using various parameters like WAM application.</p> <p>This component calls the CM-SIDSTRQRY business service using the Inbound Web Service.</p>
W1- CMRETPOLINEID	<p>Used to retrieve PO Line ID using PO Header ID and PO Line Business Object.</p> <p>This component calls the CM-RETPOLINE business service using the Inbound Web Service.</p>
W1-CMRETPRLINEID	<p>Used to retrieve PR Line ID using PR Header ID and PR Line Business Object.</p> <p>This component calls the CM-RETPRLINE business service using the Inbound Web Service.</p>

Component	Description
W1-CMMaterialRequestHeader Information	Used to search Material request header information. This component calls the CM-MTRQHDQ1 business service using the Inbound Web Service.
W1-CMMaterialRequestHeaderID	Used to search Material request header ID. This component calls the CM-MTRQHDQ2 business service using the Inbound Web Service.
W1-CMShippingMemoByShipping MemoInfo	Used to search Shipping Memo Information. This component calls the CM-SHPMMQ1 business service using the Inbound Web Service.
W1-CMShippingMemoByShipping MemoID	Used to search Shipping Memo ID. This component calls the CM-SHPMMQ2 business service using the Inbound Web Service.
W1-CMRecvAllnPartial	Used to receive all or partial stock items. This component calls the CM-RcvAllPar script using the Inbound Web Service.

Purchasing

Component	Description
W1-BCAccessList	<p>Used to create, update, read, or delete BCAccessList in the WAM application.</p> <p>This component calls the W1-BCAccessList business object using the Inbound Web Service.</p>
W1-BCCraftLine	<p>Used to create, update, read, or delete BCCraftLine in the WAM application.</p> <p>This component calls the W1-BCCraftLine business object using the Inbound Web Service.</p>
W1-InvoiceGroup	<p>Used to create, update, read, or delete InvoiceGroup in the WAM application.</p> <p>This component calls the W1-InvoiceGroup business object using the Inbound Web Service.</p>
W1-CMCrtPORev	<p>Used to execute CMCrtPORev in the WAM application.</p> <p>This component calls the W1-CMCrtPORevservice script using the Inbound Web Service.</p>
W1-BCLineIntegration	<p>Used to create, update, read, or delete BCLineIntegration in the WAM application.</p> <p>This component calls the W1-BCLineIntegration business object using the Inbound Web Service.</p>
W1-BCEquipmentLine	<p>Used to create, update, read, or delete BCEquipmentLine in the WAM application.</p> <p>This component calls the W1-BCEquipmentLine business object using the Inbound Web Service.</p>
W1-BCHeader	<p>Used to create, update, read, or delete BCHeader in the WAM application.</p> <p>This component calls the W1-BCHeader business object using the Inbound Web Service.</p>
W1-BCHeaderIntegration	<p>Used to create, update, read, or delete BCHeaderIntegration in the WAM application.</p> <p>This component calls the W1-BCHeaderIntegration business object using the Inbound Web Service.</p>
W1-BCOtherLine	<p>Used to create, update, read, or delete BCOtherLine in the WAM application.</p> <p>This component calls the W1-BCOtherLine business object using the Inbound Web Service.</p>

Component	Description
W1-BCStockItemLine	<p>Used to create, update, read, or delete BCStockItemLine in the WAM application.</p> <p>This component calls the W1-BCStockItemLine business object using the Inbound Web Service.</p>
W1-CraftPOLine	<p>Used to create, update, read, or delete CraftPOLine in the WAM application.</p> <p>This component calls the W1-CraftPOLine business object using the Inbound Web Service.</p>
W1-EquipmentPOLine	<p>Used to create, update, read, or delete EquipmentPOLine in the WAM application.</p> <p>This component calls the W1-EquipmentPOLine business object using the Inbound Web Service.</p>
W1-EquipmentPRLine	<p>Used to create, update, read, or delete EquipmentPRLine in the WAM application.</p> <p>This component calls the W1-EquipmentPRLine business object using the Inbound Web Service.</p>
W1-Expedite	<p>Used to create, update, read, or delete Expedite in the WAM application.</p> <p>This component calls the W1-Expedite business object using the Inbound Web Service.</p>
W1-OtherResourcePOLine	<p>Used to create, update, read, or delete OtherResourcePOLine in the WAM application.</p> <p>This component calls the W1-OtherResourcePOLine business object using the Inbound Web Service.</p>
W1-POLineIntegration	<p>Used to create, update, read, or delete POLineIntegration in the WAM application.</p> <p>This component calls the W1-POLineIntegration business object using the Inbound Web Service.</p>
W1-POHeaderIntegration	<p>Used to create, update, read, or delete POHeaderIntegration in the WAM application.</p> <p>This component calls the W1-POHeaderIntegration business object using the Inbound Web Service.</p>
W1-PRCreBC	<p>Used to create, update, read, or delete PRCreBC in the WAM application.</p> <p>This component calls the W1-PRCreBC business object using the Inbound Web Service.</p>

Component	Description
W1-PRCrLine	<p>Used to create, update, read, or delete PRCrLine in the WAM application.</p> <p>This component calls the W1-PRCrLine business object using the Inbound Web Service.</p>
W1-PREqLine	<p>Used to create, update, read, or delete PREqLine in the WAM application.</p> <p>This component calls the W1- PREqLine business object using the Inbound Web Service.</p>
W1-PRHeader	<p>Used to create, update, read, or delete PRHeader in the WAM application.</p> <p>This component calls the W1-PRHeader business object using the Inbound Web Service.</p>
W1-PRORLine	<p>Used to create, update, read, or delete PRORLine in the WAM application.</p> <p>This component calls the W1-PRORLine business object using the Inbound Web Service.</p>
W1-PRSILine	<p>Used to create, update, read, or delete PRSILine in the WAM application.</p> <p>This component calls the W1-PRSILine business object using the Inbound Web Service.</p>
W1-PurchaseOrderHeader	<p>Used to create, update, read, or delete PurchaseOrderHeader in the WAM application.</p> <p>This component calls the W1-PurchaseOrderHeader business object using the Inbound Web Service.</p>
W1-StockItemPOLine	<p>Used to create, update, read, or delete StockItemPOLine in the WAM application.</p> <p>This component calls the W1-StockItemPOLine business object using the Inbound Web Service.</p>
W1-Vendor	<p>Used to create, update, read, or delete Vendor in the WAM application.</p> <p>This component calls the W1-Vendor business object using the Inbound Web Service.</p>
W1-VendorLocation	<p>Used to create, update, read, or delete VendorLocation in the WAM application.</p> <p>This component calls the W1-VendorLocation business object using the Inbound Web Service.</p>

Component	Description
W1-CMPOHSQL	Used to read a Purchase Order ID using an External ID. This component calls the CM-POHSQL business service using the ATW1CMPOHSQL Inbound Web Service.
W1-CMBlanketContractByBlanketContractHeaderInfo	Used to search Blanket contract by Blanket Contract Header Information. This component calls the CM-BCHDQ1 business service using Inbound Web Service.
W1-CMBlanketContractByBlanketContractHeaderID	Used to search Blanket contract by Blanket Contract Header ID. This component calls the CM-BCHDQ2 business service using Inbound Web Service.
W1-CMBlanketContractByBlanketContractHeaderResourceType	Used to search Blanket contract by Blanket Contract Resource type details. This component calls the CM-BCHDQ3 business service using Inbound Web Service.
W1-CMPOByHeaderInfo	Used to search purchase order by header information. This component calls the CM-POQ1 business service using Inbound Web Service.
W1-CMPOByLineInfo	Used to search purchase order by line information. This component calls the CM-POQ2 business service using Inbound Web Service.
W1-CMPOByHeaderId	Used to search purchase order information using header ID. This component calls the CM-POQ3 business service using Inbound Web Service.
W1-CMPOByWorkOrder	Used to search purchase order by work order details. This component calls the CM-POQ4 business service using Inbound Web Service.
W1-PRPOHSQL	Used to fetch PO details for a specific PR. This component calls the CM-PRPOHSQL business service using Inbound Web Service.
W1-CMPRByHeaderInfo	Used to search purchase request by header information. This component calls the CM-PRHQ1 business service using Inbound Web Service.

Component	Description
W1-CMPRByLineInfo	Used to search purchase request by line information. This component calls the CM-PRHQ2 business service using Inbound Web Service.
W1-CMPRById	Used to search purchase request using identifiers. This component calls the CM-PRHQ3 business service using Inbound Web Service.
W1-CMPRByWOInfo	Used to search purchase request by work order information. This component calls the CM-PRHQ4 business service using Inbound Web Service.

Work Management

Component	Description
W1-ActivityComplInboundComm	<p>Used to create, update, read, or delete ActivityComplInboundComm in the WAM application.</p> <p>This component calls the W1-ActivityComplInboundComm business object using the Inbound Web Service.</p>
W1-ServiceHistoryParticipant	<p>Used to create, update, read, or delete ServiceHistoryParticipant in the WAM application.</p> <p>This component calls the W1-ServiceHistoryParticipant business object using the Inbound Web Service.</p>
W1-ShiftHours	<p>Used to read ShiftHours in the WAM application.</p> <p>This component calls the W1-ShiftHours business service using the Inbound Web Service.</p>
W1-RCMSchedule	<p>Used to create, update, read, or delete RCMSchedule in the WAM application.</p> <p>This component calls the W1-RCMSchedule business object using the Inbound Web Service.</p>
W1-PtNotes	<p>Used to create, update, read, or delete PtNotes in the WAM application.</p> <p>This component calls the W1-PtNotes business object using the Inbound Web Service.</p>
W1-ProjectMgmtIntegMstConfig	<p>Used to create, update, read, or delete ProjectMgmtIntegMstConfig in the WAM application.</p> <p>This component calls the W1-ProjectMgmtIntegMstConfig business object using the Inbound Web Service.</p>
W1-PmtNotes	<p>Used to create, update, read, or delete PmtNotes in the WAM application.</p> <p>This component calls the W1-PmtNotes business object using the Inbound Web Service.</p>
W1-PermitChecklist	<p>Used to create, update, read, or delete PermitChecklist in the WAM application.</p> <p>This component calls the W1-PermitChecklist business object using the Inbound Web Service.</p>

Component	Description
W1-PRJWD	Used to read PRJWD in the WAM application. This component calls the W1-PRJWDbusiness service using the Inbound Web Service.
W1-PRJTMST	Used to read PRJTMST in the WAM application. This component calls the W1-PRJTMSTbusiness service using the Inbound Web Service.
W1-PRJPOLINE	Used to read PRJPOLINE in the WAM application. This component calls the W1-PRJPOLINEbusiness service using the Inbound Web Service.
W1-PIHeader	Used to create, update, read, or delete PIHeader in the WAM application. This component calls the W1-PIHeader business object using the Inbound Web Service.
W1-InternalPermit	Used to create, update, read, or delete InternalPermit in the WAM application. This component calls the W1-InternalPermit business object using the Inbound Web Service.
W1-FollowUpSkippedAssetsCmpEvt	Used to create, update, read, or delete FollowUpSkippedAssetsCmpEvt in the WAM application. This component calls the W1-FollowUpSkippedAssetsCmpEvt business object using the Inbound Web Service.
W1-ExternalPermit	Used to create, update, read, or delete ExternalPermit in the WAM application. This component calls the W1-ExternalPermit business object using the Inbound Web Service.
W1-EventTrigger	Used to create, update, read, or delete EventTrigger in the WAM application. This component calls the W1-EventTrigger business object using the Inbound Web Service.
W1-OperationMaintSpec	Used to create, update, read, or delete OperationMaintSpec in the WAM application. This component calls the W1-OperationMaintSpec business object using the Inbound Web Service.

Component	Description
W1-MobileStoreroomInventory	<p>Used to create, update, read, or delete MobileStoreroomInventory in the WAM application.</p> <p>This component calls the W1-MobileStoreroomInventory business object using the Inbound Web Service.</p>
W1-MassUpd	<p>Used to createMassUpd in the WAM application.</p> <p>This component calls the W1-MassUpd service script using the Inbound Web Service.</p>
W1-InternalPermit	<p>Used to create, update, read, or delete InternalPermit in the WAM application.</p> <p>This component calls the W1-InternalPermit business object using the Inbound Web Service.</p>
W1-EventSchedule	<p>Used to create, update, read, or delete EventSchedule in the WAM application.</p> <p>This component calls the W1-EventSchedule business object using the Inbound Web Service.</p>
W1-DowntimeFailureRuntimCmpEvt	<p>Used to create, update, read, or delete DowntimeFailureRuntimCmpEvt in the WAM application.</p> <p>This component calls the W1-DowntimeFailureRuntimCmpEvt business object using the Inbound Web Service.</p>
W1-ActivityEquipRequirement	<p>Used to create, update, read, or delete ActivityEquipRequirement in the WAM application.</p> <p>This component calls the W1-ActivityEquipRequirement business object using the Inbound Web Service.</p>
W1-TrnAssetRcdMsrmtCmplEvt	<p>Used to create, update, read, or delete TrnAssetRcdMsrmtCmplEvt in the WAM application.</p> <p>This component calls the W1-TrnAssetRcdMsrmtCmplEvt business object using the Inbound Web Service.</p>
W1-ActivityLaborRequirement	<p>Used to create, update, read, or delete ActivityLaborRequirement in the WAM application.</p> <p>This component calls the W1-ActivityLaborRequirement business object using the Inbound Web Service.</p>

Component	Description
W1-SynchronizeMobileStoreroomDetails	<p>Used to create, update, read, or delete SynchronizeMobileStoreroomDetails in the WAM application.</p> <p>This component calls the W1-SynchronizeMobileStoreroomDetails business object using the Inbound Web Service.</p>
W1-DetermineMaintTrigger	<p>Used to read DetermineMaintTrigger in the WAM application.</p> <p>This component calls the W1-DetermineMaintTrigger business object using the Inbound Web Service.</p>
W1-CreSvcHstDocumentCmpEvt	<p>Used to create, update, read, or delete CreSvcHstDocumentCmpEvt in the WAM application.</p> <p>This component calls the W1-CreSvcHstDocumentCmpEvt business object using the Inbound Web Service.</p>
W1-CMWorkReqInformation	<p>Used to read CMWorkReqInformation in the WAM application.</p> <p>This component calls the W1-CMWorkReqInformation business service using the Inbound Web Service.</p>
W1-CMWorkReqIdentifier	<p>Used to read CMWorkReqIdentifier in the WAM application.</p> <p>This component calls the W1-CMWorkReqIdentifier business service using the Inbound Web Service.</p>
W1-CMWorkActivityInformation	<p>Used to read CMWorkActivityInformation in the WAM application.</p> <p>This component calls the W1-CMWorkActivityInformation business object using the Inbound Web Service.</p>
W1-CMWRWORKDUP	<p>Used to read CMWRWORKDUP in the WAM application.</p> <p>This component calls the W1-CMWRWORKDUP business service using the Inbound Web Service.</p>
W1-CMWOWASHSQL	<p>Used to read CMWOWASHSQL in the WAM application.</p> <p>This component calls the W1-CMWOWASHSQL business service using the Inbound Web Service.</p>

Component	Description
W1-CMWOWASCSQL	<p>Used to read CMWOWASCSQL in the WAM application.</p> <p>This component calls the W1-CMWOWASCSQL business service using the Inbound Web Service.</p>
W1-CMWOWAPMSQL	<p>Used to read CMWOWAPMSQL in the WAM application.</p> <p>This component calls the W1-CMWOWAPMSQL business service using the Inbound Web Service.</p>
W1-CMWOBByInformation	<p>Used to read CMWOBByInformation in the WAM application.</p> <p>This component calls the W1-CMWOBByInformation business service using the Inbound Web Service.</p>
W1-CMWOBByID	<p>Used to read CMWOBByID in the WAM application.</p> <p>This component calls the W1-CMWOBByID business service using the Inbound Web Service.</p>
W1-CMServiceCallInformation	<p>Used to read CMServiceCallInformation in the WAM application.</p> <p>This component calls the W1-CMServiceCallInformation business service using the Inbound Web Service.</p>
W1-CMServiceCallIdentifier	<p>Used to read CMServiceCallIdentifier in the WAM application.</p> <p>This component calls the W1-CMServiceCallIdentifier business service using the Inbound Web Service.</p>
W1-CMPRJWO	<p>Used to read CMPRJWO in the WAM application.</p> <p>This component calls the W1-CMPRJWO business service using the Inbound Web Service.</p>
W1-CMPRJWACT	<p>Used to read CMPRJWACT in the WAM application.</p> <p>This component calls the W1-CMPRJWACT business service using the Inbound Web Service.</p>
W1-CMLnkPmCkls	<p>Used to execute CMLnkPmCkls in the WAM application.</p> <p>This component calls the W1-CMLnkPmCklservice script using the Inbound Web Service.</p>

Component	Description
W1-CMActivityWorkWindow	<p>Used to read CMActivityWorkWindow in the WAM application.</p> <p>This component calls the W1-CMActivityWorkWindow business service using the Inbound Web Service.</p>
W1-CMActivityLocation	<p>Used to read CMActivityLocation in the WAM application.</p> <p>This component calls the W1-CMActivityLocation business service using the Inbound Web Service.</p>
W1-CMActivityIdentifier	<p>Used to read CMActivityIdentifier in the WAM application.</p> <p>This component calls the W1-CMActivityIdentifier business service using the Inbound Web Service.</p>
W1-CMAcNoteMnt	<p>Used to execute CMAcNoteMnt in the WAM application.</p> <p>This component calls the W1-CMAcNoteMnt service script using the Inbound Web Service.</p>
W1-ActivityNotes	<p>Used to update, read, or delete ActivityNotes in the WAM application.</p> <p>This component calls the W1-ActivityNotes business object using the Inbound Web Service.</p>
W1-ActivityMaterialUsage	<p>Used to execute ActivityMaterialUsage in the WAM application.</p> <p>This component calls the W1-ActivityMaterialUsage service script using the Inbound Web Service.</p>
W1-ActAstLst	<p>Used to execute ActAstLst in the WAM application.</p> <p>This component calls the W1-ActAstLst service script using the Inbound Web Service.</p>
W1-ACfgDeviceUpgrade	<p>Used to create, update, read, or delete ACfgDeviceUpgrade in the WAM application.</p> <p>This component calls the W1-ACfgDeviceUpgrade business object using the Inbound Web Service.</p>
W1-ActivityMaterialRequirement	<p>Used to create, update, read, or delete ActivityMaterialRequirement in the WAM application.</p> <p>This component calls the W1-ActivityMaterialRequirement business object using the Inbound Web Service.</p>

Component	Description
W1-ACCfgDeviceUpgrade	<p>Used to create, update, read, or delete ACCfgDeviceUpgrade in the WAM application.</p> <p>This component calls the W1-ACCfgDeviceUpgrade business object using the Inbound Web Service.</p>
W1-ACACfgDeviceUpgrade	<p>Used to create, update, read, or delete ACACfgDeviceUpgrade in the WAM application.</p> <p>This component calls the W1-ACACfgDeviceUpgrade business object using the Inbound Web Service.</p>
W1-ACACCfgDeviceUpgrade	<p>Used to create, update, read, or delete ACACCfgDeviceUpgrade in the WAM application.</p> <p>This component calls the W1-ACACCfgDeviceUpgrade business object using the Inbound Web Service.</p>
W1-AACfgDeviceUpgrade	<p>Used to create, update, read, or delete AACfgDeviceUpgrade in the WAM application.</p> <p>This component calls the W1-AACfgDeviceUpgrade business object using the Inbound Web Service.</p>
W1-AACCfgDeviceUpgrade	<p>Used to create, update, read, or delete AACCfgDeviceUpgrade in the WAM application.</p> <p>This component calls the W1-AACCfgDeviceUpgrade business object using the Inbound Web Service.</p>
W1-ActivityOtherRequirement	<p>Used to create, update, read, or delete ActivityOtherRequirement in the WAM application.</p> <p>This component calls the W1-ActivityOtherRequirement business object using the Inbound Web Service.</p>
W1-AdHocActivityCore	<p>Used to create, update, read, or delete AdHocActivityCore in the WAM application.</p> <p>This component calls the W1-AdHocActivityCore business object using the Inbound Web Service.</p>
W1-AssetLocationSpecificTempl	<p>Used to create, update, read, or delete AssetLocationSpecificTempl in the WAM application.</p> <p>This component calls the W1-AssetLocationSpecificTempl business object using the Inbound Web Service.</p>

Component	Description
W1-AssetLocSpecTemplWorkOrder	<p>Used to create, update, read, or delete AssetLocSpecTemplWorkOrder in the WAM application.</p> <p>This component calls the W1-AssetLocSpecTemplWorkOrder business object using the Inbound Web Service.</p>
W1-AssetLocSpecTemplateAct	<p>Used to create, update, read, or delete AssetLocSpecTemplateAct in the WAM application.</p> <p>This component calls the W1-AssetLocSpecTemplateAct business object using the Inbound Web Service.</p>
W1-AssetReplicationActivity	<p>Used to create, update, read, or delete AssetReplicationActivity in the WAM application.</p> <p>This component calls the W1-AssetReplicationActivity business object using the Inbound Web Service.</p>
W1-AssetReplicationComplEvent	<p>Used to create, update, read, or delete AssetReplicationComplEvent in the WAM application.</p> <p>This component calls the W1-AssetReplicationComplEvent business object using the Inbound Web Service.</p>
W1-CreAssetAttachCmpEvt	<p>Used to create, update, read, or delete CreAssetAttachCmpEvt in the WAM application.</p> <p>This component calls the W1-CreAssetAttachCmpEvt business object using the Inbound Web Service.</p>
W1-CreAssetDocumentCmpEvt	<p>Used to create, update, read, or delete CreAssetDocumentCmpEvt in the WAM application.</p> <p>This component calls the W1-CreAssetDocumentCmpEvt business object using the Inbound Web Service.</p>
W1-CreAssetPayCmpEvt	<p>Used to create, update, read, or delete CreAssetPayCmpEvt in the WAM application.</p> <p>This component calls the W1-CreAssetPayCmpEvt business object using the Inbound Web Service.</p>

Component	Description
W1-CreNodeAttachCmpEvt	<p>Used to create, update, read, or delete CreNodeAttachCmpEvt in the WAM application.</p> <p>This component calls the W1-CreNodeAttachCmpEvt business object using the Inbound Web Service.</p>
W1-CreServiceHistoryAttCmpEvt	<p>Used to create, update, read, or delete CreServiceHistoryAttCmpEvt in the WAM application.</p> <p>This component calls the W1-CreServiceHistoryAttCmpEvt business object using the Inbound Web Service.</p>
W1-SubscriptionShiftPlanTemp	<p>Used to create, update, read, or delete SubscriptionShiftPlanTemp in the WAM application.</p> <p>This component calls the W1-SubscriptionShiftPlanTemp business object using the Inbound Web Service.</p>
W1-CommonShiftPlanTemplate	<p>Used to create, update, read, or delete CommonShiftPlanTemplate in the WAM application.</p> <p>This component calls the W1-CommonShiftPlanTemplate business object using the Inbound Web Service.</p>
W1-Craft	<p>Used to create, update, read, or delete Craft in the WAM application.</p> <p>This component calls the W1-Craft business object using the Inbound Web Service.</p>
W1-CreActivityPayCmpEvt	<p>Used to create, update, read, or delete CreActivityPayCmpEvt in the WAM application.</p> <p>This component calls the W1-CreActivityPayCmpEvt business object using the Inbound Web Service.</p>
W1-CreateActivityInboundComm	<p>Used to create, update, read, or delete CreateActivityInboundComm in the WAM application.</p> <p>This component calls the W1-CreateActivityInboundComm business object using the Inbound Web Service.</p>

Component	Description
W1-CreComActivityInboundComm	<p>Used to create, update, read, or delete CreComActivityInboundComm in the WAM application.</p> <p>This component calls the W1-CreComActivityInboundComm business object using the Inbound Web Service.</p>
W1-CreServiceHistoryPayCmpEvt	<p>Used to create, update, read, or delete CreServiceHistoryPayCmpEvt in the WAM application.</p> <p>This component calls the W1-CreServiceHistoryPayCmpEvt business object using the Inbound Web Service.</p>
W1-Crew	<p>Used to create, update, read, or delete Crew in the WAM application.</p> <p>This component calls the W1-Crew business object using the Inbound Web Service.</p>
W1-CreWorkReqDocumentCmpEvt	<p>Used to create, update, read, or delete CreWorkReqDocumentCmpEvt in the WAM application.</p> <p>This component calls the W1-CreWorkReqDocumentCmpEvt business object using the Inbound Web Service.</p>
W1-CreWorkRequestPayCmpEvt	<p>Used to create, update, read, or delete CreWorkRequestPayCmpEvt in the WAM application.</p> <p>This component calls the W1-CreWorkRequestPayCmpEvt business object using the Inbound Web Service.</p>
W1-CrewShiftTemplate	<p>Used to create, update, read, or delete CrewShiftTemplate in the WAM application.</p> <p>This component calls the W1-CrewShiftTemplate business object using the Inbound Web Service.</p>
W1-CrewWithCraft	<p>Used to create, update, read, or delete CrewWithCraft in the WAM application.</p> <p>This component calls the W1-CrewWithCraft business object using the Inbound Web Service.</p>
W1-CreSvcHistCmpEvt	<p>Used to create, update, read, or delete CreSvcHistCmpEvt in the WAM application.</p> <p>This component calls the W1-CreSvcHistCmpEvt business object using the Inbound Web Service.</p>

Component	Description
W1-CreAssetCmpEvt	<p>Used to create, update, read, or delete CreAssetCmpEvt in the WAM application.</p> <p>This component calls the W1-CreAssetCmpEvt business object using the Inbound Web Service.</p>
W1-CreActivityCmpEvt	<p>Used to create, update, read, or delete CreActivityCmpEvt in the WAM application.</p> <p>This component calls the W1-CreActivityCmpEvt business object using the Inbound Web Service.</p>
W1- CreAssetDocumentCmpEvt	<p>Used to create, update, read, or delete CreAssetDocumentCmpEvt in the WAM application.</p> <p>This component calls the W1-CreAssetDocumentCmpEvt business object using the Inbound Web Service.</p>
W1- MeasQuckEntryActivityType	<p>Used to create, update, read, or delete MeasQuckEntryActivityType in the WAM application.</p> <p>This component calls the W1-MeasQuckEntryActivityType business object using the Inbound Web Service.</p>
W1-RCMCalendarInterval	<p>Used to create, update, read, or delete RCMCalendarInterval in the WAM application.</p> <p>This component calls the W1- RCMCalendarInterval business object using the Inbound Web Service.</p>
W1-RCMRuntimeAnniversary	<p>Used to create, update, read, or delete RCMRuntimeAnniversary in the WAM application.</p> <p>This component calls the W1-RCMRuntimeAnniversary business object using the Inbound Web Service.</p>
W1-RCMRuntimeInterval	<p>Used to create, update, read, or delete RCMRuntimeInterval in the WAM application.</p> <p>This component calls the W1- RCMRuntimeInterval business object using the Inbound Web Service.</p>
W1-DailySchedule	<p>Used to create, update, read, or delete DailySchedule in the WAM application.</p> <p>This component calls the W1-DailySchedule business object using the Inbound Web Service.</p>

Component	Description
W1-Employee	<p>Used to create, update, read, or delete Employee in the WAM application.</p> <p>This component calls the W1-Employee business object using the Inbound Web Service.</p>
W1-EquipForTemplateAct	<p>Used to create, update, read, or delete EquipForTemplateAct in the WAM application.</p> <p>This component calls the W1-EquipForTemplateAct business object using the Inbound Web Service.</p>
W1-GeneralTemplateActivity	<p>Used to create, update, read, or delete GeneralTemplateActivity in the WAM application.</p> <p>This component calls the W1-GeneralTemplateActivity business object using the Inbound Web Service.</p>
W1-GeneralTemplateWorkOrder	<p>Used to create, update, read, or delete GeneralTemplateWorkOrder in the WAM application.</p> <p>This component calls the W1-GeneralTemplateWorkOrder business object using the Inbound Web Service.</p>
W1-LaborForTemplateAct	<p>Used to create, update, read, or delete LaborForTemplateAct in the WAM application.</p> <p>This component calls the W1-LaborForTemplateAct business object using the Inbound Web Service.</p>
W1-Leave	<p>Used to create, update, read, or delete Leave in the WAM application.</p> <p>This component calls the W1-Leave business object using the Inbound Web Service.</p>
W1-LocalActivityCoreWAM	<p>Used to create, update, read, or delete LocalActivityCoreWAM in the WAM application.</p> <p>This component calls the W1-LocalActivityCoreWAM business object using the Inbound Web Service.</p>
W1-MaintenanceSchedule	<p>Used to create, update, read, or delete MaintenanceSchedule in the WAM application.</p> <p>This component calls the W1-MaintenanceSchedule business object using the Inbound Web Service.</p>
W1-ODCEquipment	<p>Used to create, update, read, or delete ODCEquipment in the WAM application.</p> <p>This component calls the W1-ODCEquipment business object using the Inbound Web Service.</p>

Component	Description
W1-OperationalReadingCmpEvt	<p>Used to create, update, read, or delete OperationalReadingCmpEvt in the WAM application.</p> <p>This component calls the W1-OperationalReadingCmpEvt business object using the Inbound Web Service.</p>
W1-Other	<p>Used to create, update, read, or delete Other in the WAM application.</p> <p>This component calls the W1-Other business object using the Inbound Web Service.</p>
W1-OtherDirectCharges	<p>Used to create, update, read, or delete OtherDirectCharges in the WAM application.</p> <p>This component calls the W1-OtherDirectCharges business object using the Inbound Web Service.</p>
W1-OtherDirectChargesOther	<p>Used to create, update, read, or delete OtherDirectChargesOther in the WAM application.</p> <p>This component calls the W1-OtherDirectChargesOther business object using the Inbound Web Service.</p>
W1-OtherForTemplateAct	<p>Used to create, update, read, or delete OtherForTemplateAct in the WAM application.</p> <p>This component calls the W1-OtherForTemplateAct business object using the Inbound Web Service.</p>
W1-Project	<p>Used to create, update, read, or delete Project in the WAM application.</p> <p>This component calls the W1-Project business object using the Inbound Web Service.</p>
W1-RCMCalendarAnniversary	<p>Used to create, update, read, or delete RCMCalendarAnniversary in the WAM application.</p> <p>This component calls the W1-RCMCalendarAnniversary business object using the Inbound Web Service.</p>
W1-RetrieveComplEvents	<p>Used to retrieve the completion events from an activity.</p> <p>This component calls the W1-RETCEVT business service using the Inbound Web Service.</p>
W1-SchedulePlan	<p>Used to create, update, read, or delete SchedulePlan in the WAM application.</p> <p>This component calls the W1-SchedulePlan business object using the Inbound Web Service.</p>

Component	Description
W1-TemplateActivityLaborReq	<p>Used to create, update, read, or delete TemplateActivityLaborReq in the WAM application.</p> <p>This component calls the W1-TemplateActivityLaborReq business object using the Inbound Web Service.</p>
W1-TempActMaterialReq	<p>Used to create, update, read, or delete TemplateActMaterialReq in the WAM application.</p> <p>This component calls the W1-TempActMaterialReq business object using the Inbound Web Service.</p>
W1-Timesheet	<p>Used to create, update, read, or delete Timesheet in the WAM application.</p> <p>This component calls the W1-Timesheet business object using the Inbound Web Service.</p>
W1-TimesheetDetail	<p>Used to create, update, read, or delete TimesheetDetail in the WAM application.</p> <p>This component calls the W1-TimesheetDetail business object using the Inbound Web Service.</p>
W1-TrnAssetCmpEvent	<p>Used to create, update, read, or delete TrnAssetCmpEvent in the WAM application.</p> <p>This component calls the W1-TrnAssetCmpEvent business object using the Inbound Web Service.</p>
W1- UpdAssetPayCmpEvt	<p>Used to create, update, read, or delete UpdAssetPayCmpEvt in the WAM application.</p> <p>This component calls the W1- UpdAssetPayCmpEvt business object using the Inbound Web Service.</p>
W1- UpdNodePayCmpEvt	<p>Used to create, update, read, or delete UpdNodePayCmpEvt in the WAM application.</p> <p>This component calls the W1-UpdNodePayCmpEvt business object using the Inbound Web Service.</p>
W1-WorkOrder	<p>Used to create, update, read, or delete WorkOrder in the WAM application.</p> <p>This component calls the W1-WorkOrder business object using the Inbound Web Service.</p>
W1-WorkRequest	<p>Used to create, update, read, or delete WorkRequest in the WAM application.</p> <p>This component calls the W1-WorkRequest business object using the Inbound Web Service.</p>

Component	Description
W1-WorkRequestComplEvt	<p>Used to create, update, read, or delete WorkRequestComplEvt in the WAM application.</p> <p>This component calls the W1-WorkRequestComplEvt business object using the Inbound Web Service.</p>
W1-RetriveAERID	<p>Used to read/retrieve Activity Equipment requirement ID from Act in the WAM application.</p> <p>This component calls the ATW1RTAERID business service using the ATW1RTAERID Inbound Web Service.</p>
W1-RetriveALRID	<p>Used to read/retrieve Activity Labor Requirement ID from Activity in the WAM application.</p> <p>This component calls the ATW1RTALRID business service using the ATW1RTALRID Inbound Web Service.</p>
W1-RetriveAMRID	<p>Used to read/retrieve Activity Material Requirement ID from Activity in the WAM application.</p> <p>This component calls the ATW1RTAMRID business service using the ATW1RTAMRID Inbound Web Service.</p>
W1-RetriveAORID	<p>Used to read/retrieve Activity Other Requirement ID from Activity in the WAM application.</p> <p>This component calls the ATW1RTAORID business service using the ATW1RTAORID Inbound Web Service.</p>
W1-ActivityChecklist	<p>Used to create, update, read, or delete ActivityChecklist in the WAM application.</p> <p>This component calls the W1-ActivityChecklist business object using ATW1ActivityChecklist Inbound Web Service.</p>
W1-ChecklistType	<p>Used to create, update, read, or delete W1-ChecklistType in the WAM application.</p> <p>This component calls the W1-ChecklistType business object using ATW1ChecklistType Inbound Web Service.</p>
W1-WOActivityActiveOutboundMsg	<p>Used to add/update WOActivityActive Outbound message BO in the WAM Application.</p> <p>This component calls the W1-WOActivityActiveOutboundMsg business service using the ATW1WOActivityActiveOutboundMsg Inbound WebService.</p>

Component	Description
W1-WOActivityFinalOutboundMsg	<p>Used to cancel/complete WOActivityFinalOutboundMessage BO in the WAM application.</p> <p>This component calls the W1-WOActivityFinalOutboundMsg business service using the ATW1WOActivityFinalOutboundMsg Inbound Web Service.</p>
W1-WorkCategory	<p>Used to create, update, read, or delete WorkCategory in the WAM application.</p> <p>This component calls the W1-WorkCategory business object using the ATW1WorkCategory Inbound Web Service.</p>
W1-WorkCategoryBundlingAddBO	<p>Used to create, update, read, or delete WorkCategoryBundlingAddBO in the WAM application.</p> <p>This component calls the W1-WorkCategoryBundlingAddBO business object using the Inbound Web Service.</p>
W1-WorkCategoryPhysicalBO	<p>Used to create, update, read, or delete WorkCategoryPhysicalBO in the WAM application.</p> <p>This component calls the W1-WorkCategoryPhysicalBO business object using the ATW1 WorkCategoryPhysicalBO Inbound Web Service.</p>
W1-WorkClass	<p>Used to create, update, read, or delete WorkClass in the WAM application.</p> <p>This component calls the W1-WorkClass business object using the ATW1WorkClass Inbound Web Service.</p>
W1-WorkClassBundlingAddBO	<p>Used to create, update, read, or delete WorkClassBundlingAddBO in the WAM application.</p> <p>This component calls the W1-WorkClassBundlingAddBO business object using the ATW1WorkClassBundlingAddBO Inbound Web Service.</p>
W1-WorkClassPhysicalBO	<p>Used to create, update, read, or delete WorkClassPhysicalBO in the WAM application.</p> <p>This component calls the W1-WorkClassPhysicalBO business object using ATW1WorkClassPhysicalBO Inbound Web Service.</p>

Component	Description
W1-ActivityGenerator	<p>Used to create, update, read, or delete ActivityGenerator in the WAM application.</p> <p>This component calls the W1- W1-ActivityGenerator business object using ATW1ActivityGenerator Inbound Web Service.</p>
W1-ComplianceCategory	<p>Used to create, update, read, or delete ComplianceCategory in the WAM application.</p> <p>This component calls the W1-ComplianceCategory business object using the ATW1ComplianceCategory Inbound Web Service.</p>
W1-ComplianceType	<p>Used to create, update, read, or delete ComplianceType in the WAM application.</p> <p>This component calls the W1-ComplianceType business object using ATW1ComplianceType Inbound Web Service.</p>
W1-CrAnyServiceHistoryCmplEvt	<p>Used to create, update, read, or delete W1-CrAnyServiceHistoryCmplEvt the WAM application.</p> <p>This component calls the W1-CrAnyServiceHistoryCmplEvt business object using ATW1ActivityGenerator Inbound Web Service.</p>
W1- CorrectiveComplianceType	<p>Used to create, update, read, or delete W1-CorrectiveComplianceType the WAM application.</p> <p>This component calls the W1-CorrectiveComplianceType business object using ATW1 CorrectiveComplianceType Inbound Web Service.</p>
W1- ServiceCode	<p>Used to create, update, read, or delete ServiceCode in the WAM application.</p> <p>This component calls the W1- ServiceCode business object using ATW1 ServiceCode Inbound Web Service.</p>
W1- ServiceCallCategory	<p>Used to create, update, read, or delete W1-ServiceCallCategory the WAM application.</p> <p>This component calls the W1- ServiceCallCategory business object using ATW1 ServiceCallCategory Inbound Web Service.</p>

Component	Description
W1- ServiceCall	Used to create, update, read, or delete W1-ServiceCall the WAM application. This component calls the W1-serviceCall business object using ATW1ServiceCall Inbound Web Service.
W1- Communication	Used to create, update, read, or delete W1-Communication the WAM application. This component calls the W1-Communication business object using ATW1Communication 1 Inbound Web Service.
W1-ProjectActOutboundSyncReq	Used to update or read delete W1-ProjectActOutboundSyncReq the WAM application. This component calls the W1-ProjectActOutboundSyncReq business object using ATW1 ProjectActOutboundSyncReq Inbound Web Service.
W1- ProjectActOutboundMsg	Used to update or read, W1-ProjectActOutboundMsg in the WAM application. This component calls the W1-ProjectActOutboundMsg object using ATW1 ProjectActOutboundMsg Inbound Web Service.
W1- ProjectActOutboundMsg	Used to create, update, read, or delete W1-ProjectActOutboundMsg the WAM application. This component calls the W1-ProjectActOutboundMsg business object using ATW1 ProjectActOutboundMsg Inbound Web Service.
W1-SOMActivity	Used to create, update, read, or delete W1-SOMActivity the WAM application. This component calls the W1-SOMActivity business object using ATW1SOMActivity Inbound Web Service.
W1- ReplaceAssetOutbound	Used to create, update, read, or delete W1-ReplaceAssetOutbound the WAM application. This component calls the W1-ReplaceAssetOutbound business object using ATW1ReplaceAssetOutbound Inbound Web Service.

Component	Description
W1-ReplaceAssetLocal	<p>Used to create, update, read, or delete W1-ReplaceAssetLocalthe WAM application.</p> <p>This component calls the W1-ReplaceAssetLocalbusiness object using ATW1ReplaceAssetLocal Inbound Web Service.</p>
W1- Document	<p>Used to create, update, read, or delete W1-Document in the WAM application.</p> <p>This component calls the W1- Document business object using ATW1Document Inbound Web Service.</p>
W1- CrewWOSummary	<p>Used to create, update, read, or delete W1-CrewWOSummary in the WAM application.</p> <p>This component calls the W1- CrewWOSummary business object using ATW1 CrewWOSummary Inbound Web Service.</p>
W1- BatchLoaderRequest	<p>Used to create, update, read, or delete W1-BatchLoaderRequest in the WAM application.</p> <p>This component calls the W1- BatchLoaderRequest business object using ATW1BatchLoaderRequest Inbound Web Service.</p>
W1- ChangeRequest	<p>Used to create, update, read, or delete W1-ChangeRequest in the WAM application.</p> <p>This component calls the W1- ChangeRequest business object using ATW1 ChangeRequest Inbound Web Service.</p>
W1- RETSYNID	<p>Used to create, update, read, or delete W1-RETSYNID in the WAM application.</p> <p>This component calls the W1- RETSYNID business Service using ATW1 RETSYNID Inbound Web Service.</p>
W1-RETOUTID	<p>Used to create, update, read, or delete W1-RETOUTID in the WAM application.</p> <p>This component calls the W1- RETOUTID business service using ATW1 RETOUTID Inbound Web Service.</p>
W1-MaintenanceEvent	<p>Used to create, update, read, or delete W1-MaintenanceEvent in the WAM application.</p> <p>This component calls the W1-MaintenanceEvent business object using ATW1MaintenanceEvent Inbound Web Service.</p>

Component	Description
W1-GenMaterialDisposition	<p>Used to create, update, read, or delete W1-GenMaterialDisposition in the WAM application.</p> <p>This component calls the W1-GenMaterialDisposition business object using ATW1GenMaterialDisposition Inbound Web Service.</p>
W1-MaintenanceManager	<p>Used to create, update, read, or delete W1-MaintenanceManager in the WAM application.</p> <p>This component calls the W1-MaintenanceManager business object using ATW1MaintenanceManager Web Service.</p>
W1-SEARCHOTHRESREQBYACTIVITYID	<p>Used to find all other resource requirements associated with a work activity.</p> <p>This component calls the ATW1RTAORID business service using the Inbound Web Service.</p>
W1-SEARCHEQURESREQBYACTIVITYID	<p>Used to find all equipment requirements associated with a work activity.</p> <p>This component calls the ATW1RTAERID business service using the Inbound Web Service.</p>
W1-SEARCHLABRESREQBYACTIVITYID	<p>Used to find all labor resource requirements associated with a work activity.</p> <p>This component calls the ATW1RTALRID business service using the Inbound Web Service.</p>
W1-SEARCHMATRESREQBYACTIVITYID	<p>Used to find all Material resource requirements associated with a work activity.</p> <p>This component calls the ATW1RTAMRID business service using the Inbound Web Service.</p>
W1-TSDBYACTID	<p>Used to retrieve all Time sheet details associated with a work activity.</p> <p>This component calls the ATW1TIMESHEETDETAILBYACTIVITYI business service using the Inbound Web Service.</p>
W1-RETTSTPEM	<p>Used to retrieve Timesheet using employee ID and time period.</p> <p>This component calls the W1-RETTSTPEM business service using the Inbound Web Service.</p>
W1- RETTSDDET	<p>Used to retrieve Timesheet details.</p> <p>This component calls the W1-RETTSDDET business service using the Inbound Web Service.</p>

Component	Description
W1-RETINCOMM	Used to retrieve inbound communication details based on an activity. This component calls the W1-RETINCOMM business service using the Inbound Web Service.
W1-RETSHACT	Used to retrieve Service History Details using Activity ID. This component calls the ATW1RETSHACT business service using the Inbound Web Service.
W1-RetrieveComplEventsDtlByActId	Used to Retrieve Completion Events by Activity ID. This component calls the CM-RETCEVT business service using the Inbound Web Service.
W1-SEARCHEMPIDBYEXTID	Used to search employees by using external ID. This component calls 'W1-RETEMPLID' business service using the inbound web service.
W1-CMFieldActivityIdentifier	Used to search field activities by Activity identifier. This component calls the CM-ActivityIdentifier business service using the Inbound Web Service.
W1-CMFieldActivityWorkWindow	Used to search field activities by Activity work window. This component calls CM-ActivityWorkWindow business service using the inbound web service.
W1-CMFieldActivityLocation	Used to search field activities by Activity location. This component calls the CM-ActivityLocation business service using the Inbound Web Service.
W1-CMFieldActivityInformation	Used to search field activities by Activity information. This component calls CM-FieldActivityInformation business service using the inbound web service.
W1-CMPermitByInfo	Used to search permit by information. This component calls the CM-PERMITQ1 business service using the Inbound Web Service.
W1-CMPermitByIdentifier	Used to search permit by identifier. This component calls CM-PERMITQ2 business service using the inbound web service.

Component	Description
W1-CMActivityGenByInfo	Used to search activity generator data by information. This component calls the CM-WOQ1 business service using the Inbound Web Service.
W1-CMActivityGenByIdentifier	Used to search activity generator by identifier. This component calls CM-WOQ2 business service using the inbound web service.
W1-CMActivityGenByTemplateInfo	Used to search activity generator by template information. This component calls CM-WOQ3 business service using the inbound web service.
W1-CMActivityGenBySrvSchdInfo	Used to search activity generator using Service schedule information. This component calls the CM-WOQ4 business service using the Inbound Web Service.
W1-CMActivityGenByIdentifier	Used to search activity generator by identifier. This component calls CM-WOQ2 business service using the inbound web service.
W1-CMCopyNRebalanceActAstList	Used to perform Copy and Rebalance of Work Activity Asset List. This component calls 'CM-CPNRBAST' service script using the inbound web service.
W1-CMSCHEDULEDCREWSHIFTBYACTIVITYID	Used to search crew shift using a activity ID. This component calls CM-ACTSCHLRQ business service using the inbound web service.
W1-CMWorkActivityByMaintScheduleTrigger	Used to search work activity details associated with a maintenance schedule trigger. This component calls CM-WAMSMT business service using the inbound web service.

Resource Management

Component	Description
W1-CMCrewShiftByServiceInfo	<p>Used to search crew shift by service info in the WAM application.</p> <p>This component calls the CM-CRSHFQ1 business service using the Inbound web service.</p>
W1-CMCrewShiftByCrewInfo	<p>Used to search crew shift by crew info in the WAM application.</p> <p>This component calls the CM-CRSHFQ2 business service using the Inbound web service.</p>
W1-CMCrewShiftByIdentifier	<p>Used to search crew shift by identifier in the WAM application.</p> <p>This component calls the CM-CRSHFQ3 business service using the Inbound web service.</p>
W1-CMCrewShiftBySchdPlanInfo	<p>Used to search crew shift by scheduled Plan information in the WAM application.</p> <p>This component calls the CM-CRSHFQ4 business service using the Inbound web service.</p>
W1-CMChangeReqByInfo	<p>Used to search change request by information in the WAM application.</p> <p>This component calls the CM-CHGREQQ1 business service using the Inbound web service.</p>
W1-CMChangeReqByRelatedObj	<p>Used to search change request by related object information in the WAM application.</p> <p>This component calls the CM-CHGREQQ2 business service using the Inbound web service.</p>
W1-CMChangeReqByIdentifier	<p>Used to search change request by identifier in the WAM application.</p> <p>This component calls the CM-CHGREQQ3 business service using the Inbound web service.</p>

Invoicing

Component	Description
W1-InvoiceHeader	<p>Used to create, update, read, or delete InvoiceHeader in the WAM application.</p> <p>This component calls the W1-InvoiceHeader business object using the Inbound Web Service.</p>
W1-InvoiceLine	<p>Used to create, update, read, or delete InvoiceLine in the WAM application.</p> <p>This component calls the W1-InvoiceLine business object using the Inbound Web Service.</p>
W1-CMInvoiceHeaderInformation	<p>Used to search Invoice header information in the WAM application.</p> <p>This component calls the CM-INVCHDRQ1 business service using the Inbound Web Service.</p>
W1-CMInvoiceHeaderIdentifier	<p>Used to search invoice using identifier in the WAM application.</p> <p>This component calls the CM-INVCHDRQ2 business service using the Inbound Web Service.</p>
W1-CMInvoiceLineInformation	<p>Used to search invoice using line information in the WAM application.</p> <p>This component calls the CM-INVCHDRQ3 business service using the Inbound Web Service.</p>

Integration

Component	Description
W1- ReadAssetLocationId	<p>Used to read an Asset Location ID (asset node) using an External ID.</p> <p>This component calls the CM-ASTLOCID business service using the Inbound Web Service (ATW1READASSETLOCID).</p>
W1-SIDIntegInbound	<p>Used to create, update, read, or delete SIDIntegInbound in the WAM application.</p> <p>This component calls the W1-SIDIntegInbound business object using the Inbound Web Service.</p>
W1-CMAssetQuery	<p>Used to for fetching asset location, asset details using GIS ID, Asset and Node information in the WAM application.</p> <p>This component calls the W1-AssetQry business service using the Inbound Web Service.</p>
W1-ServiceHistoryWAMConv	<p>Used to create, update, read, or delete ServiceHistoryWAMConv in the WAM application.</p> <p>This component calls the W1-ServiceHistoryWAMConv business object using the Inbound Web Service.</p>
W1-ReadServiceHistoryId	<p>Used to read an Service History ID (install event from Oracle Utilities Meter Data Management) using an External ID.</p> <p>This component calls the CM-READSRVHSTID business service using the Inbound Web Service (ATW1READSRVHSTID).</p>
W1- ReadContact	<p>Used to read a Contact using an External ID.</p> <p>This component calls the CM-READCNCT business service using the Inbound Web Service (ATW1READCONTACT).</p>
W1-VendorLocIntegOutbound	<p>Used to create, update, read, or delete VendorLocIntegOutbound in the WAM application.</p> <p>This component calls the W1-VendorLocIntegOutbound business object using the Inbound Web Service.</p>
W2-FirmwareUpgradeOutboundMsg	<p>Used to create, update, read, or delete FirmwareUpgradeOutboundMsg in the WAM application.</p> <p>This component calls the W2-FirmwareUpgradeOutboundMsg business object using the Inbound Web Service.</p>

Component	Description
W1-VendorLocIntegOutbound	<p>Used to create, update, read, or delete VendorLocIntegOutbound in the WAM application.</p> <p>This component calls the W1-VendorLocIntegOutbound business object using the Inbound Web Service.</p>
W1-SynchronizationAddExpCode	<p>Used to create, update, read, or delete SynchronizationAddExpCode in the WAM application.</p> <p>This component calls the W1-SynchronizationAddExpCode business object using the Inbound Web Service.</p>
W1-SynchronizationAddEmployee	<p>Used to create, update, read, or delete SynchronizationAddEmployee in the WAM application.</p> <p>This component calls the W1-SynchronizationAddEmployee business object using the Inbound Web Service.</p>
W1-SynchronizationAddCostCtr	<p>Used to create, update, read, or delete SynchronizationAddCostCtr in the WAM application.</p> <p>This component calls the W1-SynchronizationAddCostCtr business object using the Inbound Web Service.</p>
W1-SyncRequestSeeder	<p>Used to create, update, read, or delete SyncRequestSeeder in the WAM application.</p> <p>This component calls the W1-SyncRequestSeeder business object using the Inbound Web Service.</p>
W1-SynchronizationAddVendorLoc	<p>Used to create, update, read, or delete SynchronizationAddVendorLoc in the WAM application.</p> <p>This component calls the W1-SynchronizationAddVendorLoc business object using the Inbound Web Service.</p>
W1-SyncRequest	<p>Used to create, update, read, or delete SyncRequest in the WAM application.</p> <p>This component calls the W1-SyncRequest business object using the Inbound Web Service.</p>

Component	Description
W1-StockTransIntegInbound	<p>Used to create, update, read, or delete StockTransIntegInbound in the WAM application.</p> <p>This component calls the W1-StockTransIntegInbound business object using the Inbound Web Service.</p>
W1-ServiceHistoryWAMConv	<p>Used to create, update, read, or delete ServiceHistoryWAMConv in the WAM application.</p> <p>This component calls the W1-ServiceHistoryWAMConv business object using the Inbound Web Service.</p>
W1-SIDIntegInbound	<p>Used to create, update, read, or delete SIDIntegInbound in the WAM application.</p> <p>This component calls the W1-SIDIntegInbound business object using the Inbound Web Service.</p>
W1-ReceiptHeaderIntegration	<p>Used to create, update, read, or delete ReceiptHeaderIntegration in the WAM application.</p> <p>This component calls the W1-ReceiptHeaderIntegration business object using the Inbound Web Service.</p>
W1-PurchaseReturnLineInteg	<p>Used to create, update, read, or delete PurchaseReturnLineInteg in the WAM application.</p> <p>This component calls the W1-PurchaseReturnLineInteg business object using the Inbound Web Service.</p>
W1-PurchaseReturnIntegInbound	<p>Used to create, update, read, or delete PurchaseReturnIntegInbound in the WAM application.</p> <p>This component calls the W1-PurchaseReturnIntegInbound business object using the Inbound Web Service.</p>
W1-PurchaseReqIntegOutbound	<p>Used to create, update, read, or delete PurchaseReqIntegOutbound in the WAM application.</p> <p>This component calls the W1-PurchaseReqIntegOutbound business object using the Inbound Web Service.</p>
W1-PurReqIntegOutMsg	<p>Used to create, update, read, or delete PurReqIntegOutMsg in the WAM application.</p> <p>This component calls the W1-PurReqIntegOutMsg business object using the Inbound Web Service.</p>

Component	Description
W1-OutboundAcknowledgeMessage	<p>Used to create, update, read, or delete OutboundAcknowledgeMessage in the WAM application.</p> <p>This component calls the W1-OutboundAcknowledgeMessage business object using the Inbound Web Service.</p>
W1-OngoingSyncRequestLocation	<p>Used to create, update, read, or delete OngoingSyncRequestLocation in the WAM application.</p> <p>This component calls the W1-OngoingSyncRequestLocation business object using the Inbound Web Service.</p>
W1-OngoingSyncRequestAsset	<p>Used to create, update, read, or delete OngoingSyncRequestAsset in the WAM application.</p> <p>This component calls the W1-OngoingSyncRequestAsset business object using the Inbound Web Service.</p>
W1-NdAsAttToAsOutboundMessage	<p>Used to create, update, read, or delete NdAsAttToAsOutboundMessage in the WAM application.</p> <p>This component calls the W1-NdAsAttToAsOutboundMessage business object using the Inbound Web Service.</p>
W1-MatReqIntegOutMsg	<p>Used to create, update, read, or delete MatReqIntegOutMsg in the WAM application.</p> <p>This component calls the W1-MatReqIntegOutMsg business object using the Inbound Web Service.</p>
W1-MaterialReturnHeaderInteg	<p>Used to create, update, read, or delete MaterialReturnHeaderInteg in the WAM application.</p> <p>This component calls the W1-MaterialReturnHeaderInteg business object using the Inbound Web Service.</p>
W1-MaterialReturnIntegInbound	<p>Used to create, update, read, or delete MaterialReturnIntegInbound in the WAM application.</p> <p>This component calls the W1-MaterialReturnIntegInbound business object using the Inbound Web Service.</p>

Component	Description
W1-MaterialReturnLineInteg	<p>Used to create, update, read, or delete MaterialReturnLineInteg in the WAM application.</p> <p>This component calls the W1-MaterialReturnLineInteg business object using the Inbound Web Service.</p>
W1-OngoingSyncRequestContact	<p>Used to create, update, read, or delete OngoingSyncRequestContact in the WAM application.</p> <p>This component calls the W1-OngoingSyncRequestContact business object using the Inbound Web Service.</p>
W1-OngoingSyncRequestVendorLoc	<p>Used to create, update, read, or delete OngoingSyncRequestVendorLoc in the WAM application.</p> <p>This component calls the W1-OngoingSyncRequestVendorLoc business object using the Inbound Web Service.</p>
W1-MaterialIssueLineInteg	<p>Used to create, update, read, or delete MaterialIssueLineInteg in the WAM application.</p> <p>This component calls the W1-MaterialIssueLineInteg business object using the Inbound Web Service.</p>
W1-MaterialIssueIntegInbound	<p>Used to create, update, read, or delete MaterialIssueIntegInbound in the WAM application.</p> <p>This component calls the W1-MaterialIssueIntegInbound business object using the Inbound Web Service.</p>
W1-InvoiceLineIntegration	<p>Used to create, update, read, or delete InvoiceLineIntegration in the WAM application.</p> <p>This component calls the W1-InvoiceLineIntegration business object using the Inbound Web Service.</p>
W1-InvoiceIntegOutbound	<p>Used to create, update, read, or delete InvoiceIntegOutbound in the WAM application.</p> <p>This component calls the W1-InvoiceIntegOutbound business object using the Inbound Web Service.</p>

Component	Description
W1-InvoicePaymentIntegInbound	<p>Used to create, update, read, or delete InvoicePaymentIntegInbound in the WAM application.</p> <p>This component calls the W1-InvoicePaymentIntegInbound business object using the Inbound Web Service.</p>
W1-InvoiceIntegOutMsg	<p>Used to create, update, read, or delete InvoiceIntegOutMsg in the WAM application.</p> <p>This component calls the W1-InvoiceIntegOutMsg business object using the Inbound Web Service.</p>
W1-InitialSyncReqWorkLoc	<p>Used to create, update, read, or delete InitialSyncReqWorkLoc in the WAM application.</p> <p>This component calls the W1-InitialSyncReqWorkLoc business object using the Inbound Web Service.</p>
W1-AcceptLineIntegration	<p>Used to create, update, read, or delete AcceptLineIntegration in the WAM application.</p> <p>This component calls the W1-AcceptLineIntegration business object using the Inbound Web Service.</p>
W1-ActivityOutboundSyncRequest	<p>Used to create, update, read, or delete ActivityOutboundSyncRequest in the WAM application.</p> <p>This component calls the W1-ActivityOutboundSyncRequest business object using the Inbound Web Service.</p>
W1-AssessGrpConv	<p>Used to create, update, read, or delete AssessGrpConv in the WAM application.</p> <p>This component calls the W1-AssessGrpConv business object using the Inbound Web Service.</p>
W1-AssetBusinessFlag	<p>Used to create, update, read, or delete AssetBusinessFlag in the WAM application.</p> <p>This component calls the W1-AssetBusinessFlag business object using the Inbound Web Service.</p>
W1-BlanketContractIntegInbound	<p>Used to create, update, read, or delete BlanketContractIntegInbound in the WAM application.</p> <p>This component calls the W1-BlanketContractIntegInbound business object using the Inbound Web Service.</p>

Component	Description
W1-BusinessFlagType	Used to create, update, read, or delete BusinessFlagType in the WAM application. This component calls the W1-BusinessFlagType business object using the Inbound Web Service.
W1-CMRTBFIDEXT	Used to read CMRTBFIDEXT in the WAM application. This component calls the W1-CMRTBFIDEXT business service using the Inbound Web Service.
W1-CompositeSyncReqCmdtyName	Used to create, update, read, or delete CompositeSyncReqCmdtyName in the WAM application. This component calls the W1-CompositeSyncReqCmdtyName business object using the Inbound Web Service.
W1-CompositeSyncReqCmdtyType	Used to create, update, read, or delete CompositeSyncReqCmdtyType in the WAM application. This component calls the W1-CompositeSyncReqCmdtyType business object using the Inbound Web Service.
W1-CompositeSyncReqGISAsset	Used to create, update, read, or delete CompositeSyncReqGISAsset in the WAM application. This component calls the W1-CompositeSyncReqGISAsset business object using the Inbound Web Service.
W1-CreateMobileWOInboundComm	Used to create, update, read, or delete CreateMobileWOInboundComm in the WAM application. This component calls the W1-CreateMobileWOInboundComm business object using the Inbound Web Service.
W1-ErpIntegration	Used to create, update, read, or delete ErpIntegration in the WAM application. This component calls the W1-ErpIntegration business object using the Inbound Web Service.

Component	Description
W1-FinancialTransIntegInbound	<p>Used to create, update, read, or delete FinancialTransIntegInbound in the WAM application.</p> <p>This component calls the W1-FinancialTransIntegInbound business object using the Inbound Web Service.</p>
W1-FinancialTransIntegOutMsg	<p>Used to create, update, read, or delete FinancialTransIntegOutMsg in the WAM application.</p> <p>This component calls the W1-FinancialTransIntegOutMsg business object using the Inbound Web Service.</p>
W1-FinancialTransIntegOutbound	<p>Used to create, update, read, or delete FinancialTransIntegOutbound in the WAM application.</p> <p>This component calls the W1-FinancialTransIntegOutbound business object using the Inbound Web Service.</p>
W1-FldwrkPIPActFinalOutMsg	<p>Used to create, update, read, or delete FldwrkPIPActFinalOutMsg in the WAM application.</p> <p>This component calls the W1-FldwrkPIPActFinalOutMsg business object using the Inbound Web Service.</p>
W1-FldwrkPIPActMaintOutMsg	<p>Used to create, update, read, or delete FldwrkPIPActMaintOutMsg in the WAM application.</p> <p>This component calls the W1-FldwrkPIPActMaintOutMsg business object using the Inbound Web Service.</p>
W1-GISAssetSyncReqOutMsg	<p>Used to create, update, read, or delete GISAssetSyncReqOutMsg in the WAM application.</p> <p>This component calls the W1-GISAssetSyncReqOutMsg business object using the Inbound Web Service.</p>
W1-GISAssetSyncRequest	<p>Used to create, update, read, or delete GISAssetSyncRequest in the WAM application.</p> <p>This component calls the W1-GISAssetSyncRequest business object using the Inbound Web Service.</p>

Component	Description
W1-GISWorkLocSyncReqOutMsg	<p>Used to create, update, read, or delete GISWorkLocSyncReqOutMsg in the WAM application.</p> <p>This component calls the W1-GISWorkLocSyncReqOutMsg business object using the Inbound Web Service.</p>
W1-GISWorkLocSyncRequest	<p>Used to create, update, read, or delete GISWorkLocSyncRequest in the WAM application.</p> <p>This component calls the W1-GISWorkLocSyncRequest business object using the Inbound Web Service.</p>
W1-InitialSyncReqActivity	<p>Used to create, update, read, or delete InitialSyncReqActivity in the WAM application.</p> <p>This component calls the W1-InitialSyncReqActivity business object using the Inbound Web Service.</p>
W1-InitialSyncReqCommodityCat	<p>Used to create, update, read, or delete InitialSyncReqCommodityCat in the WAM application.</p> <p>This component calls the W1-InitialSyncReqCommodityCat business object using the Inbound Web Service.</p>
W1-InitialSyncReqCommodityName	<p>Used to create, update, read, or delete InitialSyncReqCommodityName in the WAM application.</p> <p>This component calls the W1-InitialSyncReqCommodityName business object using the Inbound Web Service.</p>
W1-InitialSyncReqCommodityType	<p>Used to create, update, read, or delete InitialSyncReqCommodityType in the WAM application.</p> <p>This component calls the W1-InitialSyncReqCommodityType business object using the Inbound Web Service.</p>
W1-InitialSyncReqCostCenter	<p>Used to create, update, read, or delete InitialSyncReqCostCenter in the WAM application.</p> <p>This component calls the W1-InitialSyncReqCostCenter business object using the Inbound Web Service.</p>

Component	Description
W1-InitialSyncReqExpenseCode	<p>Used to create, update, read, or delete InitialSyncReqExpenseCode in the WAM application.</p> <p>This component calls the W1-InitialSyncReqExpenseCode business object using the Inbound Web Service.</p>
W1-InitialSyncReqMaintSchedule	<p>Used to create, update, read, or delete InitialSyncReqMaintSchedule in the WAM application.</p> <p>This component calls the W1-InitialSyncReqMaintSchedule business object using the Inbound Web Service.</p>
W1-InitialSyncReqManufacturer	<p>Used to create, update, read, or delete InitialSyncReqManufacturer in the WAM application.</p> <p>This component calls the W1-InitialSyncReqManufacturer business object using the Inbound Web Service.</p>
W1-InitialSyncReqPMTrigger	<p>Used to create, update, read, or delete InitialSyncReqPMTrigger in the WAM application.</p> <p>This component calls the W1-InitialSyncReqPMTrigger business object using the Inbound Web Service.</p>
W1-InitialSyncReqPlanner	<p>Used to create, update, read, or delete InitialSyncReqPlanner in the WAM application.</p> <p>This component calls the W1-InitialSyncReqPlanner business object using the Inbound Web Service.</p>
W1-InitialSyncReqProject	<p>Used to create, update, read, or delete InitialSyncReqProject in the WAM application.</p> <p>This component calls the W1-InitialSyncReqProject business object using the Inbound Web Service.</p>
W1-InitialSyncReqServiceHist	<p>Used to create, update, read, or delete InitialSyncReqServiceHist in the WAM application.</p> <p>This component calls the W1-InitialSyncReqServiceHist business object using the Inbound Web Service.</p>
W1-InitialSyncReqSpecification	<p>Used to create, update, read, or delete InitialSyncReqSpecification in the WAM application.</p> <p>This component calls the W1-InitialSyncReqSpecification business object using the Inbound Web Service.</p>

Component	Description
W1-InitialSyncReqTplActivity	<p>Used to create, update, read, or delete InitialSyncReqTplActivity in the WAM application.</p> <p>This component calls the W1-InitialSyncReqTplActivity business object using the Inbound Web Service.</p>
W1-InitialSyncReqTplWorkOrder	<p>Used to create, update, read, or delete InitialSyncReqTplWorkOrder in the WAM application.</p> <p>This component calls the W1-InitialSyncReqTplWorkOrder business object using the Inbound Web Service.</p>
W1-InitialSyncReqWorkOrder	<p>Used to create, update, read, or delete InitialSyncReqWorkOrder in the WAM application.</p> <p>This component calls the W1-InitialSyncReqWorkOrder business object using the Inbound Web Service.</p>
W1-InitialSyncRequestAsset	<p>Used to create, update, read, or delete InitialSyncRequestAsset in the WAM application.</p> <p>This component calls the W1-InitialSyncRequestAsset business object using the Inbound Web Service.</p>
W1-InitialSyncRequestContact	<p>Used to create, update, read, or delete InitialSyncRequestContact in the WAM application.</p> <p>This component calls the W1-InitialSyncRequestContact business object using the Inbound Web Service.</p>
W1-InitialSyncRequestLocation	<p>Used to create, update, read, or delete InitialSyncRequestLocation in the WAM application.</p> <p>This component calls the W1-InitialSyncRequestLocation business object using the Inbound Web Service.</p>
W1-InterfaceODCInboundComm	<p>Used to create, update, read, or delete InterfaceODCInboundComm in the WAM application.</p> <p>This component calls the W1-InterfaceODCInboundComm business object using the Inbound Web Service.</p>
W1-InvoiceIntegInbound	<p>Used to create, update, read, or delete InvoiceIntegInbound in the WAM application.</p> <p>This component calls the W1-InvoiceIntegInbound business object using the Inbound Web Service.</p>

Component	Description
W1-MDMAssetSyncReqOutMsg	<p>Used to create, update, read, or delete MDMAssetSyncReqOutMsg in the WAM application.</p> <p>This component calls the W1-MDMAssetSyncReqOutMsg business object using the Inbound Web Service.</p>
W1-MDMAssetSyncRequest	<p>Used to create, update, read, or delete MDMAssetSyncRequest in the WAM application.</p> <p>This component calls the W1-MDMAssetSyncRequest business object using the Inbound Web Service.</p>
W1-MaterialReqIntegOutbound	<p>Used to create, update, read, or delete MaterialReqIntegOutbound in the WAM application.</p> <p>This component calls the W1-MaterialReqIntegOutbound business object using the Inbound Web Service.</p>
W1-ReceiptLineIntegration	<p>Used to create, update, read, or delete ReceiptLineIntegration in the WAM application.</p> <p>This component calls the W1-ReceiptLineIntegration business object using the Inbound Web Service.</p>
W1-UpgDeviceOutboundMessage	<p>Used to create, update, read, or delete UpgDeviceOutboundMessage in the WAM application.</p> <p>This component calls the W1-UpgDeviceOutboundMessage business object using the Inbound Web Service.</p>
W1-VendorLocIntegOutMsg	<p>Used to create, update, read, or delete VendorLocIntegOutMsg in the WAM application.</p> <p>This component calls the W1-VendorLocIntegOutMsg business object using the Inbound Web Service.</p>
W2-FirmwareCommandOutbound	<p>Used to create, update, read, or delete FirmwareCommandOutbound in the WAM application.</p> <p>This component calls the W2-FirmwareCommandOutbound business object using the Inbound Web Service.</p>

Component	Description
W1-SynchronizationAddVendorLoc	<p>Used to create, update, read, or delete SynchronizationAddVendorLoc in the WAM application.</p> <p>This component calls the W1-SynchronizationAddVendorLoc business object using the Inbound Web Service.</p>
W1-SynchronizationAddExpCode	<p>Used to create, update, read, or delete SynchronizationAddExpCode in the WAM application.</p> <p>This component calls the W1-SynchronizationAddExpCode business object using the Inbound Web Service.</p>
W1-SynchronizationAddEmployee	<p>Used to create, update, read, or delete SynchronizationAddEmployee in the WAM application.</p> <p>This component calls the W1-SynchronizationAddEmployee business object using the Inbound Web Service.</p>
W1-SynchronizationAddCostCtr	<p>Used to create, update, read, or delete SynchronizationAddCostCtr in the WAM application.</p> <p>This component calls the W1-SynchronizationAddCostCtr business object using the Inbound Web Service.</p>
W1-SyncRequestSeeder	<p>Used to create, update, read, or delete SyncRequestSeeder in the WAM application.</p> <p>This component calls the W1-SyncRequestSeeder business object using the Inbound Web Service.</p>
W1-StockTransIntegInbound	<p>Used to create, update, read, or delete StockTransIntegInbound in the WAM application.</p> <p>This component calls the W1-StockTransIntegInbound business object using the Inbound Web Service.</p>
W1-SyncRequest	<p>Used to create, update, read, or delete SyncRequest in the WAM application.</p> <p>This component calls the W1-SyncRequest business object using the Inbound Web Service.</p>

Component	Description
W1-VendorLocIntegOutMsg	<p>Used to create, update, read, or delete VendorLocIntegOutMsg in the WAM application.</p> <p>This component calls the W1-VendorLocIntegOutMsg business object using the Inbound Web Service.</p>
W1-UpgDeviceOutboundMessage	<p>Used to create, update, read, or delete UpgDeviceOutboundMessage in the WAM application.</p> <p>This component calls the W1-UpgDeviceOutboundMessage business object using the Inbound Web Service.</p>
W1-ReceiptIntegInbound	<p>Used to create, update, read, or delete ReceiptInboundIntegration in the WAM application.</p> <p>This component calls the W1- ReceiptIntegInbound business object using Inbound Web Service.</p>
W2-FirmwareUpgradeOutboundMsg	<p>Used to create, update, read, or delete FirmwareUpgradeOutboundMsg in the WAM application.</p> <p>This component calls the W2-FirmwareUpgradeOutboundMsg business object using the Inbound Web Service.</p>
W2-FirmwareCommandOutbound	<p>Used to create, update, read, or delete FirmwareCommandOutbound in the WAM application.</p> <p>This component calls the W2-FirmwareCommandOutbound business object using the Inbound Web Service.</p>
W1- InterfaceTSDInboundComm	<p>Used to create, update, read, or delete InterfaceTSDInboundComm in the WAM application.</p> <p>This component calls the W1-InterfaceTSDInboundComm business object using Inbound Web Service.</p>
W1-LeaveInt	<p>Used to create, update, read, or delete LeaveInt in the WAM application.</p> <p>This component calls the W1-LeaveInt business object using Inbound Web Service.</p>

Component	Description
W1-OngoingSyncRequestCostCtr	<p>Used to create, update, read, or delete OngoingSyncRequestCostCtr in the WAM application.</p> <p>This component calls the W1-OngoingSyncRequestCostCtr business object using Inbound Web Service.</p>
W1-OngoingSyncRequestEmployee	<p>Used to create, update, read, or delete OngoingSyncRequestEmployee in the WAM application.</p> <p>This component calls the W1-OngoingSyncRequestEmployee business object using Inbound Web Service.</p>
W1-OngoingSyncRequestAssetNode	<p>Used to create, update, read, or delete OngoingSyncRequestAssetNode in the WAM application.</p> <p>This component calls the W1-OngoingSyncRequestAssetNode business object using Inbound Web Service.</p>
W1-OngoingSyncRequestStockItem	<p>Used to create, update, read, or delete OngoingSyncRequestStockItem in the WAM application.</p> <p>This component calls the W1-OngoingSyncRequestStockItem business object using Inbound Web Service.</p>
W1-PurchaseOrderIntegInbound	<p>Used to create, update, read, or delete PurchaseOrderIntegInbound in the WAM application.</p> <p>This component calls the W1-PurchaseOrderIntegInbound business object using Inbound Web Service.</p>
W1-IntODCDtl	<p>Used to create Other direct charges from Oracle Field Service (OFS).</p> <p>This component calls W1-IntCODtl script using an inbound web service.</p>
W1-CreateMobileWorkOrder	<p>Used to create Mobile Work Order from OFS with Work It flag.</p> <p>This component calls W1-CreMobWo script using an inbound web service.</p>
W1-IntTMSDtl	<p>Used to create time sheet from OFS.</p> <p>This component calls W1-IntCTMSDt script using an inbound web service.</p>

Component	Description
W1-SyncReqStockItemByExternalId	Used to retrieve sync request id by External Reference ID and External System. This component calls the CM-OngoingSyncRequestStockItem business service using Inbound Web Service.

Construction Work Management

Component	Description
W1-ActivityReconciliation	Used to create, update, read, or delete ActivityReconciliation in the WAM application. This component calls the W1-ActivityReconciliation business object using the ATW1ActivityReconciliation Inbound Web Service.
W1-RTNCSVCCL	Used to read RTNCSVCCL in the WAM application. This component calls the W1-RTNCSVCCL business service using the Inbound Web Service.
W1-RTASSETCU	Used to read RTASSETCU in the WAM application. This component calls the W1-RTASSETCU business service using the Inbound Web Service.
W1-ConstructionLoc	Used to create, update, read, or delete Construction Location in the WAM application. This component calls the W1-Construction Location business object using the ATW1ConstructionLocation Inbound Web Service.
W1-ConstructionWorkActivity	Used to create, update, read, or delete ConstructionWorkActivity in the WAM application. This component calls the W1-ConstructionWorkActivity business object using the ATW1ConstructionWorkActivity Inbound Web Service.
W1-ConstructionWorkOrder	Used to create, update, read, or delete ConstructionWorkOrder in the WAM application. This component calls the W1-ConstructionWorkOrder business object using the ATW1ConstructionWorkActivity Inbound Web Service.

Component	Description
W1-ConstrWorkActivityType	<p>Used to create, update, read, or delete ConstrWorkActivityType in the WAM application.</p> <p>This component calls the W1-ConstrWorkActivityType business object using the ATW1ConstrWorkActivityType Inbound Web Service.</p>
W1-ContractorBid	<p>Used to create, update, read, or delete ContractorBid in the WAM application.</p> <p>This component calls the W1-ContractorBid business object using the ATW1ContractorBid Inbound Web Service.</p>
W1-ContractorBidNotes	<p>Used to create, update, read, or delete ContractorBidNotes in the WAM application.</p> <p>This component calls the W1-ContractorBidNotes business object using the ATW1ContractorBidNotes Inbound Web Service.</p>
W1-ContractorBidRefAttachments	<p>Used to create, update, read, or delete ContractorBidRefAttachments in the WAM application.</p> <p>This component calls the W1-ContractorBidRefAttachments business object using the ATW1ContractorBidRefAttachments Inbound Web Service.</p>
W1-CrewTypeCUEquipmentProfile	<p>Used to create, update, read, or delete CrewTypeCUEquipmentProfile in the WAM application.</p> <p>This component calls the W1-CrewTypeCUEquipmentProfile business object using the ATW1CrewTypeCUEquipmentProfile Inbound Web Service.</p>
W1-CrewTypeCULaborProfile	<p>Used to create, update, read, or delete CrewTypeCULaborProfile in the WAM application.</p> <p>This component calls the W1-CrewTypeCULaborProfile business object using the ATW1CrewTypeCULaborProfile Inbound Web Service.</p>
W1-CrewTypeCUProfile	<p>Used to create, update, read, or delete CrewTypeCUProfile in the WAM application.</p> <p>This component calls the W1-CrewTypeCUProfile business object using the ATW1CrewTypeCUProfile Inbound Web Service.</p>

Component	Description
W1-CU	<p>Used to create, update, read, or delete Compatibility Unit in the WAM application.</p> <p>This component calls the W1- CU business object using the ATW1CU Inbound Web Service.</p>
W1-CUCategory	<p>Used to create, update, read, or delete CUCategory in the WAM application.</p> <p>This component calls the W1- CUCategory business object using the ATW1CUCategory Inbound Web Service.</p>
W1-CULaborAndEquipment	<p>Used to create, update, read, or delete CULaborAndEquipment in the WAM application.</p> <p>This component calls the W1- CULaborAndEquipment business object using the ATW1CULaborAndEquipment Inbound Web Service.</p>
W1-CUMaterialResources	<p>Used to create, update, read, or delete CUMaterialResources in the WAM application.</p> <p>This component calls the W1- CUMaterialResources business object using the ATW1CUMaterialResources Inbound Web Service.</p>
W1-CUMaterialsForRemoval	<p>Used to create, update, read, or delete CUMaterialsForRemoval in the WAM application.</p> <p>This component calls the W1- CUMaterialsForRemoval business object using the ATW1CUMaterialsForRemoval Inbound Web Service.</p>
W1-CUNotes	<p>Used to create, update, read, or delete CUNotes in the WAM application.</p> <p>This component calls the W1- CUNotes business object using the ATW1CUNotes Inbound Web Service.</p>
W1-CURefAttachments	<p>Used to create, update, read, or delete CURefAttachments in the WAM application.</p> <p>This component calls the W1-CURefAttachments business object using the ATW1CURefAttachments Inbound Web Service.</p>
W1-CompatibleUnitSet	<p>Used to create, update, read, or delete CUSET in the WAM application.</p> <p>This component calls the W1- CUSET business object using the ATW1CUSET Inbound Web Service.</p>

Component	Description
W1-CUSetNotes	<p>Used to create, update, read, or delete CUSetNotes in the WAM application.</p> <p>This component calls the W1- CUSetNotes business object using the ATW1CUSetNotes Inbound Web Service.</p>
W1-CUSetRefAttachments	<p>Used to create, update, read, or delete CUSetRefAttachments in the WAM application.</p> <p>This component calls the W1- CUSetRefAttachments business object using the ATW1CUSetRefAttachments Inbound Web Service.</p>
W1-CUUsage	<p>Used to create, update, read, or delete CUUsage in the WAM application.</p> <p>This component calls the W1- CUUsage business object using the ATW1CUUsage Inbound Web Service.</p>
W1-DeleteGeneralProcessRecord	<p>Used to read DeleteGeneralProcessRecord in the WAM application.</p> <p>This component calls the W1- DeleteGeneralProcessRecord business service using the ATW1DeleteGeneralProcessRecord Inbound Web Service.</p>
W1-DesignElement	<p>Used to create, update, read, or delete DesignElement in the WAM application.</p> <p>This component calls the W1-DesignElement business object using the ATW1DesignElement Inbound Web Service.</p>
W1-DesignElementCU	<p>Used to create, update, read, or delete DesignElementCU in the WAM application.</p> <p>This component calls the W1-DesignElementCU business object using the ATW1DesignElementCU Inbound Web Service.</p>
W1-DesignElementItems	<p>Used to create, update, read, or delete DesignElementItems in the WAM application.</p> <p>This component calls the W1- DesignElementItems business object using the ATW1DesignElementItems Inbound Web Service.</p>
W1-EquipmentGroup	<p>Used to create, update, read, or delete EquipmentGroup in the WAM application.</p> <p>This component calls the W1- EquipmentGroup business object using the ATW1EquipmentGroup Inbound Web Service.</p>

Component	Description
W1-Overhead	<p>Used to create, update, read, or delete Overhead in the WAM application.</p> <p>This component calls the W1- Overhead business object using the ATW1Overhead Inbound Web Service.</p>
W1-PropUnit	<p>Used to create, update, read, or delete Property Unit in the WAM application.</p> <p>This component calls the W1-PropUnit object using the ATW1PropUnit Inbound Web Service.</p>
W1-PropUnitBundlingAddBO	<p>Used to create, update, read, or delete Property Unit Bundling in the WAM application.</p> <p>This component calls the W1- PropUnitBundlingAddBO object using the ATW1PropUnitBundlingAddBO Inbound Web Service.</p>
W1-PropUnitPhysicalBO	<p>Used to create, update, read, or delete Property Unit physical in the WAM application.</p> <p>This component calls the W1- PropUnitPhysicalBO object using the ATW1PropUnitPhysicalBO Inbound Web Service.</p>
W1-RETCLCUCC	<p>Used to read/retrieve Construction Location Expanded CU/Cost Center in the WAM application.</p> <p>This component calls the W1-RETCLCUCC business service using the ATW1RETCLCUCC Inbound Web Service.</p>
W1-RETCUHIER	<p>Used to read/retrieve CU Hierarchy in the WAM application.</p> <p>This component calls the W1-RETCUHIER business service using the ATW1RETCUHIER Inbound Web Service.</p>
W1-RETCURES	<p>Used to read/retrieve CU Resources in the WAM application.</p> <p>This component calls the W1-RETCURES business service using the ATW1RETCURES Inbound Web Service.</p>
W1-RETDEHIER	<p>Used to read/retrieve Design Element Hierarchy in the WAM application.</p> <p>This component calls the W1-RETDEHIER business service using the ATW1RETDEHIER Inbound Web Service.</p>

Component	Description
W1-RETREFCU	<p>Used to read/retrieve Referencing CU with Property Unit in the WAM application.</p> <p>This component calls the W1-RETREFCU business service using the ATW1RETREFCU Inbound Web Service.</p>
W1-RETREFDCU	<p>Used to read/retrieve Referencing CU with Property Unit in the WAM application.</p> <p>This component calls the W1-RETREFCU business service using the ATW1RETREFCU Inbound Web Service.</p>
W1-RETWDDE	<p>Used to read/retrieve Design in the WAM application.</p> <p>This component calls the W1-RETWDDE business service using the ATW1RETWDDE Inbound Web Service.</p>
W1-RNCACTRRQ	<p>Used to read/retrieve Non-Cancelled Activity Resource Requirement for Resource Type/Stock Item in the WAM application.</p> <p>This component calls the W1- RNCACTRRQ business service using the ATW1RNCACTRRQ Inbound Web Service.</p>
W1-RSTTTAUPR	<p>Used to read/retrieve Stock Item Average Unit Price in the WAM application.</p> <p>This component calls the W1-RSTTTAUPR business service using the ATW1RSTTTAUPR Inbound Web Service.</p>
W1-RTACONLAS	<p>Used to read/retrieve Activity Construction Location Assets in the WAM application.</p> <p>This component calls the W1-RTACONLAS business service using the ATW1RTACONLAS Inbound Web Service.</p>
W1-RTACTACGL	<p>Used to read/retrieve Activity Actual Cost Grouped by GL Entry in the WAM application.</p> <p>This component calls the W1-RTACTACGL business service using the ATW1RTACTACGL Inbound Web Service.</p>
W1-RTACTACRC	<p>Used to read/retrieve Activity Actual Cost Grouped by GL Entry in the WAM application.</p> <p>This component calls the W1-RTACTACRC business service using the ATW1RTACTACRC Inbound Web Service.</p>

Component	Description
W1-RTACTRCON	<p>Used to read/retrieve Activity Reconciliation for an Activity in the WAM application.</p> <p>This component calls the W1-RTACTRCON business service using the ATW1RTACTRCON Inbound Web Service.</p>
W1-RTCBASTPU	<p>Used to read/retrieve Contributed Asset Property Unit in the WAM application.</p> <p>This component calls the W1-RTCBASTPU business service using the ATW1RTCBASTPU Inbound Web Service.</p>
W1-RTCCCUUSG	<p>Used to read/retrieve Cost Center for Usage in the WAM application.</p> <p>This component calls the W1-RTCCCUUSG business service using the ATW1RTCCCUUSG Inbound Web Service.</p>
W1-RTCNASTPU	<p>Used to read/retrieve Constructed Asset for a Property Unit in the WAM application.</p> <p>This component calls the W1- RTCNASTPU business service using the ATW1RTCNASTPU Inbound Web Service.</p>
W1-RTCONLACU	<p>Used to read/retrieve Construction Location Applicable CU's in the WAM application.</p> <p>This component calls the W1- RTCONLACU business service using the ATW1RTCONLACU Inbound Web Service.</p>
W1-RTCRACTTY	<p>Used to read/retrieve Construction Related Activity Types in the WAM application.</p> <p>This component calls the W1-RTCRACTTY business service using the ATW1RTCRACTTY Inbound Web Service.</p>
W1-RTCUSTCU	<p>Used to read/retrieve CU Set CU's in the WAM application.</p> <p>This component calls the W1- RTCUSTCU business service using the ATW1RTCUSTCU Inbound Web Service.</p>
W1-RTEASTISD	<p>Used to read/Retrieve Earliest Asset In Service Date in the WAM application.</p> <p>This component calls the W1- RTEASTISD business service using the ATW1RTEASTISD Inbound Web Service.</p>

Component	Description
W1-RTNFODCDT	<p>Used to read/retrieve Non-Final ODC Details in the WAM application.</p> <p>This component calls the W1-RTNFODCDT business service using the ATW1RTNFODCDT Inbound Web Service.</p>
W1-RTNFTSDTL	<p>Used to read/retrieve Non-Final Timesheet Details in the WAM application.</p> <p>This component calls the W1-RTNFTSDTL business service using the ATW1RTNFTSDTL Inbound Web Service.</p>
W1-RTNFWOACT	<p>Used to read/retrieve Non-Final Non-Overhead Activities in the WAM application.</p> <p>This component calls the W1- RTNFWOACT business service using the ATW1RTNFWOACT Inbound Web Service.</p>
W1-RTPRCPAST	<p>Used to read/retrieve Pre-Capitalized Assets in the WAM application.</p> <p>This component calls the W1- RTPRCPAST business service using the ATW1RTPRCPAST Inbound Web Service.</p>
W1-RTVLTASTY	<p>Used to read/retrieve Valid Location Type for Asset Type in the WAM application.</p> <p>This component calls the W1- RTVLTASTY business service using the ATW1RTVLTASTY Inbound Web Service.</p>
W1-WDRefAttachments	<p>Used to create, update, read, or delete Work Design RefAttachments in the WAM application.</p> <p>This component calls the W1-WDRefAttachments object using the ATW1WDRefAttachments Inbound Web Service.</p>
W1-WorkDesign	<p>Used to create, update, read, or delete Work Design in the WAM application.</p> <p>This component calls the W1-WorkDesign object using the ATW1WorkDesign Inbound Web Service.</p>
W1-WorkDesignNotes	<p>Used to create, update, read, or delete WorkDesignNotes in the WAM application.</p> <p>This component calls the W1-WorkDesignNotes object using the ATW1WorkDesignNotes Inbound Web Service.</p>

Component	Description
W1-CWM-RetriveReconID	<p>Used to read/retrieving Activity Reconciliation ID from Activity in the WAM application.</p> <p>This component calls the ATW1RTARID business service using the ATW1RTARID Inbound Web Service.</p>
W1-DTOHCSTSQL	<p>Used to read/retrieve Direct Overhead Cost for Activity in the WAM application.</p> <p>This component calls the CM-DTOHCST business service using the ATW1DTOHCST Inbound Web Service.</p>
W1- IDTOHCSTSQL	<p>Used to read/retrieve InDirect Overhead cost for the activity in the WAM Application.</p> <p>This component calls the CM-IDTOHCST business service using the ATW1IDTOHCST Inbound Web Service.</p>
W1-CUAccessory	<p>Used to create, update, read, or delete Accessory CU in the WAM application.</p> <p>This component calls the W1-CUAccessory object using the ATW1CUAccessory Inbound Web Service.</p>
W1-CUFunction	<p>Used to create, update, read, or delete Functional CU in the WAM application.</p> <p>This component calls the W1-CUFunction object using the ATW1CUFunction Inbound Web Service.</p>

Oracle Utilities Operational Device Management Components

This section lists the starter components available in Oracle Utilities Operational Device Management.

Pre-requisites: The Inbound Web Service using the respective business object should be available in the application.

Additional Notes: Failure while creating, reading, or updating the component is logged to the test execution report, facilitating debugging/analysis of the problem.

The components are categorized under the following functional areas:

- [Administration Data](#)
- [Asset Management](#)
- [Configuration Management](#)
- [Work Management](#)
- [Cloud](#)

Administration Data

Component	Description
W1- AssetAgeBktConfig	Used to create, update, read, or delete AssetAgeBktConfig in the WAM application. This component calls the W1- AssetAgeBktConfig business object using the Inbound Web Service.
W1- BasicActivityType	Used to create, update, read, or delete BasicActivityType in the WAM application. This component calls the W1- BasicActivityType business object using the Inbound Web Service.
W1- BIExtractParameters	Used to create, update, read, or delete BIExtractParameters in the WAM application. This component calls the W1- BIExtractParameters business object using the Inbound Web Service.
W1- ConfigType	Used to create, update, read, or delete ConfigType in the WAM application. This component calls the W1- ConfigType business object using the Inbound Web Service.
W1- OutboundActivityType	Used to create, update, read, or delete OutboundActivityType in the WAM application. This component calls the W1- OutboundActivityType business object using the Inbound Web Service.

Component	Description
W1- GeneralCommunicationType	<p>Used to create, update, read, or delete GeneralCommunicationType in the WAM application.</p> <p>This component calls the W1- GeneralCommunicationType business object using the Inbound Web Service.</p>
W1- AssetInstallAgeBktConfig	<p>Used to create, update, read, or delete AssetInstallAgeBktConfig in the WAM application.</p> <p>This component calls the W1- AssetInstallAgeBktConfig business object using the Inbound Web Service.</p>
W1- AssetInstoreAgeBktConfig	<p>Used to create, update, read, or delete AssetInstoreAgeBktConfig in the WAM application.</p> <p>This component calls the W1- AssetInstoreAgeBktConfig business object using the Inbound Web Service.</p>
W1- AssetSearchMasterConfig	<p>Used to create, update, read, or delete AssetSearchMasterConfig in the WAM application.</p> <p>This component calls the W1- AssetSearchMasterConfig business object using the Inbound Web Service.</p>

Asset Management

Component	Description
W1- Business	<p>Used to create, update, read, or delete Business in the WAM application.</p> <p>This component calls the W1- Business business object using the Inbound Web Service.</p>
W1- MDMAAsset	<p>Used to create, update, read, or delete MDMAAsset in the WAM application.</p> <p>This component calls the W1- MDMAAsset business object using the Inbound Web Service.</p>
W1-MaintenanceSpecGeneral	<p>Used to create, update, read, or delete MaintenanceSpecGeneral in the WAM application.</p> <p>This component calls the W1-MaintenanceSpecGeneral business object using the Inbound Web Service.</p>

Component	Description
W1-AssetTypeConv	<p>Used to create, update, read, or delete AssetTypeConv in the WAM application.</p> <p>This component calls the W1-AssetTypeConv business object using the Inbound Web Service.</p>
W1-AssetDposHistInstallations	<p>Used to create, update, read, or delete AssetDposHistInstallations in the WAM application.</p> <p>This component calls the W1-AssetDposHistInstallations business object using the Inbound Web Service.</p>
W1-SHInspectionGenrlWeighted	<p>Used to create, update, read, or delete SHInspectionGenrlWeighted in the WAM application.</p> <p>This component calls the W1-SHInspectionGenrlWeighted business object using the Inbound Web Service.</p>
W1- Person	<p>Used to create, update, read, or delete Person in the WAM application.</p> <p>This component calls the W1- Person business object using the Inbound Web Service.</p>
W1- SynchronizationAddContact	<p>Used to create, update, read, or delete SynchronizationAddContact in the WAM application.</p> <p>This component calls the W1-SynchronizationAddContact business object using the Inbound Web Service.</p>
W1- BasicTest	<p>Used to create, update, read, or delete BasicTest in the WAM application.</p> <p>This component calls the W1- BasicTest business object using the Inbound Web Service.</p>
W2-SmartTest	<p>Used to create, update, read, or delete SmartTest in the WAM application.</p> <p>This component calls the W2- SmartTest business object using the Inbound Web Service.</p>
W1-PeerSpecification	<p>Used to create, update, read, or delete PeerSpecification in the WAM application.</p> <p>This component calls the W2- PeerSpecification business object using the Inbound Web Service.</p>

Configuration Management

Component	Description
W1- AssetCompCfgRpt	<p>Used to create, update, read, or delete AssetCompCfgRpt in the WAM application.</p> <p>This component calls the W1- AssetCompCfgRpt business object using the Inbound Web Service.</p>
W1- AssetCompCfgWO	<p>Used to create, update, read, or delete AssetCompCfgWO in the WAM application.</p> <p>This component calls the W1- AssetCompCfgWO business object using the Inbound Web Service.</p>
W1- AssetCompToAssetCfgRpt	<p>Used to create, update, read, or delete AssetCompToAssetCfgRpt in the WAM application.</p> <p>This component calls the W1- AssetCompToAssetCfgRpt business object using the Inbound Web Service.</p>
W1- AssetCompToAssetCfgWO	<p>Used to create, update, read, or delete AssetCompToAssetCfgWO in the WAM application.</p> <p>This component calls the W1- AssetCompToAssetCfgWO business object using the Inbound Web Service.</p>
W1- AssetCompToAssetCompCfgRpt	<p>Used to create, update, read, or delete AssetCompToAssetCompCfgRpt in the WAM application.</p> <p>This component calls the W1- AssetCompToAssetCompCfgRpt business object using the Inbound Web Service.</p>
W1- AssetCompToAssetCompCfgWO	<p>Used to create, update, read, or delete AssetCompToAssetCompCfgWO in the WAM application.</p> <p>This component calls the W1- AssetCompToAssetCompCfgWO business object using the Inbound Web Service.</p>
W1- AssetCompToAssetCompConfig	<p>Used to create, update, read, or delete AssetCompToAssetCompConfig in the WAM application.</p> <p>This component calls the W1- AssetCompToAssetCompConfig business object using the Inbound Web Service.</p>

Component	Description
W1- AssetCompToAssetConfig	<p>Used to create, update, read, or delete AssetCompToAssetConfig in the WAM application.</p> <p>This component calls the W1- AssetCompToAssetConfig business object using the Inbound Web Service.</p>
W1- AssetToAssetCfgRpt	<p>Used to create, update, read, or delete AssetToAssetCfgRpt in the WAM application.</p> <p>This component calls the W1- AssetToAssetCfgRpt business object using the Inbound Web Service.</p>
W1- AssetToAssetCfgWO	<p>Used to create, update, read, or delete AssetToAssetCfgWO in the WAM application.</p> <p>This component calls the W1- AssetToAssetCfgWO business object using the Inbound Web Service.</p>
W1- AssetToAssetCompCfgRpt	<p>Used to create, update, read, or delete AssetToAssetCompCfgRpt in the WAM application.</p> <p>This component calls the W1- AssetToAssetCompCfgRpt business object using the Inbound Web Service.</p>
W1- AssetToAssetCompCfgWO	<p>Used to create, update, read, or delete AssetToAssetCompCfgWO in the WAM application.</p> <p>This component calls the W1- AssetToAssetCompCfgWO business object using the Inbound Web Service.</p>
W1- AssetToAssetCompConfig	<p>Used to create, update, read, or delete AssetToAssetCompConfig in the WAM application.</p> <p>This component calls the W1- AssetToAssetCompConfig business object using the Inbound Web Service.</p>
W1- AssetToAssetConfig	<p>Used to create, update, read, or delete AssetToAssetConfig in the WAM application.</p> <p>This component calls the W1- AssetToAssetConfig business object using the Inbound Web Service.</p>
W1- SingleAssetCfgRpt	<p>Used to create, update, read, or delete SingleAssetCfgRpt in the WAM application.</p> <p>This component calls the W1- SingleAssetCfgRpt business object using the Inbound Web Service.</p>
W1- SingleAssetCfgWO	<p>Used to create, update, read, or delete SingleAssetCfgWO in the WAM application.</p> <p>This component calls the W1- SingleAssetCfgWO business object using the Inbound Web Service.</p>

Component	Description
W1- SingleAssetConfig	Used to create, update, read, or delete SingleAssetConfig in the WAM application. This component calls the W1- SingleAssetConfig business object using the Inbound Web Service.
W1- AssetCompConfig	Used to create, update, read, or delete AssetCompConfig in the WAM application. This component calls the W1- AssetCompConfig business object using the Inbound Web Service.

Work Management

Component	Description
W1- ActivityComplInboundComm	Used to create, update, read, or delete ActivityComplInboundComm in the WAM application. This component calls the W1- ActivityComplInboundComm business object using the Inbound Web Service.
W1- AdHocActivityCore	Used to create, update, read, or delete AdHocActivityCore in the WAM application. This component calls the W1- AdHocActivityCore business object using the Inbound Web Service.
W1- AssetCriteriaActGenerator	Used to create, update, read, or delete AssetCriteriaActGenerator in the WAM application. This component calls the W1- AssetCriteriaActGenerator business object using the Inbound Web Service.
W1- AssetListActGenerator	Used to create, update, read, or delete AssetListActGenerator in the WAM application. This component calls the W1- AssetListActGenerator business object using the Inbound Web Service.
W1- BasicWorkOrder	Used to create, update, read, or delete BasicWorkOrder in the WAM application. This component calls the W1- BasicWorkOrder business object using the Inbound Web Service.

Component	Description
W1- CompnAssetListActGenerator	<p>Used to create, update, read, or delete CompnAssetListActGenerator in the WAM application.</p> <p>This component calls the W1-CompnAssetListActGenerator business object using the Inbound Web Service.</p>
W1- CompnCriteriaActGenerator	<p>Used to create, update, read, or delete CompnCriteriaActGenerator in the WAM application.</p> <p>This component calls the W1-CompnCriteriaActGenerator business object using the Inbound Web Service.</p>
W1- CreComActivityInboundComm	<p>Used to create, update, read, or delete CreComActivityInboundComm in the WAM application.</p> <p>This component calls the W1-CreComActivityInboundComm business object using the Inbound Web Service.</p>
W1- CreateActivityInboundComm	<p>Used to create, update, read, or delete CreateActivityInboundComm in the WAM application.</p> <p>This component calls the W1-CreateActivityInboundComm business object using the Inbound Web Service.</p>
W1- LocalActivityCore	<p>Used to create, update, read, or delete LocalActivityCore in the WAM application.</p> <p>This component calls the W1-LocalActivityCore business object using the Inbound Web Service.</p>
W1- NodeCriteriaActGenerator	<p>Used to create, update, read, or delete NodeCriteriaActGenerator in the WAM application.</p> <p>This component calls the W1-NodeCriteriaActGenerator business object using the Inbound Web Service.</p>
W2-FirmwareCommandLocal	<p>Used to create, update, read, or delete FirmwareCommandLocal in the WAM application.</p> <p>This component calls the W2-FirmwareCommandLocal business object using the Inbound Web Service.</p>

Component	Description
W2-ACfgFirmwareUpgrade	<p>Used to create, update, read, or delete ACfgFirmwareUpgrade in the WAM application.</p> <p>This component calls the W2-ACfgFirmwareUpgrade business object using the Inbound Web Service.</p>
W2-ACCfgFirmwareUpgrade	<p>Used to create, update, read, or delete ACCfgFirmwareUpgrade in the WAM application.</p> <p>This component calls the W2-ACCfgFirmwareUpgrade business object using the Inbound Web Service.</p>
W2-ACACfgFirmwareUpgrade	<p>Used to create, update, read, or delete ACACfgFirmwareUpgrade in the WAM application.</p> <p>This component calls the W2-ACACfgFirmwareUpgrade business object using the Inbound Web Service.</p>
W2-ACACCfgFirmwareUpgrade	<p>Used to create, update, read, or delete ACACCfgFirmwareUpgrade in the WAM application.</p> <p>This component calls the W2-ACACCfgFirmwareUpgrade business object using the Inbound Web Service.</p>
W2-AACfgFirmwareUpgrade	<p>Used to create, update, read, or delete AACfgFirmwareUpgrade in the WAM application.</p> <p>This component calls the W2-AACfgFirmwareUpgrade business object using the Inbound Web Service.</p>
W2-AACCfgFirmwareUpgrade	<p>Used to create, update, read, or delete AACCfgFirmwareUpgrade in the WAM application.</p> <p>This component calls the W2-AACCfgFirmwareUpgrade business object using the Inbound Web Service.</p>
W1-WorkLocation	<p>Used to create, update, read, or delete WorkLocation in the WAM application.</p> <p>This component calls the W1-WorkLocation business object using the Inbound Web Service.</p>
W1- OutboundActivityCore	<p>Used to create, update, read, or delete OutboundActivityCore in the WAM application.</p> <p>This component calls the W1-OutboundActivityCore business object using the Inbound Web Service.</p>

Component	Description
W1- RTSVSCWOSQL	Used to retrieve/read ServiceSchedule Work Order against the ODM Work Order in the WAM application. This component calls the CM-RTSVSCWO business service using the ATW1RTSVSCWOSQL Inbound Web Service.

Appendix A

Inbound Web Services

The Oracle Utilities Work and Asset Management components are developed using Web services method, and these components require Inbound Web Services to be defined in the application.

This chapter includes the following:

- [Pre-requisites](#)
- [List of Inbound Web Services](#)

Pre-requisites

Before running the automation on Oracle Utilities Work and Asset Management, import the “W1-BundleImport” IWS flow into Oracle Utilities Work and Asset Management using Oracle Utilities Testing Accelerator. This imports all the necessary IWS required to automate flows in the Oracle Utilities Work and Asset Management environment.

Note: If the import process of the entire bundle is slow, break the bundle into parts and import.

For instructions to create, import, or search an Inbound Web Service, see the **Setting Up Inbound Web Services** appendix in *Oracle Utilities Testing Accelerator User's Guide*.

List of Inbound Web Services

The list of Inbound Web Services provided to use with the delivered components and flows is as follows:

- ATW1AcceptLineCraft
- ATW1AcceptLineMaterial
- ATW1AccountingCalendar
- ATW1ActivityComplInboundComm
- ATW1ActivityCompletionEventType
- ATW1ActivityEquipRequirement
- ATW1ActivityLaborRequirement
- ATW1ActivityMaterialRequirement
- ATW1ActivityOtherRequirement
- ATW1AdHocActivityCore
- ATW1AmtBasedAppvlProf
- ATW1ApprovalRequest
- ATW1AssessmentClass
- ATW1AssessmentGroup
- ATW1AssetAgeBktConfig
- ATW1AssetCompCfgRpt
- ATW1AssetCompCfgWO
- ATW1AssetCompConfig
- ATW1AssetCompToAssetCfgRpt
- ATW1AssetCompToAssetCfgWO
- ATW1AssetCompToAssetCompCfgRpt
- ATW1AssetCompToAssetCompCfgWO
- ATW1AssetCompToAssetCompConfig
- ATW1AssetCompToAssetConfig

- ATW1AssetCompletionEventType
- ATW1AssetConditionScoreBuckets
- ATW1AssetCriteriaActGenerator
- ATW1AssetCriticalityBuckets
- ATW1AssetDocument
- ATW1AssetDposCmpEvtType
- ATW1AssetInstallAgeBktConfig
- ATW1AssetInstoreAgeBktConfig
- ATW1AssetListActGenerator
- ATW1AssetLoc
- ATW1AssetLocSpecTemplWorkOrder
- ATW1AssetLocationSpecificTemplateActivity
- ATW1AssetReplicationActivity
- ATW1AssetReplicationComplEvent
- ATW1AssetSearchMasterConfig
- ATW1AssetToAssetCfgRpt
- ATW1AssetToAssetCfgWO
- ATW1AssetToAssetCompCfgRpt
- ATW1AssetToAssetCompCfgWO
- ATW1AssetToAssetCompConfig
- ATW1AssetType
- ATW1AssetTypeAverageCost
- ATW1Assetloctype
- ATW1AssettoAssetconfig
- ATW1BCAccessList
- ATW1BCCraftLine
- ATW1BCEquipmentLine
- ATW1BCHHeader
- ATW1BCHHeaderIntegration
- ATW1BCOtherLine
- ATW1BCStockItemLine
- ATW1BIExtractParameters
- ATW1BOMGenStockItem
- ATW1BasicActivityType
- ATW1BasicTest
- ATW1BasicWorkOrder

- ATW1BillableRate
- ATW1Business
- ATW1BusinessUnit
- ATW1Buyer
- ATW1CalendarAnniversary
- ATW1CalendarInterval
- ATW1CalendarWarranty
- ATW1CalendarWarrantyTerm
- ATW1CapabilityType
- ATW1Circle
- ATW1Color
- ATW1CommodityCategory
- ATW1CommodityName
- ATW1CommodityType
- ATW1CommonShiftPlanTemplate
- ATW1CommunicationComponentSpec
- ATW1CommunicationRelaySpec
- ATW1CompnAssetListActGenerator
- ATW1CompnCriteriaActGenerator
- ATW1ComponentType
- ATW1ComponentTypeAverageCost
- ATW1ConfigType
- ATW1ContactType
- ATW1CostCategory
- ATW1CostCenter
- ATW1CostCenterExpenseCode
- ATW1Course
- ATW1Craft
- ATW1CraftPOLine
- ATW1CreActivityCmpEvt
- ATW1CreActivityPayCmpEvt
- ATW1CreAssetAttachCmpEvt
- ATW1CreAssetCmpEvt
- ATW1CreAssetDocumentCmpEvt
- ATW1CreAssetPayCmpEvt
- ATW1CreComActivityInboundComm

- ATW1CreLocationDocumentCmpEvt
- ATW1CreNodeAttachCmpEvt
- ATW1CreServiceHistoryAttCmpEvt
- ATW1CreServiceHistoryPayCmpEvt
- ATW1CreSvcHistCmpEvt
- ATW1CreWorkReqDocumentCmpEvt
- ATW1CreWorkRequestPayCmpEvt
- ATW1CreateActivityInboundComm
- ATW1Crew
- ATW1CrewShiftActivitySchedules
- ATW1CrewShiftTemplate
- ATW1CrewType
- ATW1CrewWithCraft
- ATW1DailySchedule
- ATW1DailyScheduleType
- ATW1DataAreaCmpEvtType
- ATW1DistributionCode
- ATW1DocAct
- ATW1DocAttachment
- ATW1DocCmplEvt
- ATW1DocCmplEvtType
- ATW1DocUrl
- ATW1DocumentType
- ATW1Employee
- ATW1EmployeeType
- ATW1EquipForTemplateAct
- ATW1Equipment
- ATW1EquipmentPOLine
- ATW1EquipmentPRLine
- ATW1Expedite
- ATW1ExpenseCode
- ATW1FOB
- ATW1Factor
- ATW1FactorValue
- ATW1FailureComponent
- ATW1FailureMode

- ATW1FailureProfile
- ATW1FailureProfileFailureComp
- ATW1FailureProfileFailureMode
- ATW1FailureProfileFailureRepair
- ATW1FailureProfileFailureType
- ATW1FailureRepair
- ATW1FailureServiceHistory
- ATW1FailureType
- ATW1FinancialMasterConfig
- ATW1FinancialTransaction
- ATW1FirmwareSpecification
- ATW1FirmwareVersion
- ATW1Function
- ATW1FunctionType
- ATW1GaugeReadWithThresholdMeasType
- ATW1GeneralAssetLocation
- ATW1GeneralAssetLocationType
- ATW1GeneralCommunicationType
- ATW1GeneralCompletionEventType
- ATW1GeneralTemplateActivity
- ATW1GeneralTemplateWorkOrder
- ATW1IOSvcFleetAsset
- ATW1IOSvcITAsset
- ATW1IOSvcITComponent
- ATW1IOSvcInfrastructureAsset
- ATW1InOutSvcAsset
- ATW1InOutSvcComponent
- ATW1InOutofServiceGeneralAsset
- ATW1InOutofServiceGeneralComponent
- ATW1IndependentPartBOM
- ATW1InventoryAdjustmentIT
- ATW1InventoryAdjustmentLM
- ATW1InventoryAdjustmentRI
- ATW1InventoryMgmtMasterConfig
- ATW1InvoiceHeader
- ATW1InvoiceLine

- ATW1LaborEarningType
- ATW1LaborForTemplateAct
- ATW1Leave
- ATW1LeaveType
- ATW1Line
- ATW1LinearAssetLocation
- ATW1LinearAssetLocationType
- ATW1LocalActivityCore
- ATW1LocalActivityCoreWAM
- ATW1LocationDocument
- ATW1MDMAsset
- ATW1MTBFMT*TRBuckets
- ATW1MaintenanceSchedule
- ATW1ManualMeterSpecification
- ATW1Manufacturer
- ATW1MassUpd
- ATW1MaterialRequestHeader
- ATW1MaterialRequestLine
- ATW1MaterialRequestTemplate
- ATW1MaterialReturnHeader
- ATW1MeasQuickEntryActivityType
- ATW1MeasurementUOM
- ATW1MeterReadWithRollOverMeasType
- ATW1MigrPlan
- ATW1MigrTransactionImport
- ATW1MigrationAssistantConfig
- ATW1MsrmtQuickEntryActivity
- ATW1MsrmtQuickEntryCmplEvt
- ATW1MsrmtQuickEntryCmplEvtType
- ATW1MsrmtTrackedGeneralAsset
- ATW1MsrtQuickEntryCmplEvtTyp
- ATW1NoAppvlRequiredProf
- ATW1NodeCriteriaActGenerator
- ATW1NonAmtBasedAppvlProf
- ATW1NumberOfCyclesOverdueBucket
- ATW1NumericGauge

- ATW1NumericMeter
- ATW1ODCEquipment
- ATW1OperationalReadingCmpEvt
- ATW1Organization
- ATW1OrganizationType
- ATW1Other
- ATW1OtherDirectCharges
- ATW1OtherDirectChargesOther
- ATW1OtherForTemplateAct
- ATW1OtherResourcePOLine
- ATW1OutboundActivityCore
- ATW1OutboundActivityType
- ATW1OvertimeType
- ATW1PIHeader
- ATW1POHeaderDocuments
- ATW1POHeaderIntegration
- ATW1POHeaderNotes
- ATW1POLineDocuments
- ATW1POLineIntegration
- ATW1POLineNotes
- ATW1PRCrLine
- ATW1PRCreBC
- ATW1PREqLine
- ATW1PRHeader
- ATW1PRORLine
- ATW1PRSILine
- ATW1PaymentTerm
- ATW1Person
- ATW1PersonWAM
- ATW1PhysicalInventoryCountLine
- ATW1PhysicalInventoryCountMaster
- ATW1PhysicalInventoryHeader
- ATW1Planner
- ATW1PlantAssetLocation
- ATW1PlantAssetLocationType
- ATW1Project

- ATW1ProjectCategory
- ATW1PurchaseCommodity
- ATW1PurchaseOrderHeader
- ATW1PurchaseRequisition
- ATW1PurchasingMasterConfig
- ATW1Question
- ATW1QuestionnaireSvcHist
- ATW1QuestionnaireSvcHistType
- ATW1RCMCalendarAnniversary
- ATW1RCMCalendarInterval
- ATW1RCMRuntimeAnniversary
- ATW1RCMRuntimeInterval
- ATW1RCMTrigPlndFailureInfoLITE
- ATW1RETCEVT
- ATW1ReadLogEntry
- ATW1ReadWithNoEvaluateMeasType
- ATW1ReceiptHeader
- ATW1ReceiptLine
- ATW1ReceiptLineCraft
- ATW1ReorderReview
- ATW1ReplicationComplEventType
- ATW1ResourceMgmtMasterConfig
- ATW1ResourceUOM
- ATW1RetrieveComplEvents
- ATW1ReturnLine
- ATW1RuntimeAnniversary
- ATW1RuntimeInterval
- ATW1RuntimeWarranty
- ATW1RuntimeWarrantyTerm
- ATW1SIDDirectPurchase
- ATW1SIDExpensedAtReceipt
- ATW1SIDInventory
- ATW1SIDSpecificDirectPurchase
- ATW1SIDSpecificLot
- ATW1SchedulePlan
- ATW1SchedulePlanType

- ATW1ScheduledActivityType
- ATW1ScheduledActivityTypeWAM
- ATW1ServHistFromActTypeCmplEvtType
- ATW1ServiceArea
- ATW1ServiceClass
- ATW1ServiceHistTypeCmpEvtType
- ATW1ServiceHistory
- ATW1ServiceHistoryType
- ATW1ServicePoint
- ATW1ShiftPlanTemplate
- ATW1SingleAssetCfgRpt
- ATW1SingleAssetCfgWO
- ATW1SingleAssetConfig
- ATW1SmartMeterSpecification
- ATW1SmartTest
- ATW1StandardNote
- ATW1StockItem
- ATW1StockItemPOLine
- ATW1StockTransaction
- ATW1StockTransferHeader
- ATW1StockTransferIssueLine
- ATW1StockTransferReceiptHeader
- ATW1StockTransferReceiptLine
- ATW1StockTransferRequestLine
- ATW1StorageLocation
- ATW1StorageLocationType
- ATW1StoreroomInventoryMgmt
- ATW1SubscriptionShiftPlanTemp
- ATW1SynchronizationAddContact
- ATW1TaxRateSchedule
- ATW1TemplateActivityLaborReq
- ATW1TemplateActivityMaterialReq
- ATW1TimePeriod
- ATW1Timesheet
- ATW1TimesheetDetail
- ATW1TrackedFleetSpecification

- ATW1TrackedGeneralAsset
- ATW1TrackedGeneralComponent
- ATW1TrackedGeneralSpecification
- ATW1TrackedITAsset
- ATW1TrackedITComponent
- ATW1TrackedITSpecification
- ATW1TrackedInfrastructureSpec
- ATW1TrnAssetCmpEvent
- ATW1UpdAssetPayCmpEvt
- ATW1UpdNodePayCmpEvt
- ATW1User
- ATW1Vehicle
- ATW1Vendor
- ATW1VendorLocation
- ATW1WAMBIExtractParameters
- ATW1WAssetAgeBuckets
- ATW1WAssetInstallAgeBuckets
- ATW1WorkCalendar
- ATW1WorkManagementMasterConfig
- ATW1WorkOrder
- ATW1WorkPriorityBuckets
- ATW1WorkReqComplEvtType
- ATW1WorkRequest
- ATW1WorkRequestComplEvt
- ATW2CommunicationComponent
- ATW2CommunicationRelay
- ATW2FirmwareVersion
- ATW2ManualMeter
- ATW2ManualMeterSpecification
- ATW2ServicePoint
- ATW2SmartMeter
- ATW2SmartMeterSpecification
- ATW1READASSETLOCID
- ATW1READCONTACT
- ATW1READSRVHSTID
- ATW1ActivityReconciliation

- ATW1ARSQL
- ATW1BOMGENSISQL
- ATW1CMPOHSQL
- ATW1ConstructionLocation
- ATW1ConstructionWorkActivity
- ATW1ConstructionWorkOrder
- ATW1ConstrWorkActivityType
- ATW1ContractorBid
- ATW1ContractorBidNotes
- ATW1ContractorBidRefAttachments
- ATW1CrewTypeCUEquipmentProfile
- ATW1CrewTypeCULaborProfile
- ATW1CrewTypeCUProfile
- ATW1CU
- ATW1CUCategory
- ATW1CULaborAndEquipment
- ATW1CUMaterialResources
- ATW1CUMaterialsForRemoval
- ATW1CUNotes
- ATW1CUREfAttachments
- ATW1CUSetNotes
- ATW1CUSET
- ATW1CUSetRefAttachments
- ATW1CUUsage
- ATW1RTARID
- ATW1DeleteGeneralProcessRecord
- ATW1DesignElement
- ATW1DesignElementCU
- ATW1DesignElementItems
- ATW1EquipmentGroup
- ATW1FTSQL
- ATW1NUMGAUGESQL
- ATW1NUMMETERSQL
- ATW1Overhead
- ATW1PropUnit
- ATW1PropUnitBundlingAddBO

- ATW1PropUnitPhysicalBO
- ATW1RETCLCUCC
- ATW1RETCUHIER
- ATW1RETCURES0
- ATW1RETDEHIER
- ATW1RETREFCU
- ATW1RETREFDCU
- ATW1RETWDDE
- ATW1RNCACRRQ
- ATW1RRSQL
- ATW1RSTTTAUPR
- ATW1RTACONLAS
- ATW1RTACTACGL
- ATW1RTACTACRC
- ATW1RTACTRCON
- ATW1RTCBASTPU
- ATW1RTCCCUUSG
- ATW1RTCNASTPU
- ATW1RTC0NLACU
- ATW1RTCRACTTY
- ATW1RTCUSTCU
- ATW1RTEASTISD
- ATW1RTNFODCDT
- ATW1RTNF0SDL
- ATW1RTNF0WACT
- ATW1RTPRC0AST
- ATW1RTVLTASTY
- ATW1SVCHSTWAMSQL
- ATW1WDR0fAttachments
- ATW1WorkDesign
- ATW1WorkDesignNotes
- ATW1AcceptLineSQL
- ATW1D0TOHCST
- ATW1ID0TOHCST
- ATW1RTSVSCW0SQL
- ATF1Lookup

- ATF1InstallationOptions
- ATW1WOActivityActiveOutboundMsg
- ATW1WOActivityFinalOutboundMsg
- ATW1WorkCategory
- ATW1WorkCategoryBundlingAddBO
- ATW1WorkCategoryPhysicalBO
- ATW1WorkClass
- ATW1WorkClassBundlingAddBO
- ATW1WorkClassPhysicalBO
- ATW1ServiceCondition
- ATW1ActivityGenerator
- ATW1CUAccessory
- ATW1CUFunction
- ATW1ActivityChecklist
- ATW1ChecklistType
- ATW1ComplianceCategory
- ATW1ComplianceType
- ATW1CorrectiveComplianceType
- ATW1Fact
- ATW1OnlineLoaderReq
- ATW1OnlineLoaderRequestType
- ATW1CrAnyServiceHistoryCmplEvt
- ATW1GenericAttachmentLite
- ATW2SmartMeterConfiguration
- ATW2SmartMeter
- ATW2SiteLocation
- ATW2ServicePointInstruction
- ATW2ManualMeterConfiguration
- ATW2CommunicationComponentCfg
- ATW1WAMToGISSyncMapping
- ATW1TransferShippingMemo
- ATW1TrackedStockShippingLine
- ATW1StockShippingLine
- ATW1Specification
- ATW1SiteLocation
- ATW1SOMActivityType

- ATW1SOMActivity
- ATW1ReturnShippingMemo
- ATW1ResetAssetConditionRatingSH
- ATW1ReplaceAssetOutbound
- ATW1ReplaceAssetLocal
- ATW1RepairShippingMemo
- ATW1ReceiptIntegInbound
- ATW1PlannerWOSummary
- ATW1PeerSpecification
- ATW1LotStockShippingLine
- ATW1MaterialIssueLine
- ATW1Item
- ATW1ItemSpecification
- ATW1GeneralShippingMemo
- ATW1Document
- ATW1CrewWOSummary
- ATW1Adjustment
- ATW1AdjustmentType
- ATW1BatchLoaderRequestType
- ATW1AccessGroupTables
- ATW1AssetDisposition
- ATW1ERPIntegrationMasterConfig
- ATW1GeneralProcess
- ATW1HCMIntegrationMasterConfig
- ATW1InterfaceTSDInboundComm
- ATW1LeaveInt
- ATW1OngoingSyncRequestCostCtr
- ATW1OngoingSyncRequestEmployee
- ATW1OngoingSyncRequestAssetNode
- ATW1InspectionTypeDeficiency
- ATW1InspectionTypePercentOfNew
- ATW1ResetAssetConditionRatinSHT
- ATW1ItemServicePoint
- ATW1OngoingSyncRequestStockItem
- ATW1PurchaseOrderIntegInbound
- ATW1ItemConfiguration

- ATW1TimShtQuickEntryCmplEvtType
- ATW1Timekeeper
- ATW1TimesheetQuickEntryActivity
- ATW1TimeSheetQuickEntryCmplEvt
- ATW1CMWRWORKDUP
- ATW1RetEmpAvailTime
- ATW1AssetDownTime
- ATW1GenMaterialDisposition
- ATW1InspectionDeficiency
- ATW1InspectionPercentOfNew
- ATW1MaintenanceManager
- ATW1MaintenanceEvent
- ATW1RTAORID
- ATW1RTAERID
- ATW1RTALRID
- ATW1RTAMRID
- ATW1OngoingSyncRequestStockItemByExternalId
- ATW1SEARCHEMPBYEXTID
- ATW1TSDBYACTID
- ATW1RET*TSPEM
- ATW1RET*TSDET
- ATW1RETINCOMM
- ATW1RETSHACT
- ATW1RetrieveComplEventsDtl
- ATW1CMStockItemInformation
- ATW1CMStockItemIdentifier
- ATW1CMFieldActivityIdentifier
- ATW1CMFieldActivityWorkWindow
- ATW1CMFieldActivityLocation
- ATW1CMFieldActivityInformation
- ATW1CMPermitByInfo
- ATW1CMPermitByIdentifier
- ATW1CMCrewShiftByServiceInfo
- ATW1CMCrewShiftByCrewInfo
- ATW1CMCrewShiftByIndentifier
- ATW1CMCrewShiftBySchdPlanInfo

- ATW1CMChangeReqByInfo
- ATW1CMChangeReqByRelatedObj
- ATW1CMChangeReqByIdentifier
- ATW1CMActivityGenByInfo
- ATW1CMActivityGenByIdentifier
- ATW1CMActivityGenByTemplateInfo
- ATW1CMActivityGenBySrvSchdInfo
- ATW1CMRcvAllnPartial
- ATW1CMAssetInformation
- ATW1CMAssetIdentifier
- ATW1CMAssetDisposition
- ATW1CMAssetSpecification
- ATW1CMEmployeeInformation
- ATW1CMInstallDate
- ATW1CMAssetMaintenanceSpecification
- ATW1CMAssetAttribute
- ATW1PRPOHSQL
- W1-IntODCDtl
- W1-InfTMSDtl
- W1-CreateMobileWorkOrder
- W1-AssetComponentHistory
- ATW1CMCopyNRebalanceActAstList
- ATW1AssetComponentHistory
- ATW1CMAssetLocationByAssetLocationInformation
- ATW1CMAssetLocationByAssetLocationIdentifier
- ATW1CMAssetLocationByContactName
- ATW1CMAssetLocationByLatitudeandLongitude
- ATW1CMAssetLocationBySystem
- ATW1CMStockItemDetailByStockItemDetailInfo
- ATW1CMStockItemDetailByStockItemDetailID
- ATW1CMStockItemDetailByStockItemInfo
- ATW1CMBlanketSearchByBlanketContractHeaderInfo
- ATW1CMBlanketSearchByBlanketContractHeaderID
- ATW1CMBlanketSearchByBlanketContractHeaderResourceType
- ATW1CMRETPOLINEID
- ATW1CMRETPRLINEID

- ATW1CMSCHEDULEDCREWSHIFTBYACTIVITYID
- ATW1CMWorkActivityByMaintScheduleTrigger
- ATW1CMPPOHeaderInfo
- ATW1CMPOLineInfo
- ATW1CMPPOHeaderId
- ATW1CMPOByWorkOrder
- ATW1CMPRByHeaderInfo
- ATW1CMPRByLineInfo
- ATW1CMPRById
- ATW1CMPRByWOInfo
- ATW1CMMaterialRequestHeaderInformation
- ATW1CMMaterialRequestHeaderID
- ATW1CMInvoiceHeaderInformation
- ATW1CMInvoiceHeaderIdentifier
- ATW1CMInvoiceLineInformation
- ATW1CMShippingMemoSearchByShippingMemoInfo
- ATW1CMAssetQuery
- ATW1CMShippingMemoByShippingMemoID

Appendix B

Identifying Fields For a Web Service Request

The requisite fields need to be filled up with data in order to map the value on a given schema. Example: When a person is added online, only the field description is shown, but the exact field mapping is hidden from the user.

Following are the methods you can use to identify fields for a web service request and add data in those fields:

- [Debug Mode in the Application](#)
- [IE Development Tool Bar](#)
- [SOAP UI](#)


Debug Mode in the Application

The debug mode enables users to check the field mapping on a given maintenance page. This is actually the easiest among the different possible ways; however some clients may have system restriction (such as access restriction) on using debug mode.

To enter test data in the requisite fields using the debug method:

1. Login to the Oracle Utilities Work and Asset Management application in the 'debug' mode.
2. Before clicking the Debug mode switch ensure to navigate first to the target page.

Example: Person maintenance page



3. Perform the required action and click **Save**.

For example: The figure below shows adding a person (person name, person phone, person contacts, Person IDs, etc)

The screenshot displays the 'Person' form in the application. The form is organized into several sections:

- Person Information:** Includes a 'Person ID' field and a 'Person/Business' dropdown set to 'Person'.
- Person Names:** A table with columns for Name Type (Primary) and Person Name (Sanity,48173).
- Person Phones:** A table with columns for Phone Type, Phone Number, Extension, and Phone Format.
- Person Contacts:** A table with columns for Contact Routing, Person Contact Type, Contact Information, Extension, Format, Primary, and Do Not.
- Person IDs:** A table with columns for Primary ID (checked), ID Type (Social security number), ID Number (523-65-5514), and Identifier Format (999-99-9999).

The schema window showing the populated values is displayed.

```

https://slc08gbm.us.oracle.com:10701/ouaf/cisMain.jsp?language=ENG
<field name="IN_CITY_LIM_LBL">In City Limit</field>
<field name="GEO_CODE_LBL">Geographic Code</field>
<list name="PER_IDENTIFIER">
  <listHeader>
    <field name="PER_ID"></field>
    <field name="LAST_ID_TYPE_CD"></field>
    <field name="moreRows">false</field>
    <field name="remainingRows">0</field>
    <field name="lastInfo"></field>
  </listHeader>
  <listBody action="A">
    <field name="PER_ID"></field>
    <field name="ID_TYPE_CD">SSN</field>
    <field name="PER_ID_NBR">523-65-5514</field>
    <field name="PRIM_SW">>true</field>
    <field name="VERSION">0</field>
    <field name="ENCR_PER_ID_NBR"></field>
    <field name="HASH_PER_ID_NBR"></field>
    <field name="IDENTIFIER_FMT">999-99-9999</field>
  </listBody>
</list>
<list name="PER_NAME">
  <listHeader>
    <field name="PER_ID"></field>
    <field name="LAST_SEQ_NUM">0</field>
    <field name="moreRows">false</field>
    <field name="remainingRows">0</field>
    <field name="lastInfo"></field>
  </listHeader>
  <listBody action="A">
    <field name="ENTITY_NAME_UPR"></field>
    <field name="PER_ID"></field>
    <field name="SEQ_NUM">0</field>
    <field name="ENTITY_NAME">Sanity,48173</field>
    <field name="NAME_TYPE_FLG">PRIM</field>
    <field name="VERSION">0</field>
    <field name="PRIM_NAME_SW">>false</field>
  </listBody>
</list>
<list name="PER_CHAR">
  <listHeader>
    <field name="PER_ID"></field>
    <field name="LAST_CHAR_TYPE_CD"></field>
    <field name="LAST_EFFDT"></field>
    <field name="moreRows">false</field>
    <field name="remainingRows">0</field>
    <field name="lastInfo"></field>
  </listHeader>
  <listBody action="A">

```

- Navigate to the Business Object or Business Service look up window for the requisite field.

For example: In the figure below, ENTITY_NAME is named as entityName.

```

<effectiveDate dataType="date" mapField="EFFDT"/>
<adhocCharacteristicValue mapField="ADHOC_CHAR_VAL"/>
<version dataType="number" mapField="VERSION"/>
<characteristicValueForeignKey1 mapField="CHAR_VAL_FK1"/>
<characteristicValueFK2 mapField="CHAR_VAL_FK2"/>
<characteristicValueFK3 mapField="CHAR_VAL_FK3"/>
<characteristicValueFK4 mapField="CHAR_VAL_FK4"/>
<characteristicValueFK5 mapField="CHAR_VAL_FK5"/>
<searchCharacteristicValue mapField="SRCH_CHAR_VAL"/>
</personCharacteristic>
<personId2 type="list" mapChild="CL_PER_ID">
  <personId mapField="PER_ID"/>
  <idType mapField="ID_TYPE_CD"/>
  <personIdNumber mapField="PER_ID_NBR"/>
  <isPrimaryId dataType="boolean" mapField="PRIM_SW"/>
  <version dataType="number" mapField="VERSION"/>
  <encryptedIdNumber mapField="ENCR_PER_ID_NBR"/>
  <hashIdNumber mapField="HASH_PER_ID_NBR"/>
</personId2>
<personName type="list" mapChild="CL_PER_NAME">
  <uppercaseEntityName mapField="ENTITY_NAME_UPR"/>
  <personId mapField="PER_ID"/>
  <sequence dataType="number" mapField="SEQ_NUM"/>
  <entityName mapField="ENTITY_NAME"/>
  <nameType dataType="lookup" mapField="NAME_TYPE_FLG" lookup="NAME_TYPE_FLG"/>
  <version dataType="number" mapField="VERSION"/>
  <isPrimaryName dataType="boolean" mapField="PRIM_NAME_SW"/>
</personName>
<personPerson type="list" mapChild="CL_PER_PER">
  <personId1 mapField="PER_ID1"/>
  <personId2 mapField="PER_ID2"/>
  <personRelationshipType mapField="PER_REL_TYPE_CD"/>
  <startDate dataType="date" mapField="START_DT"/>
  <endDate dataType="date" mapField="END_DT"/>
  <boolean mapField="FINAN_REL_SW"/>

```

- In the flow, search for the requisite field and enter the component test data.

WS-SETXMLLISTELEMENT			uppercaseEntityName	<input type="checkbox"/>	
WS-SETXMLLISTELEMENT			personId	<input type="checkbox"/>	
WS-SETXMLLISTELEMENT			sequence	<input type="checkbox"/>	
WS-SETXMLLISTELEMENT			entityName	<input type="checkbox"/>	Sanity,UserTesting3
WS-SETXMLLISTELEMENT			nameType	<input type="checkbox"/>	PRIM
WS-SETXMLLISTELEMENT			version	<input type="checkbox"/>	
WS-SETXMLLISTELEMENT			isPrimaryName	<input type="checkbox"/>	

- Click **Save** to save the test data.


IE Development Tool Bar

The IE Development tool bar, available in IE11, enables users to inspect the page and its field mapping. It is on a 1:1 basis, meaning one inspect = one field.


To enter test data in the requisite fields using the IE Development tool bar, follow these steps:

1. Login to Oracle Utilities Work and Asset Management using Internet Explorer 11.
2. Navigate to the page where the requisite field needs to be updated with data.


For example: The figure below shows the Account page where the **Characteristic Value** field on the **Characteristics** tab needs to be updated.



3. Press **F12**. The browser displays the F12 developer tools that help in building and debugging web pages.




- On the F12 tools menu, click the **DOM Explorer** tab, and then click the **Select element** icon.



- On the application page, click the field for which you need to enter the data. The DOM Explorer shows the HTML for the selected field.

For example: Click the **Characteristic Value** field on the **Account** page. The DOM Explorer shows the **ID** of that field.



- On the object lookup window, search the requisite field.

For example: Search for CHAR_VAL_FK1.

```

<version dataType="number" mapField="VERSION"/>
</accountAlert>
<accountAutopay type="list" mapChild="CL_ACCT_APAY">
  <accountAutoPayId mapField="ACCT_APAY_ID"/>
  <accountId mapField="ACCT_ID"/>
  <startDate dataType="date" mapField="START_DT"/>
  <endDate dataType="date" mapField="END_DT"/>
  <autopaySource mapField="APAY_SRC_CD"/>
  <externalAccountId mapField="EXT_ACCT_ID"/>
  <expireDate dataType="date" mapField="EXPIRE_DT"/>
  <entityName mapField="ENTITY_NAME"/>
  <comments mapField="COMMENTS"/>
  <version dataType="number" mapField="VERSION"/>
  <autopayMaxWithdrawalAmount dataType="money" mapField="APAY_MAX_WDRWL_AMT"/>
  <autoPayMethod dataType="lookup" mapField="APAY_METHOD_FLG" lookup="APAY_METHOD_FLG"/>
  <encryptedExternalAccountId mapField="ENCR_EXT_ACCT_ID"/>
</accountAutopay>
<accountCharacteristic type="list" mapChild="CL_ACCT_CHAR">
  <accountId mapField="ACCT_ID"/>
  <characteristicType mapField="CHAR_TYPE_CD"/>
  <effectiveDate dataType="date" mapField="EFFDT"/>
  <characteristicValue mapField="CHAR_VAL"/>
  <adhocCharacteristicValue mapField="ADHOC_CHAR_VAL"/>
  <version dataType="number" mapField="VERSION"/>
  <characteristicValueForeignKey1 mapField="CHAR_VAL_FK1"/>
  <characteristicValueFK2 mapField="CHAR_VAL_FK2"/>
  <characteristicValueFK3 mapField="CHAR_VAL_FK3"/>
  <characteristicValueFK4 mapField="CHAR_VAL_FK4"/>
  <characteristicValueFK5 mapField="CHAR_VAL_FK5"/>
  <searchCharacteristicValue mapField="SRCH_CHAR_VAL"/>
</accountCharacteristic>
<accountMessage type="list" mapChild="CL_ACCT_MSG">
  <accountId mapField="ACCT_ID"/>

```

- In the flow, add the necessary data into the field.

WS-SETXMLLISTELEMENT				characteristicValue	<input type="text" value="2047163110"/>
WS-SETXMLLISTELEMENT				adhocCharacteristic...	<input type="text"/>
WS-SETXMLLISTELEMENT				version	<input type="text"/>
WS-SETXMLLISTELEMENT				characteristicValueF...	<input type="text"/>
WS-SETXMLLISTELEMENT				characteristicValueFK2	<input type="text"/>
WS-SETXMLLISTELEMENT				characteristicValueFK3	<input type="text"/>
WS-SETXMLLISTELEMENT				characteristicValueFk4	<input type="text"/>
WS-SETXMLLISTELEMENT				characteristicValueFK5	<input type="text"/>

- Click **Save** to save the data.

SOAP UI

This method is an alternative to the other methods mentioned above if the user is familiar with SOAP UI.

To identify the requisite fields using SOAP UI, follow these steps:

1. Login to the application.
2. Navigate to the page where the test data has to added. Add the data in the respective fields.

For example: The figure below shows the **Case** page where **Characteristics Type** and **Characteristic Value** are added in the **Characteristics** section.

The screenshot displays the 'Case' page in SOAP UI. At the top, there is a navigation bar with links for Home, Menu, Admin, History, Control Central, and Account Information. Below this is a toolbar with buttons for Start Debug, Stop Debug, Show Trace, Clear Trace, Log Entries (200), Show User Log, Validate On DB, Global Debug, and JS Co. The main content area is titled 'Case' and includes a sub-header with 'Main', 'Case Portal', and 'Log'. The case details are as follows:


- Case Info:** Open - STATUS A, TEST CASE INFO, 2347 Days Old, Madera, Mark, Created: 05-04-2010 06:30PM. Case ID: 4331850301.
- Case Type:** CASEINFO (selected), TEST CASE INFO.
- Status:** STATUS A.
- Date/Time Opened:** 05-04-2010 06:30PM.
- Actions:** STATUS B.
- Comment:** sample test.
- Person:** 7182282498 (selected), Smith, Dan.
- Account:** 0129423474 (selected), Smith, Dan - Residential.
- Premise:** 7974676471 (selected), 1 Dan Street, San Francisco, CA, 43212, USA, Apartment, 7974676471.
- Responsible User:** SPLMXM1 (selected), Madera, Mark.

Below the case details is the 'Contact Information' section with fields for Contact Person (7182282498, Smith, Dan), Preferred Contact Method, Contact Instructions, Callback Phone Type, and Callback Phone Number (with Extension and Phone Format sub-fields).

The 'Characteristics' section contains a table with the following data:

Characteristic Type	Characteristic Value
Short comment	TEST CHARTYPE INFO
Bill Amount	100
Callback Date / Time	01-01-2008-00:01:00

- On the SOAP UI, perform a Read using the data that has been added on the **Case** page (in step 2). The result is displayed in the right pane.



- Copy the values and paste them in the respective fields on the flow.

For example: COMMENT and TEST CHARTYPE INFO are the values for characteristicType and adhocCharacteristicValue fields.

Note: Not all fields populated on the SOAP response needs to be populated on the flow. (For example: version, info, other type of description, etc).

WS-SETXMLLISTELEMENT		Add	caseCharacteristic	
WS-SETXMLLISTELEMENT			toDoCaseId	<input type="text"/>
WS-SETXMLLISTELEMENT			characteristicType	<input type="text" value="COMMENT"/>
WS-SETXMLLISTELEMENT			sequence	<input type="text" value="1"/>
WS-SETXMLLISTELEMENT			searchCharacteristicValue	<input type="text"/>
WS-SETXMLLISTELEMENT			characteristicValueFK5	<input type="text"/>
WS-SETXMLLISTELEMENT			characteristicValueFK4	<input type="text"/>
WS-SETXMLLISTELEMENT			characteristicValueFK3	<input type="text"/>
WS-SETXMLLISTELEMENT			characteristicValueFK2	<input type="text"/>
WS-SETXMLLISTELEMENT			characteristicValueForel...	<input type="text"/>
WS-SETXMLLISTELEMENT			adhocCharacteristicValue	<input type="text" value="TEST CHARTYPE INFO"/>
WS-SETXMLLISTELEMENT			characteristicValue	<input type="text"/>
WS-SETXMLLISTELEMENT			version	<input type="text"/>

- Click **Save** to save the data.