

Oracle® Banking Accounts Cloud Service

Oracle Banking ELCM Integration Guide



Release 14.7.1.0.0
F85094-01
September 2023

ORACLE®

Copyright © 2022, 2023, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Purpose	iv
Audience	iv
Documentation Accessibility	iv
Diversity and Inclusion	iv
Conventions	v
Related Resources	v
Acronyms and Abbreviations	v
Screenshot Disclaimer	v

1 Oracle Banking Routing Hub

2 ELCM Implementation

2.1	Service Providers	2-1
2.2	Service Consumers	2-3
2.2.1	Create Block	2-5
2.2.2	Utilize	2-10
2.2.3	Query Utilization	2-13
2.2.4	Get Valid Lines	2-16

3 Maintenance for Oracle Banking Accounts

3.1	Create Upload Source	3-1
3.2	Configure Source Code	3-2
3.3	Create Upload Source Preference	3-3
3.4	Configure Oracle Banking Routing Hub	3-3

Index

Preface

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Diversity and Inclusion](#)
- [Conventions](#)
- [Related Resources](#)
- [Acronyms and Abbreviations](#)
- [Screenshot Disclaimer](#)

Purpose

This guide describes the APIs that are configured in Oracle Banking Accounts Cloud Service through Oracle Banking Routing Hub Module.

Audience

This guide is primarily intended for the following user / user roles:

Table 1 Audience

Role	Function
Implementation and IT Staff	Implementation and maintenance of the software.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain

compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Related Resources

The related documents are as follows:

- *Routing Hub Configuration User Guide*

Acronyms and Abbreviations

The following acronyms and abbreviations are used in this guide:

Table 2 Acronyms

Abbreviation	Description
API	Application Programming Interface
EOD	End of Day
ELCM	Enterprise Limits and Collateral Management
OBACS	Oracle Banking Accounts Cloud Service
OBCDDA	Oracle Banking Corporate Demand Deposit Account

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.


1

Oracle Banking Routing Hub

This topic provides the information about Oracle Banking Routing Hub.

Oracle Banking Routing Hub enables seamless and standardized integrations between FSGBU Banking Products using configurations provided as part of the product infrastructure as displayed below.

Figure 1-1 Oracle Banking Routing Hub



For more details on Oracle Banking Routing Hub configuration, refer to the *Oracle Banking Routing Hub Configuration Guide*.

2

ELCM Implementation

This topic provides the information about APIs configured using Oracle Banking Routing Hub.

createBlock

Host: cnobfc-cluster-1-ms1.fsgbu-obcbcs-nonprod--obfc-devtestbank1:7501

Version: 14.6.1.0.0

utilize

Host: cnobfc-cluster-1-ms1.fsgbu-obcbcs-nonprod--obfc-devtestbank1:7501

Version: 14.6.1.0.0

QueryUtilization

Host: cnobfc-cluster-1-ms1.fsgbu-obcbcs-nonprod--obfc-devtestbank1:7501

Version: 14.6.1.0.0

getValidLines

Host: cnobfc-cluster-1-ms1.fsgbu-obcbcs-nonprod--obfc-devtestbank1:7501

Version: 14.6.1.0.0

- [Service Providers](#)

This topic provides the information about the multiple service providers that are added to configure ELCM.

- [Service Consumers](#)

This topic provides the information about the multiple service consumers that are added to configure ELCM in Oracle Banking Routing Hub.


2.1 Service Providers

This topic provides the information about the multiple service providers that are added to configure ELCM.

Service Providers use Rest based API's for request/response in JSON format.


The **ELCM Service Providers** are as displayed below.

Figure 2-1 Service Providers



The **ELCM Service Providers** for **OBCDDA** are as displayed below.

Figure 2-2 ELCM Service Providers



2.2 Service Consumers


This topic provides the information about the multiple service consumers that are added to configure ELCM in Oracle Banking Routing Hub.

The following four endpoints are required for consumer services to be configured in Oracle Banking Routing Hub:

- **createBlock**
- **utilize**
- **QueryUtilization**
- **getValidLines**


The **Service Consumers** in Oracle Banking Accounts Cloud Service are as displayed below.

Figure 2-3 Service Consumers



Service Consumers		
OBCDDA		
Service Providers Consumer Services		
Add Import Search		
Actions	Name	Description
⋮	closeStopPaymentsResource	closeStopPaymentsResource
⋮	CreateBlock	CreateBlock
⋮	getLatestPartyAddressDetails	getLatestPartyAddressDetails


Figure 2-4 Service Consumers 2



Service Consumers		
OBCDDA		
Service Providers Consumer Services		
Add Import Search		
Actions	Name	Description
⋮	QueryUtilization	QueryUtilization
⋮	utilize	utilize
⋮	chequeUtilization	chequeutilization

The **ELCM Service Consumers** are as displayed below.

Figure 2-5 ELCM Service Consumers



Service Consumers		
ELCM		
Service Providers Consumer Services		
Add Import Search		
Actions	Name	Description
⋮	getValidLines	getValidLines

- [Create Block](#)
This topic describes about the sample request / response for the consumer service **createBlock**.
- [Utilize](#)
This topic describes about the sample request / response for the consumer service **Utilize**.
- [Query Utilization](#)
This topic describes about the sample request / response for the consumer service **Query Utilization**.
- [Get Valid Lines](#)
This topic describes about the sample request / response for the consumer service **GetValidLines**.

2.2.1 Create Block

This topic describes about the sample request / response for the consumer service **createBlock**.

Request/Response

SERVICE-CONSUMER = "OBCDDA"

SERVICE-CONSUMER-SERVICE=" CreateBlock"

Request

```
{
  "blkRefNo": "10556970083326443531_EA_C",
  "blockLogs":
  [
    {
      "action": "NEW",
      "amtTag": "PRINCIPAL",
      "blkAmt": 1,
      "blkCcy": "USD",
      "customerNo": "0029702",
      "defaultLiab": "D",
      "eventCode": "INIT",
      "eventSlNo": "1",
      "limitType": "F",
      "lineCd": "LNFORD",
      "lineSerial": "1",
      "source": "CDDA"
    }
  ]
}
```

Response

```
{
  "Block-Master-Full": {
    "authStat": "A",
    "action": "NEW",
    "authDtStamp": "2021-03-17T04:03:03",
    "authId": "OBELCMUSER1",
    "inputUserId": "OBELCMUSER1",
    "inputDtStamp": "2021-03-17T04:03:03",
    "versionNo": 1,
    "blkBrn": "B01",
    "blkRefNo": "10556970083326443531_EA_C",
    "keyId": "GETB_BLOCKS~BLK_REF_NO",
    "blockLogs": [
      {
        "changeBlkAmt": 1,
        "version": 0,
        "action": "NEW",

```

```
"serialNo": 192,  
"blockId": "B012107600000021",  
"customerNo": "0029702",  
"liabId": 41,  
"processNo": 1,  
"transDate": "2021-03-17T00:00:00",  
"blkAmt": 1,  
"blkCcy": "USD",  
"blkBrn": "B01",  
"blkPrd": "UTIL",  
"uncoll": 0,  
"tenorBasis": "N",  
"tenor": 0,  
"maturedAmt": 0,  
"matured": "N",  
"amtTag": "PRINCIPAL",  
"module": "GE",  
"valueDate": "2021-03-17T00:00:00",  
"source": "CDDA",  
"txnId": "22357040302847001251",  
"txnPercent": 0,  
"txnStatus": "O",  
"blkStat": "A",  
"authStat": "A",  
"versionNo": 1,  
"inputUserId": "OBELCMUSER1",  
"inputDtStamp": "2021-03-17T04:03:03",  
"authId": "OBELCMUSER1",  
"authDtStamp": "2021-03-17T04:03:03",  
"liabCcy": "USD",  
"liabBranch": "B01",  
"liabBlock": 1,  
"liabExchRate": 1,  
"multiAuth": "N",  
"vdUpdate": "N",  
"liabNo": "FORD",  
"lineCd": "LNFORD",  
"lineSerial": 1,  
"ignoreOverrides": "N",  
"limitType": "F",  
"limitId": 21,  
"limitCcy": "GBP",  
"limitBlock": 0.5,  
"limitExchRate": 0.5,  
"limitCcyUncoll": 0,  
"limitCcyMatured": 0,  
"txnInitDate": "2021-03-17T00:00:00",  
"eventCode": "INIT",  
"eventSlNo": 1,  
"shadowLimit": "N",  
"forceAuth": "N",  
"onceAuthorized": false,  
"recordStatus": "O",  
"endOfInput": "N",  
"autoAuth": "Y",
```

```
"offsetHr": 0,
"offsetMin": 0,
"considerAsRevolving": "N",
"dataMigration": "N",
"isSimulation": "N",
"ismergeOperation": "N",
"revalLimit": "Y",
"keyId": "~GETB_BLOCKS_LOG~SERIAL_NO",
"keyValue": "~GETB_BLOCKS_LOG~192~",
"liabilityDetails": [
  {
    "version": 24,
    "id": 41,
    "blockAmount": 1622,
    "liabNo": "FORD",
    "liabBranch": "B01",
    "liabCcy": "USD",
    "utilAmt": 3723,
    "overallLimit": 999999999,
    "unadvised": "N",
    "liabilityCustomerLinkage": {
      "maker": "OBELCMUSER1",
      "makerstamp": "2021-03-17T07:09:33",
      "checker": "OBELCMUSER1",
      "checkerstamp": "2021-03-17T07:09:33",
      "modno": 1,
      "txnstat": "O",
      "authstat": "A",
      "onceauth": "Y",
      "version": 1,
      "udfs": [],
      "misdetails": [],
      "id": 22,
      "customerNo": "0029702",
      "liabId": 41,
      "branchCode": "B01",
      "issuer": "N",
      "keyId": "~GETM_LIAB_CUST~CUSTOMER_NO",
      "keyValue": "~GETM_LIAB_CUST~0029702~",
      "liabCustExposures": [],
      "liabTrackCodes": []
    },
    "processNo": 1,
    "keyId": "~GETM_LIAB~LIAB_NO~"
  },
  {
    "version": 14,
    "liabilityId": 41,
    "lineCode": "LNFORD",
    "lineSerial": 1,
    "ismergeOperation": "N",
    "id": 21,
    "onceAuthorized": false,
  }
],
"facilityDetails": [
  {
    "version": 14,
    "liabilityId": 41,
    "lineCode": "LNFORD",
    "lineSerial": 1,
    "ismergeOperation": "N",
    "id": 21,
    "onceAuthorized": false,
  }
]
```

```

        "maturedUtil": 0,
        "outUtAmount": 1601.5,
        "osucAmount": 1601.5,
        "committed": "N",
        "collateralContribution": 0,
        "lineCurrency": "GBP",
        "revolvingLine": "N",
        "lineStartDate": "2021-03-04T00:00:00",
        "lastNewUtildate": "2021-03-17T00:00:00",
        "availabilityFlag": "Y",
        "limitAmount": 1000,
        "uncollectedFundsLimit": 0,
        "availableAmount": -1402.5,
        "dateOfFirstOrder": "2021-03-04T00:00:00",
        "dateOfLastOrder": "2021-03-17T00:00:00",
        "amountUtilizedToday": 1602,
        "amountReinstatedToday": 0,
        "uncollectedAmount": 0,
        "utilization": 1601.5,
        "branch": "001",
        "limitAmountBasis": "L",
        "unadvised": "N",
        "transferAmount": 0,
        "displayEffectiveLineAmount": 1000,
        "blockAmount": 801,
        "nettingAmount": 0,
        "tenorRestrictionType": "D",
        "customerRestrictionType": "D",
        "currencyRestrictionType": "D",
        "productRestrictionType": "D",
        "branchRestrictionType": "D",
        "extSystemRestrictionType": "D",
        "shadowLimit": "N",
        "dayLightLimit": 0,
        "expRestType": "D",
        "revolvingAmount": 0,
        "facilityType": "L",
        "revalReqrd": "N",
        "rateAgrmntReqd": "N",
        "dayLightOdLimit": 0,
        "earMarkingDto": {
            "version": 0,
            "udfs": [],
            "misdetails": [],
            "keyId":
"~GETM_FACILITY_BLOCK~BLOCK_NO",
            "keyValue":
"~GETM_FACILITY_BLOCK~null~"
        },
        "liabilityDTO": {
            "version": 0,
            "liabilityCustomerLinkage": {
                "version": 0,
                "udfs": [],
                "misdetails": [],

```

```

        "keyId": "~GETM_LIAB_CUST~CUSTOMER_NO",
        "keyValue": "~GETM_LIAB_CUST~null~",
        "liabCustExposures": [],
        "liabTrackCodes": []
    },
    "keyId": "~GETM_LIAB~LIAB_NO~"
}
}
],
"collateralsDetails": {
    "version": 0,
    "onceAuthorized": false
},
"collateralsPoolDetails": {
    "liabilityDto": {
        "version": 0,
        "liabilityCustomerLinkage": {
            "version": 0,
            "udfs": [],
            "misdetails": [],
            "keyId": "~GETM_LIAB_CUST~CUSTOMER_NO",
            "keyValue": "~GETM_LIAB_CUST~null~",
            "liabCustExposures": [],
            "liabTrackCodes": []
        },
        "keyId": "~GETM_LIAB~LIAB_NO~"
    },
    "ismergeOperation": "N",
    "version": 0
},
"defaultLiab": "D",
"gdaysNeeded": "Y"
}
]
},
"FCUBS_WARNING_RESP": {
    "WARNING": [
        {
            "WCODE": "GE-00113",
            "WDESC": "Line 41-LNFORD1 - Amount exceeds line limit.
Limit = 1000 GBP. Block = 801.0 GBP. Overdraft = 1402.5 GBP %Overdraft =
140.25"
        },
        {
            "WCODE": "ST-SAVE-002",
            "WDESC": "Record Successfully Saved and Authorized"
        }
    ]
},
"FCUBS_ERROR_RESP": {
    "ERROR": []
},
"MSGID": "22357040302847001251"
}

```

2.2.2 Utilize

This topic describes about the sample request / response for the consumer service **Utilize**.

Request/Response

SERVICE-CONSUMER = "OBCDDA"

SERVICE-CONSUMER-SERVICE="utilize"

Request

```
{
  "userRefno": "ACCSAVB01USD52829163",
  "utilLogs": [
    {
      "action": "INCREASE",
      "amtTag": "PRINCIPAL",
      "blockRefNo": "10556970083326443531_EA_C",
      "customerNo": "0029702",
      "defaultLiab": "D",
      "eventCode": "UTIL",
      "eventSlNo": "2",
      "limitType": "F",
      "lineCd": "LNFORD",
      "lineSerial": "1",
      "source": "CDDA",
      "utilAmt": 1,
      "utilCcy": "USD"
    }
  ]
}
```

Response

```
{
  "Util-Master-Full": {
    "userRefno": "ACCSAVB01USD52829163",
    "keyId": "~GETB_UTILS~USER_REFNO",
    "keyValue": "~GETB_UTILS~ACCSAVB01USD52829163~",
    "utilLogs": [
      {
        "utilHistory": {
          "version": 0
        },
        "valueDateUtilization": {
          "keyId":
            "~GETB_VD_UTILS~FACILITY_ID~VALUE_DATE~USER_REFNO",
          "keyValue": "~GETB_VD_UTILS~null~null~null~"
        },
        "facilityDetails": [
          {

```



```
"version": 16,
"liabilityId": 41,
"lineCode": "LNFORD",
"lineSerial": 1,
"ismergeOperation": "N",
"id": 21,
"onceAuthorized": false,
"maturedUtil": 0,
"outUtAmount": 1603,
"osucAmount": 1603,
"committed": "N",
"nrsAdjAmt": 0,
"collateralContribution": 0,
"lineCurrency": "GBP",
"revolvingLine": "N",
"lineStartDate": "2021-03-04T00:00:00",
"lastNewUtildate": "2021-03-04T00:00:00",
"availabilityFlag": "Y",
"limitAmount": 1000,
"uncollectedFundsLimit": 0,
"availableAmount": -1404,
"dateOfFirstOrder": "2021-03-04T00:00:00",
"dateOfLastOrder": "2021-03-04T00:00:00",
"amountUtilizedToday": 1603,
"amountReinstatedToday": 0,
"uncollectedAmount": 0,
"utilization": 1603,
"branch": "001",
"limitAmountBasis": "L",
"unadvised": "N",
"transferAmount": 0,
"displayEffectiveLineAmount": 1000,
"blockAmount": 801,
"tankedUtilization": 0,
"nettingAmount": 0,
"tenorRestrictionType": "D",
"customerRestrictionType": "D",
"currencyRestrictionType": "D",
"productRestrictionType": "D",
"branchRestrictionType": "D",
"extSystemRestrictionType": "D",
"shadowLimit": "N",
"dayLightLimit": 0,
"expRestType": "D",
"revolvingAmount": 0,
"facilityType": "L",
"revalReqrd": "N",
"rateAgrmntReqd": "N",
"dayLightOdLimit": 0,
"earMarkingDto": {
  "version": 0,
  "udfs": [],
  "misdetails": [],
  "keyId": "~GETM_FACILITY_BLOCK~BLOCK_NO",
  "keyValue": "~GETM_FACILITY_BLOCK~null~"
```

```

    },
    "liabilityDTO": {
      "version": 0,
      "liabilityCustomerLinkage": {
        "version": 0,
        "udfs": [],
        "misdetails": [],
        "keyId":
"~GETM_LIAB_CUST~CUSTOMER_NO",
        "keyValue":
"~GETM_LIAB_CUST~null~",
        "liabCustExposures": [],
        "liabTrackCodes": []
      },
      "keyId": "~GETM_LIAB~LIAB_NO~"
    }
  ],
  "collateralsDetails": {
    "version": 0,
    "onceAuthorized": false
  },
  "collateralsPoolDetails": {
    "liabilityDto": {
      "version": 0,
      "liabilityCustomerLinkage": {
        "version": 0,
        "udfs": [],
        "misdetails": [],
        "keyId": "~GETM_LIAB_CUST~CUSTOMER_NO",
        "keyValue": "~GETM_LIAB_CUST~null~",
        "liabCustExposures": [],
        "liabTrackCodes": []
      },
      "keyId": "~GETM_LIAB~LIAB_NO~"
    },
    "ismergeOperation": "N",
    "version": 0
  },
  "tenorDetail": {
    "version": 0
  },
  "action": "INCREASE",
  "customerNo": "0029702",
  "utilAmt": 1,
  "utilCcy": "USD",
  "amtTag": "PRINCIPAL",
  "source": "CDDA",
  "lineCd": "LNFORD",
  "lineSerial": 1,
  "limitType": "F",
  "blockRefNo": "10556970083326443531_EA_C",
  "eventCode": "UTIL",
  "eventSlNo": 2,
  "ismergeOperation": "N",

```

```

        "onceAuthorized": false,
        "defaultLiab": "D",
        "txnPercent": 0,
        "valueDateUtilizationDto": {
            "keyId":
"~GETB_VD_UTILS~FACILITY_ID~VALUE_DATE~USER_REFNO",
            "keyValue": "~GETB_VD_UTILS~null~null~null~"
        }
    }
}
},
"FCUBS_WARNING_RESP": {
    "WARNING": [
        {
            "WCODE": "LM-00113",
            "WDESC": "Line 41-LNFORD1 - Amount exceeds line limit.
Limit = 1000 GBP. Utilization = 1603.0 GBP. Overdraft = 1404.0 GBP
%Overdraft = 140.4"
        }
    ]
},
"FCUBS_ERROR_RESP": {
    "ERROR": [
        {
            "ECODE": "EL-FCJ-110",
            "EDESC": "Block reference number does not exist for the
attached limit details"
        }
    ]
},
"MSGID": "22357040429106001254"
}

```

2.2.3 Query Utilization

This topic describes about the sample request / response for the consumer service **Query Utilization**.

Request/Response

SERVICE-CONSUMER = "OBCDDA"

SERVICE-CONSUMER-SERVICE="QueryUtilization"

Request

http://cnobfc-cluster-1-ms1.fsgbu-obcbcs-nonprod--obfc-devtestbank1:7501/
FCUBS-ELCMRest/ELUtilizationService/QueryUtilization/urefno/001TRU05

Response

```

{
    "Util-Master-Full": {

```

```
"utilBrn": "001",
"userRefno": "001TRU05",
"authStat": "A",
"versionNo": 1,
"inputUserId": "ADMINUSER1",
"inputDtStamp": "2022-02-26T05:17:00",
"authId": "ADMINUSER1",
"authDtStamp": "2022-02-26T05:17:00",
"keyId": "~GCTB_UTILS~USER_REFNO",
"keyValue": "~GCTB_UTILS~001TRU05~",
"action": "NEW",
"utilLogs": [
  {
    "utilHistory": {
      "version": 0
    },
    "valueDateUtilization": {
      "keyId":
"~GETB_VD_UTILS~FACILITY_ID~VALUE_DATE~USER_REFNO",
      "keyValue": "~GETB_VD_UTILS~null~null~null~"
    },
    "collateralsDetails": {
      "version": 0,
      "onceAuthorized": false
    },
    "collateralsPoolDetails": {
      "liabilityDto": {
        "version": 0,
        "liabilityCustomerLinkage": {
          "version": 0,
          "udfs": [],
          "misdetails": [],
          "keyId": "~GETM_LIAB_CUST~CUSTOMER_NO",
          "keyValue": "~GETM_LIAB_CUST~null~",
          "liabCustExposures": [],
          "liabTrackCodes": []
        },
        "keyId": "~GETM_LIAB~LIAB_NO~"
      },
      "ismergeOperation": "N",
      "version": 0
    },
    "tenorDetail": {
      "version": 0
    },
    "action": "NEW",
    "utilId": "0012205700000014",
    "customerNo": "001CUST01",
    "liabId": 82,
    "processNo": 1,
    "transDate": "2022-02-26T00:00:00",
    "utilAmt": 102000,
    "utilCcy": "USD",
    "utilBrn": "001",
    "utilPrd": "COUNTRY",
```

```

        "unColl": 0,
        "tenorBasis": "N",
        "tenor": 0,
        "maturedAmt": 0,
        "matured": "N",
        "amtTag": "BALANCE",
        "module": "GE",
        "valueDate": "2022-02-26T00:00:00",
        "source": "ELCM",
        "userRefNo": "001TRU05",
        "utilStat": "A",
        "authStat": "A",
        "versionNo": 1,
        "inputUserId": "ADMINUSER1",
        "inputDtStamp": "2022-02-26T05:17:00",
        "authId": "ADMINUSER1",
        "authDtStamp": "2022-02-26T05:17:00",
        "liabCcy": "USD",
        "liabBranch": "001",
        "liabUtil": 102000,
        "liabExchRate": 1,
        "liabNo": "001AUT01",
        "lineCd": "001TRF02",
        "lineSerial": 1,
        "isAccount": "N",
        "limitType": "F",
        "limitId": 13,
        "limitCcy": "USD",
        "limitUtil": 102000,
        "limitExchRate": 1,
        "limitCcyUncoll": 0,
        "limitCcyMatured": 0,
        "lineCode": "001TRF02",
        "ismergeOperation": "N",
        "userRefno": "001TRU05",
        "onceAuthorized": false,
        "txnPercent": 0,
        "valueDateUtilizationDto": {
            "keyId":
"~GETB_VD_UTILS~FACILITY_ID~VALUE_DATE~USER_REFNO",
            "keyValue": "~GETB_VD_UTILS~null~null~null~"
        }
    }
},
"FCUBS_WARNING_RESP": {
    "WARNING": [
        {
            "WCODE": "ST-SAVE-025",
            "WDESC": "Record Successfully Retrieved"
        }
    ]
},
"FCUBS_ERROR_RESP": {
    "ERROR": []
}

```

```

    },
    "MSGID": "23046054737455002224"
  }

```

2.2.4 Get Valid Lines

This topic describes about the sample request / response for the consumer service **GetValidLines**.

Request/Response

SERVICE-CONSUMER = "ELCM"

SERVICE-CONSUMER-SERVICE="getValidLines"

Request

```

http://cnobfc-cluster-1-ms1.fsgbu-obcbcs-nonprod--obfc-
devtestbank1:7501/FCUBS-ELCMRest/ElValidLimitService/QueryValidLimit/
ccustom/0029702/limitType/F/defaultLiab/D

```

Response

```

{
  "Valid-Limit-Master-Full": {
    "maker": "SYSTEM",
    "makerstamp": "2022-12-13T13:08:37",
    "checker": "SYSTEM",
    "checkerstamp": "2022-12-13T13:08:37",
    "authstat": "A",
    "version": 0,
    "udfs": [],
    "misdetails": [],
    "customerNo": "0029702",
    "limitType": "F",
    "defaultLiab": "D",
    "keyId":
      "~GETM_VALID_LIMIT_MASTER~LIMIT_TYPE~DEFAULT_LIAB",
    "keyValue": "~GETM_VALID_LIMIT_MASTER~F~D~",
    "validFacilityDetailss": [
      {
        "availableAmount": 680,
        "blockAmount": 10,
        "effectiveLineAmount": 1000,
        "limitAmount": 1000,
        "limitAmountBasis": "L",
        "lineCode": "FFG",
        "lineCurrency": "GBP",
        "lineSerial": 1,
        "lineStartDate": "2021-03-17T00:00:00",
        "revolvingLine": "N",
        "utilisation": 310,

```

```
    "availabilityFlag": "Y",
    "userDefineStatus": "ACTIVE",
    "approvedAmt": 1000,
    "liabNo": "FORD",
    "version": 0,
    "keyId": "~GETM_VALID_FACILITY_DETAILS~ID",
    "keyValue": "~GETM_VALID_FACILITY_DETAILS~null~"
  },
  {
    "availableAmount": 10000,
    "blockAmount": 0,
    "effectiveLineAmount": 10000,
    "limitAmount": 10000,
    "limitAmountBasis": "L",
    "lineCode": "FORD_02",
    "lineCurrency": "GBP",
    "lineSerial": 1,
    "lineStartDate": "2021-03-06T00:00:00",
    "revolvingLine": "N",
    "utilisation": 0,
    "availabilityFlag": "Y",
    "userDefineStatus": "ACTIVE",
    "approvedAmt": 10000,
    "liabNo": "FORD",
    "version": 0,
    "keyId": "~GETM_VALID_FACILITY_DETAILS~ID",
    "keyValue": "~GETM_VALID_FACILITY_DETAILS~null~"
  },
  {
    "availableAmount": 600,
    "blockAmount": 400,
    "effectiveLineAmount": 1000,
    "limitAmount": 1000,
    "limitAmountBasis": "L",
    "lineCode": "LNFORD",
    "lineCurrency": "GBP",
    "lineSerial": 1,
    "lineStartDate": "2021-03-04T00:00:00",
    "revolvingLine": "N",
    "utilisation": 0,
    "availabilityFlag": "Y",
    "userDefineStatus": "ACTIVE",
    "approvedAmt": 1000,
    "liabNo": "FORD",
    "version": 0,
    "keyId": "~GETM_VALID_FACILITY_DETAILS~ID",
    "keyValue": "~GETM_VALID_FACILITY_DETAILS~null~"
  },
  {
    "availableAmount": 10000,
    "blockAmount": 0,
    "effectiveLineAmount": 10000,
    "limitAmount": 10000,
    "limitAmountBasis": "L",
    "lineCode": "FORD_01",
```

```
        "lineCurrency": "GBP",
        "lineSerial": 1,
        "lineStartDate": "2021-03-04T00:00:00",
        "revolvingLine": "N",
        "utilisation": 0,
        "availabilityFlag": "Y",
        "userDefineStatus": "ACTIVE",
        "approvedAmt": 10000,
        "liabNo": "FORD",
        "version": 0,
        "keyId": "~GETM_VALID_FACILITY_DETAILS~ID",
        "keyValue": "~GETM_VALID_FACILITY_DETAILS~null~"
    }
},
"validObligationDetailss": [],
"validPoolDetailss": [],
"validCollateralDetailss": [],
"validCovenantDetailss": [],
"validLiabilityDetailss": [
    {
        "availableAmount": 999998659,
        "liabBranch": "B01",
        "liabCcy": "USD",
        "liabNo": "FORD",
        "lid": 41,
        "overallLimit": 999999999,
        "utilAmt": 520,
        "liabName": "FORD",
        "version": 0,
        "keyId": "~GETM_VALID_LIABILITY_DETAILS~ID",
        "keyValue": "~GETM_VALID_LIABILITY_DETAILS~null~"
    }
]
},
"FCUBS_WARNING_RESP": {
    "WARNING": [
        {
            "WCODE": "ST-SAVE-025",
            "WDESC": "Record Successfully Retrieved"
        }
    ]
},
"FCUBS_ERROR_RESP": {
    "ERROR": []
},
"MSGID": "22347010836889001221"
}
```


3

Maintenance for Oracle Banking Accounts

You need to perform the maintenance in the Oracle Banking Accounts for a particular source system (OBTLR) to create source code.

This topic contains the following subtopics:

- [Create Upload Source](#)
You need to perform the upload source maintenance in the Oracle Banking Accounts for the source system (OBTLR).
- [Configure Source Code](#)
You need to perform the source code configuration in the Oracle Banking Accounts for the source system (OBTLR).
- [Create Upload Source Preference](#)
You need to maintain the upload source preferences in the Oracle Banking Accounts for the source system (OBTLR).
- [Configure Oracle Banking Routing Hub](#)
You need to enable the isSingleTenant flag in Oracle Banking Routing Hub to enable Single Tenant services in the cloud environment.

3.1 Create Upload Source

You need to perform the upload source maintenance in the Oracle Banking Accounts for the source system (OBTLR).

To maintain the upload source code:

Log in to Oracle Banking Accounts Cloud Service **Home** screen. For information on how to log in, refer to the *Getting Started User Guide* in the Oracle Banking Accounts Cloud Service documentation Library.

1. On the **Home** screen, click **Core Maintenance**. Under **Core Maintenance**, click **Upload Source**, and then select **Create Upload Source** or specify **Create Upload Source** in the search icon bar and select the screen.

The **Create Upload Source** screen is displayed.

Figure 3-1 Create Upload Source

Source Code (Required)

Source Description

Base Data From Flexcube

System Authorization Required

Cancel Save

2. On the **Create Upload Source** screen, specify the details in the fields as shown in the figure. For information on the fields, refer to the *Common Core User Guide* in the Oracle Banking Accounts Cloud Service documentation library.

3.2 Configure Source Code

You need to perform the source code configuration in the Oracle Banking Accounts for the source system (OBTLR).

To configure source code:

Log in to Oracle Banking Accounts Cloud Service **Home** screen. For information on how to log in, refer to the *Getting Started User Guide* in the Oracle Banking Accounts Cloud Service documentation Library.

1. On the **Home** screen, click **Account Configurations**. Under **Account Configurations**, click **Source Code**, and then select **Configure**.

The **Configure** screen is displayed.

Figure 3-2 Configure

Source Code (Required)

Description

Transaction Code (Required)

Account Override Level (Required)

Balance Override Level (Required)

Include Intersystem Posting

InterSystem Bridge GL (Required)

Suspense GL (Required)

Referral Type (VIBI)

Allow Posting After Cut-Off

Cancel Save

2. On the **Create Upload Source** screen, specify the details in the fields as shown in the figure. For information on the fields, refer to the *Account Configuration User Guide* in the Oracle Banking Accounts Cloud Service documentation library.

3.3 Create Upload Source Preference

You need to maintain the upload source preferences in the Oracle Banking Accounts for the source system (OBTLR).

To maintain the upload source preference:

Log in to Oracle Banking Accounts Cloud Service **Home** screen. For information on how to log in, refer to the *Getting Started User Guide* in the Oracle Banking Accounts Cloud Service documentation Library.

1. On the **Home** screen, click **Core Maintenance**. Under **Core Maintenance**, click **Upload Source Preferences**, and then select **Create Upload Source Preference** or specify **Create Upload Source Preference** in the search icon bar and select the screen.

The **Create Upload Source Preference** screen is displayed.

Figure 3-3 Create Upload Source Preference

Create Upload Source Preference

Source code Required

Error Handling

On Error: Reject | On Override: | On Repairable Exception: | On Queue Exception:

Post Upload

Status: | Purge Days: | Allow Deferred Processing: ☐ | Allow EOD with Deferred: ☐

Deletion Allowed: ☐ | Reverse Allowed: ☐ | Amend Allowed: ☐ | Proceed with EOD: ☐

2. On the **Create Upload Source** screen, specify the details in the fields as shown in the figure. For information on the fields, refer to the *Common Core User Guide* in the Oracle Banking Accounts Cloud Service documentation library.

3.4 Configure Oracle Banking Routing Hub

You need to enable the `isSingleTenant` flag in Oracle Banking Routing Hub to enable Single Tenant services in the cloud environment.


To configure Oracle Banking Routing Hub:

Log in to Oracle Banking Accounts Cloud Service **Home** screen. For information on how to log in, refer to the *Getting Started User Guide* in the Oracle Banking Accounts Cloud Service documentation Library.

1. On the **Home** screen, click **Core Maintenance**. Under **Core Maintenance**, click **Routing Hub**, and then select **Service Consumers** or specify **Service Consumers** in the search icon bar and select the screen.

The **Service Consumers** screen is displayed.


Figure 3-4 Service Consumers



2. On the **Service Consumers** screen, search **OBREMO_TELLER** in the search box.
3. Click **OBREMO_TELLER**.
4. On the **OBREMO_TELLER** screen, search **RDDA** in the search box.
5. Click **RDDA**.

The **Implementation** screen is displayed.

Figure 3-5 Service Consumers - RDDA Implementation



6. Select **CDDA_Balance_Service** and click **Edit**.
- The **Edit Implementation** pop-up screen is displayed.

Figure 3-6 Service Consumers - Edit Implementation

×

Edit Implementation

Name

CDDA_Balance_Service

Description

OBCDDA Transaction Services

Type

DEFAULT

Default

☐

Eureka Instance

☒

Single Tenant

☐

Scheme

http

Service Name

OBCDDA-PP-TRANSACTION-BALANCE-SERVICE

-DEVTESTBANK1

> Headers

▼ Service

Type

WSDL

URL

Import

Required

Service	Operation
/obcdda-pp-transaction-balance-service/query/accountin...	getEATransactions
/obcdda-pp-transaction-balance-service/l2cache/mainte...	loadAllTransactionCodes
/obcdda-pp-transaction-balance-service/transaction/acc...	authorizeAccounting

Save

7. Enable **Single Tenant** toggle button and click **Save**.

Index

C

Configure Oracle Banking Routing Hub, [3-3](#)
Configure Source Code, [3-2](#)
Create Block, [2-5](#)
Create Upload Source, [3-1](#)
Create Upload Source Preference, [3-3](#)

E

ELCM Implementation, [2-1](#)

G

Get Valid Lines, [2-16](#)

O

Oracle Banking Routing Hub, [1-1](#)

Q

Query Utilization, [2-13](#)

S

Service Consumers, [2-3](#)
Service Providers, [2-1](#)

U

Utilize, [2-10](#)