# Oracle® Banking Retail Accounts Cloud Service EOD Configuration User Guide





Oracle Banking Retail Accounts Cloud Service EOD Configuration User Guide, Release 14.7.1.0.0

F85057-01

Copyright © 2023, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

EU	D Configuration	
1.1	Mapping Functional Activity Code	1-1
1.2	Upload DSL	1-1
1.3	Configure EOD	1-3
1.4	Run EOD for branch	1-5
Ora	acle Banking Retail Accounts Batch Jobs and APIs	
Bat	ch Description	



# **Preface**

- Purpose
- Audience
- · Documentation Accessibility
- · Diversity and Inclusion
- Conventions
- Related Documents
- · Acronyms and Abbreviations
- Screenshot Disclaimer
- Prerequisite

# Purpose

The **EOD Configurations** guide helps to quickly get acquainted with the many everyday functions on a routine basis as part of the End of Day (EOD).

## **Audience**

This guide is intended for Back Office Data Entry Clerk, Back Office Managers/ Officers, Product Managers, End of Day Operators, and Financial Controller users.

# **Documentation Accessibility**

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

# **Diversity and Inclusion**

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

## Conventions

The following text conventions are used in this document:



Convention	Meaning		
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.		
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.		
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.		

# **Related Documents**

The related documents are as follows:

Oracle Banking Common Core User Guide

# Acronyms and Abbreviations

The list of acronyms and abbreviations that you are likely to find in the guide are as follows:

Table Acronyms

Abbreviation	Description
API	Application Programming Interface
EOD	End of Day
BOD	Beginning of Day
MCUT	Mark Cut-Off
EOTI	End of Transaction Input
EOFI	End of Financial Input

# Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

# Prerequisite

Specify User Name and Password, and login to Home screen.



1

# **EOD Configuration**

This topic provide information about the EOD Configuration process.

This topic contains the following subtopics:

Mapping Functional Activity Code
 The topic describes the information to map the functional activity code to perform EOD operations.

Upload DSL

This topic describes the systematic instructions to upload DSL in **Business Process** maintenance.

Configure EOD

This topic describes the systematic instructions to configure EOD operations

Run EOD for branch

This topic describes the systematic instructions to run the EOD for a branch.

# 1.1 Mapping Functional Activity Code

The topic describes the information to map the functional activity code to perform EOD operations.

The following functional activity code needs to be maintained in user's role to perform EOD operations:

CMC\_FA\_BRANCH\_EOD\_PROCESS



Refer to **Oracle Banking Security Management System User Guide** for the procedure to map the functional activity code in user's role.


# 1.2 Upload DSL

This topic describes the systematic instructions to upload DSL in **Business Process** maintenance.

- Download the RDDAEODWF.json file. This is a standard batch process definition script for Oracle Banking Retail Accounts that includes the list of batch tasks to be automatically executed in a sequence. The user can also download CONFIRMEOTIWF.json for the workflow definitions.
- 2. On **Home** Screen, under **Tasks** menu, click **Business Process Maintenance** to import, create or modify batch process definition

The **Process List** screen displays.


Figure 1-1 Process List



- 3. Select the Process Name: blank check box.
- 4. Click the Upload DSL+ button to upload batch process definition.
- Select the file RDDAEODWF.json from the local folder.

The **Process List – Upload DSL** screen displays.


Figure 1-2 Process List - Upload DSL



6. Click Next button.

The Process Management screen displays.


Figure 1-3 Process Management



7. Click Next button.

The Verify and Submit screen displays.

Figure 1-4 Verify and Submit



8. Click Review or Create Process to register the batch.

# 1.3 Configure EOD

This topic describes the systematic instructions to configure EOD operations

On Core Maintenance menu, under Branch EOD, click Configure EOD.
 The Configure EOD screen displays.



Figure 1-5 Configure EOD




Note:

To configure batch for a branch, refer the **Configure Branch EOD** section in *Oracle Banking Common Core User Guide*.

2. Click the **Search** icon to view the list of available **Branch Codes**.

The Branch Code screen displays.

Figure 1-6 Branch Code



3. Select the **Branch Code** to configure the batch.



The value specified in **Workflow name** field must be same as the **workflow name** attribute specified in 3rd line of batch script **RDDAEODWF.json** file.

# 1.4 Run EOD for branch

This topic describes the systematic instructions to run the EOD for a branch.

- 1. On Home Screen, click Core Maintenance. Under Core Maintenance menu, click Branch EOD.
- 2. Under Branch EOD, click Invoke EOD.

The **Invoke EOD** screen displays.


Figure 1-7 Invoke EOD



3. Click **Search** icon to view and select the **Branch Code** to run EOD.

The View End of Cycle Processes section gets populated and the jobs list displays.

Figure 1-8 Invoke EOD - View End of Cycle Processes



4. Click Refresh to view the current status of the branch.



2

# Oracle Banking Retail Accounts Batch Jobs and APIs

The topic describes the Oracle Banking Retail Accounts batch jobs and APIs.

Table 2-1 Oracle Banking Accounts Batch Jobs and APIs

SI.No.	EOD Stage	Name	Description	Input Parameters
1	MCUT	MarkCutoff	This API changes the branch status	BranchCode
			from "Transaction Input" to "Cutoff" in OBA.	UserID
			OBA.	EntityID
2	MCUT	CheckConsistency	This API checks for completeness of all transactions received for the current	AppID
				BranchCode
			branch date.	UserID
				EntityID
3	MCUT	BranchMarkCutoff	This batch marks cutoff in Common	BranchCode
			core.	UserID
				AppID
4	EOTI	MarkEOTI	Marks the end of transaction input.	BranchCode
				UserID
				EntityID
5	EOTI	AccountStatusCha nge	This batch picks up all accounts	AppID
			enabled for "automatic account status change", computes the new account status and changes the status automatically if it is different from the old account status.	BranchCode
				UserID
6	ation the a	CourtesypayEvalu	This batch is to apply the CP charges to	BranchCode
		the account – the account is debited for the charge amount and the charge GL account is credited.	UserID	
7	EOTI	EOTI RegdViolationEval	This batch is to reset the Reg D transaction counter.	BranchCode
		uation		UserID
8	EOTI	I ICMarkCutoff	Marks the cutoff for Interest batch.	UserID
				BranchCode
9	EOTI	OBRACC-IC	This batch computes and liquidates Accruals and Interest for accounts for the current branch date.	BranchCode
				UserID
11	EOTI	ICCheckConsisten cy	Checks for consistency post IC batch.	AppID
				BranchCode
				UserID
				EntityID



Table 2-1 (Cont.) Oracle Banking Accounts Batch Jobs and APIs

SI.No.	EOD Stage	Name	Description	Input Parameters
12	EOTI	Revaluation	This batch revalues FCY accounts based on exchange rate defined for the	AppID
				BranchCode
			current date and the reval setup configuration.	UserID
13	EOTI	RevaluationCheck	Checks for consistency post Revaluation batch.	AppID
		Consistency		BranchCode
				UserID
				EntityID
14	EOFI	MARKEOFI	Marks the end of financial input.	BranchCode
				UserID
				EntityID
15	EOFI	BranchMarkEOFI	Marks the end of financial input in	AppID
			Common core.	BranchCode
				UserID
16	EOD	GLHandoff	This batch consolidates the current date	AppID
			balances of the customer GL and	BranchCode
			generates a handoff file.	UserID
17	Date	BranchDateChang	Changes system date to next working	AppID
	Change	е	date in Common core.	BranchCode
				UserID
18	Date Change	DDADateChange	Changes system date to next working date in OBA.	BranchCode
				UserID
				EntityID
19	Date Change	ICDateChange	Changes system date to next working date in IC domain.	BranchCode
				UserID
20	Date Change	ICReleaseCutoff	Releases the branch's cutoff in IC domain.	BranchCode
				UserID
21	Date	BranchReleaseCut Off	Release of cutoff in Common core.	AppID
	Change			BranchCode
				UserID
22	BOD	BranchMarkTI	Marks the transaction input for the branch.	AppID
				BranchCode
				UserID
23	BOD	Dormancy	This batch marks account dormant if the dormancy date of the account is the current branch date.	AppID
				BranchCode
				UserID
24	BOD	Escheatment	This batch is for unclaimed processing and for transferring the unclaimed proceeds from customer account to bank and state GL.	AppID
				BranchCode
				UserID
25	BOD	D AutoChequeBookR equest		AppID
				BranchCode



Table 2-1 (Cont.) Oracle Banking Accounts Batch Jobs and APIs

SI.No.	EOD Stage	Name	Description	Input Parameters
			for automatic reorder level of cheque leaves.	UserID
26	BOD	ReleaseUncollecte d	This batch releases uncollected funds for accounts which are due for release on the branch date.	BranchCode
				UserID
				EntityID
27	BOD	ReleaseLegalAmo untBlocks	This API releases legal amount blocks for accounts.	BranchCode
				UserID
				EntityID
28	BOD	StopPayment	This batch updates the account's	AppID
			stop_payment status by checking for existence of stop payment for the current date.	BranchCode
				UserID
29 BOD	BOD	ProductSwitch	This batch does the business product transfer - product switch both automatic (Reg D) and manual.	BranchCode
				UserID
30	BOD	CloseGarnishment	For those garnishment orders for which the end date has crossed current date, the batch will remove the amount block from the accounts involved in that garnishment and mark the garnishment order as closed.	AppID
				BranchCode
				UserID
31	BOD	Statement	Statement batch generates account statements due for the branch date.	AppID
				BranchCode
				UserID



# **Batch Description**

The topic provides information on the various Oracle Banking Retail Accounts batch jobs.

#### 1. Account Status Change

The status change of an account is performed automatically if the **Automatic Account Status Change** field is enabled at Account level. A number of statuses and rules are maintained in the rule engine. The status rules are attached to the **Business Product** at every stage movement. Finally, the batch picks up such accounts based on the below conditions, where -

- The Automatic Account Status Change flag is set to Yes.
- The rules maintained in Business Product are evaluated.

The new status for the account is derived and the status of the account is updated automatically by the system.

#### 2. Account Revaluation

**Revaluation** is a calculated upward adjustment to a country's official exchange rate relative to a selected baseline.

The **Account Revaluation** batch is run to revalue the balances of foreign currency customer accounts and thus, the local currency balance is restated. The required revaluation setup is captured under **Configurations**. As a result of the batch, the system revalues the account balances and posts the revaluation profit or loss into a predefined account and the revaluation profit / loss is then handed over to the GL system.

#### **Reval Split Required**

**Reval Split Required** indicates that the user requires trading split in revaluation for the GL. You can choose to break-up the revaluation Profit / Loss for the GL that you are defining.

- **Trading Profit / Loss** Profit or loss due to revaluation of FCY entries posted into the FCY account during the day.
- **Revaluation P&L** Profit or loss due to revaluation of opening balances (balances without current day's turnover).

Based on the **Configurations**, the system books profit and loss to the Profit GL and Loss GL respectively. When **Reval Split Required** is selected, the booking of the profit and loss happens to both **Trading Profit** and **Trading Loss** GLs.

#### 3. GL HandOff

The **Credit GL Line** and **Debit GL Line** for every status is captured at the business product.

The **Reporting GL** is determined based on the sign of account balance. If the account balance is positive, it reports to the **Credit GL** and likewise to the **Debit GL**, if negative.

To facilitate balance posting, an **Intersystem Bridge GL** is maintained at source code preference. The offset entries for each of the scenarios is posted to **Intersystem Bridge GL**.

The following GL's are defined in the **Business Product** maintenance to post account balances when a status movement occurs on any account belonging to that business product.

 Debit and Credit GL's to which account balances must be posted, for movement to each status.

The following conditions are handled in the batch process.

- No change in the balance sign and the account has net credit turnover.
- No change in the balance sign and the account has net debit turnover.
- No change in the account balance, as there are no transactions for the day.
- No change in the account balance, since the net turnover (sum of debits and credits) is zero.
- Net credit turnover in the account changing the account's balance sign from negative to positive.
- Net debit turnover in the account changing the account's balance sign from positive to negative.

#### 4. Dormancy

As a part of transaction processing depending on the flags and attributes sent in the transaction, the system sets the last credit activity date or the last debit activity date for an account. The dormancy date in the account is set based on the account's activity date and dormancy days from the business product.

This batch job picks all accounts which are (i) not dormant, and (ii) whose dormancy date is lesser than the branch date; and marks it dormant.

#### 5. Auto Cheque Book Request

The automatic reordering of Cheque Books is processed at EOD by executing a batch function. The following conditions should be satisfied for initiation of automatic reordering of cheque books:

- The Auto Reorder of Cheque Book option is enabled at the Account level.
- The number of unused check leaves for the account is less than or equal to the reorder level maintained at the Account level.

The system picks up the number of leaves to be reordered from **Reorder Number of Leaves** maintained for the account and issues a cheque book for the account.

#### 6. Release Legal Amount Blocks

This API also performs the following actions -

- It picks all the accounts having amount blocks that are expiring earlier or on the branch date.
- It derives the value of the amount block that must be retained/valid.
- It expires the Legal Block and updates the account balance.

#### 7. Stop Payment

This batch job also performs the following actions -

 Fetches Expired Stop Payments - It closes all stop payments for the branch date and if there are no active stop payments for the account, it updates the account's stop payment status to Yes.



• Activates Stop Payments - It updates the stop payment flag in the account to Yes when there are active stop payments for the account on the branch date.

#### 8. Statement Batch

This BOD batch generates periodic statements and swift messages for all accounts configured for periodic statement / swift message generation. Statement preferences for primary statement, secondary statement, tertiary statement and swift configuration is maintained for the account. Advice names are maintained in the advice maintenance screen and the report template is maintained with same name in report format maintenance screen. The advice is linked with the report format in the report linkage screen. OBA supports the predefined advices - Primary Detail, Primary Summary, Secondary Detail, Secondary Summary, Tertiary Detail and Tertiary Summary. As the batch is run in the BOD, the input to this batch is the previous working day and all statements due for the previous working day is generated in the BOD. Statement in PDF form is generated for all media except for Swift.

#### 9. Courtesy Pay Evaluation

This EOD batch process applies the Courtesy Pay (CP) charge if the CP limit is utilized by the account.

The following conditions are handled as part of this batch process:

- Application of CP charge based on the configured charge code at the business product level.
- A fee will be applied per CP limit utilization transaction.
- In case there are intra-day credits to the account which bring the account to a positive balance, then the batch will not apply the CP utilization transaction fee.

#### 10. RegD Violation Evaluation

This EOD batch process performs the below actions:

- Evaluate if a there is a RegD violation in the account for the month (No. of transactions for the month > Configured RegD monthly transaction threshold at business product).
- Reset the Reg D counter for the accounts to start afresh for the next month.

#### 11. Escheatment

This EOD batch process performs the below actions:

- Calculation of the Escheatment Date based on the last activity date for the account.
- Identify accounts to be escheated when the Escheatment Date equals the current business date.
- Appropriating the account balances (after interest liquidation processing) to Bank and State GL accounts based on configured threshold and percentage.
- Closing the account post appropriating the balance in the account.

#### 12. Product Switch

This EOD batch process performs the below actions:

- Identify the accounts that have breached the configured no. of monthly Reg D violations allowed in a 12-month rolling period.
- Automatic product switch from the existing business product to the new business product as per product switch configuration for the identified accounts.

#### 13. Garnishment



This EOD batch process will release the Garnishment block amount placed on the account when the end date of Garnishment equals the current business date.



A

# **Functional Activity Codes**

Table A-1 List of Functional Activity Codes

Functional Activity Code	Purpose
CDDA_FA_PP_TBS_EODBR ANCH_UPDATE	This functional activity code is used to update the EOD Branch Status Update in the Transaction Balance Service.
CDDA_FA_PP_TBS_CONFI RM_EOTI	This functional activity code is used to confirm EOTI during EOD.
RDDA_FA_PP_TXNBS_REG D_VIOLATION	This functional activity code is used to process the Reg D Violation.



# Index

В	Mapping Functional Activity Code, 1-1	
Batch Description, 3-1		
С	O	
Configure EOD, 1-3	Oracle Banking Retail Accounts Batch Jobs and APIs, 2-1	
E	R	
EOD Configuration, 1-1		
	Run EOD for branch, 1-5	
F	U	
Functional Activity Codes, A-1	<u></u>	
•	Upload DSL, 1-1	