

Oracle® Banking Accounts

Account Configurations User Guide



Release 14.8.2.0.0

G55366-01

April 2026

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Copyright © 2026, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1	About Bank Parameters	
1.1	Process to Configure Bank Parameters	1
1.2	Process to View Bank Parameters	8
2	About Branch Parameters	
2.1	Configure Branch Parameters	1
2.2	View Branch Parameters	4
3	Customer GL	
3.1	Process to Create Customer GL	1
3.2	View Customer GL	2
4	About Hold Code	
4.1	Process to Create Hold Code	1
4.2	Process to View Hold Code	2
5	About IBAN Maintenance	
5.1	Process to Create IBAN Maintenance	1
5.2	Process to View IBAN Maintenance	2
6	About Overrides Configuration	
6.1	Process to View Overrides Configuration	1
7	About Source Code	
7.1	Process to Configure Source Code	1
7.2	Process to View Source Code	3

8	About State Group Parameters	
8.1	Process to Create State Group Parameters	1
8.2	View State Group Parameters	3
9	State Code Mapping	
9.1	Process to Create State Code Mapping	1
9.2	View State Code Mapping	2
10	About Insolvency Block Details Maintenance	
10.1	Process to Create Insolvency Block Details	1
10.2	Process to View Insolvency Block Details	2
11	About Status Code	
11.1	Process to Create Status Code	1
11.2	Process to View Status Code	2
12	About Transaction Code Parameters	
12.1	Process to Configure Transaction Code Parameters	1
12.2	Process to View Transaction Code Parameters	3
13	Business Events	
13.1	Business Events Summary	1
14	PII Mask Maintenance	
14.1	View PII Mask Maintenance	1
15	Functional Activity Codes	
	Index	

Preface

- [Purpose](#)
- [#unique_13](#)
- [Module- Prerequisite](#)
- [Module Definitions](#)
- [Audience](#)
- [Basic Actions](#)
- [Documentation Accessibility](#)
- [Diversity and Inclusion](#)
- [Related Documents](#)
- [Conventions](#)
- [Screenshot Disclaimer](#)
- [Acronyms and Abbreviations](#)
- [Symbols and Icons](#)
- [#unique_25](#)

Purpose

This guide is designed to help user quickly get acquainted with the features and functionality of **Oracle Banking Retail Accounts**. It provides an overview to the product and the steps involved in the creation and the maintenance of Retail Accounts.

Module- Prerequisite

Specify **User Name** and **Password**, and login to **Home** screen.

Module Definitions

Business Product

User can classify the customer accounts of the bank into different groups and assign each group an identifying code

Amount Block

An amount block is that part of the balance in a customer's account, which is reserved for a specific purpose.

Audience

This user guide is intended for the following end Users / User Roles in the Bank.

Table User Roles

User Role	Function
Back office clerk	Input functions for contracts
Back office managers/officers	Authorization functions
Product Managers	Product definition and authorization
End of Day operators	Processing during End of Day / Beginning of Day
Financial Controller/Product Managers	Generation of Advices or Lists.

Basic Actions

This topic describes about basic actions that can be performed on a screen.

Table Basic Actions

Action	Description
Approve	Used to approve the initiated report. This option is displayed when the user clicks Authorize .
Audit	Used to view the maker details, checker details and report status.
Authorize	Used to authorize the report created. A maker of the screen is not allowed to authorize the report. Only a checker can authorize a report, created by a maker.
Reject	Used to reject the report created. A maker of the screen is not allowed to authorize the report. Only a checker can reject a report, created by a maker.
Close	Used to close a record. This action is available only when a record is created.
Confirm	Used to confirm the performed action.
Cancel	Used to cancel the performed action.
Compare	Used to view the comparison through the field values of old record and the current record. This option is displayed in the widget when the user clicks Authorize .
Collapse All	Used to hide the details in the sections. This option is displayed when the user clicks Compare .
Expand All	Used to expand and view all the details in the sections. This option is displayed when the user clicks Compare .
Menu Item Search	Used to search and navigate to the required screens. The user can click Menu Item Search to manually search the maintenance and select the required screen.
New	Used to add a new record. When the user clicks New , the system displays a new record enabling to specify the required data.
OK	Used to confirm the details in the screen.
Save	Used to save the details entered or selected in the screen.

Table (Cont.) Basic Actions

Action	Description
View	Used to view the report details in a particular modification stage. This option is displayed in the widget when the user clicks Authorize . This option is also displayed in the Tile menu.
View Difference only	Used to view a comparison through the field element values of old record and the current record, which has undergone changes. This option is displayed when the user clicks Compare .
Unlock	Used to update the details of an existing record. System displays an existing record in editable mode.

 **Note**

The user must specify values for all the mandatory fields and they are marked as **Required** in the UI.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Related Documents

The related documents are as follows:

- *Getting Started User Guide*
- *Oracle Banking Common Core User Guide*
- *Security Management System User Guide*
- *Security Management System User Guide*
- *Corporate Accounts User Guide*
- *Interests and Charges User Guide*
- *EOD Configuration User Guide*
- *Nostro Reconciliation User Guide*

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which user supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that user enter.

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

Acronyms and Abbreviations

The list of the acronyms and abbreviations that are used in this guide are as follows.

Table Abbreviations

Abbreviation	Definition
BBAN	Basic Bank Account Number
DDA	Demand Deposit Accounts
ECA	External Credit Approval
FDIC	Federal Deposit Insurance Corporation
IBAN	International Bank Account Number

Symbols and Icons

This guide has the following list of symbols and icons.

Table Symbols and Icons - Common



Symbol/Icon	Function
	Open a list
	Date Range

Table (Cont.) Symbols and Icons - Common
















Symbol/Icon	Function
	Add a new record
	Navigate to the first record
	Navigate to the last record
	Navigate to the previous record
	Navigate to the next record
	Grid view
	List view
	Refresh
	Click this icon to add a new row.
	Click this icon to delete a row, which is already added.
	Calendar
	Alerts
	Unlock Option
	View Option
	Reopen Option

Table Symbols and Icons – Audit Details












Symbol/Icon	Function
	A user
	Date and time
	Unauthorized or Closed status
	Authorized or Open status
	Rejected status

Table Symbols and Icons - Widget

Symbol/Icon	Function
	Open status
	Unauthorized status
	Rejected status
	Closed status
	Authorized status
	Modification Number

1

About Bank Parameters

Users can **Configure** and **View** the **Bank Parameters** using this **Menu** item. The details maintained at Bank Parameters level are applicable to all branches of the bank.

For example, the account number structure that is defined in this screen is a common format for customer accounts across all branches of the bank. However, if any specific handling of a parameter is to be performed for a branch, it can be achieved by maintaining the parameter at the branch level.

This topic contains the following subtopics:

- [Process to Configure Bank Parameters](#)
Configuring bank parameters is the process by which administrators associate cheque book and dormancy preferences of the bank accounts. This topic describes the systematic instructions to configure Bank Parameters.
- [Process to View Bank Parameters](#)
This topic describes the systematic instructions to view the list of configured bank parameters.

1.1 Process to Configure Bank Parameters

Configuring bank parameters is the process by which administrators associate cheque book and dormancy preferences of the bank accounts. This topic describes the systematic instructions to configure Bank Parameters.

1. Click **Account Configurations**, and under **Account Configurations**, click **Bank Parameters**.
2. Under **Bank Parameters**, click **Configure**.

The **Configure** page displays.

Figure 1-1 Configure Bank Parameters Details

The screenshot shows the 'Configure' page for Bank Parameters. It features a progress bar at the top with four steps: 1. Bank Parameters Details, 2. Account Mask Details, 3. IBAN Details, and 4. Additional Bank Parameters. The current step is 1. The form is divided into three main sections: 'Bank Parameters Details', 'Check Book Preferences', and 'Dormancy Preferences'. In the 'Bank Parameters Details' section, there are two fields: 'Bank Code' with the value 'BBBB' and a search icon, and 'Bank Name' with the value 'Bank of America'. The 'Check Book Preferences' section includes a 'Scheme/Numbering' dropdown menu set to 'Automatic', a 'Check Number Mask' field with the value 'NNNNNN' and a search icon, and a 'Unique for Branch' toggle switch. The 'Dormancy Preferences' section has a 'Consider Customer Activity' toggle switch. At the bottom right of the form, there are three buttons: 'Cancel', 'Save and Close', and 'Next'.

3. Specify the details on the **Bank Parameters Details** screen. They are described in the table below.

Table 1-1 Bank Parameters Details - Field Description

Field	Description
Bank Code	Specify the bank code which uniquely identifies your bank from the list of bank codes. This field is mandatory. For more details on the Bank Code, see Create External Bank Parameters in the <i>Oracle Banking Common Code User Guide</i> .
Bank Name	The detailed name of the bank is displayed and this field is auto-populated on selection of the bank code.
Scheme/Numbering	Select the check book numbering or scheme from the drop-down list. This field is mandatory. These values are factory shipped. Currently, only the Automatic numbering of cheque books is available.
Check Number Mask	Specify the check number mask to be used by the bank. This field is mandatory. You can define numeric check mask as a series of N or an alphanumeric mask containing alphabets A and numbers N . For example, a mask of NNNNNN can represent a cheque number 000324. <div style="border: 1px solid #ccc; padding: 10px; margin: 10px 0;"> <p>Note</p> <p>Alphanumeric Check Mask is issued to the account only when the check generation is manual.</p> </div> <p>Click to open the Add Mask window. Select Check Mask Fields from the given list and click Add to add the Check Number Mask.</p>
Unique for Branch	Enable this option to ensure that check numbers are unique across the branches of your bank. This will ensure that more than one account cannot be issued the same check number. If not enabled, multiple accounts can have checks with the same numbers. By default, this option is disabled
Consider Customer Activity	Enable this option to consider the last contact date to determine the dormancy status of accounts. Activity in one account owned by the customer updates that last contact date in all accounts owned by the customer. By default, this option is disabled. The latest financial and non-financial activity date of an account determines the dormancy status of the account. If not enabled, the default logic to determine the dormancy status of an account is used.

Add the Check Number Mask.

- a. Click **Check Number Mask**.
The **Add Mask** dialog displays.
- b. Select **Check Mask Fields** from the given list.
The following elements are supported as part of the check mask.

Table 1-2 Check Mask

Field	Mask Character	Mask Length
Alphabet	A	2
Number	N	User defined

Validation:

- While defining an alpha numeric check mask, the alphanumeric character should always precede the numeric characters. For example: **AANNNN**, where **A** is alpha numeric character and **N** is numeric character.
- When you enter the check mask field, the screen is refreshed with valid characters and options for the check.

c. Click **Add**.

The **Check Number Mask** is added.

4. Click **Next**.

The **Account Mask Details** screen displays.

Figure 1-2 Account Mask Details

Configure Errors and Overrides

1 Bank Parameters Details 2 Account Mask Details 3 IBAN Details 4 Additional Bank Parameters

Account Mask Details

Account Mask: Auto Generate Account: Checksum Algorithm:

Multi Currency Parameters

Account Mask: Auto Generate Account: Start Account Number: End Account Number:

5. Specify the fields on the **Account Mask Details** screen.

Table 1-3 Account Mask Details - Field Description

Field	Description
Account Mask	Specify the structure and length of the account number. The drop-down list displays the account mask values. The mask values and their available Options are : <ul style="list-style-type: none"> • L - Account class • T - Account code • a – Alphabet • B - Branch code • D – Check digit • \$ - Currency code • C - Customer number • n - Numeric value For example, an account mask can be bbTTTTnnnnnn . Note: This field is mandatory.
Auto Generate Account	Enable this option to generate the account number automatically. If an account number is automatically generated, it can contain either numbers or a combination of branch code and numbers.
Checksum Algorithm	Specify the checksum algorithm to be used for the account. These are factory shipped values. The available Options are: <ul style="list-style-type: none"> • Modulo 10 • Modulo 11 • Modulo 97 Note: Modulo 97 supports only Numeric mask.
Start Account Number	Specify the starting account number. The starting number should contain only numbers or a combination of branch code and numbers. This field appears if the Auto Generate Account option is enabled.
End Account Number	Specify the ending account number. The ending number should have the same format as the Starting Account Number. Note: This field appears if the Auto Generate Account option is enabled.

Note

These fields are repeated for **Multi-currency Parameters**.

Account Mask

When user open the **Account Mask** field, the left pane displays the list of elements that are part of the account mask. Click and select from the left pane to view the fields. Where 'n' characters or numbers are allowed, a text box appears where users can enter the number of times that value must repeat. Click **Add** to populate the values in the account mask screen.

The following characters are supported in **Account Mask**.

Table 1-4 Account Mask

Field	Mask Character	Mask Length
Account Class	L	6
Account Code	T	4
Alphabet (User Input)	a	User defined

Table 1-4 (Cont.) Account Mask

Field	Mask Character	Mask Length
Branch Code	B	3
Check Digit	D	2
Currency Code	\$	3
Customer Number	C	9
Numeric Value (User Input)	n	User defined

Note

There is no restriction on the number of characters unless *maximum length* is provided. However, the overall length cannot exceed a maximum of **20** characters including the check digit.

6. Click **Next**.

The **IBAN Details** screen displays.

Figure 1-3 IBAN Details

7. Specify the fields on the **IBAN Details** screen.

International Bank Account Number (IBAN) allows the user to identify bank accounts across national borders. **IBAN** comprises of the country code, check digits followed by a country specific **Basic Bank Account Number (BBAN)**.

Table 1-5 IBAN Details - Field Description

Field	Description
IBAN Country Code	The system defaults the country code of the branch. The maximum allowed characters for IBAN country code are 2 . Note: IBAN Country Code is mandatory.
IBAN Check Digit Algorithm	The system defaults MOD97 as IBAN check digit algorithm.
BBAN Format Mask	Specify the mask for BBAN. Refer to the table below.

Table 1-5 (Cont.) IBAN Details - Field Description

Field	Description
BBAN Data Type	Specify the data type of the BBAN mask characters. It can have only a (alphabet), n (number) and c (alphanumeric) as values.
BBAN Check Digit Algorithm	Select the BBAN check digit algorithm from the drop-down list. The available options are: <ul style="list-style-type: none"> • MOD10 • MOD11 • MOD97
BBAN Bank Code	Specify the BBAN bank code which will be replaced for bank code in the BBAN account mask.
BBAN Branch Code	Specify the BBAN branch code which will be replaced for branch code in the BBAN account mask.

BBAN Format Mask

Table 1-6 BBAN Format Mask - Field Description

Field	Character	Mask Length
Account Number	z	User defined
Account Type	T	User defined
BBAN Bank Code	b	User defined
BBAN Branch Code	s	User defined
Check Digit	d	User defined
National Identifier	i	User defined
Number of Account Holders	h	The value is defaulted to 1

Note

The maximum characters allowed for BBAN account mask is **30**.

8. Click Next.

The **Additional Bank Parameters** screen displays.

Note

This section is applicable only for US geography.

Figure 1-4 Additional Bank Parameters

- Specify the fields on the **Additional Bank Parameters** screen.

Table 1-7 Additional Bank Parameters - Field Description

Field	Description
Mask Account Number in Statement	Enable this option signifies if the account number is to be masked (obscure a portion of the account number) when displayed on periodic statements generated for the customer account.
Number Of Characters to Mask	This field defines the number of characters to mask in the account number when displayed on the statement. For Example: If the account number format has 10 characters and the user has configured the value for 'Number of characters to mask' as '6' then the account number will be displayed as "xxxxxx8873" in the generated statement.
Mark Insolvency	Switch this toggle ON, for indicating the bank failure.
Provisional Hold Code	Click Search icon and select the hold codes for FDIC maintained in the system to apply provisional holds.

- Click **Save and Close** to complete the steps or click **Cancel** to exit without saving.

The Bank Parameters are created.

Note

At this point, the status of the Bank Parameters are *Unauthorized*. A user with a supervisor role has to approve the Bank Parameters. After approval, the status changes to *Authorized*, and the Bank Parameters are available for use by another process.

- Approve the Bank Parameters.

To approve or reject Bank Parameters, see [Process to View Bank Parameters](#).

Note

As a maker of this configuration, you cannot approve it. It has to be approved by another user with a Supervisor role.


1.2 Process to View Bank Parameters

This topic describes the systematic instructions to view the list of configured bank parameters.

1. Click **Account Configurations**, and under **Account Configurations**, click **Bank Parameters**.
2. Under **Bank Parameters**, click **View**.

The **View** page displays the Bank Parameter records in the Tiles view.

Figure 1-5 View Bank Parameters



Tip

Click or to switch between the **Tile** view and the **List** view.

Table 1-8 Bank Parameters Tile - Field Description

Field	Description
Bank Code	Displays the bank code.
Description	Displays the name for the bank.
Authorization	Displays the authorization status of the record. The available options are: <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized

Table 1-8 (Cont.) Bank Parameters Tile - Field Description

Field	Description
Status	Displays the status of the record. The available options are: <ul style="list-style-type: none"> • Open • Closed

The following table describes the action items in the More Options (⋮) menu and the action items on the page.

Table 1-9 Action Items Description

Action Item	Description
Unlock	Unlock a record and make amendments.
Close	Close a record to prevent it from being unlocked and amended.
View	View the details of a record.
Delete	Delete a record. Note: Once deleted, the component can no longer be used to define an entity. But entities already defined using the component can continue to use it.
Reopen	Reopen a closed record.
Authorize	Authorize a record to make it active and available to define entities. Note: Creator of a record cannot authorize the component. Another user with authorize permissions can.
Audit	Select to view the Maker, Checker, Status, and Modification Number of a record.
Errors and Overrides	Select to view all existing errors or warnings on the page.

Note

The actions you can perform depend on your role and the record status.

3. View the details of a Bank Parameter.

a. Click  and select **View**.

The **Bank Parameter Maintenance** page displays the Branch Parameter details in different tiles.

Figure 1-6 View Bank Parameters

The screenshot shows the 'Bank Parameter Maintenance' window with several tabs and fields:

- Bank Parameters Details:** Bank Code (0000), Bank Name (HO Bank).
- Check Book Preferences:** External Check Book Request (Yes), Generate File for External Request (Yes).
- Account Mask Details:** Account Mask (LLLLLLbb\$\$\$\$nnnnnnnn), Auto Generate Account (No), Checksum Algorithm (MOD97).
- Multi Currency Parameters:** Account Mask (LLLLLLbb\$\$\$\$nnnnnnnn), Auto Generate Account (No), Checksum Algorithm (MOD97).
- Additional Bank Parameters:** Mask Account Number In Statement (No), Number Of Characters To Mask (0).

An 'Audit' button is located at the bottom left of the main content area.

Note

To know more about the fields, see [Process to Configure Bank Parameters](#).

- b. Hover over an **Account Mask** in the **Account Mask Details** tile to see its composition. A pop-up dialog displays the composition of the Account Mask. For example, hovering over the account mask in Account Mask Details tile in the image above displays the composition of the Account Mask.

Account Class: 6 | Account Code: 4 | Alphabet: 1 | Branch Code: 3 | CheckDigit: 2


The first six characters represent the Account Class, next four characters represent the Account Code, next single character is an alphabet, next three character represent the branch code, and the last two characters represent the Check Digit.

4. Unlock and update Bank Parameter details.
 - a. Click and select **Unlock**.
The **Bank Parameter Maintenance** page displays.
 - b. Update the Bank Parameter details as necessary.

Note

To know more about updating Bank Parameter details, see [Process to Configure Bank Parameters](#).

5. Approve or Reject unauthorized Bank Parameters.
 - a. From the Search Filter, search for the required record that is in an **Unauthorized** and **Open** state.
 - b. Click and select **Authorize**.
The **View** page displays.

Figure 1-7 Approve the Record**Table 1-10 Authorize View**

Field Name	Description
Mod Number<N>	Indicates the number of times the record was modified. Where N represents the number of modifications. Note: For a newly created record the modification number is 1.
Done By	Name of the user who performed the latest modification.
Done On	Date on which the record was modified.
Record Status	The status of the record. Note: To authorize a record, its status should be Open .
Once Auth	Specifies if the record was authorized at least once. Note: For a newly created record, the value is No .
Compare (Button)	Click to compare the modified record with the previous version of the record.
View (Button)	Click to display the record details.

- c. Click the check box besides **Mod Number<N>** to select the modified record.
- d. Click **Approve** or **Reject**.
The **Confirm** dialog displays.
- e. Enter any remarks and click **Confirm**.
A toast message confirms the successful approval or rejection of the record.

2

About Branch Parameters

The user can define special configurations at the **Branch** level that supersedes the configuration at **Bank** level. For example, a cheque number mask that is defined at the branch level supersedes a cheque number mask defined at the bank level.

This topic contains the following subtopics:

- [Configure Branch Parameters](#)
Configuring branch parameters is the process by which administrators configure uncollected funds basis, Cheque number mask and back value cheque details for a branch. This topic describes the systematic instructions to configure branch parameters.
- [View Branch Parameters](#)
This topic describes the systematic instructions to view the list of configured branch parameters.

2.1 Configure Branch Parameters

Configuring branch parameters is the process by which administrators configure uncollected funds basis, Cheque number mask and back value cheque details for a branch. This topic describes the systematic instructions to configure branch parameters.

1. Click **Account Configurations**, and under **Account Configurations**, click **Branch Parameters**.
2. Under **Branch Parameters**, click **Configure**.

The **Configure** page displays the **Branch Parameter Details** screen.

Figure 2-1 Configure Branch Parameter Details

The screenshot shows a web application window titled "Configure". At the top right, there is a warning icon and the text "Errors and Overrides". Below this, a progress bar shows two steps: "Branch Parameter Details" (step 1) and "Check Parameters" (step 2). The main content area is titled "Branch Parameter Details" and contains the following fields:

- Branch Code: Text input with value "B10" and a search icon.
- Branch Name: Text input with value "ORacle BankingAcc B10".
- Status Processing Basis: Text input with value "Account Level".
- Uncollected Funds Basis: Dropdown menu with value "Uncollected Funds".
- Check Number Mask: Text input with value "NNNNN" and a clear icon.
- Back Value Check Required: Toggle switch, currently turned off.
- Back Value Days: Spin box with value "5".

At the bottom right, there are three buttons: "Cancel", "Save and Close", and "Next".

3. On **Branch Parameter Details** screen, specify the fields.

Table 2-1 Branch Parameter Details - Field Description

Field	Description
Branch Code	Specify the branch code from the list of branch code values. For more details on how to configure the Branch Code, see External Branch Parameters in the <i>Oracle Banking Common Code User Guide</i> .
Branch Name	Displays a description of the selected Branch Code. This field is auto-populated.
Status Processing Basis	Status Processing is done at the Account level → 'A'. This is the default value and cannot be changed. Each account status is assigned according to the status processing parameters operative on the account.
Uncollected Funds Basis	Specify how the system enforces the allowable amount to withdraw from the uncollected funds of an account in a business day. For each customer account, designate a withdrawal limit (uncollected funds limit) on the amount of uncollected funds. You can also indicate whether the system should consider the total uncollected funds available in the account on a given business day, subject to the uncollected funds limit. The available options are: <ul style="list-style-type: none"> • Uncollected Funds → 'U' (Default) - If selected, an amount equal to or lesser than the uncollected funds limit defined for the account can be withdrawn on any business day. Currently, this is the only option available and is selected by default. • Uncollected Fund Available Same Day - If selected, user is eligible to withdraw the amount credited to their account on the same day, regardless of any excess funds in the uncollected balance.
Check Number Mask	Specify the mask of the check number. Multiple values can be selected from a list and the parameter for mask values can be altered accordingly. This field is mandatory. Note: If the check mask is not maintained at the Branch level, the system checks for the mask at the Bank level.
Back Value Check Required	Enable this option to perform a check for back-valued transactions. This option is disabled by default.
Back Value Days	Specify the number of days up to which back-valued transactions are allowed. The value must be from 1 to 999. This field displays when Back Value Check Required option is enabled.


4. Click **Next**.

The **Check Parameters** screen displays.

Note

This section is applicable only for US geography.

Figure 2-2 Check Parameters



5. Specify the fields on the **Check Parameters** screen.

Table 2-2 Check Parameters - Field Description

Field	Description
Oral Stop Check Request Validity (in days)	This field defines the period (in days) post which the stop payment instruction on a check (or range of checks) will be automatically revoked and the check can be presented again. The value in this field is considered when the customer calls the bank and gives an oral confirmation of the stop check request by providing the check(s) and payee details.
Written Stop Check Request Validity (in days)	This field defines the period (in days) post which the stop payment instruction on a check (or range of checks) will be automatically revoked and the check can be presented again. The value in this field is considered when the customer provides a written request through the branch channel/Email or online channel for stopping a check/ range of checks.

6. Click **Back** to navigate to previous tabs or click **Save and Close** to complete the steps or Click **Cancel** to exit without saving.

The Branch Parameters are created.

Note

At this point, the status of the Branch Parameters are *Unauthorized*. A user with a supervisor role has to approve the Branch Parameters. After approval, the status changes to *Authorized* and the Branch Parameters are available for use by another process.

7. Approve the Branch Parameters.

To approve or reject Branch Parameters, see [View Branch Parameters](#).

Note

As a maker of this configuration, user cannot approve it. It has to be approved by another user with a Supervisor role.


2.2 View Branch Parameters

This topic describes the systematic instructions to view the list of configured branch parameters.

1. Click **Account Configurations**, and under **Account Configurations**, click **Branch Parameters**.
2. Under **Branch Parameters**, click **View**.

The **View** screen displays.

Figure 2-3 View Branch Parameters



Tip



Click  or  to switch between the **Tile** view and the **List** view.

Table 2-3 Branch Parameters Tile - Field Description

Field	Description
Branch Code	Displays the branch code.
Name	Displays the name of the branch.
Authorization	Displays the authorization status of the record. The available Options are: <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized
Status	Displays the status of the record. The available options are <ul style="list-style-type: none"> • Open • Closed

The following table describes the action items in the More Options (⋮) menu and the action items on the page.

Table 2-4 Action Items Description


Action Item	Description
Unlock	Unlock a record and make amendments.
Close	Close a record to prevent it from being unlocked and amended.

Table 2-4 (Cont.) Action Items Description

Action Item	Description
View	View the details of a record.
Delete	Delete a record. Note: Once deleted, the component can no longer be used to define an entity. But entities already defined using the component can continue to use it.
Reopen	Reopen a closed record.
Authorize	Authorize a record to make it active and available to define entities. Note: Creator of a record cannot authorize the component. Another user with authorize permissions can.
Audit	Select to view the Maker, Checker, Status, and Modification Number of a record.
Errors and Overrides	Select to view all existing errors or warnings on the page.


Note

The actions you can perform depend on your role and the record status.

3. View the details of a Branch Parameters tile.
 - a. Click  and select **View**.

The **Branch Parameters Maintenance** page displays the Branch Parameters in different tiles.

Figure 2-4 Branch Parameters Maintenance view




Note

To know more about the fields, see [Configure Branch Parameters](#).

- b. Hover over an Account Mask in the **Account Mask Details** tile.
The composition of the account mask displays.

Figure 2-5 Account Mask Details



The pop-up shows that the Account Mask is composed of 6 characters from the Account Class.

4. Unlock and update Branch Parameters.
 - a. Click and select **Unlock**.
The **Branch Parameter Maintenance** page displays.
 - b. Update the Branch Parameter details as necessary.

Note

To know more about updating Branch Parameter details, see [Configure Branch Parameters](#).

5. Approve or Reject unauthorized Branch Parameters.
 - a. From the Search Filter, search for the required record that is in an **Unauthorized** and **Open** state.
 - b. Click and select **Authorize**.
The **View** page displays.

Figure 2-6 Approve the Record




Table 2-5 Authorize View

Field Name	Description
Mod Number<N>	Indicates the number of times the record was modified. Where N represents the number of modifications. Note: For a newly created record the modification number is 1.
Done By	Name of the user who performed the latest modification.
Done On	Date on which the record was modified.
Record Status	The status of the record. Note: To authorize a record, its status should be Open .
Once Auth	Specifies if the record was authorized at least once. Note: For a newly created record, the value is No .
Compare (Button)	Click to compare the modified record with the previous version of the record.
View (Button)	Click to display the record details.

- c. Click the check box besides **Mod Number<N>** to select the modified record.
- d. Click **Approve** or **Reject**.
The **Confirm** dialog displays.
- e. Enter any remarks and click **Confirm**.
A toast message confirms the successful approval or rejection of the record.

3

Customer GL

Customer GL reflect the balances in the customer account.

This topic contains the following subtopics:

- [Process to Create Customer GL](#)
This topic describes the systematic instructions to create customer GLs.
- [View Customer GL](#)
This topic describes the systematic instructions to view the list of configured customer GLs.

3.1 Process to Create Customer GL

This topic describes the systematic instructions to create customer GLs.

1. Click **Account Configurations**, and under **Account Configurations**, click **Customer GL**.
2. Under **Customer GL**, click **Create**.

The **Create** page displays.

Figure 3-1 Create Customer GL

The screenshot shows a web form titled "Create" with a light gray background. At the top right, there are window control icons (maximize, refresh, close). The form contains the following fields:

- General Ledger Code**: A text input field with "Required" written below it.
- General Ledger Description**: A text input field with "Required" written below it.
- Source System**: A text input field with a search icon and "Required" written below it.
- Source System GL Code**: A text input field.
- Category**: A dropdown menu with "Liability" selected.
- GL Type**: A dropdown menu with "Normal" selected.
- Revaluation Required**: A toggle switch currently turned off.

At the bottom right of the form, there are two buttons: "Cancel" and "Save".

Note

A Fields marked as Required are Mandatory.

3. On the **Create** page, specify the fields.

Table 3-1 Create Customer GL - Field Description

Field	Description
General Ledger Code	Specify the general ledger code.
General Ledger Description	This field is auto-populated based on the general ledger code you select.
Category	This field is auto-populated based on the general ledger code you select.
GL Type	Specify the GL Type from the drop-down list. The available options are: <ul style="list-style-type: none"> • Nostro - 1 • Normal - 6 (Default)
Revaluation Required	Specify whether revaluation is required for customer GLs or not. The default value is <i>No</i> .

- Specify all the details and click **Save** to complete the steps or click **Cancel** to exit without saving.

The Customer GL is created.

Note

At this point, the status of the Customer GL is *Unauthorized*. A user with a supervisor role has to approve the Customer GL. After approval, the status changes to *Authorized* and the Customer GL is available for use by another process.

- Approve the Customer GL.

To approve or reject Customer GL, see [View Customer GL](#).

Note

As a maker of this configuration, User cannot approve it. It has to be approved by another user with a Supervisor role.


3.2 View Customer GL

This topic describes the systematic instructions to view the list of configured customer GLs.

- Click **Account Configurations**, and under **Account Configurations**, click **Customer GL**.
- Under **Customer GL**, click **View**.

The **View** page displays.

Figure 3-2 View Customer GLs



Tip
Click or to switch between the **Tile** view and the **List** view.

Table 3-2 Customer GL Tile - Field Description

Field	Description
General Ledger Code	Displays the GL Code.
Category	Displays the Category of GL Code.
Revaluation Required	Displays Yes for the Revaluation Required.
Authorization	Displays the authorization status of the record. <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized
Status	Displays the status of the record.. <ul style="list-style-type: none"> • Open • Closed

The following table describes the action items in the More Options (⋮) menu and the action items on the page.

Table 3-3 Action Items Description

Action Item	Description
Unlock	Unlock a record and make amendments.
Close	Close a record to prevent it from being unlocked and amended.
View	View the details of a record.
Delete	Delete a record. Note: Once deleted, the component can no longer be used to define an entity. But entities already defined using the component can continue to use it.
Reopen	Reopen a closed record.

Table 3-3 (Cont.) Action Items Description

Action Item	Description
Authorize	Authorize a record to make it active and available to define entities. Note: Creator of a record cannot authorize the component. Another user with authorize permissions can.
Audit	Select to view the Maker, Checker, Status, and Modification Number of a record.
Errors and Overrides	Select to view all existing errors or warnings on the page.

Note

The actions you can perform depend on your role and the record status.



3. View the details of a **Customer GL** tile.
 - Click  and select **View**.
The **Customer GL Maintenance** page displays the customer general ledger details.

Figure 3-3 Customer GL Maintenance




4. Unlock and update a Customer GL.
 - a. Click  and select **Unlock**.
The **Customer GL Maintenance** page displays the customer general ledger details.

Figure 3-4 Unlock Customer GL

Customer GL Maintenance			
General Ledger Code	General Ledger Description	Source System	Source System GL Code
11100001	Asset - Normal	OBA	11100001
Category	GL Type	Revaluation Required	
Asset	Normal	Yes	

Audit

- b. Update the Customer GL fields.

Note

To know more about editing Customer GL details, see [Process to Create Customer GL](#).


5. Approve or Reject the Customer GL.
 - a. From the Search Filter, search for the required record that is in an **Unauthorized** and **Open** state.
 - b. Click  and select **Authorize**.
The **View** page displays.

Figure 3-5 Approve the Record

View	
<input type="checkbox"/> Mod Number2 Compare	
Done By	OBCDDAUSER6
Done On	30/6/2021
Record...	Closed
Once Auth	Yes View
Cancel Reject Approve	

Table 3-4 Authorize View

Field Name	Description
Mod Number<N>	Indicates the number of times the record was modified. Where N represents the number of modifications. Note: For a newly created record the modification number is 1.
Done By	Name of the user who performed the latest modification.
Done On	Date on which the record was modified.
Record Status	The status of the record. Note: To authorize a record, its status should be Open .
Once Auth	Specifies if the record was authorized at least once. Note: For a newly created record, the value is No .
Compare (Button)	Click to compare the modified record with the previous version of the record.
View (Button)	Click to display the record details.

- c. Click the check box besides **Mod Number<N>** to select the modified record.
- d. Click **Approve** or **Reject**.
The **Confirm** dialog displays.
- e. Enter any remarks and click **Confirm**.
A toast message confirms the successful approval or rejection of the record.

4

About Hold Code

A Hold Code restricts or controls certain transactions of a customer account. For example, you can apply a hold to prevent the payment of invoices. You can set up multiple hold codes to differentiate and identify the reasons for the holds. Multiple hold codes can apply to a transaction.

This topic contains the following subtopics:

- [Process to Create Hold Code](#)
This topic describes the systematic instructions to create a hold code.
- [Process to View Hold Code](#)
This topic describes the systematic instructions to view the list of configured hold codes.

4.1 Process to Create Hold Code

This topic describes the systematic instructions to create a hold code.

1. Click **Account Configurations**, and under **Account Configurations**, click **Hold Code**.
2. Under **Hold Code**, click **Create**.

The **Create** page displays.

Figure 4-1 Create Hold Code

3. Specify the fields on **Create** page.

Table 4-1 Create Hold Code - Field Description

Field	Description
Hold Code	Specify the hold code in the text field. Note: The field is mandatory and takes alphanumeric characters.

Table 4-1 (Cont.) Create Hold Code - Field Description

Field	Description
Description	Specify a description of the Hold Code. Provide details like the reason for the hold.
Category	Specify the category for the Hold code. This helps Bank to identify the purpose for which the hold code is created.

- Click **Save** to complete the steps or click **Cancel** to exit without saving.
The Hold Code is created.

Note

At this point, the status of the Hold Code is *Unauthorized*. A user with a supervisor role has to approve the Hold Code. After approval, the status changes to *Authorized* and the Hold Code is available for use by another process.

- Approve the Hold Code.
To approve or reject Hold Code, see [View Hold Code](#).

Note


As a maker of this configuration, you cannot approve it. It has to be approved by another user with a Supervisor role.

4.2 Process to View Hold Code

This topic describes the systematic instructions to view the list of configured hold codes.

- Click **Account Configurations**, and under **Account Configurations**, click **Hold Code**.
- Under **Hold Code**, click **View**.
The **View** page displays.

Figure 4-2 View Hold Code



 **Tip**



Click  or  to switch between the **Tile** view and the **List** view.

Table 4-2 Hold Code Tile - Field Description

Field	Description
Hold Code	Displays the hold code.
Description	Displays the description of the hold code.
Authorization	Displays the authorization status of the record. <ul style="list-style-type: none"> • Authorized • Rejected • UnAuthorized
Status	Displays the status of the record. <ul style="list-style-type: none"> • Open • Closed



The following table describes the action items in the More Options () menu and the action items on the page.

Table 4-3 Action Items Description

Action Item	Description
Unlock	Unlock a record and make amendments.
Close	Close a record to prevent it from being unlocked and amended.
View	View the details of a record.
Delete	Delete a record. Note: Once deleted, the component can no longer be used to define an entity. But entities already defined using the component can continue to use it.
Reopen	Reopen a closed record.
Authorize	Authorize a record to make it active and available to define entities. Note: Creator of a record cannot authorize the component. Another user with authorize permissions can.
Audit	Select to view the Maker, Checker, Status, and Modification Number of a record.
Errors and Overrides	Select to view all existing errors or warnings on the page.

 **Note**

The actions you can perform depend on your role and the record status.

3. View the details of a Hold Code.
 - a. Click  and select **View**.
The **Hold Code Maintenance** page displays.
 - b. Click **Audit**.

A dialog displays the **Maker, Checker, Status, and Modification Number** of the record.



4. Unlock and update a Hold Code.
 - a. Click  and select **Unlock**.
The **Hold Code Maintenance** page displays.
 - b. Update the Hold Code Description.
 - c. Click **Save**.
5. Approve or Reject the unauthorized Hold Code.
 - a. From the Search Filter, search for the required record that is in an **Unauthorized** and **Open** state.
 - b. Click  and select **Authorize**.
The **View** page displays.

Figure 4-3 Approve the Record




Table 4-4 Authorize View

Field Name	Description
Mod Number<N>	Indicates the number of times the record was modified. Where N represents the number of modifications. Note: For a newly created record the modification number is 1.
Done By	Name of the user who performed the latest modification.
Done On	Date on which the record was modified.
Record Status	The status of the record. Note: To authorize a record, its status should be Open .
Once Auth	Specifies if the record was authorized at least once. Note: For a newly created record, the value is No .
Compare (Button)	Click to compare the modified record with the previous version of the record.

Table 4-4 (Cont.) Authorize View

Field Name	Description
View (Button)	Click to display the record details.

- c. Click the check box besides **Mod Number<N>** to select the modified record.
- d. Click **Approve** or **Reject**.
The **Confirm** dialog displays.
- e. Enter any remarks and click **Confirm**.
A toast message confirms the successful approval or rejection of the record.

5

About IBAN Maintenance

International Bank Account Number (IBAN) allows the user to identify bank accounts across national borders.

This topic contains the following subtopics:

- [Process to Create IBAN Maintenance](#)
This topic describes the systematic instructions to create **IBAN Maintenance**.
- [Process to View IBAN Maintenance](#)
This topic describes the systematic instructions to view the list of IBAN maintenance's.

5.1 Process to Create IBAN Maintenance

This topic describes the systematic instructions to create **IBAN Maintenance**.

1. Click **Account Configurations**, and under **Account Configurations**, click **IBAN Maintenance**.
2. Under **IBAN Maintenance**, click **Create**.

The **Create** page displays.

Figure 5-1 Create IBAN Maintenance

The screenshot shows a 'Create' form for IBAN Maintenance. The form is organized into a grid of fields. The first row contains: 'IBAN Country Code' (text input with a search icon and 'Required' label), 'IBAN Country Description' (text input), 'IBAN Country Code Position' (text input), and 'IBAN Country Code Length' (dropdown menu). The second row contains: 'IBAN Check Digits Position' (text input with 'Required' label), 'IBAN Check Digits Length' (text input), 'Bank Identifier Position' (text input), and 'Bank Identifier Length' (dropdown menu). The third row contains: 'Branch Identifier Position' (dropdown menu), 'Branch Identifier Length' (dropdown menu), 'Account Number Position' (dropdown menu), and 'Account Number Length' (dropdown menu). The fourth row contains: 'IBAN Total Length' (dropdown menu) and 'IBAN Display' (text input). At the bottom right of the form are 'Cancel' and 'Save' buttons.

Note

The fields marked as **Required** are mandatory.

3. Specify the field values on the on the **Create** page.

Table 5-1 Create IBAN - Field Description

Field	Description
IBAN Country Code	Specify the Country Code of the IBAN account from the list of Country Code values. Country codes are defined in the Common Core. For more information, Refer Country Codes in the <i>Oracle Banking Common Core User Guide</i> .
IBAN Country Description	This field is auto-populated based on the Country Code you select.
IBAN Country Code Position	The start position of the country code in the IBAN account number is always one.
IBAN Country Code Length	The total length or the number of characters of the country code in the IBAN account number is always two.
IBAN Check Digits Position	The start position of the check digit of the country code in the IBAN account number is always three.
IBAN Check Digits Length	The length of the check digit of the country code in the IBAN account number is always two.
Bank Identifier Position	Specify the start position of the bank identifier in the IBAN account number.
Bank Identifier Length	Specify the total length of the bank identifier in the IBAN account number.
Branch Identifier Position	Specify the start position of the branch identifier in the IBAN account number.
Branch Identifier Length	Specify the total length of the branch identifier in the IBAN account number.
Account Number Position	Specify the start position of the account number in the IBAN account number.
Account Number Length	Specify the total length of the account number in the IBAN account number.
IBAN Total Length	Specify the total length of the IBAN account number.

- Click **Save** to complete the steps or click **Cancel** to exit without saving.

The IBAN is created.

Note

At this point, the status of the IBAN is *Unauthorized*. A user with a supervisor role has to approve the IBAN. After approval, the status changes to *Authorized*, and the IBAN is available for use by another process.

- Approve the IBAN.

To approve or reject an IBAN, Refer [View IBAN Maintenance](#).

Note


As a maker of this configuration, you cannot approve it. It has to be approved by another user with a Supervisor role.

5.2 Process to View IBAN Maintenance

This topic describes the systematic instructions to view the list of IBAN maintenance's.

1. Click **Account Configurations**, and under **Account Configurations**, click **IBAN Maintenance**.
2. Under **IBAN Maintenance**, click **View**.
The **View** page displays.

Figure 5-2 View IBANs



Tip
Click or to switch between the **Tile** view and the **List** view.

Table 5-2 IBAN Tile - Field Description

Field	Description
IBAN Country Code	Displays the country code of the IBAN account.
Description	Displays the country description for the country code.
Authorization	Displays the authorization status of the record. <ul style="list-style-type: none"> • Authorized • Rejected • UnAuthorized
Status	Displays the status of the record. <ul style="list-style-type: none"> • Open • Closed

The following table describes the action items in the More Options (⋮) menu and the action items on the page.

Table 5-3 Action Items Description

Action Item	Description
Unlock	Unlock a record and make amendments.
Close	Close a record to prevent it from being unlocked and amended.


Table 5-3 (Cont.) Action Items Description

Action Item	Description
View	View the details of a record.
Delete	Delete a record. Note: Once deleted, the component can no longer be used to define an entity. But entities already defined using the component can continue to use it.
Reopen	Reopen a closed record.
Authorize	Authorize a record to make it active and available to define entities. Note: Creator of a record cannot authorize the component. Another user with authorize permissions can.
Audit	Select to view the Maker, Checker, Status, and Modification Number of a record.
Errors and Overrides	Select to view all existing errors or warnings on the page.

Note


The actions you can perform depend on your role and the record status.

3. View the details of an IBAN.


- Click  and select **View**.

The IBAN Information Maintenance page displays.

Figure 5-3 View IBAN Information



4. Unlock and update an IBAN tile.

- Click  and select **Unlock**.

The IBAN Information Maintenance page displays.

Figure 5-4 Unlock IBAN Information

- b. Update the required fields and adjust the position and length of the next fields.

Note

To know more about editing IBAN information, Refer [Process to Create IBAN Maintenance](#).

- c. Click **Save**.
5. Approve or Reject an unauthorized IBAN.
 - a. From the Search Filter, search for the required record that is in an **Unauthorized** and **Open** state.
 - b. Click **⋮** and select **Authorize**.
The **View** page displays.

Figure 5-5 Approve the Record

Table 5-4 Authorize View

Field Name	Description
Mod Number<N>	Indicates the number of times the record was modified. Where N represents the number of modifications. Note: For a newly created record the modification number is 1.
Done By	Name of the user who performed the latest modification.
Done On	Date on which the record was modified.
Record Status	The status of the record. Note: To authorize a record, its status should be Open .
Once Auth	Specifies if the record was authorized at least once. Note: For a newly created record, the value is No .
Compare (Button)	Click to compare the modified record with the previous version of the record.
View (Button)	Click to display the record details.

- c. Click the check box besides **Mod Number<N>** to select the modified record.
- d. Click **Approve** or **Reject**.
The **Confirm** dialog displays.
- e. Enter any remarks and click **Confirm**.
A toast message confirms the successful approval or rejection of the record.

6

About Overrides Configuration

The **Error Codes** that are maintained for Source Code - **ALL** are displayed.

This topic contains the following subtopics:

- [Process to View Overrides Configuration](#)
This topic describes the systematic instructions to view the list of Overrides configurations.


6.1 Process to View Overrides Configuration

This topic describes the systematic instructions to view the list of Overrides configurations.

1. Click **Account Configurations**, and under **Account Configurations**, click **Overrides Configuration**.
2. Under **Overrides Configuration**, click **View**.

The **View** page displays.

Figure 6-1 View Overrides Configuration



Tip

Click or to switch between the **Tile** view and the **List** view.

Table 6-1 Overrides Configuration Tile - Field Description

Field	Description
Origins Source Code	Displays the Code for the Overrides configuration.
Description	Displays the description of the Overrides configuration.

Table 6-1 (Cont.) Overrides Configuration Tile - Field Description

Field	Description
Authorization	Displays the authorization status of the record. <ul style="list-style-type: none"> Authorized Rejected UnAuthorized
Status	Displays the status of the record. <ul style="list-style-type: none"> Open Closed

The following table describes the action items in the More Options (⋮) menu and the action items on the page.

Table 6-2 Action Items Description

Action Item	Description
Unlock	Unlock a record and make amendments.
Close	Close a record to prevent it from being unlocked and amended.
View	View the details of a record.
Delete	Delete a record. Note: Once deleted, the component can no longer be used to define an entity. But entities already defined using the component can continue to use it.
Reopen	Reopen a closed record.
Authorize	Authorize a record to make it active and available to define entities. Note: Creator of a record cannot authorize the component. Another user with authorize permissions can.
Audit	Select to view the Maker, Checker, Status, and Modification Number of a record.
Errors and Overrides	Select to view all existing errors or warnings on the page.

Note

The actions you can perform depend on your role and the record status.

3. View details of an Overrides Configuration.
 - a. Click ⋮ and select **View**.
The **Overrides Configuration** page displays.

Figure 6-2 View Overrides Configuration

The screenshot shows a window titled "Overrides Configuration" with a close button. It displays the "Origin Source Code" as "TXNBS" and the "Description" as "Transaction and Balance Service". Below this, there are three buttons: "All (2)", "Defaulted (2)", and "New (0)". A table lists two exception codes:

Actions	Exception Code	Source Code	Severity	Referable	Exception Type
> ...	DDA-TBS-BALP-01	ALL	1	Yes	Defaulted
> ...	DDA-TBS-BALP-02	ALL	1	Yes	Defaulted

An "Audit" button is located at the bottom left of the window.

Table 6-3 Fields and Column Descriptions

Column Name	Description
Origin Source Code	Specifies the origin source of the exception codes.
Description	Description of the origin source.
Exception Code	This column lists the exception code added to the origin source.
Source Code	This column lists the source code to which the exception code applies.
Severity	This column lists the severity level of the exception.
Referable	This column lists if the exception is marked for referral.
Exception Type	This column lists the type of the exception.



- b. Click **All**, **Defaulted**, or **New** buttons to list the corresponding exception codes.
- c. Click  in the **Actions** column and select **View**.
The **Add Exception Code** dialog displays.


Figure 6-3 Add Exception Code



- d. Click **Close**.
- 4. Unlock and update an Overrides Configuration.
 - a. Click and select **Unlock**.

The Overrides Configuration page displays.

Figure 6-4 Overrides Configuration - Unlock




- b. To add a new Exception Code, click .
 - i. click .

The Add Exception Code dialog displays.

Note

Exception codes provide a structured way to handle and communicate errors and exceptional events.

Figure 6-5 Add Exception Code



- ii. Specify the required fields.

Note

All the fields are mandatory.



Table 6-4 Exception Code - Column Description

Field	Description
Exception Code	Specify an alphanumeric code to identify an exception in a source code. For example, CAPP-ACS-VAL-H0 .
Source Code	Specify the Source Code for which the Exception Code is specified, from the list of values. To know more about Source Code, see About Source Code .
Severity	Specify the Severity of the exception from a list of values. You can specify a value from one to ten, where one represents the minimum severity and ten represents the maximum severity.
Referable	Enable this option to refer this exception. By default this option is disabled.

- iii. To add a new language Code for the Exception code, click **+**. A new blank row is added to the Language Code table.
- iv. Double click the Language Code column to activate the row.
- v. Specify the required fields described in the following table.

Table 6-5 Language Code - Column Description

Field	Description
Action	Displays the trash icon to delete the Language code.
Language Code	Specify the Language Code to set the preferred language from the list of values.
Language	Displays the name of the selected Language Code.
Exception Description	Provide additional details that describes the exception code.

- vi. Click **Add**.
The **Overrides Configuration** page displays the new **Exception Code** in a new row.
- c. Edit an Exception code.
 - i. Click  in the **Actions** column and select **Edit**.
The **Add Exception Code** dialog displays.
 - ii. Perform the required edits.
 - iii. Click **Save**.
- d. Delete an Exception code.
 - i. Click  in the **Actions** column and select **Delete**.
The exception code is deleted.

 **Note**

You can only delete exception codes that you added in the same session.


- 5. Approve or Reject Overrides.
 - a. From the Search Filter, search for the required record that is in an **Unauthorized** and **Open** state.
 - b. Click  and select **Authorize**.
The **View** page displays.

Figure 6-6 Approve the Record




Table 6-6 Authorize View

Field Name	Description
Mod Number<N>	Indicates the number of times the record was modified. Where N represents the number of modifications. Note: For a newly created record the modification number is 1.
Done By	Name of the user who performed the latest modification.
Done On	Date on which the record was modified.

Table 6-6 (Cont.) Authorize View

Field Name	Description
Record Status	The status of the record. Note: To authorize a record, its status should be Open .
Once Auth	Specifies if the record was authorized at least once. Note: For a newly created record, the value is No .
Compare (Button)	Click to compare the modified record with the previous version of the record.
View (Button)	Click to display the record details.

- c. Click the check box besides **Mod Number<N>** to select the modified record.
- d. Click **Approve** or **Reject**.
The **Confirm** dialog displays.
- e. Enter any remarks and click **Confirm**.
A toast message confirms the successful approval or rejection of the record.

7

About Source Code

Source Code uniquely defines the system from where transactions requests originate. The originating systems can be internal or external systems integrated with Oracle Banking Corporate Accounts. This configuration defines specific default values and additional parameters for the Source Codes. These parameters are necessary to process transactions or requests from the respective source systems.

This topic contains the following subtopics:

- [Process to Configure Source Code](#)
This topic describes the systematic instructions to configure source code.
- [Process to View Source Code](#)
This topic describes the systematic instructions to view the list of configured Source codes.

7.1 Process to Configure Source Code

This topic describes the systematic instructions to configure source code.

1. Click **Account Configurations**, and under **Account Configurations**, click **Source Code**.
2. Under **Source Code**, click **Configure**.

The **Configure** page displays.

Figure 7-1 Configure Source Code

The screenshot shows a 'Configure' dialog box with the following fields and controls:

- Source Code**: Text input field with a search icon and 'Required' label.
- Description**: Text input field.
- Transaction Code**: Text input field with a search icon and 'Required' label.
- Account Override Level**: Text input field with 'Required' label.
- Balance Override Level**: Text input field with 'Required' label.
- Suspense GL**: Text input field with a search icon and 'Required' label.
- Include Intersystem Posting**: Toggle switch (currently off).
- InterSystem Bridge GL**: Text input field with a search icon and 'Required' label.
- Referral Type**: Dropdown menu with 'VIBI' selected.
- Allow Posting After Cut-Off**: Toggle switch (currently off).

At the bottom right, there are 'Cancel' and 'Save' buttons.

3. Specify the fields on the **Configure** page.

Note

All the fields are mandatory unless explicitly specified otherwise.

Table 7-1 Configure Source Code - Field Description

Field	Description
Source Code	Select the source code of the system from which the transaction originates from the list of source code values. For example, OBIC can indicate the transaction originates from the Oracle Banking Interests and Charges system. Note: Upload source preference with source code OBRACC should not be created by the user.
Description	Displays a description of the selected Source Code. This field is auto-populated.
Transaction Code	Select the transaction code that applies to the source code being created. Transaction codes are defined in the common core. For more information, Refer Transaction codes in the <i>Oracle Banking Common Core User Guide</i> .
Account Override Level	Specify the override levels required to validate and approve account validation. User can specify a value from one to ten.
Balance Override Level	Specify the override levels required to validate and approve balance related validations. User can specify a value from 1 to 10.
Suspense GL	Specify the GL to which uncertain transactions are posted before they are resolved. Select the required GL from the list of GLs.
Include InterSystem Posting	Disable the Include InterSystem Posting option to prevent posting of transaction to the system specified in the Source Code . By default this option is enabled.
InterSystem Bridge GL	Select an internal GL to act as an Inter-system Bridge GL to temporarily hold the transaction before posting it to the system specified in the Source Code . This field displays only when Include InterSystem Posting option is enabled.
Referral Type	Select the referral type for a source code transaction from the drop-down list. This field is not mandatory. The available options are: <ul style="list-style-type: none"> • VIBI • VEBE • VIBE • No Referral
Allow Posting After Cut-off	Enable this option to post transactions after the cut-off time for an accounting period. This option is disabled by default.

Note

When transaction code and override level are *not* sent as part of the Exception Authorization (EA) or Exception Confirmation Authorization (ECA) request, the system applies default transaction codes and override levels for the sources maintained in this screen. Therefore, it is mandatory to configure the DDA source preferences.

4. Specify all the details and click **Save** to complete the steps or click **Cancel** to exit without saving.

The Source Code is created,

Note

At this point, the status of the Source Code is *Unauthorized*. A user with a supervisor role has to approve the Source Code. After approval, the status changes to *Authorized* and the Source Code is available for use by another process.

5. Approve the Source Code.

To know more about approving the Source Code, Refer [View Source Code](#).

Note

As a maker of this configuration, you cannot approve it. It has to be approved by another user with a Supervisor role.

7.2 Process to View Source Code

This topic describes the systematic instructions to view the list of configured Source codes.

1. Click **Account Configurations**, and under **Account Configurations**, click **Source Code**.
2. Under **Source Code**, click **View**.

The **View** page displays.

Figure 7-2 View Source Code

Source Code	Description	Status
BIXLM	Banking Index XLM... 323300002	Unauthorized
ELCM	ELCM 171300011	Unauthorized
ELCM2	Enterprise Limits and... 414000101	Unauthorized
FCUBS	Flexcube Universal... 171300010	Authorized
NEW1	new source 171300001	Authorized
OBA	Oracle Banking... -	Authorized
OBCL	Oracle Banking... 171300009	Authorized
OBIC	Oracle Banking Intere... 171300008	Authorized
OBIC2	Flexcube Universal... 414000102	Authorized
OBLM	OBLM 171300010	Authorized

Page 1 of 2 (1 - 10 of 14 items)

Tip

Click or to switch between the **Tile** view and the **List** view.

Table 7-2 Source Code Tile - Field Description

Field	Description
Source Code	Displays the Source Code.
Description	Displays the description of the source code.
InterSystem Bridge GL	Displays the Internal GL as an inter-system bridge GL for the source code.
Authorization	Displays the authorization status of the record. <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized
Status	Displays the status of the record. <ul style="list-style-type: none"> • Open • Closed

The following table describes the action items in the More Options (⋮) menu and the action items on the page.

Table 7-3 Action Items Description

Action Item	Description
Unlock	Unlock a record and make amendments.
Close	Close a record to prevent it from being unlocked and amended.
View	View the details of a record.
Delete	Delete a record. Note: Once deleted, the component can no longer be used to define an entity. But entities already defined using the component can continue to use it.
Reopen	Reopen a closed record.
Authorize	Authorize a record to make it active and available to define entities. Note: Creator of a record cannot authorize the component. Another user with authorize permissions can.
Audit	Select to view the Maker, Checker, Status, and Modification Number of a record.
Errors and Overrides	Select to view all existing errors or warnings on the page.

Note

The actions you can perform depend on your role and the record status.

3. View the details of a Source Code tile.
 - a. Click ⋮ and select **View**.
The **Source Code** page displays.

Figure 7-3 Source Code Details View

Source Code	Description	Transaction Code
ELCM	ELCM	S07
Account Override Level	Balance Override Level	Suspense GL
5	5	171300006
Include Intersystem Posting	InterSystem Bridge GL	Referral Type
Yes	171300011	N
Allow Posting After Cut-Off	No	

- b. Click **Audit**.

A dialog displays the Maker, Checker, Status, and Modification Number.

4. Unlock and update a Source Code.

- a. Click and select **Unlock**.

The **Source Code** page displays.

Figure 7-4 Source Code - Unlock

Source Code	Description	Transaction Code
ELCM2	Enterprise Limits and Collateral Management	S07
Account Override Level	Balance Override Level	Suspense GL
7	8	411000001
Include Intersystem Posting	InterSystem Bridge GL	Referral Type
<input type="checkbox"/>	414000101	VIBI
Allow Posting After Cut-Off		
<input type="checkbox"/>		

Note

The fields that are grayed out cannot be updated.

- b. Edit the required fields.

Note

For more information on editing the Source Code, Refer [Process to Configure Source Code](#).



- c. Click **Save**.
5. Approve or Reject an unauthorized Source Code.
 - a. From the Search Filter, search for the required record that is in an **Unauthorized** and **Open** state.
 - b. Click  and select **Authorize**.
The **View** page displays.

Figure 7-5 Approve the Record**Table 7-4 Authorize View**

Field Name	Description
Mod Number<N>	Indicates the number of times the record was modified. Where N represents the number of modifications. Note: For a newly created record the modification number is 1.
Done By	Name of the user who performed the latest modification.
Done On	Date on which the record was modified.
Record Status	The status of the record. Note: To authorize a record, its status should be Open .
Once Auth	Specifies if the record was authorized at least once. Note: For a newly created record, the value is No .
Compare (Button)	Click to compare the modified record with the previous version of the record.
View (Button)	Click to display the record details.

- c. Click the check box besides **Mod Number<N>** to select the modified record.
- d. Click **Approve** or **Reject**.
The **Confirm** dialog displays.
- e. Enter any remarks and click **Confirm**.
A toast message confirms the successful approval or rejection of the record.

8

About State Group Parameters

State Group Parameters allow users to define state group parameters for Inactivity, Dormancy, and Escheatment parameters across the currencies.

Note

This section is applicable only for US geography.

This topic contains the following subtopics:

- [Process to Create State Group Parameters](#)
This topic describes the systematic instructions to create state group parameters.
- [View State Group Parameters](#)
This topic describes the systematic instructions to view the list of configured State Group parameters.

8.1 Process to Create State Group Parameters

This topic describes the systematic instructions to create state group parameters.

1. Click **Account Configurations**. Under **Account Configurations**, click **State Group Parameters**.
2. Under **State Group Parameters**, click **Create State Group Parameters**.

The **Create State Group Parameters** page displays.

Figure 8-1 Create State Group Parameters

The screenshot shows the 'Create State Group Parameters' interface. At the top, there is a title bar with 'Create State Group Parameters' and a window control icon. Below the title bar, there is a section for 'Account Dormancy Details' containing a 'Group ID' input field and a 'Currency' dropdown menu currently set to 'USD'. The main content area is divided into three sections: 'Inactive Parameters', 'Dormancy Parameters', and 'Escheatment Parameters'. Each section contains several required input fields and dropdown menus. At the bottom right, there are 'Cancel' and 'Save' buttons.

Note

The fields marked as Required are mandatory.

- On **Create State Group Parameters** page, specify the fields.

Note

All fields on this page are mandatory, unless otherwise stated in a field description.

Table 8-1 Create State Group Parameters - Field Description

Field	Description
Group ID	Specify the group parameter name. This is a user defined field. For example, GRP001.
Currency	Select the currency for which the group parameter is applicable from the drop-down list. For example, GBP.
Inactive Parameters	Specify the fields in this section that contains configurations to make an Account Inactive. This is a read-only label.
Inactive Days	Specify the number of days that the account can be idle before marking the account as inactive. This is a user input field. For example, 300.
Inactive Reactivation Parameters	Select the conditions which allows an inactive or dormant account to become active. The available options are: <ul style="list-style-type: none"> Debit Credit Any Manual
First Remainder Prior Days	Specify the number of days before which the customer is notified in advance before an account gets inactive as a first reminder. This is a user input field. For example, 1.
Second Remainder Prior Days	Specify number of days before which the customer is notified in advance before an account gets inactive as a second reminder. This is a user input field. For example, 5.
Dormancy Parameters	The fields under this section contains configuration for making an Account Dormant, This is a read-only text field.
Dormancy Days	Specify the number of days that the account can be idle before marking the account as dormant. For example, 320.
Dormancy Reactivation Parameters	Select the condition which allows an inactive/dormant account to become Active automatically. The available Options are: <ul style="list-style-type: none"> Debit Credit Any Manual
First Remainder Prior Days	Specify the number of days before which the customer is notified in advance before an account gets dormant as a first reminder. This is a user input field. For example, 1.
Second Remainder Prior Days	Specify number of days before which the customer is notified in advance before an account gets dormant as a second reminder. This is a user input field. For example, 10.
Escheatment Parameters	The fields under this section contains configuration related to Escheatment of an account. This is a read-only text field.

Table 8-1 (Cont.) Create State Group Parameters - Field Description

Field	Description
Escheatment Days	Specify the number of days that the account can be dormant before the account can be eligible for Escheatment. This is a user input field. For example, 1 .
Escheatment Threshold Value	Specify the threshold for account balance beyond which the Account Balance Amount must be shared with the state.
Percentage Transferred (%)	Specify the percentage share of Account Balance to the state For Example, If the (%) value is given as 90%, then 90% of funds will be transferred to the state GL and 10% will be retained by the bank.
First Remainder Prior Days	Specify the the number of days before which the customer is notified in advance before an account gets Escheated as a first reminder. This is a user input field. For example, 5 .
Second Remainder Prior Days	Specify the number of days before which the customer is notified in advance before an account gets Escheated as a second reminder. This is a user input field. For example, 5 .
Bank GL	Specify the bank GL code used for transferring the bank share of the account balance of the Escheated account. This is a user input field. For example, 215000001 .
State GL	Specify the state gl code used for transferring the state's share of the account balance of the Escheated account. This is a user input field. For example, 216000001 .

- Specify all the details and click **Save** to complete the steps or click **Cancel** to exit without saving.

The State Group Parameters are created.

Note

At this point, the status of the State Group Parameters are *Unauthorized*. A user with a supervisor role has to approve the State Group Parameters. After approval, the status changes to *Authorized*, and the State Group Parameters are available for use by another process.

- Approve the State Group Parameters.

To approve or reject State Group Parameters, Refer [View State Group Parameters](#).

Note

As a maker of this configuration, you cannot approve it. It has to be approved by another user with a Supervisor role.


8.2 View State Group Parameters

This topic describes the systematic instructions to view the list of configured State Group parameters.

- Click **Account Configurations**, and under **Account Configurations**, click **State Group Parameters**, then click **View State Group Parameters**.

The **View State Group Parameters** page displays.

Figure 8-2 View State Group Parameters



Tip
Click or to switch between the **Tile** view and the **List** view.

Table 8-2 State Group Parameters Tile - Field Description

Field	Description
State Group ID	Displays the State Group ID.
Authorization	Displays the authorization status of the record. <ul style="list-style-type: none"> • Authorized • Rejected • UnAuthorized
Status	Displays the status of the record. <ul style="list-style-type: none"> • Open • Closed

The following table describes the action items in the More Options (⋮) menu and the action items on the page.

Table 8-3 Action Items Description



Action Item	Description
Unlock	Unlock a record and make amendments.
Close	Close a record to prevent it from being unlocked and amended.
View	View the details of a record.
Delete	Delete a record. Note: Once deleted, the component can no longer be used to define an entity. But entities already defined using the component can continue to use it.

Table 8-3 (Cont.) Action Items Description

Action Item	Description
Reopen	Reopen a closed record.
Authorize	Authorize a record to make it active and available to define entities. Note: Creator of a record cannot authorize the component. Another user with authorize permissions can.
Audit	Select to view the Maker, Checker, Status, and Modification Number of a record.
Errors and Overrides	Select to view all existing errors or warnings on the page.

Note

The actions you can perform depend on your role and the record status.

2. View the details of a State Group Parameters tile.
 - a. Click  and select **View**.
The **State Group Parameters** page displays.
 - b. Click **Audit**.
A dialog displays the Maker, Checker, Status, and Modification Number.
3. Unlock and update State Group Parameters.
 - a. Click  and select **Unlock**.
The **State Group Parameters** page displays.

Note

The fields that are grayed out cannot be updated.

- b. Edit the required fields.

Note

For more information on editing the State Group Parameters, see [Process to Create State Group Parameters](#).


- c. Click **Save**.
4. Approve or Reject the State Group Parameters.
 - a. From the Search Filter, search for the required record that is in an **Unauthorized** and **Open** state.
 - b. Click  and select **Authorize**.
The **View** page displays.

Figure 8-3 Approve the Record

The screenshot shows a 'View' dialog box with a search bar at the top. Below the search bar is a table with the following details:

<input type="checkbox"/> Mod Number2	Compare
Done By	OBCDDAUSER6
Done On	30/6/2021
Record...	Closed
Once Auth	Yes
	View

At the bottom right of the dialog, there are three buttons: 'Cancel', 'Reject', and 'Approve'.

Table 8-4 Authorize View

Field Name	Description
Mod Number<N>	Indicates the number of times the record was modified. Where N represents the number of modifications. Note: For a newly created record the modification number is 1.
Done By	Name of the user who performed the latest modification.
Done On	Date on which the record was modified.
Record Status	The status of the record. Note: To authorize a record, its status should be Open .
Once Auth	Specifies if the record was authorized at least once. Note: For a newly created record, the value is No .
Compare (Button)	Click to compare the modified record with the previous version of the record.
View (Button)	Click to display the record details.

- c. Click the check box besides **Mod Number<N>** to select the modified record.
- d. Click **Approve** or **Reject**.
The **Confirm** dialog displays.
- e. Enter any remarks and click **Confirm**.
A toast message confirms the successful approval or rejection of the record.

9

State Code Mapping

State Code Mapping allows the user to map the state group ID to state codes and business products so that the inactive dormancy and escheat parameters can be mapped as per state.

Note

This section is applicable only for US geography.

Escheatment is a process where a financial institution transfers unclaimed balances to the state from an account that has remained dormant beyond the state-mandated threshold.

This topic contains the following subtopics:

- [Process to Create State Code Mapping](#)
This topic describes the systematic instructions to create state code mapping.
- [View State Code Mapping](#)
This topic describes the systematic instructions to view the list of configured state code mappings.

9.1 Process to Create State Code Mapping

This topic describes the systematic instructions to create state code mapping.

1. Click **Account Configurations**, and under **Account Configurations**, click **State Code Mapping**.
2. Under **State Code Mapping**, click **Create State Code Mapping**.

The **Create State Code Mapping** page displays.

Figure 9-1 Create State Code Mapping

The screenshot shows a web application window titled "Create State Code Mapping". At the top right of the window, there are window control icons (minimize, maximize, close) and a label "Errors & Overrides". Below the title bar, there are four input fields arranged horizontally: "State Code", "State Group Code", "Product Domain", and "Account Class". Each input field has a search icon (magnifying glass) to its right and the word "Required" centered below it. The main body of the form is a large grid with a repeating pattern of overlapping circles. At the bottom right of the form, there are two buttons: "Cancel" and "Save".

- On **Create State Code Mapping** page, specify the fields.

Note

All the fields are mandatory.

Table 9-1 Create State Code Mapping - Field Description

Field	Description
State Code	Specify the state code that is required to map the business products. Select from the list of state code values. For example, NY.
State Group Code	Specify the state group code that defines dormancy details for currencies. Select from the list of state group values. For example, GRP001.
Product Domain	Specify the product domain to link with business product. Select from the list of product domain values. For example, OBRACC.
Account Class	Specify the business product name to map with state codes. Select from the list of account class values. For example, SAVREG.

- Specify all the details and click **Save** to complete the steps or click **Cancel** to exit without saving.

The State Code Mapping is created.

Note

At this point, the status of the State Code Mapping is *Unauthorized*. A user with a supervisor role has to approve the State Code Mapping. After approval, the status changes to *Authorized*, and the State Code Mapping is available for use by another process.

- Approve the State Code Mapping.

To approve or reject State Code Mapping, see [View State Code Mapping](#).

Note

As a maker of this configuration, you cannot approve it. It has to be approved by another user with a Supervisor role.


9.2 View State Code Mapping

This topic describes the systematic instructions to view the list of configured state code mappings.

- Click **Account Configurations**, and under **Account Configurations**, click **State Code Mapping**.
- Under **State Code Mapping**, click **View State Code Mapping**.

The **View State Code Mapping** page displays.

Figure 9-2 View State Code Mapping



 **Tip**



Click  or  to switch between the **Tile** view and the **List** view.

Table 9-2 State Code Mapping Tile - Field Description

Field	Description
State Code	Displays the state code.
State Group Code	Displays the state group code.
Authorization	Displays the authorization status of the record. <ul style="list-style-type: none"> • Authorized • Rejected • UnAuthorized
Status	Displays the status of the record. <ul style="list-style-type: none"> • Open • Closed


The following table describes the action items in the More Options () menu and the action items on the page.

Table 9-3 Action Items Description



Action Item	Description
Unlock	Unlock a record and make amendments.
Close	Close a record to prevent it from being unlocked and amended.
View	View the details of a record.
Delete	Delete a record. Note: Once deleted, the component can no longer be used to define an entity. But entities already defined using the component can continue to use it.
Reopen	Reopen a closed record.
Authorize	Authorize a record to make it active and available to define entities. Note: Creator of a record cannot authorize the component. Another user with authorize permissions can.
Audit	Select to view the Maker, Checker, Status, and Modification Number of a record.

Table 9-3 (Cont.) Action Items Description

Action Item	Description
Errors and Overrides	Select to view all existing errors or warnings on the page.

Note

The actions you can perform depend on your role and the record status.

3. View the details of a State Code Mapping tile.
 - a. Click  and select **View**.
The **State Code Mapping** page displays.
 - b. Click **Audit**.
A dialog displays the Maker, Checker, Status, and Modification Number.
4. Unlock and update a State Code Mapping.
 - a. Click  and select **View**.
The **State Code Mapping** page displays.
 - b. Edit the required fields.

Note

For more information on editing the State Code Mapping, see [Process to Create State Code Mapping](#).


- c. Click **Save**.
5. Approve or Reject the State Code Mapping.
 - a. From the Search Filter, search for the required record that is in an **Unauthorized** and **Open** state.
 - b. Click  and select **Authorize**.
The **View** page displays.

Figure 9-3 Approve the Record




Table 9-4 Authorize View

Field Name	Description
Mod Number<N>	Indicates the number of times the record was modified where N represents the number of modifications. Note: For a newly created record, the modification number is 1.
Done By	Name of the user who performed the latest modification.
Done On	Date on which the record was modified.
Record Status	The status of the record. Note: To authorize a record, its status should be Open .
Once Auth	Specifies if the record was authorized at least once. Note: For a newly created record, the value is No .
Compare (Button)	Click to compare the modified record with the previous version of the record.
View (Button)	Click to display the record details.

- c. Click the check box besides **Mod Number<N>** to select the modified record.
- d. Click **Approve** or **Reject**.
The **Confirm** dialog displays.
- e. Enter any remarks and click **Confirm**.
A toast message confirms the successful approval or rejection of the record.

10

About Insolvency Block Details Maintenance

Provision to maintain the balance threshold and hold percentage at the account class level for Current Savings Accounts, and Deposits account classes for the purpose of FDIC provisional holds.

This topic contains the following subtopics:

- [Process to Create Insolvency Block Details](#)
Provision to maintain the balance threshold and hold percentage at the account class level for Current and Savings Accounts, and Deposits account classes for the purpose of FDIC provisional holds. This topic describes the systematic instructions to create insolvency block details.
- [Process to View Insolvency Block Details](#)
Provision to maintain the balance threshold and hold percentage at the account class level for Current and Savings Accounts, and Deposits account classes for the purpose of FDIC provisional holds. This topic describes the systematic instructions to view the list of insolvency block details created.

10.1 Process to Create Insolvency Block Details

Provision to maintain the balance threshold and hold percentage at the account class level for Current and Savings Accounts, and Deposits account classes for the purpose of FDIC provisional holds. This topic describes the systematic instructions to create insolvency block details.

1. Click **Account Configurations**, and under **Account Configurations**, click **Insolvency Block Details Maintenance**.
2. Under **Insolvency Block Details Maintenance**, click **Create Insolvency Block Details**.

The **Create Insolvency Block Details** page displays.

Figure 10-1 Create Insolvency Block Details

Create Insolvency Block Details

Domain Required Branch Currency

<input type="checkbox"/>	Account Class	Threshold Amount	Provisional Hold %	Provisional Hold Days
No data to display.				

Page 1 (0 of 0 items) |< < 1 > >|

Cancel Save

Note

The Fields marked as Required are Mandatory.

- On **Create Insolvency Block Details** page, specify the fields.

Table 10-1 Create Insolvency Block Details - Field Description

Field	Description
Domain	The domain for which the maintenance is to be done that is Retail Accounts or Retail Deposits. Based on the value entered here, the account class list in the grid will be filtered. Click Search icon and select the value from the list displayed.
Branch Currency	Click Search icon and select the value from the list displayed or specify the local Currency for which the hold parameters are to be maintained.
Account Class	Click Search icon and the list of value displays all the account classes belonging to the specified domain.
Threshold Amount	Enter the balance threshold amount up to which no hold will be placed on an account.
Provisional Hold %	Enter the percentage of account balance exceeding the threshold for blocking. This field has minimum value as 1 and maximum as 100. Maximum decimals allowed is 3.
Provisional Hold Days	Enter the number of days which will determine the End Date for the Federal Deposit Insurance Corporation (FDIC) hold.

- Specify all the details and click **Save** to complete the steps or click **Cancel** to exit without saving.

The Insolvency Block Details are created.

Note

At this point, the status of the Insolvency Block Details are *Unauthorized*. A user with a supervisor role has to approve the Insolvency Block Details. After approval, the status changes to *Authorized*, and the Insolvency Block Details is available for use by another process.

- Approve the Insolvency Block Details.

To approve or reject State Code Mapping, Refer [Process to View Insolvency Block Details](#).

Note

As a maker of this configuration, you cannot approve it. It has to be approved by another user with a Supervisor role.

10.2 Process to View Insolvency Block Details


Provision to maintain the balance threshold and hold percentage at the account class level for Current and Savings Accounts, and Deposits account classes for the purpose of FDIC

provisional holds. This topic describes the systematic instructions to view the list of insolvency block details created.

1. Click **Account Configurations**, and under **Account Configurations**, click **Insolvency Block Details Maintenance**.
2. Under **Insolvency Block Details Maintenance**, click **View Insolvency Block Details**.

The **View Insolvency Block Details** page displays.

Figure 10-2 View Insolvency Block Details



Tip



Click  or  to switch between the **Tile** view and the **List** view.

Table 10-2 Insolvency Block Details Tile - Field Description

Field	Description
Domain	Displays the domain name
Branch Currency	Displays the branch currency.
Authorization	Displays the authorization status of the record. The available Options are: <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized
Status	Displays the status of the record. The available Options are: <ul style="list-style-type: none"> • Open • Closed


The following table describes the action items in the More Options () menu and the action items on the page.

Table 10-3 Action Items Description

Action Item	Description
Unlock	Unlock a record and make amendments.
Close	Close a record to prevent it from being unlocked and amended.
View	View the details of a record.

Table 10-3 (Cont.) Action Items Description

Action Item	Description
Delete	Delete a record. Note: Once deleted, the component can no longer be used to define an entity. But entities already defined using the component can continue to use it.
Reopen	Reopen a closed record.
Authorize	Authorize a record to make it active and available to define entities. Note: Creator of a record cannot authorize the component. Another user with authorize permissions can.
Audit	Select to view the Maker, Checker, Status, and Modification Number of a record.
Errors and Overrides	Select to view all existing errors or warnings on the page.

Note

The actions you can perform depend on your role and the record status.

11

About Status Code

A status code is a predefined alphanumeric label that indicates the state of an account.

Accounts move from one state to another based on the number of days they remained in the previous state. The system maintains various statuses that apply to accounts for which account classes are defined. This is used to track Non-performing Assets (NPAs) for current and savings accounts.

This topic contains the following subtopics:

- [Process to Create Status Code](#)
A status code is a predefined alphanumeric label that indicates the state of an account. Creating a status code is a process in which administrators assign status codes and their sequence numbers to the different states in an account's lifecycle. This topic describes the systematic instructions to create status code.
- [Process to View Status Code](#)
This topic describes the systematic instructions to view the list of configured status codes.

11.1 Process to Create Status Code

A status code is a predefined alphanumeric label that indicates the state of an account. Creating a status code is a process in which administrators assign status codes and their sequence numbers to the different states in an account's lifecycle. This topic describes the systematic instructions to create status code.

1. Click **Account Configurations**, and under **Account Configurations**, click **Status Code**.
2. Under **Status Code**, click **Create**.

The **Create** page displays.

Figure 11-1 Create Status Code

The screenshot shows a web form titled "Create" for configuring a status code. The form includes the following fields:

- Status Code:** A text input field with a "Required" label below it.
- Description:** A text input field.
- Status Type:** A dropdown menu with "Account" selected.
- Status Sequence:** A dropdown menu with a "Required" label below it.

The main content area of the form is a large grid with a repeating pattern of overlapping circles. At the bottom right of the form are "Cancel" and "Save" buttons.

Note

The fields marked as Required are Mandatory.

- On **Create** page, specify the fields.

Table 11-1 Create Status Code - Field Description

Field	Description
Status Code	Specify the status code of alphanumeric characters. The maximum length of code is four. For example, SUSP to indicate the account is suspended and NORM to indicate a normal account. Note: This field is mandatory.
Description	Provide additional information about the Status Code.
Status Type	This is a read-only field and is auto-populated with the value Account . Note: The status codes are currently supported only for accounts.
Status Sequence	Specify the sequence of the status code which is unique. A sequence number of a status code determines its position in the predefined order in the lifecycle of an Account. User can assign a value between 1 and 9999. This field is mandatory. For example, consider the following states of an account activation lifecycle: 12. INA (INACTIVE), 13. ACT (Active) 14. VRF(Verified). Here, we have given the sequence numbers 12, 13, and 14 to the states of the account in the account activation phase.

- Specify all the details and click **Save** to complete the steps or click **Cancel** to exit without saving.

The Status Code is created.

Note

At this point, the status of the Status Code is *Unauthorized*. A user with a supervisor role has to approve the Status Code. After approval, the status changes to *Authorized*, and the Status Code is available for use by another process.

- Approve the Status Code.

To approve or reject Status Code, Refer [View Status Code](#).

Note

As a maker of this configuration, User cannot approve it. It has to be approved by another user with a Supervisor role.

11.2 Process to View Status Code


This topic describes the systematic instructions to view the list of configured status codes.

- Click **Account Configurations**, and under **Account Configurations**, click **Status Code**.

- Under **Status Code**, click **View**.

The **View** page displays.

Figure 11-2 View Status Code



Tip
Click or to switch between the **Tile** view and the **List** view.

Table 11-2 Status Code Tile - Field Description

Field	Description
Status Code	Displays the Status Code.
Description	Displays the description of the Status Code.
Status Type	Displays the Status Type A .
Sequence	Display the sequence of the status code. The value is between 1 and 9999.
Authorization	Displays the authorization status of the record. The available Options are: <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized
Status	Displays the status of the record. The available Options are: <ul style="list-style-type: none"> • Open • Closed

The following table describes the action items in the More Options (⋮) menu and the action items on the page.

Table 11-3 Action Items Description

Action Item	Description
Unlock	Unlock a record and make amendments.

Table 11-3 (Cont.) Action Items Description

Action Item	Description
Close	Close a record to prevent it from being unlocked and amended.
View	View the details of a record.
Delete	Delete a record. Note: Once deleted, the component can no longer be used to define an entity. But entities already defined using the component can continue to use it.
Reopen	Reopen a closed record.
Authorize	Authorize a record to make it active and available to define entities. Note: Creator of a record cannot authorize the component. Another user with authorize permissions can.
Audit	Select to view the Maker, Checker, Status, and Modification Number of a record.
Errors and Overrides	Select to view all existing errors or warnings on the page.

Note

The actions you can perform depend on your role and the record status.



3. View the details of a Status Code tile.
 - a. Click  and select **View**.
The **Status Code Maintenance** page displays.

Figure 11-3 View Status Code Details




- b. Click **Audit**.
A dialog displays the Maker, Checker, Status, and Modification Number.
4. Unlock and update a Status Code.
 - a. Click  and select **Unlock**.
The **Status Code Maintenance** page displays.

Figure 11-4 Unlock Status Code

Note

The fields that are grayed cannot be updated.

- b. Edit the required fields.

Note

For more information on editing the Status Code, Refer [Process to Create Status Code](#).

- c. Click **Save**.
5. Approve or Reject the Status Code.
 - a. From the Search Filter, search for the required record that is in an **Unauthorized** and **Open** state.
 - b. Click **:** and select **Authorize**.
The **View** page displays.

Figure 11-5 Approve the Record

Table 11-4 Authorize View

Field Name	Description
Mod Number<N>	Indicates the number of times the record was modified where N represents the number of modifications. Note: For a newly created record, the modification number is 1.
Done By	Name of the user who performed the latest modification.
Done On	Date on which the record was modified.
Record Status	The status of the record. Note: To authorize a record, its status should be Open .
Once Auth	Specifies if the record was authorized at least once. Note: For a newly created record, the value is No .
Compare (Button)	Click to compare the modified record with the previous version of the record.
View (Button)	Click to display the record details.

- c. Click the check box besides **Mod Number<N>** to select the modified record.
- d. Click **Approve** or **Reject**.
The **Confirm** dialog displays.
- e. Enter any remarks and click **Confirm**.
A toast message confirms the successful approval or rejection of the record.

12

About Transaction Code Parameters

A transaction code is a unique alphanumeric code assigned to individual financial transactions within a banking system. Transaction codes are defined in the common core. **Transaction Code Parameters** are associated with accounting entries for transactions and provide additional details to handle a transaction identified by a transaction code.

This topic contains the following subtopics:

- [Process to Configure Transaction Code Parameters](#)
Transaction Code Parameters are associated with accounting entries for transactions and provide additional details to handle a transaction identified by a transaction code. Configuring a transaction code's parameters is a process in which administrators provide additional details to handle the transactions identified by a specific transaction code. This topic describes the systematic instructions to configure transaction code parameters.
- [Process to View Transaction Code Parameters](#)
Transaction Code Parameters are associated with accounting entries for transactions and provide additional details to handle a transaction identified by a transaction code. This topic describes the systematic instructions to view the list of configured Transaction code parameters.

12.1 Process to Configure Transaction Code Parameters

Transaction Code Parameters are associated with accounting entries for transactions and provide additional details to handle a transaction identified by a transaction code. Configuring a transaction code's parameters is a process in which administrators provide additional details to handle the transactions identified by a specific transaction code. This topic describes the systematic instructions to configure transaction code parameters.

1. Click **Account Configurations**, and under **Account Configurations**, click **Transaction Code Parameters**.
2. Under **Transaction Code Parameters**, click **Configure**.

The **Configure** page displays.

Figure 12-1 Configure Transaction Code Parameters

The screenshot shows a 'Configure' window for a transaction code. The 'Transaction Code' field contains 'INT' and the 'Description' field contains 'Credit interest'. The 'Preferences' section includes:

- Available Balance Check Required:** A toggle switch that is currently turned off.
- Consider for Activity:** A toggle switch that is currently turned on.
- Availability Information:** A dropdown menu currently set to 'On Value Date'.
- Balance Inclusion:** A toggle switch that is currently turned off.
- Auto Release:** A toggle switch that is currently turned on.
- Turnover Inclusion:** A toggle switch that is currently turned off.

At the bottom right of the window are 'Cancel' and 'Save' buttons.

- Specify the fields on the **Configure** page.

Table 12-1 Configure Transaction Code - Field Description

Field	Description
Transaction Code	Specify the transaction code for which maintenance needs to be done from the list of transaction codes. Transaction codes are defined in the common core. This field is mandatory. For more information, Refer Transaction Codes in the <i>Oracle Banking Common Core User Guide</i> .
Description	Displays a description of the selected Transaction Code. This field is auto-populated.
Available Balance Check Required	Enable this option to verify account balance before performing a transaction. This option is disabled by default.
Availability Information	Specify the availability of the transaction from the drop-down list. The available options are: <ul style="list-style-type: none"> Immediate (Default) - This indicates the future value dated credit transaction will be available immediately for usage. On Value Date - This indicates the future value dated credit transaction will be available on the value date for usage. After 'N' Days - This indicates the future value dated credit transactions will be available after 'N' days from the value date.
Consider For Activity	Enable this option to consider the financial activity of the transaction to determine the inactive and dormancy days of internal accounts associated with the transaction.
Days	Specify the number of working days from the value date when the transaction is available. Note: This field is enabled only if the Availability Information is selected as After 'N' Days .
Auto Release	Enable this option to automatically release the uncollected amount for a transaction posted using this transaction code. If this option is disabled, the uncollected amount has to be manually released to complete the transaction. Note: This field displays only when the Availability Information is set to On Value Date or After 'N' Days .

Table 12-1 (Cont.) Configure Transaction Code - Field Description

Field	Description
Balance Inclusion	Enable this option to consider the transaction in interest computations (IC). Note: This option is disabled by default.
Turnover Inclusion	Enable this option to consider the transaction during a turnover for interest computation. Note: This option is disabled by default.

- Specify all the details and click **Save** to complete the steps or click **Cancel** to exit without saving.

The Transaction Code Parameters are created.

Note

At this point, the status of the Transaction Code Parameters are *Unauthorized*. A user with a supervisor role has to approve the Transaction Code Parameters. After approval, the status changes to *Authorized* and the Transaction Code Parameters are available for use by another process.

- Approve the Transaction Code Parameters.

To approve or reject Transaction Code Parameters, Refer [View Transaction Code Parameters](#).

Note

As a maker of this configuration, you cannot approve it. It has to be approved by another user with a Supervisor role.


12.2 Process to View Transaction Code Parameters

Transaction Code Parameters are associated with accounting entries for transactions and provide additional details to handle a transaction identified by a transaction code. This topic describes the systematic instructions to view the list of configured Transaction code parameters.

- Click **Account Configurations**, and under **Account Configurations**, click **Transaction Code Parameters**.
- Under **Transaction Code Parameters**, click **View**.

The **View** page displays.

Figure 12-2 View Transaction Code Parameters



Tip
Click or to switch between the **Tile** view and the **List** view.

Table 12-2 Transaction Code Parameters Tile - Field Description

Field	Description
Transaction Code	Displays the Transaction Code.
Description	Displays the description of the transaction code.
Availability	Displays the value A , V or I . Where A represents After 'N' day, V represents Value date, and I represents Immediate.
Authorization	Displays the authorization status of the record. The available Options are: <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized
Status	Displays the status of the record. The available Options are: <ul style="list-style-type: none"> • Open • Closed

The following table describes the action items in the More Options (⋮) menu and the action items on the page.

Table 12-3 Action Items Description

Action Item	Description
Unlock	Unlock a record and make amendments.
Close	Close a record to prevent it from being unlocked and amended.
Copy	Copy a record and launch the Transaction Code Maintenance screen in edit mode.

Table 12-3 (Cont.) Action Items Description

Action Item	Description
View	View the details of a record.
Delete	Delete a record. Note: Once deleted, the component can no longer be used to define an entity. But entities already defined using the component can continue to use it.
Reopen	Reopen a closed record.
Authorize	Authorize a record to make it active and available to define entities. Note: Creator of a record cannot authorize the component. Another user with authorize permissions can.
Audit	Select to view the Maker, Checker, Status, and Modification Number of a record.
Errors and Overrides	Select to view all existing errors or warnings on the page.

Note

The actions you can perform depend on your role and the record status.



3. View the details of a Transaction Code Parameters tile.
 - a. Click  and select **View**.
The **Transaction Code Maintenance** page displays.

Figure 12-3 Transaction Code Maintenance Page




- b. Click **Audit**.
A dialog displays the **Maker, Checker, Status, and Modification Number**.
4. Unlock and update Transaction Code Parameters.
 - a. Click  and select **Unlock**.
The **Transaction Code Parameters** page displays.

Figure 12-4 Transaction Code Parameters - Unlock

Transaction Code Maintenance Errors and Overrides

Transaction Code: Description: Account closure

Preferences

Available Balance Check Required:

Balance Inclusion:

Availability Information:

Turnover Inclusion:

Consider for Activity:

Note

The fields that are grayed cannot be updated.

- b. Edit the required fields.

Note

To know more about editing the Transaction Code Parameters, Refer: [Process to Configure Transaction Code Parameters](#).

- c. Click **Save**.
5. Authorize or Reject the Transaction Code Parameters.
- a. From the Search Filter, search for the required record that is in an **Unauthorized** and **Open** state.
- b. Click and select **Authorize**.

The **View** page displays.

Figure 12-5 Approve the Record

View

Search:

Mod Number2

Done By: OBCDDAUSER6
Done On: 30/6/2021
Record...: Closed

Once Auth: Yes

Table 12-4 Authorize View

Field Name	Description
Mod Number<N>	Indicates the number of times the record was modified where N represents the number of modifications. Note: For a newly created record, the modification number is 1.
Done By	Name of the user who performed the latest modification.
Done On	Date on which the record was modified.
Record Status	The status of the record. Note: To authorize a record, its status should be Open .
Once Auth	Specifies if the record was authorized at least once. Note: For a newly created record, the value is No .
Compare (Button)	Click to compare the modified record with the previous version of the record.
View (Button)	Click to display the record details.

- c. Click the check box besides **Mod Number<N>** to select the modified record.
- d. Click **Approve** or **Reject**.
The **Confirm** dialog displays.
- e. Enter any remarks and click **Confirm**.
A toast message confirms the successful approval or rejection of the record.

13

Business Events

This topic describes the Business Events screen.

Business Events screen is a view only screen that displays all the pre-configured events for Domain, Category and event type configuration which includes the pre-configured rule and list of facts that will be published to EDP for the event.

This topic contains the following subtopics:

- [Business Events Summary](#)
This topic describes the systematic instructions to Business Events Summary.

13.1 Business Events Summary

This topic describes the systematic instructions to Business Events Summary.

1. Click **Account Configurations**, and under **Account Configurations**, click **Business Events**.
2. Under **Business Events**, click **Business Events Summary**.

The **Business Events Summary** screen displays.

Figure 13-1 Business Events Summary




Table 13-1 Business Events Summary - Field Description

Field	Description
Domain	Click search and select the domain.
Category	Click search and select the category.
Event	Click search and select the event.
Summary	Click summary to displays a summary of the entered information, .

14

PII Mask Maintenance

This topic describes the Personally Identifiable Information (PII) screen.

Personally Identifiable Information (PII), it refers to the processes and tools used to control how sensitive PII fields are displayed, stored, and accessed within the system. By masking PII, retail systems ensure that confidential customer information remains protected from unauthorized viewing or exposure, both in transactional screens and in data exports or logs.

This topic contains the following subtopics:

- [View PII Mask Maintenance](#)
This topic describes the systematic instructions to view PII mask maintenance.

14.1 View PII Mask Maintenance

This topic describes the systematic instructions to view PII mask maintenance.

1. Click **Account Configurations**, and under **Account Configurations**, click **PII Mask Maintenance**.
2. Under **PII Mask Maintenance**, click **View**.

The **View** page displays.

Figure 14-1 View PII Mask Maintenance




Table 14-1 View PII Mask Maintenance - Field Description

Field	Description
Profile Details	Displays the information related to the user's profile, such as user ID, date of birth, and registration details. Masking here helps secure sensitive profile identifiers.

Table 14-1 (Cont.) View PII Mask Maintenance - Field Description

Field	Description
Signatory Details	Displays the details about individuals who are authorized to sign documents or perform certain actions on the account. This could include legal names, identification types/numbers, and digital signatures. Masking these fields ensures compliance and security for signatory-related PII.
Preference Details	Displays the user preferences, which may sometimes include personal identifiers such as language preferences, marketing opt-ins (which can be considered PII in certain jurisdictions). Masking here protects users' choices and settings.
Contact Details	Displays the contact information such as email addresses, phone numbers, mailing addresses, etc. This is highly sensitive and subject to strict masking to prevent unauthorized access.
Basic Details	Displays the core account information, likely covering non-sensitive general fields, but could still include identifiers that need masking (e.g., customer number, account creation date).
Authorization	Displays the authorization status of the record.
Status	Displays the status of the record. The available options are <ul style="list-style-type: none">• Open• Closed

15

Functional Activity Codes

This topic contains the functional activity codes available in Oracle Banking Retail Accounts.

Screen Name/API Name	Functional Activity Code	Action	Description
Bank Parameters Configure	DDACFG_FA_BANKPARAMETERSAGGREGATE_NEW	NEW	Create Bank Parameters
Bank Parameters View	DDACFG_FA_BANKPARAMETERSAGGREGATE_VIEW	VIEW	View Bank Parameters
Bank Parameters	DDACFG_FA_BANKPARAMETERSAGGREGATE_VALIDATE	VALIDATE	Validate Bank Parameters
Bank Parameters	DDACFG_FA_BANKPARAMETERSAGGREGATE_SUBMIT	SUBMIT	Submit Bank Parameters
Bank Parameters	DDACFG_FA_BANKPARAMETERSAGGREGATE_REOPEN	REOPEN	Reopen Bank Parameters
Bank Parameters	DDACFG_FA_BANKPARAMETERSAGGREGATE_REMOVELOCK	REMOVE LOCK	Remove Bank Parameters Lock
Bank Parameters	DDACFG_FA_BANKPARAMETERSAGGREGATE_GET_ALL_RESOURCE_DETAILS	GET	Get Bank Parameters
Bank Parameters	DDACFG_FA_BANKPARAMETERSAGGREGATE_DELETE	DELETE	Delete Bank Parameters
Bank Parameters	DDACFG_FA_BANKPARAMETERSAGGREGATE_CLOSE	CLOSE	Close Bank Parameters
Bank Parameters	DDACFG_FA_BANKPARAMETERSAGGREGATE_AUTHORIZE	AUTHORIZE	Authorize Bank Parameters
Bank Parameters	DDACFG_FA_BANKPARAMETERSAGGREGATE_AMEND	UNLOCK	Unlock Bank Parameters
Branch Parameters Configure	DDACFG_FA_BRANCHPARAMETERSAGGREGATE_NEW	NEW	Create Branch Parameters
Branch Parameters	DDACFG_FA_BRANCHPARAMETERSAGGREGATE_AMEND	AMEND	Unlock Branch Parameters
Branch Parameters	DDACFG_FA_BRANCHPARAMETERSAGGREGATE_DELETE	DELETE	Delete Branch Parameters

Screen Name/API Name	Functional Activity Code	Action	Description
Branch Parameters	DDACFG_FA_BRANCH PARAMETERSAGGRE GATE_SUBMIT	SUBMIT	Submit Branch Parameters
Branch Parameters	DDACFG_FA_BRANCH PARAMETERSAGGRE GATE_VALIDATE	VALIDATE	Validate Branch Parameters
Branch Parameters	DDACFG_FA_BRANCH PARAMETERSAGGRE GATE_AUTHORIZE	AUTHORIZE	Authorize Branch Parameters
Branch Parameters	DDACFG_FA_BRANCH PARAMETERSAGGRE GATE_REOPEN	REOPEN	Reopen Branch Parameters
Branch Parameters	DDACFG_FA_BRANCH PARAMETERSAGGRE GATE_CLOSE	CLOSE	Close Branch Parameters
Branch Parameters	DDACFG_FA_BRANCH PARAMETERSAGGRE GATE_REMOVELOCK	REMOVELOCK	Remove Branch Parameters Lock
Branch Parameters View	DDACFG_FA_BRANCH PARAMETERSAGGRE GATE_VIEW	VIEW	View Branch Parameters
Customer GL	DDACFG_FA_CUSTOM ERGLMAINTAINANCE_ AMEND	UNLOCK	Unlock Customer GL
Customer GL	DDACFG_FA_CUSTOM ERGLMAINTAINANCE_ AUTHORIZE	AUTHORIZE	Authorize Customer GL
Customer GL	DDACFG_FA_CUSTOM ERGLMAINTAINANCE_ CLOSE	CLOSE	Close Customer GL
Customer GL	DDACFG_FA_CUSTOM ERGLMAINTAINANCE_ DELETE	DELETE	Delete Customer GL
Customer GL	DDACFG_FA_CUSTOM ERGLMAINTAINANCE_ NEW	NEW	Create Customer GL
Customer GL	DDACFG_FA_CUSTOM ERGLMAINTAINANCE_ REOPEN	REOPEN	Reopen Customer GL
Customer GL	DDACFG_FA_CUSTOM ERGLMAINTAINANCE_ VALIDATE	VALIDATE	Validate Customer GL
Customer GL	DDACFG_FA_CUSTOM ERGLMAINTAINANCE_ VIEW	VIEW	View Customer GL
Hold Code	DDACFG_FA_HOLDCO DEMENU_MAINT	NEW	Create Hold Code
Hold Code	DDACFG_FA_HOLDCO DEMENU_SUMMARY	VIEW	View Hold Code
Hold Code	DDACFG_FA_HOLDCO DE_ AMEND	UNLOCK	Unlock Hold Code

Screen Name/API Name	Functional Activity Code	Action	Description
Hold Code	DDACFG_FA_HOLDCODE_AUTHORIZE	AUTHORIZE	Authorize Hold Code
Hold Code	DDACFG_FA_HOLDCODE_AUTHQUERY	AUTHQUERY	View unauthorized Hold Code
Hold Code	DDACFG_FA_HOLDCODE_CLOSE	CLOSE	Close Hold Code
Hold Code	DDACFG_FA_HOLDCODE_DELETE	DELETE	Delete Hold Code
Hold Code	DDACFG_FA_HOLDCODE_NEW	NEW	Create Hold Code
Hold Code	DDACFG_FA_HOLDCODE_REOPEN	REOPEN	Reopen Hold Code
Hold Code	DDACFG_FA_HOLDCODE_VALIDATE	VALIDATE	Validate Hold Code
Hold Code	DDACFG_FA_HOLDCODE_VIEW	VIEW	View Hold Code
IBAN Maintenance	DDACFG_FA_IBANDIRMAINTAINANCE_UNLOCK	UNLOCK	Unlock IBAN Maintenance
IBAN Maintenance	DDACFG_FA_IBANDIRMAINTAINANCE_AUTHORIZE	AUTHORIZE	Authorize IBAN Maintenance
IBAN Maintenance	DDACFG_FA_IBANDIRMAINTAINANCE_CLOSE	CLOSE	Close IBAN Maintenance
IBAN Maintenance	DDACFG_FA_IBANDIRMAINTAINANCE_DELETE	DELETE	Delete IBAN Maintenance
IBAN Maintenance	DDACFG_FA_IBANDIRMAINTAINANCE_NEW	NEW	Create IBAN Maintenance
IBAN Maintenance	DDACFG_FA_IBANDIRMAINTAINANCE_REOPEN	REOPEN	Reopen IBAN Maintenance
IBAN Maintenance	DDACFG_FA_IBANDIRMAINTAINANCE_VALIDATE	VALIDATE	Validate IBAN Maintenance
IBAN Maintenance	DDACFG_FA_IBANDIRMAINTAINANCE_VIEW	VIEW	View IBAN Maintenance
Override Configuration	DDACFG_FA_OVERRIDECONFIGURATION_UNLOCK	UNLOCK	Unlock Override Configuration
Override Configuration	DDACFG_FA_OVERRIDECONFIGURATION_AUTHORIZE	AUTHORIZE	Authorize Override Configuration
Override Configuration	DDACFG_FA_OVERRIDECONFIGURATION_CLOSE	CLOSE	Close Override Configuration
Override Configuration	DDACFG_FA_OVERRIDECONFIGURATION_DELETE	DELETE	Delete Override Configuration

Screen Name/API Name	Functional Activity Code	Action	Description
Override Configuration	DDACFG_FA_OVERRIDESCONFIGURATION_NEW	NEW	Create Override Configuration
Override Configuration	DDACFG_FA_OVERRIDESCONFIGURATION_REOPEN	REOPEN	Reopen Override Configuration
Override Configuration	DDACFG_FA_OVERRIDESCONFIGURATION_VALIDATE	VALIDATE	Validate Override Configuration
Override Configuration	DDACFG_FA_OVERRIDESCONFIGURATION_VIEW	VIEW	View Override Configuration
Queue Maintenance	DDACFG_FA_QUEUECREATION_AMEND	UNLOCK	Unlock Queue Creation
Queue Maintenance	DDACFG_FA_QUEUECREATION_AUTHORIZE	AUTHORIZE	Authorize Queue Creation
Queue Maintenance	DDACFG_FA_QUEUECREATION_CLOSE	CLOSE	Close Queue Creation
Queue Maintenance	DDACFG_FA_QUEUECREATION_DELETE	DELETE	Delete Queue Creation
Queue Maintenance	DDACFG_FA_QUEUECREATION_NEW	NEW	New Queue Creation
Queue Maintenance	DDACFG_FA_QUEUECREATION_REOPEN	REOPEN	Reopen Queue Creation
Queue Maintenance	DDACFG_FA_QUEUECREATION_VALIDATE	VALIDATE	Validate Queue Creation
Queue Maintenance	DDACFG_FA_QUEUECREATION_VIEW	VIEW	View Queue Creation
Revaluation Setup	DDACFG_FA_REVALUATIONSETUP_AMEND	UNLOCK	Unlock Revaluation Setup
Revaluation Setup	DDACFG_FA_REVALUATIONSETUP_AUTHORIZE	AUTHORIZE	Authorize Revaluation Setup
Revaluation Setup	DDACFG_FA_REVALUATIONSETUP_CLOSE	CLOSE	Close Revaluation Setup
Revaluation Setup	DDACFG_FA_REVALUATIONSETUP_DELETE	DELETE	Delete Revaluation Setup
Revaluation Setup	DDACFG_FA_REVALUATIONSETUP_NEW	NEW	Create Revaluation Setup
Revaluation Setup	DDACFG_FA_REVALUATIONSETUP_REOPEN	REOPEN	Reopen Revaluation Setup
Revaluation Setup	DDACFG_FA_REVALUATIONSETUP_VALIDATE	VALIDATE	Validate Revaluation Setup
Revaluation Setup	DDACFG_FA_REVALUATIONSETUP_VIEW	VIEW	View Revaluation Setup
Source Code	DDACFG_FA_SOURCECODE_AMEND	UNLOCK	Unlock Source Code
Source Code	DDACFG_FA_SOURCECODE_AUTHORIZE	AUTHORIZE	Authorize Source Code
Source Code	DDACFG_FA_SOURCECODE_CLOSE	CLOSE	Close Source Code

Screen Name/API Name	Functional Activity Code	Action	Description
Source Code	DDACFG_FA_SOURCE_CODE_DELETE	DELETE	Delete Source Code
Source Code	DDACFG_FA_SOURCE_CODE_NEW	NEW	Create Source Code
Source Code	DDACFG_FA_SOURCE_CODE_REOPEN	REOPEN	Reopen Source Code
Source Code	DDACFG_FA_SOURCE_CODE_VALIDATE	VALIDATE	Validate Source Code
Source Code	DDACFG_FA_SOURCE_CODE_VIEW	VIEW	View Source Code
State Code Mapping	DDACFG_FA_STATE_MAP_AMEND	UNLOCK	Unlock State Code Mapping
State Code Mapping	DDACFG_FA_STATE_MAP_AUTHORIZE	AUTHORIZE	Authorize State Code Mapping
State Code Mapping	DDACFG_FA_STATE_MAP_CLOSE	CLOSE	Close State Code Mapping
State Code Mapping	DDACFG_FA_STATE_MAP_DELETE	DELETE	Delete State Code Mapping
State Code Mapping	DDACFG_FA_STATE_MAP_GETACTION	GETACTION	View State Code Mapping Actions
State Code Mapping	DDACFG_FA_STATE_MAP_GETRESAGG	GETRESAGG	View All State Code Mapping Resources
State Code Mapping	DDACFG_FA_STATE_MAP_GETRESHISTORY	GETRESHISTORY	View State Code Mapping History
State Code Mapping	DDACFG_FA_STATE_MAP_GETSUMMARY	GETSUMMARY	View State Code Mapping Summary
State Code Mapping	DDACFG_FA_STATE_MAP_GETUNAUTHRESOURCE	GETUNAUTHRESOURCE	View unauthorized State Code Mapping
State Code Mapping	DDACFG_FA_STATE_MAP_LOVVALIDATE	LOVVALIDATE	State Code Mapping LOV Validation
State Code Mapping	DDACFG_FA_STATE_MAP_NEW	NEW	Create State Code Mapping
State Code Mapping	DDACFG_FA_STATE_MAP_REJECT	REJECT	Reject State Code Mapping
State Code Mapping	DDACFG_FA_STATE_MAP_REMOVELOCK	REMOVELOCK	Remove State Code Mapping Lock
State Code Mapping	DDACFG_FA_STATE_MAP_REOPEN	REOPEN	Reopen State Code Mapping
State Code Mapping	DDACFG_FA_STATE_MAP_SUBMIT	SUBMIT	Submit State Code Mapping
State Code Mapping	DDACFG_FA_STATE_MAP_VALIDATE	VALIDATE	Validate State Code Mapping
State Code Mapping	DDACFG_FA_STATE_MAP_VIEW	VIEW	View State Code Mapping
State Group Parameters	DDACFG_FA_STATE_GRP_AMEND	UNLOCK	Unlock State Group Parameters
State Group Parameters	DDACFG_FA_STATE_GRP_AUTHORIZE	AUTHORIZE	Authorize State Group Parameters

Screen Name/API Name	Functional Activity Code	Action	Description
State Group Parameters	DDACFG_FA_STATE_GROUP_CLOSE	CLOSE	Close State Group Parameters
State Group Parameters	DDACFG_FA_STATE_GROUP_DELETE	DELETE	Delete State Group Parameters
State Group Parameters	DDACFG_FA_STATE_GROUP_GETACTION	GETACTION	State Group Parameters Actions
State Group Parameters	DDACFG_FA_STATE_GROUP_GETRESAGG	GETRESAGG	View State Group Parameters
State Group Parameters	DDACFG_FA_STATE_GROUP_GETRESHISTORY	GETRESHISTORY	View State Group Parameters History
State Group Parameters	DDACFG_FA_STATE_GROUP_GETSUMMARY	GETSUMMARY	View All State Group Parameters Resources
State Group Parameters	DDACFG_FA_STATE_GROUP_GETUNAUTHRESOURCE	GETUNAUTHRESOURCE	View Unauthorized State Group Parameters
State Group Parameters	DDACFG_FA_STATE_GROUP_LOVVALIDATE	LOVVALIDATE	State Group Parameters Validation
State Group Parameters	DDACFG_FA_STATE_GROUP_NEW	NEW	Create State Group Parameters
State Group Parameters	DDACFG_FA_STATE_GROUP_REJECT	REJECT	Reject State Group Parameters
State Group Parameters	DDACFG_FA_STATE_GROUP_REMOVELOCK	REMOVELOCK	Remove State Group Parameters Lock
State Group Parameters	DDACFG_FA_STATE_GROUP_REOPEN	REOPEN	Reopen State Group Parameters
State Group Parameters	DDACFG_FA_STATE_GROUP_SUBMIT	SUBMIT	Submit State Group Parameters
State Group Parameters	DDACFG_FA_STATE_GROUP_VALIDATE	VALIDATE	Validate State Group Parameters
State Group Parameters	DDACFG_FA_STATE_GROUP_VIEW	VIEW	View State Group Parameters
Status Code	DDACFG_FA_STATUSCODEAGGREGATE_AMEND	UNLOCK	Unlock Status Code
Status Code	DDACFG_FA_STATUSCODEAGGREGATE_AUTHORIZE	AUTHORIZE	Authorize Status Code
Status Code	DDACFG_FA_STATUSCODEAGGREGATE_CLOSE	CLOSE	Close Status Code
Status Code	DDACFG_FA_STATUSCODEAGGREGATE_DELETE	DELETE	Delete Status Code
Status Code	DDACFG_FA_STATUSCODEAGGREGATE_NEW	NEW	Create Status Code
Status Code	DDACFG_FA_STATUSCODEAGGREGATE_REMOVELOCK	REMOVELOCK	Remove Status Code Lock

Screen Name/API Name	Functional Activity Code	Action	Description
Status Code	DDACFG_FA_STATU SCODEAGGREGATE _REOPEN	REOPEN	Reopen Status Code
Status Code	DDACFG_FA_STATU SCODEAGGREGATE _SUBMIT	SUBMIT	Submit Status Code
Status Code	DDACFG_FA_STATU SCODEAGGREGATE _VALIDATE	VALIDATE	Validate Status Code
Status Code	DDACFG_FA_STATU SCODEAGGREGATE _VIEW	VIEW	View Status Code
Transaction Code Parameters	DDACFG_FA_TRANSA CTIONCODEAGGREG ATE_AMEND	UNLOCK	Unlock Transaction Code Parameters Transaction Code
Transaction Code Parameters	DDACFG_FA_TRANSA CTIONCODEAGGREG ATE_AUTHORIZE	AUTHORIZE	Authorize Transaction Code Parameters
Transaction Code Parameters	DDACFG_FA_TRANSA CTIONCODEAGGREG ATE_CLOSE	CLOSE	Close Transaction Code Parameters
Transaction Code Parameters	DDACFG_FA_TRANSA CTIONCODEAGGREG ATE_DELETE	DELETE	Delete Transaction Code Parameters
Transaction Code Parameters	DDACFG_FA_TRANSA CTIONCODEAGGREG ATE_NEW	NEW	Create Transaction Code Parameters Transaction Code
Transaction Code Parameters	DDACFG_FA_TRANSA CTIONCODEAGGREG ATE_REMOVELOCK	REMOVELOCK	Remove Transaction Code Parameters Lock
Transaction Code Parameters	DDACFG_FA_TRANSA CTIONCODEAGGREG ATE_REOPEN	REOPEN	Reopen Transaction Code Parameters
Transaction Code Parameters	DDACFG_FA_TRANSA CTIONCODEAGGREG ATE_SUBMIT	SUBMIT	Submit Transaction Code Parameters
Transaction Code Parameters	DDACFG_FA_TRANSA CTIONCODEAGGREG ATE_VALIDATE	VALIDATE	Validate Transaction Code Parameters
Transaction Code Parameters	DDACFG_FA_TRANSA CTIONCODEAGGREG ATE_VIEW	VIEW	View Transaction Code Parameters
Business Events C	DDAPP_FA_EVENTGE NERATIONSTATUS_S CREEN	VIEW	View the status of the generated event
Business Events	DDACFG_EVENTGEN PARAM_GETSUMMAR Y	GETSUMMARY	Parameter access for Event Generation Summary view
Business Events	DDACFG_FA_EVENTG EN_DEFN_GETSUMMA RY	GETSUMMARY	Event Generation Summary view

Screen Name/API Name	Functional Activity Code	Action	Description
Business Events	DDACFG_FA_EVENTG EN_DEFN_LOVCATEG ORY	GET	Retrieve the list of values for LOV Category
Business Events	DDACFG_FA_EVENTG EN_DEFN_LOVDOMAI N	GET	Retrieve the list of values for LOV Domain
Business Events	DDACFG_FA_EVENTG EN_DEFN_LOVEVENT	GET	Retrieve the list of values for LOV Event
External Relationship Code	DDACFG_FA_EXTREL ATIONSHIPCODE_AME ND	UNLOCK	Modify External Relationship Code maintenance
External Relationship Code	DDACFG_FA_EXTREL ATIONSHIPCODE_AUT HORIZE	AUTHORIZE	Authorize External Relationship Code maintenance
External Relationship Code	DDACFG_FA_EXTREL ATIONSHIPCODE_AUT HQUERY	VIEW	Query External Relationship Code unauthorized records
External Relationship Code	DDACFG_FA_EXTREL ATIONSHIPCODE_CLO SE	CLOSE	Close External Relationship Code
External Relationship Code	DDACFG_FA_EXTREL ATIONSHIPCODE_DEL ETE	DELETE	Delete External Relationship Code
External Relationship Code	DDACFG_FA_EXTREL ATIONSHIPCODE_GET RESHISTORY	GET	Get History Of External Relationship Code
External Relationship Code	DDACFG_FA_EXTREL ATIONSHIPCODE_GET SUMMARY	GETSUMMA RY	Get Summary of External Relationship Code
External Relationship Code	DDACFG_FA_EXTREL ATIONSHIPCODE_LOV VALIDATE	GET	Validate the list of values for External Relationship Code
External Relationship Code	DDACFG_FA_EXTREL ATIONSHIPCODE_MAI NT	CONFIG	External Relationship Code Configuration
External Relationship Code	DDACFG_FA_EXTREL ATIONSHIPCODE_NE W	CREATE	Create External Relationship Code
External Relationship Code	DDACFG_FA_EXTREL ATIONSHIPCODE_REJ ECT	REJECT	Reject External Relationship Code
External Relationship Code	DDACFG_FA_EXTREL ATIONSHIPCODE_REO PEN	REOPEN	Reopen External Relationship Code
External Relationship Code	DDACFG_FA_EXTREL ATIONSHIPCODE_SUM MARY	SUMMARY	External Relationship Code Summary
External Relationship Code	DDACFG_FA_EXTREL ATIONSHIPCODE_VIE W	VIEW	View External Relationship Code
Insolvency block details	DDACFG_FA_INSOLVE NCYBLOCK_AMEND	UNLOCK	Modify Insolvency Block Details

Screen Name/API Name	Functional Activity Code	Action	Description
Insolvency block details	DDACFG_FA_INSOLVE NCYBLOCK_AUTHORIZE	AUTHORIZE	Authorize Insolvency Block Details
Insolvency block details	DDACFG_FA_INSOLVE NCYBLOCK_AUTHQUERY	VIEW	Query Insolvency Block unauthorized records
Insolvency block details	DDACFG_FA_INSOLVE NCYBLOCK_CLOSE	CLOSE	Close Insolvency Block Details
Insolvency block details	DDACFG_FA_INSOLVE NCYBLOCK_DELETE	DELETE	Delete Insolvency Block Details
Insolvency block details	DDACFG_FA_INSOLVE NCYBLOCK_GETACCO UNTCLASS	GET	Get details of business product by domain for insolvency block config
Insolvency block details	DDACFG_FA_INSOLVE NCYBLOCK_GETRESH ISTORY	GET	Get History Of Insolvency Block Details
Insolvency block details	DDACFG_FA_INSOLVE NCYBLOCK_GETSUM MARY	GETSUMMARY	Get Summary of Insolvency Block Details
Insolvency block details	DDACFG_FA_INSOLVE NCYBLOCK_LOVVALID ATE	GET	Validate the list of values for insolvency block
Insolvency block details	DDACFG_FA_INSOLVE NCYBLOCK_NEW	CREATE	Create Insolvency Block Details
Insolvency block details	DDACFG_FA_INSOLVE NCYBLOCK_REJECT	REJECT	Reject Insolvency Block Details
Insolvency block details	DDACFG_FA_INSOLVE NCYBLOCK_REOPEN	REOPEN	Reopen Insolvency Block Details
Insolvency block details	DDACFG_FA_INSOLVE NCYBLOCK_VIEW	VIEW	View Insolvency Block Details
Non-financial Activity Code	DDACFG_FA_NONFINA NCIALCODEMENU_MA INT	CONFIG	Non-Financial Code Configuration
Non-financial Activity Code	DDACFG_FA_NONFINA NCIALCODEMENU_SU MMARY	GETSUMMARY	Non-Financial Code configuration summary
Non-financial Activity Code	DDACFG_FA_NONFINA NCIALCODE_AMEND	UNLOCK	Update non-financial code configuration
Non-financial Activity Code	DDACFG_FA_NONFINA NCIALCODE_AUTHORI ZE	AUTHORIZE	Authorize Non-financial code config
Non-financial Activity Code	DDACFG_FA_NONFINA NCIALCODE_AUTHQU ERY	VIEW	Query unauthorized non-financial code configuration records
Non-financial Activity Code	DDACFG_FA_NONFINA NCIALCODE_CLOSE	CLOSE	Close a non-financial code config
Non-financial Activity Code	DDACFG_FA_NONFINA NCIALCODE_DELETE	DELETE	Delete a non-financial code config
Non-financial Activity Code	DDACFG_FA_NONFINA NCIALCODE_NEW	CREATE	Create a new non-financial code config

Screen Name/API Name	Functional Activity Code	Action	Description
Non-financial Activity Code	DDACFG_FA_NONFINANCIALCODE_REOPEN	REOPEN	Reopen a closed non-financial code config
Non-financial Activity Code	DDACFG_FA_NONFINANCIALCODE_VALIDATE	VALIDATE	Validate service for the list of non-financial codes
Non-financial Activity Code	DDACFG_FA_NONFINANCIALCODE_VIEW	VIEW	View list of configured non-financial codes
PII Masking	DDACFG_FA_PIIMASKINGMAINTENANCE_AUTHORIZE	AUTHORIZE	Authorize PII (Personally Identifiable Information) Masking Maintenance
PII Masking	DDACFG_FA_PIIMASKINGMAINTENANCE_DELETE	DELETE	Delete PII (Personally Identifiable Information) Masking Maintenance
PII Masking	DDACFG_FA_PIIMASKINGMAINTENANCE_GETBYRESOURCEID	GET	Get PII (Personally Identifiable Information) Masking Maintenance By Resource Id
PII Masking	DDACFG_FA_PIIMASKINGMAINTENANCE_SUMMARY	VIEW	View all PII (Personally Identifiable Information) Masking Maintenance done
PII Masking	DDACFG_FA_PIIMASKINGMAINTENANCE_UNAUTHORIZED	GET UNAUTH RECORD	Query unauthorized PII (Personally Identifiable Information) masking maintenance
PII Masking	DDACFG_FA_PIIMASKINGMAINTENANCE_UPDATE	UPDATE	Update PII (Personally Identifiable Information) Masking Maintenance

Index

B

Bank Parameters, [1](#)
Branch Parameters, [1](#)
Business Events, [1](#)
Business Events Summary, [1](#)

C

Configure Bank Parameters, [1](#)
Configure Branch Parameters, [1](#)
Configure Source Code, [1](#)
Configure Transaction Code Parameters, [1](#)
Create Customer GL, [1](#)
Create Hold Code, [1](#)
Create IBAN Maintenance, [1](#)
Create Insolvency Block Details, [1](#)
Create State Code Mapping, [1](#)
Create State Group Parameters, [1](#)
Create Status Code, [1](#)
Customer GL, [1](#)

F

Functional Activity Codes, [1](#)

H

Hold Code, [1](#)

I

IBAN Maintenance, [1](#)
Insolvency Block Details Maintenance, [1](#)

O

Overrides Configuration, [1](#)

P

PII Mask Maintenance, [1](#)

S

Source Code, [1](#)
State Code Mapping, [1](#)
State Group Parameters, [1](#)
Status Code, [1](#)

T

Transaction Code Parameters, [1](#)

V

View Bank Parameters, [8](#)
View Branch Parameters, [4](#)
View Customer GL, [2](#)
View Hold Code, [2](#)
View IBAN Maintenance, [2](#)
View Insolvency Block Details, [2](#)
View Overrides Configuration, [1](#)
View PII Mask Maintenance, [1](#)
View Source Code, [3](#)
View State Code Mapping, [2](#)
View State Group Parameters, [3](#)
View Status Code, [2](#)
View Transaction Code Parameters, [3](#)