Oracle® Banking Cash Management Cash Flow Prediction User Guide





Oracle Banking Cash Management Cash Flow Prediction User Guide, Release 14.8.1.0.0

G44313-01

Copyright © 2020, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Purpose	ii
Before You Begin	ii
Module Pre-requisite	ii
Audience	ii
Documentation Accessibility	ii
Critical Patches	ii
Diversity and Inclusion	iii
Related Resources	iii
Conventions	iii
Screenshot Disclaimer	iii
Acronyms and Abbreviations	iii
Basic Actions	iv
Icons	V
Introduction	
1.1 Machine Learning Techniques	2



Preface

Purpose

This document explains the machine learning approach used to build the cash flow prediction feature, which is available as part of Oracle Banking Cash Management.

Audience

This document is intended for the following audience:

- Customers
- Partners

Document Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at <u>Critical Patches</u>, <u>Security Alerts and Bulletins</u>. All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by <u>Oracle Software Security Assurance</u>.

Screenshot Disclaimer

Personal information used in the interface or documents are dummy and does not exist in the real world. It is only for reference purposes.

Acronyms and Abbreviations

NA

Related Resources

The related documents are as follows:

- 1. Oracle Banking Getting Started User Guide
- 2. Oracle Banking Common Core User Guide
- Purpose
- Before You Begin
- Module Pre-requisite
- Audience
- Documentation Accessibility
- Critical Patches



- Diversity and Inclusion
- Related Resources
- Conventions
- Screenshot Disclaimer
- Acronyms and Abbreviations
- Basic Actions
- Icons

Purpose

This document explains the machine learning approach used to build the cash flow prediction feature, which is available as part of Oracle Banking Cash Management.

Before You Begin

Kindly refer to the **Getting Started User Guide** for information on common functionalities like login, navigation, and general settings before proceeding with this guide.

Module Pre-requisite

Specify User Id and Password, and login to the Home screen.

Audience

This guide is intended for the following User/User Roles:

Table 1 Audience

Role	Function
Back office executive	Input functions for transactions
Back office managers/officers	Authorization of functions
Product Managers	Product definition and authorization

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at <u>Critical Patches</u>, <u>Security Alerts and</u>



<u>Bulletins</u>. All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by <u>Oracle Software Security Assurance</u>.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Related Resources

The related documents are as follows:

- Oracle Banking Common Core User Guide
- Oracle Banking Security Management System User Guide
- Oracle Banking Getting Started User Guide
- Collections User Guide
- Netting User Guide
- · Receivables and Payables User Guide

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Screenshot Disclaimer

Personal information used in the interface or documents are dummy and does not exist in the real world. It is only for reference purposes.

Acronyms and Abbreviations

NA



Basic Actions

The basic actions performed in the screens are as follows:

Table 2 Basic Actions

Actions	Description
Approve	Click Approve to approve the initiated record. This button is displayed once you click Authorize .
Audit	Click Audit to view the maker details, checker details of the particular record. This button is displayed only for the records that are already created.
Authorize	Click Authorize to authorize the record created. A maker of the screen is not allowed to authorize the same. Only a checker can authorize a record. This option is displayed only for the already created records.
Cancel	Click Cancel to cancel the action performed.
Close	Click Close to close a record. This action is available only when a record is created.
Collapse All	Click Collapse All to hide the details in the sections. This button is displayed once you click Compare.
Compare	Click Compare to view the comparison through the field values of old record and the current record. This button is displayed in the widget once you click Authorize .
Confirm	Click Confirm to confirm the action performed.
Expand All	Click Expand All to expand and view all the details in the sections. This button is displayed once you click Compare .
Menu Item Search	Specify the menu name to search and select the required screens from the list. This option is used to search and navigate the required screens.
New	Click New to add a new record. The system displays a new record to specify the required data. The fields marked with asterisk are mandatory.
ок	Click OK to confirm the details in the screen.
Reject	Click Reject to reject the initiated record. This button is displayed once you click Authorize .
Save	Click Save to save the details entered or selected in the screen.
Unlock	Click Unlock to update the details of an existing record. The system displays an existing record in editable mode. This option is displayed only for the records that are already created.
View	Click View to view the details in a particular modification stage. This button is displayed in the widget once you click Authorize .
View Difference only	Click View Difference only to view a comparison through the field element values of old record and the current record, which has undergone changes. This button is displayed once you click Compare.



Icons

The list of icons available on the screens are as follows:

Table 3 Icons - Common

Icon	Function
J L	Minimize
7 F	
г ¬	Maximize
LJ	
×	Close
Q	Perform Search
•	Open a list
\leftrightarrow	Date Range
1	Add a new record
K	Navigate to the first record
>1	Navigate to the last record
4	Navigate to the previous record
•	Navigate to the next record
88	Grid view
=	List view
G	Refresh
位	Delete



Table 3 (Cont.) Icons - Common

Icon	Function
₽	Add/Remove Columns
+	Click this icon to add a new row.
-	Click this icon to delete a row, which is already added.
i	Calendar
Û	Alerts

Table 4 Icons - Widget

Icon	Function
6	Open status
	Unauthorized status
Ľ _×	Rejected status
A	Closed status
D	Authorized status
	Modification Number

Introduction

Individual currency's future provisioned transactions are the basis for cash position projections.

In real life, timely settlements are seldom expected, resulting in a widening variance between actual and projected cash positions based on this approach.

We model our solution on a transaction-based approach, which involves rebuilding individual transactions, based on the pivots of time delay, spread as in single/multiple tranches, and tranche intervals.

Example,

Basic Individual Transaction: 1000 USD, expected payment date on 26th May 2024

Assumption: Availability of sufficient transactions with varying payment patterns, for models to get trained ~ 2000

Machine Learning Prediction outcomes:

- 2 days advance payment for the first tranche
- Spread 3, i.e. multi-tranche payment.
- Tranche interval of 4 days


New rebuilt Transaction:

- 333 USD, 24th May 2024
- 333 USD, 29th May 2024
- 334 USD, 3rd June 2024


We aggregate the new transaction breakup, re-built over date and across currencies, to build the projections of final cash flow and cash positions.

Solution Concept





Implementation Architecture



This topic contains follwing sub-topics:

- Machine Learning Techniques
- Data Model Used

1.1 Machine Learning Techniques

The solution uses in-database OML4SQL, which is available by default with database version 19c and above.

1. Multi-Class Classification

- a. The machine learning framework builds individual model, for each of the following industry accepted algorithms,
 - i. Decision Tree
 - ii. Naive Bayes



- iii. Random Forest
- iv. Support Vector Machines
- v. Neural Network
- vi. Generalized Linear Models
- b. When we compare models, we select the one that best represents the underlying data.
- Model Metrics used to compare models,
 - i. **AUC**(Area Under the Curve) The model's robustness is measured by this value, which is between 0 and 1. The closure the value is to 1, the better the model.
 - Accuracy Measured as a function of predicted vis-à-vis actual in the testing dataset.
- d. The important attributes, their individual weights and constant value used in building the model are stored in the database.

2. Regression

- The machine learning framework builds individual model, for each of the following industry accepted algorithms,
 - i. Support Vector Machines
 - ii. Neural Network
 - iii. Generalized Linear Models
- **b.** The models are compared, and the best model is selected which best represents the underlying data.
- c. Model Metrics used to compare models,
 - i. RMSE(Root Mean Square Error)
- **d.** The important attributes, their individual weights and constant value used in building the model are stored in the database.

(i) Note

Overall, there are one multi-classification model and three regression models for this solution

1.2 Data Model Used

Column	Туре
Reference Number	CHARACTER
Corporate ID	CHARACTER
Account Number	CHARACTER
Virtual Account Number	CHARACTER
Source Application	CHARACTER
External Reference Number	CHARACTER
Customer Reference Number	CHARACTER
Counterparty ID	CHARACTER
Cashflow Code	CHARACTER



Column	Туре
Cashflow Type	CHARACTER
Start Day	NUMBER
Start Month	CHARACTER
Start Year	CHARACTER
Expected Amount	NUMBER
Currency	CHARACTER
Channel	CHARACTER
Payment Due in Days	NUMBER
Disputed	CHARACTER
Due Month End	CHARACTER
Due_ Month_ 1Half	CHARACTER
Due_ Month_ 2Half	CHARACTER
Due Month	NUMBER
Total Settlement Tranche Count	NUMBER
First Tranche Delay Days	NUMBER
Average Tranche gap Days	NUMBER
Total Amount paid	NUMBER
Total Amount paid	NUMBER
Over due Amount	NUMBER
Historic Average gaps between payments	NUMBER
Historic delay ratio	NUMBER
Historic Cashflow code delay ratio	NUMBER
Historic First pay Delay ratio	NUMBER
Historic average prepaid First Tranche Delay	NUMBER
Total prepaid First Tranche Count	NUMBER
Last Paid Status	CHARACTER
Total Paid Count	NUMBER
Total Paid Amount	NUMBER
Total Paid Late Count	NUMBER
Total Paid Late Amount	NUMBER
Total Overdue count	NUMBER

Index

D	
Data Model Used, 3	M
	Machine Learning Techniques, 2
Introduction, 1	