Oracle® Banking Digital Experience Chatbot Configuration Guide





Oracle Banking Digital Experience Chatbot Configuration Guide, Release 25.1.1.0.0

G43885-01

Copyright © 2015, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface	
Purpose	
Before you Begin	
Pre-requisites	
Audience	
Documentation Accessibility	i
Critical Patches	i
Diversity and Inclusion	i
Related Resources	i
Conventions	i
Screenshot Disclaimer	ii
Acronyms and Abbreviations	ii
Post-requisites	ii
Topology	
Common Configurations	
3.1 ODA Configurations	-
Configuring Channels in ODA	
4.1 Web Channel	
4.2 Android Channel	2
4.3 iOS Channel	;
4.4 Facebook Channel	
4.5 Alexa Channel	(
	(

Standalon	e WhatsApp/Facebook messenger integration with OBDX
Index	

List of Figures

4-1	OBDX_WhatsApp Channel	<u>18</u>
4-2	WhatsApp Configuration	<u>18</u>



Preface

- Purpose
- Before you Begin
- Pre-requisites
- <u>Audience</u>
- Documentation Accessibility
- Critical Patches
- Diversity and Inclusion
- Related Resources
- Conventions
- Screenshot Disclaimer
- Acronyms and Abbreviations
- Post-requisites

Purpose

This guide is designed to help acquaint you with the Oracle Banking application. This guide provides answers to specific features and procedures that the user need to be aware of the module to function successfully.

Before you Begin

Kindly refer to our **Getting Started User Guide** for common elements, including Symbols and Icons, Conventions Definitions, and so forth.

Pre-requisites

Specify **User ID** and **Password**, and login to **Home** screen.

Audience

This document is intended for the following audience:

- Customers
- Partners



Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at <u>Critical Patches</u>, <u>Security Alerts and Bulletins</u>. All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by <u>Oracle Software Security Assurance</u>.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Related Resources

For more information on any related features, refer to the following documents:

- Oracle Banking Digital Experience Installation Manuals
- Oracle Banking Digital Experience Licensing Manuals

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.



Convention	Meaning
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes; actual screens that appear in the application may vary based on selected browser, theme, and mobile devices.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Table 1 Acronyms and Abbreviations

Abbreviation	Description
OBDX	Oracle Banking Digital Experience

Post-requisites

After finishing all the requirements, please log out from the **Home** screen.

Purpose


This topic provides information on **Purpose**.OBDX provides interface for Chatbot module, integrated with Oracle Digital Assistant (ODA) out of the box.

It provides end users a chat interface to interact with the bank. Transactions like balance enquiry, fund transfers to payees, enquiring about banking products and details of ATM/ Branches can be achieved through chat. This document provides steps to setup OBDX chatbot module with ODA. The prerequisites include:

- ODA setup on the ODA console and required channel setup.
- Respective channel setup (IOS, Android and Web) to connect to ODA is specified in the respective Technical guide.

Topology

This topic provides information on **Topology**.




Common Configurations

ODA Configurations
 This topic describes the systematic instruction to ODA Configurations option.


3.1 ODA Configurations

This topic describes the systematic instruction to **ODA Configurations** option.

 Login to ODA and import the OBDX bot shipped with OBDX installer. There is below folder OBDX_Installer/installables/OBDX/BASE/<OBDX patchset version>/ chatbot/config/oda-text/. Zip the content inside this and Import the zip by clicking the "Import Bot" on ODA dashboard.




2. Click on the OBDX Bot and click on the components to add the custom components.






- Put the OBDX URL here. The OBDX setup and the ODA setup must be accessible over Internet.
- Add username/password (in HTTP Basic authorization) of any user with Administrators role which can be used to login in OBDX WebLogic server.
- 5. To configure intent threshold for the skill, go to settings tab in a bot and click configurations to configure threshold frequency (default 0.5) as shown below:




6. Configure required entity in a resource bundles (one created/configured in OBDX). At a time chatbot works with single entity. Go to Resource Bundles as shown below-




7. Configure OBDX managed server URL where OBDX rest APIS are hosted:





8. Login to ODA → Preview



Configuring Channels in ODA

This topic provides information on **Configuring Channels in ODA**. OBDX bot can be configured with Oracle Web, Oracle Android and Oracle iOS channels.

Chatbot widget appears on prelogin page in OBDX UI where the login is with mobile number/ (OTP or PIN or Soft Token). For post login, the browser session is automatically used.

Web Channel

This topic provides information on Web Channel.

Android Channel

This topic describes the systematic instruction to **Android Channel** option.

iOS Channel

This topic describes the systematic instruction to **iOS Channel** option.

Facebook Channel

This topic describes the systematic instruction to **Facebook Channel** option.

Alexa Channel

This topic describes the systematic instruction to **Alexa Channel** option. Creating an Alexa skill called futuraBank along with a Webhook channel lets you chat with a specific bot.

WhatsApp Channel


This topic describes the systematic instruction to WhatsApp Channel option.

4.1 Web Channel

This topic provides information on Web Channel.


To configure this channel:

1. Choose Development → Channels → Users from the menu. Click **Add Channel**.





Create Oracle Web as the channel type.



- 3. Switch on Channel Enabled switch
- Add above Chatbot URL and channelled in /ui/framework/js/configurations/config.js in oda tag

Add above Chatbot URL and channelled in /ui/framework/js/configurations/config.js in oda tag

To remove this chatbot widget

- · Remove URL & channelld in above file
- Remove the "chat-bot" tag in prelogin dashboard → DIGX_DB_DASHBOARD → DASHBOARDDESIGN blob for anonymous dashboard


4.2 Android Channel

This topic describes the systematic instruction to Android Channel option.

To configure this channel:

- 1. Choose Development → Channels → Users from the menu. Click Add Channel.
- Then add Oracle Android as the channel type.






- 3. Route the channel to your skill or digital assistant.
- Switch on Channel Enabled switch.
- Note the channel Id. This is required in application configuration. Refer application configuration guide for more details.

4.3 iOS Channel

This topic describes the systematic instruction to iOS Channel option.

To configure this channel:

- 1. Choose Development → Channels → Users from the menu. Click **Add Channel**.
- 2. Add Oracle iOS as the channel type.



- 3. Route the channel to your skill or digital assistant.
- 4. Switch on Channel Enabled switch.




Note the channel Id. This is required in application configuration. Refer application configuration guide for more details.


4.4 Facebook Channel

This topic describes the systematic instruction to Facebook Channel option.

- 1. Create a Facebook account for the Bank. Login to Facebook with credentials.
- 2. Create a new page.




3. Navigate to developer link and create an application as shown below




4. Navigate to dashboard page and note the app secret as it will require in future steps.






5. Navigate to Messenger → Settings page from left panel and in token generation section select the page created previously. Note the page access token.




Create Facebook Channel in ODA

1. In ODA ,click channels in the left panel/menu and then click on users.






- Next, click Add Channel to open the Create Channel dialog.
- 3. Choose Facebook Messenger as the channel type.



- 4. In the Page Access Token field, paste the page access token that you generated previously in the Set Up Facebook Messenger procedure.
- 5. In the App Secret field, paste the app secret that you copied previously in the Set Up Facebook Messenger procedure and click Create.
- 6. In the Channels page, copy both the Verify Token and WebHook URL and paste them somewhere convenient on your system. You'll need these to configure the Facebook webhook.






7. Select the digital assistant or skill that you want to associate with the channel. Switch on the Channel Enabled control to enable it.

Configure the Facebook Messenger Webhook

- 1. In Facebook Messenger, be sure that you've selected the project that you initially created for the webhook.
- Click Messenger and then choose Settings .
- 3. Click Subscribe to Events to open the New Page Subscription dialog.
- Copy the Webhook URL that you got from the Digital Assistant Channels page and paste it in the CallBack URL field in the New Page Subscription dialog.
- Copy the Verify Token generated by Digital Assistant and paste it into the Verify Token field.






- 6. Under Subscription Fields, select the messages and messaging_postbacks callback events. The messages event is triggered whenever someone sends a message to your Facebook page.
- 7. Click Verify and Save.
- 8. In the Webhooks section of the Messenger settings, select the Facebook page for your digital assistant (or standalone skill). Click Subscribe.

Validating configurations

Login to Facebook → Navigate to the page and click → Send message



- 2. Click Get Started in the chat window → You should receive welcome message from ODA
- Enquire about account balance → OTP should be received on the registered email address of the party in core banking.



4.5 Alexa Channel

This topic describes the systematic instruction to **Alexa Channel** option. Creating an Alexa skill called futuraBank along with a Webhook channel lets you chat with a specific bot.


Creating an Alexa skill called *Futura Bank* along with a Webhook channel lets you chat with a specific bot.

Add the skill information


Set up a developer account in the Amazon Developer Portal.



- 1. Open the Amazon Developer Console.
- 2. Click on 'Create Skill'.




Enter Futurabank (or any name that you want to use to invoke this skill) as the Invocation Name.




4. Add new intent as CommandBot.







5. Add sample utterance to it



6. Create custom slot.









7. Update this CustomSlot in previously added intent.






- 8. Click Build Model in Build tab.
- 9. Update endpoint and add CA.
- 10. Note the skill ID.




Setup Account Linking for Alexa

- Go to Account Linking tab in Alexa console and enable "allow users to create an account or link to an existing account".
- 2. In the **Security Provider Information**, select "Auth Code Grant" and set your web authorization Uri ,and access token
- 3. Set scope to "accounts".








- Set the client Id for client from client Maintenance page for "OBDXVoiceAstDomain" identity domain client.
- 5. Click **Edit** and set the client secret for the above client.




Go to Resource Server Maintenance page and select Identity domain to OBDXVoiceAstDomain.



7. Edit the Scope Name of SCO2 to "accounts" and Scope Description to "accounts".




- **8.** Go to **Touch Point Maintenance** page and search for **Voice Assistant Banking** touch point name.
- 9. Add "accounts" scope to the list of scopes, and add upload your bank logo.
- 10. Enable Touch point status.




11. Go to **Role Transaction Mapping** page, and create an external user and add accounts scope.





12. Add module "current account savings account", "term deposit", "customer servicing" and "loan", "payments".




- 13. Set the 'CODE_CHALLENGE_FLAG', 'OPAQUE_ACCESS_TOKEN_FLAG' flags to N in auth_config table. update auth_config set prop_value='N' where prop_id='CODE_CHALLENGE_FLAG'; update auth_config set prop_value='N' where prop_id='OPAQUE_ACCESS_TOKEN_FLAG';
- **14.** Update token_expiry in digx_au table for OBDXVoiceAstDomain domain_id update DIGX_AU_tokendetail set TOKEN_EXPIRY=600 where DOMAIN_ID='c733dee8-6e4f-4400-8170-cf7c6ef98165';




15. Restart the server.

Create a Webhook channel in ODA

 In the Bot Builder, create a webhook channel for your bot. In the Create Channel dialog, enter the outgoing Webhook URL as https://bots-samples-nodejs:8889/ext/apps/alexasingleBot/singleBotWebhook/messages. This URL is where your bot will send its responses back to the Alexa Futura Bot skill.




- a. Update amzn_appld, channelSecretKey & channelUrl in service.js
- b. Run nodeJS script
- c. npm install
- d. node index.js
- e. This must be publicly hosted in https URL.
- f. Enter this URL in below screen





- 2. In the Alexa Mobile App
 - a. Ensure that the skill is visible.
 - b. Change the language to English US.



3. Link your amazon account for your skill through alexa app.


4.6 WhatsApp Channel

This topic describes the systematic instruction to **WhatsApp Channel** option.

- 1. Create a channel of type Webhook.
- 2. Map the Skill to this channel & enable the same.



Figure 4-1 OBDX_WhatsApp Channel




 Obtain the NodeJS script from installer from this path: OBDX_Installer/ installables/OBDX/BASE/<OBDX patchset version>/chatbot/config/odawhatsapp/index.js.

This script resides between WhatsApp Server & ODA.

- 4. Complete the configurations as given in **Section 3.8: WhatsApp configurations of Alert Configuration Guide**.
- 5. Note the Webhook URL & secret from above screen & update in NodeJS script.
- 6. Update the long term WhatsApp token in MYTOKEN variable in the script.
- 7. Run the shared NodeJS script on any public server.
- **8.** Update the url in below WhatsApp Console. The verify token is the one used in mytoken variable in script. Update the outgoing webhook URL in ODA channel.

Figure 4-2 WhatsApp Configuration



Configuration in OBDX

This topic describes the systematic instruction to Configuration in OBDX option.

- 1. This configuration is applicable for WEB/ANDOIRD/IOS channel.
- 2. Login to OBDX website with admin user.
- 3. Go to Touch Point Maintenance and search for APCHATBOT.
- 4. Enable APCHATBOT touchpoint for chatbot to work with OBDX.
- For 2fa, enable 2fa Authentication. Enabling this will enable 2fa authentication for transactions withing chatbot as per authentication type configured for the transaction.
- 6. Login 2fa option available are PIN/OTP/Soft token.
 - For PIN, user can login to OBDX website -> Profile Settings -> Password and security Set SMS and chatbot PIN
 - b. Update the type of authentication required in ODA in fw_config_all_b

```
select * from digx_fw_config_all_b where prop_id
like'%MobileAuthenticator%'
values are LOCAL- OTP
R_SOFT_TOKEN- HOTP based 2fa
T_SOFT_TOKEN, PIN - TOPT base 2fa
PIN
```

Standalone WhatsApp/Facebook messenger integration with OBDX

This topic describes the systematic instruction to **Standalone WhatsApp/Facebook messenger integration with OBDX** option.

Bank can also setup WhatsApp without Oracle Digital Assistant in OBDX. In this release, basic intents are supported


- Help
- Balance
- Recent Transactions
- Upcoming Payments

All the above transactions will have authentication and authorization as in OBDX for a OBDX user.

Login will be performed based on OTP.

Below is the configuration setup:

- 1. The relevant antifactory for server node application will be available from OBDX installer from this path:OBDX_Installer/installables/OBDX/BASE/<OBDX patchset version>/chatbot/config/digital-assistant/
- 2. Navigate to Facebook Developers Console → WhatsApp Configuration. Add the Webhook Callback URL and set up the Verification Token to enable webhook integration.



- For setting up node server,
 - a. Install node using homebrew



- b. Then open the path of the folder extracted from the installer package on terminal. This is be the path where package ison is located.
- c. Run "npm install"
- 4. In environment variables add the following variables:
 - a. PHONE_NUMBER_ID: can be fetched from Facebook developer's console under:
 Quickstart > API Setup
 - VERIFY_TOKEN: should be same as one set in Facebook developers console/ WhatsApp configuration
 - c. PAGE_ID: is your Facebook page ID:
 - Go to your Facebook Page.
 - Click on About (left-hand menu).
 - Scroll down to Page ID, and you will see a numeric ID.
 - d. **CHANNEL**: can be set as **WhatsApp** or **Facebook** respectively to use any one of the channels (WhatsApp or Facebook). Only one at a time is supported.
 - e. BASE_URL: should be a https URL of the environment you want to point to.
 - f. DEFAULT_HOME_ENTITY: to be set based on requirement in OBDX
 - g. **MYTOKEN**: This token is required to send messages via the WhatsApp API:
 - i. Go to Meta for Developers.
 - ii. Navigate to My Apps and select your app.
 - iii. Under WhatsApp, go to API Settings.
 - iv. Find the **Temporary Access Token** or generate a permanent token via Business Manager.
 - v. Use this token as MYTOKEN in your . env file.
 - h. PAGE_ACCESS_TOKEN: This token is needed to send messages via the Facebook Messenger API:
 - i. Go to Meta for Developers.
 - ii. Select your app and navigate to Messenger > Settings.
 - iii. Under Access Tokens, choose your Facebook Page and generate a token.
 - iv. Save this token as PAGE_ACCESS_TOKEN in your .env file.
- 5. After configuring the environment variables, deploy the code and start the application by running 'node index.js to start the node server.
- **6.** Based on the channel that is set you can now test the chatbot on WhatsApp/Facebook.

/digital-assistant/src/config/messages.json contains all text messages which can be customized.

Note

There is language translation service in between the intent and WhatsApp server.

/digital-assistant/src/services/IntentService.js has mapped intent. These intents can be added in the array.

Index

A	_
Alexa Channel, 8 Android Channel, 2	Purpose, 1
,	Turpose, I
С	S
Configuration in OBDX, 1 Configuring Channels in ODA, 1	Standalone WhatsApp/Facebook messenger integration with OBDX, 1
F	Т
Facebook Channel, 4	Topology, 1
1	W
iOS Channel, 3	Web Channel, 1 WhatsApp Channel, 17
0	PIL 2 TO 7
ODA Configurations, 1	_