

Oracle® Database

Open Development Tool Installation



Release 14.7.5.0.0
G24989-01
September 2024

ORACLE®

Oracle Database Open Development Tool Installation, Release 14.7.5.0.0

G24989-01

Copyright © 2007, 2025, Oracle and/or its affiliates.

Primary Authors: (primary author), (primary author)

Contributing Authors: (contributing author), (contributing author)

Contributors: (contributor), (contributor)

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1 Preface

1.1	Purpose	1-1
1.2	Audience	1-1
1.3	Documentation Accessibility	1-1
1.4	Conventions	1-1
1.5	Critical Patches	1-2
1.6	Diversity and Inclusion	1-2
1.7	Basic Actions	1-2
1.8	Prerequisite	1-3
1.9	Screenshot Disclaimer	1-3

2 Open Development Tool Installation

2.1	Introduction	2-1
2.2	Install Open Development Tool	2-1

1

Preface

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Conventions](#)
- [Critical Patches](#)
- [Diversity and Inclusion](#)
- [Basic Actions](#)
- [Prerequisite](#)
- [Screenshot Disclaimer](#)

1.1 Purpose

This guide is designed to help the user to quickly get acquainted with the Customer Standard Instructions maintenance process.

1.2 Audience

This guide is intended for the central administrator of the Bank who controls the system and application parameters and ensures smooth functionality and flexibility of the banking application.

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility/>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

1.4 Conventions

The following text conventions are used in this document:

Table 1-1 Conventions

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.

Table 1-1 (Cont.) Conventions

Convention	Meaning
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

1.5 Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches](#), [Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

1.6 Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

1.7 Basic Actions

Table 1-2 Basic Actions

Action	Description
Approve	Used to approve the initiated report. This button is displayed, once the user click Authorize .
Audit	Used to view the maker details, checker details, and report status.
Authorize	Used to authorize the report created. A maker of the screen is not allowed to authorize the report. Only a checker can authorize a report, created by a maker.
Close	Used to close a record. This action is available only when a record is created.
Confirm	Used to confirm the performed action.
Cancel	Used to cancel the performed action.
Compare	Used to view the comparison through the field values of old record and the current record. This button is displayed in the widget, once the user click Authorize .
Collapse All	Used to hide the details in the sections. This button is displayed, once the user click Compare .
Expand All	Used to expand and view all the details in the sections. This button is displayed, once the user click Compare .

Table 1-2 (Cont.) Basic Actions

Action	Description
New	Used to add a new record. When the user click New , the system displays a new record enabling to specify the required data.
OK	Used to confirm the details in the screen.
Save	Used to save the details entered or selected in the screen.
View	Used to view the report details in a particular modification stage. This button is displayed in the widget, once the user click Authorize .
View Difference only	Used to view a comparison through the field element values of old record and the current record, which has undergone changes. This button is displayed, once the user click Compare .
Unlock	Used to update the details of an existing record. System displays an existing record in editable mode.

1.8 Prerequisite

Specify the **User ID** and **Password**, and login to **Home** screen.

1.9 Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

2

Open Development Tool Installation

This topic provides a brief introduction and instructions to create a ODT property file.

Introduction

This document explains the creation of property file and war for ODT (Open Development Tool) and setting up the database for ODT installation.

- [Introduction](#)
- [Install Open Development Tool](#)

This topic explains the systematic instructions to install Open Development Tool.

2.1 Introduction

This document explains about the creation of .war file using ODT (Open Development Tool) and setting up database for ODT installation.

2.2 Install Open Development Tool

This topic explains the systematic instructions to install Open Development Tool.

To install ODT, follow the steps given below:

1. Click **Next**.

Choose Oracle FLEXCUBE Application window is displayed.

Figure 2-1 Choose Oracle FLEXCUBE Application (TBD Redwood)

2. Select **Open Development Tool**.
3. Click **Next**.

Choose Oracle FLEXCUBE Component window is displayed.

Figure 2-2 Choose Oracle FLEXCUBE Component (TBD Redwood)

4. Select **Build Application** as Oracle FLEXCUBE component for installation.
5. On the **Choose Oracle FLEXCUBE Component** window, specify the fields.

For more information on fields, refer to the field description table.

Table 2-1 Oracle FLEXCUBE Component

Field	Description
Operating System	Specify the operating system in which you are installing Oracle FLEXCUBE.

Table 2-1 (Cont.) Oracle FLEXCUBE Component

Field	Description
Application Server	Specify the application server on which you are installing Oracle FLEXCUBE.

6. Click **Next**.

Build Process window is displayed.

Figure 2-3 Build Process (TBD Redwood)

7. On the **Build Process** window, specify the fields.

For more information on fields, refer to the field description table.

Table 2-2 Build Process

Field	Description
ODT JNDI	Specify the JNDI for the ODT.
Logger Path	Specify the path where the logs have to be written.
Provider_URL	Specify the Provider_URL.

8. Click **Next**.

Build Process - Source and Destination directories, Application Name window is displayed.

Figure 2-4 Build Process - Source and Destination directories, Application Name (TBD Redwood)

9. On the **Build Process - Source and Destination directories, Application Name** window, specify the fields.

For more information on fields, refer to the field description table.

Table 2-3 Build Process - Source and Destination directories, Application Name

Field	Description
Source Directory	Specify the source directory. Click the directory icon to browse to the source directory location. The source directory must contain src, ToolWeb folders. If the required folders are not present, then the error message is displayed.
Multiple Sources	Check the box Multiple Sources to use multiple source directories. In the case of Cluster/Patch releases, you can get the files from multiple source directories. If you check this box, the installer will not allow you to specify the source directory on this screen.
Destination Directory	Specify the destination directory. Click the directory icon to browse to the source directory location.

Table 2-3 (Cont.) Build Process - Source and Destination directories, Application Name

Field	Description
Application Name	Specify the desired name for the application. For example: RAD.

10. Click **Next**.

Build Process - Multiple Source Path window is displayed.

Figure 2-5 Build Process - Multiple Source Path (TBD Redwood)

11. On the Multiple Source Path window, select all the source directories. The Installer will copy the sources from multiple locations into the destination directory.

You can have consolidated sources in the destination directory.

12. Click **Next**.

Build Process - Status window is displayed.

Figure 2-6 Build Process - Status (TBD Redwood)

13. On the **Build Process - Status** window, click the **Copy** button to copy sources to the destination location.
14. Click the **Build** button to build the war file in the destination location. The system displays the following screen when the copying is complete.

Build Process - Copying completed Status window is displayed.

Figure 2-7 Build Process - Copying completed Status (TBD Redwood)

15. The system displays the following screen when the build is completed.

Build Process - Build completed Status window is displayed.

Figure 2-8 Build Process - Build completed Status (TBD Redwood)