

Oracle® Banking Enterprise Limits and Collateral Management

Development Workbench – Screen Customizer



Release 14.7.5.0.0
G24994-01
September 2024

ORACLE®

Oracle Banking Enterprise Limits and Collateral Management Development Workbench – Screen Customizer, Release 14.7.5.0.0

G24994-01

Copyright © 2007, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1	Preface	
1.1	Purpose	1-1
1.2	Audience	1-1
1.3	Documentation Accessibility	1-1
1.4	Critical Patches	1-2
1.5	Diversity and Inclusion	1-2
1.6	Basic Actions	1-2
1.7	Related Documents	1-3
1.8	Conventions	1-3
1.9	Screenshot Disclaimer	1-3
1.10	Acronyms and Abbreviations	1-3
1.11	Symbols and Icons	1-4
1.12	Prerequisite	1-5
2	Introduction	
3	Screen Customizer	
4	Generated Units	
5	Examples	

1

Preface

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Critical Patches](#)
- [Diversity and Inclusion](#)
- [Basic Actions](#)
- [Related Documents](#)
- [Conventions](#)
- [Screenshot Disclaimer](#)
- [Acronyms and Abbreviations](#)
The list of the acronyms and abbreviations used in this guide are as follows:
- [Symbols and Icons](#)
The lists of symbols, buttons and shortcut key that are used in the application to perform various tasks are covered in this topic.
- [Prerequisite](#)

1.1 Purpose

This guide is designed to help acquaint you with the Oracle Banking Enterprise Limits and Collateral Management (ELCM) application. This guide provides answers to specific features and procedures that the user need to be aware of the module to function successfully.

User can further obtain information specific to a particular field by placing the cursor on the relevant field and pressing <F1> on the keyboard.

1.2 Audience

This guide is intended for the following User/User Roles:

Table 1-1 Audience

Role	Function
Back office data entry clerk	Input functions for funds
Back office managers/officers	Authorization functions
Product Managers	Product definition and authorization
End of day operators	Processing during end of day / beginning of day

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

1.4 Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches](#), [Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

1.5 Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

1.6 Basic Actions

Table 1-2 Basic Actions

Action	Description
Approve	Used to approve the initiated report. This button is displayed, once the user click Authorize .
Audit	Used to view the maker details, checker details, and report status.
Authorize	Used to authorize the report created. A maker of the screen is not allowed to authorize the report. Only a checker can authorize a report, created by a maker.
Close	Used to close a record. This action is available only when a record is created.
Confirm	Used to confirm the performed action.
Cancel	Used to cancel the performed action.
Compare	Used to view the comparison through the field values of old record and the current record. This button is displayed in the widget, once the user click Authorize .
Collapse All	Used to hide the details in the sections. This button is displayed, once the user click Compare .
Expand All	Used to expand and view all the details in the sections. This button is displayed, once the user click Compare .
New	Used to add a new record. When the user click New , the system displays a new record enabling to specify the required data.

Table 1-2 (Cont.) Basic Actions

Action	Description
OK	Used to confirm the details in the screen.
Save	Used to save the details entered or selected in the screen.
View	Used to view the report details in a particular modification stage. This button is displayed in the widget, once the user click Authorize .
View Difference only	Used to view a comparison through the field element values of old record and the current record, which has undergone changes. This button is displayed, once the user click Compare .
Unlock	Used to update the details of an existing record. System displays an existing record in editable mode.

1.7 Related Documents

For more information refer to the Oracle Banking manuals on:

- Development of Launch Forms and Others Screens
- Enterprise Collaterals User Guide
- Enterprise Limits and Collaterals Common User Guide

1.8 Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

1.9 Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

1.10 Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Table 1-3 Acronyms and Abbreviations

Acronyms	Abbreviations
CIF	Customer Information File

Table 1-3 (Cont.) Acronyms and Abbreviations

Acronyms	Abbreviations
CASA	Current Account and Savings Account
DDA	System that holds the CASA account and balances
ELCM	Enterprise Limits and Collateral Management
ECA	External Credit Approval
FCUBS	Oracle FLEXCUBE Universal Banking Solution
GW	Gateway
HTTP	Hyper Text Transfer Protocol
ID	Identification Number
Mark EOTI	Mark End of Transaction Input
Mark TI	Mark Transaction Input
OFSA	Oracle Financial Services Analytical Applications
ORMD	Oracle Revenue and Billing Management
PK	Primary Key
RDBMS	Relational Data Base Management System
SMS	Security Services
UI	User Interface
VD	Value Date
XML	Extensible Mark-up Language
XSD	XML Schema Definition
XSLT	Extensible Stylesheet Language Transformations

1.11 Symbols and Icons

The lists of symbols, buttons and shortcut key that are used in the application to perform various tasks are covered in this topic.

Table 1-4 Symbols and Icons

Icons	Function
	Perform search
	Minimize
	Navigate to the next record
	Navigate to the previous record
	Toggle OFF
	Toggle ON
	Delete
	Click this icon to add a new row.

Table 1-4 (Cont.) Symbols and Icons

Icons	Function
	Click this icon to delete an existing row.
	List view
	Maximize
	Navigate to the first record
	Navigate to the last record
	Advance search
	Search record
	Save the record
	Reset the record
	Clear the record

Table 1-5 Symbols and Icons - Audit Details

Icons	Function
	A user
	Branch details
	Date and Time

1.12 Prerequisite

Specify the **User ID** and **Password**, and login to **Home** screen.

2

Introduction

3

Screen Customizer

This topic describes Screen Customizer functionality available in Oracle FLEXCUBE Development Workbench.

The Oracle FLEXCUBE Development Workbench Screen Customizer allows users to do UI changes on a screen. If only the screen layout of the function id has to be modified, the developer can use the Screen Customizer feature rather than the Function Generation feature.

Only the screen layout changes and UI field properties will be allowed to change in the Screen Customizer.




Note:

Only Load action is possible in Screen Customizer.

Only three nodes will be present in Screen Customizer as shown in the figure:

Figure 3-1 Screen Customization



DataBlocks

Data Block properties would not be allowed to change in Screen Customizer. New Data Blocks and Block Fields also cannot be added. Deletion/Renaming of blocks and fields are also not allowed in Screen Customizer.

Figure 3-2 Screen Customization- Block Field Properties

The screenshot displays the 'Screen Customization - Block Field Properties' window. It includes a search bar, a tree view of 'DataBlocks' on the left, and a central configuration area. The 'Block Field Properties' section contains fields for 'Field Name' (FLDNAM), 'Field Label' (LBL_FLDNAM), 'DataSource' (STVWS_CUST_LIAB_UDF), 'Column Name' (FIELD_NAME), 'Data Type' (Varchar2), 'Display Type' (Text), 'Item Type' (Database Item), 'Parent Field', 'Related Block', 'Related Field', 'LOV Name', 'Off Line LOV Name', and 'Fieldset Name' (FST_LIAB_UDF). The 'XSD Tag' section includes fields for 'XSD Tag' (FLDNAM), 'XSD Annotation', 'Field Size' (105), 'Maximum Length', 'Minimum Value', 'Maximum Value', 'Maximum Decimals', 'TextArea Rows', and 'TextArea Columns'. A list of checkboxes on the right controls properties like 'Required', 'Visible', 'Read Only', 'Calendar Text', 'Popup Edit Required', 'Uppercase Only', 'LOV Validation Required', 'Input by LOV Only', 'Not Required in Xsd', and 'Report Parameter'. At the bottom, a table titled 'Custom Attributes' has columns for 'Attribute Name', 'Attribute Value', 'Active', and 'Position'.

The user will be allowed to change the below properties at the data block field level.

- Display Type
- Field Size
- Preview Value
- Popup Edit Required
- Visible
- Upper Case only
- Read Only

Screens

All the actions can be performed at the screen level. Developers can add, modify, delete, and rename the screens, tabs, and sections. Note that deletion and renaming will be allowed only if the element is created in the working release.

FieldSet

In fieldset, the developer can change screen properties, display type from Vertical to Horizontal, read-only property, etc. Data Block to which fieldset is attached cannot be changed. Fieldset fields can be re-arranged as per requirement.

Figure 3-3 Screen Customization- Fieldset Properties

Screen Customization

Action: Load Function Type: Parent Function Category: Maintenance

Function Id: STDCIF Parent Function: Header Template: None

Save XML Path: STDCIF_RAD BROWSE Parent Xml: Footer Template: Maint Audit

Search: Fieldset Properties

Fieldset Name: FST_HEADER1 Screen Name: CVS_MAIN ☐ Horizontal Fieldset

Fieldset Label: Screen Portion: Header ☐ ReadOnly

Data Block: BLK_CUSTOMER Tab Name: TAB_HEADER ☐ Navigation Button

Multi Record: No Section Name: SEC_1 ☒ Visible

View Type: Single Partition Name: PART1

Fieldset Height: Number Of Rows:

Data Block Fields	Fieldset Fields	Subpartition Name
CIFCREATIONDT	☒ CTYPE	
BTN_GRO		
BTN_MIS		
BTN_JOINT		
BTN_SI		
BTN_LE		
BTN_TEXT		
BTN_HELLO		
BTN_IMAGE		
BTN_LIM		
BTN_CLS		
BTN_MTS20BIC		
BTN_DOM		

Fieldset Properties

Fieldset Name: FST_HEADER1

Fieldset Label:

Data Block: BLK_CUSTOMER

Multi Record: No

View Type: Single

Fieldset Height:

Screen Name: CVS_MAIN

Screen Portion: Header

Tab Name: TAB_HEADER

Section Name: SEC_1

Partition Name: PART1

Number Of Rows:

Horizontal Fieldset: ☐

ReadOnly: ☐

Navigation Button: ☐

Visible: ☒

Data Block Fields

Fieldset Fields

Subpartition Name

CTYPE

4

Generated Units


This topic describes UI-related generated units in the Screen Customizer.

Development Workbench will generate only UI related units in Screen Customizer:

1. Radxml
2. Screen XML (i.e. Lang XML)
3. System JS (JavaScript File)

Deploy language XML and system JavaScript file in FLEXCUBE application server to reflect the changes done to the function id in Screen Customizer.

Figure 4-1 Information



5

Examples

This topic provides different examples for customizing the screens.

Example 1

Requirement: Hide a Field in the screen

Below screenshots shows how Screen Customizer can be used for this purpose.

Figure 5-1 Whereabouts Unknown

The screenshot shows the 'Screen Customization' window for the 'Customer' screen. The 'Whereabouts Unknown' checkbox is highlighted with a red box. The window is divided into several sections: 'Personal', 'Corporate', 'Additional', 'Director', 'Auxiliary', and 'Check List'. The 'Whereabouts Unknown' checkbox is located in the 'Check List' section. The 'Whereabouts Unknown' checkbox is currently checked. The 'Whereabouts Unknown' checkbox is located in the 'Check List' section. The 'Whereabouts Unknown' checkbox is currently checked. The 'Whereabouts Unknown' checkbox is located in the 'Check List' section. The 'Whereabouts Unknown' checkbox is currently checked.

If **Whereabouts Unknown** field is not required, uncheck the visible flag.

Example 2

Requirement: Adding a new Tab to the Screen. Move fields from one tab to another

As shown in below screenshot Main Tab contains Unique Identifier Field set. This field has to be moved to a new tab

Figure 5-2 Unique Identifier

The screenshot displays the Oracle Customer form with the following sections and fields:

- Top Section:**
 - Type: ☒ Individual, ☐ Corporate, ☐ Bank
 - Full Name:
 - Short Name:
 - Branch Code:
 - Customer Category: (with ☐ Private Customer option)
 - Customer No: (with a 'P' icon)
- Navigation Tabs:** Personal | Corporate | Additional | Director | Auxiliary | Check List
- Identifier Tab (highlighted with a red circle):**
 - Name:
 - Value:
- Other Sections:**
 - Domicile Address:** Same as Permanent Address ☐; Address 1-4, Pin Code, Country.
 - Status:** Frozen, Deceased, Whereabouts Unknown, Eligible for AR-AP Tracking, CRM Customer, Mailers Required, CLS Participant, Issuer Customer, Treasury Customer, Joint Customer, MT920, Relationship Pricing, ☒ ELCM Customer.
 - Relationship Manager:** RM ID, RM Name.
 - Combined Statement Plan:** Auto Generated Statement Plan ☐; Frequency (Select), Statement Day.
 - Misc Details:** SWIFT Code, Credit Rating, Group Code, Charge Group, Clearing Group, Tax Group, Exposure, Exposure Category, Customer Classification, External Reference Number, Location, FX Netting Customer, Media, SSN.
 - Bottom Navigation:** Group | MIS | Joint | Standing Instructions | Linked Entities | Text | Fields | Image | Limits | CLS Restrictions | MT920 | Domestic | Professional | Issuer | Cards | Linked Account | KYC Details | Joint Venture | Account Details | NSF Black list status | Documents | Change Log
 - Footer:** Maker, Date Time, Mod No

As shown in below screenshot Main Tab contains Unique Identifier Field set. This field has to be moved to a new tab

Figure 5-3 Unique Identifier 2

The screenshot displays the 'Customer' screen customization interface. On the left, a tree view under 'Screens' shows a hierarchy of components: CVS_MAIN, HEADER, BODY, TAB_PERSONAL, TAB_CORPORATE, TAB_ADDITIONAL, TAB_DIRECTOR, TAB_AUXILIARY, TAB_CHECKLIST, TAB_UNIQ_IDENTIFIER (highlighted with a red box), and SEC_S1. The main area shows the configuration for the 'Unique Identifier' tab. It includes a 'Type' section with radio buttons for Individual, Corporate, and Bank. Below this is a 'Customer No' field with a 'P' icon. The 'Identifier' section contains a 'Name' field and a 'Value' field, both highlighted with red boxes. At the bottom, there are navigation tabs for various customer-related functions and a footer with user information and an 'Exit' button.

Screen Customization

Customer

New Enter Query

Type ☐ Individual ☐ Corporate ☐ Bank

Full Name Customer Category * ☐ Private Customer

Short Name *

Branch Code

Customer No * P

Personal Corporate Additional Director Auxiliary Check List Unique Identifier

Identifier

Name

Value

Group | MIS | Joint | Standing Instructions | Linked Entities | Text | Fields | Image | Limits | CLS Restrictions | MT920 | Domestic | Professional |

Issuer | Cards | Linked Account | KYC Details | Joint Venture | Account Details | NSF Black list status | Documents | Change Log

Maker Date Time Mod No

Checker Record Status

Date Time Authorization Status

Exit