

Oracle® Banking Enterprise Limits and Collateral Management

Development Workbench- Customer Landing Page



Release 14.8.0.0.0

G32542-01

April 2025

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Oracle Banking Enterprise Limits and Collateral Management Development Workbench- Customer Landing Page,
Release 14.8.0.0.0

G32542-01

Copyright © 2007, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1 Preface

1.1	Purpose	1-1
1.2	Audience	1-1
1.3	Documentation Accessibility	1-1
1.4	Critical Patches	1-2
1.5	Diversity and Inclusion	1-2
1.6	Basic Actions	1-2
1.7	Related Documents	1-3
1.8	Conventions	1-3
1.9	Screenshot Disclaimer	1-3
1.10	Acronyms and Abbreviations	1-3
1.11	Symbols and Icons	1-4
1.12	Prerequisite	1-5

2 Overview of Customer Landing Page Development

3 Create a New Function in Customer Landing Page

1

Preface

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Critical Patches](#)
- [Diversity and Inclusion](#)
- [Basic Actions](#)
- [Related Documents](#)
- [Conventions](#)
- [Screenshot Disclaimer](#)
- [Acronyms and Abbreviations](#)
The list of the acronyms and abbreviations used in this guide are as follows:
- [Symbols and Icons](#)
The lists of symbols, buttons and shortcut key that are used in the application to perform various tasks are covered in this topic.
- [Prerequisite](#)

1.1 Purpose

This guide is designed to help acquaint you with the Oracle Banking Enterprise Limits and Collateral Management (ELCM) application. This guide provides answers to specific features and procedures that the user need to be aware of the module to function successfully.

User can further obtain information specific to a particular field by placing the cursor on the relevant field and pressing <F1> on the keyboard.

1.2 Audience

This guide is intended for the following User/User Roles:

Table 1-1 Audience

Role	Function
Back office data entry clerk	Input functions for funds
Back office managers/officers	Authorization functions
Product Managers	Product definition and authorization
End of day operators	Processing during end of day / beginning of day

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

1.4 Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches](#), [Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

1.5 Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

1.6 Basic Actions

Table 1-2 Basic Actions

Action	Description
Approve	Used to approve the initiated report. This button is displayed, once the user click Authorize .
Audit	Used to view the maker details, checker details, and report status.
Authorize	Used to authorize the report created. A maker of the screen is not allowed to authorize the report. Only a checker can authorize a report, created by a maker.
Close	Used to close a record. This action is available only when a record is created.
Confirm	Used to confirm the performed action.
Cancel	Used to cancel the performed action.
Compare	Used to view the comparison through the field values of old record and the current record. This button is displayed in the widget, once the user click Authorize .
Collapse All	Used to hide the details in the sections. This button is displayed, once the user click Compare .
Expand All	Used to expand and view all the details in the sections. This button is displayed, once the user click Compare .
New	Used to add a new record. When the user click New , the system displays a new record enabling to specify the required data.

Table 1-2 (Cont.) Basic Actions

Action	Description
OK	Used to confirm the details in the screen.
Save	Used to save the details entered or selected in the screen.
View	Used to view the report details in a particular modification stage. This button is displayed in the widget, once the user click Authorize .
View Difference only	Used to view a comparison through the field element values of old record and the current record, which has undergone changes. This button is displayed, once the user click Compare .
Unlock	Used to update the details of an existing record. System displays an existing record in editable mode.

1.7 Related Documents

For more information refer to the Oracle Banking manuals on:

- Development of Launch Forms and Others Screens
- Enterprise Collaterals User Guide
- Enterprise Limits and Collaterals Common User Guide

1.8 Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

1.9 Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

1.10 Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Table 1-3 Acronyms and Abbreviations

Acronyms	Abbreviations
CIF	Customer Information File

Table 1-3 (Cont.) Acronyms and Abbreviations

Acronyms	Abbreviations
CASA	Current Account and Savings Account
DDA	System that holds the CASA account and balances
ELCM	Enterprise Limits and Collateral Management
ECA	External Credit Approval
FCUBS	Oracle FLEXCUBE Universal Banking Solution
GW	Gateway
HTTP	Hyper Text Transfer Protocol
ID	Identification Number
Mark EOTI	Mark End of Transaction Input
Mark TI	Mark Transaction Input
OFSAA	Oracle Financial Services Analytical Applications
ORMD	Oracle Revenue and Billing Management
PK	Primary Key
RDBMS	Relational Data Base Management System
SMS	Security Services
UI	User Interface
VD	Value Date
XML	Extensible Mark-up Language
XSD	XML Schema Definition
XSLT	Extensible Stylesheet Language Transformations

1.11 Symbols and Icons

The lists of symbols, buttons and shortcut key that are used in the application to perform various tasks are covered in this topic.

Table 1-4 Symbols and Icons









Icons	Function
	Perform search
	Minimize
	Navigate to the next record
	Navigate to the previous record
	Toggle OFF
	Toggle ON
	Delete
	Click this icon to add a new row.

Table 1-4 (Cont.) Symbols and Icons














Icons	Function
	Click this icon to delete an existing row.
	List view
	Maximize
	Navigate to the first record
	Navigate to the last record
	Advance search
	Search record
	Save the record
	Reset the record
	Clear the record

Table 1-5 Symbols and Icons - Audit Details

Icons	Function
	A user
	Branch details
	Date and Time

1.12 Prerequisite

Specify the **User ID** and **Password**, and login to **Home** screen.

2

Overview of Customer Landing Page Development

This topic describes the process of customer landing page development for Oracle FLEXCUBE Universal Banking.

Oracle FLEXCUBE Universal Banking Open Development Tool provides the developer with a user-friendly console for designing and developing screens for Oracle FLEXCUBE Universal Banking.

Open Development Tool assists developers in designing screens with the capability of generating front-end scripting files, PL/SQL packages, Static data scripts, XSDs, Excel templates, and HTML files. This generated code performs validations and does some processing which is common across screens in Oracle FLEXCUBE Universal Banking, only the Business Logic specific to the screen has to be added by the developer in the back end and front end units.

For example,

- **Release Name** - FC 12.1
- **Release Type** - KERNEL, CLUSTER, CUSTOM

Open Development Tool generates all files, and developers are supposed to add the business logic in designated units depending on the **Release Type**.

RADXML

Open Development Tool saves all the activities carried out by the developer in an XML file hereby referred to as RADXML. The persistence of the screens is achieved through RADXML. All the units required to work a screen can be generated from its RADXML.

If some changes are required on the screen in a future release, the same RADXML can be loaded and changes can be done on this RADXML. Open Development Tool can segregate the changes done on different releases and save the RADXML accordingly.

Naming convention of the RADXML: **Function ID Name + _RAD.xml**

For example, **STDCULND_RAD**

Extensible Development

In an extensible framework, any development on Oracle FLEXCUBE Universal Banking is classified on any of the following stages (also referred to as release type):

Table 2-1 Development Stages

Development Stages	Description
KERNEL	This refers to the core product. For example, FC 12.1
CLUSTER	This refers to any region-specific enhancements/developments done on top of the kernel product. The changes done in a cluster pack will be non-invasive to the kernel product. For example, FC 12.1 India cluster

Table 2-1 (Cont.) Development Stages

Development Stages	Description
CUSTOM	Any enhancements required by the customer/bank are done on this level. It will be non-invasive of the changes done in kernel and cluster packs. For example, Customizations for the MODEL bank on FC 12.1 India cluster

Open Development Tool can segregate the changes done on different releases and save the RADXML accordingly. It generates the files depending on the release type and developers can add the business logic to the release type-specific files. Thus the code remains non-invasive of the existing code.

Design Steps

The sequence of steps to be followed while developing a screen in the Open Development Tool:

1. Identifying the Data Sources and their Relations
2. Logically Grouping the Data Sources into Data Blocks
3. Designing Screen Layout
4. Logically Grouping the Block Fields into Fieldsets
5. Attaching Call Forms and Launch Forms if any
6. Defining LOVs
7. Designing Summary
8. Defining Actions

Refer to respective sections for a detailed explanation of each step.

While development, save RADXML at constant intervals. Click **Save** in the top right to save the work. RADXML would be saved in the user directory maintained.

3

Create a New Function in Customer Landing Page

This topic explains systematic instructions to create a new function in the Customer Landing Page.

On the Development Workbench Login page, specify the **User ID** and **Password**, and login to the Development Workbench Landing page.

1. On **Expand Menu**, click **Customer Landing Page** node.

The **Customer Landing Page** screen displays.

Figure 3-1 Customer Landing Page



2. On the **Customer Landing Page** screen, specify the fields to create a new function.

Table 3-1 Customer Landing Page - Field Description

Field	Description
Action	Select one of the following actions: <ul style="list-style-type: none">• New - Select this option for new screen development.• Load - Select this option to load the existing screen RADXML for customization. If the Load action is selected, the Save XML Path option changes to Load Screen XML. Select the corresponding RADXML by clicking BROWSE in the Load Screen XML field. All the header information will get populated.

Table 3-1 (Cont.) Customer Landing Page - Field Description

Field	Description
Function ID	<p>If the Action is selected as New, specify the function ID. Function ID is the unique name with which a screen is identified. Function Id name should follow the Oracle FLEXCUBE Universal Banking standard naming convention as below:</p> <ul style="list-style-type: none"> • Function ID must have a maximum length of 8 characters. • For detail screens, the third character must be D. • For report screens, the third character must be R. • For Call Form Function IDs, the third character must be C. • The first 2 characters must specify the module name for which the particular function ID is used (recommended).
Save XML Path	<p>The label description of the field changes depending on the Action. If the action is Load, Open Development Tool enables the Browse, so that the user can browse the RADXML and load it.</p>
Function Category	<p>Select the function category from the drop-down list:</p> <ul style="list-style-type: none"> • Master - Select this option to create a master function. • Detail - Select this option to add tables and other information. This option is used to develop tables, fieldsets, blocks etc. in the Customer Landing Page. For reference, refer to the Development of Launch Forms and Others Screens document. • Summary - Summary screen in Customer Landing Page is similar to Summary screen in normal function generation. Refer to the Oracle FLEXCUBE Enterprise Limits and Collateral Management ODT Screen Development for detailed information. • Tabs - The Tabs screen is part of the Master screen. The Tabs screen contains a group of screens in it. Each screen is detailed under each tab. • Subsystems - This category is used to display subsystem buttons to launch screens.

3. On the **Customer Landing Page** screen, click the **Preferences** node at the left panel. The **Preferences** screen displays.

Figure 3-2 Preferences

The screenshot displays the 'Preferences' screen in the Oracle FLEXCUBE Customer Landing Page. The interface includes a search bar at the top left, a navigation pane on the left with 'Preferences' selected, and a main configuration area. The 'Preferences' section contains several checkboxes: 'Head Office Function', 'Logging Required', 'Auto Authorization', 'Tank Modifications', 'Field Log Required', 'Multi Branch Access', and 'Excel Export Required'. The 'Module' section includes fields for 'Module' (ST), 'Module Description' (Static Maintenance), 'Branch Program Id' (100), 'Process Code', 'SVN Repository URL', 'Transaction Block Name' (Choose Block), and 'Transaction Field Name' (Choose Field). At the bottom, a table lists the function ID 'STDMA' associated with module 'ST' and description 'Static Maintenance'.

Function Id	Module *	Module Description
STDMA	ST	Static Maintenance

Function ID levels preferences like **Module**, **Logging Required**, **Tank Modification**, **Main Menu**, **Sub-Menu1**, and **Sub-Menu2** are maintained through the **Preferences** screen in Open Development Tool.

The data maintained in the **Preferences** screen are used for generating static data scripts for tables **SMTB_MENU**, **SMTB_FUNCTION_DESCRIPTION**, **SMTB_ROLE_DETAIL**, and **SMTB_FCC_FCJ_MAPPING**.

4. On the **Preferences** screen, specify the fields.

Table 3-2 Preferences



Field	Description
Module	Click Search and select the module from the list of values. The developer can select the module name from the list of values provided. The list of values is populated based on the modules maintained in the SMTB_MODULE table of the business schema (the current Oracle FLEXCUBE Universal Banking environment to which the tool is mapped). Module code has to be provided mandatory. The module name provided would be reflected in the script for SMTB_MENU generated by Open Development Tool (in the module column). This will also be considered while naming the packages generated by the tool. The first two characters of the packages generated will be taken from the module code maintained.
Module Description	The system displays the Module Description based on the Module selected.
Head Office Function	Check this box to indicate the function is a head office function. It will be reflected in the static script for SMTB_MENU in column HO_FUNCTION . If the function is a head office function, then only query operation will be possible at all the other branches for the particular screen.
Logging Required	Check this box to indicate that logging is required for the function. This will also be reflected in the script generated for SMTB_MENU (column LOGGING_REQD). If this box is checked, all the requests and responses for the function ID will be logged in CSTB_MSG_LOG . This is used for the View Change option.
Auto Authorization	Check this box to indicate that auto authorization is allowed for the function. This will also be reflected in the script generated for SMTB_MENU (column AUTO_AUTH). <div style="border-left: 2px solid #0070C0; padding-left: 10px; margin-top: 10px;"> <p> Note:</p> <p>Auto Authorization is possible only if it is allowed at the function ID level, user level, and branch level.</p> </div>
Tank Modification	Check this box to indicate that modification is to be tanked for the function. This will be reflected in the TANK_MODIFICATIONS column of the SMTB_MENU table script. If the Tank Modification box is checked, then the record in that screen would be logged to logging tables and taken up for processing (untanking) in the later stage during EOD operations. Currently, this is applicable only for maintenance screens.

Table 3-2 (Cont.) Preferences

Field	Description
Field Log Required	Check this box to indicate that logging is required for the function. This will be reflected in the FIELD_LOG_REQD column in SMTB_MENU . If the Field Log Required box is checked, then all operations on the screen will be logged to logging tables (STTB_FIELD_LOG , STTB_RECORD_LOG , etc). Currently, this is applicable only for maintenance screens.
Excel Export Required	Check this box to export records from the summary screen to excel.
Multi Branch Access	Check this box to indicate that multi-branch access is required for the function ID. This will be reflected in the MULTIBRANCH_ACCESS column of the SMTB_MENU table script generated. If the Multi Branch Access box is checked, then records of different branches for the screen can be modified from a single branch.
Module Auto Authorization	Check this box to indicate that module auto authorization is allowed for the function.
Java Functions	Check this box to indicate that Java functions are enabled.
GateWay Screen	Check this box to indicate that Gateway screen are enabled.
Transaction Block Name	This field shows the transaction block name. This is applicable only if the Multi Branch Access box is checked for the screen. Select the block from the list of values which contains the field for the branch code.
Transaction Field Name	This field shows the transaction field name. This is applicable only if the Multi Branch Access box is checked for the screen. The list of values provides all the block fields for the transaction block selected. Select the field for branch code from the list. Transaction Block Name and Transaction Field Name will be reflected in the system JavaScript file (SYS js) generated by Open Development Tool. The developer has to code for querying the records based on the branch code value of this field.
Branch Program ID	It captures the branch program ID for the function.
Process Code	This can be used to map which process needs to be initiated during the screen launch. This is used for the work flow screens.
Module Group	Click Search and select the module group from the list of values.
SVN Repository URL	This is applicable only if integration to SVN (version control tool) is required. Path of the SVN repository till the module needs to be provided in this field. In the multiple-entry block, the developer needs to maintain all the related function ID names for the screen. Open Development Tool will default the name of the function Id to the first row of the multiple entries along with the module maintained earlier. If any other function ID is required for the particular screen, the developer has to add the row. For example, for the FTDTRONL screen, the developer designs a detailed screen. The user also wants to add one summary screen to the screen as well as a gateway function Id for web services. For this, the user can add two new columns FTSTRONL (for the summary) and FTGTRONL (for gateway operations) to the block as shown below.


5. Click **Save**.
6. On the **Customer Landing Page** screen, right-click on the **Screens** node, and select **Add**. The **Add Screen** window displays.

Figure 3-3 Add Screen




7. Specify the name as **CVS_Master** in the field **Screen Name**, and click **OK**.
The **Screen Details** screen displays.


Figure 3-4 Screen Details



8. Click **Save** to save the new screen.
9. To add a tab for the newly created screen, click on the newly created screen under the **Screens** node.
10. Right-click on the **Body** of the screen, and select **Add**.

Figure 3-5 Customer Landing Page- New Tab Creation


The **Add Tab** window displays.

Figure 3-6 Add Tab

11. Specify the **Tab Name** as **Tab_1**, and click **OK**.

The **Tab Details** screen displays.


Figure 3-7 Tab Details



12. Specify the **Tab Name** and **Tab Label** fields.
13. For generating RADXML and other artifacts, click **Generate** at the top right corner of the screen.

The **Generate** screen displays.

Figure 3-8 Generate



14. Click **OK**.