Oracle® Banking Enterprise Limits and Collateral

Oracle ELCM Password Change





Oracle Banking Enterprise Limits and Collateral Oracle ELCM Password Change, Release 14.8.0.0.0

G32506-01

Copyright © 2007, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Pre	eface	
1.1	Purpose	1-1
1.2	Audience	1-1
1.3	Documentation Accessibility	1-3
1.4	Conventions	1-3
1.5	Critical Patches	1-2
1.6	Diversity and Inclusion	1-2
1.7	Basic Actions	1-2
1.8	Prerequisite	1-3
1.9	Screenshot Disclaimer	1-3
	ange Host Schema Password anging Password in Decentralized Setup	
Ch	ange Scheduler Data Source Password	
Pre	erequisites for Scheduler Data Source Password Change	
Ch		
	ange ELCM Data Source Password	



9	Change SMTP Server Password
10	Architecture of SMTP Server Password Change
11	Architecture of EMS FTP Server Password Change
12	Change FTP Server Password
13	Changing BI Publisher Data Source Password- Oracle WebLogic
14	Architecture of DMS Server Password Change
15	Change DMS Server Password
16	Prerequisites for Host Schema Password Change
17	Change Host Schema Password
18	Prerequisites for Scheduler Data Source Password Change
19	Change Scheduler Data Source Password



Change ELCM Data Source Password Prerequisites for Gateway Data Source Password Change Change Gateway Data Source Password Changing Branch Data Source Password- Oracle WebLogic Change Passwords in Oracle WebLogic Prerequisites for Host Schema Password Change Changing BI Publisher Data Source Password- Oracle WebLogic Changing Oracle Business Intelligence Enterprise Edition Schema Password- Oracle WebLogic Prerequisites for Gateway Data Source Password Change	F	Prerequisites for ELCM Data Source Password Change
Prerequisites for Gateway Data Source Password Change Change Gateway Data Source Password Changing Branch Data Source Password- Oracle WebLogic Change Passwords in Oracle WebLogic Prerequisites for Host Schema Password Change Changing BI Publisher Data Source Password- Oracle WebLogic Changing Oracle Business Intelligence Enterprise Edition Schema Password- Oracle WebLogic	(Change ELCM Data Source Password
Change Gateway Data Source Password Changing Branch Data Source Password- Oracle WebLogic Change Passwords in Oracle WebLogic Prerequisites for Host Schema Password Change Changing BI Publisher Data Source Password- Oracle WebLogic Changing Oracle Business Intelligence Enterprise Edition Schema Password- Oracle WebLogic	_	Change LLCM Data Source Fassword
Changing Branch Data Source Password- Oracle WebLogic Change Passwords in Oracle WebLogic Prerequisites for Host Schema Password Change Changing BI Publisher Data Source Password- Oracle WebLogic Changing Oracle Business Intelligence Enterprise Edition Schema Password- Oracle WebLogic	F	Prerequisites for Gateway Data Source Password Change
Change Passwords in Oracle WebLogic Prerequisites for Host Schema Password Change Changing BI Publisher Data Source Password- Oracle WebLogic Changing Oracle Business Intelligence Enterprise Edition Schema Password- Oracle WebLogic	C	Change Gateway Data Source Password
Prerequisites for Host Schema Password Change Changing BI Publisher Data Source Password- Oracle WebLogic Changing Oracle Business Intelligence Enterprise Edition Schema Password- Oracle WebLogic	C	Changing Branch Data Source Password- Oracle WebLogic
Prerequisites for Host Schema Password Change Changing BI Publisher Data Source Password- Oracle WebLogic Changing Oracle Business Intelligence Enterprise Edition Schema Password- Oracle WebLogic		
Changing BI Publisher Data Source Password- Oracle WebLogic Changing Oracle Business Intelligence Enterprise Edition Schema Password- Oracle WebLogic	(Change Passwords in Oracle WebLogic
Changing Oracle Business Intelligence Enterprise Edition Schema Password- Oracle WebLogic	F	Prerequisites for Host Schema Password Change
Password- Oracle WebLogic	C	Changing BI Publisher Data Source Password- Oracle WebLogic
Prerequisites for Gateway Data Source Password Change		
	F	Prerequisites for Gateway Data Source Password Change
Change Gateway Data Source Password	C	Change Gateway Data Source Password







1

Preface

- Purpose
- Audience
- · Documentation Accessibility
- Conventions
- Critical Patches
- Diversity and Inclusion
- Basic Actions
- Prerequisite
- Screenshot Disclaimer

1.1 Purpose

This guide is designed to help the user to quickly get acquainted with the Customer Standard Instructions maintenance process.

1.2 Audience

This guide is intended for the central administrator of the Bank who controls the system and application parameters and ensures smooth functionality and flexibility of the banking application.

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at https://www.oracle.com/corporate/accessibility/.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

1.4 Conventions

The following text conventions are used in this document:

Table 1-1 Conventions

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.

Table 1-1 (Cont.) Conventions

Convention	Meaning
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

1.5 Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at Critical Patches, Security Alerts and Bulletins. All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by Oracle Software Security Assurance.

1.6 Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

1.7 Basic Actions

Table 1-2 Basic Actions

Action	Description
Approve	Used to approve the initiated report. This button is displayed, once the user click Authorize .
Audit	Used to view the maker details, checker details, and report status.
Authorize	Used to authorize the report created. A maker of the screen is not allowed to authorize the report. Only a checker can authorize a report, created by a maker.
Close	Used to close a record. This action is available only when a record is created.
Confirm	Used to confirm the performed action.
Cancel	Used to cancel the performed action.
Compare	Used to view the comparison through the field values of old record and the current record. This button is displayed in the widget, once the user click Authorize .
Collapse All	Used to hide the details in the sections. This button is displayed, once the user click Compare .
Expand All	Used to expand and view all the details in the sections. This button is displayed, once the user click Compare .



Table 1-2 (Cont.) Basic Actions

Action	Description
New	Used to add a new record. When the user click New , the system displays a new record enabling to specify the required data.
ок	Used to confirm the details in the screen.
Save	Used to save the details entered or selected in the screen.
View	Used to view the report details in a particular modification stage. This button is displayed in the widget, once the user click Authorize .
View Difference only	Used to view a comparison through the field element values of old record and the current record, which has undergone changes. This button is displayed, once the user click Compare .
Unlock	Used to update the details of an existing record. System displays an existing record in editable mode.

1.8 Prerequisite

Specify the User ID and Password, and login to Home screen.

1.9 Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.



Change Gateway Data Source Password


This topic provides systematic instructions to change the password of the Gateway data source.

- Log in to the Oracle WebLogic application server.
- 2. Go to the Home, and then Services, and then Data Sources.

A table that contains the list of all data sources created in the application server is displayed.

- Click the data source FLEXTEST.WORLD.
 - The **Settings for FLEXTEST.WORLD** screen displays.
- On the Settings for FLEXTEST.WORLD screen, click the Connection Pool tab.
 The Connection Pool tab displays.

Figure 2-1 Settings for FLEXTEST.WORLD - Connection Pool Tab



5. To change the password, specify the following fields.


Table 2-1 Connection Pool Tab - Field Description

Field	Description
Password	Specify the new password.
Confirm Password	Specify the new password again.



- Click Save.
- 7. To test the data source, select the **Monitoring** and **Testing** tab under it.

Figure 2-2 Settings for FLEXTEST.WORLD - Monitoring Tab



8. Select the target server, and click **Test Data Source**.

The system displays a message confirming successful testing.

- 9. After getting the message, restart the application server.
- 10. Start the Oracle FLEXCUBE Universal Banking.
- 11. Log in to the Oracle FLEXCUBE Universal Banking and test whether the change was successful.



Change Host Schema Password

This topic explains systematic instructions to change the Host Schema password in the Oracle WebLogic application server.

- 1. Log in to the Oracle WebLogic application server.
- 2. Go to the **Home**, and then **Services**, and then **Data Sources**.

A table that contains the list of all data sources created in the application server is displayed.


Click the data source jdbc/fcjdevDS.

The **Settings for FCUBDs** screen displays.

4. On the **Settings for FCUBDs** screen, click the **Connection Pool** tab.

The Connection Pool tab displays.

Figure 3-1 Settings for FCUBDs - Connection Pool



Change the password. Use the following fields:

5. To change the password, specify the following fields.


Table 3-1 Connection Pool Tab - Field Description

Field	Description
Password	Specify the new password.
Confirm Password	Specify the new password again.



- Click Save.
- 7. To test the data source, select the **Monitoring** and **Testing** tab under it.


Figure 3-2 Settings for FCUBDs - Monitoring Tab



8. Select the target server, and click **Test Data Source**.

The system displays a message confirming successful testing.

Figure 3-3 Messages



- 9. After getting the message, restart the application server.
- 10. Start the Oracle FLEXCUBE Universal Banking.
- Log in to Oracle FLEXCUBE Universal Banking. Launch a summary screen or execute a simple transaction to test.








Changing Password in Decentralized Setup

This topic provides systematic instructions to change the branch schema password for a decentralized setup of Oracle FLEXCUBE Universal Banking.

In Oracle FLEXCUBE Universal Banking Solution Installer, load the existing property file.
 Go to the step that can define the branch properties.

Database Installation screen displays.

Figure 4-1 Fig-To be worked



2. Modify the following field:

Table 4-1 Database Installation-Field Description

Field	Description
Password	Specify the new password for the branch schema

Refer to the Installation Guide for further information on the following topics:


- Creating EAR file
- Loading and editing the property file
- Deploying EAR file

Change Scheduler Data Source Password

This topic provides systematic instructions to change the password of the scheduler data source in the Oracle Weblogic application server.

- Log in to the Oracle WebLogic application server.
- 2. Go to the **Home**, and then **Services**, and then **Data Sources**.
 - A table that contains the list of all data sources created in the application server is displayed.
- 3. Click the data scheduler source jdbc/fcjSchedulerDS.
 - The **Settings for FCUBS_SchedulerDS** screen displays.
- On the Settings for FCUBS_SchedulerDS screen, click the Connection Pool tab.
 The Connection Pool tab displays.

Figure 5-1 Settings for FCUBS SchedulerDS - Connection Pool Tab



Change the password. Use the following fields:

5. To change the password, specify the following fields.

Table 5-1 Connection Pool Tab - Field Description

Field	Description
Password	Specify the new password.




Table 5-1 (Cont.) Connection Pool Tab - Field Description

Field	Description
Confirm Password	Specify the new password again.

- 6. Click Save.
- 7. To test the data source, select the **Monitoring** and **Testing** tab under it.


Figure 5-2 Settings for FCUBS_SchedulerDS - Monitoring Tab



Select the target server, and click Test Data Source.

The system displays a message confirming successful testing.

Figure 5-3 Message



Note:



6

Prerequisites for Scheduler Data Source Password Change

Before you change the password of the scheduler data source, make sure that the following activities are completed:

- Determine the downtime for the password change activity.
- 2. Inform all concerned users and groups.
- 3. Ensure that all users have logged out of the Oracle FLEXCUBE Universal Banking system.
- 4. Stop the Oracle FLEXCUBE Universal Banking application.
- 5. Stop the target server to which the data sources point, and to stop the target server, follow the given steps below:
 - a. Log in to the Oracle WebLogic application server.
 - **b.** Go to the **Home**, and then **Environments**, and then **Servers**.
 - c. Select and stop the server by clicking Stop.

This completes the prerequisites.

Change ELCM Data Source Password

This topic explains systematic instructions to change the password of the ELCM data source in the Oracle WebLogic application server.

- 1. Log in to the Oracle WebLogic application server.
- 2. Go to the Home, and then Services, and then Data Sources.

A table that contains the list of all data sources created in the application server is displayed.


Click the ELCM data source.

The **Settings for FCUBS_ELCMDs** screen displays.

4. On the **Settings for FCUBS_ELCMDs** screen, click the **Connection Pool** tab.

The Connection Pool tab displays.

Figure 7-1 Settings for FCUBS_ELCMDs - Connection Pool Tab



5. To change the password, specify the following fields.


Table 7-1 Connection Pool Tab - Field Description

Field	Description
Password	Specify the new password.
Confirm Password	Specify the new password again.

6. Click Save.

7. To test the data source, select the **Monitoring** and **Testing** tab under it.


Figure 7-2 Settings for FCUBS_ELCMDs - Monitoring Tab



8. Select the target server, and click **Test Data Source**.

The system displays a message confirming successful testing.

Figure 7-3 Settings for FCUBS_ELCMDs - Monitoring Tab







8

Prerequisites for ELCM Data Source Password Change

Before you change the password of the ELCM data source, make sure that the following activities are completed:

- Determine the downtime for the password change activity.
- 2. Inform all concerned users and groups.
- 3. Ensure that all users have logged out of the Oracle FLEXCUBE Universal Banking system.
- 4. Stop the Oracle FLEXCUBE Universal Banking application.
- 5. Stop the target server to which the data sources point, and to stop the target server, follow the steps given below.
 - a. Log in to the Oracle WebLogic application server.
 - **b.** Go to the **Home**, and then **Environments**, and then **Servers**.
 - c. Select and stop the server by clicking **Stop**.

This completes the prerequisites.

Change SMTP Server Password


This topic explains systematic instructions to change the password of the SMTP server.

Before changing the password of the SMTP server, Make sure to take a backup of the **fcubs.properties** file from the current EAR file.

1. In Oracle FLEXCUBE Universal Banking Solution Installer, load the existing property file, and go to the step that can define branch properties.

The **Property File Creation - SMTPS/DMS** screen displays.

Figure 9-1 Property File Creation - SMTPS/DMS



2. On the Property File Creation - SMTPS/DMS screen, modify the following field.

Table 9-1 Property File Creation - SMTPS/DMS

Field	Description
User Password	Specify the new password.

- After deploying the EAR file, inform the concerned users and groups about the password change.
- **4.** Test whether the password change was successful, and in case the test is not successful, repeat the above steps and test.

Refer to the Installation Manuals for further information on the following topics:

Creating EAR file

- Loading and editing the property file
- Deploying EAR file

Note:



10

Architecture of SMTP Server Password Change

This section describes the process of changing the SMTP server password.

START Take backup of fcubs.properties file Change the password in fcubs.properties file through Installer Using the new fcubs.properties file create EAR through Installer and deploy it in the application server **Test Application** No Testing successful Yes **END**

Figure 10-1 SMTP Server Password Change

11

Architecture of EMS FTP Server Password Change

The following diagram briefs the steps involved in changing the passwords of the EMS FTP server.






Figure 11-1 EMS FTP Server Password Change

Change FTP Server Password

This topic explains systematic instructions to change the password of the EMS FTP server.

Before changing the password of the DMS server, make sure to take a backup of the **fcubs.properties** file from the current EAR file.

- 1. In Oracle FLEXCUBE Universal Banking Solution Installer, load the existing property file and go to the step that can define the branch properties.
- 2. Change the password of the FTP server.
- After deploying the EAR file, inform the concerned users and groups about the password change.
- Test whether the password change was successful. In case the test is not successful, repeat the above steps and test again.

Refer to the Installation Manuals for further information on the following topics:

- Creating EAR file
- · Loading and editing the property file
- Deploying EAR file

Note:




Changing BI Publisher Data Source Password- Oracle WebLogic

This topic provides systematic instructions to change the BI Publisher data source password in the Oracle WebLogic application server.

- 1. Log in to the BI Publisher server.
- 2. Go to the Admin tab and click on the JDBC option.
- Click on the Update Data Source and choose the data source whose password needs to be modified in the field Data source Name.

Figure 13-1 Fig- To be worked



4. Modify the following field:

Table 13-1 Update Data Source- Field Description

Field	Description
Password	Specify the new password


- 5. Click the Apply button.
- Restart the application server.
- Start Oracle FLEXCUBE Universal Banking.
- 8. Log in to Oracle FLEXCUBE Universal Banking. Generate a sample report to test.



Architecture of DMS Server Password Change

The following diagram briefs the steps involved in changing the passwords of the DMS server.

Figure 14-1 DMS Server Password Change



Change DMS Server Password

This topic explains systematic instructions to change the password of the DMS server.

Before changing the password of the DMS server, make sure to take a backup of the **fcubs.properties** file from the current EAR file.

- 1. In Oracle FLEXCUBE Universal Banking Solution Installer, load the existing property file, and go to the step that can define the branch properties.
- 2. Change the password.
- After deploying the EAR file, inform the concerned users and groups about the password change.
- 4. Test whether the password change was successful, and in case the test is not successful, repeat the above steps and test again.

Refer to the Installation Manuals for further information on the following topics:

- Creating EAR file
- · Loading and editing the property file
- Deploying EAR file

Note:

16

Prerequisites for Host Schema Password Change

Before the change and test of the Host schema password , ensure that the following activities are completed:

- 1. Determine the downtime for the password change activity.
- 2. Inform all concerned users and groups.
- 3. Ensure that all users have logged out of the Oracle FLEXCUBE Universal Banking system.
- 4. Stop the Oracle FLEXCUBE Universal Banking application.
- 5. Stop the target server to which the data sources point, and to stop the target server, follow the given steps below:
 - Log in to the Oracle WebLogic application server.
 - **b.** Go to the **Home**, and then **Environments**, and then **Servers**.
 - c. Select and stop the server by clicking Stop.

This completes the prerequisites.



Change Host Schema Password

This topic explains systematic instructions to change the Host Schema password in the Oracle WebLogic application server.

- 1. Log in to the Oracle WebLogic application server.
- 2. Go to the **Home**, and then **Services**, and then **Data Sources**.

A table that contains the list of all data sources created in the application server is displayed.


Click the data source jdbc/fcjdevDS.

The **Settings for FCUBDs** screen displays.

4. On the **Settings for FCUBDs** screen, click the **Connection Pool** tab.

The Connection Pool tab displays.

Figure 17-1 Settings for FCUBDs - Connection Pool



Change the password. Use the following fields:

5. To change the password, specify the following fields.


Table 17-1 Connection Pool Tab - Field Description

Field	Description
Password	Specify the new password.
Confirm Password	Specify the new password again.



- Click Save.
- 7. To test the data source, select the **Monitoring** and **Testing** tab under it.


Figure 17-2 Settings for FCUBDs - Monitoring Tab



8. Select the target server, and click **Test Data Source**.

The system displays a message confirming successful testing.

Figure 17-3 Messages



- 9. After getting the message, restart the application server.
- 10. Start the Oracle FLEXCUBE Universal Banking.
- Log in to Oracle FLEXCUBE Universal Banking. Launch a summary screen or execute a simple transaction to test.





18

Prerequisites for Scheduler Data Source Password Change

Before you change the password of the scheduler data source, make sure that the following activities are completed:


- 1. Determine the downtime for the password change activity.
- 2. Inform all concerned users and groups.
- 3. Ensure that all users have logged out of the Oracle FLEXCUBE Universal Banking system.
- 4. Stop the Oracle FLEXCUBE Universal Banking application.
- 5. Stop the target server to which the data sources point, and to stop the target server, follow the given steps below:
 - a. Log in to the Oracle WebLogic application server.
 - **b.** Go to the **Home**, and then **Environments**, and then **Servers**.
 - c. Select and stop the server by clicking Stop.

Change Scheduler Data Source Password

This topic provides systematic instructions to change the password of the scheduler data source in the Oracle Weblogic application server.

- Log in to the Oracle WebLogic application server.
- 2. Go to the **Home**, and then **Services**, and then **Data Sources**.
 - A table that contains the list of all data sources created in the application server is displayed.
- 3. Click the data scheduler source jdbc/fcjSchedulerDS.
 - The **Settings for FCUBS_SchedulerDS** screen displays.
- On the Settings for FCUBS_SchedulerDS screen, click the Connection Pool tab.
 The Connection Pool tab displays.

Figure 19-1 Settings for FCUBS_SchedulerDS - Connection Pool Tab



Change the password. Use the following fields:

5. To change the password, specify the following fields.

Table 19-1 Connection Pool Tab - Field Description

Field	Description
Password	Specify the new password.




Table 19-1 (Cont.) Connection Pool Tab - Field Description

Field	Description
Confirm Password	Specify the new password again.

- 6. Click Save.
- 7. To test the data source, select the **Monitoring** and **Testing** tab under it.


Figure 19-2 Settings for FCUBS_SchedulerDS - Monitoring Tab



8. Select the target server, and click **Test Data Source**.

The system displays a message confirming successful testing.

Figure 19-3 Message







20

Prerequisites for ELCM Data Source Password Change

Before you change the password of the ELCM data source, make sure that the following activities are completed:

- 1. Determine the downtime for the password change activity.
- 2. Inform all concerned users and groups.
- 3. Ensure that all users have logged out of the Oracle FLEXCUBE Universal Banking system.
- 4. Stop the Oracle FLEXCUBE Universal Banking application.
- 5. Stop the target server to which the data sources point, and to stop the target server, follow the steps given below.
 - a. Log in to the Oracle WebLogic application server.
 - **b.** Go to the **Home**, and then **Environments**, and then **Servers**.
 - c. Select and stop the server by clicking Stop.

Change ELCM Data Source Password

This topic explains systematic instructions to change the password of the ELCM data source in the Oracle WebLogic application server.

- 1. Log in to the Oracle WebLogic application server.
- 2. Go to the Home, and then Services, and then Data Sources.

A table that contains the list of all data sources created in the application server is displayed.


Click the ELCM data source.

The **Settings for FCUBS_ELCMDs** screen displays.

4. On the **Settings for FCUBS_ELCMDs** screen, click the **Connection Pool** tab.

The Connection Pool tab displays.

Figure 21-1 Settings for FCUBS_ELCMDs - Connection Pool Tab



5. To change the password, specify the following fields.


Table 21-1 Connection Pool Tab - Field Description

Field	Description
Password	Specify the new password.
Confirm Password	Specify the new password again.

6. Click Save.

7. To test the data source, select the Monitoring and Testing tab under it.


Figure 21-2 Settings for FCUBS_ELCMDs - Monitoring Tab



8. Select the target server, and click **Test Data Source**.

The system displays a message confirming successful testing.

Figure 21-3 Settings for FCUBS_ELCMDs - Monitoring Tab







Prerequisites for Gateway Data Source Password Change

Before you change the password of the scheduler data source, make sure that the following activities are completed.

- 1. Determine the downtime for the password change activity.
- 2. Inform all concerned users and groups.
- 3. Ensure that all users have logged out of the Oracle FLEXCUBE Universal Banking system.
- 4. Stop the Oracle FLEXCUBE Universal Banking application.
- 5. Stop the target server to which the data sources point, and to stop the target server, follow the steps given below.
 - a. Login to the Oracle WebLogic application server.
 - b. Go to Home, and then Environments, and then Servers
 - **c.** Select and stop the server by clicking **Stop**.

Change Gateway Data Source Password


This topic provides systematic instructions to change the password of the Gateway data source.

- Log in to the Oracle WebLogic application server.
- 2. Go to the **Home**, and then **Services**, and then **Data Sources**.

A table that contains the list of all data sources created in the application server is displayed.

- Click the data source FLEXTEST.WORLD.
 - The **Settings for FLEXTEST.WORLD** screen displays.
- On the Settings for FLEXTEST.WORLD screen, click the Connection Pool tab.
 The Connection Pool tab displays.

Figure 23-1 Settings for FLEXTEST.WORLD - Connection Pool Tab



5. To change the password, specify the following fields.


Table 23-1 Connection Pool Tab - Field Description

Field	Description
Password	Specify the new password.
Confirm Password	Specify the new password again.



- Click Save.
- 7. To test the data source, select the **Monitoring** and **Testing** tab under it.

Figure 23-2 Settings for FLEXTEST.WORLD - Monitoring Tab



8. Select the target server, and click **Test Data Source**.

The system displays a message confirming successful testing.

- 9. After getting the message, restart the application server.
- 10. Start the Oracle FLEXCUBE Universal Banking.
- 11. Log in to the Oracle FLEXCUBE Universal Banking and test whether the change was successful.



Changing Branch Data Source Password-Oracle WebLogic

This topic provides systematic instructions to change the password of the Gateway data source.

- 1. log in to Oracle Weblogic application server.
- 2. Go to Home > Services > Data Sources. You will notice a table that contains the list of all data sources created in the application server.
- 3. Select Gateway data source (jdbc/fcjdevDSBranch).
- 4. Select the 'Connection Pool' tab.
- 5. 5. Change the password. Use the following fields:

Table 24-1 Connection Pool

Field	Description
Password	Specify the new password.
Confirm Password	Specify the new password again.

- Click 'Save'.
- 7. To test the data source, select 'Monitoring' tab and select 'Testing' tab under it.
- Select the target server and click 'Test Data Source'.
- The screen displays a message confirming successful testing.
- 10. Once you get the message, restart the application server.
- 11. Start Oracle FLEXCUBE Universal Banking. Log in to Oracle FLEXCUBE Universal Banking and test whether the change was successful. Try the above process in UAT or any other test environment before you change the password in a production environment.

Change Passwords in Oracle WebLogic

This topic describes the method of changing data source passwords from the Oracle WebLogic application server.

Changing Host Schema Password

This section explains the method to change the password of the Oracle FLEXCUBE Host schema. If you change the host schema password, you also need to change the passwords of the data sources pointing to the host schema.

This section contains the following topics -

- #unique 39
- #unique_40

Changing Scheduler Data Source Password

After changing the host schema password, you need to change the password of the scheduler data source.

This section contains the following topics -

- #unique 41
- #unique 42

Changing ELCM Data Source Password

You need to change the password of the ELCM data source.

This section contains the following topics -

- #unique 43
- #unique_44

Changing Gateway Data Source Password

If you change the host schema password, you also need to change the gateway password.

This section contains the following topics -

- #unique 45
- #unique 46

26

Prerequisites for Host Schema Password Change

Before the change and test of the Host schema password , ensure that the following activities are completed:


- 1. Determine the downtime for the password change activity.
- Inform all concerned users and groups.
- 3. Ensure that all users have logged out of the Oracle FLEXCUBE Universal Banking system.
- 4. Stop the Oracle FLEXCUBE Universal Banking application.
- 5. Stop the target server to which the data sources point, and to stop the target server, follow the given steps below:
 - Log in to the Oracle WebLogic application server.
 - **b.** Go to the **Home**, and then **Environments**, and then **Servers**.
 - **c.** Select and stop the server by clicking **Stop**.

Changing BI Publisher Data Source Password- Oracle WebLogic

This topic provides systematic instructions to change the BI Publisher data source password in the Oracle WebLogic application server.

- 1. Log in to the BI Publisher server.
- 2. Go to the Admin tab and click on the JDBC option.
- Click on the Update Data Source and choose the data source whose password needs to be modified in the field Data source Name.

Figure 27-1 Fig- To be worked



4. Modify the following field:

Table 27-1 Update Data Source- Field Description

Field	Description
Password	Specify the new password

- 5. Click the Apply button.
- 6. Restart the application server.
- Start Oracle FLEXCUBE Universal Banking.
- 8. Log in to Oracle FLEXCUBE Universal Banking. Generate a sample report to test.




Changing Oracle Business Intelligence Enterprise Edition Schema Password- Oracle WebLogic

This topic provides systematic instructions to change the OBIEE schema password in the Oracle WebLogic application server.

- 1. log in to OBIEE Administrative console.
- Go to the created Database on the right panel and click on the Connection Pool.Connection Pool window displays.

Figure 28-1 Fig-To be worked



- 3. Change the password and re-enter the password to confirm it and then click on **OK**.
- 4. Restart the application server.
- Start Oracle FLEXCUBE Universal Banking.
- Log in to Oracle FLEXCUBE Universal Banking and generate a sample report to test.



Prerequisites for Gateway Data Source Password Change

Before you change the password of the scheduler data source, make sure that the following activities are completed.

- 1. Determine the downtime for the password change activity.
- 2. Inform all concerned users and groups.
- 3. Ensure that all users have logged out of the Oracle FLEXCUBE Universal Banking system.
- 4. Stop the Oracle FLEXCUBE Universal Banking application.
- 5. Stop the target server to which the data sources point, and to stop the target server, follow the steps given below.
 - a. Login to the Oracle WebLogic application server.
 - b. Go to Home, and then Environments, and then Servers
 - **c.** Select and stop the server by clicking **Stop**.



Change Gateway Data Source Password


This topic provides systematic instructions to change the password of the Gateway data source.

- Log in to the Oracle WebLogic application server.
- 2. Go to the Home, and then Services, and then Data Sources.

A table that contains the list of all data sources created in the application server is displayed.

- Click the data source FLEXTEST.WORLD.
 - The **Settings for FLEXTEST.WORLD** screen displays.
- On the Settings for FLEXTEST.WORLD screen, click the Connection Pool tab.
 The Connection Pool tab displays.

Figure 30-1 Settings for FLEXTEST.WORLD - Connection Pool Tab



5. To change the password, specify the following fields.


Table 30-1 Connection Pool Tab - Field Description

Field	Description
Password	Specify the new password.
Confirm Password	Specify the new password again.



- 6. Click Save.
- 7. To test the data source, select the **Monitoring** and **Testing** tab under it.

Figure 30-2 Settings for FLEXTEST.WORLD - Monitoring Tab



8. Select the target server, and click **Test Data Source**.

The system displays a message confirming successful testing.

- 9. After getting the message, restart the application server.
- 10. Start the Oracle FLEXCUBE Universal Banking.
- 11. Log in to the Oracle FLEXCUBE Universal Banking and test whether the change was successful.




Changing BI Publisher Data Source Password- Oracle WebLogic

This topic provides systematic instructions to change the BI Publisher data source password in the Oracle WebLogic application server.

- 1. Log in to the BI Publisher server.
- 2. Go to the Admin tab and click on the JDBC option.
- Click on the Update Data Source and choose the data source whose password needs to be modified in the field Data source Name.

Figure 31-1 Fig- To be worked



4. Modify the following field:

Table 31-1 Update Data Source- Field Description

Field	Description
Password	Specify the new password

- Click the Apply button.
- Restart the application server.
- Start Oracle FLEXCUBE Universal Banking.
- 8. Log in to Oracle FLEXCUBE Universal Banking. Generate a sample report to test.



