Oracle® Banking Enterprise Limits and Collateral Management Installer EAR Building





Oracle Banking Enterprise Limits and Collateral Management Installer EAR Building, Release 14.8.0.0.0

G32501-01

Copyright © 2007, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

_	_	_				
1	_ [٦r	വ	בל	0	
	- 1		T		١.,	Π.

1.1	Purpose	1-1
1.2	Audience	1-1
1.3	Documentation Accessibility	1-1
1.4	Conventions	1-1
1.5	Critical Patches	1-2
1.6	Diversity and Inclusion	1-2
1.7	Basic Actions	1-2
1.8	Prerequisite	1-3
1.9	Screenshot Disclaimer	1-3



1

Preface

- Purpose
- Audience
- · Documentation Accessibility
- Conventions
- Critical Patches
- Diversity and Inclusion
- Basic Actions
- Prerequisite
- Screenshot Disclaimer

1.1 Purpose

This guide is designed to help the user to quickly get acquainted with the Customer Standard Instructions maintenance process.

1.2 Audience

This guide is intended for the central administrator of the Bank who controls the system and application parameters and ensures smooth functionality and flexibility of the banking application.

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at https://www.oracle.com/corporate/accessibility/.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

1.4 Conventions

The following text conventions are used in this document:

Table 1-1 Conventions

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.

Table 1-1 (Cont.) Conventions

Convention	Meaning
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

1.5 Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at Critical Patches, Security Alerts and Bulletins. All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by Oracle Software Security Assurance.

1.6 Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

1.7 Basic Actions

Table 1-2 Basic Actions

Action	Description
Approve	Used to approve the initiated report. This button is displayed, once the user click Authorize .
Audit	Used to view the maker details, checker details, and report status.
Authorize	Used to authorize the report created. A maker of the screen is not allowed to authorize the report. Only a checker can authorize a report, created by a maker.
Close	Used to close a record. This action is available only when a record is created.
Confirm	Used to confirm the performed action.
Cancel	Used to cancel the performed action.
Compare	Used to view the comparison through the field values of old record and the current record. This button is displayed in the widget, once the user click Authorize .
Collapse All	Used to hide the details in the sections. This button is displayed, once the user click Compare .
Expand All	Used to expand and view all the details in the sections. This button is displayed, once the user click Compare .



Table 1-2 (Cont.) Basic Actions

Action	Description
New	Used to add a new record. When the user click New , the system displays a new record enabling to specify the required data.
ок	Used to confirm the details in the screen.
Save	Used to save the details entered or selected in the screen.
View	Used to view the report details in a particular modification stage. This button is displayed in the widget, once the user click Authorize .
View Difference only	Used to view a comparison through the field element values of old record and the current record, which has undergone changes. This button is displayed, once the user click Compare .
Unlock	Used to update the details of an existing record. System displays an existing record in editable mode.

1.8 Prerequisite

Specify the User ID and Password, and login to Home screen.

1.9 Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.



Build Application for Setup

This topic explains the process for building EAR's for various application types.

- 1. The process of building EAR files includes the following steps:
 - **a.** Obtain the fcubs.properties file generated by the GUI Installer, which is saved in the required path.
 - For more information, refer to FCUBS_Property_File_Creation
 - **b.** fcubs.properties file will be used for building the ear. This will be created as part of the initial property file creation.
 - c. env.properties file parameters get updated during every property file creation (like FCUBS, Gateway, Scheduler, etc.). After Property file creation, proceed with respective EAR build and then proceed with other components property file creations and build.
 - d. Run the respective **EAR.bat** (Windows) or respective **EAR.sh** (Linux) file.
 - e. The command window closes after the EAR is generated.
 - f. The EAR will be generated in the EAR destination path provided during property file creation.
 - g. JS and UIXML will also be generated in the EAR destination path if external JS/UIXML is selected during property file creation.
 - h. The external path for JS/UIXML and EAR destination path can be referred to in the env.properties file.
 - Manually copy the JS/UIXML generated in the EAR destination .path, to external JS/ UIXML path.
- 2. Maintain the following Application Type accordingly for building respective EAR's.

Table 2-1 EAR Creation

Product Type	Application Type	EAR Name	BAT/sh file to be run	Property file to be used
ROFC	FCUBS	Any Distinct Name	ROFCEarRun.bat or ROFCEarRun.sh	fcubs.properties
GW-Integrated	INTEGRATED	Any Distinct Name	ROFCGatewayEar Run.b at or ROFCGatewayEar Run.s h	GW_WS_Prop.pro p erties
GW-Individual	INDIVIDUAL	Not Required	ROFCGatewayEar Run.b at or ROFCGatewayEar Run.s h	GW_WS_Prop.ppr o perties
GW-REST	INDIVIDUAL	Any Distinct Name	ROFCGatewayRe stEar Run.bat or ROFCGatewayRe stEar Run.sh	GW_RESTEJB_P ro p.properties



Table 2-1 (Cont.) EAR Creation

Product Type	Application Type	EAR Name	BAT/sh file to be run	Property file to be used
GW-MDB	GATEWAY	Any Distinct Name	GWMDBEarRun.b at GWMDBEarRun.s h	GW_MDB_Prop.p ro perties
GW-HTTP	GATEWAY	Any Distinct Name	GWHTTPEarRun. bat GWHTTPEarRun. sh	GW_HTTP_Prop. pr operties
GW- EJB	GATEWAY	Any Distinct Name	GWEJBEarRun.b at or GWEJBEarRun	GW_ EJB_ Prop.properties
Scheduler	SCHDLR	Any Distinct Name	SchedulerEarRun. bat or SchedulerEarRun. sh	Scheduler.properti es
ODT	ODT	Any Distinct Name	ODTWarRun.bat or ODTWarRun.sh	ODT.properties

- 3. The env.properties will have the appropriate application type set.
- 4. Go to \INSTALLER\SOFT path and execute the EarRun bat file for EAR build.
 - For Example, **EarRun.bat**:- **ROFCEarRun.bat** (**ROFCEarRun.sh** for running in Linux machine) for ROFC and so on.
- 5. EAR file will be generated in the mentioned destination path. Similarly, all the EAR Build follow the same steps.
- For Gateway EAR, execute <Product Name>GatewayEarRun.bat (<Product Name>GatewayEarRun.sh)
- For EJB, MDB and HTTP gateways, run the respective bat files i.e. GWEJBEarRun.bat (GWEJBEarRun.sh), GWMDBEarRun.bat (GWMDBEarRun.sh) and GWHTTPEarRun.bat (GWHTTPEarRun.sh).
- **8.** For ODT, execute **ODTWarRun.bat** in Windows (**ODTWarRun.sh** in Linux) after building odt.properties.
- For STAND ALONE SCHEDULER, execute SchedulerEarRun.bat in Windows (SchedulerEarRun.sh in Linux).
- 10. After this, deploy the EAR in the application console.



Please ensure the necessary resources are created in the application server as mentioned in the Resources_To_Be_Created

