

# Oracle® Banking Liquidity Management Cloud Service Configuration Guide



Release 14.7.2.0.0

F91315-01

January 2024

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Copyright © 2023, 2024, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

## Preface

---

Purpose	v
Audience	v
Documentation Accessibility	v
Diversity and Inclusion	v
Related Resources	vi
Conventions	vi
Screenshot Disclaimer	vi
Acronyms and Abbreviations	vi
Basic Actions	vi
Symbols and Icons	vii

## 1 EOD Configuration

---

1.1 Mapping Functional Activity Code	1-1
1.2 Business Process Maintenance	1-1
1.3 Configure EOD	1-2
1.4 Run EOD for branch	1-2

## 2 Job Definition Naming Convention

---

## 3 Oracle Banking Liquidity Management Job

---

## 4 Intraday Jobs

---

4.1 Create Task	4-1
4.2 Configure Tasks	4-3

## A Functional Activity Codes

---

# Index

---

# Preface

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Diversity and Inclusion](#)
- [Related Resources](#)
- [Conventions](#)
- [Screenshot Disclaimer](#)
- [Acronyms and Abbreviations](#)
- [Basic Actions](#)
- [Symbols and Icons](#)

## Purpose

This guide quickly get acquainted with the many functions every day on a routine basis as part of the End of Day (EOD).

## Audience

This guide is intended for Back Office Data Entry Clerk, Back Office Managers/Officers, Product Managers, End of Day Operators, and Financial Controller users.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

## Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

## Related Resources

The related documents are as follows:

- *Oracle Banking Common Core User Guide*
- *Oracle Banking Liquidity Management User Guide*
- *Tasks User Guide*

## Conventions

The following text conventions are used in this document:

Convention	Meaning
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

## Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

## Acronyms and Abbreviations

The list of the acronyms and abbreviations that are used in this guide are as follows:

**Table 1 Acronyms and Abbreviations**

Abbreviation	Description
API	Application Programming Interface
EOD	End of Day

## Basic Actions

The basic actions performed in this guide are as follows:

**Table 2 Basic Actions**

Actions	Description
<b>Save</b>	Click <b>Save</b> to save the details entered or selected in the screen. Saved record details will be available in 'View Screen'

Table 2 (Cont.) Basic Actions

Actions	Description
<b>Close</b>	Click <b>Close</b> to close a record. The system displays a warning message to the user that any unsaved data would be lost. User can either choose to ignore the message and close the screen or choose to 'save' the record
<b>Cancel</b>	Click <b>Cancel</b> to cancel the action performed without saving any data. The user is alerted that the input data would be lost before confirming the cancellation.
<b>Next</b>	Click <b>Next</b> to navigate to the next data segment, after successfully capturing the data.
<b>Create</b>	Click <b>Create</b> to capture the data entered and create the new record. Created record details will be available in 'View Screen'
<b>Back</b>	Click <b>Back</b> to navigate to the previous data segment, without lost of any data entered or captured from current screen.
<b>Delete</b>	Click <b>Delete</b> to delete the task listed.
<b>Fetch</b>	Click <b>Fetch</b> to fetch the EOD details.
<b>Start</b>	Click <b>Start</b> to invoke the EOD operation.
<b>Reset</b>	Click <b>Reset</b> to clear the EOD records invoked.
<b>Retry</b>	Click <b>Retry</b> to restart the EOD operation.
<b>Refresh</b>	Click <b>Refresh</b> to view the EOD operation.

## Symbols and Icons

This guide has the following list of symbols and icons.

Table 3 Symbols and Icons - Common








Symbol/Icon	Function
	Minimize
	Close
	Perform Search
	Navigate to the first record
	Navigate to the last record

Table 3 (Cont.) Symbols and Icons - Common

Symbol/Icon	Function
	Navigate to the previous record
	Navigate to the next record



# 1

## EOD Configuration

This topic provide information about the EOD Configuration process.

This topic contains the following subtopics:

- [Mapping Functional Activity Code](#)  
The topic describes the information to map the functional activity code to perform EOD operations.
- [Business Process Maintenance](#)  
This topic describes about the Business Process maintenance.
- [Configure EOD](#)  
This topic describes the systematic instructions to configure EOD operations
- [Run EOD for branch](#)  
This topic describes the systematic instructions to run the EOD for a branch.

### 1.1 Mapping Functional Activity Code

The topic describes the information to map the functional activity code to perform EOD operations.

The following functional activity code needs to be maintained in user's role to perform EOD operations:

**CMC\_FA\_BRANCH\_EOD\_PROCESS**



**Note:**

Refer to **Oracle Banking Security Management System User Guide** for the procedure to map the functional activity code in user's role.

### 1.2 Business Process Maintenance

This topic describes about the Business Process maintenance.

The standard batch process definitions for **OBLMEOD.json** file is preloaded and available in **Business Process Maintenance** screen. The user can modify and create new batch definition based on the requirements.



**Note:**

Refer the **Business Process Maintenance** topic in **Tasks User Guide** for the detailed explanation.


## 1.3 Configure EOD

This topic describes the systematic instructions to configure EOD operations

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Core Maintenance** menu, under **Branch EOD**, click **Configure EOD**.  
The **Configure EOD** screen displays.

**Figure 1-1 Configure EOD**



 **Note:**

To configure batch for a branch, refer the **Configure Branch EOD** section in *Oracle Banking Common Core User Guide*.

2. Click **Search** icon to view and select the **Branch Code** to configure the batch.

## 1.4 Run EOD for branch

This topic describes the systematic instructions to run the EOD for a branch.

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** Screen, click **Core Maintenance**. Under **Core Maintenance** menu, click **Branch EOD**.
2. Under **Branch EOD**, click **Invoke EOD**.  
The **Invoke EOD** screen displays.

**Figure 1-2 Invoke EOD**

**Invoke EOD**

Initiate End of Day Batch Operation

Branch Code   Required

Description

Current Branch Date

View End of Cycle Processes

Auto Refresh(60s)

3. Click **Search** icon to view and select the branch code to run EOD.
4. Click **Refresh** to view the current status of the branch.

# 2

## Job Definition Naming Convention

This topic describes the naming convention that to be followed when a custom job is introduced as a task into EOD process.

1. **Milestone task name** must be prefixed with "MS-". Ex: MS-BranchCutOff

### Milestone stage

Milestone stage will pause the batch execution till it is manually resumed.

### Sample template for milestone stage

```
{
  "name": "MS-CHKAFTEREOTI",
  "taskReferenceName": "MS-CHKAFTEREOTI",
  "inputParameters": {
    "http_request": {
      "connectionTimeout": "0",
      "readTimeout": "0",
      "vipAddress": "CMC-BRANCH-SERVICES",
      "uri": "/cmc-branch-services/brancheod/milestone",
      "method": "POST",
      "headers": {
        "appId": "CMNCORE",
        "branchCode": "${workflow.input.branchCode}",
        "userId": "${workflow.input.userId}"
      },
      "body": {
        "data": [
          {
            "workflowId": "${workflow.workflowId}",
            "taskId": "${CPEWF_TASK_ID}",
            "waitTime": "5000"
          }
        ]
      }
    }
  },
  "type": "HTTP",
  "startDelay": 0,
  "optional": false,
  "asyncComplete": true
}
```

### Steps to integrate Custom Jobs

1. If the custom job uses Oracle Banking Microservices Architecture Batch service, then use the below template to include the job as a task in EOD Flow definition.

```

{
  "type": "HTTP",
  "name": "<MilestoneCode.JobName>",
  "taskReferenceName": "<MilestoneCode.JobName>",
  "inputParameters": {
    "http_request": {
      "connectionTimeout": "0",
      "readTimeout": "0",
      "vipAddress": "PLATO-BATCH-SERVER",
      "uri": "/plato-batch-server/jobLauncher/launch/",
      "method": "POST",
      "headers": {
        "appId": "${workflow.input.appId}",
        "branchCode": "${workflow.input.branchCode}",
        "userId": "${workflow.input.userId}"
      },
    },
    "body": {
      "jobName": "<JobName>",
      "jobParameters": [
        {
          "key": "appId",
          "value": "<Application ID of microservice>"
        },
        {
          "key": "microServiceName",
          "value": "<Microservice name>"
        },
        {
          "key": "contextRoot",
          "value": "<Context root of microservice>"
        },
        {
          "key": "workflowId",
          "value": "${workflow.workflowId}"
        },
        {
          "key": "referenceTaskName",
          "value": "<MilestoneCode.JobName>"
        },
        {
          "key": "userId",
          "value": "${workflow.input.userId}"
        },
        {
          "key": "branchCode",
          "value": "${workflow.input.branchCode}"
        },
        {
          "key": "isCallback",
          "value": "Y"
        }
      ]
    }
  }
}

```

```

        "key": "callbackType",
        "value": "PLATOORCH"
    }
}
    ],
    },
    "asyncComplete": true
},
"startDelay": 0,
"optional": false,
"asyncComplete": true
}

```

2. If the custom job doesn't use the Oracle Banking Microservices Architecture Batch service. The Batch API is implemented as a synchronous call, use the below template to include the job as a task in EOD Flow definition.

```

{
  "type": "HTTP",
  "name": "<MilestoneCode.JobName>",
  "taskReferenceName": "<MilestoneCode.JobName>",
  "inputParameters": {
    "http_request": {
      "connectionTimeout": "0",
      "readTimeout": "0",
      "vipAddress": "<Microservice name registered in eureka>",
      "uri": "<relative URL>",
      "method": "<HTTP Method>",
      "headers": {
        "appId": "${workflow.input.appId}",
        "branchCode": "${workflow.input.branchCode}",
        "userId": "${workflow.input.userId}"
      }
    }
  },
  "asyncComplete": false
},
"startDelay": 0,
"optional": false,
"asyncComplete": true
}

```

 **Note:**

HTTP Method - One of the GET, PUT, POST, DELETE, OPTIONS, HEAD

3. If the custom job doesn't uses Oracle Banking Microservice Architecture Batch service and if the Batch API is implemented as an asynchronous call, then call back needs to be implemented in the respective API. Use the below template to include the job as a task in EOD Flow Definition.

```

{
  "type": "HTTP",
  "name": "<MilestoneCode.JobName>",

```

```

"taskReferenceName": "<MilestoneCode.JobName>",
"inputParameters": {
  "http_request": {
    "connectionTimeout": "0",
    "readTimeout": "0",
    "vipAddress": "<Microservice name registered in eureka>",
    "uri": "<relative URL>",
    "method": "<HTTP Method>",
    "headers": {
      "appId": "${workflow.input.appId}",
      "branchCode": "${workflow.input.branchCode}",
      "userId": "${workflow.input.userId}"
    }
  },
  "asyncComplete": true
},
"startDelay": 0,
"optional": false,
"asyncComplete": true
}

```

Table 2-1 Batch API

Method	Post	Description
URL	http://<hostname>:<port>/plato-orch-service/api/tasks	-
Headers	userId : <Logged in user id> branchCode : <Logged in branch code> appld : platoorch Content-Type : application/json Accept : application/json	userId – User who updates the task branchCode – Branch where the update is performed.
Body	<pre>{   "workflowInstanceId":   "&lt;EOD_Workflow_ID",   "taskId": "&lt;Task_ID&gt;",   "status": "&lt;Status&gt;" }</pre>	EOD_Workflow_ID – A Workflow ID gets generated when EOD is invoked Task_ID – Unique task ID gets generated for each task once it starts Status – COMPLETED / FAILED_WITH_TERMINAL_ERROR / FAILED / IN_PROGRESS

 **Note:**

asyncComplete – field in EOD workflow definition should be set to true if the Http task makes an asynchronous call and the task has to be updated explicitly by calling above update APIs. Only after successful update, next task will get executed.

# 3

## Oracle Banking Liquidity Management Job

The topic describes the Oracle Banking Liquidity Management Job names and its descriptions.

**Table 3-1 Oracle Banking Liquidity Management Job**

S.No	EOD stage	Job Name	Description	Input Parameters
1	MCUT	markcutoff	Job will check for pending tasks and any existing running process before starting EOD	BranchCode
2	EOD	CHKPENDINGMAINT	Job will check pending maintenances that required approval.	BranchCode
3	EOD	SWEEP	Job will execute sweep process scheduled to run during EOD	BranchCode
4	EOD	CLEAR_BALANCE_CACHE	Job will clear the Value Dated balance cache that's populated during EOD Sweep executions.	BranchCode
5	EOD	POOL	Job will execute all pool structures.	BranchCode
6	EOD	PREIC	Job will execute the tasks that are required to run before starting Interest batch	BranchCode
7	EOD	IC.MARKCUTOFF	Job will check for pending tasks and any existing running process before starting Interest batch	BranchCode
8	EOD	OBLM-IC	Job will execute Interest batch	BranchCode
9	MS-EOFI	MS-EOFI	Milestone for the end of financial input	BranchCode
10	EOFI	MARKEOFI	Job will mark the end of financial input	BranchCode
11	MS-CHKB4FLIPDATE	MS-CHKB4FLIPDATE	Milestone for date flip	BranchCode
12	EOD	CMC.DATEFLIP	Job will change system date to next working date in common core	BranchCode
13	EOD	OBLM.DATEFLIP	Job will change system date to next working date in Oracle Banking Liquidity Management	BranchCode
14	EOD	RCUT.RELEASECUTOFF	Job will mark release cutoff after EOD.	BranchCode
15	EOD	IC.RELEASECUTOFF	Job will mark release cutoff for IC Batch.	BranchCode
16	BOD	BOD.REALLOC	Job will execute reallocation.	BranchCode



**Table 3-1 (Cont.) Oracle Banking Liquidity Management Job**

S.No	EOD stage	Job Name	Description	Input Parameters
17	BOD	BOD.SWEEP	Job will execute the Reverse sweep and BOD sweeps in sequence	BranchCode
18	BOD	TI.MARKTI	Job will mark the transaction inputs	BranchCode
19	BOD	BOD.ICL	Job will execute the ICL	BranchCode
20	BOD	chargeCalculationJob	Job will calculate the LM charges for given branch code	BranchCode
21	BOD	chargePostingJob	Job will post the LM charges for given branch code	BranchCode
22	OBLM	OBLM.UPDATEDEFERREDENTRY	Job will update the Deferred entries for pool contribution for given BranchCode	BranchCode
23	OBLM	OBLM.UPLOADINTERESTACCRAUALREPORT	Job will update the Accrual Interest details for given BranchCode	BranchCode
24	IC	IC.INTRADAYBATCH	Job will update the Intra day batch to notify UBS	BranchCode
25	OBLM	OBLM.UPDATESTRUCTURESTATUS	Job will update the status of all structures under the EOD branch	BranchCode
26	OBLM	OBLM.DATEFLIP	Job will update the branch date of the EOD branch in LM table	BranchCode
27	OBLMIC	OBLMIC.DATEFLIP	Job will update the branch dates of the EOD branch in OBLM IC tables	BranchCode

# 4

## Intraday Jobs

This topic provide information about the Intraday Jobs.

This topic contains the following subtopics:

- [Create Task](#)  
This topic describes the systematic instructions to create the task.
- [Configure Tasks](#)  
This topic describes the systematic instructions to configure the tasks.

### 4.1 Create Task

This topic describes the systematic instructions to create the task.

Oracle Banking Liquidity Management Intraday jobs required the following tasks to be created :

1. On **Home** screen, under **Task Management** menu, click **Create Task**.

The **Create Task** screen displays.

**Figure 4-1 Create Task**

```
<root>
<appId>
<<appId>>microServiceName:
<<microServiceName>>contextRo
o:
<<contextRo>>jobName:
<<jobName>>
```

 **Note:**

The fields marked as **Required** are mandatory.

2. Specify the values mentioned in the following table.

Table 4-1 Intraday Job - Task Values

Sl. no	Task Name	Task Definition
1	OBLM_intraDayAccountPairSweepJob_INT_001	appld::LMS;microServiceName::oblm-sweep-services;contextRoot::oblm-sweep-services;type::schedule;jobName::intraDayAccountPairSweepJob;cronExpression::0 0/5 * * * ?;
2	OBLM_intraDayStructureSweepJob_INT_002	appld::LMS;microServiceName::oblm-sweep-services;contextRoot::oblm-sweep-services;type::schedule;jobName::intraDayStructureSweepJob;cronExpression::0 0/5 * * * ?;
3	OBLM_processMTHoldMessagesJob_INT_003	appld::LMG;microServiceName::oblm-messaging-services;contextRoot::oblm-messaging-services;type::schedule;jobName::processMTHoldMessagesJob;cronExpression::0 0/5 * * * ?;
4	OBLM_pendingPaymentsJob_INT_004	appld::LMX;microServiceName::oblm-integration-services;contextRoot::oblm-integration-services;type::schedule;jobName::pendingPaymentsJob;cronExpression::0 0/5 * * * ?;
5	OBLM_publishEventsLogJob_INT_005	appld::LMX;microServiceName::oblm-integration-services;contextRoot::oblm-integration-services;type::schedule;jobName::publishEventsLogJob;cronExpression::0 0/10 * * * ?;
6	OBLM_pendingReallocationJob_INT_006	appld::LMX;microServiceName::oblm-integration-services;contextRoot::oblm-integration-services;type::schedule;jobName::pendingReallocationJob;cronExpression::0 0/10 * * * ?;
7	sweepEventsFetch	appld::LMD;microServiceName::oblm-dashboard-services;contextRoot::oblm-dashboard-services;type::schedule;jobName::sweepLMDEventsJob;cronExpression::0 0/5 * * * ?;
8	savetoChargeCalCollJob_LM	appld::VAMLMCHG;microServiceName::vamlm-charge-services;contextRoot::vamlm-charge-services;jobName::savetoChargeCalCollJob;appCode::LMCHG;
9	chargePostingJob_LM	appld::VAMLMCHG;microServiceName::vamlm-charge-services;contextRoot::vamlm-charge-services;jobName::chargePostingJob;appCode::LMCHG;
10	chargeCalculationJob_LM	appld::VAMLMCHG;microServiceName::vamlm-charge-services;contextRoot::vamlm-charge-services;jobName::chargeCalculationJob;appCode::LMCHG;
11	savetoChargeCalCollJob_VAM	appld::VAMLMCHG;microServiceName::vamlm-charge-services;contextRoot::vamlm-charge-services;jobName::savetoChargeCalCollJob;appCode::VAMCHG;
12	chargePostingJob_VAM	appld::VAMLMCHG;microServiceName::vamlm-charge-services;contextRoot::vamlm-charge-services;jobName::chargePostingJob;appCode::VAMCHG;
13	chargeCalculationJob_VAM	appld::VAMLMCHG;microServiceName::vamlm-charge-services;contextRoot::vamlm-charge-services;jobName::chargeCalculationJob;appCode::VAMCHG;

3. Click **Create** to create the task for each Intraday job.

## 4.2 Configure Tasks

This topic describes the systematic instructions to configure the tasks.

The Configured intra-day jobs will get triggered as per the specified Cron Expression, for the **Create Task** the scheduler needs to be configured as shown as follows.

1. On **Home** screen, under **Task Management** menu, click **Configure Tasks**.  
The **Configure Tasks** screen displays.

**Figure 4-2 Configure Tasks**

The screenshot displays the 'Configure Tasks' interface. At the top, there's a title 'Configure Tasks' and a search icon. Below it is a table with two columns: 'Task Name' and 'Task Definition'. The first row shows 'ipaOfferExpiryJob' with a long task definition. The second row shows 'offerExpiryJob' with a similar task definition. To the right of the table are 'Delete' buttons. Below the table is a pagination control showing 'Page 1 of 2 (1-2 of 3 items)'. Underneath, there are radio buttons for 'Event' and 'Schedule'. Below these are three input fields: 'Task Name' (with a search icon and 'Required' label), 'Task Trigger Name' (with 'enabled' text), and 'Additional Trigger Parameters' (with 'enabled' text). A 'Save' button is at the bottom right.

### Note:

The fields marked as **Required** are mandatory.

2. Select the **Schedule** button.
3. Select the task name from the **Task Name** drop-down list.
4. Specify the trigger name in **Task Trigger Name** field.
5. Specify the required CRON expression in **CRON Expression** field.
6. Click **Save** to configure the task.

# A

## Functional Activity Codes

**Table A-1 List of Functional Activity Codes**

Screen Name	Functional Activity Code	Action	Purpose
<b>Batch</b>	LMS_FA_SWEEPDATA_VIEW	View	This functional activity code is used to fetch the sweep data to provide the next execution date in case of Intraday account pair sweeps and to fetch account pairs based on frequency in case of EOD/BOD account pair executions.
<b>Batch</b>	LMS_FA_SWEEPDATA_CREATE	Create	This functional activity code is used to create the sweep data during structure creation.
<b>Batch</b>	LMS_FA_SWEEPDATA_UPDATE	Update	This functional activity code is used to update existing sweep data during structure modification.
<b>Batch</b>	LMX_FA_PENDING_AUTH_VIEW	Authorization View	This functional activity code is used to view the maintenance pending for authorization.
<b>Batch</b>	LMX_FA_HAS_PENDING_AUTH	Pending Authorization	This functional activity code is used to check whether the branch has any pending maintenance for authorization.

# Index

## B

---

Business Process Maintenance, [1-1](#)

## C

---

Configure EOD, [1-2](#)  
Configure Tasks, [4-3](#)  
Create Task, [4-1](#)

## E

---

EOD Configuration, [1-1](#)

## F

---

Functional Activity Codes, [A-1](#)

## I

---

Intraday Jobs, [4-1](#)

## J

---

Job Definition Naming Convention, [2-1](#)

## M

---

Mapping Functional Activity Code, [1-1](#)

## O

---

Oracle Banking Liquidity Management Job, [3-1](#)

## R

---

Run EOD for branch, [1-2](#)