Oracle® Banking Origination Troubleshooting Guide





Oracle Banking Origination Troubleshooting Guide, Release 14.7.2.0.0

F90770-01

Copyright © 2021, 2023, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

		۲,	~ ~
$\mathbf{-}$	ro.	12	(,,

Purp	ose	\
Audie	ence	\
Docu	mentation Accessibility	\
Diver	sity and Inclusion	\
Conv	ventions	V
Tro	ubleshooting Technical Flows	
1.1	Where is the Problem	1-1
1.2	Preliminary Checks from UI	1-2
1.3	Preliminary Checks from Service Log Files	1-3
1.4	Login to Zipkin	1-4
1.5	Troubleshooting Logs using ELK Stack	1-7
1	5.1 Set Up ELK	1-7
1	5.2 Access Kibana	1-9
1.6	Check if Kafka is Running	1-10
1.7	Troubleshooting Environmental Issues	1-11
1	7.1 Possible Issues While Deploying Services	1-11
1	7.2 Possible Issues While Logging in and Launching Screen	1-11
Hea	alth Checks	
2.1	WebLogic	2-1
2.2	Configure Data Sources in WebLogic	2-1
Tro	ubleshooting Application Workflows	
3.1	First level issues	3-3
3.2	Transaction data verification	3-5
3.3	Party Module Integration Troubleshooting	3-6
	Existing Customer Details Fetch is failing	3-6
	Customer Information Data-segment Drop-downs not Fetching	3-8



4 Business Error Codes

Index



Preface

- Purpose
- Audience
- Documentation Accessibility
- · Diversity and Inclusion
- Conventions

Purpose

This guide provides guidance to users for the issues within the application. It describes various methods to figure out the error and then troubleshoot it.

Audience

This guide is intended for the software developers and software testers.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info or visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing impaired.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.



Conventions

The following text conventions are used in this document:

Convention	Meaning	
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.	
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.	
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.	



1

Troubleshooting Technical Flows

This topic describes about various programming issues, possible causes, and solutions to resolve the issues.

This topic contains the following subtopics:

Where is the Problem

This topic describes about troubleshooting the problem in the distributed system

Preliminary Checks from UI

This topic provides systematic instructions to launch the application and check for the basic errors.

Preliminary Checks from Service Log Files

This topic describes about preliminary checks from service log files.

Login to Zipkin

This topic describes the systematic instructions to troubleshoot the errors using the Zipkin Traces.

Troubleshooting Logs using ELK Stack

This topic describes about Troubleshooting Logs using ELK Stack.

Check if Kafka is Running

This topic provides information about Kafka is Running.

Troubleshooting Environmental Issues

This topic describes about the troubleshooting environmental issues.


1.1 Where is the Problem

This topic describes about troubleshooting the problem in the distributed system

Troubleshooting the problem in the distributed system can be challenging, if not understood fully. Each product has UI application components and service side application components. Each side requires different troubleshooting techniques and various logs that can be used to corroborate the problem.

It is important to establish the area of the problem. This can be achieved by complete understanding of UI, Service side flows along with the data architecture of application.

Figure 1-1 Distributed Flow across Micro Services




1.2 Preliminary Checks from UI

This topic provides systematic instructions to launch the application and check for the basic errors.

- Launch the application with delegated URL.
- 2. Press F12 key and select Inspect and See network.
- 3. Verify that all the call responses are successful.

Figure 1-2 Call Responses




Note:

Usually red color indicates a non-2xx HTTP response.



Figure 1-3 Non-2xx Response



4. Export the trace using the **Export** in browsers.

Example: The user can see the export option as shown below in Chrome.

Figure 1-4 Export Option



Note:

The tools such as **Fiddler** and **Wireshark** can be used to get the browser to API gateway web traffic. This helps to investigate the exact request and response payloads exchanged between UI and API Gateway.

1.3 Preliminary Checks from Service Log Files

This topic describes about preliminary checks from service log files.

The war deployments for each microservice sub-domain can generate the log files in the WebLogic server.

The configuration of this log can be found at logback.xml:

In production scenarios, make sure that the root level is configured as **ERROR** so that log files do not get overwhelmed.



Refer to **Oracle WebLogic Server Documentation Library** to know the path where these files are generated. In on-premises cases, the log files can be zipped and sent for remote troubleshooting purposes.

1.4 Login to Zipkin


This topic describes the systematic instructions to troubleshoot the errors using the Zipkin Traces.

1. Launch the Zipkin URL.



The basic layout of Zipkin displays.

Figure 1-5 Layout of Zipkin



2. Use **Search** to find the traces of required API calls and services.




The search options given in the user interface are self-explanatory, and there is another UI option (**Try Lens UI**). It is given a different user interface with the same functionality.

Some error API calls are made to showcase how to track errors. The blue listing shows the successful API hits, and the red listing indicates the errors. Each block indicates a single trace in the listing. The below figure shows the list of traces.



Figure 1-6 List of Traces




3. Open the individual trace.

It describes the time taken for each block. As the two custom spans are created inside two service calls, user can find a total of four blocks.

The time taken for an individual block is shown below.

The details of an individual trace displays.


Figure 1-7 Individual Trace



4. Click on the individual block to display the details.




Figure 1-8 Details of Individual Block




The user can also view the logging events in the Zipkin UI as small circular blocks. An example of an error log is shown below.

Figure 1-9 Sample Error Log



5. Click the error to get clear details and place of the error.

Figure 1-10 Details of Error








If the **Lens UI** is used in Zipkin, the above figures are not applicable but are relatable to the **Lens UI** as well. Traces of the application can be found using **TraceId**. The **TraceId** can be found in the debug logs of the deployment when spring-cloud-sleuth is included in the dependencies (included in spring-cloud-starter-zipkin dependency).

Click the **Dependencies** to get the dependency graph information between microservices.

Figure 1-11 Sample Dependency Graph



1.5 Troubleshooting Logs using ELK Stack

This topic describes about Troubleshooting Logs using ELK Stack.

This topic contains the following subtopics:

- Set Up ELK
 This topic provides the links to setup ELK.
- Access Kibana
 This topic provides systematic instructions to access Kibana.

1.5.1 Set Up ELK

This topic provides the links to setup ELK.

- Download the Elastic search from https://www.elastic.co/downloads/elasticsearchhttps://www.elastic.co/downloads/elasticsearch.
- Download the Kibana from https://www.elastic.co/downloads/kibanahttps://www.elastic.co/downloads/kibana.
- Download the Logstash from https://www.elastic.co/downloads/logstashhttps://www.elastic.co/downloads/logstash.





The default ports are as follows:

- Elastic search 9200
- Kibana 5601

Step to run ELK:

- 4. Run the elasticsearch.sh file present in the folder path /scratch/software/ELK/elasticsearch-6.5.1/bin.
 - Edit network.host to localhost and port if necessary. This should be enough for it to run.
 - Start: nohup bin/elasticsearch &
- Configure the Kibana to point the running instance of elastic search in the kibana.yml file.

Figure 1-12 Logstash Configuration

```
# Kibana is served by a back end server. This setting specifies the port to use.
#server.port: 5601

# Specifies the address to which the Kibana server will bind. IP addresses and host names are both valid values.
# The default is 'localhost', which usually means remote machines will not be able to connect.
# The default is 'localhost', which usually means remote machines will not be able to connect.
# To allow connections from remote users, set this parameter to a non-loopback address.
server.host: "whf00peb"

# Enables you to specify a path to mount Kibana at if you are running behind a proxy.
# Use the 'server.rewriteBasePath' setting to tell Kibana if it should remove the basePath
# from requests it receives, and to prevent a deprecation warning at startup.
# This setting cannot end in a slash.
#server.basePath: ""

# Specifies whether Kibana should rewrite requests that are prefixed with
# 'server.basePath' or require that they are rewritten by your reverse proxy.
# This setting was effectively always 'false' before Kibana 6.3 and will
# default to 'true' starting in Kibana 7.0.
#server.rewriteBasePath: false
# The maximum payload size in bytes for incoming server requests.
#server.maxPayloadBytes: 1048576

# The Kibana server's name. This is used for display purposes.
#server.name: "your-hostname"

# The URL of the Elasticsearch instance to use for all your queries.
elasticsearch.url: "http://localhost:9200"

# When this setting's value is true Kibana uses the hostname specified in the server.host
```

- **6.** Follow the below steps to configure the Logstash.
 - a. Input: This configuration is required to provide the log file location for the Logstash to read from.
 - **b. Filter**: Filters in Logstash is basically used to control or format the read operation (Line by line or Bulk read).
 - Output: This provides the running elastic search instance to send the data for persisting.



Figure 1-13 Kibana

```
logstash.conf
#Point to the application logs
input {
 beats {
   port => 5044
\mbox{\tt \#Provide} the parsing logic to transform logs into \mbox{\tt JSON}
# Adding @metadata needed for index sharding to Filebeat logs
 mutate {
   copy => {
      "[fields][app_name]" => "[@metadata][app_name]"
      "[fields][env]" => "[@metadata][envt]"
 }
 #If log line contains tab character followed by 'at' then we will tag that entry as stacktrace
 if [message] =~ "\tat" {
   grok {
     match => ["message", "^(\tat)"]
      add_tag => ["stacktrace"]
```

Figure 1-14 Kibana

```
#Grokking Spring Boot's default log format
grok {
    match => [ "message", "%(TIMESTAMP_ISO8601:timestamp)\s+%{LOGLEVEL:severity}\s+\[%(DATA:service},%{DATA:trace},%{DATA:span})
}

#Parsing out timestamps which are in timestamp field thanks to previous grok section
date {
    match => [ "timestamp" , "yyyy-PM-dd HH:mm:ss.SSS" ]
}
fingerprint {
    source => "message"
    target >> "[@metadata][fingerprint]"
    method => "MD5"
    key => "test"
}

ruby {
    code => "event.set('[@metadata][prefix]', event.get('@timestamp').to_i.to_s(16))"
}

#Ingest logs to Elasticsearch
output {
    elasticsearch {
        hosts => ["localhost:9200"]
        index => "%{[@metadata][prefix]}%{[@metadata][envt]}-%{+YYYY.PM.dd}"
        document_id => "%{[@metadata][prefix]}%{[@metadata][fingerprint]}"
}

stdout { codec => rubydebug }
}
```


1.5.2 Access Kibana

This topic provides systematic instructions to access Kibana.

- 1. Go to path /kibana-7.8.1-linux-x86_64/config/kibana.yml.
- 2. Edit server.host: "0.0.0.0" for access outside host and server.port: <any port, defaults to 5601>.

- 3. Validate elasticsearch properties it defaults to localhost:9200
- Go to http://host:port you should be able to see the Kibana console UI. Kibana needs elasticsearch to be UP as it creates indexes & fetches logs from it.
- Start the nohup bin/kibana &


Figure 1-15 Kibana



1.6 Check if Kafka is Running


This topic provides information about Kafka is Running.

1. Run the cmd \$ netstat -tlnp | grep :9092.



Possible issue while starting kafka

- 2. Kafka is not starting may be because zookeeper is not yet started.
 - Run the cmd \$ netstat -tlnp | grep :2181.



if any services is not running on this port means, zookeeper is down.

3. Check if any permission issue is there for kafka log folder.

Note:

To Create console producer and consumer for troubleshooting, refer to http://cloudurable.com/blog/kafka-tutorial-kafka-from-command-line/index.html.

✓ Note:

Some references that can be useful https://docs.cloudera.com/documentation/kafka/latest/topics/kafka_faq.html

1.7 Troubleshooting Environmental Issues

This topic describes about the troubleshooting environmental issues.

This topic contains the following subtopics:

- Possible Issues While Deploying Services
 This topic describes the possible issues that may occur in the environment.
- Possible Issues While Logging in and Launching Screen
 This topic describes the possible issues that may occur while logging in to the application and launching the screens.

1.7.1 Possible Issues While Deploying Services

This topic describes the possible issues that may occur in the environment.

This subsection describes the possible issues that may occur in the environment.

Service deployment is failing due to flyway

If the service deployment is failing due to flyway, verify that the object or record is already present and make changes in the flyway scripts accordingly.

You may check **flyway_schema_history** table of the respective schema for finding the flyway script entries.

Other possible issues

The other possible issue while deploying services could be multiple versions of dependency jars present in the war file. For example,

weblogic.application.naming.EnvironmentException: duplicate persistence units with the name PLATO in scope cmc-customer-services-5.3.0.war.

1.7.2 Possible Issues While Logging in and Launching Screen

This topic describes the possible issues that may occur while logging in to the application and launching the screens.

Login Page is not Launching

Perform the following checks if the login page is not launching.




- 1. Check whether the app-shell war file is deployed.
- 2. Make sure that the war file is up and running in the deployed managed server and try to login again.
- 3. Check whether the user has logged in with the appshell URL according to the war file deployed.
- 4. Check whether the required component-server wars like cmc-component-server, obvam-component-server etc are also deployed along with the app-shell.

Example: http://<ip-address>:<Port>/app-shell/index.jsp will load the login page of the application.

In the above URL, the name <code>app-shell</code> is dynamic which depends on the name of war file deployed.

Figure 1-16 Sign In



Unable to login after launching the application

Perform the following check if you are not able to login after the application is launched.

• Make sure that the plato-api-gateway service, plato-ui-config service, sms-coreservice, and common core services are up and running.



Figure 1-17 Services

PLATO-API-GATEWAY	n/a (1) (1)	UP (1) - fsgbu-phx-54.snphxprshared1.gbucdsint02phx.oraclevcn.com;plato-api-gateway;5012
PLATO-DISCOVERY-SERVICE	n/a (1) (1)	UP (1) - fsgbu-phx-54.snphxprshared 1.gbucds int 0.2 phx.oraclevcn.com: plato-discovery-service: 5012 and the state of the state o
PLATO-UI-CONFIG-SERVICES	n/a (1) (1)	UP (1) - fsgbu-phx-54.snphxprshared1.gbucdsint02phx.oraclevcn.com:plato-ui-config-services:5012
SMS-CORE-SERVICES	n/a (1) (1)	UP (1) - fsgbu-phx-54.snphxprshared1.gbucdsint02phx.oraclevcn.com:sms-core-services:5012

Unable to login after restarting the services

Perform the following check if you are not able to login after restarting the services.

 Make sure that the LDAP server is up and running, and check if the entered credentials are correct.

Retail Banking menus are not displayed after logging in

After you log in, if the Retail Banking menus are not displayed, map the functional activity codes in the table $SMS_TM_ROLE_ACTIVITY$. Once it is mapped, check if the corresponding role is assigned to your user ID.

Screens are not launching after logging in

If you are not able to launch the screens after logging in, make sure that the respective services are up and running.



Verify the VPN connection while trying to troubleshoot the issues related to page launching, etc.



Health Checks

This topic provides information about health checks.

Until the heath check APIs are implemented, the health need to be monitored using WebLogic JVM managed server status and Eureka instance.

Figure 2-1 Health Checks

Application	AMIs	Availability Zones	Status
CMC-ACCOUNT-SERVICES	n/a (1)	(1)	UP (1) - whf00cdl.in.oracle.com:cmc-account-services:7005
CMC-ADVICE-SERVICES	n/a (1)	(1)	UP (1) - whf00cdl.in.oracle.com:cmc-advice-services:7005
CMC-BASE-SERVICES	n/a (1)	(1)	UP (1) - whf00cdl.in.oracle.com:cmc-base-services:7005
CMC-BRANCH-SERVICES	n/a (1)	(1)	UP (1) - whf00cdl.in.oracle.com:cmc-branch-services:7005
CMC-BUSINESSOVERRIDES-SERVICES	n/a (1)	(1)	UP (1) - whf00cdl.in.oracle.com:cmc-businessoverrides-services:7005
CMC-CHECKLIST-SERVICES	n/a (1)	(1)	UP (1) - whf00cdl.in.oracle.com:cmc-checklist-services:7005
CMC-COMMENTS-SERVICES	n/a (1)	(1)	UP (1) - whf00cdl.in.oracle.com:cmc-comments-services:7005
CMC-CURRENCY-SERVICES	n/a (1)	(1)	UP (1) - whf00cdl.in.oracle.com:cmc-currency-services:7005
CMC-CUSTOMER-SERVICES	n/a (1)	(1)	UP (1) - whf00cdl.in.oracle.com:cmc-customer-services:7005
CMC-DATASEGMENT-SERVICES	n/a (1)	(1)	UP (1) - whf00cdl.in.oracle.com:cmc-datasegment-services:7005
CMC-DOCUMENT-SERVICES	n/a (1)	(1)	UP (1) - whf00cdl.in.oracle.com:cmc-document-services:7005
CMC-EXTERNAL-CHART-ACCOUNT-SERVICES	n/a (1)	(1)	UP (1) - whf00cdl.in.oracle.com:cmc-external-chart-account-services:7005
CMC-OBCBS-SERVICES	n/a (1)	(1)	UP (1) - whf00cdl.in.oracle.com:cmc-obcbs-services:7005
CMC-OBRH-SERVICES	n/a (1)	(1)	UP (1) - whf00cdl.in.oracle.com:cmc-obrh-services:7005

This topic contains the following subtopics:

- WebLogic
 - This topic describes about the Weblogic details.
- Configure Data Sources in WebLogic
 This topic describes systematic instructions to configure the data sources in WebLogic.

2.1 WebLogic

This topic describes about the Weblogic details.

This topic contains the following subtopics:

2.2 Configure Data Sources in WebLogic

This topic describes systematic instructions to configure the data sources in WebLogic.

- 1. On the WebLogic console, in the **Domain Structure** panel, click **Data Sources**.
- 2. On the **Summary of JDBC Data Sources** screen, click **New** and add the data source providing the required details.

Figure 2-2 Summary of JDBC Data Sources




Figure 2-3 Create a New JDBC Data Source






Figure 2-4 Create a New JDBC Data Source

Back Next Finish Cancel

Home >Summary of Servers >Summary of JDBC Data Sources >PLATO >Summary of JDBC Data Sources Create a New JDBC Data Source Back Next Finish Cancel **Connection Properties** Define Connection Properties. What is the name of the database you would like to connect to? Database Name: OBLMDB What is the name or IP address of the database server? **Host Name:** whf00bqa.in.oracle.com What is the port on the database server used to connect to the database? Port: 1521 What database account user name do you want to use to create database connections? Database User Name: OBLM144DEVPLATO What is the database account password to use to create database connections? Password: ••••• Confirm Password: ••••• Additional Connection Properties: oracle.jdbc.DRCPConnectionClass:




Troubleshooting Application Workflows

This topic provides information about troubleshooting application workflows.

On successful login, the Oracle Banking Origination dashboard screen displays depending on the user privileges.

Figure 3-1 Oracle Banking Origination Dashboard



User Role Issues


Role Profile includes access rights to the functional activities that are common to a group of users. A user can be linked to a Role Profile by which you give the user access rights to all the functional activities in the Role Profile.



Only authorized users can access the system with the help of a unique User Login ID and password.

On Security Management, click Role screen.


Figure 3-2 Role Maintenance



The user profile of a user contains the details of the user in four sections - User details, Status, Other details and User role branches.

On Security Management, click User screen.

Figure 3-3 Users Maintenance



Note:

Make sure that the required Role and User Applications are mapped to the user.

First level issues

This topic provides information about the first level issues.

Transaction data verification

This topic provides information about the transaction data verification.

- Party Module Integration Troubleshooting
 This topic describes the possible issues that may occur in Party Module integration.
- FLEXCUBE Host Integration Troubleshooting
 This topic describes the possible issues that may occur in FLEXCUBE Universal Banking Solution integration.

3.1 First level issues


This topic provides information about the first level issues.

Error Message not Shown

If there are any improper calls, check the ERTB_MSGS table of the respective schema to understand the cause of the error.

- 1. Press **F12** to open the **Networks**.
- Check the error code in the response.
 Query: SELECT * FROM ERTB_MSGS WHERE ERR_CODE='GCS_AUTH-03'

Figure 3-4 Error Message not Shown




Setting Log File Path

Log generation path needs to be defined in PLATO_LOGGER_PARAM_CONFIG table of PLATO schema.

Query: Select * from PLATO_LOGGER_PARAM_CONFIG;

Figure 3-5 Setting Log File Path






Dynamic Log Generation Issues

For generating dynamic service logs, insert the data to **PLATO_DEBUG_USERS** table.

Figure 3-6 Dynamic Log Generation Issues




Query: Select * from PLATO_DEBUG_USERS;

Note:

Login to WINSCP and check server logs. Log files for each service will be generated based on the user_id, branch_code and date at the path provided in the plato_logger_param_config table.

Figure 3-7 Server Logs




Call is Failing in Gateway

If any API call is failing in Gateway, hit the same API endpoint without passing through api-gateway via the postman.



Figure 3-8 Call is Failing in Gateway



Note:

Restart the specific services if required.

Code error in GCS side

If there is any error in GCS side codes, use java de-complier to debug the error.

404 error

The possible causes for 404 error are as follows:

- Check service is not running on Eureka
- Check if service is deployed in WebLogic

500 internal error

The possible causes for 500 internal error are as follows:

- Issue with Oracle Banking Microservices Architecture entries
- Issue with Eureka
- Service may not be up
- Issue with any peace of code

The server-side debugging is needed for the above-mentioned issues, if it is not captured in logs.

3.2 Transaction data verification

This topic provides information about the transaction data verification.

Follow the best practices mentioned below to avoid getting any errors:

- In the IN request and OUT response, verify that all the field data is going to service side.
- If there is any error related to SMS, check for the availability of SMS entries.
- Validate the endpoints and data.



- Validate the request headers passed during the API call.
- Verify that the data entered in the screen is accurate.

Apply Now is Failing in Product Catalogue

If **Apply Now** in Product Catalogue is failing, troubleshoot using the below points:

- Check if conductor war and plato-orch-service war is deployed in WebLogic.
- Check whether PLATO-O and PLATO-ORCH-SERVICE is registered in Eureka.

PLATO-O	n/a (1) (1)	UP (1) - plato-o:8001
PLATO-ORCH-SERVICE	n/a (1) (1)	UP (1) - whf00dtm.in.oracle.com:plato-orch-service:7011

- Check whether the INITIATION workflow DSL is imported.
 - Front-End Menu: Tasks

 Business Process Maintenance
 Search for INITIATION workflow
- Check whether obremo-rpm-projection-services is up and running as this service is required during INITIATION(Apply Now).
- Check whether Sequence Generator service is up and running.





Refer Preliminary Check for UI topic to see if any API call is failing

3.3 Party Module Integration Troubleshooting

This topic describes the possible issues that may occur in Party Module integration.

The possible issues and causes are described in the following subsections:

Existing Customer Details Fetch is failing

This topic describes the systematic instructions to fetch the existing customer details.

If in **Customer Information** data-segment, the existing customer details is not fetching, follow the below steps:



Refer to **Preliminary Check for UI** to see if any Party API is failing.

 Check Oracle Banking Routing Hub Audit Request to see if any Oracle Banking Routing Hub calls to Party Module has failed.




- a. On Home screen, click Core Maintenance. Under Core Maintenance, click Routing.
- Under Routing, click Service Consumers. Under Service Consumers, Click RPM ORIGINATION.
- Under RPM_ORIGINATION, click Consumer Services. Under Consumer Services, click OBPY_GET_EXISTING_PARTY



If you do not find any Oracle Banking Routing Hub configuration named **OBPY_GET_EXISTING_PARTY**, that means, the Oracle Banking Routing Hub configurations are not fully imported. Import the Oracle Banking Routing Hub configuration available in the source folder.

2. From the Actions, click on Request Audit.

Figure 3-9 Service Consumers



- 3. Check the latest **getPartyDetails** Oracle Banking Routing Hub call.
- 4. Click on the **Request ID** and check the **Provider Response** to check for any errors.

Figure 3-10 Request Audit






Figure 3-11 Request Audit Details



Customer Information Data-segment Drop-downs not Fetching

This topic describes the systematic instructions to fetch the existing customer details.

If in **Customer Information** data-segment, the existing customer details is not fetching, follow the below steps:



Refer to **Preliminary Check for UI** to see if any Party API is failing.

- Check Oracle Banking Routing Hub Audit Request to see if any Oracle Banking Routing Hub calls to Party Module has failed.
 - a. On Home screen, click Core Maintenance. Under Core Maintenance, click Routing.
 - Under Routing, click Service Consumers. Under Service Consumers, Click RPM ORIGINATION.
 - Under RPM_ORIGINATION, click Consumer Services. Under Consumer Services, click OBPY_GET_EXISTING_PARTY



If you do not find any Oracle Banking Routing Hub configuration named **OBPY_GET_EXISTING_PARTY**, that means, the Oracle Banking Routing Hub configurations are not fully imported. Import the Oracle Banking Routing Hub configuration available in the source folder.

- 2. From the Actions, click on Request Audit.
- 3. Check the latest **getPartyMaintenance** Oracle Banking Routing Hub call.



4. Click on the Request ID and check the Provider Response to check for any errors.

3.4 FLEXCUBE Host Integration Troubleshooting

This topic describes the possible issues that may occur in FLEXCUBE Universal Banking Solution integration.

The possible issues and causes are described in the following subsections:

Host Calls Failing

Host call failure may be due to various reasons ranging from improper Oracle Banking Routing Hub configuration to absence of maintenance in the Oracle FLEXCUBE Universal Banking environment. Host call may fail during Business Product Host Product listing, Interest or Charge Details data-segment fetch or during Oracle FLEXCUBE Universal Banking Account creation time.

To find the root issue, follow the below steps:


- Check Oracle Banking Routing Hub Audit Request to see if any Oracle Banking Routing Hub calls to Oracle FLEXCUBE Universal Banking Module has failed.
 - a. On Home screen, click Core Maintenance. Under Core Maintenance, click Routing.
 - Under Routing, click Service Consumers. Under Service Consumers, Click RPM_ORIGINATION.
 - c. Under RPM_ORIGINATION, click FCUBS.



If you do not find any Oracle Banking Routing Hub configuration for Oracle FLEXCUBE Universal Banking, that means, the Oracle Banking Routing Hub configurations are not fully imported. Import the Oracle Banking Routing Hub configuration available in the source folder.


d. From the Actions, click on Request Audit.

Figure 3-12 Service Consumer



e. Check the latest Transformation for which you have performed the operation.

Figure 3-13 Request Audit



- f. Click on the Request ID and check the Provider Response to check for any errors
- 2. If there is no Oracle Banking Routing Hub call but, still Host call is failing (especially for Account Creation), then failure might be in the workflow task level. In order to debug this scenario, follow the below steps:
 - a. Using the Application Number, call the plato-orch-service search API (API details given below) using Postman.

API Url: http://whf00dtm.in.example.com:7011/plato-orch-service/api/v1/extn/custom-actions/queries/tasks?offset=0&limit=100

Figure 3-14 Body

```
{
    "q": "applicationNumber eq 000APP000006967",
        "queryType": [
        "ACQUIRED",
        "AVAILABLE",
        "HOLD",
        "COMPLETED"
]
}
```

Headers:

Content-Type:application/json

userId:

appld:platoorch

branchCode:

entityId:DEFAULTENTITY

b. From the response, search for **subWorkflowld**.



Figure 3-15 subWorkflowId

```
"taskType": "SUB_WORKFLOW",
"status": "COMPLETED",
"inputData": {
    "workflowInput": {
        "TASK_DESCRIPTION": "Savings Origination
        "applicationDate": 1585218545000,
        "applicationNumber": "000APP000016729",
       "processRefNumber": "000INSTAS0007184",
        "branch": "000",
        "user": "ABIVAN",
        "processName": "INSTANTACCOUNT",
        "processCode": "SavOrig",
        "stage": "Account Creation",
        "stageCode": "RPM_INSTACC_HNDOFF",
       "currentBranchCode": "000"
    "subWorkflowId":
        "ad194dd5-738f-4ce3-b9b9-2a9f72bb59c6",
    "subWorkflowName": "CASAHOSTORCH",
```

c. Use this subWorkflowId as parameter in the below API.

API Url: http://whf00dtm.in.example.com:7011/plato-orch-service/api/workflow/ad194dd5-738f-4ce3-b9b9-2a9f72bb59c6

Headers:

Content-Type:application/json

userId:

appld:platoorch

branchCode:

entityId: DEFAULTENTITY

d. The response shows the actual error for HTTP task to fail.



4


Business Error Codes

This topic provides information about business error codes.

The list of overrides/information/error codes that might be faced during usage of the application can be found in the table $\tt ERTB_MSGS$ of the corresponding service schema being operated on.

For example, if you face an error in Business Product maintenance screen and you want to see the error code in the table, you should connect to your Business Product schema and search for that particular error code in the ERTB_MSGS table.

Figure 4-1 Error Codes and Messages





Index

A	5		
Access Kibana, 1-9	<u>P</u>		
В	Party Module Integration Troubleshooting, 3-6 Possible Issues While Deploying Services, 1-11 Possible Issues While Logging in and Launching		
Business Error Codes, 4-1	Screen, 1-11		
С	Preliminary Checks from Service Log Files, 1-3 Preliminary Checks from UI, 1-2		
Check if Kafka is Running, 1-10 Configure Data Sources in WebLogic, 2-1	S		
Customer Information Data-segment Drop-downs not Fetching, 3-8	Set Up ELK, 1-7		
•	Т		
E	Transaction data varification 2.5		
Existing Customer Details Fetch is failing, 3-6	Transaction data verification, 3-5 Troubleshooting Application Workflows, 3-1 Troubleshooting Environmental Issues, 1-11		
F	Troubleshooting Logs using ELK Stack, 1-7 Troubleshooting Technical Flows, 1-1		
First level issues, 3-3			
FLEXCUBE Host Integration Troubleshooting, 3-9	U		
	Unable to login after launching the application,		
Н	1-12		
Health Checks, 2-1	Unable to login after restarting the services, 1-13		
Tiedur Gricolo, 2 I	W		
L			
Login Page is not Launching, 1-11 Login to Zipkin, 1-4	WebLogic, 2-1 Where is the Problem, 1-1		

