

# Oracle® Banking Origination Installation Guide



Release 14.8.0.0.0  
G28909-02  
April 2025

ORACLE®

Copyright © 2021, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

1	Overview	<hr/>
2	Setup Database	<hr/>
3	Configure Oracle Banking Origination Domain	<hr/>
4	Create Data Sources	<hr/>
5	Deployments	<hr/>
6	Workflow Deployments	<hr/>
7	Setup Oracle Banking Origination Kafka	<hr/>
8	Restarts and Refresh	<hr/>
9	Logging Area	<hr/>
10	Launch Oracle Banking Origination from FLEXCUBE Universal Banking	<hr/>
11	OCR Enabled Document Extraction Environment Setup	<hr/>

# Preface

This topic contains the following sub-topics:

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Critical Patches](#)
- [Diversity and Inclusion](#)
- [Related Resources](#)
- [Conventions](#)
- [Screenshot Disclaimer](#)
- [Acronyms and Abbreviations](#)

## Purpose

This guide helps the user to perform the initial setup for Oracle Banking Origination application. The procedures given in this document must be completed to run the application successfully.

## Audience

This document is intended for WebLogic admin or ops-web team who are responsible for installing the Oracle Financial Software Service banking products.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

### Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

## Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

## Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to

build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

## Related Resources

For more information on any related features, refer to the following documents:

- Oracle Banking Common Core Services Installation Guide
- Oracle Banking Common Core User Guide
- Oracle Banking Microservices Platform Foundation Installation Guide
- Oracle Banking Origination License Guide
- Configuration and Deployment Guide
- Operations User Guide

## Conventions

The following text conventions are used in this document:

Convention	Meaning
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

## Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

## Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

**Table** Acronyms table

Abbreviation	Description
DDL	Data Definition Language
JDBC	Java Database Connectivity
JDK	Java Development Kit
LLM	Large Language Model
ML	Machine Language

**Table (Cont.) Acronyms table**

Abbreviation	Description
OBMA	Oracle Banking Microservices Architecture
OCR	Optical Character Recognition
OSDC	Oracle Software Delivery Cloud
RPM	Red Hat Package Manager
UI	User Interface

# 1

## Overview

This installation guide allow user to install the below mentioned Oracle Banking Origination services, UI, process flow in same order. Also Oracle Banking Origination services require the list of Common Core services below.

### **Common Core Services**

1. cmc-account-services
2. cmc-additional-attributes-services
3. cmc-advice-services
4. cmc-base-services
5. cmc-batch-services
6. cmc-branch-services
7. cmc-businessoverrides-services
8. cmc-checklist-services
9. cmc-checklistmanagement-services
10. cmc-comments-services
11. cmc-currency-services
12. cmc-customer-services
13. cmc-datasegment-services
14. cmc-document-services
15. cmc-documentmanagement-services
16. cmc-external-chart-account
17. cmc-external-system-services
18. cmc-mis-services
19. cmc-ml-indb-services
20. cmc-obcbs-services
21. cmc-obrh-kafka-consumer
22. cmc-obrh-service
23. cmc-opds-services
24. cmc-priority-services
25. cmc-processcode-service
26. cmc-report-services
27. cmc-resource-segment-orchestrator-service
28. cmc-resourceclass-services
29. cmc-screenclass-services

- 30. cmc-sequencegenerator-services
- 31. cmc-settlements-services
- 32. cmc-sla-services
- 33. cmc-transactioncontroller-services
- 34. cmc-txn-code-services
- 35. cmc-limits-collaterals-services

### **Product Manufacturing Unit Services**

- 1. pmu-bd-maintenance-service

### **Oracle Banking Origination Services**

- 1. obremo-rpm-maintenance-services
- 2. obremo-rpm-process-driver-services
- 3. obremo-rpm-businessprocess-services
- 4. obremo-rpm-businessproductdetails-services
- 5. obremo-rpm-cmn-applicantservices
- 6. obremo-rpm-cmn-hostservices
- 7. obremo-rpm-cmn-scorecardservices
- 8. obremo-rpm-lo-loanapplications
- 9. obremo-rpm-sav-account-service
- 10. obremo-rpm-term-deposit-service
- 11. obremo-rpm-projection-services
- 12. obremo-rpm-batch-services
- 13. obremo-rpm-cmn-ipaservices
- 14. obremo-rpm-cmn-collateralservices
- 15. obremo-rpm-creditcardapplication
- 16. obremo-rpm-rule-configurationservice
- 17. obremo-rpm-cmn-mlservice

### **User Interface**

UI war is split into individual component server war files. All the component server war files should be deployed in the same managed server.

For Common Core war files, deploy the war files mentioned below:

- 1. app-shell
- 2. cmc-component-server
- 3. moc-component-server
- 4. sms-component-server

### **Product Manufacturing Unit**

For Product Manufacturing Unit war files, deploy the war file mentioned below:

- 1. pmu-component-server



For Domain Specific war files, deploy the individual component server war files mentioned below:

- oboflo-component-server

### **Oracle Banking Origination Process Workflow**

1. APPENTRYHANDOFF.json
2. BNPLACCOPEN.json
3. CASAHOSTORCH
4. CREDITCARD
5. CURRENTACCOUNT
6. CURRENTACCOUNTUS
7. EDUCATIONLOAN
8. HOMELOAN
9. HOSTORCHESTRATOR
10. INITIATION
11. INSTCURACC
12. INSTPLOAN
13. INSTSAVACC
14. INSTTDACC
15. IPA
16. IRACDORIG.json
17. IRASAVORIG.json
18. LOANAGDEPO.json
19. LOANQUICKACCOPEN.json
20. PERSONALLOAN
21. SAVINGSACCOUNT
22. SAVINGSACCOUNTUS
23. SECPERSONALLOAN
24. SMBCURRENTACCOUNT
25. SMBINITIATION
26. SMBLOAN
27. SMBSAVINGS
28. SMBTD1
29. SMBTERMLOAN
30. TDACCOUNT
31. TDACCOUNTUS
32. TDHOSTORCH
33. VEHICLELOAN

# 2

## Setup Database

This topic provides detailed information about database related configuration for Oracle Banking Origination Installation.

It is recommended to create different schema for each application.

The prerequisites for setting up the database are as follows:

1. Make sure that the pre-installation setup is completed. The pre-installation setup includes the configuration of database and setting up the `setUserOverrides.sh` file.
2. After creating the schema for each of the required micro services, DDLs and INCs of each micro-service to be compiled in the respective schemas. The DDLs and INCs make sure that the creation of tables and availability of static data required for the execution of services. These are compiled automatically using flyway.

To set up a database for the creation of Oracle Banking Origination schema:

**Table 2-1 Database Setup**

Service Name	Schema Required
obremo-rpm-maintenance-services	Yes (obremo-rpm-maintenance-services schema)
obremo-rpm-process-driver-services	Yes (obremo-rpm-process-driver-services schema)
obremo-rpm-businessprocess-services	Yes (obremo-rpm-businessprocess-services schema)
obremo-rpm-businessproductdetails-services	Yes (obremo-rpm-businessproductdetails-services schema)
obremo-rpm-cmn-applicantservices	Yes (obremo-rpm-cmn-applicantservices schema)
obremo-rpm-cmn-hostservices	Yes (obremo-rpm-cmn-hostservices schema)
obremo-rpm-cmn-scorecardservices	Yes (obremo-rpm-cmn-scorecardservices schema)
obremo-rpm-lo-loanapplications	Yes (obremo-rpm-lo-loanapplications schema)
obremo-rpm-sav-account-service	Yes (obremo-rpm-sav-account-service schema)
obremo-rpm-term-deposit-service	Yes (obremo-rpm-term-deposit-service schema)
obremo-rpm-projection-services	Yes (obremo-rpm-projection-services schema)
obremo-rpm-batch-services	Yes (obremo-rpm-batch-server schema)
obremo-rpm-cmn-ipaservices	Yes (obremo-rpm-cmn-ipaservices schema)
obremo-rpm-cmn-collateralservices	Yes (obremo-rpm-cmn-collateralservices schema)
obremo-rpm-creditcardapplication	Yes (obremo-rpm-creditcardapplication schema)
obremo-rpm-cmn-mlservice	Yes (obremo-rpm-cmn-mlservice schema)
obremo-rpm-rule-configurationservice	No (Plato rule schema)

# 3

## Configure Oracle Banking Origination Domain

This topic provides information of the domain configuration setup for Oracle Banking Origination application.

The prerequisites are as follows:

1. The machine should have Java JDK installed.
2. Install Oracle Fusion Middleware on the machine.

### Note

Before proceeding with the following steps, complete the Oracle Banking Microservices Architecture installation as guided.

3. Steps for creating all Oracle Banking Origination domains, properties like port numbers, names are changes based on the domain. Screenshots are provided for such deviations. Domain creation process remains the same. It is recommended to have separate domain for Oracle Banking Origination application.

### Note

For the exact version to be installed, refer to **Software Prerequisites** section in the *License Guide*.

Create and configure the following services for the Oracle Banking Origination domain.

### Note

For more information on creating and configuring the domain, refer to the **Domain Creation and Cluster Configuration** topic in the *Configuration and Deployment Guide*.

**Table 3-1 Domain Creation List**

Service Name	Domain Name
obremo-rpm-maintenance-services	Oracle Banking Origination Domain
obremo-rpm-process-driver-services	Oracle Banking Origination Domain
obremo-rpm-businessprocess-services	Oracle Banking Origination Domain
obremo-rpm-businessproductdetails-services	Oracle Banking Origination Domain
obremo-rpm-cmn-applicantservices	Oracle Banking Origination Domain
obremo-rpm-cmn-hostservices	Oracle Banking Origination Domain
obremo-rpm-cmn-scorecardservices	Oracle Banking Origination Domain
obremo-rpm-lo-loanapplications	Oracle Banking Origination Domain

**Table 3-1 (Cont.) Domain Creation List**

Service Name	Domain Name
obremo-rpm-term-deposit-service	Oracle Banking Origination Domain
obremo-rpm-batch-services	Oracle Banking Origination Domain
obremo-rpm-projection-services	Oracle Banking Origination Domain
obremo-rpm-sav-account-service	Oracle Banking Origination Domain
obremo-rpm-cmn-ipaservices	Oracle Banking Origination Domain
obremo-rpm-cmn-collateralservices	Oracle Banking Origination Domain
obremo-rpm-creditcardapplication	Oracle Banking Origination Domain
obremo-rpm-cmn-mlservice	Oracle Banking Origination Domain
obremo-rpm-rule-configurationservice	Oracle Banking Origination Domain
app-shell	Appshell Domain
cmc-component-server	Appshell Domain
moc-component-server	Appshell Domain
sms-component-server	Appshell Domain
oboflo-component-server	Appshell Domain
pmu-component-server	Appshell Domain

# 4

## Create Data Sources


This topic provides systematic instruction to create the data source for Oracle Banking Origination installation.

The prerequisites are as follows:

- Make sure that database setup for Oracle Banking Origination is completed before deployment setup.
- The data sources for the respective microservices must be created first before the application deployment. Each of the data source target to their corresponding servers on which the application will be deployed.

The following diagram represents the process of creating data sources.

**Figure 4-1 Data Source Creation**



**To create the data sources:**

1. Create the data sources on each domain.

**Note**

For more information on data source creation, refer to the **Datasource Creation** topic in the *Configuration and Deployment Guide*.

The table below are the list of the data sources to be created on each domain prior to deployment of applications onto managed servers.

**Table 4-1 Data Source List**

Service Name	Data Source Name	Data Source JNDI	Targets
obremo-rpm-maintenance-services	RPMMAINTENANCE	jdbc/OBREMOMAINTC	Oracle Banking Origination Managed Server
obremo-rpm-process-driver-services	RPMProcessDriver	jdbc/RMPPROCESSDRIVER	Oracle Banking Origination Managed Server
obremo-rpm-businessprocess-services	RPMBusinessProcess	jdbc/OBREMOBUSSPRC	Oracle Banking Origination Managed Server
obremo-rpm-businessproductdetails-services	RPMBusinessProduct	jdbc/OBREMOBPDETAILS	Oracle Banking Origination Managed Server
obremo-rpm-cmn-applicantservices	RPMCmnApplicant	jdbc/CMNAPPLICANT	Oracle Banking Origination Managed Server
obremo-rpm-cmn-hostservices	RPMHostService	jdbc/RPMHOST	Oracle Banking Origination Managed Server
obremo-rpm-cmn-scorecardservices	RPMScorecard	jdbc/CMNSCORECARD	Oracle Banking Origination Managed Server
obremo-rpm-lo-loanapplications	RPMLoan	jdbc/LOANAPP	Oracle Banking Origination Managed Server
obremo-rpm-term-deposit-service	RPMTD	Jdbc/TDACC	Oracle Banking Origination Managed Server
obremo-rpm-projection-services	RPMPROJECTION	jdbc/RPMPROJECTION	Oracle Banking Origination Managed Server
obremo-rpm-sav-account-service	RPMSaving	jdbc/SAVACC	Oracle Banking Origination Managed Server
obremo-rpm-cmn-ipaservices	RPMIPA	jdbc/IPA	Oracle Banking Origination Managed Server
obremo-rpm-cmn-collateralservices	RPMCOLLATERAL	jdbc/OBREMOCOLLATERAL	Oracle Banking Origination Managed Server

**Table 4-1 (Cont.) Data Source List**

Service Name	Data Source Name	Data Source JNDI	Targets
obremono-rpm-creditcardapplication	RPMCREDITCARD	jdbc/CCAPP	Oracle Banking Origination Managed Server
obremono-rpm-cmn-mlservice	RPMML	jdbc/OBREMOML	Oracle Banking Origination Managed Server, CMC Managed Server
obremono-rpm-batch-services	RPMBATCH	Jdbc/RPMBATCH	Oracle Banking Origination Managed Server
Appshell UI	None	None	Appshell Server
cmc-component-server	None	None	Appshell Server
moc-component-server	None	None	Appshell Server
sms-component-server	None	None	Appshell Server
oboflo-component-server	None	None	Appshell Server
pmu-component-server	None	None	Appshell Server

- Map the following data sources to all the newly created managed servers for Oracle Banking Origination.

**Note**

As part of Oracle Banking Origination, the flyway JNDI changes are incorporated. To deploy the services successfully, the data sources need to be mapped.

**Table 4-2 Additional Data Sources**

Data Source Name	Data Source JNDI	Targets
PLATO	jdbc/PLATO	Oracle Banking Origination Managed Server
PLATO_UI_CONFIG	jdbc/PLATO_UI_CONFIG	Oracle Banking Origination Managed Server
SMS	jdbc/sms	Oracle Banking Origination Managed Server
PLATOBATCH	jdbc/PLATOBATCH	Oracle Banking Origination Managed Server
PLATORULE	jdbc/PLATORULE	Oracle Banking Origination Managed Server
COMMON CORE	jdbc/CMNCORE	Oracle Banking Origination Managed Server
PMU	jdbc/PMU	Oracle Banking Origination Managed Server

- Provide the following grants to the user in the Projection schema required for Machine Learning use cases.
  - GRANT CREATE MINING MODEL TO <RPMML SCHEMA>;
  - GRANT CREATE ANY MINING MODEL TO <RPMML SCHEMA>;

- GRANT ALTER ANY MINING MODEL TO <RPMML SCHEMA>;
- GRANT DROP ANY MINING MODEL TO <RPMML SCHEMA>;
- GRANT SELECT ANY MINING MODEL TO <RPMML SCHEMA>;
- GRANT COMMENT ANY MINING MODEL TO <RPMML SCHEMA>;
- GRANT EXECUTE ON DBMS\_DATA\_MINING to <RPMML SCHEMA>;
- GRANT CREATE TABLE TO <RPMML SCHEMA>;
- GRANT DROP ANY TABLE TO <RPMML SCHEMA>;
- GRANT CREATE JOB TO <PRODUCT PROJECTION SCHEMA>;



# 5

## Deployments


This topic provides the systematic instructions to deploy services for Oracle Banking Origination Installation.

The prerequisites are as follows:

- Make sure that database setup and data sources creation are completed before the application deployment stage.
- Each of the services corresponds to a specific war file that needs to be deployed into the server.

The following diagram represents the process of deploying the war files.

**Figure 5-1 Deployments**



Deploy the war files one after the other in the specified order. For more information on deployments, refer to the **Deploy Application** topic in the *Configuration and Deployment Guide*.

The following table gives the details of deployments required on each domain to run the Oracle Banking Origination application. The provided archive names are for reference purpose.

**Note**

For the exact version of the archive names and version, refer to the OSDC zip provided as a part of release.

**Table 5-1 Deployments List**

Application	Archive name	OSDC path	Targets
Maintenance Services	obremo-rpm-maintenance-services-{version}.war	{ <b>unzip the file</b> } OFLO_SERVICES\obre mo-rpm-maintenance- services	Oracle Banking Origination Managed Server
Process Driver	obremo-rpm-process-driver-services-{version}.war	{ <b>unzip the file</b> } OFLO_SERVICES\obre mo-rpm-process-driver- services	Oracle Banking Origination Managed Server
Business Process	obremo-rpm-businessprocess-services-{version}.war	{ <b>unzip the file</b> } OFLO_SERVICES\obre mo-rpm- businessprocess- services	Oracle Banking Origination Managed Server
Business Product details	obremo-rpm-businessproductdetails-services-{version}.war	{ <b>unzip the file</b> } OFLO_SERVICES\ obremo-rpm- businessproductdetails- services	Oracle Banking Origination Managed Server
Common Applicant	obremo-rpm-cmn-applicantservices-{version}.war	{ <b>unzip the file</b> } OFLO_SERVICES\obre mo-rpm-cmn- applicantservices	Oracle Banking Origination Managed Server
Host Services	obremo-rpm-cmn-hostservices-{version}.war	{ <b>unzip the file</b> } OFLO_SERVICES\obre mo-rpm-cmn- hostservices	Oracle Banking Origination Managed Server
ScoreCard	obremo-rpm-cmn-scorecardservices-{version}.war	{ <b>unzip the file</b> } OFLO_SERVICES\obre mo-rpm-cmn- scorecardservices	Oracle Banking Origination Managed Server
Loan Applicant Services	obremo-rpm-lo-loanapplications-{version}.war	{ <b>unzip the file</b> } OFLO_SERVICES\obre mo-rpm-lo- loanapplications	Oracle Banking Origination Managed Server
Savings (CASA) Services	obremo-rpm-sav-account-service-{version}.war	{ <b>unzip the file</b> } OFLO_SERVICES\obre mo-rpm-sav-account- service	Oracle Banking Origination Managed Server
TD Services	obremo-rpm-term-deposit-service-{version}.war	{ <b>unzip the file</b> } OFLO_SERVICES\obre mo-rpm-term-deposit- service	Oracle Banking Origination Managed Server

Table 5-1 (Cont.) Deployments List

Application	Archive name	OSDC path	Targets
Batch Service	obremo-rpm-batch-services-{version}.war	{ <b>unzip the file</b> } OFLO_SERVICES\obre mo-rpm-batch-services	Oracle Banking Origination Managed Server
PROJECTION Service	obremo-rpm-projection-services-{version}.war	{ <b>unzip the file</b> } OFLO_SERVICES\obre mo-rpm-projection- services	Oracle Banking Origination Managed Server
IPA Service	obremo-rpm-cmn-ipaservices-{version}.war	{ <b>unzip the file</b> } OFLO_SERVICES\obre mo-rpm-cmn- ipaservices	Oracle Banking Origination Managed Server
Collateral Service	obremo-rpm-cmn-collateralservices-{version}.war	{ <b>unzip the file</b> } OFLO_SERVICES\obre mo-rpm-cmn- collateralservices	Oracle Banking Origination Managed Server
Credit Card Service	obremo-rpm-creditcardapplication-{version}.war	{ <b>unzip the file</b> } OFLO_SERVICES\obre mo-rpm- creditcardapplication	Oracle Banking Origination Managed Server
ML SERVICE	obremo-rpm-cmn-mlservice-{version}.war	{ <b>unzip the file</b> } OFLO_SERVICES\obre mo-rpm-cmn-mlservice	Oracle Banking Origination Managed Server
RULE CONFIGURATION SERVICE	obremo-rpm-rule-configuration-service-{version}.war	{ <b>unzip the file</b> } OFLO_SERVICES\obre mo-rpm-rule- configuration-service	Oracle Banking Origination Managed Server
OBO UI Components	app-shell-{version}.war cmc-component-server-{version}.war moc-component-server-{version}.war sms-component-server-{version}.war oboflo-component-server-{version}.war	{ <b>unzip the file</b> } ui/	Appshell Server

**Note**

Refer to OSDC zip for the exact version number for each service.

# 6

## Workflow Deployments

This topic provide the systematic instructions to setup the workflow deployments for Oracle Banking Origination Installation.

Before deploying the process the following topic to be updated with the server ip/port for the end points used in the process.

For each process, open the process to find for http\_request and modify the following in the uri.

**Table 6-1 Update the process**

Term	Value
uri	http://{PROCESS_SERVER_HOST}: {{PROCESS_SERVER_PORT}}/
{{PROCESS_SERVER_HOST}}	IP of the Conductor server.
{{PROCESS_SERVER_PORT}}	Port of the Conductor server

For the list of the conductor-based processes to be deployed, refer to **Oracle Banking Origination Processes**. The server names, domain names need not be the same as this document provides. The steps to deploy a process remains the same for all the workflow files.

### To deploy the Conductor Process:

#### Approach 1 - Postman

##### Note

Server names, Domain names must be same as provided in this guide.


1. Launch Postman.
2. Create a new request (if not done already) and select the POST method.  
If the process flow is already deployed and needs to be updated, then the method should be PUT.
3. Input the URL in the below format

*http://{PROCESS\_SERVER\_HOST}:{PROCESS\_SERVER\_PORT}/plato-orch-service/api/metadata/workflow*

4. Input the header parameters as shown below:

```
Content-Type:application/json
userId:<userId>
appId:platoorch
branchCode:<branchCode>
entityId:DEFAULTENTITY
```

5. Paste the body of the message with the content from the process file.




- Click **Send**.  
Response status **200** returned from server.

## Approach 2 – UI


- From the menu, navigate to **Tasks** and click **Business Process Maintenance**.  
The **Workflow Maintenance** screen appears.

**Figure 6-1 Process List**




- Select the **Process Name: blank** check box and click **Upload DSL +** to the required DSL.json file.

Figure 6-2 Process Management




3. Click **Next** to navigate to the **Process Management** screen.

Figure 6-3 Process Management



4. Click **Next** to navigate to the **Verify & Submit** screen.

Figure 6-4 Verify &amp; Submit



5. Click **Create Process**.

## Oracle Banking Origination Processes

The following list of Conductor based processes to be deployed for Oracle Banking Origination.

**Table 6-2 List of Conductors**

Serial Number	Process Name	Dependent Process
1	APPENTRYHANDOFF.json	None
2	BNPLACCOPEN.json	None
3	CASAHOSTORCH	None
4	CREDITCARD	None
5	CURRENTACCOUNT	None
6	CURRENTACCOUNTUS	None
7	EDUCATIONLOAN	None
8	HOMELOAN	None
9	HOSTORCHESTRATOR	None
10	INITIATION	None
11	INSTCURACC	None
12	INSTPLOAN	None
12	INSTSAVACC	None
14	INSTTDACC	None
15	IPA	None
16	IRACDORIG.json	None
17	IRASAVORIG.json	None
18	LOANAGDEPO.json	None
19	LOANQUICKACCOPEN.json	None
20	PERSONALLOAN	None
21	SAVINGSACCOUNT	None
22	SAVINGSACCOUNTUS	None
23	SECPERSONALLOAN	None
24	SMBCURRENTACCOUNT	None
25	SMBINITIATION	None
26	SMBLOAN	None
27	SMBSAVINGS	None
28	SMBTD1	None
29	SMBTERMLOAN	None
30	TDACCOUNT	None
31	TDACCOUNTUS	None
32	TDHOSTORCH	None
33	VEHICLELOAN	None

## 7

# Setup Oracle Banking Origination Kafka

This topic provides systematic instructions to setup the Oracle Banking Origination kafka topics.

The Prerequisites as follows:

- Make sure that the Kafka installation is completed.
- For installation of Kafka, refer to the **Oracle Banking Microservices Architecture Software Deployment** chapter in the *Oracle Banking Microservices Platform Foundation Installation Guide*.

Below mentioned are the Kafka topics that are used in Oracle Banking Origination. All the below topics are to be created and verified in the Kafka Server by using the command.

```
<Kafka Bin Folder>/kafka-topics.sh --create --bootstrap-server <Broker ip/hostname>:<Broker Port> --replication-factor 1 --partitions 1 --topic <topic name>
```

**Table 7-1 Kafka Topics**

Serial Number	Topic Name	Description	Usage
1	rpmDashboard	This event is used for populating projection data for rendering the dashboard.	Updating all the attributes related to a process
2	InitialFundingAck	This event is triggered when Term Deposit and savings initial funding option is selected as CASH, Oracle Banking Origination triggers a teller transaction Status change of the same transaction will be updated to Oracle Banking Origination asynchronously.	Status change occurrence for an Oracle Banking Origination initiated transaction in Teller
3	PartyKYCStatusUpdate	This event is triggered related to when a customer onboarding request is sent to the party module. Party has its own workflow Whenever the KYC verification is completed from party module, notification will be sent to Oracle Banking Origination.	KYC status update for the Customer
4	PartyHandoffNotification	This event is triggered related to when a customer onboarding request is sent to the party module. Party has its own workflow. A confirmation message will send from Oracle Banking Origination to the party module to notify that party module can proceed with creation of customer in their product processor.	Customer accepts the offer



Table 7-1 (Cont.) Kafka Topics

Serial Number	Topic Name	Description	Usage
5	PartyHandoffToHostStatus	After creating the customer in the product processor party module will send a message containing the created customer ID to Oracle Banking Origination.	Customer is created in product processor
6	processTimePredictionMessage	All services updates the required Machine Learning data into ML service table which will further be used for predicting the time required to complete the process.	Machine Learning Table Update
7	obremo-rpm-batch-services	To perform batch processing based on remote chunking enabled configuration	obremo-rpm-batch-services
8	collateralHandoff	When the customer is created and notification is passed on to Oracle Banking Origination, Oracle Banking Origination will trigger a notification to Oracle Banking Credit Facilities Process Management based on which Oracle Banking Credit Facilities Process Management will actually create the liability	Notification to Oracle Banking Credit Facilities Process Management to initiate Liability Creation
9	ofloAcknowledgementtxn	Once the Oracle Banking Branch call is made for teller , Oracle Banking Branch will notify Oracle Banking Origination back when the transaction is complete via this topic	Notification from Oracle Banking Branch to update transaction Reference Number & Status
10	HandoffGenerated	Oracle Banking Origination publish the channel event to send the customer ID to Oracle Banking Credit Facilities Process Management. So that user can go ahead for charge creation.	Notification from Oracle Banking Origination to Oracle Banking Credit Facilities Process Management for charge creation.
11	collateralGenericEvent	Oracle Banking Credit Facilities Process Management publish the channel event once the handoff success from Oracle Banking Credit Facilities Process Management end. This will update liability ID in Oracle Banking Origination.	Notification from Oracle Banking Credit Facilities Process Management to Oracle Banking Origination to update liability ID created by Oracle Banking Credit Facilities Process Management in Oracle Banking Origination.
12	DocGptTrigger	Internal Kafka event to prepare and send train request to LLM service	Trigger to send train request to LLM service
13	externalSystemAlertMessage	Plato Alerts Kafka Topic to notify Origination events to Oracle Banking Digital Experience Product	Oracle Banking Digital Experience Alert Notification
14	DocumentAlertGenerate	Multiple services will publish message to this topic to generate and dispatch events	Document Generation Event

# 8

## Restarts and Refresh

This topic describes the procedure to restart and refresh the servers.

Once everything is deployed, restart all the managed servers. For each application, call path / refresh to refresh the configuration properties.

### **Note**

To restart the server, refer to the **Restart Servers** topic in the *Configuration and Deployment Guide*.

# 9

## Logging Area

This topic describes about the logging area after deployment of Oracle Banking Origination applications in WebLogic server.

Oracle Banking Origination Application writes logs in the logging area of the server:

<WEBLOGIC\_DOMAIN\_CONFIG\_AREA/servers/APP/logs/ APP.out

A sample of logging area is as follows:

**Table 9-1 Sample Logging area**

Sample	Value
Domain Name	obo_domain
Managed_server Name	OBOAPP
Domain Area	For example, a domain is created with the above domain and managed server names in the following area of the server: ~/middleware/user_projects/domains/ <b>oflo_domain</b>
Logging area for Oracle Banking Origination applications	~/middleware/user_projects/domains/oflo_domain/servers/OBOAPP/logs/ OBOAPP.out

# 10

## Launch Oracle Banking Origination from FLEXCUBE Universal Banking

This topic provides information on setting up database related configuration for the installation Oracle Banking Origination.

It is recommended to create different schema for each application. Below setup is designed to work with separate schema for each application.

To launch Oracle Banking Origination from FLEXCUBE Universal Banking:


1. On the Homepage, specify **CSDNGUIM** in the text box, and click the next arrow.

### Note

Make sure that the user has roles for the screen.

The **Next Gen UI Products Maintenance** screen is displayed.

**Figure 10-1 Next Gen UI Products Maintenance**



2. On the **Next Gen UI Products Maintenance** screen, and update the Oracle Banking Microservices Architecture Product URL.

### Note

For more information on the screen, refer to the FLEXCUBE Universal Banking Documentation Library.

A new Function ID **NGTELLER** is released as static data.

3. Make sure that the user roles are maintained for the new Function ID.
4. Once the roles are maintained, click **Next Gen UI** on the toolbar.  
The **Next Gen UI** Dashboard displayed with the list of products.
5. Click **OFLO** product.  
The **Oracle Banking Microservices Architecture Teller Dashboard** appears.

**Note**

Make sure the same User ID is maintained for the Oracle Banking Origination product and it has the necessary roles.

6. Configure Oracle Banking Microservices Architecture as follows:
  - a. Update the SECURITY\_CONFIG table in the PLATO\_SECURITY schema.  
For information on the entries, refer to the table below:

**Table 10-1 Security Configuration**

Key	Value
INTEGRATION_ENABLED	True
INTEGRATION_CALLBACK_URL	https://FCUBShostname:FCUBSport/FCJNeoWeb/ValidationService/FCNonceValidation/validate

- b. Update the hostname and port number of FLEXCUBE Universal Banking in the integration callback URL.

# 11

## OCR Enabled Document Extraction Environment Setup

This topic provides the information on setting up the environment required for OCR enabled document extraction/verification feature used in Oracle Banking Origination.

The details of this feature can be obtained from **Operations User Guide**.

### Reference Documents

Below are the references for setting up of this environment:

- Refer to the Document Verification Framework topic in the **Common Core Services Installation Guide**.
- Refer to the Document Verification Framework topic in **Oracle Banking Common Core User Guide**.