# Oracle® Banking Origination
# Initial Setup Guide

Release 14.8.0.0.0

G28910-03

April 2025

**ORACLE®**

Oracle Banking Origination Initial Setup Guide, Release 14.8.0.0.0

G28910-03

# Contents

## Preface

## 1   Mini Core to Common Core Replication

## 2   Multi-Entity Admin User Creation

# Preface

This topic contains the following sub-topics:

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Critical Patches](#)
- [Diversity and Inclusion](#)
- [Related Resources](#)
- [Conventions](#)
- [Acronyms and Abbreviations](#)

## Purpose

This guide helps the user to perform the initial setup for Oracle Banking Origination application. The procedures given in this document must be completed to run the application successfully.

## Audience

This document is intended for WebLogic admin or ops-web team who are responsible for installing the OFSS banking products.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at [http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc](http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc).

**Access to Oracle Support**

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

## Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

# Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

# Related Resources

For more information on any related features, refer to the following documents:

- Oracle Banking Origination Installation Guide
- Common Core Services Installation Guide

# Conventions

The following text conventions are used in this document:

**Table 1    Conventions and Meaning**

| Convention | Meaning |
|---|---|
| **boldface** | Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary. |
| *italic* | Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values. |
| monospace | Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter. |

# Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

**Table 2    Acronyms and Abbreviations**

| Abbreviation | Description |
|---|---|
| DB | Database |
| OSDC | Oracle Software Delivery Cloud |
| SPC | Software Publisher Certificate |
| SQL | Structured Query Language |

# 1

# Mini Core to Common Core Replication

The topic provides the information on detailed approach to replicate Oracle FLEXCUBE Universal Banking Core data to Oracle Banking Origination Application Common Core.

The list of files required for the replication is available in the OSDC are:

**Table 1-1    List of Replication Files**

| Service Name | Domain Name |
|---|---|
| ubs_minicore_dblink.sql | {unzip the file}Part2\OFLO_INITIAL_SETUP\INSTALL |
| ubs_minicore_replication.spc | {unzip the file}Part2\OFLO_INITIAL_SETUP\INSTALL |
| ubs_minicore_replication.sql | {unzip the file}Part2\OFLO_INITIAL_SETUP\INSTALL |

To replicate the core data of Oracle FLEXCUBE Universal Banking to Oracle Banking Origination Application Common Core.

1. Create the database link from the common core schema to the FLEXCUBE Universal Banking schema.

> ⓘ **Note**
>
> Refer to the **Common Core Services Installation Guide** for more details on the Common Core schema of the Oracle Banking Origination Application.

**Table 1-2    Samples**

| Sample | Value |
|---|---|
| **Sample Script** | ubs_minicore_dblink.sql |
| **Sample DB Link Name** | UBS144_MINICORE |
| **DB Link Name Used in Package** | UBS144 |

2. Once the database link is created, execute a simple query: $SQL > Select\ sysdate\ from\ dual@dblinkname;$
The value of MAINTENANCE_COUNTRY will be prompted while executing the script.

3. Compile $ubs\_minicore\_replication.spc$ and $ubs\_minicore\_replication.sql$ in the common core schema of Oracle Banking Origination application.

4. Execute the replication scripts as follows:

   a. Make sure that the Common Core services are installed.

> ⓘ **Note**
>
> This step will ensure the required common core entities are created in the Oracle Banking Origination Application. Refer to **Common Core Services Installation Guide** for more details.

b. Execute the following commands in SQLPLUS or any other sql client connecting to the common core schema:

> ⓘ **Note**
>
> The script populates the common core tables from the host FLEXCUBE Universal Banking. If the data already exists in the common core tables, it updates.

- SQL> exec ubs_minicore_replication.replicate_minicoreaccount;
- SQL> exec ubs_minicore_replication.replicate_minicorebank;
- SQL> exec ubs_minicore_replication.replicate_minicorebranch;
- SQL> exec ubs_minicore_replication.replicate_minicoreccydefn;
- SQL> exec ubs_minicore_replication.replicate_minicoreccyholidays;
- SQL> exec ubs_minicore_replication.replicate_minicorecountry;
- SQL> exec ubs_minicore_replication.replicate_minicorecustomer;
- SQL> exec ubs_minicore_replication.replicate_minihostcodes;

> ⓘ **Note**
>
> Automation for the execution of these scripts and running periodically is out of scope for this guide.

# 2
# Multi-Entity Admin User Creation

The topic provides the information on the Multi-entity Admin User Creation through the scripts provided.

The scripts required to be compiled are available in the OSDC as follows:

**Table 2-1    Multi-Entity Admin User Creation Scripts**

| Service Name | Domain Name | Install Type |
|---|---|---|
| INS_PLATO_SEC_ME_ADMIN_USER_ CREATION_{release number}.sql | {unzip the file}Part2\OFLO_INITIAL_SETUP\INSTALL \PLATO | Install |
| INS_PLATO_SEC_ME_ADMIN_USER_ CREATION_{release number}.sql | {unzip the file}Part2\OFLO_INITIAL_SETUP\UPGRA DE\PLATO | Upgrade |

> ⓘ **Note**
>
> Refer to OSDC zip for the exact *release number*.