# Oracle® Banking Originations Cloud Service

FLEXCUBE Universal Banking Integration Guide





Oracle Banking Originations Cloud Service FLEXCUBE Universal Banking Integration Guide, Release 14.7.3.0.0 G40971-01

Copyright © 2021, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

	3	
1.1	Maintenance for Oracle FLEXCUBE Universal Banking	1
1.2	Maintenance for Oracle Banking Origination	3
1.3	Maintenance for Product Processor as environment variable	7
Ind	lex	

## **Preface**

#### Introduction

This guide describes the systematic instruction to integrate Oracle Banking Origination Product with oracle FLEXCUBE Universal Banking acting as the backend Product Processor.

#### **Audience**

This guide is primarily intended for the following user/user roles:

#### Table Audience

Role	Function
Implementation and IT Staff	Implementation and maintenance of the software

#### **List of Topics**

This guide is organized as follows:

#### Table List of Topics

Topics	Description
	This topic provides information on the integration of Oracle Banking Origination with OracleFLEXCUBE Universal Banking.

- Purpose (Required) <Enter a short description here.>
- Audience
- Documentation Accessibility
- Diversity and Inclusion
- Conventions

## Purpose

(Required) <Enter a short description here.>

This guide describes the systematic instruction to integrate Oracle Banking Origination Product with oracle FLEXCUBE Universal Banking acting as the backend Product Processor.

## **Audience**

This guide is primarily intended for the following user/user roles:

#### **Table Audience**

Role	Function
Implementation and IT Staff	Implementation and maintenance of the software



## **Documentation Accessibility**

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <a href="http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc">http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc</a>.

#### **Access to Oracle Support**

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <a href="http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info">http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info</a> or visit <a href="http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs">http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs</a> if you are hearing impaired.

## **Diversity and Inclusion**

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

### Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

# **Integration Guide**

This topic describes about the information on integration guide for Oracle Banking Origination.

User can integrate Oracle Banking Origination with Oracle FLEXCUBE Universal Banking acting as the backend Product Processor through Oracle Banking Routing Hub. This document describes about the specific steps required for integration of these two products and specific maintenances.

This topic contains the following subtopics:

- Maintenance for Oracle FLEXCUBE Universal Banking
   This topic describes information about the maintenance for oracle FLEXCUBE universal Banking.
- <u>Maintenance for Oracle Banking Origination</u>
   This topic describes the systematic instructions about maintenance of oracle banking origination.
- Maintenance for Product Processor as environment variable
   This topic describes information about the maintenance for oracle FLEXCUBE universal Banking.

## 1.1 Maintenance for Oracle FLEXCUBE Universal Banking

This topic describes information about the maintenance for oracle FLEXCUBE universal Banking.

Gateway setup should be done in Oracle FLEXCUBE Universal Banking for particular source system (Oracle Banking Origination) by doing maintenance in the below mentioned screens.

1. CODSORCE – Upload Source Maintenance.






2. CODUPLDM - Upload Source Preferences Maintenance - For modules CL and ST.



Figure 1-2 Upload Source Preferences Maintenance



GWDETSYS – External System Maintenance.

Figure 1-3 External System Maintenance




4. GWDETFUN – External System Functions – for below function and actions.

Table 1-1 Function IDs

Function ID	Action
STGCUSAC	NEW
STGCUSTD	NEW
STQTDSIM	VIEW
CLGACCNT	NEW
CLGSIMNT	VIEW
CLQPRMNT	VIEW
CLVPRMNT	VIEW
STQACLIC	VIEW
STQACUVL	VIEW
STVACCLS	VIEW
STGCRLIB	NEW
STQLMBAL	VIEW
STGCOLAT	NEW
STGCRLIK	NEW




Figure 1-4 External System Functions



5. SMDROLDF – Role Definition – The function ids in above TABLE 4 needs to be added to the correct role. This role needs to be mapped with Oracle FLEXCUBE Universal Banking user which is configured in the PLATO PROPERTIES table of Oracle Banking Origination.

Figure 1-5 Role Maintenance



# 1.2 Maintenance for Oracle Banking Origination


This topic describes the systematic instructions about maintenance of oracle banking origination.

Maintain the Oracle Banking Routing Hub configuration in common core for Oracle FLEXCUBE Universal Banking.

- From Home screen, click Core Maintenance. Under Core Maintenance, click Routing Huh
- Under Routing Hub, click Service Consumers.
  - The **Service Consumers** screen displays.
- 3. Click **Import** and upload the RPM\_ORIGINATION\_Consumer.json file provided in the release and click **Extract**.



Figure 1-6 Success



4. Select FCUBS and click Import.

Figure 1-7 Confirmation




Figure 1-8 RPM Origination



- Click RPM\_ORIGINATION.
- 6. Under RPM\_ORIGINATION, click FCUBS.



Figure 1-9 RPM Origination





Figure 1-10 RPM Origination



- 7. Click Edit.
- 8. Change the host and port as per the Oracle FLEXCUBE Universal Banking installation and save it.

Figure 1-11 Edit Implementation



9. Repeat the same for all the FCUBS Service Providers.

The below consumer services will be imported.



**Table 1-2** List of Consumer Service

Consumer Service	Description
Collateral_Creation	Usage: Create Local Collateral
	Service: FCUBSCoreService
	Operation: CreateLocalCollateral
Liability_Creation	Usage: Create Liability
	Service: FCUBSCoreentitiesService
	Operation: CreateLiability
Customer_Liability_Linkage	Usage: Create Customer Liability
	Service: FCUBSCoreentitiesService
	Operation: CreateCustomerLiab
CASA_Account_Creation	Usage: Create CASA Account
	Service: FCUBSAccService
	Operation: CreateCustAcc
Loan_Simulation	Usage: Perform Loan Account Simulation
	Service: FCUBSCLService
	Operation: CreateAccountSim
TD_Simulation	Usage: Perform Term Deposit Account Simulation
_	Service: FCUBSAccService
	Operation: QueryTDCustAccSim
Get_Liability_Interest_Detail	Usage: Fetch Liability Interest and Charge Details
S	Service: FCUBSSTService
	Operation: QueryAccClasUde
Get_Liability_Product_Detail	Usage: Fetch Liability Product Details
S	Service: FCUBSSTService
	Operation: QueryAccClasQuery
Get_Loan_Product_Details	Usage: Fetch Loan Product Details
	Service: FCUBSCLService
	Operation: QueryProduct
List_All_Loan_Products	Usage: List Loan Products
List_/til_Loan_i roadots	Service: FCUBSCLService
	Operation: SummaryQueryProduct
List_All_Liability_Products	Usage: List Liability Products
List_Aii_Liability_i Toducts	Service: FCUBSSTService
	Operation: SummaryQueryAccClasMaint
TD Account Creation	Usage: Create Term Deposit Account Creation
TD_Account_Creation	Service: FCUBSAccService
	Operation: CreateTDCustAcc
Loop Appoint Creation	
Loan_Account_Creation	Usage: Create Loan Account Creation
	Service: FCUBSCLService
Cot Customor Linkilla, D4	Operation: CreateAccount
Get_Customer_Liability_Det ails	Usage: Fetch Customer Limit Details
	Service: FCUBSSTService
0 (1:13% 5 : 3	Operation: QuerySTCustLimitDet
Get_Liability_Details	Usage: Fetch Liability Details
	Service: FCUBSCoreentitiesService
	Operation: QueryLiability



Table 1-2 (Cont.) List of Consumer Service

Consumer Service	Description
fetchTDAccount	<b>Usage:</b> Fetch TD accounts which are tagged as "Collateral Linkage", for a particular customer number. This will be used for attaching TD accounts as collaterals in Oracle Banking Origination screens
	Service: fcubs-co-mo-lov-service
	<b>Note:</b> Make sure that the above service is deployed in FCUBS. Also make sure that the following INC which is released as part of FCUBS is present in CSTB_LOV_INFO table.


## 1.3 Maintenance for Product Processor as environment variable

This topic describes information about the maintenance for oracle FLEXCUBE universal Banking.

Gateway setup should be done in Oracle FLEXCUBE Universal Banking for particular source system (Oracle Banking Origination) by doing maintenance in the below mentioned screens.

- From Home screen, click Core Maintenance. Under Core Maintenance, click Routing Hub.
- Under Routing Hub, click Service Consumers.
- 3. Click Edit.


Figure 1-12 Edit Service Consumer



4. Under Environment Variables, add **ASSETS** as new group.




Figure 1-13 Add Group



5. Add PP as new variable, FCUBS as value and save it.


Figure 1-14 Add Variable



- 6. Follow below steps for all consumer services mentioned in point number 10 of 2.2 section.
  - a. Search List\_All\_Liability\_Products.
  - b. Click Edit.
  - c. Add Product\_Processor as new attribute, add json path and save it.



Figure 1-15 Add Attribute



- d. Click on List\_All\_Liability\_Products Consumer service.
- e. Click on Routing.
- f. Click on **Edit** for List\_All\_Liability\_Products\_Route\_RDDA route.
- g. Click on Custom Rule. Click on Expression Editor.
- h. Add Product\_Processor as attribute (point 8.c) & "FCUBS" as value(point 5). Save it.





Figure 1-16 Expression Editor



Figure 1-17 Saved Expression



Save it.

Figure 1-18 Saved route



# Index

<u> </u>	M
Integration Guide, 1	Maintenance for Oracle Banking Origination, 3
	Maintenance for Oracle FLEXCUBE Universal
	Banking, 1, 7