

# Oracle® Banking Originations Cloud Service

## Retail Lending Integration Guide



Release 14.8.0.0.0

G36880-01

April 2025

ORACLE®

Copyright © 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

## Preface

---

Purpose	iv
Audience	iv
Documentation Accessibility	iv
Diversity and Inclusion	iv
Conventions	iv

## 1 Oracle Banking Retail Lending

---

1.1 Maintenance for Oracle Oracle Banking Originations Cloud Service	1-1
1.2 Maintenance for Product Processor as environment variable	1-5

## Index

---

# Preface

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Diversity and Inclusion](#)
- [Conventions](#)

## Purpose

This guide is to help with Integration of Oracle Banking Originations Cloud Service Product with Oracle Banking Retail Lending (OBRL) acting as the backend Product Processor.

## Audience

This guide is intended for the Implementation and IT Staff to implement and maintain the software.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

### **Access to Oracle Support**

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

## Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

## Conventions

The following text conventions are used in this document:

Convention	Meaning
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

# 1

## Oracle Banking Retail Lending

This topic provides the information about the Oracle Banking Retail Lending Integration Service.

You can integrate Oracle Banking Originations Cloud Service with Oracle Banking Retail Lending acting as the product processor of Loan accounts through Oracle Banking Routing Hub. This document briefs you about the specific steps needed for integration of these two products and specific maintenances.

- [Maintenance for Oracle Oracle Banking Originations Cloud Service](#)  
This topic describes systematic instructions to maintain Oracle Banking Routing Hub configuration in common core for Oracle Banking Retail Lending.
- [Maintenance for Product Processor as environment variable](#)  
This topic describes systematic instructions to maintain Oracle Banking Routing Hub configuration in common core for Oracle Banking Retail Lending.

### 1.1 Maintenance for Oracle Oracle Banking Originations Cloud Service

This topic describes systematic instructions to maintain Oracle Banking Routing Hub configuration in common core for Oracle Banking Retail Lending.


To manage the configuration of the Oracle Banking Routing Hub within the common core for Oracle Banking Retail Lending.

**To import the services:**

1. On **Home screen**, click **Core Maintenance**. Under **Core Maintenance**, click **Routing Hub**. Under **Routing Hub**, click **Service Consumers**.


The **Service Consumers** screen is displayed.

**Figure 1-1 Service Consumers**




2. Select **Import** and upload the RPM\_ORIGINATION\_Consumer.json file provided in the release and then click **Extract**.

**Figure 1-2 Success**




3. Select **OBRL** and click **Import**.

**Figure 1-3 Confirmation**




**Figure 1-4 RPM Origination**



4. Click **RPM\_ORIGINATION**. Under **RPM\_ORIGINATION**, click **OBRL**.  
The Service Provider screen displays.

**Figure 1-5 Service Providers**



**Figure 1-6 OBRL Implementation**

The screenshot shows the 'Service Consumers' interface for 'OBRL 1.0'. It features a table with columns: Actions, Name, Description, Service Name, Host, Port, and Queue. There are three rows of service implementations. Below the table is a pagination bar showing 'Page 1 of 1 (1 - 3 of 3 items)'.

Actions	Name	Description	Service Name	Host	Port	Queue
⋮	obrl-ln-schedule-services	obrl-ln-schedule-services	OBRL-LN-SCHEDULE-SERVICES			
⋮	obrl-ln-account-services	obrl-ln-account-services	OBRL-LN-ACCOUNT-SERVICES			
⋮	Contract_Template_Service	obrl-ln-contract-template-services	OBRL-LN-CONTRACT-TEMPLATE-SERVICES			

5. Click Edit.
6. Change the host and port as per the Oracle OBRL installation and save it.

**Figure 1-7 Edit Implementation**

The screenshot shows the 'Edit Implementation' form for the service 'obrl-ln-schedule-services'. The form includes fields for Name, Description, Type (set to DEFAULT), Default (toggle), Eureka Instance (toggle), Scheme (set to https), Host (100.23.32.45), and Port (8006). There are also expandable sections for Authentication and Headers, and a Save button at the bottom right.

7. Repeat the same for all the OBRL Service Provides.
8. The below consumer services will be imported.

**Table 1-1 Consumer Service**

Consumer Service	Description	APIs Called
List_All_Loan_Products	<b>Usage:</b> Fetch List of Loanproducts for Oracle Banking Retail Lending <b>Transformation:</b> List_All_Loan_Products_Transform_OBRL	<b>a.</b> obrl-ln-lending-product-services/ob/obrl/v1/products/?offset=0&limit=500



**Table 1-1 (Cont.) Consumer Service**

Consumer Service	Description	APIs Called
Get_Loan_Product_Details	<b>Usage:</b> Fetch Loan Product Details <b>Transformation:</b> Get_Loan_Product_Details_Transform_OBRL	<b>a.</b> obrl-In-lending-product-services/ob/obrl/v1/products/productcode/{productCode}
Get_Loan_Interest_Details	<b>Usage:</b> Fetch Loan Interest Details <b>Transformation:</b> Get_Loan_Interest_Details_Transform_OBRL	<b>a.</b> obrl-In-lending-product-services/ob/obrl/v1/products/productcode/{productCode} <b>b.</b> obrl-In-account-services/ob/obrl/v1/accounts/interestData
Get_Loan_Charge_Details	<b>Usage:</b> Fetch Loan Interest Details <b>Transformation:</b> Get_Loan_Interest_Details_Transform_OBRL	<b>a.</b> obrl-In-lending-product-services/ob/obrl/v1/products/productcode/{productCode} <b>b.</b> obrl-In-account-services/ob/obrl/v1/accounts/interestData <b>c.</b> obrl-In-account-services/ob/obrl/v1/accounts/chargesSimulation
Loan_Simulation	<b>Usage:</b> Fetch Loan Schedule <b>Transformation:</b> Loan_Simulation_Transform_OBRL and Get_Contract_template_Details_Transform_OBRL Personalized_Schedule_Generation_LLM_OBRL Get_Quote_Inquiry_OBRL	<b>a.</b> obrl-In-lending-product-services/ob/obrl/v1/products/productcode/{productCode} <b>b.</b> obrl-In-schedule-services/ob/obrl/v1/schedules/scheduleSimulation <b>c.</b> obrl-In-schedule-services/ob/obrl/v1/schedules/quote <b>d.</b> obrl-In-schedule-services/ob/obrl/v1/schedules/LLMBasedScheduleQuote
Loan_Account_Creation	<b>Usage:</b> Loan Account creation <b>Transformation:</b> Loan_Account_Creation_Transform_OBRL and Get_Contract_template_Details_Transform_OBRL	<b>a.</b> obrl-In-lending-product-services/ob/obrl/v1/products/productcode/{productCode} <b>b.</b> obrl-In-account-services/ob/obrl/v1/accounts/accountCreate
Get_Multi_Installment_Amount	<b>Usage:</b> To get multi-installment/schedule for given term <b>Transformation:</b> Get_Multi_Installment	<b>a.</b> obrl-In-schedule-services/multiInstallmentAmount

## 1.2 Maintenance for Product Processor as environment variable

This topic describes systematic instructions to maintain Oracle Banking Routing Hub configuration in common core for Oracle Banking Retail Lending.

1. On **Home screen**, click **Core Maintenance**. Under **Core Maintenance**, click **Routing Hub**.
2. Under **Routing Hub**, click **Service Consumers**.
3. Click **Edit**.

**Figure 1-8 Edit Service Consumers**

4. Under **Environment Variables**, add **LOAN** as new group.

**Figure 1-9 Add Group**

5. Add **PP** as new variable, **OBRL** as value and **save** it.

**Figure 1-10 Add Variable**

Edit Service Consumer

Name: RPM\_ORIGINATION

Audit Type: All Requests

Environment Variables

Group: LOAN

Actions	Name	Value
⋮	PP	OBRL

Save

6. Click **RPM\_ORIGINATION**. Under **RPM\_ORIGINATION**, click **Consumer Services**.
7. Follow below steps for all consumer services mentioned in point number 10 of 2.2 section.
  - a. Search **List\_All\_Loan\_Products**.
  - b. Click **Edit**.
  - c. Add **Product\_Processor** as new attribute, include json path, and save the changes.

**Figure 1-11 Add Attribute**

The screenshot shows the 'Edit Service' dialog box with the following fields and options:

- ID:** List\_All\_Loan\_Products
- Status:** ☒
- Audit:** ☒ Yes ☐ No
- Description:** To get List of All Loan Products
- Add Attribute Section:**
  - Actions:** Add
  - Attribute Name:** Product\_Processor
  - json path:** \$.env.LOAN.PP
- Save:** Button

- d. Click on **List\_All\_Loan\_Products** Consumer service.
- e. Click on **Routing**.
- f. Click on **Edit** for List\_All\_Loan\_Products\_Route\_OBRL route.
- g. Click on **Custom Rule**. Click on **Expression Editor**.
- h. Add Product\_Processor as attribute (point 8.c) and "OBRL" as value(point 5). **Save** it.

**Figure 1-12 Expression Editor**

The screenshot shows the 'Expression Editor' dialog box with the following fields and options:

- Attribute:** Product\_Processor
- Operator:** ==
- Value:** "OBRL"
- Condition Type:** (Empty dropdown menu)
- Save:** Button

Figure 1-13 Saved Expression

Edit Route

Name

List\_All\_Loan\_Products\_Route\_OBRL

Start/Stop

STARTSTOP

Auto Shutdown

☐

☐ Default Rule

☒ Custom Rule

Rule

( Product\_Processor == "OBRL" )

Expression Editor

Transformations

Add

Save

i. Save it.

Figure 1-14 Saved Route

Service Consumers

RPM\_ORIGINATION > Consumer Services > List\_All\_Loan\_Products

Transformation

Routing

Add

Search

Actions	Name	Start/Stop	Rule	Product Processor	Implementation	Service
<div></div>	List_All_Loan_Products_Route_OBRL	<div></div>	( Product_Processor == "OBRL" )	OBRL 1.0	Contract_Template_Service	Fetch All Contract Templates - /web/v1/contracttemplate

Page

1

of 1

( 1 - 1 of 1 items )

<

1

>

# Glossary

# Index