# Oracle® Banking Payments Cloud Service US Real-Time Payments User Guide





Oracle Banking Payments Cloud Service US Real-Time Payments User Guide, Release 14.8.1.0.0

G46686-02

Copyright © 2017, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

## 1 US Real -Time Payments

1.1 US I	RTP M	Maintenances	1
1.1.1	Outh	bound Payment Preferences	2
1.3	1.1.1	Outbound Payment Preference Summary	3
1.1.2	Inbo	ound Payment Preferences	4
1.:	1.2.1	Inbound Payment Preference Summary	5
1.1.3	Cred	ditor Details	6
1.:	1.3.1	US RTP Creditor Details Summary	7
1.1.4	Deb	tor Details	8
1.:	1.4.1	US RTP Debtor Details Summary	g
1.1.5	RTP	P Routing Directory	10
1.3	1.5.1	RTP Routing Directory Summary	11
1.1.6	Sign	nature Details	12
1.3	1.6.1	Signature Details Summary	13
1.1.7	Rea	son Code Mapping	14
1.3	1.7.1	Reason Code Mapping Summary	15
1.2 Outh	oound	US RTP Transactions	16
1.2.1	Outh	bound RTP Transaction Input	16
1.2	2.1.1	Main Tab	18
1.2	2.1.2	Pricing Tab	21
1.2	2.1.3	UDF Button	22
1.2	2.1.4	MIS Button	23
1.2	2.1.5	RTP Outbound Payments Transaction Summary	24
1.2.2	Web	oservices	26
1.2.3	Outl	bound RTP Payment Processing	26
1.2.4	Outl	bound RTP Payments View	29
1.2	2.4.1	View Queue Action	31
1.2	2.4.2	UDF Button	32
1.2	2.4.3	MIS Button	33
1.2	2.4.4	All Messages	34
1.2	2.4.5	Accounting Entries	35
1.2	2.4.6	RTP Outbound Payments View Summary	36
1.2.5	Non	-Receipt of status message pacs.002	37

	1.2.5.1	1 Outbound Pending RTP Payment Queue	38
	1.2.6 Ou	utbound RTP Message Browser	39
	1.3 Inbound	US RTP Payments	40
	1.3.1 Int	bound RTP Payment Processing	40
	1.3.2 Pr	rocessing Monitoring Jobs	41
	1.3.3 Int	bound RTP Payments View	42
	1.3.3.1	1 View Queue Action	43
	1.3.3.2	2 UDF Button	45
	1.3.3.3	3 MIS Button	45
	1.3.3.4	4 All Messages	46
	1.3.3.5	5 Accounting Entries	47
	1.3.3.6	RTP Inbound Payments View Summary	48
	1.3.4 Me	essages Received with 'DUPL' Header	49
	1.3.5 Re	eceipt of camt.056	49
	1.3.6 Int	bound RTP Message Browser	50
2	IIC DTD: E	Request for Payment	
2		· · · · · · · · · · · · · · · · · · ·	
		- RFP Maintenances	1
		S RTP - RFP Restrictions  nd RFP Transactions	1
			2
	2.2.1 US 2.2.1.1	S RTP Request for Payment  1 Main Tab	
	2.2.1.2		4
		3 UDF Button	9
			9
	2.2.1.4	4 US RTP Request for Payment Summary ebservices	10
			10
		utbound RFP Processing	
		utbound RFP Payments View  1 MIS Button	12
	2.2.4.1 2.2.4.2		14
			15
	2.2.4.3	•	16
	2.2.4.4	C	17
	2.2.4.5	<u> </u>	18
	2.2.4.6	,	19
		on -Receipt of status message pacs.002	20
		utbound RFP Message Browser	20
		Request for Payments	21
		bound Request for Payment Processing	21
		bound RFP Payments View	22
	2.3.2.1	·	24
	2.3.2.2	2 View Queue Action	24

2.	3.2.3	UDF Button	26
2.	3.2.4	MIS Button	26
2.	3.2.5	All Messages	27
2.	3.2.6	US RTP Inbound Request for Payments View Summary	28
2.3.3	Mess	ages Received with 'DUPL' in Business Header	29
2.3.4	Inbou	nd RFP Message Browser	29
2.3.5	.5 Response Processing		30

### Preface

- Purpose
- Audience

This manual is intended for the following User/User Roles:

- Documentation Accessibility
- Diversity and Inclusion
- Conventions
- Related Resources
- Screenshot Disclaimer
- Acronyms and Abbreviations
- Basic Actions
- Symbols, Definitions and Abbreviations
   The following are some of the Symbols you are likely to find in the manual:

# Purpose

This guide is designed to help acquaint you with the Oracle Banking Payments Cloud Service application. This guide provides answers to specific features and procedures that the user need to be aware of the module to function successfully.

### **Audience**

This manual is intended for the following User/User Roles:

#### Table User Roles

Role	Function
Implementation & IT Staff	Implementation & Maintenance of the Software

# **Documentation Accessibility**

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <a href="http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc">http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc</a>.

#### **Access to Oracle Support**

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <a href="http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info">http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info</a> or visit <a href="http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs">http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs</a> if you are hearing impaired.

# **Diversity and Inclusion**

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners,



we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

### Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text.
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

### Related Resources

For more information on any related features, refer to the following documents:

- Getting Started User Guide
- Oracle Banking Security Management System User Guide
- Oracle Banking Microservices Platform Foundation User Guide
- Routing Hub Configuration User Guide
- Oracle Banking Common Core User Guide
- Interest and Charges User Guide
- Oracle Banking Liquidity Management Configuration Guide
- Oracle Banking Liquidity Management File Upload User Guide

# **Screenshot Disclaimer**

The personal information used in the interface or documents is sample data and does not exist in the real world. It is provided for reference purposes only.

# **Acronyms and Abbreviations**

The list of the acronyms and abbreviations that are used in this guide are as follows:

Table Acronyms and Abbreviations

Abbreviation	Description
DDA	Demand Deposit Accounts
ECA	External Credit Approval
EOD	End of Day
IBAN	International Bank Account Number



# **Basic Actions**

The basic actions performed in the screens are as follows:

#### **Table Basic Actions**

Actions	Description
Approve	Click <b>Approve</b> to approve the initiated record.  - This button is displayed once the user click <b>Authorize</b> .
Audit	Click <b>Audit</b> to view the maker details, checker details of the particular record.  - This button is displayed only for the records that are already created.
Authorize	Click <b>Authorize</b> to authorize the record created. A maker of the screen is not allowed to authorize the same. Only a checker can authorize a record.  - This button is displayed only for the already created records. For more information on the process, refer Authorization Process.
Cancel	Click Cancel to cancel the action performed.
Close	Click <b>Close</b> to close a record. This action is available only when a record is created.
Collapse All	Click <b>Collapse All</b> to hide the details in the sections This button is displayed once the user click <b>Compare</b> .
Compare	Click <b>Compare</b> to view the comparison through the field values of old record and the current record.  - This button is displayed in the widget once the user click <b>Authorize</b> .
Confirm	Click Confirm to confirm the action performed.
Expand All	Click <b>Expand All</b> to expand and view all the details in the sections.  - This button is displayed once the user click <b>Compare</b> .
New	Click <b>New</b> to add a new record. The system displays a new record to specify the required data. The fields marked with asterisk are mandatory.  - This button is displayed only for the records that are already created.
ок	Click <b>OK</b> to confirm the details in the screen.
Save	Click <b>Save</b> to save the details entered or selected in the screen.
Unlock	Click <b>Unlock</b> to update the details of an existing record. The system displays an existing record in editable mode.  - This button is displayed only for the records that are already created.
View	Click <b>View</b> to view the details in a particular modification stage This button is displayed in the widget once the user click <b>Authorize</b> .
View Difference only	Click View Difference only to view a comparison through the field element values of old record and the current record, which has undergone changes.  - This button is displayed once the user click Compare.

# Symbols, Definitions and Abbreviations

The following are some of the Symbols you are likely to find in the manual:



#### Table Symbols

Icons	Function
×	Exit
+	Add row
-	Delete row
ρ	Option List

#### **Table Common Icons and its Definitions**

Icon Names	Applicable Stages	Operation
Minimize	Initiation, Approval and Hand-off Retry	Users can minimize the transaction input screen. When the screen is minimized, it appears as to a separate tab within the same web page.
Maximiz e	Initiation, Approval and Hand-off Retry	User can maximize the transaction input screen.
Close	Initiation, Approval and Hand-off Retry	Users can close the transaction input screen. The system displays a warning message to the user that any unsaved data would be lost. User can either choose to ignore the message and close the screen or choose to 'save and close' the transaction.

# **US Real -Time Payments**

Real-Time Payments (RTP) is a new real-time system for all U.S. financial institutions to use as a platform for payments innovation. Real-Time Payments can be used for transactions between any entity: business, consumer or government.

In Real time payments, the credits are provided to the beneficiary instantly and the network is open 24/7.

- US RTP Maintenances
- Outbound US RTP Transactions
- Inbound US RTP Payments

The inbound RTP payments are received as pacs.008 messages from CI. The system receives and processes the payments based on predefined processing steps.

### 1.1 US RTP Maintenances

This section lists the key common maintenances that are required for processing of outbound and inbound Real Time Payments:

- Network Maintenance (PMDNWMNT)
- Source Maintenance (PMDSORCE)
- Source Network Preferences (PMDSORNW)
- External System Maintenances for Sanctions, External Credit Approval and Accounting
- Clearing Infrastructure Detailed (PMDCLRMT)
- US Clearing Banking Identifiers (PMDABANR)
- Account Level Daily Limits (PMDACCPF)
- Default Daily Limits (PMDDFLMT)

#### (i) Note

In Network Maintenance screen, following parameters can be defined specific to RTP:

- In Network Identifier field, Participant ID of RTP needs to be captured.
- Payment Type to be selected as 'RTP'.

For more details on maintenance screens, refer to Payments Core User Guide.

- Outbound Payment Preferences
- Inbound Payment Preferences
- Creditor Details
- <u>Debtor Details</u>
- RTP Routing Directory




- Signature Details
- Reason Code Mapping

# 1.1.1 Outbound Payment Preferences

On Homepage, specify PUDNCPRF in the text box, and click next arrow.
 US Real Time Outbound Payment Preferences Detailed screen is displayed.

Figure 1-1 US Real Time Outbound Payment Preferences Detailed



- 2. Click **New** button on the Application toolbar.
- 3. On US Real Time Outbound Payment Preferences Detailed screen, specify the fields.
  For more information on fields, refer to the field description below:

Table 1-1 US Real Time Outbound Payment Preferences Detailed - Field Description

Field	Description
Network Code	Select the network code of the US RTP from the list of values.
Network Description	System defaults the description on the network selected.
Network Type Description	System defaults the Network Type Description on the Network code selected.
Host Code	System displays the Host Code of selected branch of the logged in user on clicking 'New' button.
Host Code Description	System defaults the description of the Host Code.
Transfer Currency	System defaults the transfer currency as 'USD' for US RTP payments.
Schema Definition File Path	Specify the schema definition file path. This is the path, where the schema files are kept for validation.
Payment Limits	
Minimum Amount	Specify the minimum limit allowed for the network.
Maximum Amount	Specify the maximum limit allowed for the network.
Pricing Details	



Table 1-1 (Cont.) US Real Time Outbound Payment Preferences Detailed - Field Description

Field	Description
Transaction Pricing Code	Select the pricing code from the list of values. All the valid Pricing codes maintained in 'Pricing Code Detailed' (PPDCDMNT) are listed here. Pricing codes to be applied for US RTP can be selected.
Processing Preferences	
Time-Out Period (In Seconds)	Specify the time-out period in seconds, within which the, outbound payment is moved to a pending queue if no status message is received from CI.
Accounting Preference	Select the accounting preferences from the following:  On CI Confirmation  Before Messaging
Accounting Codes	
Debit Liquidation	Specify the accounting code, that is applicable for the Debit Liquidation for outbound payments.
Credit Liquidation	Specify the accounting code, that is applicable for the Credit Liquidation for outbound payments.
Network Account Details	
Network Account	Select the Network Account from the list of values. All the valid network accounts are listed here. The Network account maintained here is replaced with Clearing GL, while posting the credit accounting for outbound payments.

• Outbound Payment Preference Summary

### 1.1.1.1 Outbound Payment Preference Summary

On Homepage, specify PUSNCPRF in the text box, and click next arrow.
 US Real Time Outbound Payment Preferences Summary screen is displayed.

Figure 1-2 US Real Time Outbound Payment Preferences Summary



- 2. Search using one or more of the following parameters:
  - Authorization Status




- Record Status
- Network Code
- Transaction Pricing Code
- Network Account
- Once you specified the parameters, click the **Search** button.System displays the records that match the search criteria.

### 1.1.2 Inbound Payment Preferences

On Homepage, specify PUDINCPF in the text box, and click next arrow.
 US Real Time Inbound Payment Preferences Detailed screen is displayed.

Figure 1-3 US Real Time Inbound Payment Preferences Detailed



- 2. Click **New** button on the Application toolbar.
- 3. On US Real Time Inbound Payment Preferences Detailed screen, specify the fields.
  For more information on fields, refer to the field description below:

Table 1-2 US Real Time Inbound Payment Preferences Detailed - Field Description

Field	Description
Network Code	Select the network code of the US RTP from the list of values.
Network Description	System defaults the description on the network selected.
Host Code	System displays the Host Code of selected branch of the logged in user on clicking 'New' button.
Host Code Description	System defaults the description of the Host Code.
Network Type Description	System defaults the Network Type Description on the Network code selected.
Transfer Currency	System defaults the transfer currency as 'USD' for US RTP payments.
Payment Preferences	
Beneficiary Name Match required	This flag indicates whether 'Beneficiary Name Match' is required for the US RTP payments. Check this box to enable beneficiary name match.



Table 1-2 (Cont.) US Real Time Inbound Payment Preferences Detailed - Field Description

Field	Description
Processing Window (In Seconds)	Specify the Processing window, within which the validations and processing to be completed.  For an inbound transaction, if the external account validation is completed successfully and further processing like SC could not be completed within the processing window maintained in this field, system send out pacs.002 message with status as 'Accepted without Posting' (ACWP).
Pricing Details	
Transaction Pricing Code	Select the pricing code from the list of values. All the valid Pricing codes maintained in 'Pricing Code Detailed' (PPDCDMNT) are listed. Pricing codes to be applied for US RTP can be selected.
Accounting Codes	
Debit Liquidation	Specify the accounting code, that is applicable for the Debit Liquidation for inbound payments.
Credit Liquidation	Specify the accounting code, that is applicable for the Credit Liquidation for inbound payments.
Network Account Details	
Network Account	Select the Network Account from the list of values. All the valid network accounts are listed. The Network account maintained here is replaced with Clearing GL, while posting the credit accounting for inbound payments.

• Inbound Payment Preference Summary

### 1.1.2.1 Inbound Payment Preference Summary

On Homepage, specify PUSINCPF in the text box, and click next arrow.
 US Real Time Inbound Payment Preferences Summary screen is displayed.

Figure 1-4 US Real Time Inbound Payment Preferences Summary



- 2. Search using one or more of the following parameters:
  - Authorization Status
  - Record Status



- Network Code
- Network Account
- 3. Once you specified the parameters, click the Search button.

System displays the records that match the search criteria.


### 1.1.3 Creditor Details

The US RTP Creditor Details screen allows user to maintain the beneficiary details for US RTP. The beneficiary Id maintained here, can be provided in the payment request, so that the creditor details gets defaulted for the RTP.

On Homepage, specify PUDCRDTL in the text box, and click next arrow.

US RTP Creditor Details screen is displayed.

Figure 1-5 US RTP Creditor Details



- 2. Click **New** button on the Application toolbar.
- 3. On **US RTP Creditor Details** screen, specify the fields.

For more information on fields, refer to the field description below:

Table 1-3 US RTP Creditor Details - Field Description

Field	Description
Debit Account Number	Select the Debit Account Number from the list of values. All valid USD account numbers are listed here.
Account Description	System defaults the description of the Host Code displayed.
Beneficiary ID	Specify the Valid Beneficiary ID, whose account is to be credited.
Host Code	System displays the Host Code of selected branch of the logged in user on clicking 'New' button.
Host Code Description	System defaults the description of the Host Code.
Creditor Account/ Bank Details	Specify the credit account and bank details. All the fields are mandatory.
Creditor Account	Specify the valid account number to be credited.



Table 1-3 (Cont.) US RTP Creditor Details - Field Description

E' III	Book to the control of the control o
Field	Description
Creditor Name	Specify the Creditor Name associated to the account.
Bank Routing Number	Select the Bank Routing Number from the list of values. All valid Routing numbers are listed here.
Creditor Identification	
Birth Date	Specify the Birth Date of the creditor.
City Of Birth	Specify the City of Birth of the creditor.
Country Of Birth	Specify the Country of Birth of the creditor.
	Note  Either all the fields in creditor Identification can be null or all the fields must have data. System validates the mandatory data
Creditor Postal Address	
Street Name	Specify the Street Name of the creditor.
Building Number	Specify the Building Number of the creditor.
Post Code	Specify the Post Code of the creditor.
Town Name	Specify the Town Name of the creditor.
Country	Specify the Country of the creditor.
Default Settlement	Check this box to default the Creditor details maintained, during the booking of and RTP transaction. You can enable this only once for creditor. It cannot be enabled for multiple records.  (i) Note  Either all the fields in creditor postal address can be null or all the fields must have data, except Building Number, which is optional. System validates the mandatory data.

• US RTP Creditor Details Summary

### 1.1.3.1 US RTP Creditor Details Summary

1. On Homepage, specify **PUSCRDTL** in the text box, and click next arrow.

US RTP Creditor Details Summary screen is displayed.



Figure 1-6 US RTP Creditor Details Summary




- 2. Search using one or more of the following parameters:
  - Authorization Status
  - Record Status
  - Bank Routing Number
  - Beneficiary ID
  - Debit Account Number
- Once you specified the parameters, click the Search button.System displays the records that match the search criteria.

### 1.1.4 Debtor Details

The US RTP Debtor Details screen allows user to maintain the Debtor details for US RTP.

On Homepage, specify PUDDRDTL in the text box, and click next arrow.
 US RTP Debtor Details screen is displayed.

Figure 1-7 US RTP Debtor Details



2. Click **New** button on the Application toolbar.



3. On US RTP Debtor Details screen, specify the fields.

For more information on fields, refer to the field description below:

Table 1-4 US RTP Debtor Details - Field Description

Description	
Select the Debit Account Number from the list of values. All valid USD account numbers are listed here.	
System defaults the description of the Host Code displayed.	
System displays the Host Code of selected branch of the logged in user on clicking 'New' button.	
System defaults the description of the Host Code.	
<del>-</del>	
Specify the Birth Date of the debtor.	
Specify the City of Birth of the debtor.	
Specify the Country of Birth of the debtor.	
Note  Either all the fields in debtor Identification can be null or all the fields must have data. System validates the mandatory data.	
Specify the Street Name of the debtor.	
Specify the Building Number of the debtor.	
Specify the Post Code of the debtor.	
Specify the Town Name of the debtor.	
Specify the Country of the debtor.  (i) Note  Either all the fields in postal address can be null or all the fields must have data, except Building Number, which is optional. System validates the mandatory data.	

• US RTP Debtor Details Summary

# 1.1.4.1 US RTP Debtor Details Summary

1. On Homepage, specify **PUSDRDTL** in the text box, and click next arrow.

US RTP Debtor Details Summary screen is displayed.



Figure 1-8 US RTP Debtor Details Summary



- 2. Search using one or more of the following parameters:
  - Authorization Status
  - Record Status
  - Debit Account Number
  - Post Code
  - City of Birth
  - Birth Date
  - Country
  - Account Description
  - Street Name
  - Town Name
- 3. Once you specified the parameters, click the **Search** button.

System displays the records that match the search criteria.

### 1.1.5 RTP Routing Directory


The RTP Routing Directory screen allows user to Routing of file details. The details of the banks participating in US RTP is received in Routing Files. You can upload the file received in XML format.

1. On Homepage, specify **PMDRTPDR** in the text box, and click next arrow.

RTP Routing Directory Detailed screen is displayed.



Figure 1-9 RTP Routing Directory Detailed



- 2. Click **New** button on the Application toolbar.
- 3. On RTP Routing Directory Detailed screen, specify the fields.

For more information on fields, refer to the field description below:

Table 1-5 RTP Routing Directory Detailed - Field Description

Field	Description	
Routing Number	Specify the Routing Number of the participating bank. This is a mandatory and numeric with allowed length of 9.	
Participant Activation Date	Specify the date of activation of the participant.	
Financial Institution ID	Specify the Financial Institution ID of the participating Bank.	
Financial Institution Name	Specify the name of the Financial Institution.	
Participant ID	Specify the Participant ID of the participating bank. This is an alphanumeric field with allowed length of 11.	
Participant Name	Specify the Participant Name	
Receiver Services	Specify the Receiver Services. The message type sent is decided by checking the supported services for the bank, whether the banks accepts or not. Following are the supported services:  CRDT: permits receipt of Credit Transfer pacs.008  RFP: permits receipt of Request for Payment pain.  ACK: permits receipt of Payment Acknowledgment camt.035  RMT: permits receipt of Remittance Advice remt.001  RFI: permits receipt of Request for Information camt.026  RFRF: permits receipt of Request for Return of Funds camt.056	

RTP Routing Directory Summary

### 1.1.5.1 RTP Routing Directory Summary


The RTP Routing Directory Summary screen allows user to view the Routing directory files uploaded and maintained.

1. On Homepage, specify **PMSRTPDR** in the text box, and click next arrow.

RTP Routing Directory Summary screen is displayed.



Figure 1-10 RTP Routing Directory Summary



- 2. Search using one or more of the following parameters:
  - Authorization Status
  - Record Status
  - Routing Number
  - Participant Activation Date
- **3.** Once you specified the parameters, click the **Search** button.

System displays the records that match the search criteria.


### 1.1.6 Signature Details

The US RTP Signature Details screen allows user to maintain signature details that are to be stamped in the XML messages.

1. On Homepage, specify **PMDXMLSN** in the text box, and click next arrow.

US RTP Signature Details screen is displayed.

Figure 1-11 US RTP Signature Details



2. Click **New** button on the Application toolbar.



3. On US RTP Signature Details screen, specify the fields.

For more information on fields, refer to the field description below:

Table 1-6 US RTP Signature Details - Field Description

Field	Description
Host Code	System displays the Host Code of selected branch of the logged in user on clicking 'New' button.
Host Code Description	System defaults the description of the Host Code.
Key Store Pass	Specify the valid Key Store Pass in the text field.
Key Store Path	Specify the valid Key Store Path in the text field.
Key Pass	Specify the valid Key Pass in the text field.
Digest Method	Specify the valid Digest Method in the text field.
Signature Method	Specify the valid Signature Method in the text field.


• Signature Details Summary

### 1.1.6.1 Signature Details Summary

1. On Homepage, specify **PMSXMLSN** in the text box, and click next arrow.

US RTP Signature Details Summary screen is displayed.

Figure 1-12 US RTP Signature Details Summary



- 2. Search using one or more of the following parameters:
  - Authorization Status
  - Record Status
  - Key Pass
  - Key Store Pass
  - Signature Method
  - Digest Method
- **3.** Once you specified the parameters, click the **Search** button.

System displays the records that match the search criteria.




### 1.1.7 Reason Code Mapping

The US RTP Reason Code Mapping screen allows user to maintain the mapping between reject reason codes with the system error codes. Same error code cannot be linked to more than one valid reason code.

On Homepage, specify PUDRSNMP in the text box, and click next arrow.

**US RTP Reason Code Mapping** screen is displayed.

Figure 1-13 US RTP Reason Code Mapping



- 2. Click New button on the Application toolbar.
- 3. On US RTP Reason Code Mapping screen, specify the fields.

For more information on fields, refer to the field description below:

Table 1-7 US RTP Reason Code Mapping - Field Description

Field	Description
Host Code	System displays the Host Code of selected branch of the logged in user on clicking 'New' button.
Host Code Description	System defaults the description of the Host Code.
Reason Code	Select the Reason code to be mapped with the error code from the list of values. All valid Reason codes are listed.
Reason Code Description	System defaults the description of the Reason Code selected.
ISO/ Proprietary	System defaults the ISO/ Proprietary as 'ISO'. The field is disabled for edits.
Internal Error Code	Select the Error code, mapped with the Reason code from the list of values. All valid Error codes are listed.
Description	System defaults the description of the Error Code selected.

System error code mapping is provided for the below listed exceptions:



ISO / Proprietar y	Reason code	Reason Description	Used by FI	Used by Cl	Internal Error Code
ISO	AC03	Creditor account number invalid or missing	Y	N	PU-RSN-001, PURSN-023, PU- RSN021
ISO	AC06	Account specified is blocked, prohibiting posting of transactions against it	Υ	N	PU-RSN-015
ISO	AC07	Creditor account number closed	Υ	N	PU-RSN-015
ISO	AG01	Transaction forbidden on this type of account	Y	N	PU-RSN-004, PURSN-013, PU- RSN014, PU-RSN-019, PU-RSN-020
ISO	AG03	Transaction type not supported / authorized on this account	Y	Υ	PU-RSN-005
ISO	AM11	Transaction currency is invalid or missing	Y	Y	PU-RSN-006
ISO	AM12	Amount is invalid or missing	Υ	Υ	PU-RSN-007, PURSN-016
ISO	DUPL	Payment is a duplicate of another payment	Y	Y	PU-RSN-008
ISO	MD07	End customer is deceased	Υ	N	PU-RSN-009
ISO	RC04	Creditor FI identifier is invalid or missing	Υ	Y	PU-RSN-012
ISO	BE17	Creditor identification code missing or invalid	Y	N	PU-RSN-003, PURSN-017, PU- RSN018
ISO	AC11	Creditor account currency is invalid or missing	Y	N	PU-RSN-022

• Reason Code Mapping Summary

## 1.1.7.1 Reason Code Mapping Summary


The US RTP Reason Code Mapping Summary screen allows user to view all the reason codes mapped with the error codes.

1. On Homepage, specify **PUSRSNMP** in the text box, and click next arrow.

US RTP Reason Code Mapping Summary screen is displayed.



Figure 1-14 US RTP Reason Code Mapping Summary



- Search using one or more of the following parameters:
  - Authorization Status
  - Record Status
  - Reason Code
- 3. Once you specified the parameters, click the **Search** button.

System displays the records that match the search criteria.

### 1.2 Outbound US RTP Transactions

Outbound credit transfers can be initiated through the Outbound RTP screens. A standard Payment flow for a completed Credit Transfer (pacs.008) message will result in one of the following expected outcomes:

- Payment Accepted / Accepted Without Posting by the Creditor FI
- Payment Rejected by the Creditor FI /RTP system
- Outbound RTP Transaction Input
- Webservices

The outbound US RTP can be initiated using Single payment Rest service.

- Outbound RTP Payment Processing
- Outbound RTP Payments View
- Non -Receipt of status message pacs.002
- Outbound RTP Message Browser

### 1.2.1 Outbound RTP Transaction Input

The Outbound US RTP Transaction Input screen allows user to book the outbound RTP transactions. Outbound RTP details can be provided.

1. On Homepage, specify **PUDOTONL** in the text box, and click next arrow.

Outbound US RTP Transaction Input screen is displayed.






Figure 1-15 Outbound US RTP Transaction Input

- 2. Click **New** button on the Application toolbar.
- 3. On Outbound US RTP Transaction Input screen, specify the fields.

For more information on fields, refer to the field description below:

Table 1-8 Outbound US RTP Transaction Input - Field Description

Field	Description
Transaction Branch	System defaults the transaction branch code with the user's logged in branch code.
Source Code	Select the Source Code from the list of values. All valid Source code are listed.
Host Code	System displays the Host Code of selected branch of the logged in user on clicking 'New' button.
Host Code Description	System defaults the description of the Host Code.
Transaction Reference Number	This is a unique identifier of the RTP payment transaction and autogenerated by the system based on the common transaction reference generation logic.
Schema Definition File Path	Specify the schema definition file path. This is the path, where the schema files are kept for validation.
Network code	System defaults the Network code as 'RTP'. And you can also select the Network code from the list of values. All valid codes maintained in Network maintenance (PMDNWMNT) screen are listed.
Network code Description	System defaults the description of the Network code.
End to End Identification	This is the End to End ID provided by the Originating Customer (debit account owner). If End to End ID, is not provided by the customer, system populates the transaction reference as End to End ID. However, you can modify the same.
Source Reference Number	System displays the Source Reference Number provided by the channel or any other source for the transaction. You can input the value for manually booked transaction.



Table 1-8 (Cont.) Outbound US RTP Transaction Input - Field Description

Field	Description
Instruction Identification	<ul> <li>This is a system generated reference and is a mandatory field. This field will not be modifiable. Following is the Format details generated:</li> <li>Format: YYYYMMDDbbbbbbbbbbBRRRRnnnnnnnnnnnnnnnnnnnnnnn</li></ul>
	Note  The date will be set to Easter Time (Eastern Standard Time or Eastern Daylight Time, as applicable under the Energy Policy Act of 2005).

- Main Tab
- Pricing Tab
- UDF Button

This topic provides details of the **Fields** screen.

MIS Button

This topic explains the MIS Details screen.

RTP Outbound Payments Transaction Summary

### 1.2.1.1 Main Tab

1. Click on Main Tab in the Outbound RTP Transaction Input screen.



Debtor Details Debtor Identification Debtor Postal Address Debtor Account Number Account Currency City Of Birth Account Branch Country Of Birth Post Code Debtor Name Customer Service Model Creditor Details Creditor Identification Creditor Postal Address SSI Label Street Name Birth Date Creditor Name Country Of Birth Post Code Routing Number Payment Details Additional Details Local Instrument Instruction Date Remittance Advice ID Remittance Method Electronic Address UDF MIS

Figure 1-16 Outbound US RTP Transaction Input - Main Tab

2. On Main Tab, specify the fields.

For more information on fields, refer to the field description below:

Table 1-9 Outbound US RTP Transaction Input - Main Tab Field Description

Field	Description	
Debtor Details		
Debtor Account Number	Select the Debit Account Number from the list of values. All open and authorized accounts maintained in the External Customer Account maintenance (STDCRACC) are listed for this field.	
	System defaults the following details on selecting the Debit Account Number:	
	Account Currency	
	Account Branch	
	Debtor Name	
	Customer Number	
Customer Service Model	The customer service model linked to the customer, if any, is populated.	
Debtor Identification		
Birth Date	Specify the Birth Date of the debtor.	
City Of Birth	Specify the City of Birth of the debtor.	
Country Of Birth	Specify the Country of Birth of the debtor.	
	Note  Either all the fields in debtor Identification can be null or all the fields must have data. System validates the mandatory data.	
Debtor Postal Address		
Street Name	Specify the Street Name of the debtor.	
Building Number	Specify the Building Number of the debtor.	



Table 1-9 (Cont.) Outbound US RTP Transaction Input - Main Tab Field Description

Field	Description	
Post Code	Specify the Post Code of the debtor.	
Town Name	Specify the Town Name of the debtor.	
Country	Specify the Country of the debtor.  (i) Note  Either all the fields in postal address can be null or all the fields must have data, except Building Number, which is optional. System validates the mandatory data.	
One ditan Dataila		
Creditor Details		
SSI Label	If the Creditor details are maintained in PUDCRDTL for the debtor account entered, the same can be selected in this field. Creditor details will be populated based on the SSI label details.   (i) Note  It is optional to maintain SSI labels. User can directly input the beneficiary details if SSI label is not maintained.	
Creditor Account Number	Specify the Beneficiary account in this field.	
Creditor Name	Specify the beneficiary name.	
Routing Number	Select the Routing number from the list of values. All open and authorized Bank Codes available in Routing file Details will be listed in this field.	
Creditor Bank Name	Specify the Beneficiary bank name.	
Creditor Identification		
Birth Date	Specify the Birth Date of the Creditor.	
City Of Birth	Specify the City of Birth of the Creditor.	
Country Of Birth	Specify the Country of Birth of the Creditor.	
Creditor Postal Address		
Street Name	Specify the Street Name of the creditor.	
Building Number	Specify the Building Number of the creditor.	
Post Code	Specify the Post Code of the creditor.	
Town Name	Specify the Town Name of the creditor.	
Country	Specify the Country of the creditor.	
Payment Details		
Booking Date	System defaults the current date as Booking Date. This will be a disabled field for user modification.	
Instruction Date	System defaults the current application server date. This date can be modified by the user. This is the requested execution date by the customer. Back dates are not allowed as instruction date.	
Transfer Currency	System defaults the Transfer currency as 'USD'.	
Transfer Amount	Specify the Transfer Amount.	
Additional Details		



Table 1-9 (Cont.) Outbound US RTP Transaction Input - Main Tab Field Description

Field	Description
Local Instrument	Select the Local Instrument from the list of values. All the valid instruments are listed.
	Identifies the Debtor/Sender as either a business or consumer customer of the Debtor FI. This field also indicates whether the Debtor/Sender is a domestic customer of the Debtor FI or a customer of a foreign branch or affiliate of the Debtor FI.
	Local Instrument options listed are as follows:  BUSINESS - Business Initiated Payment (domestic)  CONSUMER - Consumer Initiated Payment (domestic)  FABUSINESS - Business Initiated Payment (foreign affiliate)  FACONSUMER - Consumer Initiated Payment (foreign affiliate)  INTERMEDIARY - Payment sent through a Payment Service Provider (domestic)  ZELLE - Zelle Payment (domestic)
Remittance Advice ID	Specify the Remittance Advice ID.
	This field is used, if a separate Remittance Advice is sent via a remt.001 message. The reference in this element, if included, must be identical to the Remittance Identification provided in the remittance advice message.
Remittance Information	Specify the Remittance Information. Unstructured information up-to length 140 can be entered in this field.
	Note  Structured Remittance information is applicable if the payment is originated as a result of return of a previous payment received.
Remittance Method	Select the Remittance method from the following:  • EMAL - E-Mail  • URID - Uniform Resource Identifier
Electronic Address	Specify the electronic address. Electronic address to which, an agent sends the remittance information can be entered in this field.
Remarks	Specify the internal remarks if any.
Enrich Button	On clicking the Enrich button, system computes the Charges, and Tax on Charges if applicable, based on the maintenance for Pricing Code specified in Outbound US RTP preferences (PUMNCPRF).

### 1.2.1.2 Pricing Tab

The Pricing tab allows user to view the computed charges and taxes applicable for each charge component, for the transaction booked. Pricing details are populated on clicking the 'Enrich' button.


Charges and Tax components are fetched as maintained in the Pricing Value Maintenance screen (PPDVLMNT) as applicable for the Payment Source code & Customer Service model.

1. Click on **Pricing Tab** in the Outbound RTP Transaction Input screen.

Pricing Tab is displayed.



Figure 1-17 Outbound US RTP Transaction Input - Pricing Tab



2. On Pricing Tab, specify the fields.

For more information on fields, refer to the field description below:

Table 1-10 Outbound US RTP Transaction Input - Pricing Tab Field Description

Field	Description
Pricing Component	System displays the Name of the pricing component, applicable for the transaction, for which charges are computed.
Pricing Currency	System displays the Currency in which the charge amount is calculated for the Pricing component. from the Pricing Code maintenance.
Pricing Amount	System displays the fixed or calculated charge amount using the Pricing Value maintenance. You can edit the amount in this field to a non-zero value.
Waiver	Check this box to indicate that the charge is waived for the pricing component.  If a particular Charge component is waived by the user then system would automatically also check the waiver the associated Tax component.  If charge/tax component is already waived in the Pricing Value maintenance, this component would still be displayed with the value and the waiver flag checked. This flag would not be allowed to be unchecked by the user.
Debit Currency	System displays the currency in which the charge amount is debited for the pricing component. This is the currency of the debit (originator) account.
Debit amount	System displays the debited amount to the selected debit amount.

### 1.2.1.3 UDF Button

This topic provides details of the Fields screen.


This sub-screen defaults values of UDF fields that are part of the UDF group specified for the **Manual** source.

1. Click the **UDF** button in the screen.

The **Fields** screen is displayed.



Figure 1-18 UDF Button



2. On the Fields screen, user can view the following fields.

The following fields are displayed:

Table 1-11 UDF Button - Field Description

Field	Description
Field Label	System displays all fields that are part of the associated UDF group.
Field Value	The system displays default values for UDF fields, if available. user can modify the default value or enter a value for fields where no default exists.

#### 1.2.1.4 MIS Button

This topic explains the MIS Details screen.

User can maintain the MIS information for the transaction. If the MIS details are not entered, they will be defaulted from the product maintenance.

1. Click the MIS button in the screen.

The MIS Details screen is displayed.



Figure 1-19 MIS Button



2. On the MIS Details screen, specify the fields.

Table 1-12 MIS Button - Field Description

Field	Description
Transaction Reference	System displays the Transaction reference number of the transaction.
MIS Group	The user can select the <b>MIS Group</b> Code from the option list or specify the code for the MIS group in <b>Source Maintenance</b> .
	The system displays all valid MIS groups for different sources in the MIS Group list within Source Maintenance.
	When a transaction is booked from this screen, the <b>MIS group</b> associated with the <b>Manual</b> source is populated by default.
Default button	Click the <b>Default</b> button after selecting an MIS group different from the default, to populate the corresponding default MIS values and link them to the <b>Transaction MIS</b> and <b>Composite MIS</b> classes.
Transaction MIS	user can populate the default MIS values for the <b>Transaction MIS</b> classes linked to the selected MIS group. Alternatively, user can modify one or more default MIS values, add new values, or select MIS values from the available option list.
Composite MIS	user can populate the default MIS values for the <b>Composite MIS</b> classes linked to the selected MIS group. Alternatively, user can modify one or more default MIS values, add new values, or select MIS values from the available option list.

# 1.2.1.5 RTP Outbound Payments Transaction Summary


The US RTP Outbound Payments Transaction Summary screen allows user to view all the RTP outbound transactions booked.



1. On Homepage, specify **PUSOTONL** in the text box, and click next arrow.

**US RTP Outbound Payments Transaction Summary** screen is displayed.

Figure 1-20 US RTP Outbound Payments Transaction Summary



- 2. Search using one or more of the following parameters:
  - Transaction Reference Number
  - Source Reference Number
  - Booking Date
  - Instruction Date
  - Debtor Account Number
  - Account Branch
  - Debtor Name
  - Creditor Account Number
  - Creditor Name
  - Transfer Amount
  - Customer Number
  - Customer Service Model
  - Instruction Identification
  - Local Instrument
  - Authorization Status
  - End to End Identification
  - Routing Number
  - Source Code
  - Transaction Branch
  - SSI Label
- 3. Once you specified the parameters, click the **Search** button.

System displays the records that match the search criteria.



#### 1.2.2 Webservices

The outbound US RTP can be initiated using Single payment Rest service.

### 1.2.3 Outbound RTP Payment Processing

Following are the processing steps for outbound payments:

- Initial Validations
- Duplicate Check
- Daily limit Check
- Sanctions Check
- Pricing
- ECA Check
- Accounting
- Messaging

#### **Initial Validations**

- The following processing will be covered as part of initial validations:
  - Data enrichment Account / Bank Re-direction, Network character replacement
  - Mandatory field validations
  - Network Limit validations
  - Account/Customer Validations based on core maintenance
- If Account re-direction or bank re-direction is maintained, then the account / bank details will be replaced by the values. Account re-direction is applicable for debtor account only.
- Network character replacement is done for characters, not allowed by the Network if the corresponding maintenance is available.
- Mandatory Fields / Referential data checks will be done based on the details received in the payment request and the values populated by system. Validation will be available to verify whether the Creditor Bank Routing Number is allowed for RTP. In case of validation failure, transaction is rejected.
- Transfer amount limit check will be done for the minimum and maximum amount limits defined for the Network, as maintained in Outbound Payment Preferences (PUDNCPRF).
- Account Status validations System validates whether account record is open and authorized.

#### **Duplicate Check**

- Duplicate parameters can be maintained for the source. Based on the duplicate days and fields set, duplicate check for the transaction will be done. If the transaction is identified as a duplicate transaction, the transaction is moved to business override queue.
- The following parameters will be available for duplicate check:
  - Debtor Account DBTR ACC
  - Creditor Account CRDTR ACC
  - Transfer Amount TFR AMT



- Instruction Date VALUE DATE
- Creditor Bank Routing Number CRDTR BANK CODE
- Customer CUSTOMER NO
- Debtor Bank Routing Number DBTR BANK CODE
- Instruction ID INSTRUCTION ID Daily limit check
- System will track the daily aggregate limit and source wise limit allowed for a customer account on a daily basis. The limits can be maintained in US RTP Account Preferences. If no record is available for account -wise limits, system will apply the default limits maintained in PMDDFLMT.
- The transaction is moved to BO queue, if the limit is breached.

#### **Sanction Check**

- The transaction can be sent for sanction screening to an external system. The external system status can be linked to one of the following system status:
  - **Approved**
  - Rejected
  - Interim
  - Seizure
- If sanction is approved, the transaction will be resumed with the further processing. In case of seizure, customer account is debited and the Seizure GL is credited. If the status is rejected or interim, the transaction is moved to sanction check queue.



#### (i) Note

Sanction Check System maintenance will be updated to have specific In/Out queues for Faster Payments in general. The sanction requests originating from Faster Payments will be sent through separate JMS queues.

#### **Future Valued Transactions Check**

Future valued transactions booked, are marked as Future dated and is moved to 'Warehouse Queue'. On the Value Date, the transaction is picked from the Queue and is processed further.

#### **Charge /Tax Computation**

Price code can be linked in Outbound Payment preferences PUDNCPRF. Internal /External charge/tax values will be applied based on the configuration.

#### Balance Check with DDA (CASA) System

- The debit details will be sent to the DDA system in asynchronous mode for account validation and balance check. The external system status can be linked to one of the following system status:
  - **Approved**
  - Rejected
  - Interim
- If balance check is approved, the transaction is resumed with the further processing. If the status is rejected or interim, the transaction is moved to sanction check queue.





#### (i) Note

Customer and account status checks are done by the external ECA system along with account balance check.

### Accounting

- Accounting preference can be set at Network preferences for the outgoing transactions. If he preference selected is 'Before Messaging' accounting entries will be handed off to Accounting system before Messaging. On payment reject, the reversal entries will be posted.
- If the preference is for posting the accounting 'On Confirmation from CI', the accounting handoff is deferred till positive confirmation is received from CI.

Details in Accounting handoff	Debit Liquidation	Credit Liquidation
Accounting Event	DRLQ	CRLQ
Amount Tag	XFER_AMT	XFER_AMT
Transaction Account	Debit Customer Account	RTP Clearing GL maintained in the Accounting code. If Nostro Account is maintained in PUDNCPRF that will be considered
Offset Account	This is picked from the Debit Liquidation Accounting code maintenance	This is picked from the Credit Liquidation Accounting code maintenance
Transaction Currency	USD	USD
Transaction Amount	Debit Amount	Transfer Amount
Value Date	Transaction Value Date	Transaction Value Date
Offset Currency	Transfer Currency	Transfer Currency
Offset Amount	Transfer Amount	Transfer Amount
Local Currency Amount	Transfer amount (in USD)	Transfer amount (in USD)

### Messaging

- Every payment will generate a pacs.008 message with group header details. Time stamp put in the message will be stored for the transaction.
- Message Identification for the payment will be generated as below:
  - Format: MYYYYMMDDbbbbbbbbbbbbbBAAAnnnnnnnnn
  - Pos. 01-01 Prefix "M"
  - Pos. 02-09 File creation date in format YYYYMMDD
  - Pos. 10-20 FI Identifier (11 digit Participant ID)
  - Pos. 21-21 Message generation source ("B" if generated by a TCH FI)
  - Pos. 22-24 Alphabetic serial identifier (3 alphabetic characters)
  - Pos. 25-35 Message serial number (11 numeric characters)
- All message processing dates are required to be set to Eastern Time (Eastern Standard Time or Eastern Daylight Time, as applicable under the Energy Policy Act of 2005) by the message sender. This includes the following fields:
  - Creation Date Time



- Interbank Settlement Date (set by RTP)
- Date field within the Business Reference field
- Date field within the Message Identification field
- Date field within the Instruction Identification field
- Date field within the Transaction Identification field
- While generating the pacs.008 message, the following values will be populated for RTP:
  - Instructing Agent Member ID –.This will be populated as debtor branch Routing and Transit number
  - Instructed Agent member ID This is the Routing and transit number of the creditor bank
  - Clearing system Code will be TCH
  - Settlement method will be CLRG
  - Service level code will be populated as SDVA
  - Local instrument proprietary value will be as selected for the transaction
  - Charge bearer value will be populated as SLEV
- System will do schema validation for the message generated. On completion of the validation successfully, the message will be forwarded to Clearing Infrastructure.

### **Response Handling**

- The Accept or Reject confirmation will be received from the CI in pacs.002 format. For every message sent, a confirmation message will be received.
- System will parse and upload the received message and based on the status value received ACTC / ACWP/RJCT, the outbound transaction is further processed.
- If the accounting is configured to be after confirmation, the accounting entries will be handed off on getting a ACTC/ACWP status.
- On receiving RJCT status,
  - If the accounting is already passed, reversal entries are posted
  - If accounting is pending, then Balance block reversal (ECA reversal) request is sent to DDA system
- Notification will be sent to debtor customer indicating the status of the payment.
- If a camt.035 is received subsequently from the Beneficiary bank, the beneficiary credit notification will be sent to the originating customer.
- Camt.035 Payment acknowledgment received status needs to be updated for the transaction.

## 1.2.4 Outbound RTP Payments View

The US RTP Outbound Payments View screen allows user to view all the outbound RTP transactions with all the processed details.

On Homepage, specify **PUDOVIEW** in the text box, and click next arrow.

US RTP Outbound Payments View screen is displayed.






Figure 1-21 US RTP Outbound Payments View

2. From this screen, click Enter Query.

The Transaction Reference field gets enabled which opens an LOV screen.

- 3. Click the Fetch button and select the required value.
- 4. Along with the transaction details in the Main and Pricing tabs user can also view the Status details for the following:
  - External System Status
  - Transaction Status
- Click Execute Query to populate the details of the transaction in the US RTP Outbound Payments View screen.

For more details on Main, Pricing tabs refer to 'PUDOTONL' screen details above.

View Queue Action

This topic provides the systematic instructions to process the **View Queue Action Log** screen.

UDF Button

This topic provides details of the **Fields** screen.

MIS Button

This topic explains the MIS Details screen.

- All Messages
- Accounting Entries

This topic provides the systematic instructions to process the **Accounting Entries** screen.



RTP Outbound Payments View Summary

## 1.2.4.1 View Queue Action


This topic provides the systematic instructions to process the View Queue Action Log screen.

This screen provides the information on the user's actions log in queque. User can view all the queue actions for the respective transaction initiated.

1. From the main screen or tab, click View Queue Action.

The View Queue Action Log screen is displayed.

Figure 1-22 View Queue Action Log



2. On the View Queue Action Log screen, view the required details. For more information on fields, refer to the field description table below:

### Note

User can view the request sent and the corresponding response received for each row in Queue Action Log.

Table 1-13 View Queue Action Log - Field Description

Field	Description
Transaction Reference Number	Displays the unique reference number for the transaction.
Network Code	Displays the <b>Network Code</b> of the transaction.
Transaction Reference Number	Displays the unique reference number for the transaction.
Action	Displays the <b>Action</b> performed on the transaction.
Remarks	Displays the <b>Remarks</b> , if any.
Exception Queue	Displays the Exception Queue code.
Authorization Status	Displays the current <b>Authoization Status</b> of the transaction.
Maker ID	Displays the transaction's <b>Maker ID</b> .
Maker Date Stamp	Displays the date stamp of the maker.



Table 1-13 (Cont.) View Queue Action Log - Field Description

Field	Description
Checker ID	Displays the transaction's <b>Checker ID</b> .
Checker Date Stamp	Displays the date stamp of the checker.
Queue Status	Displays the current status of the transaction in queue.
Queue Reference No	Displays the transaction reference number in queue.
Primary External Status	Displays the status of the primary external.
Secondry External Status	Displays the status of the secondry external.
External Reference Number	Displays the external reference number.
Cancel Reason Code	Displays the reason code for the cancellation request.
Cancel Reason Description	Displays the reason description for the cancellation.
Verification Status	Displays the current verification status.
Verifier ID	Displays the unique <b>Verifier ID</b> .
Verifier Date Stamp	Displays the date stamp of the verifier.
Authorizer Remarks	Displays the Authorizer Remarks, if any.
Verifier Remarks	Displays the Verifier Remarks, if any.

- **3.** If required, user can view the request sent and the response received from external systems for the following:
  - Sanction System
  - External Credit Approval
  - External Account Check
  - External FX fetch
  - External Price Fetch
  - Accounting System

## 1.2.4.2 UDF Button

This topic provides details of the Fields screen.


This sub-screen defaults values of UDF fields that are part of the UDF group specified for the **Manual** source.

1. Click the **UDF** button in the screen.

The Fields screen is displayed.



Figure 1-23 UDF Button



2. On the Fields screen, user can view the following fields.

The following fields are displayed:

Table 1-14 UDF Button - Field Description

Field	Description
Field Label	System displays all fields that are part of the associated UDF group.
Field Value	The system displays default values for UDF fields, if available. user can modify the default value or enter a value for fields where no default exists.

## 1.2.4.3 MIS Button

This topic explains the MIS Details screen.

User can maintain the MIS information for the transaction. If the MIS details are not entered, they will be defaulted from the product maintenance.

1. Click the MIS button in the screen.

The MIS Details screen is displayed.



Figure 1-24 MIS Button



2. On the MIS Details screen, specify the fields.

Table 1-15 MIS Button - Field Description


Field	Description
Transaction Reference	System displays the Transaction reference number of the transaction.
MIS Group	The user can select the <b>MIS Group</b> Code from the option list or specify the code for the MIS group in <b>Source Maintenance</b> .
	The system displays all valid MIS groups for different sources in the MIS Group list within Source Maintenance.
	When a transaction is booked from this screen, the MIS group associated with the Manual source is populated by default.
Default button	Click the <b>Default</b> button after selecting an MIS group different from the default, to populate the corresponding default MIS values and link them to the <b>Transaction MIS</b> and <b>Composite MIS</b> classes.
Transaction MIS	user can populate the default MIS values for the <b>Transaction MIS</b> classes linked to the selected MIS group. Alternatively, user can modify one or more default MIS values, add new values, or select MIS values from the available option list.
Composite MIS	user can populate the default MIS values for the <b>Composite MIS</b> classes linked to the selected MIS group. Alternatively, user can modify one or more default MIS values, add new values, or select MIS values from the available option list.

# 1.2.4.4 All Messages

You can invoke this screen by clicking 'All Messages' tab in the screen.



Figure 1-25 All Messages



# 1.2.4.5 Accounting Entries

This topic provides the systematic instructions to process the **Accounting Entries** screen.

From the main screen or tab, click Accounting Entries.

The Accounting Entries screen is displayed.

Figure 1-26 Accounting Entries



On the Accounting Entries screen, view the fields. For more information on fields, refer to the field description table below:

Table 1-16 Accounting Entries - Field Description

Field	Description
Event Code	Displays the <b>Event Code</b> .
Transaction Date	Displays the <b>Transaction Date</b> .
Value Date	Displays the Value Date.
Account	Displays the <b>Account</b> .



Table 1-16 (Cont.) Accounting Entries - Field Description


Field	Description
Account Branch	Displays the Account Branch.
TRN Code	Displays the TRN Code.
Dr/Cr	Displays the <b>Debit (Dr)</b> and <b>Credit (Cr)</b>
Amount Tag	Displays the Amount Tag.
Account Currency	Displays the Account Currency.
Transaction Amount	Displays the Transaction Amount.
Netting	Displays the <b>Netting</b> .
Offset Account	Displays the Offset Account.
Offset Account Branch	Displays the Offset Account Branch.
Offset TRN Code	Displays the Offset TRN Code.
Offset Amount Tag	Displays the Offset Amount Tag.
Offset Currency	Displays the <b>Offset Currency</b> .
Offset Amount	Displays the Offset Amount.
Offset Netting	Displays the <b>Offset Netting</b> .
Handoff Status	Displays the <b>Handoff Status</b> .

# 1.2.4.6 RTP Outbound Payments View Summary

1. On Homepage, specify **PUSOVIEW** in the text box, and click next arrow.

**US RTP Outbound Payments View Summary** screen is displayed.

Figure 1-27 US RTP Outbound Payments View Summary



- 2. Search using one or more of the following parameters:
  - Transaction Reference Number
  - Network Code
  - Debtor Account Number
  - Creditor Account Number
  - Transaction Status
  - Transfer Amount



- Booking Date
- Transaction Branch
- · Customer Service Model
- End to End Identification
- Oueue Code
- Sanction Seizure
- Source Code
- Source Reference Number
- External Credit Approval Status
- Sanction Check Status
- Credit Liquidation Status
- Debit Liquidation Status
- Instruction Identification
- Message ID
- SSI Label
- Routing Number
- Instruction Date
- Sanctions Check Reference
- External Credit Approval Reference
- Customer Number
- RFP Response
- 3. Once you specified the parameters, click the **Search** button.

System displays the records that match the search criteria.

## 1.2.5 Non -Receipt of status message pacs.002

- Based on the Network time out preference maintained for the outbound payment in PUDNCPRF, system verifies whether the allowed time for a Response to the Credit Transfer (pacs.002) message from CI has expired.
- If the time limit is over, the transaction will be logged to a pending queue. You can 'Resend' the message manually from this queue PUSPENDQ.
- The message payload is identical to the original pacs.008 message but the Copy Duplicate <CpyDplct> data element is added with a value of "DUPL" in the Business Application Header.
- On receipt of pacs.002 message, the transaction, automatically moves out of the pending queue. Receipt of pacs.002 indicates, if the request is accepted/allowed.
- Outbound Pending RTP Payment Queue




## 1.2.5.1 Outbound Pending RTP Payment Queue

The Outbound Pending US RTP Faster Payment Queue screen allows user to manually regenerate the message. All the outbound RTP payment transactions, that are timed out, is moved to pending transaction queue.

1. On Homepage, specify **PUSPENDQ** in the text box, and click next arrow.

Outbound Pending US RTP Faster Payment Queue screen is displayed.

Figure 1-28 Outbound Pending US RTP Faster Payment Queue



### Resend pacs.008

Manually resend the time out transactions available in the queue, by clicking 'Resend pacs.008' action button.

**View Transaction** Select a record and click on 'View Transaction' to view the transaction details.

- 2. Search using one or more of the following parameters:
  - Transaction Reference Number
  - Network Code
  - Host Code
  - Transfer Currency
  - Source Code
  - Source Reference Number
  - Creditor Account Number
  - · Creditor Agent Member Identification
  - Customer Number
  - Debtor Account Number
- 3. Once you specified the parameters, click the **Search** button.

System displays the records that match the search criteria.



## 1.2.6 Outbound RTP Message Browser

1. On Homepage, specify **PUSOTBRW** in the text box, and click next arrow.

Outbound US RTP Message Browser screen is displayed.

Figure 1-29 Outbound US RTP Message Browser



- 2. Search using one or more of the following parameters:
  - Message Identification
  - Message Date
  - Transaction Reference Number
  - End to End Identification
  - Message Type
  - Message Status
  - Network Code
  - Transaction Branch
  - Instruction Identification
- 3. Select a record and click on 'View Message' to view the message details. The following messages can be viewed from this browser:
  - pacs.008 -outbound payment message
  - pacs.008-retry message for time out cases
  - pacs.002-Accept/reject of inbound payments
  - camt.035-Payment Acknowledgment (generated for inbound payments with status ACWP)
- 4. Once you specified the parameters, click the **Search** button.
  - System displays the records that match the search criteria.
- 5. Double click a record after selecting a record to view the detailed screen.



# 1.3 Inbound US RTP Payments

The inbound RTP payments are received as pacs.008 messages from CI. The system receives and processes the payments based on predefined processing steps.

- Inbound RTP Payment Processing
- Processing Monitoring Jobs
- Inbound RTP Payments View
- Messages Received with 'DUPL' Header
- Receipt of camt.056
- Inbound RTP Message Browser

## 1.3.1 Inbound RTP Payment Processing

Inbound payments follow the below listed processing steps:

- Initial Validations
- Duplicate Check
- External Account Check
- Sanctions Check
- Pricing
- Accounting
- Payment acknowledgment camt.035 generation, if applicable

### **Initial Validations**

- System performs the below validations similar to the outbound payments:
  - Account/Bank re-direction 

    Account re-direction will be done for the credit account
  - Mandatory field checks/ Referential data checks
- Any failure during validation processing results in a transaction reject and pacs.002 message sent to CI with appropriate reason code. (Refer to Reason Code mapping).

#### **Duplicate Check**

If the inbound payment is found as duplicate it is rejected and pacs.002 is sent out.

#### **External Account Check**

- Transaction details are sent to DDA system, for the validation of the credit account. If External Account Check EAC is approved, the transaction is marked as ready for ACWP (Accepted without Posting) and sent for sanctions approval, if applicable for the customer and Network.
- The external ECA system performs customer and account status checks, with other validation.

#### **Sanction Check**

 On sanctions approval within the permitted processing time, the system sends out pacs.002 with ACTC status. The system monitor whether the processing time is over or not and generates pacs.002 with ACWP status if the time exceeds the allowed limit.



- If Sanctions are rejected and no pacs.002 is sent out so far, the system sends the message with RJCT status.
- If the seizure is applicable, pacs.002 with ACTC is sent, provided no status message is generated before.

#### **CI Acknowledgment**

- After sending an acceptance message with the status as ACTC, the system wait for the
  response from CI before processing the payment further. If the message is sent with the
  status as ACWP, the system completes the sanction check. On sanctions approval, further
  processing is done only based on acknowledgment received from CI.
- If positive technical confirmation is received back from CI, price/exchange rate processing are performed for the incoming payment and beneficiary account is credited by handing off the payment accounting entries to Accounting System.
- If the transaction is marked for seizure, seizure accounting is passed on getting positive network acknowledgment. Dr. Nostro Account Cr. Seizure GL.
- If the technical confirmation from CI is received as negative, the incoming payment is marked as rejected. No creditor notification or camt.035 is sent out.

#### **Pricing**

 On receiving positive acknowledgment from CI (pacs.002 with ACTC/ACWP), prices are fetched. External pricing is applied, if it is applicable.

### **Accounting**

- Accounting handed off to the external system.
  - Dr. Nostro Account
  - Cr. Intermediary GL
  - Dr. Intermediary GL
  - Cr. Nostro Account
- Notification to Beneficiary is sent after the credit accounting is successfully handed off.

## **Payment Acknowledgment Generation**

 Camt.035 message is sent to the originating bank on successful posting of the payment amount to credit account if pacs.002 is sent with ACWP status earlier.

## 1.3.2 Processing Monitoring Jobs

Following are the jobs monitored in inbound payment processing:

#### Job 1:

- This monitors the inbound processing so that if the processing time exceeds the configured one, pac.002 message with ACWP status can be generated on the following conditions:
  - EAC over and the transaction is marked as Ready for ACWP
  - No camt.056 received
  - Pacs.002 not yet sent
  - Time has exceeded the processing window maintained in Inbound preferences

### Job 2:



- Waiting for Confirmation of the acknowledgment pacs.002 from the Network so that the payment can be further processed/rejected on the following conditions:
  - Camt.056 is not received
  - Sanctions is approved and ready for next level processing
  - Pacs.002 sent with ACTC or ACWP


# 1.3.3 Inbound RTP Payments View

The US RTP Inbound Payments View screen allows user to view Inbound payment status. Payments received from all channels are listed in this screen. The related messages are listed in the 'View Messages' sub-screen.

On Homepage, specify PUDIVIEW in the text box, and click next arrow.

US RTP Inbound Payments View screen is displayed.

Figure 1-30 US RTP Inbound Payments View



2. Click Enter Query from this screen.

The Transaction Reference field gets enabled which opens an LOV screen.

- 3. Click the Fetch button and select the required value.
- 4. Along with the transaction details in the Main and Pricing tabs user can also view the Status details for the following:
  - External System Status



- Transaction Status
- Click Execute Query to populate the details of the transaction in the US RTP Inbound Payments View screen.
- RFP Response This check box indicates that the transaction is received as response to outbound RFP sent.

For more details on Main, Pricing tabs refer to 'PUDOTONL' screen details.

View Queue Action

This topic provides the systematic instructions to process the **View Queue Action Log** screen.

UDF Button

This topic provides details of the **Fields** screen.

MIS Button

This topic explains the MIS Details screen.

- All Messages
- Accounting Entries

This topic provides the systematic instructions to process the **Accounting Entries** screen.

RTP Inbound Payments View Summary

## 1.3.3.1 View Queue Action


This topic provides the systematic instructions to process the View Queue Action Log screen.

This screen provides the information on the user's actions log in queque. User can view all the queue actions for the respective transaction initiated.

1. From the main screen or tab, click **View Queue Action**.

The View Queue Action Log screen is displayed.

Figure 1-31 View Queue Action Log



On the View Queue Action Log screen, view the required details. For more information on fields, refer to the field description table below:





## Note

User can view the request sent and the corresponding response received for each row in Queue Action Log.

Table 1-17 View Queue Action Log - Field Description

Field	Bernindian
Field	Description
Transaction Reference Number	Displays the unique reference number for the transaction.
Network Code	Displays the <b>Network Code</b> of the transaction.
Transaction Reference Number	Displays the unique reference number for the transaction.
Action	Displays the <b>Action</b> performed on the transaction.
Remarks	Displays the <b>Remarks</b> , if any.
Exception Queue	Displays the Exception Queue code.
Authorization Status	Displays the current <b>Authoization Status</b> of the transaction.
Maker ID	Displays the transaction's <b>Maker ID</b> .
Maker Date Stamp	Displays the date stamp of the maker.
Checker ID	Displays the transaction's <b>Checker ID</b> .
Checker Date Stamp	Displays the date stamp of the checker.
Queue Status	Displays the current status of the transaction in queue.
Queue Reference No	Displays the transaction reference number in queue.
Primary External Status	Displays the status of the primary external.
Secondry External Status	Displays the status of the secondry external.
External Reference Number	Displays the external reference number.
Cancel Reason Code	Displays the reason code for the cancellation request.
Cancel Reason Description	Displays the reason description for the cancellation.
Verification Status	Displays the current verification status.
Verifier ID	Displays the unique <b>Verifier ID</b> .
Verifier Date Stamp	Displays the date stamp of the verifier.
Authorizer Remarks	Displays the Authorizer Remarks, if any.
Verifier Remarks	Displays the Verifier Remarks, if any.

- If required, user can view the request sent and the response received from external systems for the following:
  - **Sanction System**
  - **External Credit Approval**
  - **External Account Check**
  - **External FX fetch**
  - **External Price Fetch**
  - **Accounting System**



## 1.3.3.2 UDF Button

This topic provides details of the Fields screen.

This sub-screen defaults values of UDF fields that are part of the UDF group specified for the **Manual** source.

1. Click the **UDF** button in the screen.

The Fields screen is displayed.

Figure 1-32 UDF Button



2. On the Fields screen, user can view the following fields.

The following fields are displayed:

Table 1-18 UDF Button - Field Description

Field	Description
Field Label	System displays all fields that are part of the associated UDF group.
Field Value	The system displays default values for UDF fields, if available. user can modify the default value or enter a value for fields where no default exists.

## 1.3.3.3 MIS Button

This topic explains the MIS Details screen.

User can maintain the MIS information for the transaction. If the MIS details are not entered, they will be defaulted from the product maintenance.

1. Click the MIS button in the screen.

The MIS Details screen is displayed.



Figure 1-33 MIS Button



2. On the MIS Details screen, specify the fields.

Table 1-19 MIS Button - Field Description


Field	Description
Transaction Reference	System displays the Transaction reference number of the transaction.
MIS Group	The user can select the <b>MIS Group</b> Code from the option list or specify the code for the MIS group in <b>Source Maintenance</b> .
	The system displays all valid MIS groups for different sources in the MIS Group list within Source Maintenance.
	When a transaction is booked from this screen, the MIS group associated with the Manual source is populated by default.
Default button	Click the <b>Default</b> button after selecting an MIS group different from the default, to populate the corresponding default MIS values and link them to the <b>Transaction MIS</b> and <b>Composite MIS</b> classes.
Transaction MIS	user can populate the default MIS values for the <b>Transaction MIS</b> classes linked to the selected MIS group. Alternatively, user can modify one or more default MIS values, add new values, or select MIS values from the available option list.
Composite MIS	user can populate the default MIS values for the <b>Composite MIS</b> classes linked to the selected MIS group. Alternatively, user can modify one or more default MIS values, add new values, or select MIS values from the available option list.

# 1.3.3.4 All Messages

You can invoke this screen by clicking 'All Messages' tab in the screen.



Figure 1-34 All Messages



# 1.3.3.5 Accounting Entries

This topic provides the systematic instructions to process the **Accounting Entries** screen.

From the main screen or tab, click Accounting Entries.

The Accounting Entries screen is displayed.

Figure 1-35 Accounting Entries



On the Accounting Entries screen, view the fields. For more information on fields, refer to the field description table below:

Table 1-20 Accounting Entries - Field Description

Field	Description
Event Code	Displays the <b>Event Code</b> .
Transaction Date	Displays the <b>Transaction Date</b> .
Value Date	Displays the Value Date.
Account	Displays the <b>Account</b> .



Table 1-20 (Cont.) Accounting Entries - Field Description

Field	Description
Account Branch	Displays the Account Branch.
TRN Code	Displays the TRN Code.
Dr/Cr	Displays the <b>Debit (Dr)</b> and <b>Credit (Cr)</b>
Amount Tag	Displays the Amount Tag.
Account Currency	Displays the Account Currency.
Transaction Amount	Displays the Transaction Amount.
Netting	Displays the <b>Netting</b> .
Offset Account	Displays the Offset Account.
Offset Account Branch	Displays the Offset Account Branch.
Offset TRN Code	Displays the Offset TRN Code.
Offset Amount Tag	Displays the Offset Amount Tag.
Offset Currency	Displays the Offset Currency.
Offset Amount	Displays the <b>Offset Amount</b> .
Offset Netting	Displays the <b>Offset Netting</b> .
Handoff Status	Displays the <b>Handoff Status</b> .

# 1.3.3.6 RTP Inbound Payments View Summary

1. On Homepage, specify **PUSIVIEW** in the text box, and click next arrow.

US RTP Inbound Payments View Summary screen is displayed.

Figure 1-36 US RTP Inbound Payments View Summary



- 2. Search using one or more of the following parameters:
  - Transaction Reference Number
  - Network Code
  - Creditor Account Number
  - Transaction Status
  - Transfer Amount
  - Booking Date



- Transaction Branch
- Customer Service Model
- End to End Identification
- Queue Code
- Sanction Seizure
- Credit Liquidation Status
- Debit Liquidation Status
- Sanction Check Status
- Instruction Date
- Instruction Identification
- Message Identification
- Customer Number
- Debtor Account Number
- Error Code
- Error Description
- Local Instrument
- Bank Routing Number
- 3. Once you specified the parameters, click the **Search** button.

System displays the records that match the search criteria.

## 1.3.4 Messages Received with 'DUPL' Header

- On uploading any pacs.008 message, system has to check whether it is received with 'DUPL' tag in the business header.
- If yes, before treating it as an inbound payment, validation is to be done whether a
  payment is received with the same Instruction ID before.
- If yes, based on the transaction status pacs.002 message needs to be generated and send out.
- If a similar transaction is not received before, the current pacs.008 message needs to be treated as a new payment and needs to be processed as an inbound payment.

# 1.3.5 Receipt of camt.056

- Clearing infrastructure sends the camt.056 cancellation message if the response from the beneficiary bank is timed out.
- On receipt of camt.056 for an inbound payment which is processed or in processing, the cancellation has to be immediately triggered.
- The following list provides the processing points where the system checks, whether camt.056 is received or not:
  - Before sanction check
  - Before processing sanctions response




 If camt.056 is received, the inbound payment is marked as Cancelled and a pacs.002 sent back to CI with Received status.

# 1.3.6 Inbound RTP Message Browser

On Homepage, specify PUSINBRW in the text box, and click next arrow.
 Inbound US Faster Payments Message Browser screen is displayed.

Figure 1-37 Inbound US Faster Payments Message Browser



- 2. Search using one or more of the following parameters:
  - Original Message ID
  - End to End ID
  - Transaction ID
  - Transaction Reference Number
  - Message ID
  - Message Date
  - Message Status
  - Network Code
  - Message Type
  - Transaction Branch
- Select a record and click on 'View Message' to view the message details. The following messages can be viewed from this browser:
  - pacs.008 -Inbound payment message
  - pacs.008-inbound received for retry time out cases
  - pacs.002-Accept/reject of outbound payments from Network or Beneficiary bank
  - pacs.002-Accept/reject of inbound payments from Network
  - camt.056-Cancel of inbound payment from network
  - camt.035-Payment acknowledgment
- 4. Once you specified the parameters, click the **Search** button.

System displays the records that match the search criteria.



5. Double click a record after selecting a record to view the detailed screen.

# **US RTP: Request for Payment**

- Request for Payment (pain.013.001.05) message is sent by Creditor FI to the RTP System for onward transmission to the Debtor FI.
- A standard Request for Payment (RFP) flow will result in one of the following outcomes:
  - Request is accepted by the Debtor FI and pacs.008 is received
  - Request is rejected by the Debtor FI and pain.014 is received
- US RTP RFP Maintenances
- Outbound RFP Transactions

Outbound RFP Payments can be initiated through the Outbound RFP Payment screens by providing the RFP Payment details.

Inbound Request for Payments
 Incoming RFPs are received as pain.013 messages from CI. System will receive and process the requests based on predefined processing steps.

## 2.1 US RTP - RFP Maintenances

US RTP - RFP Restrictions


## 2.1.1 US RTP - RFP Restrictions

The US RTP Request for Payment Restrictions Detailed screen allows user to track the daily payments limits and mark restrictions on customer account, where RFP is not allowed.

1. On Homepage, specify **PUDRFPRT** in the text box, and click next arrow.

US RTP Request for Payment Restrictions Detailed screen is displayed.

Figure 2-1 US RTP Request for Payment Restrictions Detailed



2. Click **New** button on the Application toolbar.



On US RTP Request for Payment Restrictions Detailed screen, specify the fields.

For more information on fields, refer to the field description below:

Table 2-1 US RTP Request for Payment Restrictions Detailed - Field Description

Field	Description
Host Code	System displays the Host Code of selected branch of the logged in user on clicking 'New' button.
Host Code Description	System defaults the description of the Host Code.
Customer Account Number	Select the Customer Account Number from the list of values. All the valid customer accounts are listed.
Account Description	System defaults the description of the Customer Account Number selected.
<b>Customer Account Details</b>	
Restriction Type	Select the Restriction Type from the following:  Allowed  Disallowed  Note  If RFPs are not allowed for an account, then Restriction type option is to be maintained as 'Allowed' and list no account in the multi-Block.
Creditor Account	Specify the Creditor Account details in this grid. This is a text field and you can add multiple counterparty accounts in this section.

# 2.2 Outbound RFP Transactions

Outbound RFP Payments can be initiated through the Outbound RFP Payment screens by providing the RFP Payment details.

- US RTP Request for Payment
- Webservices

The outbound US RTP can be initiated using Single payment Rest service.

- Outbound RFP Processing
- Outbound RFP Payments View
- Non -Receipt of status message pacs.002
- Outbound RFP Message Browser

# 2.2.1 US RTP Request for Payment

The US RTP Request for Payment screen allows user to book the outbound RFP transactions. Outbound RFP Payment details can be provided.

1. On Homepage, specify **PUDOTRFP** in the text box, and click next arrow.

US RTP Request for Payment Detailed screen is displayed.



**US RTP Request for Payment Detailed** ::× New 🖂 Enter Query Transaction Branch End to End Identification Host Code \* Network Code \* Host Code Description Network Code Description Instruction Identification Source Code \* Source Code Description Creditor Details Creditor Identification Creditor Postal Address Account Currency City of Birth Building Number Post Code Account Branch Country of Birth Creditor Name Customer Number Country Customer Service Model Debtor Details Debtor Identification Debtor Postal Address Debtor Account Number City of Birth Building Number Debtor Name Post Code Country of Birth Debtor Bank Name Country Additional Details Payment Details Booking Date Local Instrument Remittance Advice ID Transfer Currency Remitter Information Remittance Method MIS UDF

Figure 2-2 US RTP Request for Payment Detailed

- 2. Click **New** button on the Application toolbar.
- 3. On US RTP Request for Payment Detailed screen, specify the fields.

For more information on fields, refer to the field description below:

Table 2-2 US RTP Request for Payment Detailed - Field Description

Field	Description
Transaction Branch Code	System defaults the transaction branch code with the user's logged in branch code.
Host Code	System displays the Host Code of selected branch of the logged in user on clicking 'New' button.
<b>Host Code Description</b>	System defaults the description of the Host Code.
Source Code	Select the Source Code from the list of values. All valid Source code are listed.
Source Code Description	System displays the Source Code description of the selected Source Code.
Transaction Reference Number	This is a unique identifier of the RTP payment transaction and autogenerated by the system based on the common transaction reference generation logic.
Network code	System defaults the Network code as 'RTP'. And you can also select the Network code from the list of values. All valid codes maintained in Network maintenance (PMDNWMNT) screen are listed.
Network code Description	System defaults the description of the Network code.
End to End Identification	This is the End to End ID provided by the Originating Customer (debit account owner). If End to End ID, is not provided by the customer, system populates the transaction reference as End to End ID. However, you can modify the same.
Source Reference Number	System displays the Source Reference Number provided by the channel or any other source for the transaction. You can input the value for manually booked transaction.



Table 2-2 (Cont.) US RTP Request for Payment Detailed - Field Description


Field	Description
Instruction Identification	This is a system generated reference and is a mandatory field. This field will not be modifiable. Following is the Format details generated:  Format: YYYYMMDDbbbbbbbbbbbBRRRRnnnnnnnnnnn  Pos. 01-08 - File creation date in format YYYYMMDD  Pos. 09-19 - Participant ID (11 digits)  Pos. 20-20 - Message generation source ("B" if generated by a TCH FI)  Pos. 21-24 - Alphabetic serial identifier (4 alphabetic characters)  Pos. 25-35 - Message serial number (11 Numeric characters)
	(i) Note  The date is set to Easter Time (Eastern Standard Time or Eastern Daylight Time, as applicable under the Energy Policy Act of 2005).

- Main Tab
- MIS Button
   This topic explains the MIS Details screen.
- <u>UDF Button</u>
   This topic provides details of the **Fields** screen.
- US RTP Request for Payment Summary

## 2.2.1.1 Main Tab

1. Click on Main Tab.

Figure 2-3 US RTP Request for Payment Detailed - Main Tab



2. On Main Tab, specify the fields.

For more information on fields, refer to the field description below:



Table 2-3 US RTP Request for Payment Detailed - Main Tab Field Description

Field	Description
Creditor Details	
Creditor Account	Select the valid account number to be credited from the list of values. All the valid account numbers are listed.
Account Currency	System defaults the Account currency based on the account number selected.
Account Branch	System defaults the Account Branch based on the account number selected.
Creditor Name	System defaults the creditor name based on the account number selected.
Customer Number	System defaults the Customer Number based on the account number selected.
Customer Service Model	The customer service model linked to the customer, if any, is populated.
Creditor Identification	
Birth Date	Specify the Birth Date of the creditor.
City Of Birth	Specify the City of Birth of the creditor.
Country Of Birth	Specify the Country of Birth of the creditor.  (i) Note  Either all the fields in creditor Identification can be null or all the fields must have data. System validates the mandatory data
Creditor Postal Address	
Street Name	Specify the Street Name of the creditor.
Building Number	Specify the Building Number of the creditor.
Post Code	Specify the Post Code of the creditor.
Town Name	Specify the Town Name of the creditor.
Country	Specify the Country of the creditor.
Debtor Details	
SSI Label	If the debtor details are maintained in PUDCRDTL for the creditor account entered, the same can be selected in this field. Debtor details will be populated based on the SSI label details.  (i) Note  It is optional to maintain SSI labels. User can directly input the beneficiary details if SSI label is not maintained.
Debtor Account Number	Specify the Debit Account Number.
Debtor Name	Specify the Debtor Name, associated with the account.
Routing Number	Select the Routing number from the list of values. All open and authorized Bank Codes available in Routing file Details are listed in this field.
Debtor Bank Name	Specify the Debtor Bank Name, associated with the account.



Table 2-3  $\,$  (Cont.) US RTP Request for Payment Detailed - Main Tab Field Description

Field	Description
Debtor Identification	
Birth Date	Specify the Birth Date of the debtor.
City Of Birth	Specify the City of Birth of the debtor.
Country Of Birth	Specify the Country of Birth of the debtor.
	Either all the fields in debtor Identification can be null or all the fields must have data. System validates the mandatory data
Debtor Postal Address	
Street Name	Specify the Street Name of the debtor.
Building Number	Specify the Building Number of the debtor.
Post Code	Specify the Post Code of the debtor.
Town Name	Specify the Town Name of the debtor.
Country	Specify the Country of the debtor.
	Note  Either all the fields in postal address can be null or all the fields must have data, except Building Number, which is optional. System validates the mandatory data.
Payment Details	
Booking Date	System defaults the current date as Booking Date. This is a disabled field for user modification.
Requested Execution Date	System defaults the current application server date. This date can be modified by the user. This is the requested execution date by the customer. Back dates are not allowed as instruction date.
Transfer Currency	System defaults the Transfer currency as 'USD'.
Transfer Amount	Specify the Transfer Amount.
Additional Details	



Table 2-3 (Cont.) US RTP Request for Payment Detailed - Main Tab Field Description

Field	Berninting
Field	Description
Local Instrument	Select the Local Instrument from the list of values. All the valid instruments are listed.
	Identifies the Debtor/Sender as either a business or consumer customer of the Debtor FI. This element could also identify the transaction as being initiated through a system which may require special processing or display considerations for the Debtor FI.
	Local Instrument options listed are as follows:
	<ul> <li>BUSINESS - Business Initiated Payment (domestic)</li> <li>CONSUMER - Consumer Initiated Payment (domestic)</li> <li>INTERMEDIARY - Payment sent through a Payment Service Provider (domestic)</li> <li>ZELLE - Zelle Payment (domestic)</li> </ul>
Remittance Advice ID	Specify the Remittance Advice ID.
	This field is used, if a separate Remittance Advice is sent via a remt.001 message. The reference in this element, if included, must be identical to the Remittance Identification provided in the remittance advice message
Remittance Information	Specify the Remittance Information. Unstructured information up-to length 140 can be entered in this field.
	Note  Structured Remittance information is applicable if the payment is originated as a result of return of a previous payment received.
Remittance Method	Select the Remittance method from the following:
	EMAL - E-Mail     URID - Uniform Resource Identifier
Enrich Button	On clicking the Enrich button, system computes the Charges, and Tax on Charges if applicable.

## 2.2.1.2 MIS Button

This topic explains the MIS Details screen.

User can maintain the MIS information for the transaction. If the MIS details are not entered, they will be defaulted from the product maintenance.

1. Click the MIS button in the screen.

The MIS Details screen is displayed.



Figure 2-4 MIS Button



2. On the MIS Details screen, specify the fields.

Table 2-4 MIS Button - Field Description

Field	Description
Transaction Reference	System displays the Transaction reference number of the transaction.
MIS Group	The user can select the <b>MIS Group</b> Code from the option list or specify the code for the MIS group in <b>Source Maintenance</b> .
	The system displays all valid MIS groups for different sources in the MIS Group list within Source Maintenance.
	When a transaction is booked from this screen, the <b>MIS group</b> associated with the <b>Manual</b> source is populated by default.
Default button	Click the <b>Default</b> button after selecting an MIS group different from the default, to populate the corresponding default MIS values and link them to the <b>Transaction MIS</b> and <b>Composite MIS</b> classes.
Transaction MIS	user can populate the default MIS values for the <b>Transaction MIS</b> classes linked to the selected MIS group. Alternatively, user can modify one or more default MIS values, add new values, or select MIS values from the available option list.
Composite MIS	user can populate the default MIS values for the <b>Composite MIS</b> classes linked to the selected MIS group. Alternatively, user can modify one or more default MIS values, add new values, or select MIS values from the available option list.



## 2.2.1.3 UDF Button

This topic provides details of the Fields screen.

This sub-screen defaults values of UDF fields that are part of the UDF group specified for the **Manual** source.

1. Click the **UDF** button in the screen.

The **Fields** screen is displayed.

Figure 2-5 UDF Button



2. On the Fields screen, user can view the following fields.

The following fields are displayed:

Table 2-5 UDF Button - Field Description

Field	Description
Field Label	System displays all fields that are part of the associated UDF group.
Field Value	The system displays default values for UDF fields, if available. user can modify the default value or enter a value for fields where no default exists.

## 2.2.1.4 US RTP Request for Payment Summary

The US RTP Request for Payment Summary screen allows user to view all the RFP outbound transactions booked.

1. On Homepage, specify **PUSOTRFP** in the text box, and click next arrow.

US RTP Request for Payment Summary screen is displayed.



Figure 2-6 US RTP Request for Payment Summary



- 2. Search using one or more of the following parameters:
  - Authorization Status
  - Transaction Reference Number
  - Booking Date
  - Requested Execution Date
  - Transfer Currency
  - SSI Label
  - · Debtor Account Number
  - Creditor Account Number
  - Network Code
  - Source Code
  - Source Reference Number
  - End to End Identification
  - Routing Number
- 3. Once you specified the parameters, click the **Search** button.

System displays the records that match the search criteria.

## 2.2.2 Webservices

The outbound US RTP can be initiated using Single payment Rest service.

# 2.2.3 Outbound RFP Processing

Following are the processing steps for outbound payments:

- Initial Validations
- Duplicate Check
- Sanctions Check
- EAC Check



Messaging

#### **Initial Validations**

- The following processing will be covered as part of initial validations:
  - Data enrichment Account / Bank Re-direction , Network character replacement
  - Mandatory field validations
  - Network Limit validations
- If Account re-direction or bank re-direction is maintained, then the account / bank details
  will be replaced by the values. Account re-direction is applicable for debtor account only.
- Network character replacement will be done for characters not allowed by the Network if the corresponding maintenance is available.
- Mandatory Fields / Referential data checks will be done based on the details received in the payment request and the values populated by system. Validation will be available to verify whether the Debtor Bank Routing Number is allowed for RFP. In case of validation failure, transaction will be rejected.
- Transfer amount limit check will be done for the minimum and maximum amount limits defined for the Network, as maintained in Inbound Payment Preferences (PUDNCPRF).

### **Duplicate Check**

- Duplicate parameters can be maintained for the source. Based on the duplicate days and fields set, duplicate check for the RFP will be done. If the RFP is identified as duplicate, the transaction will be moved to business override queue.
- The following parameters will be available for duplicate check:
  - Debtor Account DBTR ACC
  - Creditor Account CRDTR ACC
  - Transfer Amount TFR\_AMT
  - Instruction Date VALUE\_DATE
  - Creditor Bank Routing Number CRDTR BANK CODE
  - Customer CUSTOMER\_NO
  - Debtor Bank Routing Number DBTR BANK CODE

#### **Sanctions Check**

The transaction can be sent for sanction screening to an external system. The external system status can be linked to one of the following system status:

- Approved
- Rejected
- Interim
- Seizure

If sanction is approved, the transaction will be resumed with the further processing. In case of seizure, no accounting is applicable. If the status is rejected, interim or timed out, the transaction is moved to sanction check queue.



## ① Note

Sanction Check System maintenance will be updated to have specific In/Out queues for Faster Payments in general. The sanction requests originating from Faster Payments will be sent through separate JMS queues.

### **External Account Check with DDA (CASA) System**

The debit details will be sent to the DDA system for account validation. The external system status can be linked to one of the following system status:

- Approved
- Rejected
- Interim

If account check is approved, the transaction will be resumed with the further processing. If the status is rejected or interim, the transaction is moved to EAC queue.

#### Messaging

- Every RFP will generate a pain.013.001.05 message. Message ID format will be the same as credit transfer messages.
- All message processing dates are required to be set to Eastern Time (Eastern Standard Time or Eastern Daylight Time, as applicable under the Energy Policy Act of 2005) by the message sender. While generating the pain.013 message, the following values will be populated for RTP:
  - Instructing Agent Member ID –. This will be populated as creditor branch Routing and Transit number
  - Instructed Agent member ID This is the Routing and transit number of the debtor bank
  - Payment method will be TRF always
  - Clearing system Code will be TCH
  - Settlement method will be CLRG
  - Service level code will be populated as SDVA
  - Local instrument proprietary value will be as selected for the transaction
  - Charge bearer value will be populated as SLEV

#### **Network Response Handling**

- The Accept or Reject confirmation is received from the CI in pacs.002 format. For every message sent, a confirmation message is received.
- System parse and upload the received message and based on the status value received RCVD / RJCT, the outbound transaction is further processed.
- On receiving RJCT status, RFP will be marked as 'Rejected'. Notification will be sent to creditor customer indicating the status of the RFP.

## 2.2.4 Outbound RFP Payments View


The US RTP Outbound Request for Payment View screen allows user to view all the outbound RFP payments with all the processed details.



1. On Homepage, specify **PUDORPVW** in the text box, and click next arrow.

US RTP Outbound Request for Payment View screen is displayed.

Figure 2-7 US RTP Outbound Request for Payment View



From this screen, click Enter Query.

The Transaction Reference field gets enabled which opens an LOV screen.

- 3. Click the Fetch button and select the required value.
- **4.** Along with the transaction details in the Main and Pricing tabs user can also view the Status details for the following:
  - External System Status
  - Transaction Status
- Click Execute Query to populate the details of the transaction in the US RTP Outbound Request for Payment View screen.

For more details on Main, Pricing tabs refer to 'PUDOTRFP' screen details above.

MIS Button

This topic explains the MIS Details screen.

UDF Button

This topic provides details of the **Fields** screen.

View Queue Action

This topic provides the systematic instructions to process the **View Queue Action Log** screen.

- All Messages
- Accounting Entries

This topic provides the systematic instructions to process the **Accounting Entries** screen.



Outbound RFP View Summary

### 2.2.4.1 MIS Button

This topic explains the MIS Details screen.

User can maintain the MIS information for the transaction. If the MIS details are not entered, they will be defaulted from the product maintenance.

1. Click the MIS button in the screen.

The MIS Details screen is displayed.

Figure 2-8 MIS Button



2. On the MIS Details screen, specify the fields.

Table 2-6 MIS Button - Field Description

Field	Description
Transaction Reference	System displays the Transaction reference number of the transaction.
MIS Group	The user can select the <b>MIS Group</b> Code from the option list or specify the code for the MIS group in <b>Source Maintenance</b> .
	The system displays all valid MIS groups for different sources in the MIS Group list within Source Maintenance.
	When a transaction is booked from this screen, the <b>MIS group</b> associated with the <b>Manual</b> source is populated by default.
Default button	Click the <b>Default</b> button after selecting an MIS group different from the default, to populate the corresponding default MIS values and link them to the <b>Transaction MIS</b> and <b>Composite MIS</b> classes.



Table 2-6 (Cont.) MIS Button - Field Description

Field	Description
Transaction MIS	user can populate the default MIS values for the <b>Transaction MIS</b> classes linked to the selected MIS group. Alternatively, user can modify one or more default MIS values, add new values, or select MIS values from the available option list.
Composite MIS	user can populate the default MIS values for the <b>Composite MIS</b> classes linked to the selected MIS group. Alternatively, user can modify one or more default MIS values, add new values, or select MIS values from the available option list.

## 2.2.4.2 UDF Button

This topic provides details of the Fields screen.

This sub-screen defaults values of UDF fields that are part of the UDF group specified for the **Manual** source.

1. Click the **UDF** button in the screen.

The Fields screen is displayed.

Figure 2-9 UDF Button



2. On the **Fields** screen, user can view the following fields.

The following fields are displayed:

Table 2-7 UDF Button - Field Description

Field	Description
Field Label	System displays all fields that are part of the associated UDF group.
Field Value	The system displays default values for UDF fields, if available. user can modify the default value or enter a value for fields where no default exists.



## 2.2.4.3 View Queue Action


This topic provides the systematic instructions to process the View Queue Action Log screen.

This screen provides the information on the user's actions log in queque. User can view all the queue actions for the respective transaction initiated.

1. From the main screen or tab, click View Queue Action.

The View Queue Action Log screen is displayed.

Figure 2-10 View Queue Action Log



On the View Queue Action Log screen, view the required details. For more information on fields, refer to the field description table below:



User can view the request sent and the corresponding response received for each row in Queue Action Log.  $\,$ 

Table 2-8 View Queue Action Log - Field Description

Field	Description
Transaction Reference Number	Displays the unique reference number for the transaction.
Network Code	Displays the <b>Network Code</b> of the transaction.
Transaction Reference Number	Displays the unique reference number for the transaction.
Action	Displays the <b>Action</b> performed on the transaction.
Remarks	Displays the <b>Remarks</b> , if any.
Exception Queue	Displays the Exception Queue code.
Authorization Status	Displays the current <b>Authoization Status</b> of the transaction.
Maker ID	Displays the transaction's Maker ID.
Maker Date Stamp	Displays the date stamp of the maker.
Checker ID	Displays the transaction's <b>Checker ID</b> .



Table 2-8 (Cont.) View Queue Action Log - Field Description


Field	Description
Checker Date Stamp	Displays the date stamp of the checker.
Queue Status	Displays the current status of the transaction in queue.
Queue Reference No	Displays the transaction reference number in queue.
Primary External Status	Displays the status of the primary external.
Secondry External Status	Displays the status of the secondry external.
External Reference Number	Displays the external reference number.
Cancel Reason Code	Displays the reason code for the cancellation request.
Cancel Reason Description	Displays the reason description for the cancellation.
Verification Status	Displays the current verification status.
Verifier ID	Displays the unique <b>Verifier ID</b> .
Verifier Date Stamp	Displays the date stamp of the verifier.
Authorizer Remarks	Displays the Authorizer Remarks, if any.
Verifier Remarks	Displays the Verifier Remarks, if any.

- **3.** If required, user can view the request sent and the response received from external systems for the following:
  - Sanction System
  - External Credit Approval
  - External Account Check
  - External FX fetch
  - External Price Fetch
  - Accounting System

## 2.2.4.4 All Messages

You can invoke this screen by clicking 'All Messages' tab in the screen.

Figure 2-11 All Messages





## 2.2.4.5 Accounting Entries

This topic provides the systematic instructions to process the **Accounting Entries** screen.

1. From the main screen or tab, click **Accounting Entries**.

The Accounting Entries screen is displayed.

Figure 2-12 Accounting Entries



2. On the **Accounting Entries** screen, view the fields. For more information on fields, refer to the field description table below:

Table 2-9 Accounting Entries - Field Description

Field	Description
Event Code	Displays the <b>Event Code</b> .
Transaction Date	Displays the <b>Transaction Date</b> .
Value Date	Displays the Value Date.
Account	Displays the <b>Account</b> .
Account Branch	Displays the Account Branch.
TRN Code	Displays the TRN Code.
Dr/Cr	Displays the <b>Debit (Dr)</b> and <b>Credit (Cr)</b>
Amount Tag	Displays the <b>Amount Tag</b> .
Account Currency	Displays the <b>Account Currency</b> .
Transaction Amount	Displays the <b>Transaction Amount</b> .
Netting	Displays the <b>Netting</b> .
Offset Account	Displays the Offset Account.
Offset Account Branch	Displays the Offset Account Branch.
Offset TRN Code	Displays the Offset TRN Code.
Offset Amount Tag	Displays the Offset Amount Tag.
Offset Currency	Displays the <b>Offset Currency</b> .
Offset Amount	Displays the <b>Offset Amount</b> .
Offset Netting	Displays the Offset Netting.
Handoff Status	Displays the <b>Handoff Status</b> .




## 2.2.4.6 Outbound RFP View Summary

1. On Homepage, specify **PUSORPVW** in the text box, and click next arrow.

**US RFP Outbound Payments View Summary** screen is displayed.

Figure 2-13 US RFP Outbound Payments View Summary



- 2. Search using one or more of the following parameters:
  - Authorization Status
  - Transaction Reference Number
  - Booking Date
  - Requested Execution Date
  - Transfer Currency
  - SSI Label
  - Debtor Account Number
  - Creditor Account Number
  - Network Code
  - Source Code
  - Source Reference Number
  - End to End Identification
  - Customer Number
  - Customer Service Model
  - Routing Number
  - Sanction Check Status
  - External Account Check Reference
  - Transaction
  - Queue Code
  - Sanction Seizure



Once you specified the parameters, click the Search button.System displays the records that match the search criteria.

## 2.2.5 Non -Receipt of status message pacs.002

- Based on the Network time out preference maintained for the outbound payment in PUDNCPRF, system verifies whether the allowed time for a Response to the Credit Transfer (pacs.002) message from CI has expired.
- If the time limit is over, the transaction will be logged to a pending queue. You can 'Resend' the message manually from this queue PUSPENDQ.
- The message payload is identical to the original pacs.008 message but the Copy Duplicate <CpyDplct> data element is added with a value of "DUPL" in the Business Application Header.
- On receipt of pacs.002 message, the transaction, automatically moves out of the pending queue. Receipt of pacs.002 indicates, if the request is accepted/allowed.
- Outbound Pending RTP Payment Queue

## 2.2.6 Outbound RFP Message Browser

1. On Homepage, specify **PUSOTBRW** in the text box, and click next arrow.

Outbound US RTP Message Browser screen is displayed.

Figure 2-14 Outbound US RTP Message Browser



- 2. Search using one or more of the following parameters:
  - Message Identification
  - Message Date
  - Transaction Reference Number
  - End to End Identification
  - Message Type
  - Message Status
  - Network Code



- Transaction Branch
- Instruction Identification
- Select a record and click on 'View Message' to view the message details. The following messages can be viewed from this browser:
  - pacs.008 -outbound payment message
  - pacs.008-retry message for time out cases
  - pacs.002-Accept/reject of inbound payments
  - camt.035-Payment Acknowledgment (generated for inbound payments with status ACWP)
- 4. Once you specified the parameters, click the **Search** button.
  - System displays the records that match the search criteria.
- 5. Double click a record after selecting a record to view the detailed screen.

## 2.3 Inbound Request for Payments

Incoming RFPs are received as pain.013 messages from CI. System will receive and process the requests based on predefined processing steps.

- Inbound Request for Payment Processing
- Inbound RFP Payments View
- Messages Received with 'DUPL' in Business Header
- Inbound RFP Message Browser
- Response Processing

## 2.3.1 Inbound Request for Payment Processing

Inbound payments follow the below listed processing steps:

- Initial Validations
- Customer Restrictions Check
- External Account Check
- Generation of status message pacs.002
- Sanctions Check
- Customer Notification

### **Initial Validations**

- System performs the below validations similar to the outbound payments:
  - Account/Bank re-direction 

    Account re-direction is done for the credit account
  - Mandatory field checks/ Referential data checks
- Any failure during validation processing results in a transaction reject and pacs.002 message sent to CI with appropriate reason code.





### (i) Note

Reason code is populated based on the error code linkage in USRTP reason code mapping (Function PUDRSNMP) screen.

### **Customer Restrictions check**

- This is done based on the new maintenance US RTP -RFP Restrictions (Function ID: PUDRFPRT).
- If no RFP is allowed or the particular credit account is disallowed, then pacs.002 message is sent out with RJCT status.

### **External Account Check**

- If no RFP is allowed or the particular credit account is disallowed, then pacs.002 message is sent out with RJCT status.
- If ECA is rejected and auto cancellation is applicable or if manually cancelled from the queue, pacs. 002 is generated with RJCT status and reason code linked to the error code.

### **Sanction Check**

- In case of seizure, inbound RFP message will marked as seized. No further action will be possible for this RFP.
- Seizure accounting is applicable, if configured Dr. Customer account & Cr. Seizure GL.
- On successful completion of sanction check customer notification is generated. Inbound RFP is marked with the status 'Pending' till the customer response is received and processed.



### (i) Note

No further notification will be sent to the creditor FI in this case. This has to be operationally handled.

## 2.3.2 Inbound RFP Payments View

The US RTP Inbound Request for Payment View screen allows user to view Inbound RFP status. Payments received from all channels are listed in this screen. The related messages are listed in the 'View Messages' sub-screen.

On Homepage, specify **PUDIRPVW** in the text box, and click next arrow.

US RTP Inbound Request for Payment View screen is displayed.



**US RTP Inbound Request for Payment View** Enter Query Transaction Reference No End to End Identification Host Code Instruction Identification Network Code Source Code Network Description Source Code Description **Debtor Details** Debtor Identification **Debtor Postal Address** Birth Date City of Birth Account Branch Post Code Debtor Name Customer Service Model **Creditor Details** Creditor Identification Creditor Postal Address Creditor Account Number Birth Date Creditor Name City of Birth Bank Routing Numbe Post Code Creditor Bank Name Town Name Payment Details Additional Details External System Status Instruction Date Remittance Advice ID Sanctions Check Reference Transfer Currency Remittance Information External Account Check Status External Account Check Reference Electronic Address Transaction Queue Code View Queue Action UDF MIS All Messages

Figure 2-15 US RTP Inbound Request for Payment View

Click Enter Query from this screen.

The Transaction Reference field gets enabled which opens an LOV screen.

- 3. Click the Fetch button and select the required value.
- 4. Along with the transaction details in the Main and Pricing tabs user can also view the Status details for the following:
  - External System Status
  - Transaction Status
- Click Execute Query to populate the details of the transaction in the US RTP Inbound Request for Payments View screen.

For more details on Main, Pricing tabs refer to 'PUDOTRFP' details above.

- Response Details Tab
- View Queue Action

This topic provides the systematic instructions to process the **View Queue Action Log** screen.

UDF Button

This topic provides details of the **Fields** screen.

MIS Button

This topic explains the MIS Details screen.

- All Messages
- US RTP Inbound Request for Payments View Summary



## 2.3.2.1 Response Details Tab

The Response Details Tab allows user to view the response details received for the inbound payments. All the details pertaining to the response received can be viewed.

Click on Response Details Tab in the US RTP Inbound Request for Payment View screen.
 Response Details tab is displayed.

Figure 2-16 US RTP Inbound Request for Payment View - Response Details Tab



## 2.3.2.2 View Queue Action


This topic provides the systematic instructions to process the **View Queue Action Log** screen.

This screen provides the information on the user's actions log in queque. User can view all the queue actions for the respective transaction initiated.

From the main screen or tab, click View Queue Action.

The View Queue Action Log screen is displayed.

Figure 2-17 View Queue Action Log



On the View Queue Action Log screen, view the required details. For more information on fields, refer to the field description table below:





### Note

User can view the request sent and the corresponding response received for each row in Queue Action Log.

Table 2-10 View Queue Action Log - Field Description

Field	Bernindian
Field	Description
Transaction Reference Number	Displays the unique reference number for the transaction.
Network Code	Displays the <b>Network Code</b> of the transaction.
Transaction Reference Number	Displays the unique reference number for the transaction.
Action	Displays the <b>Action</b> performed on the transaction.
Remarks	Displays the <b>Remarks</b> , if any.
Exception Queue	Displays the Exception Queue code.
Authorization Status	Displays the current <b>Authoization Status</b> of the transaction.
Maker ID	Displays the transaction's Maker ID.
Maker Date Stamp	Displays the date stamp of the maker.
Checker ID	Displays the transaction's <b>Checker ID</b> .
Checker Date Stamp	Displays the date stamp of the checker.
Queue Status	Displays the current status of the transaction in queue.
Queue Reference No	Displays the transaction reference number in queue.
Primary External Status	Displays the status of the primary external.
Secondry External Status	Displays the status of the secondry external.
External Reference Number	Displays the external reference number.
Cancel Reason Code	Displays the reason code for the cancellation request.
Cancel Reason Description	Displays the reason description for the cancellation.
Verification Status	Displays the current verification status.
Verifier ID	Displays the unique <b>Verifier ID</b> .
Verifier Date Stamp	Displays the date stamp of the verifier.
Authorizer Remarks	Displays the Authorizer Remarks, if any.
Verifier Remarks	Displays the Verifier Remarks, if any.

- If required, user can view the request sent and the response received from external systems for the following:
  - **Sanction System**
  - **External Credit Approval**
  - **External Account Check**
  - **External FX fetch**
  - **External Price Fetch**
  - **Accounting System**

## 2.3.2.3 UDF Button

This topic provides details of the Fields screen.

This sub-screen defaults values of UDF fields that are part of the UDF group specified for the **Manual** source.

1. Click the **UDF** button in the screen.

The **Fields** screen is displayed.

Figure 2-18 UDF Button



2. On the Fields screen, user can view the following fields.

The following fields are displayed:

Table 2-11 UDF Button - Field Description

Field	Description
Field Label	System displays all fields that are part of the associated UDF group.
Field Value	The system displays default values for UDF fields, if available. user can modify the default value or enter a value for fields where no default exists.

### 2.3.2.4 MIS Button

This topic explains the MIS Details screen.

User can maintain the MIS information for the transaction. If the MIS details are not entered, they will be defaulted from the product maintenance.

1. Click the MIS button in the screen.

The MIS Details screen is displayed.



Figure 2-19 MIS Button



2. On the MIS Details screen, specify the fields.

Table 2-12 MIS Button - Field Description


Field	Description
Transaction Reference	System displays the Transaction reference number of the transaction.
MIS Group	The user can select the <b>MIS Group</b> Code from the option list or specify the code for the MIS group in <b>Source Maintenance</b> .
	The system displays all valid MIS groups for different sources in the MIS Group list within Source Maintenance.
	When a transaction is booked from this screen, the MIS group associated with the Manual source is populated by default.
Default button	Click the <b>Default</b> button after selecting an MIS group different from the default, to populate the corresponding default MIS values and link them to the <b>Transaction MIS</b> and <b>Composite MIS</b> classes.
Transaction MIS	user can populate the default MIS values for the <b>Transaction MIS</b> classes linked to the selected MIS group. Alternatively, user can modify one or more default MIS values, add new values, or select MIS values from the available option list.
Composite MIS	user can populate the default MIS values for the <b>Composite MIS</b> classes linked to the selected MIS group. Alternatively, user can modify one or more default MIS values, add new values, or select MIS values from the available option list.

## 2.3.2.5 All Messages

• You can invoke this screen by clicking 'All Messages' tab in the screen.




Figure 2-20 All Messages



## 2.3.2.6 US RTP Inbound Request for Payments View Summary

On Homepage, specify PUSIRPVW in the text box, and click next arrow.
 US RTP Inbound Request for Payments View Summary screen is displayed.

Figure 2-21 US RTP Inbound Request for Payments View Summary



- 2. Search using one or more of the following parameters:
  - Transaction Reference Number
  - Creditor Account Number
  - Debtor Account Number
  - Host Code
  - Network Code
  - Transaction
  - Customer Number
  - Customer Service Model



- Sanction Seizure
- Authorization Status
- Source Code
- Booking Date
- End to End Identification
- Instruction Identification
- Sanction Check Status
- External Account Check Status
- Oueue Code
- Once you specified the parameters, click the Search button.

System displays the records that match the search criteria.

## 2.3.3 Messages Received with 'DUPL' in Business Header


- On uploading any pain.013 message, system has to check whether it is received with DUPL tag in the business header.
- If yes, before treating it as an inbound payment, validation is to be done whether a payment is received with the same Instruction ID before.
- If yes, based on the transaction status pacs.002 message needs to be generated and send out. If a similar transaction is not received before, the current pain.013 message needs to be treated as a new RFP and needs to be processed as an inbound RFP.

## 2.3.4 Inbound RFP Message Browser

1. On Homepage, specify **PUSINBRW** in the text box, and click next arrow.

Inbound Faster Payments Message Browser screen is displayed.

Figure 2-22 Inbound Faster Payments Message Browser



- 2. Search using one or more of the following parameters:
  - Original Message ID
  - End to End ID



- Transaction ID
- Transaction Reference No
- Message ID
- Message Date
- Message Status
- Network Code
- · Transaction Branch
- 3. For more details on this screen, refer to section 2.3.6.


## 2.3.5 Response Processing

The US RTP - Response to Inbound RFP screen allows user to provide the response details by selecting the Inbound RFP Instruction ID and querying the details. The response details can be input by unlocking the screen.

1. On Homepage, specify **PUDRFPRS** in the text box, and click next arrow.

**US RTP - Response to Inbound RFP** screen is displayed.

Figure 2-23 US RTP - Response to Inbound RFP



- 2. Instruction ID list of values will allow query using any of the below fields upon unlocking
  - Sender Instruction ID
  - Instruction Date
  - Creditor Bank Routing
  - Debtor Account
  - End to End ID
  - Message ID
  - RFP Amount
- **3.** As part of the Response details provided in this screen, following are the further processes:
  - If the RFP is accepted a new credit transfer, transaction gets auto created.



- In US RTP Outbound Payments View screen (PUDOVIEW), RFP Response flag is enabled and Instruction ID is populated as sender Instruction ID received in RFP.
- The outbound message pacs.008 is generated with sender Instruction ID in tag
  - CdtTrfTxInf
  - +PmtId
  - ++Instrld
- If the instruction date is in future, the outbound payment will be created on authorizing
  the acceptance of RFP with future date as instruction date and will be processed
  similar to a future valued payment.
- If the response is 'Reject', it is mandatory to input reason code. Additional information must be provided for the codes 'NARR' and '1100'.
- If the outbound transaction is canceled at any stage, the corresponding RFP response transaction is marked as cancelled.
- It is possible to initiate another response transaction for the RFP outstanding.
- If the response is reject, the reject transaction is sent for sanctions screening. If the sanctions result in seizure, the RFP request transaction is marked as seized. No accounting is applicable. Pain.014 generation is still applicable.
- Sender Instruction ID is populated in the tag OrgnlPmtInfld of pain.014 generated.
- Response details can be viewed from US RTP Inbound RFP view screen 'Response Details' tab.

## Glossary

# **PMDRTPDR RTP Routing Directory PMDXMLSN** Signature Details **PMSRTPDR RTP Routing Directory Summary PMSXMLSN** Signature Details Summary **PUDCRDTL Creditor Details PUDDRDTL Debtor Details PUDINCPF Inbound Payment Preferences PUDIRPVW Inbound RFP Payments View PUDIVIEW Inbound RTP Payments View**

### **PUDNCPRF**

**Outbound Payment Preferences** 

### **PUDORPVW**

Outbound RFP Payments View

### **PUDOTONL**

Outbound RTP Transaction Input

### **PUDOTRFP**

**US RTP Request for Payment** 

### **PUDOVIEW**

**Outbound RTP Payments View** 

### **PUDRFPRS**

Response Processing

### **PUDRFPRT**

**US RTP - RFP Restrictions** 

### **PUDRSNMP**

Reason Code Mapping

### **PUSCRDTL**

**US RTP Creditor Details Summary** 

### **PUSDRDTL**

**US RTP Debtor Details Summary** 

### **PUSINBRW**

Inbound RTP Message Browser

### **PUSINCPF**

**Inbound Payment Preference Summary** 

### **PUSIRPVW**

**US RTP Inbound Request for Payments View Summary** 

### **PUSIVIEW**

**RTP Inbound Payments View Summary** 

### **PUSNCPRF**

**Outbound Payment Preference Summary** 

### **PUSORPVW**

**Outbound RFP View Summary** 

### **PUSOTBRW**

Outbound RTP Message Browser

### **PUSOTONL**

**RTP Outbound Payments Transaction Summary** 

### **PUSOTRFP**

**US RTP Request for Payment Summary** 

### **PUSOVIEW**

**RTP Outbound Payments View Summary** 

### **PUSPENDQ**

Outbound Pending RTP Payment Queue

### **PUSRSNMP**

Reason Code Mapping Summary