

Oracle® Banking Payments

Reference Document Data Archival and Purging



Release 14.8.1.0.0
G44866-01
October 2025

ORACLE®

G44866-01

Copyright © 2017, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

| | | |
|-----|--|---|
| 1 | Data Archival in Oracle Banking Payments | |
| 1.1 | Introduction | 1 |
| 1.2 | Interval Partitioning of Oracle Database | 1 |
| 1.3 | Data Archival in Oracle Banking Payments | 1 |

Preface

- [Purpose](#)
- [Audience](#)
This manual is intended for the following User/User Roles:
- [Documentation Accessibility](#)
- [Critical Patches](#)
- [Diversity and Inclusion](#)
- [Conventions](#)

Purpose

This guide is designed to help acquaint you with the Oracle Banking Payments application. This guide provides answers to specific features and procedures that the user need to be aware of the module to function successfully.

Audience

This manual is intended for the following User/User Roles:

Table User Roles

| Role | Function |
|---------------------------|--|
| Implementation & IT Staff | Implementation & Maintenance of the Software |

[Documentation Accessibility](#)

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to make sure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to

build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Conventions

The following text conventions are used in this document:

| Convention | Meaning |
|------------------------|--|
| boldface | Boldface type indicates graphical user interface elements associated with an action, or terms defined in text. |
| <i>italic</i> | Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values. |
| <code>monospace</code> | Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter. |

1

Data Archival in Oracle Banking Payments

- [Introduction](#)
- [Interval Partitioning of Oracle Database](#)
- [Data Archival in Oracle Banking Payments](#)

1.1 Introduction

This chapter provides information on the Data Archival in Oracle Banking Payments. It fulfill the business requirements to archive data from the main Transaction-processing tables at a definable frequency to avoid performance degradation. It also helps to retrieve & view archived data on demand.

This chapter contains the following sections:

- Interval Partitioning of Oracle Database
- Data Archival in Oracle Banking Payments

1.2 Interval Partitioning of Oracle Database

Database partitioning is the process of splitting tables or indexes into smaller and manageable pieces. Logically there is only one table or index when the application access the database. But due to partitioning, that table or index consists of many physical partitions. Each partition is an independent object controlled either by itself or as part of the larger object.

Interval Partitioning performs Data Archival in Oracle Banking Payments. It is one of the nine schemes of partitioning in Oracle Database.

The main characteristics of Interval Partitioning are:

- It performs partition of table, basis on the range of values in a particular column.
- It helps to define partition criteria basis on a date or a time-interval type column.
- It also aids in the exclusion of data beyond the archival period in the low-cost storage device.
- Designing application tables using Interval Partitions helps address the Data Archival requirements automatically.

To understand the Interval Partition, take an example to archive data of 13 months. Assume that the 13 months data need to be archived quarterly. The transaction table must contain a date datatype column to perform interval partitioning of the table. Let's call this the Booking Date column. Each time a data transaction happens, the transaction creation date goes into the Booking Date column. In the Transaction-processing tables, the partition criterion must set quarterly to segregate each quarter data into separate partitions within the same table. Therefore, for 13 months, data segregates into five different tables.

1.3 Data Archival in Oracle Banking Payments

The Data Archival process involves the following steps:

- A date column TXN_ARCH_DT (Transaction Archival Date) get added to all the main Transaction-processing tables. This column denotes the transaction creation date.
- The partitioning of tables is implemented only based on the transaction creation date.
- To perform Interval Partition of the table, install the Partition Script. The Partition Script comes with each software release.
- In Partition Script, the time-frequency is set at three months interval. To change the Data Archival period, modify the Partition Script before installation.
- After installation of the Partition Script, all transaction data populates in appropriate partitions of the tables.

On existing data, a default conversion script also forms part of the Partition Script. The Partition Script contains a default clause to house the existing records. So, the default value populates in the TXN_ARCH_DT column. All the new transaction after software upgrade goes into new partitions