

Oracle® Banking Payments

Oracle Banking Payments - Oracle Banking Trade Finance Integration User Guide



Release 14.8.2.0.0

G53876-02

April 2026

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

G53876-02

Copyright © 2020, 2026, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1 Trade Finance - Payments Integration

1.1	Scope	1
1.1.1	Integration Scope	1
1.2	Prerequisites	2
1.2.1	Prerequisites in Oracle Banking Trade Finance	2
1.2.2	Prerequisites in Oracle Banking Payments	5
1.2.3	Prerequisites in Common Core OBTF and OBPM	7
1.3	Integration Process	8
1.3.1	Installation Modes	8
1.3.2	Integration Processing	10
1.3.2.1	OBTF Payment Request Initiation	10
1.3.2.2	External Payment System Queue	11
1.3.2.3	External Payment System Queue History	13
1.3.2.4	External Bill Liquidation	14

Preface

- [Purpose](#)
- [Audience](#)
This manual is intended for the following User/User Roles:
- [Documentation Accessibility](#)
- [Critical Patches](#)
- [Diversity and Inclusion](#)
- [Conventions](#)

Purpose

This guide is designed to help acquaint you with the Oracle Banking Payments application. This guide provides answers to specific features and procedures that the user need to be aware of the module to function successfully.

Audience

This manual is intended for the following User/User Roles:

Table User Roles

Role	Function
Implementation & IT Staff	Implementation & Maintenance of the Software

[Documentation Accessibility](#)

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to make sure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to

build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

1

Trade Finance - Payments Integration

The integration between OBTF and OBPM enables banks to do the following:

- Outgoing payment message processing
- Bill Liquidation on external request from OBPM

This chapter contains the following sections:

- [Scope](#)
- [Prerequisites](#)
- [Integration Process](#)
- [Scope](#)
- [Prerequisites](#)
- [Integration Process](#)

1.1 Scope

This section contains the following topic:

- [Integration Scope](#)
- [Integration Scope](#)

1.1.1 Integration Scope

The following are the integration scope of OBTF with OBPM:

- Outgoing payment message processing,
 - OBTF initiates the request for outgoing payment message to OBPM on bill liquidation and LC creation.
 - OBTF during transaction creation initiates the request for outgoing payment messages to OBPM. Few scenarios include Bills Liquidation and LC creation based on the transfer type selected in the settlement instructions. Transfer type selected can be "Bank Transfer" or "Customer Transfer" to initiate payment request to OBPM.
- Outgoing payment
 - System to populate export Bill details to common core.
 - System to provide an EAC and an EA web service, to be consumed by OBPM.
 - On receiving an incoming MT202, OBPM validates the "Tag21-Related Reference Number" if the tag values matches with bill number in common core OBPM will initiate an EAC request to OBTF. In turn OBTF validates the bill reference number and responds to OBPM.
 - On receiving a success EAC response OBPM will initiate an EA request to OBTF. In turn OBTF trigger bill liquidation on a received reference.

1.2 Prerequisites

This section contains the following topic:

- [Prerequisites in Oracle Banking Trade Finance](#)
- [Prerequisites in Oracle Banking Payments](#)
- [Prerequisites in Common Core OBTF and OBPM](#)
- [Prerequisites in Oracle Banking Trade Finance](#)
- [Prerequisites in Oracle Banking Payments](#)
- [Prerequisites in Common Core OBTF and OBPM](#)

1.2.1 Prerequisites in Oracle Banking Trade Finance

The prerequisites in OBTF for this integration are as follows:

- The parameter 'PAYMENT_PROCESSOR' in CSTB_PARAM should be 'E' (External) for OBTF to interface with OBTF.
- Maintain an active record in Trade Finance External System Maintenance screen (IFDTFEPM) with field external system type as "Payments" for different service codes with all required fields in the detailed section of this screen

For outgoing payments, maintain the service code as "GenPayMessage" with Single Payment Service details as below: Bridge GL to be maintained in Inter System Bridge GL

Field	Description
External System	Should be source code of external system e.g.: 'OBPM'
Inter System Bridge GL	Bridge GL between OBTF and OBPM
Source System	OBTF
Entity Id	Entity Id used between OBTF and OBPM interaction
External System Type	Payments
Read Time Out	Read Time out in OBPM
Connection Time Out	Connection wait time at OBTF for the Payment request initiated
Archival Days	Number of days to archive the payment messages

Service1 - Single Payment Service	
Field	Description
Service Code	GenPayMessage
Service Name	PMSinglePayOutService
Operation Code	CreateSinglePayment
Rest/Web Service User Option	Choose Contract User / Predefined User
Rest/Web Service User	Mention user in case of Predefined User
Rest/Web Service URL	Mention http URL of OBPM http://ip:portnumber//PMReST/obpmrest/payments/singlepayout

Service2 - Inbound Cross Border Payments	--
Field	Description
Service Code	GenPayMessage
Service Name	PMXborderInService
Operation Code	CreateXborderIn
Rest/Web Service User Option	Choose Contract User / Predefined User
Rest/Web Service User	Mention user in case of Predefined User
Rest/Web Service URL	Mention http URL of OBPM http://ip:portnumber/PMReST/obpmrest/payments/xborderin

Maintain the External System Functions (GWDETFUN) for the below Source codes.

Field	Suggested values
External System	OBTF<Module Code>
Service Name	IFGTFPNO
Action	New
Service Name	OBTFEPSService
Operation Code	CreateEPSNotification

Figure 1-1 External System Function Summary




Figure 1-2 External System Function

In Upload Source Preference Maintenance screen (CODUPLDM), Post Upload Status field value should be selected as “Authorized”.

Field	Suggested values
Source Code	OBTF
Module Code	BC/LC/Specific Module Codes
On Error	Reject
On Override	Ignore
Operation Code	Authorized

Figure 1-3 Source Preference

- Upload BIC directory and ensure that the same are listed at ISDBICDE, which OBTF will use, to transact payments.
- Below are the scheduler jobs configured for the Integration. Make sure that these jobs are running using SMSJOBBER screen.

- TFEPSGENPAYMENT - Scheduler job for processing the Payment request
- TFEPS_NOTIFICATION - Scheduler job for processing OBPM notifications

Make sure that the below ADF file is executed in the database schema. This file contains the JSON template for the OBPM Single Payment Service

- TFGenPayMessage.ADF

Refer Core Services User Manual, for the other Day 0 maintenances to be done for OBTF.

1.2.2 Prerequisites in Oracle Banking Payments

The prerequisites in Oracle Banking Payments for this integration are as follows:

Maintain the Source code with which OBTF will hand off payment requests at PMDSORCE-Source maintenance screen.

Figure 1-4 Source Maintenance Detailed

Following are the source codes OBTF uses to initiate payment request:

- For all OBTF modules where outgoing payment or receive notice is initiated, the source code is OBTF <Module-ID>. For example, the source code for the BC module is OBTFBC.
- Each record maintained in Source Maintenance Detailed screen (PMDSORCE) should have the below preferences:
 - Pre-funded Payments GL or Intermediary Credit GL should match Inter System Bridge GL maintained in Trade Finance External System Maintenance screen (IFDTFEPM) of OBTF.

Note

This Inter System Bridge GL should be available for both OBTF & OBPM.

Note

Maintain the OBTF Source-specific preferences for each network at PMDSORNW screen. Maintain for both “Transaction Type” “Incoming” and “Outgoing”.

Figure 1-5 Source Network Preferences Detailed

The screenshot displays the 'Source Network Preferences Detailed' interface. It features several input fields and sections:

- Host Code ***, **Source Code ***, **Network Code ***, and **Transaction Type *** (set to 'Incoming').
- Description**, **Network Description**, and **Network Type Description** fields.
- Preferences** section with:
 - Authorization Rekey Required** (toggle)
 - Debtor IBAN Required** (toggle)
 - Requested Execution Date Considered as** (text field)
 - MIS Group** and **UDF Group** (lookup fields)
- Sanctions System** section with **Sanction Check Required** (toggle).
- Pricing** section with **External Pricing Applicable** (toggle).
- Accounting Preference** section with **Debit Entry on** (set to 'On Activation Date') and **Debit Value Date Basis** (text field).
- Same Day Transaction Rollover Preference** section with **Amount Block on Booking Date** (toggle).
- Authorization Rekey Fields** section with a table header:

Rekey Field Name	Description
No data to display.	
- Authorization Limit** section with:
 - Authorization Limit Currency** (lookup field)
 - Authorization 1 Limit** (text field)
 - Authorization 2 Limit** (text field)
 - Network Release Limit** (text field)
 - Credit Entry on** (set to 'On Activation Date')
- Future Valued Transaction Preferences** section with **Validation on Booking Date** (set to 'Required').

The preference for various payment networks via which OBTF will initiate a payment request needs to be maintained on this screen for the same Source codes as in the previous Section.

OBPM should maintain appropriate Network Rule maintenance (PMDNWRLE) to route the OBTF request to the respective network. Based on the Payment type, OBTF system will send one of the values (LCL or SWIFT) in Service Level Proprietary field, which further will be used to build the network rules

- LCL - Local clearing payments
- SWIFT Messages - SWIFT Payment messages

Figure 1-6 Network Rule Detailed

The OBTF Source specific notification preferences for each network at PMDEXTNT screen.

Figure 1-7 External Notification Queue Detailed

The notification is a call from OBPM to the OBTF Webservice - OBTFEPSService that needs to be deployed. The gateway external system setup is required to be done for source code mentioned in the above screen shot. It is important to give the Notification System class as OBTF and communication mode as Web Service.

1.2.3 Prerequisites in Common Core OBTF and OBPM

The following common core maintenances need to perform for Integration.

- Customer Maintenance - Create the customers in STDCIFCR
- Account Maintenance - Create Accounts (CASA / NOSTRO) in STDCRACC.
- General Ledger Maintenance - Create a General Ledger in STDCRGLM.
- Transaction code Maintenance - Create the Transaction code in STDCRTRN

- OBPM to use OBTF Dates - Maintain IS_CUSTOM_DATE parameter as 'Y' in cstb_param table. By this, OBPM will use Today from sttm_dates as the transaction booking date.

Note

Note: Above point is applicable only to Co-Deployed setups between OBTF and OBPM.

- Other Payments Maintenances - Refer Oracle Banking Payments Core User Manual, for the other Day 0 maintenances.

Note

For detailed information on above mentioned screens, refer to Oracle Banking Payments Core User Manual

1.3 Integration Process

This section contains the following topics:


- [Installation Modes](#)
- [Integration Processing](#)
- [Installation Modes](#)
- [Integration Processing](#)

1.3.1 Installation Modes

The following installation modes are described in the upcoming sections:


- ASYNC Processing,
 - In OBTF a transaction is created with payment message initiation to OBPM system.
 - TFEPSGENPAYMENT scheduler fetches records from Queue and handovers to OBPM.
 - In OBPM a transaction is created and response is sent to OBTF
 - OBTF updates the queue references accordingly.

Figure 1-8 OBTF Outgoing Payment Request



- Upon successful transaction creation at OBPM, OBPM decides in sending notification to OBTF.
- Once OBTF receives notification, OBTF parses notification, extracts payment message and updates the message CLOB of the OBTF transaction.
- Upon notification updated at OBTF, OBPM receives the OBTF processed status and updates the external system (OBTF) processed status at OBPM.

Figure 1-9 Notification and Payment Message Processing at OBTF



1.3.2 Integration Processing

This section contains the following topics:

- [OBTF Payment Request Initiation](#)
- [External Payment System Queue](#)
- [External Payment System Queue History](#)
- [External Bill Liquidation](#)
- [OBTF Payment Request Initiation](#)
- [External Payment System Queue](#)
- [External Payment System Queue History](#)
- [External Bill Liquidation](#)

1.3.2.1 OBTF Payment Request Initiation

In OBTF during the creation of Bills and collections / Letter of credit transactions user the provision to do the following or system based on the product setup and settlement instructions maintained for the parties shall do the following:

- After settlement pickup of a OBTF transaction, In settlement instructions component to be selected and navigate to the Payment details tab. E.g.: BILL_LIQ_AMTEQ
- In Payment details tab choose "Payment By" as "Message" and choose the "Transfer Type" as either "Bank Transfer" or "Customer Transfer". Provide other required details any for "Details of Charge", "Sender to Receiver Information", etc.,
- Visit parties and provide required information about the parties involved like Account details and address details.

- Visit Other Details and choose "Bank Operation Code"

Refer following documents for making trade transactions and understanding on settlement instructions.

- Settlements User Guide
- Bills and Collections User Guide - Section 6.1.4 Settlement
- Islamic Bills and Collections User Guide - Section 5.3.6 Specify Settlement Instructions
- Letters of Credit User Guide - Section 7.2.2 Reverse LC Liability - Settlements portion
- Islamic Letters of Credit User Guide - Section 7.2.1 Islamic LC Contract Availment - Settlements portion

1.3.2.2 External Payment System Queue

User can view the details of payment request sent or to be send to an external payments system through **External Payment System Queue** screen. User can invoke this screen by typing **IFDTPQU** in the top right corner of the Application toolbar and clicking the adjoining arrow button.

Figure 1-10 Trade Finance External Payment System Queue Detailed

Queue Reference Number

Specify the queue reference number and click **Execute Query** to view the details of payment request sent to external payment system.

Process Status

The system displays the process status. The list displays the following options:


Process	Description
Not Authorized	Contract initiated and the payment request is unauthorized
Un Processed	Payment request pending for processing

Process	Description
Web Service Connection Timeout	Web service call, timed out during payment request processing
Payment Approved	Payment request initial validation is successful and request is accepted
Payment Rejected	Payment request initial validation is failed and request is rejected
Payment Processed	All payment processing is completed and request is successfully processed
Repair	Payment request moved to repair queue due to exception in payment life-cycle
Contract Cancelled	Contract initiated and the payment request is reversed
Future dated	Payment contract not yet initiated. Future value dated payment request.
Payment Cancelled	Payment contract cancelled from one of the queue in external payment system
Acknowledgement Received	Acknowledgment (ACK) received from payment network
Negative Acknowledgement Received	Negative acknowledgment (NACK) received from payment network

Click **Error Information** button to view Error Information screen. This screen displays the error or warning codes and messages received as response for the payment request.

Figure 1-11 Error Information

Click **Notifications** button to view the notifications screen. This screen displays the notification details received from the external payment system.

Figure 1-12 Notification Information**Process Status**

The system displays the process status. The list displays the following options:

Process	Description
Un Processed	Notification is pending for processing
Processed	Notification processed successfully
Processing Failed	Notification processing failed due to unexpected failure
Improper Notification	Notification received is not in proper format
Empty Notification	Empty notification received

1.3.2.3 External Payment System Queue History

User can view the details of external payment request in **External Payment System Queue History** screen. You can invoke this screen by typing **IFDEPSQH** in the top right corner of the Application toolbar and clicking the adjoining arrow button.

Click **Enter Query** to view the archived records along with the archival date.

Figure 1-13 External Payment System Queue History

1.3.2.4 External Bill Liquidation

The following are the integration scope of OBTF with OBPM for external bill liquidation:

Prerequisites at OBPM:

Service Profile ID (PMDSPROF):

Create a Service Profile ID with Service Type as 'Webservice' in Service Profile ID (PMDSPROF) maintenance

Figure 1-14 Service Profile Detail

ECA System Maintenance (STDECAMT)

Create External Credit Approval Check system as 'OBTF' in STDECAMT screen.

Figure 1-15 External Credit Approval Check system

External Credit Approval System (PMDECAMT)

Maintain External Approval System details for the ECA system 'OBTF' in the PMDECAMT.

- ECA System Class should be 'OBTF'
- Inter System Bridge GL should be with appropriate value. It should be in same as interbridge GL maintained at OBTF product processor in function id "IFDTEFPM – Trade Finance External System Maintenance".
- Communication Type should be 'Webservice'
- Communication Method should be 'Synchronous'
- Webservice URL should contain the URL of OBTF system where EAC check will be done. (E.g. http://<URL>/OBTFEPSService/OBTFEPSService?WSDL)
- Service Profile should be the 'Webservice' type Service profile created.

Figure 1-16 External Credit Approval System

External Accounting System Detailed (PMDACCMT)

Maintain the accounting system as 'OBTF' in PMDACCMT

- ECA System Class should be 'OBTF'
- Inter System Bridge GL should be with appropriate value. It should be in same as interbridge GL maintained at OBTF product processor in function id "IFDTEFPM – Trade Finance External System Maintenance".
- Communication Type should be 'Webservice'
- Communication Method should be 'Synchronous'
- Webservice URL should contain the URL of OBTF system where accounting will be done.
- Service Profile should be the Webservice profile created.
- Account System Mapping to be done based on the requirement.

Figure 1-17 External Accounting System Detailed

The screenshot shows the 'External Accounting System Detailed' configuration page. It is divided into several sections:

- External Accounting System:** Includes fields for Description, Communication Type (set to 'JMS Queue'), Communication Method (set to 'Asynchronous'), Timeout in seconds, and Suppress Accounting Handoff (set to 'No').
- JMS Queue Preferences:** Includes fields for Queue Profile, Outqueue JNDI Name, Inqueue JNDI Name, Inqueue Minimum Consumer Count, Inqueue Maximum Consumer Count, and Inqueue Message Listener Class (set to 'accEntry/ResponseMdbBean').
- Faster Payment Preferences:** Includes fields for Inqueue JNDI Name and Outqueue JNDI Name.
- Other Preferences:** Includes fields for ECA System Class (set to 'OBP'), Inter System Bridge GL, API Version, and Base Version.
- O Auth Preferences:** Includes fields for Token URL and Service Profile.
- WebService Preferences:** Includes fields for Webservice URL, Webservice Action, and Service Profile.
- ReST Preferences:** Includes fields for ReST URL and Header Profile.

At the bottom right of the page, there are 'Audit' and 'Exit' buttons.

External Trade Contract (STDCRTRD)

Replicate Trade contracts for which the payment message will be received in the External Trade Contract (STDCRTRD) maintenance

Figure 1-18 External Trade Contract

External Notification Queue (PMDEXTNT)

Create External Notification Queue as 'OBTF' in PMDEXTNT screen.

Figure 1-19 External Notification Queue Detailed

Note

In PMDACCTL - Netting should be enabled at Account Template for OBTF Transactions (without Netting Response will be failed at OBTF level)

Prerequisites at OBTF:

Bills Branch Parameter Maintenance:

In BCDBRPRM following inputs should be provided.

- Liquidate Bill on Incoming MT202 is checked.
- Maximum Retry Count is inputted.

Job Details:

- In SMSJOBBER Job Details screen – JOB OBTF_EXT_ASYNCCAL should be up and running to populate export bills into common core system.
- In TFSJOBBER Trade Finance Job Browser Screen – Process EXT_LIQUIDATION should be in running state.

External Bill Liquidation Processing:**Table 1-1 External Liquidation process flow:**

Process Flow	Product Processor	Description	Remarks
1	OBTF	OBTF propagates Export Bill details to Common Core table.	JOB - OBTF_EXT_ASYNCCAL Common Core Table - stm_core_trade_contract
2	OBPM	On receipt of MT202, OBPM identifies message using reference number available in Tag 21 in common core If Tag 21 reference No is bill reference no, OBPM sends EAC request to OBTF to validate the bill is in valid state. OBTF validates EAC request and sends response to OBPM	Service : OBTFEPSService Operation : QueryEXTBCCContract
3	OBPM	On receipt of success response, OBPM sends EA request to OBTF for bill liquidation	Service : OBTFEPSService Operation : CreateExtBCEcaEntries
4	OBTF	OBTF parses the EA request and process Bill liquidation.	JOB Process - EXT_LIQUIDATION

External Bill Entries:

On export bill creation Bill related details will be exposed to common core system screen External Trade Contract Input (STDCRTRD) using common core service FCUBSCoreentitiesService and operation CreateExternalTrade. OBPM system uses the common core External Trade Contract Input data for an Incoming MT202 to Bills.

OBPM calls the OBTF webservice OBTFEPSService and operation QueryEXTBCCContract to validate the bill. OBPM calls OBTF webservice OBTFEPSService and operation CreateExtBCEcaEntries for posting accounting entries. Once OBPM calls OBTF for accounting entries OBTF will initiate the Bill liquidation based on the OBPM request.

Table 1-2 Service

Provider	Service Name	Operation Code	Consumer
Common Core	FCUBSCo reentitiesS ervice	CreateExternalTrade	OBTF
Common Core	FCUBSCo reentitiesS ervice	ModifyExternalTrade	OBTF
Common Core	FCUBSCo reentitiesS ervice	QueryExternalTrade	OBTF,OBPM

EAC web service to validate the provided account number (Bill reference number).System to validate the availability of bill reference number along with the bill status and bill currency of received bill reference number(<CUST_AC_NO>) on receiving EAC request and respond with success or failure status(Synchronous response).

Table 1-3 Service

Provider	Service Name	Operation Code	Consumer
OBTF	OBTFEPS Service	QueryEXTBCCContract	OBPM

Table 1-4 Service

Response Type	Error Code	Error Message
Success	ST-SAVE-073	Successfully Retrieved
Failure	LC-OPL-08	Currency is Not Valid
Failure	LC-VALS-107	Contract does not exist

- EA web service to process liquidation on the provided account number (Bill reference number).System to initiate liquidation event on receiving EA request and respond with the success status. Asynchronous liquidation event will be triggered on the received reference number (<ACNO> of EA request).
- External Bill Entries to view the details of EA request and screen External Bill Liquidation Query to view the EA response and to retry the external bill liquidation in case of EA failure based on the parameter Maximum Retry count at Bills and Collection Branch Parameter.

Table 1-5 Service

Provider	Service Name	Operation Code	Consumer
OBTF	OBTFEPS Service	CreateExtBCEcaEntries	OBPM

Table 1-6 Service


Liquidation Status	Repair Reason
Unprocessed	NA
In Progress	NA
Processed	NA
Repair	BC-00279 : Invalid Contract Reference entered BC-EXTLIQ09 : Liquidate bill on incoming MT202 is not set to Yes in branch parameter screen

Note

Refer Common Core - Core Entities and Services User Guide and BC User Manual for Bills Liquidation user manual.

You can view the details of external bill entries through 'External Bill Entries' screen. You can invoke this screen by typing 'IFDEXBIL' in the top right corner of the Application toolbar and clicking the adjoining arrow button.

Figure 1-20 External Bill Entries



Existing accounting entries on liquidation events continues where as it debits bridges GL and credits customer account.

Click Accounting Entries to view the accounting entries for the external bill event.

The details of the accounting entries that were passed for the event are viewed here. The accounting entries that are passed depend on the type of bill processed.

The following information is provided for account entries:

- Contract Branch
- Contract Reference
- Contract Currency

- Debit or Credit
- Amount Tag
- Foreign Currency Amount.
- Rate
- Local Currency Amount
- Date
- Value Date
- Event
- All MIS details that were allowed will also be displayed

External Bill Liquidation Query and Retry

External Bill Query screen allows the user to resolve the technical failures in case of EArequest. Whenever an EA request is received from Payments through GW Webservice, Liquidation gets triggered by OBTF.

If Liquidation triggered by OBTF did not processed successfully, then retry liquidation provided in IFDEXLIQ to be enabled for repaired process records.

On click of retry liquidation external liquidation to be triggered automatically till the retry count provided in "Bills Branch Parameter maintenance" screen.

If external liquidation from external system is failed corresponding Bill should not be allowed for further operations except Query and Copy.

You can view the details of bill liquidation request through 'External Bill Liquidation Query' screen. You can invoke this screen by typing 'IFDEXLIQ' in the top right corner of the Application toolbar and clicking the adjoining arrow button.

Figure 1-21 External Bill Liquidation Query

Liquidation Status

The system displays the liquidation status. The list displays the following options:

Liquidation Status	Description
Un Processed	Bill liquidation is pending for processing
Processed	Bill liquidation processed successfully
Processing Failed	Bill liquidation processing failed due to unexpected failure
Improper Notification	Bill liquidation received is not in proper format
Empty Notification	Bill liquidation notification received

Error Codes: External Liquidation process error codes and description as follows

Error Code	Type	Description
BC-EXTLIQ01	Error	Bridegl obtained from payments and maintained in trade are different
BC-EXTLIQ02	Error	Bridegl is not maintained in trade for payments
BC-EXTLIQ03	Error	External payment liquidation is in progress
BC-EXTLIQ04	Error	Maximum retry count allowed is \$1
BC-EXTLIQ05	Alert Message	External liquidation request submitted successfully
BC-EXTLIQ06	Alert Message	Exceeded maximum retry count maintained in branch parameter screen
BC-EXTLIQ08	Error	Complete pending external liquidation before proceeding
BC-EXTLIQ09	Error	Liquidate bill on incoming MT202 is not set to Yes in branch parameter screen

Glossary

CODUPLDM

[Prerequisites in Oracle Banking Trade Finance](#)

GWDEFUN

[Prerequisites in Oracle Banking Trade Finance](#)

IFDEPSQH

[External Payment System Queue History](#)

IFDEXBIL

[External Bill Liquidation](#)

IFDEXLIQ

[External Bill Liquidation](#)

IFDTFPM

[Prerequisites in Oracle Banking Trade Finance](#)

[Prerequisites in Oracle Banking Payments](#)

IFDTPQU

[External Payment System Queue](#)

ISDBICDE

[Prerequisites in Oracle Banking Trade Finance](#)

PMDACCMT

[External Payment System Queue History](#)

PMDECAMT

[External Bill Liquidation](#)

PMDEXTNT

[Prerequisites in Oracle Banking Payments](#)

[External Payment System Queue
History](#)

PMDNWRLE

[Prerequisites in Oracle Banking Payments](#)

PMDSORCE

[Prerequisites in Oracle Banking Payments](#)

PMSORNW

[Prerequisites in Oracle Banking Payments](#)

PMDSPROF

[External Bill Liquidation](#)

SMSJOBRR

[Prerequisites in Oracle Banking Trade Finance](#)

STDCIFCR

[Prerequisites in Common Core OBTF and OBPM](#)

STDCRACC

[Prerequisites in Common Core OBTF and OBPM](#)

STDCRGLM

[Prerequisites in Common Core OBTF and OBPM](#)

STDCRTRD

[External Bill Liquidation](#)

STDCRTRN

[Prerequisites in Common Core OBTF and OBPM](#)

STDECAMT

[External Bill Liquidation](#)

TFEPGENPAYMENT

[Prerequisites in Oracle Banking Trade Finance](#)

[Installation Modes](#)