

Oracle® Banking Retail Lending Servicing Integration Guide



Release 14.9.0.0.0

G58884-01

August 2026

ORACLE®

Copyright © 2026, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Contents

1	Enterprise Limits and Collateral Management Implementation	
1.1	Utilization / De-utilization	1
1.1.1	Block/Unblock - Request / Response	3
1.1.2	Utilization / De-utilization - Request / Response	12
1.2	Enterprise Limits and Collateral Management Bulk Utilization Update	16
1.2.1	Enterprise Limits and Collateral Management Bulk Utilization - Request / Response	17
2	Oracle Banking Payments Implementation	
2.1	Creditout	1
2.2	Debitout	4
2.3	OBRL - OBPM related Maintenance	8
3	Oracle Banking Accounts Integrations	
3.1	Utilization & De-Utilization Deposits	1
4	Oracle Banking Collections Integration	
5	Oracle Banking Operational Ledger Integrations	
	Index	

Preface

- [Purpose](#)
- [Audience](#)
- [Conventions](#)
- [Critical Patches](#)
- [Acronyms and Abbreviations](#)
- [Diversity and Inclusion](#)
- [Screenshot Disclaimer](#)
- [Symbols and Icons](#)
- [Basic Actions](#)

Purpose

This guide describes the APIs that are configured in Oracle Banking Retail Lending Servicing Cloud Services through Oracle Banking Routing Hub Module.

Audience

This guide is primarily intended for the following user / user roles:

Table Audience

Role	Function
Implementation and IT Staff	Implementation and maintenance of the software.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which user supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that user enter.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to make sure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

Acronyms and Abbreviations

The following acronyms and abbreviations are used in this guide:

Table Acronyms

Abbreviation	Description
API	Application Programming Interface
EOD	End of Day
ELCM	Enterprise Limits and Collateral Management
OBRL	Oracle Banking Retail Lending Servicing
OBPM	Oracle Banking Party Management
OBC	Oracle Banking Collections
OBOL	Oracle Banking Operational Ledger

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Screenshot Disclaimer

Not Applicable

Symbols and Icons

Not Applicable

Basic Actions

Not Applicable

1

Enterprise Limits and Collateral Management Implementation

This topic provides the information about APIs configured using Oracle Banking Routing Hub.


- [Utilization / De-utilization](#)
This topic provides the information about the utilization / de-utilization service consumers that are added to configure ELCM.
- [Enterprise Limits and Collateral Management Bulk Utilization Update](#)
This topic provides the information about the bulk utilization service providers that are added to configure ELCM.

1.1 Utilization / De-utilization

This topic provides the information about the utilization / de-utilization service consumers that are added to configure ELCM.


The **Service Consumers** for **OBRL** are as displayed below.

Figure 1-1 Service Consumers



The **ELCM Service Providers** for **OBRL** are as displayed below.

Figure 1-2 ELCM Service Providers




The following two endpoints are required for consumer services to be configured in Oracle Banking Routing Hub:

- service/v14.8.1.0.0/blocks/process
(blockWithVersion)
- service/v14.8.1.0.0/utilizations/process
(utilization)

The **Consumer Services** for **OBRL** are as displayed below.

Figure 1-3 Consumer Services



- [Block/Unblock - Request / Response](#)
This topic describes about the sample request / response for the consumer service **Block/ Unblock**.
- [Utilization / De-utilization - Request / Response](#)
This topic describes about the sample request / response for the consumer service **Utilization / De-utilization**.

1.1.1 Block/Unblock - Request / Response

This topic describes about the sample request / response for the consumer service **Block/ Unblock**.

Request/Response

SERVICE-CONSUMER = "ELCM_OBRL"

SERVICE-CONSUMER-SERVICE=" ELCM_PROCESS"

Request

```
{
  "headers" : {
    "branchCode" : "B01",
    "appId" : "OBELCMCOLLAT",
    "entityId" : "DEFAULTENTITY",
    "source" : "OBRL",
    "userId" : "OBELCMUSER7",
    "Content-Type" : "application/json"
  },
  "body" : {
    "blockLogs" : [ {
      "customerNo" : "CUST0116",
      "action" : "NEW",
      "blkAmt" : 85000,
      "blkCcy" : "USD",
      "liabNo" : "LIB0116",
      "limitType" : "C",
      "collateralCode" : "COLL0116",
      "collateralType" : "General",
      "amtTag" : "PRINCIPAL",
      "source" : "OBRL",
      "defaultLiab" : "D"
    } ],
    "blkBrn" : "B01"
  },
  "httpMethod" : "POST",
  "url" : "http://ofssmum-5426.snbomprshared2.gbucdsint02bom.oraclevcn.com:8031/obelcm-collateralsutilization-services/service/v14.8.1.0.0/blocks/process"
}
```

Response

```
{
  "headers" : {
    "Transfer-Encoding" : [ "chunked" ],
    "Access-Control-Allow-Origin" : [ "" ],
    "Access-Control-Allow-Credentials" : [ "true" ],
    "Access-Control-Allow-Methods" : [ "GET, POST, PUT, DELETE, OPTIONS,
    HEAD, PATCH" ],
    "X-ORACLE-DMS-ECID" : [ "7844196e-d2d2-434d-b9c7-a87818b2c7d1-00033e6d" ],
    "HttpResponseCode" : 201,
    "msgId" : [ "" ],
    "X-ORACLE-DMS-RID" : [ "0" ],
    "Access-Control-Allow-Headers" : [ "" ],
    "Date" : [ "Tue, 19 Aug 2025 10:37:57 GMT" ],
    "Content-Type" : [ "application/json" ],
    "Location" : [ "http://ofssmum-
    5426.snbomprshared2.gbucdsint02bom.oraclevcn.com:8031/obelcm-
    collateralsutilization-
    services/service/v14.8.1.0.0/blocks/process/query/blkRefNo/" ]
  },
  "body" : {
    "data" : {
      "requestProfile" : {
        "action" : "NEW",
        "mdcContext" : {
          "traceId" : "4af30ae7e7c8e147",
          "spanId" : "4af30ae7e7c8e147",
          "logFileName" : "OBELCMUSER7-BLOCKS-1407312629304528896"
        },
        "applicationDate" : "2021-04-16T00:00:00.000+00:00",
        "debugEnabled" : false,
        "functionId" : "GCDBLOCKS",
        "messageStatus" : "SUCCESS",
        "operation" : "CreateBlock",
        "service" : "ECBlockService",
        "source" : "OBRL",
        "transactionId" : "1407312629547798528",
        "userBranch" : "B01",
        "userId" : "OBELCMUSER7",
        "userLanguage" : "ENG",
        "channel" : "REST",
        "autoAuth" : "Y",
        "deploymentMode" : "C",
        "elcmGlobalTracking" : "N",
        "notifydebugEnabled" : false,
        "modifiedInKernel" : false,
        "modifiedInCluster" : false,
        "modifiedInCustom" : false,
        "modifiedInChild" : false,
        "messages" : [ {
          "code" : "ST-SAVE-001",
          "description" : "Request Successfully Processed",
          "substitutions" : null,
          "type" : "I"
        }
      ]
    }
  }
}
```

```

    }, {
      "code" : "ST-SAVE-001",
      "description" : "Request Successfully Processed",
      "substitutions" : null,
      "type" : "I"
    } ],
    "elcmReplication" : "N",
    "ovdAccepted" : false,
    "allRecordsProcessed" : true,
    "setUpMode" : "E",
    "bulkUpload" : "N",
    "asyncMode" : "S",
    "callingSys" : "FCELCM",
    "sequence" : 0,
    "multiAuthStatus" : false,
    "initMainDone" : false,
    "alreadyInserted" : false,
    "postUploadStatus" : "N",
    "uniqueCheck" : false,
    "seqNo" : "1",
    "systemUtilization" : false,
    "messageType" : "I",
    "fixedAmt" : false
  },
  "authStat" : "A",
  "action" : "NEW",
  "authDtStamp" : "2021-04-16T00:00:00.000+00:00",
  "authId" : "OBELCMUSER7",
  "inputUserId" : "OBELCMUSER7",
  "inputDtStamp" : "2021-04-16T00:00:00.000+00:00",
  "versionNo" : 1,
  "blkBrn" : "B01",
  "keyId" : "GETB_BLOCKS-BLK_REF_NO",
  "blockLogs" : [ {
    "changeBlkAmt" : 85000,
    "changeLimitId" : null,
    "transactionId" : null,
    "requestProfile" : {
      "action" : "NEW",
      "mdcContext" : {
        "traceId" : "4af30ae7e7c8e147",
        "spanId" : "4af30ae7e7c8e147",
        "logFileName" : "OBELCMUSER7-BLOCKS-1407312629304528896"
      }
    }
  } ],
  "applicationDate" : "2021-04-16T00:00:00.000+00:00",
  "debugEnabled" : false,
  "functionId" : "GCDBLOCKS",
  "messageStatus" : "SUCCESS",
  "operation" : "CreateBlock",
  "service" : "ECBlockService",
  "source" : "OBRL",
  "transactionId" : "1407312629547798528",
  "userBranch" : "B01",
  "userId" : "OBELCMUSER7",
  "userLanguage" : "ENG",
  "channel" : "REST",

```

```

"autoAuth" : "Y",
"deploymentMode" : "C",
"elcmGlobalTracking" : "N",
"notifydebugEnabled" : false,
"modifiedInKernel" : false,
"modifiedInCluster" : false,
"modifiedInCustom" : false,
"modifiedInChild" : false,
"messages" : [ {
"code" : "ST-SAVE-001",
"description" : "Request Successfully Processed",
"substitutions" : null,
"type" : "I"
}, {
"code" : "ST-SAVE-001",
"description" : "Request Successfully Processed",
"substitutions" : null,
"type" : "I"
} ],
"elcmReplication" : "N",
"ovdAccepted" : false,
"allRecordsProcessed" : true,
"setUpMode" : "E",
"bulkUpload" : "N",
"asyncMode" : "S",
"callingSys" : "FCELCM",
"sequence" : 0,
"multiAuthStatus" : false,
"initMainDone" : false,
"alreadyInserted" : false,
"postUploadStatus" : "N",
"uniqueCheck" : false,
"seqNo" : "1",
"systemUtilization" : false,
"messageType" : "I",
"fixedAmt" : false
},
"version" : 0,
"unColl" : 0,
"changeLimitCcy" : null,
"changeLimitBlock" : null,
"changeLimitExchRate" : null,
"changeLiabId" : null,
"changeLiabCcy" : null,
"changeLiabBlock" : null,
"changeLiabExchRate" : null,
"relSerialNo" : null,
"statistics" : "",
"action" : "NEW",
"serialNo" : null,
"blockId" : "1407312632618029056",
"customerNo" : "CUST0116",
"liabId" : "1407312143918698496",
"mainId" : null,
"processNo" : null,
"transDate" : "2021-04-16T00:00:00.000+00:00",

```

```
"blkAmt" : 85000,  
"blkCcy" : "USD",  
"blkBrn" : "B01",  
"blkPrd" : "UTIL",  
"tenorBasis" : "N",  
"product" : null,  
"tenor" : 0,  
"maturityDate" : null,  
"maturedAmt" : 0,  
"matured" : "N",  
"amtTag" : "PRINCIPAL",  
"module" : null,  
"valueDate" : "2021-04-16T00:00:00.000+00:00",  
"source" : "OBRL",  
"txnId" : "1407312629547798528",  
"txnPercent" : 0,  
"lastNewBlockdate" : null,  
"uncollectedAmount" : null,  
"tankedBlock" : null,  
"amountBlockedToday" : null,  
"amountReinstatedToday" : null,  
"revolvingAmount" : null,  
"liabilityId" : null,  
"liability" : null,  
"lineCurrency" : null,  
"revolvingLine" : null,  
"lineStartDate" : null,  
"lineExpiryDate" : null,  
"availabilityFlag" : null,  
"internalRemarks" : null,  
"limitAmount" : null,  
"collateralAmount" : null,  
"uncollectedFundsLimit" : null,  
"reportingAmount" : null,  
"availableAmount" : null,  
"dateOfFirstOrder" : null,  
"dateOfLastOrder" : null,  
"excessTenor" : null,  
"liabilityBranch" : null,  
"collateralPct" : null,  
"nettingRequired" : null,  
"txnStatus" : "S",  
"blkRefNo" : "MTQwNzMxMjYzMDE3Mjc0OTgyNA",  
"blkStat" : "A",  
"authStat" : "A",  
"versionNo" : 1,  
"inputUserId" : "OBELCMUSER7",  
"inputDtStamp" : "2021-04-16T00:00:00.000+00:00",  
"authId" : "OBELCMUSER7",  
"authDtStamp" : "2021-04-16T00:00:00.000+00:00",  
"deleteStatus" : null,  
"liabCcy" : null,  
"liabBranch" : "B01",  
"liabBlock" : 0,  
"liabExchRate" : null,  
"multiAuth" : "N",
```

```
"vdUpdate" : "N",
"exposureTracking" : null,
"collateralCode" : "COLL0116",
"collateralType" : "General",
"liabNo" : "LIB0116",
"lineCd" : null,
"lineSerial" : null,
"isAccount" : null,
"ignoreOverrides" : "N",
"simulation" : null,
"limitType" : "C",
"limitId" : "1407312249254449152",
"limitCcy" : "USD",
"limitUpdate" : null,
"limitBlock" : 85000,
"limitExchRate" : 1,
"limitCcyUncoll" : 0,
"limitCcyMatured" : 0,
"poolCode" : null,
"blockRefNo" : null,
"txninitDate" : null,
"txnInitDate" : "2021-04-16T00:00:00.000+00:00",
"utilUpdate" : null,
"eventCode" : null,
"collPoolCode" : null,
"collPoolId" : null,
"eventSlNo" : null,
"expsoureBlockNo" : null,
"extRefno" : null,
"txnRefNo" : null,
"shadowLimit" : "N",
"forceAuth" : "N",
"unadvised" : null,
"onceAuthorized" : true,
"recordStatus" : "0",
"endOfInput" : null,
"autoAuth" : "Y",
"offsetHr" : 0,
"offsetMin" : 0,
"considerAsRevolving" : "N",
"dataMigration" : "N",
"isSelected" : null,
"remarks" : null,
"bookDate" : null,
"securityId" : null,
"untis" : null,
"liabRevalExchRate" : null,
"changeExpId1" : null,
"changeExpCcy1" : null,
"cahngeExpBlk1" : null,
"changeExpExchgRate1" : null,
"changeExpId2" : null,
"changeExpCcy2" : null,
"changeExpBlk2" : null,
"changeExpExchgRate2" : null,
"changeExpId3" : null,
```

```
"changeExpCcy3" : null,  
"changeExpBlk3" : null,  
"changeExpExchgRate3" : null,  
"changeExpId4" : null,  
"changeExpCcy4" : null,  
"changeExpBlk4" : null,  
"changeExpExchgRate4" : null,  
"changeExpId5" : null,  
"changeExpCcy5" : null,  
"changeExpBlk5" : null,  
"changeExpExchgRate5" : null,  
"evenCode" : null,  
"exposureBlockNo" : null,  
"isSimulation" : "N",  
"mainLineId" : null,  
"ismergeOperation" : "N",  
"maturedBlock" : null,  
"collateralContribution" : null,  
"currencyRestriction" : null,  
"revalLimit" : null,  
"revalLiab" : null,  
"commitmentBranch" : null,  
"limitAmountBasis" : null,  
"transferAmount" : null,  
"displayEffectiveLineAmount" : null,  
"blockAmount" : null,  
"userDefinedStatus" : null,  
"funded" : null,  
"availmentdate" : null,  
"exceptTxnAmt" : null,  
"exceptBreach" : null,  
"tankedUtilization" : null,  
"nettingAmount" : null,  
"category" : null,  
"tenorRestrictionType" : null,  
"customerRestrictionType" : null,  
"currencyRestrictionType" : null,  
"productRestrictionType" : null,  
"branchRestrictionType" : null,  
"extSystemRestrictionType" : null,  
"errorParam" : null,  
"error" : null,  
"uploadDate" : null,  
"fileName" : null,  
"userRefno" : null,  
"conversionDate" : null,  
"approvedLimitAmount" : null,  
"description" : null,  
"statusChangeddate" : null,  
"scheduledProcessedDate" : null,  
"dayLightLimit" : null,  
"expRestType" : null,  
"interestCalcAcc" : null,  
"interestReqd" : null,  
"bulkPaymentRequired" : null,  
"liabilitys" : [ ],
```

```
"liabCustDto" : null,
"collateralsDetails" : {
  "authorizationStatus" : null,
  "id" : "1407312249254449152",
  "modificationNumber" : null,
  "blkAmt" : 85000,
  "makerId" : null,
  "checkerId" : null,
  "onceAuthorized" : false,
  "recordStatus" : null,
  "checkedOn" : null,
  "madeOn" : null,
  "commitmentBranch" : null,
  "commitmentSettlAcc" : null,
  "commitmentSettlBrn" : null,
  "commitmentRefNo" : null,
  "commitmentProduct" : null,
  "available" : "Y",
  "branchCode" : "B01",
  "autoPoolCreate" : "N",
  "sharingReq" : "N",
  "udfValue2" : null,
  "udfValue1" : null,
  "userRefno" : null,
  "source" : null,
  "onceAuth" : null,
  "checkerDtStamp" : null,
  "makerDtStamp" : null,
  "modNo" : 1,
  "authStat" : null,
  "recordStat" : null,
  "conversionDate" : null,
  "processNo" : 0,
  "liabBranch" : "B01",
  "tangible" : null,
  "graceDays" : null,
  "revokedate" : null,
  "revokeable" : null,
  "rating" : null,
  "guarantorId" : null,
  "secured" : "S",
  "issuerRefNo" : null,
  "issuerName" : null,
  "limitCcyAmt" : null,
  "revalCollat" : null,
  "revalDate" : null,
  "chargeType" : "LIEN",
  "nextRevalDate" : null,
  "lastRevalPrice" : null,
  "priceCode" : null,
  "capAmount" : null,
  "numberOfUnits" : null,
  "securityId" : null,
  "collateralType" : "GENERAL",
  "reviewDate" : null,
  "endDate" : null,
```

```
"startDate" : "2021-04-16T00:00:00.000+00:00",
"limitContribution" : 90000,
"lendableMargin" : 90,
"haircut" : 10,
"collateralValue" : 100000,
"collateralCurrency" : "USD",
"categoryId" : "1387303692245274624",
"collateralDescription" : "COLL0116",
"collateralCode" : "COLL0116",
"liabId" : "1407312143918698496",
"contractRefNo" : null,
"contractSourceRefNo" : null,
"mortgageInitiated" : "N",
"interestRate" : null,
"utilAmt" : 0,
"blockAmount" : 0,
"availableAmount" : 5000,
"status" : "A",
"maturedUtil" : 0,
"extRestType" : "D",
"tankedUtil" : 0,
"getmCollatExtSysRestCollection" : null
},
"collateralsPoolDetails" : null,
"liabilityDetails" : [ {
  "id" : "1407312143918698496",
  "blockAmount" : null,
  "liabNo" : "LIB0116",
  "liabName" : "LIB0116",
  "liabBranch" : "B01",
  "liabCcy" : "USD",
  "utilAmt" : null,
  "revisionDate" : null,
  "creditRating" : null,
  "overallScore" : null,
  "userDefineStatus" : null,
  "overallLimit" : 0.0,
  "unadvised" : "N",
  "nettingRequired" : "N",
  "category" : null,
  "userRefno" : null,
  "mainLiabId" : null,
  "mainLiabNo" : null,
  "liabilityCustomerLinkage" : {
    "customerNo" : "CUST0116",
    "liabId" : "1407312143918698496",
    "branchCode" : "B01"
  },
  "secCleanRiskLimit" : null,
  "secPstlRiskLimit" : null,
  "fxCleanRiskLimit" : null,
  "maker" : null,
  "makerstamp" : null,
  "checker" : null,
  "checkerstamp" : null,
  "modno" : 2,
```

```

"txnstat" : null,
"authstat" : null,
"onceauth" : "Y",
"source" : null,
"processNo" : null,
"conversionDate" : null,
"tankedUtil" : null
} ],
"defaultLiab" : "D",
"blkAddInfo1" : null,
"blkAddInfo2" : null,
"blkAddInfo3" : null,
"blkAddInfo4" : null,
"blkAddInfo5" : null,
"gdaysNeeded" : "N"
} ]
},
"warnings" : [ ],
"authorizations" : null,
"paging" : "",
"errors" : [ ],
"informations" : [ {
"informationCode" : "ST-SAVE-001",
"informationMessage" : "Request Successfully Processed"
} ]
},
"httpMethod" : "POST",
"httpCode" : 201,
"url" : "http://ofssmum-
5426.snbonprshared2.gbucdsint02bom.oraclevcn.com:8031/obelcm-
collateralsutilization-
services/service/v14.8.1.0.0/blocks/process"
}

```

1.1.2 Utilization / De-utilization - Request / Response

This topic describes about the sample request / response for the consumer service
Utilization / De-utilization.

Request/Response

SERVICE-CONSUMER = "ELCM_OBRL"

SERVICE-CONSUMER-SERVICE=" ELCM_PROCESS"

Request

```

{
  "headers" : {
    "branchCode" : "000",
    "source" : "OBRL",
    "userId" : "TESTUSER1",
    "Content-Type" : "application/json"
  },
  "body" : {
    "utilBrn" : "000",

```

```

"utilMasterExpDtoList" : [ ],
"utilMainLimits" : [ ],
"utilLogs" : [ {
  "action" : "INCREASE",
  "userRefNo" : "LNPZ010000022791",
  "customerNo" : "000010235",
  "utilCcy" : "USD",
  "utilBrn" : "000",
  "amtTag" : "PRINCIPAL",
  "source" : "OBRL",
  "collateralCode" : "GENLB10233",
  "liabNo" : "P10235",
  "limitType" : "C",
  "limitCcy" : "USD",
  "utilAmt" : 10047.0,
  "utilPrd" : null,
  "module" : null,
  "liabCcy" : null,
  "liabBranch" : null,
  "eventCode" : "DSBR",
  "eventSlNo" : 3,
  "transDate" : "2024-11-08T00:00:00",
  "valueDate" : "2024-11-08T00:00:00",
  "defaultLiab" : "D"
} ]
},
"httpMethod" : "POST",
}

```

Response

```

{
  "headers" : {
    "content-length" : [ "2461" ],
    "HttpStatusCode" : 200,
    "connection" : [ "keep-alive" ],
    "Date" : [ "Tue, 1 Apr 2025 11:35:14 GMT" ],
    "Content-Type" : [ "application/json" ]
  },
  "body" : {
    "data" : {
      "action" : "NEW",
      "authDtStamp" : "2024-11-08T11:35:14Z[UTC]",
      "authId" : "TESTUSER1",
      "authStat" : "A",
      "inputDtStamp" : "2024-11-08T11:35:14Z[UTC]",
      "inputUserId" : "TESTUSER1",
      "keyId" : "~GCTB_UTILS~USER_REFNO",
      "utilBrn" : "000",
      "utilLogs" : [ {
        "GDaysNeeded" : "N",
        "action" : "NEW",
        "amtTag" : "PRINCIPAL",
        "authDtStamp" : "2024-11-08T11:35:14Z[UTC]",
        "authId" : "TESTUSER1",

```

```

"authStat" : "A",
"autoAuth" : "Y",
"bookDate" : "2024-11-08T00:00:00Z[UTC]",
"changeUtilAmt" : 10047.0,
"collateralCode" : "GENLB10233",
"considerAsRevolving" : "N",
"customerNo" : "000010235",
"dataMigration" : "N",
"defaultLiab" : "D",
"endOfInput" : "N",
"eventCode" : "DSBR",
"eventSlNo" : 3,
"forceAuth" : "N",
"ignoreOverrides" : "N",
"inputDtStamp" : "2024-11-08T11:35:14Z[UTC]",
"inputUserId" : "TESTUSER1",
"isAccount" : "N",
"isSimulation" : "N",
"ismergeOperation" : "N",
"liabId" : 7261,
"liabNo" : "P10235",
"liabUtil" : 0,
"liabilityDetails" : [ {
  "authstat" : "A",
  "blockAmount" : 0,
  "evolvableHolder" : {
    "empty" : true,
    "typeIds" : [ ]
  },
  "id" : 7261,
  "liabBranch" : "505",
  "liabCcy" : "USD",
  "liabName" : "P10235",
  "liabNo" : "P10235",
  "liabilityCustomerLinkage" : {
    "branchCode" : "505",
    "customerNo" : "000010235",
    "evolvableHolder" : {
      "empty" : true,
      "typeIds" : [ ]
    },
    "id" : 1937,
    "liabCustExposureDtoList" : [ ],
    "liabId" : 7261
  },
  "liabilityExposuresList" : [ ],
  "modno" : 2,
  "nettingRequired" : "N",
  "onceauth" : "Y",
  "overallLimit" : 99999999,
  "processNo" : 1,
  "rootLiabId" : 7261,
  "tankedUtil" : 0,
  "unadvised" : "N",
  "utilAmt" : 0
} ],

```

```

        "limitCcy" : "USD",
        "limitCcyMatured" : 0,
        "limitCcyUncoll" : 0,
        "limitExchRate" : 1,
        "limitId" : 8731,
        "limitType" : "C",
        "limitUtil" : 10047.0,
        "matured" : "N",
        "maturedAmt" : 0,
        "module" : "GC",
        "multiAuth" : "N",
        "offsetHr" : 0,
        "offsetMin" : 0,
        "onceAuthorized" : false,
        "processNo" : 1,
        "recordStatus" : "0",
        "shadowLimit" : "N",
        "source" : "OBRL",
        "stat" : "S",
        "statistics" :
"\"After:LIMIT_TYPE:C:LIMIT_ID:8731:TXN_AMOUNT:10047.0:AVAILABLE_AMOUNT:null:AMOUNT_UTILISED_TODAY:null:AMOUNT_REINSTATED_TODAY:null:UNCOLLECTED_AMOUNT:null:TRANANKED_UTIL:null:NETTING_AMOUNT:null:MATURED_UTIL:null:REVOLVING_AMT:null \",
        "tenor" : 0,
        "tenorBasis" : "N",
        "transDate" : "2024-11-08T00:00:00Z[UTC]",
        "txnId" : "1356592742563315712",
        "txnInitDate" : "2024-11-08T00:00:00Z[UTC]",
        "txnPercent" : 0,
        "txnStatus" : "S",
        "unColl" : 0,
        "userRefNo" : "LNPZ010000022791",
        "utilAmt" : 10047.0,
        "utilBrn" : "000",
        "utilCcy" : "USD",
        "utilId" : "1356592742672367616",
        "utilPrd" : "UTIL",
        "utilStat" : "A",
        "valueDate" : "2024-11-08T00:00:00Z[UTC]",
        "vdUpdate" : "N",
        "versionNo" : 1
    } ],
    "versionNo" : 1
},
"warnings" : [ ],
"paging" : "",
"errors" : [ ],
"informations" : [ {
    "informationCode" : "ST-SAVE-027",
    "informationMessage" : "Request Successfully Processed"
} ]
},
"httpMethod" : "POST",
"httpCode" : 200,
}

```

1.2 Enterprise Limits and Collateral Management Bulk Utilization Update

This topic provides the information about the bulk utilization service providers that are added to configure ELCM.

The **Service Consumers** for **OBRL** are as displayed below.

Figure 1-4 Service Consumers for collateral (ELCM_BULK_UPLOAD_SERVICE)




Figure 1-5 Limit (ELCM_LIMIT_FILE_UPLOAD)



Figure 1-6 Service Consumers




Figure 1-7 Service Consumers for Limit (ELCM_LIMIT_PROCESS_FILE_UPLOAD)

The following four endpoints are required for consumer services to be configured in Oracle Banking Routing Hub:

FCUBS-ELCMRest/ELFileUploadService/fileUpload

The **Consumer Services** for **OBRL** are as displayed below.

- [Enterprise Limits and Collateral Management Bulk Utilization - Request / Response](#)
This topic describes about the sample request / response for the consumer service **ELCM Bulk Utilization**.

1.2.1 Enterprise Limits and Collateral Management Bulk Utilization - Request / Response

This topic describes about the sample request / response for the consumer service **ELCM Bulk Utilization**.

Request/Response

SERVICE-CONSUMER = "ELCM_OBRL"

SERVICE-CONSUMER-SERVICE=" ELCM_PROCESS"

Request

```
http://100.76.166.230:8002/FCUBS-ELCMRest/ELFileUploadService/fileUpload' \
header 'userId: TESTUSER1' \
header 'source: EXTSYS' \
header 'userBranch: 001' \
header 'entity: ENTITY_ID1' \
header 'Content-Type: multipart/form-data' \
form 'file=@"/C:/prashant_files/DECREASEBULKUTIL_11-01-2024.txt"'
```

Response

```
{
  "fileUpload": {
    "fileUploadDetails": [
      {
        "fileRefNo": 1161,
```

```
        "fileName": "DECREASEBULKUTIL_11-01-2024.txt",
        "fileUploadDate": "2025-02-24",
        "fileStatus": "P",
        "startTime": "2025-02-24 07:36:29",
        "endTime": "2025-02-24 07:36:30",
        "utilsErrorLog": []
    }
]
},
"fcubsWarningResp": {
    "warning": []
}
}
```

2

Oracle Banking Payments Implementation

This topic provides the information about APIs configured using Oracle banking Retail Lending Servicing Cloud Service.

This topic contains the following subtopics:

- [Creditout](#)
This topic provides the information about the credit out service consumers that are added to configure OBPM.
- [Debitout](#)
This topic provides the information about the debitout service consumers that are added to configure OBPM.
- [OBRL - OBPM related Maintenance](#)
This topic provides the information about the OBRL - OBPM related Maintenances.


2.1 Creditout

This topic provides the information about the credit out service consumers that are added to configure OBPM.

Request


The **Service Consumers** for **OBRL** are as displayed below.

Figure 2-1 Service Consumers



The **ELCM Service Providers** for OBRL are as displayed below:

Figure 2-2 ELCM Service Providers



The following four endpoints are required for consumer services to be configured in Oracle Banking Routing Hub:

OBRL0BPMCREDITOUT → obpm-us-service/achnachacreditout

The **Consumer Services** for OBRL are as displayed below:

Figure 2-3 Consumer Services

Service Consumers

↑ [Back to List of Service Consumers](#)

OBRL_OBPM_INTEGRATION
OBRL_OBPM_INTEGRATION

Common Templates Environment Variables Service Providers **Consumer Services**

Q Search

+ New Consumer Service ☒ Import Consumer Service

2 Results

OBRLOBPMCREDITOUT OBRLOBPMCREDITOUT View More ...	OBRLOBPMDEBITOUT OBRLOBPMDEBITOUT View More ...
--	--

```
{
  "headers" : {
    "branchCode" : "NYC",
    "CHANNEL" : "REST",
    "appId" : "OBPMUS",
    "tenantId" : "ENTITYID1",
    "entityId" : "DEFAULTENTITY",
    "userId" : "SYSTEM",
    "Content-Type" : "application/json"
  },
  "body" : {
    "txnDet" : {
      "txnBranch" : "NYC",
      "hostCode" : "USA",
      "secCode" : "CCD",
      "nachaEntryType" : "ACH Credit",
      "sourceCode" : "OBRL",
      "networkCode" : "USNACHA",
      "sourceRefNo" : "LNPZ03NYC0001933",
      "userRefNo" : "NYCDSBR1349637752926560256",
      "companyId" : "",
      "companyEntryDesc" : "DED",
      "individualIdNo" : "",
      "receivingConsumer" : "",
      "instructionDate" : "2024-10-01",
      "transferCcy" : "USD",
      "transferAmt" : "50",
      "drAcNo" : "10020007",
      "drAcBrn" : "NYC",
      "drAcCcy" : "USD",
      "drBankCode" : "",
      "drName" : "Jon Taylor",
      "transactionCode" : "32",

```

```

        "crAcNo" : "20010008",
        "crName" : "Jon Taylor",
        "crAcBrn" : "NYC",
        "crAcCcy" : "USD",
        "customerNo" : "CUSTNYC00000000000001",
        "crBankCode" : "071000301",
        "zeroDollarEntry" : "",
        "preNotificationEntry" : "",
        "sameDayAch" : "N",
        "prefundedPayments" : "Y",
        "debitFromGl" : "Y"
    }
},
"httpMethod" : "POST",
}

```

Response

```

{
  "headers" : {
    "X-ORACLE-DMS-ECID" : [ "2c2adfe4-9521-4f37-9a05-e111849c029a-0000875d" ],
    "HttpStatusCode" : 200,
    "Content-Length" : [ "262" ],
    "X-ORACLE-DMS-RID" : [ "0" ],
    "Date" : [ "Thu, 13 Mar 2025 06:58:35 GMT" ],
    "Content-Type" : [ "application/json" ]
  },
  "body" : {
    "sourceCode" : "OBRL",
    "MSGSTATUS" : "SUCCESS",
    "resp" : [ {
      "respCode" : "PM-SAVE-002",
      "respDesc" : "Transaction Processed and Authorized ."
    } ],
    "txnRefNo" : "2507202144915000",
    "userRefNo" : "NYCDSBR1349637752926560256",
    "TXNID" : "2507201944915000",
    "sourceRefNo" : "LNPZ03NYC0001933"
  },
  "httpMethod" : "POST",
  "httpCode" : 200,
}

```


2.2 Debitout

This topic provides the information about the debitout service consumers that are added to configure OBPM.

Request


The **Service Consumers** for **OBRL** are as displayed below.

Figure 2-4 Service Consumers



The **ELCM Service Providers** for OBRL are as displayed below:

Figure 2-5 ELCM Service Providers




The following four endpoints are required for consumer services to be configured in Oracle Banking Routing Hub:

OBRL0BPMDEBITOUT → obpm-us-service/achnachadebitoutpay

The **Consumer Services** for OBRL are as displayed below:

Figure 2-6 Consumer Services



```
{
  "headers" : {
    "branchCode" : "NYC",
    "CHANNEL" : "REST",
    "appId" : "OBPMUS",
    "tenantId" : "ENTITYID1",
    "entityId" : "DEFAULTENTITY",
    "userId" : "SYSTEM",
    "Content-Type" : "application/json"
  },
  "body" : {
    "header" : {
      "entityId" : "ENTITY_ID1",
      "functionId" : "PNDOTONL",
      "action" : "NEW",
      "moduleId" : "PM",
      "userId" : "KARTHIKA",
      "hostCode" : "USA",
      "source" : "OBRL"
    },
    "txnDet" : {
      "txnBranch" : "NYC",
      "hostCode" : "USA",
      "secCode" : "WEB",
      "nachaEntryType" : "ACH Debit",
      "sourceCode" : "OBRL",
      "networkCode" : "USNACHA",
      "sourceRefNo" : "LNPZ01NYC0001910",
      "userRefNo" : "NYCPMNT1349650450624077824",
      "companyId" : "",
      "individualIdNo" : "LNPZ01NYC0001910",

```

```

        "receivingConsumer" : "Jon Taylor",
        "companyEntryDesc" : "DED",
        "instructionDate" : "2024-10-01",
        "transferCcy" : "USD",
        "transferAmt" : "100",
        "drBankCode" : "071000301",
        "drAcNo" : "22323232",
        "drName" : "Jon Taylor",
        "transactionCode" : "37",
        "crAcNo" : "20010014",
        "crName" : "Jon Taylor",
        "crAcBrn" : "NYC",
        "crAcCcy" : "USD",
        "customerNo" : "CUSTNYC00000000000001",
        "zeroDollarEntry" : "N",
        "preNotificationEntry" : "N",
        "sameDayAch" : "N",
        "creditToGl" : "Y"
    }
},
"httpMethod" : "POST",
}

```

Response

```

{
  "headers" : {
    "X-ORACLE-DMS-ECID" : [ "2c2adfe4-9521-4f37-9a05-e111849c029a-000087b7" ],
    "HttpResponseCode" : 200,
    "Content-Length" : [ "262" ],
    "X-ORACLE-DMS-RID" : [ "0" ],
    "Date" : [ "Thu, 13 Mar 2025 07:49:02 GMT" ],
    "Content-Type" : [ "application/json" ]
  },
  "body" : {
    "sourceCode" : "OBRL",
    "MSGSTATUS" : "SUCCESS",
    "resp" : [ {
      "respCode" : "PM-SAVE-002",
      "respDesc" : "Transaction Processed and Authorized ."
    } ],
    "txnRefNo" : "2507202147942000",
    "userRefNo" : "NYCPMNT1349650450624077824",
    "TXNID" : "2507201947942000",
    "sourceRefNo" : "LNPZ01NYC0001910"
  },
  "httpMethod" : "POST",
  "httpCode" : 200,
}

```

2.3 OBRL - OBPM related Maintenance

This topic provides the information about the OBRL - OBPM related Maintenances.

The below are the integration impacted areas of configuration in OBPM:

Network Code

The **Network Maintenance** screen allows users to maintain clearing network that supports local payments

The Network Code will be captured in Oracle Banking Payments in Screen PMDNWCOD.

Figure 2-7 Network Maintenance

Network Code Maintenance

Host Code * USA
Network Code * USNACHA
Network Type Code * US-ACH

Host Description TD Bank Payments Host for US
Network Description USNACHA
Network Type Description

This code has to be mapped in OBRL **Lending Policy Parameter**, refer below screenshot.

Figure 2-8 Lending Policy Definition

Lending Policy definition

Inter System Settlement Preferences

Settlement Mode	System Code	Settlement General Ledger	Directory Key	Action
Insurance Settlement Mode	PREGL	20010015		
Loan Account	OBRL	GL11000002		
Automated Clearing House	OBPM	20010014	USNACHA	
Excess Settlement Mode	PREGL	20010015		
Ledger Account	OBOL			

Source

The **Source Maintenance** screen is used to identify an external system or source from which payments system receives a payment request.

The source can be captured in Oracle Banking Payments in screen PMDSORCE. The Source Code OBRL should be maintained in this screen.

Figure 2-9 Source Maintenance

Source Maintenance Detailed

New Copy Close X Unlock Print Enter Query

Source Code *	OBRL	MIS Group	
Host Code *	USA	UDF Group	
Description	OBRL		
Source Type	Manual Input		

Prefunded Payments

Prefunded Payments Allowed ☒ Prefunded Payments GL 000111000

Pricing Applicable ☐ Auto-process Claims for Prefunded Payments ☒

Duplicate Check Fields

Duplicate Check Period In Days 0

Accounting & Message Preference

Preferred Reference Transaction Reference

Other Preferences

SSI Handling Not Required PSD Applicable ☐

Validate Debit Authority ☐ Notification Required ☐

Incoming SWIFT ☐ Allow Back Value Dated Book Transfer ☐

Duplicate Check Fields Response Details Department Details Audit Exit

Source Network Preference

The **Source Network Preferences** screen allows users to maintain Source Network Preferences for capturing preferences at source and network level for each transaction type.

The source **Network Preferences** can be captured in Oracle Banking Payments in screen PMDS0RNW. The Source Code OBRL should be maintained in this Screen for Incoming and Outgoing.

Figure 2-10 Source Network Preferences

Source Network Preferences Detailed

New Copy Close X Unlock Print Enter Query

Host Code *	USA	Description	OBRL
Source Code *	OBRL	Network Description	USNACHA
Network Code *	USNACHA	Network Type Description	
Transaction Type *	Incoming		

Preferences

Authorization Rekey Required ☐ MIS Group

Debtor IBAN Required ☐ UDF Group

Requested Execution Date Considered as Instruction Date

Sanctions System

Sanction Check Required ☐

Pricing

External Pricing Applicable ☐

Accounting Preference

Debit Entry on On Activation Date

Pre-validation Preferences

Pre-validation Applicable No

Charge Applicable No

Authorization Limit

Authorization Limit Currency

Authorization 1 Limit

Authorization 2 Limit

Audit Exit

Figure 2-11 Source Network Preferences

Source Network Preferences Detailed

NewCopyCloseUnlockPrintEnter Query

Host Code *USA

Source Code *OBRL

Network Code *USNACHA

Transaction Type *Outgoing

DescriptionOBRL

Network DescriptionUSNACHA

Network Type Description

Preferences

Authorization Rekey Required

Debtor IBAN Required

Requested Execution Date Considered as

Instruction Date

MIS Group

UDF Group

Sanctions System

Sanction Check Required

Pricing

External Pricing Applicable

Accounting Preference

Debit Entry on

On Activation Date

Pre-validation Preferences

Pre-validation ApplicableNo

Charge ApplicableNo

Authorization Limit

Authorization Limit Currency

Authorization 1 Limit

Authorization 2 Limit

Audit

Exit

US ACH Company ID Preferences

This maintenance (Screen Name PNDCMPID) maintains the mapping between a Company Id of a corporate Originator and one or more of their accounts available in the system that could be used as the debit account or credit account in an outgoing ACH Credit or ACH Debit transaction and to default during transaction.

Figure 2-12 US ACH Company ID Preferences

US-ACH Company ID Preferences

NewCloseUnlockEnter Query

Host Code *USA

Network Code *USNACHA

US ACH Entry Type *ACH Credit

Preferences

Default Company ID *810005600

Integration Guide
G58884-01
Copyright © 2026, Oracle and/or its affiliates.

July 31, 2026
Page 10 of 11

Figure 2-13 US ACH Company ID Preferences

US-ACH Company ID Preferences

 New  Close  Unlock  Enter Query

Host Code *

USA

Network Code *

USNACHA



US ACH Entry Type *

ACH Debit

Preferences

Default Company ID *

810005600



3

Oracle Banking Accounts Integrations

This topic provides information on integration with Oracle Banking Accounts.

The Endpoints for the Oracle Banking Accounts are describes below:

Table 3-1 Integration Endpoints

Endpoints	Description
obcdda-pp-transaction-balance-service/ob/oba/tbs/v1/transactions/accountings	This end point is being integrated from OBRL to send accounting requests to OBA.
obcdda-pp-transaction-balance-service/ob/oba/tbs/v1/transactions/amountBlocks	This end point is being integrated from OBRL to create the amount blocks on the CASA accounts during payment batch of OBRL

Maintenance

Below Hold code and description needs to be maintained to support lien management of loan against deposit products.

From Home screen, click **Account Configurations**. Under **Account Configurations**, click **Hold Code**, then click **Create**.

Table 3-2 Hold Code- Create

Hold Code	Description
RL	Retail Lending


- [Utilization & De-Utilization Deposits](#)

This topic describes about the service consumer **Utilization & De-utilization** of deposits.


3.1 Utilization & De-Utilization Deposits

This topic describes about the service consumer **Utilization & De-utilization** of deposits.

- **Service Consumers: OBRL_DEPOSIT_SYS**

Figure 3-1 Service Consumers

- **Service Providers**

Figure 3-2 Service Providers

Following are the endpoints used by service providers.

TD_CLOSE_LEIN_PROVIDER: obrdep-txn-pp-online-services/service/v14.8.1.0.0/tdamtblk/closeTDAmBk

TD_CREATE_LEIN_PROVIDER: obrdep-txn-pp-online-services/service/v14.8.1.0.0/tdamtblk/createTDAmBk

TD_LIEN_MODIFY_PROVIDER: obrdep-txn-pp-online-services/service/v14.8.1.0.0/tdamtblk/modifyTDAmBk


TD_RATE_PROVIDER: obrdep-txn-pp-online-services/service/v14.8.1.0.0/tdSpCond

TD_DEPOSIT_DATA_PROVIDER: obrdep-txn-pp-online-services/service/v14.8.2.0.0/queryResponseService/.search

TD_AMOUNT_BLOCK_DATA_PROVIDER: obrdep-txn-pp-online-services/service/v14.8.1.0.0/tdamtblk/getByd

- **Consumer Services**

The Consumer Services for OBRL are as displayed below:

Figure 3-3 Consumer Services

- 1. **TD_CREATE_LEIN_CONSUMER**

Request/Response

SERVICE-CONSUMER = OBRL_DEPOSIT_SYS

SERVICE-CONSUMER-SERVICE= TD_CREATE_LEIN_CONSUMER

Request

```
{
  "headers" : {
    "branchcode" : [ "000" ],
    "entityid" : [ "DEFAULTENTITY" ],
    "userid" : [ "YATHIKA" ],
    "appid" : [ "CMNCORE" ],
    "service-consumer" : [ "OBRL_DEPOSIT_SYS" ],
    "service-consumer-service" : [ "TD_CREATE_LEIN_CONSUMER" ]
  },
  "body" : {
    "amountBlockDtoList" : [ {
      "depositAccountNumber" : "R0100005569",
      "depositCurrency" : "USD",
      "remarks" : "Block for loan account :SUD01LAD002938",
      "depositAmount" : "10000",
      "depositBranchCode" : "R01"
    }, {
      "depositAccountNumber" : "R0100005575",
      "depositCurrency" : "USD",
      "remarks" : "Block for loan account :SUD01LAD002938",
      "depositAmount" : "10000",
      "depositBranchCode" : "R01"
    }, {
      "depositAccountNumber" : "R0100005577",
      "depositCurrency" : "USD",
      "remarks" : "Block for loan account :SUD01LAD002938",
      "depositAmount" : "10000",
      "depositBranchCode" : "R01"
    } ]
  }
}
```

Response

```

"body":
{
  "data": {
    "success": "Y",
    "amountBlockRefNo": "AR1458440798950604810",
    "amountBlockDtoList": [
      {
        "depositAccountNumber": "R0100005569",
        "depositCurrency": "USD",
        "depositAmount": "10000",
        "depositBranchCode": "R01",
        "amountBlockNo": "AB1459097392860315649"
      },
      {
        "depositAccountNumber": "R0100005575",
        "depositCurrency": "USD",
        "depositAmount": "10000",
        "depositBranchCode": "R01",
        "amountBlockNo": "AB1459097392860315650"
      },
      {
        "depositAccountNumber": "R0100005577",
        "depositCurrency": "USD",
        "depositAmount": "10000",
        "depositBranchCode": "R01",
        "amountBlockNo": "AB1459097392860315651"
      }
    ],
    "errors": []
  }
}

```

2.TD_CLOSE_LEIN_CONSUMER**Request/Response**

SERVICE-CONSUMER = OBRL_DEPOSIT_SYS
 SERVICE-CONSUMER-SERVICE= TD_CLOSE_LEIN_CONSUMER

Request

```

{
  "headers" : {
    "branchcode" : [ "000" ],
    "entityid" : [ "DEFAULTENTITY" ],
    "userid" : [ "YATHIKA" ],
    "appid" : [ "CMNCORE" ],
    "service-consumer" : [ "OBRL_DEPOSIT_SYS" ],
    "service-consumer-service" : [ "TD_CLOSE_LEIN_CONSUMER" ]
  },
  "body": {
    "amountBlockDtoList": [
      {

```

```

        "amountBlockNo": "AB1459097392860315649"
      }
    ]
  }
}

```

Response

```

"body": {
  "data": {
    "success": "Y",
    "amountBlockRefNo": "AR1458440798950604810",
    "amountBlockDtoList": [
      {
        "depositAccountNumber": "R0100005569",
        "depositCurrency": "USD",
        "depositAmount": "5000",
        "depositBranchCode": "R01",
        "amountBlockNo": "AB1459097392860315649"
      }
    ],
    "errors": []
  }
}

```

3.TD_MODIFY_LEIN_CONSUMER

Request/Response

SERVICE-CONSUMER = OBRL_DEPOSIT_SYS
SERVICE-CONSUMER-SERVICE= TD_MODIFY_LEIN_CONSUMER

Request

```

{
  "headers" : {
    "branchcode" : [ "000" ],
    "entityid" : [ "DEFAULTENTITY" ],
    "userid" : [ "YATHIKA" ],
    "appid" : [ "CMNCORE" ],
    "service-consumer" : [ "OBRL_DEPOSIT_SYS" ],
    "service-consumer-service" : [ "TD_MODIFY_LEIN_CONSUMER" ]
  },
  "body": {
    "amountBlockDtoList": [
      {
        "amountBlockNo": "AB1459097392860315650",
        "depositAmount": "5000"
      }
    ]
  }
}

```

Response

```

"body": {
  "data": {
    "success": "Y",
    "amountBlockRefNo": "AR1458440798950604810",
    "amountBlockDtoList": [
      {
        "depositAccountNumber": "R0100005575",
        "depositCurrency": "USD",
        "depositAmount": "5000",
        "depositBranchCode": "R01",
        "amountBlockNo": "AB1459097392860315650"
      }
    ],
    "errors": []
  }
}

```

4.TD_DEPOSIT_DATA_CONSUMER**Request/Response**

SERVICE-CONSUMER = OBRL_DEPOSIT_SYS
 SERVICE-CONSUMER-SERVICE= TD_DEPOSIT_DATA_CONSUMER

Request

```

{
  "headers" : {
    "branchcode" : [ "000" ],
    "entityid" : [ "DEFAULTENTITY" ],
    "userid" : [ "YATHIKA" ],
    "appid" : [ "CMNCORE" ],
    "service-consumer" : [ "OBRL_DEPOSIT_SYS" ],
    "service-consumer-service" : [ "TD_DEPOSIT_DATA_CONSUMER" ]
  },
  "body": {
    "depositAccounts": [
      {
        "depositAccountNumber": "R0100005569",
        "depositBranchCode": "R01"
      },
      {
        "depositAccountNumber": "R0100005575",
        "depositBranchCode": "R01"
      },
      {
        "depositAccountNumber": "R0100005577",
        "depositBranchCode": "R01"
      }
    ]
  }
}

```

Response

```

"body": {
  "data": {
    "depositAccountList": [
      {
        "depositAccount": {
          "depositAccountNumber": "R0100005569",
          "depositAccountCurrency": "USD",
          "depositBranchCode": "R01",
          "depositCustomerNumber": "000005373",
          "depositAvlBalance": "10000",
          "depositBlockedAmt": "0",
          "depositMaturityDate":
"2018-12-01T00:00:00.000+00:00"
        },
        "errors": []
      },
      {
        "depositAccount": {
          "depositAccountNumber": "R0100005575",
          "depositAccountCurrency": "USD",
          "depositBranchCode": "R01",
          "depositCustomerNumber": "000005373",
          "depositAvlBalance": "10000",
          "depositBlockedAmt": "0",
          "depositMaturityDate":
"2018-12-01T00:00:00.000+00:00"
        },
        "errors": []
      },
      {
        "depositAccount": {
          "depositAccountNumber": "R0100005577",
          "depositAccountCurrency": "USD",
          "depositBranchCode": "R01",
          "depositCustomerNumber": "000005373",
          "depositAvlBalance": "10000",
          "depositBlockedAmt": "0",
          "depositMaturityDate":
"2018-12-01T00:00:00.000+00:00"
        },
        "errors": []
      }
    ]
  }
}

```

5. TD_AMOUNT_BLOCK_DATA_CONSUMER**Request/Response**

```

SERVICE-CONSUMER = OBRL_DEPOSIT_SYS
SERVICE-CONSUMER-SERVICE= TD_AMOUNT_BLOCK_DATA_CONSUMER

```

Request

```
{
  "headers" : {
    "branchcode" : [ "000" ],
    "entityid" : [ "DEFAULTENTITY" ],
    "userid" : [ "YATHIKA" ],
    "appid" : [ "CMNCORE" ],
    "service-consumer" : [ "OBRL_DEPOSIT_SYS" ],
    "service-consumer-service" : [ "TD_AMOUNT_BLOCK_DATA_CONSUMER" ]
  },
  "body": {
    "amountBlockNumber": "AB1442518924219596801"
  }
}
```

Response

```
"body": {
  "data": {
    "depositAmountBlock": {
      "depositAccountNumber": "R0100005202",
      "amountBlockNumber": "AB1442518924219596801",
      "amountBlockReferenceNumber": "AR1442518924219596800",
      "blockedAmount": "200",
      "blockExpirationDate": null,
      "blockStatus": "0",
      "blockAuthStatus": "A"
    },
    "errors": []
  }
}
```

6.TD_RATE_CONSUMER**Request/Response**

SERVICE-CONSUMER = OBRL_DEPOSIT_SYS
SERVICE-CONSUMER-SERVICE= TD_RATE_CONSUMER

Request

```
{
  "headers" : {
    "branchcode" : [ "000" ],
    "entityid" : [ "DEFAULTENTITY" ],
    "userid" : [ "YATHIKA" ],
    "appid" : [ "CMNCORE" ],
    "service-consumer" : [ "OBRL_DEPOSIT_SYS" ],
    "service-consumer-service" : [ "TD_RATE_CONSUMER" ]
  },
  "body": {
    "depositAccountNumber": "INS00154353",
    "depositBranch": "INS"
  }
}
```

```
    }  
  }
```

Response

```
"body": {  
  "data": {  
    "depositDetails": [  
      {  
        "depositAccountNumber": "INS00154353",  
        "depositBranch": "INS",  
        "depositRate": "6.0",  
        "rateEffectiveDate": "2019-01-25T00:00:00.000+00:00"  
      }  
    ]  
  }  
}
```

4

Oracle Banking Collections Integration

This topic provides information on integration with Oracle Banking Collections.

The below batches to be configured (Sequence after OBRL_AHIU):

- Data Transfer1 Core to Integration Domain
- Data Transfer2 Core to Integration Domain
- Data Transfer OBRL to Integration Domain
- Data Transfer3 Integration Domain to Collection System

5

Oracle Banking Operational Ledger Integrations

This topic provides information on integration with Oracle Banking Operational Ledger.

The Endpoints for the Oracle Banking Operational Ledger are describes below:

Table 5-1 Integration Endpoints

Endpoints	Description
OBOL-TRANSACTION-ACCOUNTING-SERVICES/obol-transaction-accounting-services/ob/obol/v1/transactionLogAccounting	This end point is being integrated from OBRL to send accounting requests to OBOL for ledger settlement.

Index

B

Block/Unblock - Request / Response, [3](#)

C

Creditout, [1](#)

D

Debitout, [4](#)

E

ELCM Bulk Utilization - Request / Response, [17](#)

Enterprise Limits and Collateral Management
Implementation, [1](#)

O

OBRL - OBPM related Maintenance, [8](#)

Oracle Banking Accounts Integrations, [1](#)

Oracle Banking Collections Integration, [1](#)

Oracle Banking Operational Ledger Integrations,
[1](#)

Oracle Banking Payments Implementation, [1](#)

S

Service Providers, [16](#)

U

Utilization / De-utilization, [1](#)

Utilization / De-utilization - Request / Response,
[12](#)

Utilization & De-Utilization Deposits, [1](#)